FOR OFFICIAL USE

1931. No. 1.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 10TH JANUARY, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 10TH JANUARY, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the first week of the year numbered 6,760 corresponding to an annual rate of 17·9 per 1,000 living: stillbirths numbered 305 corresponding to a rate of 43 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,451 (864 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.
107 Great Towns	13·7	12·8	14·8	17·1
London	13·9	13·9	16·0	17·1
Birmingham	12·4	11·6	14·0	17·6
Liverpool	17·4	15·2	16·4	22·8
Manchester	16·9	13·3	17·9	25·8
Sheffield	12·8	9·9	12·2	11·8
Leeds	14·7	14·9	15·6	16·3
Bristol	13·1	12·3	12·0	14·0
West Ham	10·5	12·9	14·2	13·6

During the last four weeks deaths from influenza numbered 58, 59, 60 and 101 respectively.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 96, against 73, 73 and 86, in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,438 live births registered corresponding to an annual rate of 16·9 per 1,000 living: stillbirths numbered 61 corresponding to a rate of 41 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,452 (96 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 78, against 51, 62, and 74 in the three weeks preceding.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 10th January, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS.	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,659,445*	6,760	305	6,451	622	1	77	8	21	32	72	101
LONDON	4,417,900*	1,438	61	1,452	112	-	-	-	1	6	19	16
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	72	-	85	1	-	-	-	-	-	-	2
WIMBLEDON ..	59,370	13	-	10	1	-	-	-	-	-	-	-
EALING	104,000	27	1	19	1	-	-	-	-	-	-	1
ACTON	65,200	19	-	16	2	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	59,040	8	-	12	2	-	-	-	-	-	1	-
WILLESDEN ..	172,500	50	5	48	1	-	-	1	-	-	-	1
HENDON	83,190*	34	-	18	3	-	-	-	-	-	-	-
HORNSEY	88,450	15	-	28	1	-	-	-	-	-	-	-
WOOD GREEN ..	53,410	13	-	14	-	-	-	-	-	-	-	-
TOTTENHAM ..	155,000	43	2	46	4	-	-	-	-	-	-	3
EDMONTON	75,000	38	1	15	-	-	-	-	-	-	-	-
ENFIELD	65,100	15	-	11	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	307,600	129	11	80	12	-	-	1	-	-	1	2
EAST HAM C.B. ..	147,600	24	1	44	2	-	-	-	-	1	-	-
LEYTON	128,300	26	1	37	1	-	-	-	-	-	-	-
WALTHAMSTOW ..	124,800	40	3	46	2	-	-	-	-	-	-	-
ILFORD	116,200	30	1	31	4	-	-	-	-	-	1	-
GILLINGHAM	56,670*	23	1	15	3	-	3	-	-	-	-	-
CANTERBURY C.B. ..	22,850*	12	-	5	-	-	-	-	-	-	-	-
HASTINGS C.B. ..	62,620	20	-	18	1	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	58,570	13	2	12	-	-	-	-	-	-	-	-
BRIGHTON C.B. ..	146,800*	39	3	35	-	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	242,000*	78	1	77	9	-	-	-	-	-	1	3
BOURNEMOUTH C.B. ..	97,360	15	-	34	2	-	-	-	-	-	-	1
SOUTHAMPTON C.B. ..	172,300	57	1	65	5	-	-	-	-	1	-	-
READING C.B.	96,850*	25	2	34	2	-	-	-	-	-	-	-
OXFORD C.B.	73,810*	28	5	27	2	-	-	-	-	-	-	1
NORTHAMPTON C.B. ..	93,970*	26	1	27	4	-	-	-	-	-	-	1
LUTON	65,200	19	-	15	3	-	-	-	-	-	-	-
CAMBRIDGE	60,730	26	1	17	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	114,600	21	-	33	-	-	-	-	-	1	-	1
IPSWICH C.B.	85,800	33	-	27	3	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	58,110	17	-	9	-	-	2	-	-	-	-	-
NORWICH C.B.	124,900*	48	3	44	3	-	-	-	-	-	-	-
SWINDON	62,020	15	-	18	-	-	-	-	-	-	-	-
EXETER C.B.	61,290*	23	1	18	-	-	-	-	-	-	-	1
PLYMOUTH C.B. ..	199,000*	72	3	71	4	-	-	-	-	-	-	-
BATH C.B.	69,240	19	-	30	-	-	-	-	-	-	-	-
BRISTOL C.B	391,000*	122	4	105	9	-	9	-	-	-	-	1
GLOUCESTER C.B. ..	52,010	31	-	12	-	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	279,200	92	4	88	6	-	-	-	-	1	-	2
BURTON-UPON-TRENT C.B.	48,970	21	1	18	-	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,300	56	1	51	7	-	-	1	1	-	2	-
WALSALL C.B.	100,100	34	2	31	5	-	5	-	-	1	-	-
WEST BROMWICH C.B.	80,840	34	2	24	4	-	-	-	-	-	-	-
DUDLEY C.B.	58,870	20	-	12	1	-	-	-	-	-	-	1
WORCESTER C.B. ..	52,320	8	1	14	3	-	1	-	1	-	-	-
BIRMINGHAM C.B. ..	968,500	374	21	326	15	-	8	-	-	1	4	10
SMETHWICK C.B. ..	85,120	26	1	13	3	-	-	-	-	2	-	-
COVENTRY C.B. ..	162,100	50	-	42	4	-	-	-	-	-	-	1
LEICESTER C.B. ..	245,200	89	5	83	6	-	-	-	1	1	3	-
LINCOLN C.B.	65,080*	15	1	22	-	-	1	-	-	1	-	1
GRIMSBY C.B.	91,440	36	2	20	2	-	1	-	-	-	-	-
NOTTINGHAM C.B. ..	266,800	98	3	134	14	-	1	-	-	-	3	1
DERBY C.B.	140,500*	48	1	48	7	-	-	-	-	-	-	1
CHESTERFIELD	65,270	21	3	15	2	-	-	-	-	-	1	1
STOCKPORT C.B. ..	127,800	33	1	49	4	-	-	-	-	-	-	2
CHESTER C.B.	40,750	20	2	9	2	-	-	-	-	-	-	-
BIRKENHEAD C.B ..	157,600	60	5	61	16	-	1	-	1	2	-	1
WALLASEY C.B. ..	101,300	31	-	29	3	-	-	-	1	1	-	-
LIVERPOOL C.B. ..	869,500	349	11	331	44	1	15	1	3	5	10	15
BOOTLE C.B.	80,400	35	-	31	6	-	-	-	-	-	-	-
ST. HELENS C.B. ..	109,200	41	2	43	13	-	1	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS.	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa, and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B ..	80,040	15	1	35	1	-	-	-	1	-	-	2
WIGAN C.B.	87,600	29	2	24	3	-	-	-	-	-	-	-
WARRINGTON C.B. ..	79,400*	33	2	27	4	-	-	-	-	1	1	-
BOLTON C.B	181,500	43	-	60	1	-	-	-	-	-	-	-
BURY C.B.	56,830*	19	2	16	2	-	-	-	-	-	-	1
MANCHESTER C.B. ..	746,500	258	20	369	61	-	-	-	3	1	5	4
SALFORD C.B.	235,600	75	2	129	19	-	-	-	-	-	1	3
ASHTON-UNDER-LYNE	51,750	25	-	17	-	-	-	-	-	-	-	-
OLDHAM C.B	142,500	35	1	71	7	-	-	1	-	-	-	2
ROCHDALE C.B. ..	90,900	22	-	34	2	-	-	-	-	-	-	1
BURNLEY C.B	100,200	27	2	41	4	-	-	-	-	-	1	1
BLACKBURN C.B ..	125,300	39	3	44	2	-	-	-	2	-	-	1
PRESTON C.B.	126,100	37	-	38	5	-	-	-	-	-	1	1
BLACKPOOL C.B. ..	99,800	19	-	20	-	-	-	-	-	-	1	-
BARROW-IN-FURNESS C.B.	64,850	18	2	18	2	-	-	-	-	-	-	-
HUDDERSFIELD C.B ..	113,100	27	3	36	3	-	-	1	-	-	-	-
HALIFAX C.B.	97,400*	31	2	26	2	-	-	-	-	-	1	-
BRADFORD C.B. ..	294,605	94	4	69	4	-	-	-	-	-	2	-
LEEDS C.B.	478,500	145	16	150	15	-	-	1	1	1	1	2
DEWSBURY C.B. ..	53,020	21	3	16	1	-	-	-	-	-	-	1
WAKEFIELD C.B. ..	56,640	19	2	19	3	-	-	-	-	-	2	-
BARNSLEY C.B. ..	71,700	35	2	14	2	-	-	-	-	1	-	-
SHEFFIELD C.B. ..	518,000*	169	6	117	9	-	-	-	-	-	4	1
ROTHERHAM C.B. ..	70,790	33	3	23	3	-	-	-	1	-	-	-
DONCASTER C.B. ..	59,890	23	1	15	-	-	-	-	-	-	-	-
YORK C.B.	85,290*	38	-	34	8	-	-	-	-	-	-	-
HULL C.B.	308,200	144	4	120	12	-	12	-	-	-	-	-
MIDDLESBROUGH C.B.	133,100	77	2	37	7	-	-	1	-	-	1	-
DARLINGTON C.B. ..	71,790	35	1	24	1	-	-	-	-	-	-	1
STOCKTON-ON-TEES ..	67,090	32	2	16	-	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	69,370	36	1	29	5	-	-	-	-	1	1	-
SUNDERLAND C.B. ..	184,000	103	6	64	13	-	5	-	-	1	-	1
SOUTH SHIELDS C.B ..	119,600	62	4	37	5	-	-	-	3	-	-	3
GATESHEAD C.B. ..	122,600	54	3	45	9	-	2	-	-	-	-	2
NEWCASTLE-ON-TYNE C.B.	283,400*	148	3	78	8	-	6	-	1	-	1	2
TYNEMOUTH C.B. ..	65,880	33	2	12	1	-	-	-	-	-	1	-
CARLISLE C.B.	56,160*	25	3	28	6	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	95,990*	24	-	24	3	-	-	-	-	-	-	-
CARDIFF C.B.	224,000*	87	2	51	7	-	1	-	-	-	1	1
RHONDDA	153,100	47	3	47	8	-	2	-	-	-	1	-
MERTHYR TYDFIL C.B.	77,790	20	5	19	2	-	-	-	-	1	-	-
ABERDARE	53,050	20	1	17	1	-	-	-	-	-	-	-
SWANSEA C.B.	162,700	71	-	36	4	-	1	-	-	1	-	-
GREATER LONDON ..	7,900,480*	2,535	102	2,436	186	-	-	2	4	10	25	33
OUTER RING	3,482,580*	1,097	41	934	74	-	-	2	3	4	6	17
17 GREAT TOWNS IN OUTER RING	2,027,060*	596	26	560	37	-	-	2	-	1	3	9
REMAINDER OF OUTER RING	1,455,520*	501	15	424	37	-	-	-	3	3	3	8
EDINBURGH†	428,800	153	-	149	20	-	-	1	-	3	-	1
GLASGOW†	1,088,400	496	-	384	58	1	-	1	17	2	-	8
DUBLIN (REGISTRATION AREA)†	412,400	169	-	193	22	-	23	1	1	1	-	1
BELFAST†	415,151	183	-	158	37	-	1	-	2	2	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931 except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from							
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,417,900	1931. Jan. 10	1438	61	1452	17·1	-	-	-	-	1	6	19	16
Calcutta and Suburbs	1,077,264	1930. Nov. 29	?	?	533‖	25·7	?	2	?	-	?	?	?	5
Bombay§	1,298,708	Dec. 13	558	22	452‖	18·1	-	-	-	-	-	-	13	-
Madras	528,791	„ 6	543	28	593	58·3	2	2	-	-	1	-	32	-
Sydney and Suburbs	1,243,940	Nov. 30 (30 days)	1782	?	881	8·5	1	-	13	3	6	3	14	3
Brisbane (Metropolitan Area).	318,631	Oct. 31 (31 days)												
Perth (Metropolitan Area).	202,888	Nov. 1	79	?	28	7·2	-	-	-	-	-	-	2	-
Auckland (Urban Area).	212,100	Nov. 30 (30 days)												
Wellington (Urban Area)	138,050	Nov. 30 (30 days)												
Christchurch (Urban Area).	125,800	Nov. 30 (30 days)												
Cape Town	134,201	Dec. 6	79	4	30	11·6	-	-	-	-	1	-	1	-
Johannesburg	183,674	„ 6	84	3	56	15·9	-	-	-	-	-	-	11	1
Durban	59,929	„ 6	34	1	13	11·3	-	-	-	-	-	-	-	-
Paris	2,871,429	Dec. 10 (10 days)	1153	74	1065	13·5	2	-	-	1	1	7	14	9
Antwerp	295,588	Dec. 15 (15 days)												
Amsterdam	756,553	Dec. 20	241	4	154	10·6	-	-	1	-	1	-	1	4
Copenhagen	608,590	„ 27	147	2	113	9·7	-	-	-	-	-	1	1	-
Stockholm	486,672	„ 20	92	1	107	11·4	-	-	-	-	-	-	1	1
Gothenberg	241,550	„ 13	?	?	41	8·8	-	-	1	-	-	-	-	-
Oslo	253,568	„ 27	43	1	47	9·6	-	-	-	-	-	-	-	-
Berlin	4,327,000	„ 13	726	27	968	11·6	1	?	-	-	-	7	6	3
Berlin (old)	1,971,000	„ 13	358	6	474	12·5	1	?	-	-	-	5	1	-
Breslau	613,000	„ 13	149	7	144	8·8	-	?	-	-	-	4	-	-
Cologne	739,000	„ 13	195	5	139	9·8	-	?	1	-	1	-	-	-
Dresden	630,000	„ 13	111	9	146	12·1	-	?	-	-	-	1	1	-
Frankfort-on-Main	539,000	„ 13	108	4	80	7·7	-	?	-	-	-	-	1	-
Hamburg	1,144,000	„ 13	247	5	241	11·0	-	?	-	-	2	1	4	-
Leipzig	700,000	„ 13	155	5	159	11·8	-	?	-	-	-	-	-	-
Munich	730,000	„ 13	185	4	147	10·5	-	?	-	-	-	2	2	-
Budapest	991,518	„ 20	281	15	226	11·9	-	-	-	2	1	2	2	-
Warsaw	1,109,478	„ 20	?	16	287	13·5	2	-	-	1	-	6	6	1
Cairo	1,122,800	Sept. 23	861	22	434	20·2	8	-	-	-	?	13	114	-
Alexandria	612,200	„ 23	439	3	280	23·8	3	-	-	-	?	-	79	-
New York	7,014,649	Dec. 13	2303	96	1422	10·7	-	-	1	-	-	3	9	-
Chicago	3,391,663	„ 19	972	34	644	9·9	-	-	-	3	-	10	5	-
New Orleans	433,000	Nov. 30 (30 days)												
Rio de Janeiro ..	1,729,799	Dec. 6	585	61	466	14·1	4	-	8	-	2	1	72	-

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of ag* for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 4 deaths from Cholera in Calcutta and 3 in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 10th January, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1,176	1,452	1452	112	22	21	21	50	54	94	149	252	370	307
Enteric fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	18	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	2	1	1	-	-	1	-	-	-	-	-	-	-	-
Diphtheria	12	6	6	-	1	2	3	-	-	-	-	-	-	-
Influenza	16	16	16	-	1	1	-	1	1	-	4	3	4	1
Erysipelas	-	6	6	-	-	1	-	-	-	-	-	-	2	3
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	2	2	-	-	-	-	-	-	-	1	-	-	1
Meningococcal meningitis	2	3	3	1	1	-	-	-	1	-	-	-	-	-
Tuberculosis :—														
Respiratory system	75	107	107	-	-	-	-	21	21	25	23	12	5	-
Nervous system	3	7	7	-	1	2	1	2	1	-	-	-	-	-
Intestines and peritoneum	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Other forms	8	5	5	-	-	-	1	1	-	1	-	1	1	-
Venereal diseases	4	4	4	1	-	-	-	-	-	-	2	1	-	-
Cancer	158	156	156	-	-	-	-	1	1	9	28	41	55	21
Rheumatic fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	10	13	13	-	-	-	-	-	-	-	2	5	6	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	5	5	1	-	1	-	-	1	-	2	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	51	48	48	-	-	-	-	-	-	1	-	5	21	21
Epilepsy	5	7	7	-	-	-	-	3	-	1	-	-	2	1
"Convulsions" (not puerperal)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	23	26	26	2	1	1	2	1	2	2	2	7	3	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	3	2	2	-	-	-	-	1	-	-	1	-	-	-
Other diseases of heart	253	344	344	-	-	1	4	8	7	12	29	78	109	105
Other diseases of circulatory system	47	48	48	-	-	-	-	-	-	2	2	6	22	16
Bronchitis	63	134	134	13	-	-	-	1	2	5	9	16	32	56
Broncho-pneumonia	70	120	120	39	14	6	1	-	1	4	6	11	23	15
Lobar pneumonia	44	48	48	-	1	1	-	3	1	5	9	12	14	2
Pneumonia (type not distinguished)	13	21	21	2	-	1	-	-	1	1	6	4	5	1
Other diseases of respiratory system	10	26	26	-	-	-	-	-	-	2	1	5	7	11
Diarrhœa and enteritis	15	25	25	17	2	2	-	1	1	1	1	-	-	-
Appendicitis, Typhlitis	12	9	9	-	-	-	1	1	1	-	1	2	2	1
Hernia, Intestinal obstruction	5	10	10	-	-	-	1	-	-	-	2	2	5	-
Cirrhosis of liver	3	6	6	-	-	-	-	-	-	-	1	1	4	-
Other diseases of digestive system	26	29	29	-	-	-	2	-	3	4	2	7	11	-
Acute nephritis	2	1	1	-	-	-	-	-	1	-	-	-	-	-
Chronic Bright's disease	34	57	57	-	-	-	-	-	1	4	8	12	20	12
Other diseases of genito-urinary system.	20	22	22	-	-	-	-	-	1	2	2	4	8	5
Puerperal sepsis	1	2	2	-	-	-	-	-	-	2	-	-	-	-
Other causes incident to childbirth	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	4	5	5	4	-	-	-	1	-	-	-	-	-	-
Premature birth	22	21	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	10	1	1	1	-	-	-	-	-	-	-	-	-	-
Old age	21	32	32	-	-	-	-	-	-	-	-	-	6	26
Suicide	5	12	12	-	-	-	-	2	2	4	-	1	3	-
Burns and Scalds	4	5	5	1	-	-	-	-	-	1	-	1	1	1
Drowning	1	2	2	-	-	-	-	-	-	-	-	1	1	-
Suffocation in bed	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	23	11	11	-	-	-	-	2	2	1	1	4	1	-
Other deaths by violence	24	12	12	1	-	-	-	-	1	2	-	5	2	1
Other specified causes	41	34	34	8	-	1	4	1	1	2	5	5	3	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th January, 1931.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	48	206	180	4	267	C. 8 D. 3 E. 1 M. 13 N. 12
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	5	–	17	E. 1 N. 1
†BERMONDSEY ...	–	8	7	–	5	C. 1 M. 2
†BETHNAL GREEN	3	2	4	–	5	D. 1 M. 1 N. 1
†CAMBERWELL ...	4	11	7	–	8	M. 1 N. 1
†CHELSEA	–	2	1	–	4	M. 1
†DEPTFORD ...	–	7	7	–	2	–
†FINSBURY ...	–	3	3	–	3	–
†FULHAM	–	1	2	–	5	N. 2
†GREENWICH ...	–	2	6	–	4	M. 1
†HACKNEY... ...	3	11	13	–	3	–
†HAMMERSMITH ...	23	11	5	–	3	N. 1
†HAMPSTEAD ...	–	1	–	–	2	–
†HOLBORN... ...	–	2	2		3	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	2	20	20	1	17	C. 1 M. 3
†KENSINGTON ...	1	11	3	–	14	C. 1 N. 2
†LAMBETH ...	–	10	14	1	13	M. 2
†LEWISHAM ...	–	17	5	–	7	–
†PADDINGTON ...	–	8	6	1	8	N. 1
†POPLAR	1	5	7	–	45	N. 1
†ST. MARYLEBONE	–	–	4	–	1	C. 1 M. 1
†ST. PANCRAS ...	1	10	5	1	13	C. 1 D. 1
†SHOREDITCH ...	1	5	7	–	1	–
†SOUTHWARK ...	–	9	8	–	24	M. 1
†STEPNEY	7	14	13	–	14	D. 1
†STOKE NEWINGTON	–	3	1	–	1	C. 1
†WANDSWORTH ...	1	10	11	–	30	C. 1
†WESTMINSTER, CITY OF	–	5	6	–	–	C. 1 N. 2
†WOOLWICH ...	1	9	8	–	15	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ·

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	10	6	–	1	D. 1
Boroughs and Urban Districts:—						
†Bedford	–	1	–	–	–	–
Leighton Buzzard	–	3	–	–	–	–
†Luton	–	3	4	–	–	D. 1
Rural Districts:—						
Bedford	–	1	1	–	1	–
Biggleswade ...	–	1	–	–	–	–
Eaton Bray ...	–	–	1	–	–	–
Luton	–	1	–	–	–	–
BERKS	–	8	14	–	4	–
†Reading C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
Abingdon ...	–	–	1	–	–	–
†Maidenhead ...	–	–	2	–	1	–
†New Windsor ...	–	1	1	–	–	–
Rural Districts:—						
Abingdon ...	–	–	–	–	1	–
Cookham ...	–	–	–	–	1	–
Easthampstead	–	–	1	–	–	–
Faringdon (part)	–	2	–	–	–	–
Hungerford ...	–	–	2	–	–	–
Newbury ...	–	–	–	–	1	–
Wallingford ...	–	–	1	–	–	–
Wokingham ...	–	1	5	–	–	–
BUCKINGHAM...	–	4	10	–	3	–
Boroughs and Urban Districts:—						
Bletchley ...	–	–	–	–	1	–
†Chepping Wycombe	–	1	–	–	–	–
Chesham... ...	–	–	–	–	1	–
Marlow	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
Amersham ...	–	1	–	–	–	–
Aylesbury ...	–	1	1	–	–	–
Eton	–	–	3	–	–	–
Newport Pagnell	–	–	2	–	–	–
Wycombe ...	–	1	3	–	1	–
CAMBRIDGE ...	–	7	4	–	4	–
Borough:—						
†Cambridge ...	–	3	2	–	3	–
Rural Districts:—						
Chesterton ...	–	1	1	–	–	–
Linton	–	3	–		–	–
Newmarket ...	–	–	1	–	1	–
CHESTER ...	–	37	29	–	52	C. 1 M. 4 N. 3
†Birkenhead C.B.	–	4	7	–	20	M. 2
†Chester C.B. ...	–	1	–	–	3	–
†Stockport C.B. ...	–	3	8	–	4	C. 1 M. 1 N. 2
†Wallasey C.B. ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
Alderley Edge..	–	–	–	–	1	–
†Altrincham ...	–	–	1	–	1	–
†Bebington and Bromborough	–	1	1	–	1	–
Bredbury and Romiley	–	–	–	–	1	–
†Congleton ...	–	1	–	–	2	–
†Crewe	–	2	–	–	1	–
†Dukinfield ...	–	–	–	–	2	–
†Ellesmere Port and Whitby	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Hollingworth...	–	–	–	–	3	–
†Hoylake and West Kirby	–	–	2	–	–	–
†Hyde	–	2	1	–	1	–
Knutsford ...	–	3	–	–	–	–
Lymm	–	–	1	–	–	–
†Macclesfield ...	–	1	–	–	2	M. 1
†Northwich ...	–	2	–	–	–	–
†Sale	–	–	–	–	1	–
†Winsford ...	–	–	1	–	1	–
Rural Districts:—						
Bucklow... ...	–	4	–	–	1	–
Congleton ...	–	–	1	–	–	–
Disley	–	1	–	–	–	–
Malpas	–	–	1	–	–	–
Nantwich ...	–	1	–	–	–	–
Northwich ...	–	–	1	–	–	–
Runcorn... ...	–	3	2	–	2	–
Tarvin	–	2	–	–	2	N. 1
Wirral	–	3	1	–	1	–
CORNWALL ...	–	9	6	–	5	–
Boroughs and Urban Districts:—						
Bodmin	–	1	–	–	–	–
Callington ...	–	–	1	–	–	–
†Camborne ...	–	2	–	–	–	
†Falmouth ...	–	–	1	–	–	–
Launceston ...	–	–	–	–	1	–
Penryn	–	–	2	–	–	–
St. Austell ...	–	1	–	–	–	–
Torpoint ...	–	–	–	–	1	–
†Truro	–	1	–	–	–	–
Rural Districts:—						
East Kerrier ...	–	2	1	–	–	–
Liskeard ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts—*cont.*						
St. Austell ...	–	1	–	–	1	–
St. Germans ...	–	1	–	–	2	–
CUMBERLAND...	–	9	2	–	2	C. 1 M. 1 N. 2
†Carlisle C.B. ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
Aspatria ...	–	1	–	–	–	–
Penrith	–	1	–	–	–	–
†Whitehaven ...	–	–	–	–	2	–
†Workington ...	–	1	–	–	–	C. 1 M. 1
Rural Districts:—						
Carlisle... ...	–	2	–	–		–
Cockermouth ...	–	–	–	–	–	N. 1
Penrith	–	1	–	–	–	–
Whitehaven ...	–	–	1	–	–	N. 1
DERBY	4	28	20	1	19	C. 2 M. 2 N. 3
†Derby C.B. ...	–	5	7	–	3	N. 1
Boroughs and Urban Districts:—						
†Alfreton ...	–	–	–	–	1	–
Alvaston and Boulton	–	2	–		–	–
Ashbourne ...	–	–	–	–	3	–
†Bolsover ...	–	–	–	–	–	N. 1
Bonsall	–	–	–	–	–	C. 1
†Chesterfield ...	4	3	3	–	1	–
Clay Cross ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLOSSOP	–	–	1	–	1	–
†HEANOR	–	–	–	–	–	C. 1
†ILKESTON... ...	–	1		–		–
†LONG EATON ...	–	1	–	–	2	–
NEW MILLS ...		1		–	–	–
†SWADLINCOTE DISTRICT	–	–	–	–	2	–
Rural Districts:—						
ASHBOURNE ...	–	1	1	–	–	–
BAKEWELL ...	–	–	–		1	–
BLACKWELL ...	–	4	–	–	–	–
CHESTERFIELD ...	–	4	3	–	1	M. 2 N. 1
CLOWNE	–	1	–	–	–	–
GLOSSOP DALE ...	–	–	2	–	–	–
HARTSHORN AND SEALS	–	–	2	–	–	–
HAYFIELD ...	–	–	–	–	1	–
NORTON	–	1	–	–	–	–
REPTON	–	1		–	–	–
SHARDLOW ...	–	1	1	–	1	–
SUDBURY	–	2	–	–	–	–
CODNOR PARK AND SHIPLEY(parishes)	–	–		1	1	–
DEVON	–	27	12	–	18	C. 1 M. 2
†EXETER C.B. ...	–	2	3		1	–
†PLYMOUTH C.B.	–	16	3	–	8	C. 1 M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	2	–
BIDEFORD ...	–	–	1	–	–	–
†ILFRACOMBE ...	–	–	1	–	1	–
†NEWTON ABBOT...	–	–	2	–	–	–
TIVERTON ...	–	–	–	–	1	–
†TORQUAY... ...	–	–	1	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
CREDITON ...		1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
KINGSBRIDGE ...	–	–	–	–	1	–
NEWTON ABBOT	–	4	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	1	–	–	2	–
TAVISTOCK ...	–	2	–	–	–	–
TIVERTON ...	–	–	1	–	–	–
TOTNES	–	–	–	–	–	M. 1
DORSET	–	5	3	–	2	D. 1 M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–	–	1	–
†POOLE	–	–	1	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	–	M. 1
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
CERNE	–	1	–	–	–	–
DORCHESTER ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	–	1	2		–	D. 1
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM ...	–	58	48	–	88	M. 4 N. 6
†DARLINGTON C.B.	–	5	5		1	–
†GATESHEAD C.B.	–	10	6	–	8	M. 1
†SOUTH SHIELDS C.B.	–	4	–	–	17	–
†SUNDERLAND C.B.	–	1	7	–	25	–
†WEST HARTLEPOOL C.B.	–	2	4	–	5	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	3	–	–	N. 1
†BLAYDON... ...	–	1	1	–	1	–
†CHESTER LE STREET	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONSETT	–	1	1	–	1	–
†DURHAM	–	–	–	–	–	N. 1
†FELLING	–	11	1	–	–	N. 1
†HEBBURN ...	–	1	1	–	–	N. 1
†HETTON	–	–	1	–	–	M. 1
†JARROW	–	–	–	–	3	–
LEADGATE ...	–	–	1	–	–	–
†SEAHAM HARBOUR	–	1	–	–	3	–
†SHILDON	–	–	2	–	–	–
STANHOPE ...	–	–	–	–	1	–
†STANLEY	–	1	1	–	1	–
†STOCKTON ON TEES	–	2	–	–	1	–
†TANFIELD ...	–	–	2	–	1	–
†WHICKHAM ...	–	4	–	–	7	–
WILLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
AUCKLAND ...	–	1	1	–	–	–
BARNARD CASTLE	–	1	–	–	1	–
CHESTER LE STREET	–	–	2	–	3	–
DURHAM	–	–	–	–	1	–
EASINGTON ...	–	2	4	–	4	–
HARTLEPOOL ...	–	1	1	–	–	–
HOUGHTON LE SPRING	–	–	1	–	1	–
LANCHESTER ...		3	1	–	–	M. 1
SEDGEFIELD ...	–	2	–	–	1	–
SOUTH SHIELDS	–	1	–	–	1	N. 2
SUNDERLAND ...	–	–	–	–	–	M. 1
WEARDALE ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	2	3		1	N. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
ELY	–	–	–	–	–	N. 1
WHITTLESEY ...	–	–	2	–	–	–
†WISBECH... ...	–	–		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
THORNEY... ...	*	*	*	*	*	*
WISBECH	–	1	1	–	–	–
ESSEX	33	93	109	2	53	C. 4
						D. 1
						E. 1
						M. 2
						N. 7
†EAST HAM C.B....	–	4	10	–	2	D. 1
						N. 1
†SOUTHEND ON SEA C.B.	–	1	8	–	8	–
†WEST HAM C.B.	28	11	13	1	9	C. 2
						N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	11		4	M. 1
BRAINTREE ...	–	5	1	–	–	–
†CHELMSFORD ...	–	1	–	–	–	C. 1
CHINGFORD ...	–	7	–	–	–	–
†COLCHESTER ...	–	1		–	4	–
DAGENHAM ...	3	12	5	–	7	N. 1
†GRAYS THURROCK	–	1	3		1	–
†HARWICH ...	–	–	3	–	–	–
†HORNCHURCH ...	–	2	2	–	–	–
†ILFORD	–	2	14	–	2	C. 1
						M. 1
†LEYTON	–	7	11	–	4	–
†ROMFORD... ...	–	2	1	–	–	E. 1
SHOEBURYNESS ...	–	1	–	–	–	–
TILBURY	–	2	1	–	1	–
WALTHAM HOLY CROSS	–	2	–	–	1	–
†WALTHAMSTOW ...	2	12	6	1	3	N. 2
WALTON ON THE NAZE	–	–	–	–	–	N. 1
†WANSTEAD ...	*	*	*	*	*	*
WITHAM	–	–	1	–	1	–
†WOODFORD ...	–	–	1		–	–
Rural Districts:—						
BILLERICAY ...	–	4	2	–	–	–
BRAINTREE ...	–	2		–	2	–
CHELMSFORD ...	–	6	–	–	3	–
DUNMOW	–	1	–	–	–	
EPPING	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
Lexden and Winstree	–	–	1	–	–	–
Ongar	–	1	2	–	–	–
Orsett	–	1	2	–	–	–
Rochford ...	–	1	5	–	–	–
Romford... ...	–	–	1	–	–	–
Saffron Walden	–	2	–	–	–	–
Tendring ...	–	–	5	–	–	–
GLOUCESTER ...	–	26	34	–	11	C. 1 D. 1 M. 2 N. 4
†Bristol C.B. ...	–	20	22	–	6	D. 1 N. 1
†Gloucester C.B.	–	2	1	–	–	C. 1
Boroughs and Urban Districts:—						
Awre	–	–	1	–	–	–
†Cheltenham ...	–	2	4	–	3	M. 1 N. 1
†Kingswood ...	–	–	1	–	–	–
†Mangotsfield ...	–	–	1	–	–	–
Tetbury... ...	–	–	1	–	–	–
Tewkesbury ...	–	–	–	–	1	–
Rural Districts:—						
Campden... ...	–	1	–	–	–	–
East Dean and United Parishes	–	–	1	–	–	M. 1 N. 1
Gloucester ...	–	–	–	–	–	N. 1
Stroud	–	–	1	–	–	–
Thornbury ...	–	–	1	–	–	–
Warmley ...	–	1	–	–	1	–
HEREFORD ...	–	1	11	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†Hereford ...	–	–	4	–	2	–
Leominster ...	–	–	3	–	–	–
HEREFORD—*cont.*						
Rural Districts:—						
Bromyard ...	–	–	2	–	–	–
Hereford ...	–	–	–	–	–	C. 1
Kington	–	–	–	–	–	M. 1
Leominster and Wigmore	–	1	2	–	–	–
HERTFORD ...	–	6	6	–	6	N. 3
Boroughs and Urban Districts:—						
†Barnet		1	–	–	2	N. 2
†Cheshunt ...	–	–	1	–	–	–
†East Barnet Valley	–	1	–	–	–	–
Great Berkhampstead	–	–	–	–	2	–
†Letchworth ...	–	–	–	–	1	–
Rickmansworth	–	1	–	–	–	–
†St. Albans ...	–	–	1	–	–	–
†Watford ...	–	1	4	–	1	–
Rural Districts:—						
Hatfield ...	–	–	–	–	–	N. 1
Hertford ...	–	1	–	–	–	–
Watford... ...	–	1	–	–	–	–
HUNTINGDON ...	2	1	–	–	–	D. 1
Boroughs and Urban Districts—						
Huntingdon ...	–	–	–	–	–	D. 1
Old Fletton ...	2	1	–	–	–	–
KENT		48	30	2	29	C. 1 D. 1 M. 1 N. 2
†Canterbury C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†Ashford	–	–	–	–	2	–
†Beckenham ...	–	2	–	–	5	–
†Bexley	–	–	1	–	–	–
†Broadstairs and St. Peter's	–	1	–	1	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Bromley	-	2	1	-	2	D. 1
†Chatham ...	-	2	-	-	-	-
†Crayford ...	-	2	1	-	-	-
†Dartford ...	-	1	3	-		-
†Deal	-	3	-	-	-	-
†Dover	-	-	4	1	-	-
†Erith	-	-	3	-	2	-
†Folkestone ...	-	2	1	-	-	N. 2
†Gillingham ...	-	-	-	-	1	-
†Gravesend ...	-	1	-	-	-	-
†Herne Bay ...	-	1	-	-	1	-
†Maidstone ...	-	4	2	-	2	-
†Margate ...		1	-	-	-	-
†Northfleet ...	-	1	1	-		-
†Penge	-	3	1	-	2	-
†Ramsgate ...	-	1	-	-	-	-
†Rochester ...		1	-	-	-	-
†Royal Tunbridge Wells	-	-	2	-	4	M. 1
Sandwich ...	*	*	*	*	*	*
Sevenoaks ...	-	-	-	-	1	-
†Sheerness ...	-	1	-	-	-	-
Sidcup	-	-	1	-	-	-
†Sittingbourne and Milton	-	-	2	-	-	-
†Tonbridge ...	-	1	1	-	2	-
Walmer		1	-	-	-	-
Wrotham ...	-		-	-	1	-
Rural Districts:—						
Bridge	*	*	*	*	*	*
Bromley... ...	-	1	1	-		-
Dartford ...	-	2	-	-	-	-
Dover	*	*	*	*	*	*
East Ashford ...	-	-	-	-	-	C. 1
Eastry	*	*	*	*	*	*
Faversham ...	-	1	-	-	-	-
Hollingbourne	-	1	-	-	-	-
Isle of Thanet		-	1		-	-
Maidstone ...	-	-	2	-	-	-
Malling	-	4	-	-	-	-
Sevenoaks ...	-	1	-	-	1	-
Strood	-	2	1	-	-	-
Tenterden ...	-	3	-	-	-	-
Tonbridge ...	-	1	1	-	-	-
West Ashford...	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	-	207	174	4	437	C. 8 D. 2 E. 1 G. 5 L. 2 M. 19 N. 22
†Barrow in Furness C.B.	-	2	-	-	3	-
†Blackburn C.B.	-	1	-	-	12	M. 1 N. 1
†Blackpool C.B.	-	1	-	-	3	-
†Bolton C.B. ...	-	9	4	-	2	N. 1
†Bootle C.B. ...	-	10	5	-	3	N. 1
†Burnley C.B. ...	-	1	-	-	6	C. 1
†Bury C.B. ...	-	1	1	-	5	-
†Liverpool C.B....	-	33	81	1	78	C. 1 D. 2 G. 1 L. 1 M. 8 N. 6
†Manchester C.B.	-	-	10	-	135	C. 3 G. 1 M. 4 N. 1
†Oldham C.B. ...	-	8	8	-	13	G. 2 M. 1 N. 1
†Preston C.B. ...	-	3	3	-	2	-
†Rochdale C.B....	-	15	3	-	-	-
†St. Helens C.B.	-	6	2	-	11	N. 1
†Salford C.B. ...	-	6	5	-	47	M. 1 N. 1
†Southport C.B.	-	4	4	-	5	-
†Warrington C.B.	-	29	2	-	10	-
†Wigan C.B. ...	-	3	-		3	-
Boroughs and Urban Districts:—						
†Accrington ...	-	1	-	-	3	-
†Ashton in Makerfield	-	1	-	-	1	-
†Ashton-under-Lyne	-	5	1	-	1	-
Aspull	-	-	-	-	2	-
†Atherton ...		1	1	-	1	-
Audenshaw ...	-	1	-	-	-	-
†Bacup	-	2	2	-	2	-
Barrowford ...	-	-	-	-	1	-
Brierfield ...	-	1	-	-	-	-
†Chadderton ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts:— *cont.*						
†Chorley	–	3	1	–	–	–
Church	–	–	1	–	–	–
†Colne	–	–	1	–	3	G. 1
†Crompton ...	–	–	–	–	–	M. 1
Croston	–	1	–	–	–	–
†Darwen	–	2	5	–	–	–
†Denton	–	1	2	–	–	N. 1
†Droylsden ...	–	2	–	–	–	–
†Eccles	–	1	2	–	3	N. 1
†Failsworth ...	–	–	1	–	1	N. 1
†Farnworth ...	–	–	–	–	1	N. 2
†Fleetwood ...	–	–	1	–	1	–
Fulwood ...	–	–	–	–	–	N. 1
Golborne ...	–	–	–	–	2	–
†Great Crosby ...	–	2	1	–	1	–
†Haslingden ...	–	–	–	–	3	–
†Heywood ...	–	1	1	–	1	C. 1
†Hindley	–	1	–	–	1	–
†Horwich	–	2	–	–	1	–
†Ince in Makerfield	–	–	1	–	3	–
Irlam	–	–	–	–	1	–
Kearsley ...	–		–	–	2	–
†Lancaster ...	–	1	–	–	–	–
Lees	–	1	–	–	1	–
†Leigh	–	–	–	–	4	M. 1
Leyland	–	–	1	–	–	–
†Litherland ...	–	3	1	–	–	–
†Littleborough	–	–		–	1	–
Little Lever ...	–	–	–	–	1	–
Longridge ...	–	1	–	–	–	–
†Lytham St. Anne's	–	1	1	–		–
†Middleton ...		1	–	–	7	–
Milnrow	–	2	–	–	1	–
†Nelson	–	3	–	–	1	–
†Newton in Makerfield	–	–	3	–	1	N. 1
Orrell	–	–	–	–	2	–
Poulton le Fylde	–	–	–	–	–	N. 1
Prescot	–	1	–	–	–	–
†Prestwich ...	–	–	–	3	1	–
†Radcliffe ...	–	1	2	–	–	–
†Ramsbottom ...	–	1	1	–	–	–
†Rawtenstall ...	–	2	2	–	2	–
†Royton	–	–	–	–	4	–
Skelmersdale ...	–	2	–	–	–	–
†Stretford ...	–	3	3	–	1	C. 1
†Swinton and Pendlebury	–	–	–	–	4	–
Tottington ...	–	1	–	–	–	M. 1
†Turton	–	–	–	–	2	–
†Tyldesley with Shakerley	–	–	–	–	1	–
Urmston	–	–	1	–	–	–
†Walton le Dale	–	1	–	–	–	–
Wardle	–	–	–	–	–	C. 1
†Waterloo with Seaforth	–	2	7	–	–	N. 1
†Westhoughton	–	1	–	–	1	M. 1
Whitworth ...	–	2	–	–	–	–
†Widnes	–	6	–	–	27	–
†Worsley	–	–	–	–	1	–
Rural Districts:—						
Blackburn ...	–	–		–	1	–
Chorley	–	1	–	–	–	–
Fylde	–	–	1	–	–	–
Garstang ...	–	1	–	–	–	E. 1
Lancaster ...	–	1	–	–	–	–
Leigh	–	–	1	–	–	–
Sefton	–	1	–	–	–	–
Ulverston ...	–	2	–	–	–	–
Warrington ...	–	1	–	–	–	–
West Lancashire	–	2	1	–	–	–
Whiston	–	1	–	–	–	L. 1
LEICESTER ...	115	21	6	1	12	G. 1 L. 5 M. 4 N. 1
†Leicester C.B....	77	6	1	–	5	L. 5 M. 2 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Boroughs and Urban Districts:—						
†COALVILLE ...	1	–	3	–	–	M. 1
†HINCKLEY ...	1	–	–	–	1	–
†LOUGHBOROUGH	9	8	–	1	–	–
MELTON MOWBRAY	–	–	–	–	1	–
SHEPSHED ...	1	–	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	–	–	3	–
BARROW UPON SOAR	3	–	–	–	1	G. 1
BILLESDON ...	1	1	–	–	–	–
BLABY	4	2	–	–	–	M. 1
CASTLE DONINGTON	–	1	–	–	–	–
HINCKLEY ...	6	–	–	–	1	–
LOUGHBOROUGH	1	–	–	–	–	–
LUTTERWORTH ...	–	1	–	–	–	–
MARKET BOSWORTH	11	–	1	–	–	–
MELTON MOWBRAY	–		1	–	–	–
LINCOLN (parts of Holland).	–	5	1	–	1	C. 2
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
BOSTON	–	3	–	–	1	–
EAST ELLOE ...	–	–	–	–		C. 1
SPALDING ...	–		–	–	–	C. 1
LINCOLN (parts of Kesteven).	1	2	2	–	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	1	1	1	–	–	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven)— *cont.*						
Rural Districts:—						
CLAYPOLE ...	–	–	1	–	–	–
GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	5	9	5	–	7	M. 1
†GRIMSBY C.B. ...	–	3	2	–	–	M. 1
†LINCOLN C.B. ...	–	2	2		1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	–	–	–	–
†CLEETHORPES ...	–	1	–	–	1	–
†GAINSBOROUGH ...	–	–	–	–	2	–
LOUTH	–	–	–		2	–
SKEGNESS... ...	*	*	*	*	*	*
Rural Districts:—						
CAISTOR	5	–	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
GRIMSBY	–	1	–	–	–	–
ISLE OF AXHOLME	–	–	–		1	–
LOUTH	*	*	*	*	*	*
SPILSBY	–	–	1	–	–	–
MIDDLESEX ...	1	74	56	–	51	C. 1 D. 2 G. 1 M. 3 N. 3
Boroughs and Urban Districts:—						
†ACTON	1	3	–		2	M. 1
†BRENTFORD AND CHISWICK	–	1	2	–	4	–
†EALING	–	2	1	–	3	G. 1
†EDMONTON ...	–	7	2	–	1	–
†ENFIELD	–	5	9	–	1	–
†FELTHAM... ...	–	1	3		2	–
†FINCHLEY ...	–	5	1		3	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FRIERN BARNET...	–	–	–	–	1	–
†HAMPTON ...	–	3	–	–	1	–
†HARROW ON THE HILL	–	–	–	–	1	–
HAYES AND HARLINGTON	–	1	–	–	–	–
†HENDON	–	5	9	–	3	C. 1
†HESTON AND ISLEWORTH	–	1	4	–	5	D. 1
†HORNSEY	–	6	3	–	1	–
KINGSBURY ...	–	–	2	–	–	–
RUISLIP NORTHWOOD	–	–	–	–	2	–
†SOUTHGATE ...	–	–	–	–	1	–
†STAINES	–	3	1	–	–	–
SUNBURY ON THAMES	–	6	–	–	–	–
†TOTTENHAM ...	–	8	9	–	4	M. 1
†TWICKENHAM ...	–	1	1	–	–	–
†UXBRIDGE ...	–	2	–	–	3	–
†WEMBLEY ...	–	1	2	–	3	N. 1
†WILLESDEN ...	–	9	6	–	7	D. 1 M. 1 N. 2
†WOOD GREEN ...	–	2	1	–	1	–
Rural Districts:—						
HENDON	–	1	–	–	2	–
SOUTH MIMMS ...	–	1	–	–	–	–
NORFOLK ...	–	9	5	–	6	D. 2 N. 2
†NORWICH C.B. ...	–	–	–	–	1	D. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	4	–	5	–
NORTH WALSHAM	–	1	–	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	–
DEPWADE ...	–	2	–	–	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DOCKING	–	–	–	–	–	N. 1
ERPINGHAM ...	–	–	–	–	–	N. 1
FOREHOE	–	1	–	–	–	D. 1
SMALLBURGH ...	–	2	–	–	–	–
SWAFFHAM ...	–	1	–	–	–	–
THETFORD ...	–	1	1	–	–	–
NORTHAMPTON	–	5	10	–	10	C. 1 M. 1
†NORTHAMPTON C.B.	–	4	2	–	3	C. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	–	1	–	–	–
FINEDON	–	–	3	–	–	–
†KETTERING ...	–	–	1	–	1	–
ROTHWELL ...	–	1	1	–	–	–
†WELLING-BOROUGH	–	–	1	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	1	–
DAVENTRY ...	–	–	–	–	1	–
HARDINGSTONE ...	–	–	–	–	1	–
NORTHAMPTON ...	–	–	–	–	1	
POTTERSPURY ...	–	–	1	–	–	–
TOWCESTER ...	–	–	–	–	2	–
†WELLING-BOROUGH						M. 1
NORTHUMBERLAND.	–	28	8	–	38	C. 2 D. 1 L. 9 M. 2 N. 2
†NEWCASTLE UPON TYNE C.B.	–	9	2	–	33	D. 1 L. 1 M. 2 N. 1
†TYNEMOUTH C.B.	–	1	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†Ashington	-	1	1	-	-	-
†Blyth		1	1		-	-
Cramlington ...	-	-	-	-	1	-
†Earsdon	-	2	-	-	-	-
†Gosforth ...	-	4	-	-	-	C. 1
Hexham	-	-	-	-	-	L. 7
†Newburn ...	-	-	-	-	1	N. 1
Prudhoe... ...	*	*	*	*	*	*
Seaton Delaval	-	1		-	-	-
Seghill	-	-	2	-	-	-
†Wallsend ...	-	1	1	-	-	-
Weetslade ...	-	-	-	-	-	C. 1
†Whitley and Monkseaton	-	2	-	-	-	-
Rural Districts:—						
Bellingham ...	-	4	-	-	-	-
Hexham	-	-	-	-	-	L. 1
Morpeth... ...	-	1	-	-	-	-
Norham and Islandshires	-	1	-	-	1	-
NOTTINGHAM ...	-	37	11	1	45	C. 1 D. 1 N. 2
†Nottingham C.B.	-	15	5	-	29	C. 1 N. 2
Boroughs and Urban Districts:—						
†Beeston	-	-	1	-	-	-
†Carlton	-	-	-	-	1	-
†Hucknall ...	-	2	2	-	2	-
Huthwaite ...	-	-	1	-	-	-
†Kirkby in Ashfield	-	1	-	-	2	-
†Mansfield ...	-	1	-	1	4	-
†Mansfield Woodhouse	-	5	-	-	-	-
†Sutton in Ashfield	-	4	-	-	-	-
†West Bridgford	-	1	-	-	1	-
†Worksop... ...	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
Basford	-	5	-	-	2	-
Bingham... ...	-	-	-	-	1	-
East Retford ...	-	1	-	-	2	D. 1
Leake	-	1	-	-	-	-
Skegby ...	-	1	-	-	-	-
Southwell ...	-	-	-	-	1	-
Stapleford ...	-	-	1	-	-	-
OXFORD	-	8	8	-	3	N. 1
†Oxford C.B. ...	-	2	6	-	3	-
Boroughs and Urban Districts:—						
†Banbury... ...	-	1	-	-	-	-
Wheatley ...	-	-	1	-	-	-
Rural Districts:—						
Banbury... ...	-	3	-	-	-	N. 1
Bicester... ...	-	-	1	-	-	-
Witney	-	1	-	-	-	-
Woodstock ...	-	1	-	-	-	-
PETERBOROUGH (Soke of).	3	1	1	-	3	-
Borough:—						
†Peterborough...	3	1	1	-	3	-
Rural Districts—						
Peterborough...	*	*	*	*	*	*
SALOP	-	7	7	-	3	N. 1
Boroughs and Urban Districts:—						
Bishop's Castle	-	1	-	-	-	-
Dawley	-	-	2	-	-	-
Oswestry ...	-	-	1	-	-	-
†Shrewsbury ...	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	-	-	1	-	-	-
BRIDGNORTH ...	-	-	2	-	-	-
CLEOBURY MORTIMER	-	4	-	-	2	-
DRAYTON	-	-	-	-	-	N. 1
ELLESMERE ...	-	1	-	-	-	-
OSWESTRY ...	-	-	1	-	-	-
SOMERSET ...	-	16	13	-	9	C. 1
						G. 1
						M. 2
						N. 1
†BATH C.B. ...	-	2	2	-	3	-
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	1	-	-	-	-
†FROME	-		4	-		-
ILMINSTER ...	-	1	-	-	-	-
RADSTOCK ...	-	1	-	-	-	-
†TAUNTON		1	-	-	-	G. 1
†WESTON SUPER MARE	-	-	2	-	1	-
†YEOVIL	-	-	-	-	-	M. 2
Rural Districts:—						
AXBRIDGE ...	-	1	1	-	-	-
BRIDGWATER ...	-	1	-	-	2	-
CHARD	-	1	-	-	1	-
CLUTTON	-	1	-	-	1	C. 1
LANGPORT ...	-	1	-	-	-	-
SHEPTON MALLET		1	-	-	-	-
TAUNTON ...	-	-	1	-		N. 1
WELLS	-		1	-	-	-
WINCANTON ...	-	4	-	-	-	-
YEOVIL	-	-	2	-	1	-
SOUTHAMPTON	-	42	25	1	8	C. 1
						M. 2
†BOURNEMOUTH C.B.	-	7	-	-	1	-
†PORTSMOUTH C.B.	-	13	8	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
†SOUTHAMPTON C.B.	-	2	8	-	1	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	4	1	-	-	-
ALTON	-	-	2	-	-	-
ANDOVER... ...	-	-	1		-	-
†EASTLEIGH AND BISHOPSTOKE	-	-		-	1	-
†FAREHAM ...		1	-	-		-
†FARNBOROUGH ..	-	-	-	1	-	-
†GOSPORT	-	2	-	-	2	-
†WINCHESTER ...	-	1	-			-
Rural Districts:—						
CATHERINGTON ...	-	2	-	-	-	-
CHRISTCHURCH ...	-	1	-	-	-	-
DROXFORD ...	-		-		1	-
FAREHAM ...	-	-		-	1	-
HARTLEY WINTNEY	-	-	-	-	-	M. 1
HAVANT	-	1	-	-	-	-
KINGSCLERE ...	-	1	-	-	-	-
LYMINGTON ...	-	-	2	-	-	-
NEW FOREST ...	-	-	1	-	-	C. 1
RINGWOOD ...	-	4	-	-	-	-
SOUTH STONEHAM	-	2		-	-	-
WHITCHURCH ...	-	-	2	-	-	-
WINCHESTER ...	-	1	-	-	-	-
STAFFORD ...	-	54	26	-	43	D. 1
						M. 6
						N. 3
†BURTON UPON TRENT C.B.	-	1	2	-	-	D. 1
						M. 1
†SMETHWICK C.B.	-	3	8	-	2	-
†STOKE ON TRENT C.B.	-	6	5	-	12	-
†WALSALL C.B. ...	-	2	3	-	1	N. 2
†WEST BROMWICH C.B.	-	17	1	-	3	-
†WOLVERHAMPTON C.B.	-	3	1	-	3	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
TAFFORD—*cont*						
Boroughs and Urban Districts:—						
BIDDULPH ...	–	1	–	–	–	–
†BILSTON	–	1	1	–	4	–
†BROWNHILLS ...	–	2	–	–	1	–
†CANNOCK	–	3	–	–	2	–
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	–	–	–	1	–
LICHFIELD ...	–	–	–	–	–	N. 1
†NEWCASTLE UNDER LYME	–	1	1	–	–	–
†ROWLEY REGIS ...	–	2	–	–	3	–
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	1	1	–	1	–
TAMWORTH ...	–	1		–	–	–
†TIPTON		1	–	–	2	M. 1
†WEDNESBURY ..	–	1	–	–	2	–
†WILLENHALL ...	–	–	1	–	–	–
†WOLSTANTON UNITED	–	–	–	–	1	–
Rural Districts:—						
CANNOCK	–	–	2	–	2	M. 1
CHEADLE	–	2	–	–	1	M. 1
KINGSWINFORD ...	–	1	–	–	–	M. 1
STAFFORD ...	–	–		–	1	–
UTTOXETER ...	*	*	*	*	*	*
WALSALL	–	3	–	–	–	–
SUFFOLK, EAST	–	28	7	–	7	G. 1 M. 1 N. 1
†IPSWICH C.B. ...	–	13	–	–	3	–
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
†LOWESTOFT ...	–	1	5	–	1	–
Rural Districts:—						
BLYTHING ...	*	*	*	*	*	*
BOSMERE AND CLAYDON	–	5	–	–	1	–
EAST STOW ...	–	–	–	–	–	M. 1
SUFFOLK, EAST *cont.*						
Rural Districts—*cont.*						
HARTISMERE ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	7	–	–	–	G. 1
PLOMESGATE ...	–	1	2	–	–	–
WOODBRIDGE ...	–	–	–	–	1	N. 1
SUFFOLK, WEST	–	6	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
Rural Districts:—						
MILDENHALL ...	–	5	–	–	–	–
SURREY	1	56	19	–	32	C. 1 D. 1 L. 2 N. 4
†CROYDON C.B. ...	1	21	3	–	2	D. 1 N. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	3	–	–	2	–
†CARSHALTON ...	–	–	–	–	6	–
†CATERHAM AND WARLINGHAM	–	–	–	–	–	L. 2
†CHERTSEY ...	–	1	1	–	–	–
†COULSDON AND PURLEY	–	–	–	–	–	C. 1
DORKING	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	–	–	–	1	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	1	1	–	3	–
†ESHER AND THE DITTONS	–	–	1	–	1	N. 1
†FRIMLEY AND CAMBERLEY	–	–	1	–	–	–
GUILDFORD ...	–	–	–	–	2	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON ON THAMES	–	–	1	–	1	–
†MERTON AND MORDEN	–	3	1		1	–
†MITCHAM	–	–	–	–	2	–
†REIGATE		4	2	–	1	–
†RICHMOND ...	–	1	1	–	3	–
†SURBITON ...	–	–	–	–	1	–
†SUTTON AND CHEAM		4		–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	2	–
WEYBRIDGE ...	–	3	–	–	–	–
†WIMBLEDON ...	–	2	5	–	–	N. 1
†WOKING	–	–	–	–	1	–
Rural Districts:—						
CHERTSEY ...	–	4	–	–	1	–
EPSOM		2		–	–	–
GODSTONE ...	*	*	*	*	*	*
GUILDFORD ...	–	2	–	–	1	–
HAMBLEDON ...	–	–	–	–	1	–
REIGATE	–	2	1	–	–	–
SUSSEX, EAST...	–	11	15	1	17	M. 2 N. 4
†BRIGHTON C.B.	–	3	1	–	5	M. 1 N. 2
†EASTBOURNE C.B.	–	–	4	1	–	
†HASTINGS C.B. ...	–	1	5	–	2	N. 1
Boroughs and Urban Districts:—						
BURGESS HILL ...		–	–		1	–
EAST GRINSTEAD	–	1	–	–	1	–
†HOVE	–	1	2	–	4	–
PORTSLADE BY SEA	–	–	–	–	1	–
Rural Districts:—						
CHAILEY	–	2	–	–	–	–
CUCKFIELD ...	–	–	1	–	–	–
HAILSHAM ...	–	–	–	–	1	M. 1
NEWHAVEN ...	–	–	2	–	1	
TICEHURST ...	–	2	–	–	1	N. 1
UCKFIELD ...	–	1	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUSSEX, WEST...	–	7	4	–	–	N. 1
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
MIDHURST ...	–	1	2	–	–	–
STEYNING WEST...	–	2	–	–	–	–
THAKEHAM ...		1	–	–	–	–
WESTBOURNE ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	2	–	–	N. 1
WARWICK ...	–	73	77	1	88	C. 1 G. 2 M. 12 N. 2
†BIRMINGHAM C.B.		55	60	–	62	C. 1 G. 2 M. 10 N. 2
†COVENTRY C.B. ...	–	7	11	1	10	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	3	M. 1
†ROYAL LEAMINGTON SPA	–	2		–	–	–
†RUGBY	–	1	–		2	M. 1
†STRATFORD ON AVON	–	–	–	–	1	–
†SUTTON COLDFIELD	–	1	1	–	1	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
FOLESHILL ...	–	–	–	–	3	–
MERIDEN... ...	–	–	–		1	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	4	1	–	1	–
SOLIHULL ...	–	–	4	–		–
SOUTHAM... ...	–	–	–	–	4	–
TAMWORTH (part)		1	–	–	–	–
WESTMORLAND	–	–	2	–	5	D. 1 N. 1
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–
†KENDAL	–	–	1	–	–	N. 1
WINDERMERE ...	–	–		–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND —*cont.*						
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	–	1	–		–
WEST WARD ...	–	–	–	–	2	D. 1
WIGHT, ISLE OF		–	7	–	2	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	7	–	–	–
†RYDE	–		–	–	2	–
WILTS		10	6	–	6	N. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	1		–		–
†SALISBURY ...	–	4	1	–	1	
†SWINDON... ...	–		4	–	1	N. 1
†TROWBRIDGE ...	–		1	–		–
Rural Districts:—						
AMESBURY ...	–	1	–	–	2	–
CALNE	–	3	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–		–	1	–
MELKSHAM ...	–	–	–	–	1	–
WORCESTER ...		13	4	–	16	N. 1
†DUDLEY C.B. ...	–	–	1	–	1	–
†WORCESTER C.B.	–	1	–	–	6	N. 1
WORCESTER— *cont.*						
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	4	–	–	1	–
†KIDDERMINSTER	–	2	–	–	1	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†MALVERN ...	–	1	–	–	–	–
†OLDBURY... ...		1	1	–	–	–
†STOURBRIDGE ...		1	1		3	–
STOURPORT ...		2	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	1	–		–	–
FECKENHAM ...	–	–	1	–	–	–
MARTLEY... ...	–	–	–	–	1	–
UPTON ON SEVERN	–			–	2	–
YORKS ... ... (East Riding).		13	29	–	18	G. 1 M. 3 N. 1
†KINGSTON UPON HULL C.B.	–	11	27	–	8	M. 2 N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...		–	–		1	M. 1
†BRIDLINGTON ...	–	–	1		2	–
GREAT DRIFFIELD	–	1	–	–	1	–
HESSLE		–	–	–	1	
WITHERNSEA ...	–	1	–	–	–	G. 1
Rural Districts:—						
BEVERLEY ...	–	–	–		2	–
BRIDLINGTON ...	–	–		1		–
PATRINGTON ...	–			–	1	–
SCULCOATES ...	–	–	–	–	1	–
SHERBURN ...		–	–	–	1	–
YORKS ... ... (North Riding).		25	15	1	18	C. 1 D. 1
†MIDDLESBROUGH C.B.	–	12	4	–	6	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever :

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†Eston	–	3	–	–	2	–
Guisborough ...	–	1	–	–	–	–
Loftus			–	–	2	–
Northallerton	–	1	–	–	–	–
†Redcar	–	1	–	–	–	–
Saltburn by the Sea	–	1	–	–	–	C. 1
†Scarborough ...	–	2	–	–	1	–
†Skelton and Brotton	–	1	2	–	–	–
†Whitby	–	3	–	–	–	–
Rural Districts:—						
Easingwold ...	–	–	–	–	1	D. 1
Flaxton	–	–	5	1	1	–
Guisborough ...	–	–	–	–	2	–
Middlesbrough	–	–	–	–	1	–
Richmond ...	–	–	–	–	1	–
Stokesley ...	–	–	4	–	1	–
Whitby	*	*	*	*	*	*
YORKS ... ... (West Riding).	5	158	80	1	106	C. 2 D. 5 G. 1 L. 1 M. 2 N. 10
†Barnsley C.B. ...	–	1	2	–	4	N. 2
†Bradford C.B. ...	–	17	10	–	10	M. 1 N. 2
†Dewsbury C.B....	–	1	1	–	–	–
†Doncaster C.B....	–	4	–	–	1	–
†Halifax C.B. ...	1	1	1	–	2	N. 1
†Huddersfield C.B.	–	2	6	–	5	–
†Leeds C.B. ...	–	30	19	–	10	C. 1 L. 1 N. 2
†Rotherham C.B.	–	4	4	–	8	D. 1
†Sheffield C.B....	–	23	9	–	21	N. 2
†Wakefield C.B.	–	2	2		2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†Adwick le Street	–	2	–	–	–	–
Altofts	–	–	–	–	1	–
Ardsley, East and West	–	1	–	–	–	–
Baildon	–	1	–	–	–	–
†Barnoldswick ...	–	2	–	–	–	–
†Batley	–	2	2	–	1	–
Birkenshaw ...	–	1	–		–	–
†Bolton upon Dearne	–	1	–	–	–	–
Burley in Wharfedale	–	1	–	–	–	–
†Castleford ...	–	2	–		–	–
†Conisbrough ...	–	1	–	–	–	–
Cudworth ...	–	2	1	–	–	–
†Darton	*	*	*	*	*	*
Earby	–	1	–	–	–	–
†Elland	–	–	–	–	1	–
†Featherstone ...	–	–	2	–	1	–
†Goole	–	–	–	–	1	–
Greetland ...	–	–	–	–	1	–
†Harrogate ...	–	4	1	–	–	N. 1
†Hemsworth ...	–	1	–	–	1	D. 1 G. 1
Horbury... ...	–	3	–	–	–	–
Ilkley	–	–	1	–		–
†Keighley ...	–	1	–	–	3	C. 1
Kirkburton ...	–	–	–	–	1	–
Knaresborough	–	–	–	–	1	–
Luddenden Foot	–	–	1	–	–	–
Marsden... ...	–	3	–	–	–	–
†Mexborough ...	–	4	–	–	1	–
Midgley... ...	–	1	–	–	–	–
†Morley	–	4	–	–		–
†Normanton ...		3	1	–	–	–
†Ossett	*	*	*	*	*	*
Otley	–	3	–	–	2	–
†Pudsey	–	2	1	–	–	–
Queensbury ...	3	–	–	–	–	–
†Rawmarsh ...	–	–	–	–	2	–
†Rothwell ...	–	2	1	–	–	*
Royston	–	1	–	–		–
Silsden	–	–	–	–	1	–
†Sowerby... ...	–	1	–	–	–	–
†Spenborough ...	–	1	–	–	5	–
Springhead ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†STANLEY	–	1	–	–	4	–
STOCKSBRIDGE ...	–	1	–	–	1	–
†SWINTON	–	–	–	–	2	–
THURNSCOE ...	–	–	–	–	2	–
TICKHILL... ...	–	–	–	–	1	–
†TODMORDEN ...	–	1	–	–	1	–
†WOMBWELL ...	–	1	2	–	–	–
†WORSBOROUGH ...	–	3	1	–	–	–
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	1		–	3	–
HEMSWORTH ...	*	*	*	*	*	*
KEIGHLEY ...		1		–		–
KIVETON PARK ...	1	3	4	–	2	–
PONTEFRACT ...		4	–	–	–	M. 1
ROTHERHAM ...	–	3	3	–	1	–
SETTLE	–	–	1	–	–	–
SKIPTON	–	–	–	–	1	–
TADCASTER ...	–	1	2	–	–	–
THORNE	–		–	–	1	D. 3
WETHERBY ...	–	–	1	–	–	–
WORTLEY... ...	–	1	1	1	–	–
YORK, CITY OF ..	–	5	1	–	1	–
†YORK C.B. ...	–	5	1	–	1	–
WALES.						
ANGLESEY ...	–	–	5	–	1	–
Rural Districts:—						
AETHWY	–	–	5	–	1	–
BRECKNOCK ...	–	1	4	–	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	2	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	–	–	1	–	–	–
HAY	–	1	1	–	–	–
CAERNARVON...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	–	1	–	–	–
PENMAENMAWR ...	–	1	1	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	–	1	–	–	–
CARDIGAN ...	–	1	–	–	–	C. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	C. 1
CARMARTHEN...	–	9	3	–	4	N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	3	1	–	–	–
†LLANELLY ...	–	1	1	–	3	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	–	–	–	1	N. 1
LLANELLY ...	–	4	–	–	–	–
NEWCASTLE IN EMLYN	–		1	–	–	–
WHITLAND ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	23	16	–	4	N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	1	–	–	1	–
RUTHIN	–	1	2	–	–	–
†WREXHAM ...	–	4	4	–	1	N. 1
Rural Districts:—						
LLANGOLLEN ...	–	–	1	–	–	–
RUTHIN	–	1	2	–	–	–
WREXHAM ...	–	16	7	–	2	–
FLINT	–	3	5	–	7	M. 1 N. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	–		–		2	–
MOLD	–	–	–	–	–	M. 1
†RHYL	–	–	–	–	–	N. 1
Rural Districts:—						
HAWARDEN ...	–	2	2	–	–	–
HOLYWELL ...	–	1			5	–
OVERTON	–	–	2	–	–	–
ST. ASAPH (FLINT)	–	–	1	–	–	–
GLAMORGAN ...	10	49	65	–	44	C. 1 M. 1 N. 4
†CARDIFF C.B. ...	–	14	12	–	7	C. 1 N. 2
†MERTHYR TYDFIL C.B.	–	–	6	–	–	–
†SWANSEA C.B. ...	–	2	12	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	1	–	6	N. 1
†BARRY	–	–	1	–	3	–
†CAERPHILLY ...	–	2	1	–	1	–
†GELLIGAER ...		2	2	–	1	
†LLWCHWR ...	–	–	3	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MAESTEG	–	–	1	–	2	–
†MOUNTAIN ASH ...	10	2	2	–	1	–
†NEATH	–	–	3	–	1	–
†OGMORE AND GARW	–	1	–	–	2	–
†PENARTH	–	3	–	–	2	–
†PONTYPRIDD ...	–	5	–	–	8	–
PORTHCAWL ...	–	–	1	–	1	–
†PORT TALBOT ...	–	1	6	–	–	–
†RHONDDA ...	–	14	5	–	8	M. 1 N. 1
Rural Districts:—						
CARDIFF	–	–	2	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	1	–	–	–
NEATH	–	1	–		–	–
PONTARDAWE ...	–	–	6	–	–	–
MONMOUTH ...	–	42	9	–	14	–
†NEWPORT C.B. ...		16	2	–	2	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	13	4	–	–	–
BEDWAS AND MACHEN	–		–	–	1	–
†BEDWELLTY ...	–	1		–	1	–
†EBBW VALE ...	–	4	1	–	8	–
LLANTARNAM ...	–	3		–	–	–
MONMOUTH ...	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†PANTEG	–	1	–	–	–	–
†RHYMNEY ...	–	1	–	–	–	–
†TREDEGAR ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
MONMOUTH ...	–	–	1	–	–	–
MONTGOMERY...	–		1	–	2	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES	–	–	1	–	–	–
PEMBROKE ...	–	4	1	–	1	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	1	–	–	–
Rural Districts:—						
NARBERTH ...	–	3	–	–	1	–
PEMBROKE ...	–	1	–	–	–	–
Total of Part II....	180	1442	1083	16	1371	C. 36 D. 23 E. 2 G. 13 L. 19 M. 82 N. 102

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BARNSTAPLE	*	*	*	*	*	*
LIVERPOOL	–	1	–	–	–	–
PENZANCE	*	*	*	*	*	*
SANDWICH	*	*	*	*	*	*
Total of Part III. ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
Total of Part I.—London	48	206	180	4	267	C. 8 D. 3 E. 1 M. 13 N. 12
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	180	1442	1083	16	1371	C. 36 D. 23 E. 2 G. 13 L. 19 M. 82 N. 102
Total of Part III.—Port Sanitary Districts	-	1	-	-	-	-
Total (i.e., of returns received), England and Wales ...	228	1649	1263	20	1638	C. 44 D. 26 E. 3 G. 13 L. 19 M. 95 N. 114

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Cau and Deaths of Infants under 1 Year Age) and Notified Cases of certain fectious Diseases in the last Thirte Weeks and in the Current Year to d with corresponding figures for previous yea

Week ended :—	Oct. 18.	Oct. 25.	Nov. 1.	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Totals from 1s Week of year. 1930.	193
LONDON :—															
Live Births	1,398	1,387	1,420	1,354	1,369	1,176	1,274	1,390	1,255	1,341	821	1,589	1,438	1,489	1,4
Stillbirths	46	46	47	43	55	53	59	43	51	39	21	50	61	32	
Deaths (excluding Still-births)—all ages.	879	841	928	904	957	969	983	973	1,082	1,175	1,183	1,356	1,452	1,176	1,4
Deaths—0 to 1 year ..	80	50	67	74	76	80	82	61	92	74	89	107	112	109	1
GREAT TOWNS, aggregate (including London) :—															
Live Births	6,442	6,276	6,295	6,277	6,410	5,710	5,919	6,505	5,896	6,202	3,997	7,120	6,760	6,720	6,7
Stillbirths	245	254	261	270	279	257	273	281	286	267	216	311	305	249	3
Deaths (excluding Still-births)—all ages.	4,021	3,753	4,033	4,010	4,189	4,485	4,487	4,508	4,878	5,165	4,841	5,587	6,451	4992	6,4
Deaths—0 to 1 year ..	392	326	357	357	379	425	401	378	440	476	474	557	622	432	6
Enteric Fever—Cases	16	21	17	27	21	10	10	12	14	13	7	15	10	26	
„ Deaths	1	—	2	4	2	2	1	3	1	1	—	3	1	1	
Small Pox—Cases ..	80	52	58	68	82	88	136	74	112	111	105	131	162	274	1
„ Deaths ..	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Scarlet Fever—Cases	1,401	1,226	1,345	1,148	1,376	1,389	1,228	1,283	1,164	1,140	901	1,064	886	1,602	8
„ Deaths	2	3	6	7	4	6	1	6	6	8	11	16	8	11	
Diphtheria—Cases ..	972	930	902	976	875	962	965	968	891	860	617	831	775	1,082	7
„ Deaths ..	27	25	32	33	39	30	44	31	35	43	33	43	32	45	
Measles—Deaths ..	6	14	15	32	23	40	33	45	57	71	59	62	77	43	
Influenza—Deaths ..	46	42	41	40	25	49	56	43	60	58	59	60	101	67	1

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correction having been made for changes in boundary. The live births are derived from the weekly returns furnished by the Registrars and differ from those published for the towns in the Quarterly Return which are corrected for birth occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 10th January, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
London (Greenwich).	39	26	37·3	28·7	1	Huddersfield	44	20	37·9	25·7	1
						Bradford ..	45	22	38·0	26·0	1
Brighton ..	41	27	39·1	30·6	0	Sheffield ..	45	27	40·6	30·4	0
Portsmouth ..	41	25	39·1	29·1	0	York (Museum)	43	22	39·4	28 6	4
Norwich (Eaton)	43	26	40·0	29·9	4	Hull (Pearson Park).	47	29	40·2	31·7	3
Plymouth ..	48	28	44·4	30·9	2	Tynemouth ..	46	28	38·9	31·4	6
Bristol (Horfield)	43	23	37·6	27·4	0·3	Cardiff	44	19	38·9	29·0	0
Birmingham (Edgbaston).	42	24	37·3	30·7	1						
						Edinburgh ..	47·0	26·0	40·0	31·9	1
Nottingham ..	42	22	37·3	26·0	1	Glasgow ..	48 9	24·0	39·5	30·3	5
Birkenhead (Bidston).	45	23	37·1	31·1	3	Dublin (Phœnix Park)	44·0	21·2	41·0	26·6	2
Manchester (Whitworth Park).	43	26	35·3	28·9	3	(Fitzwilliam Square†).	45·1	27·2	39·1	31·2	1
Burnley	43	19	34·9	22·4	4	Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin,
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 10th January, 1931.

[Under the Superintendence of the Astronomer Royal.]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	4	Full	29·521	39·0	33·1	5·9	36·6	- 1·7	33·4	3·2	5·7	1·1	88	46·9	29·8	45·8	NW: WSW.	NW: W.	1·6	0·0	0·1	244	- 76	0·00
MONDAY -	5	..	29·981	36·1	28·4	7·7	32·5	- 5·7	30·8	1·7	5·7	1·0	93	35·9	16·5	45·2	WSW	WSW: Calm.	0·3	0·0	0·0	174	- 148	0·00
TUESDAY -	6	Perigee	30·188	37·4	26·1	11·3	30·9	- 7·2	28·4	2·5	7·1	1·3	91	35·3	14·3	45·0	WSW: Calm.	NNW: Calm.	0·2	0·0	0·0	122	- 201	0·00
WEDNESDAY	7	..	30·313	39·1	29·2	9·9	34·9	- 3·1	30·6	4·3	6·2	1·6	84	40·7	16·0	45·0	Calm	NE: Calm.	0·7	0·0	0·0	139	- 182	0·00
THURSDAY -	8	..	30·296	33·2	28·0	5·2	31·4	- 6·5	30·6	0·8	2·4	0·0	98	33·6	23·8	44·8	Calm	Calm	0·2	0·0	0·0	85	- 233	0·00
FRIDAY -	9	..	30·128	38·5	27·7	10·8	33·5	- 4·4	30·2	3·3	7·0	1·0	87	44·0	20·4	44·4	SW: W: NW.	N: NW.	1·2	0·0	0·1	202	- 110	0 01
SATURDAY -	10	In Equator	30·203	37·6	26·9	10·7	32·6	- 5·3	32·6	0·0	2·1	0·0	100	36·0	16·0	44·1	Calm: WSW.	SW: WSW.	0·3	0·0	0·0	182	- 125	0·00
MEANS -		..	30·090	37·3	28·5	8·8	33·2	- 4·8	30·9	2·3	5·2	0·9	92	38·9	19·5	44·9	Westerly		..	..	..	Sum 1148	Sum -1075	Sum 0·01
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	4	mP throughout	0·0	8·0	Overcast till 11½h.; partially cloudy till 14½h.; then overcast. Damping 8½h. till 9h. Snow shower 9½h. Fog from 7h.
MONDAY ..	5	mP till 6h.; then sP	0·0	8·0	Partially cloudy till 7h.; overcast till 9h.; then cloudless. Thick fog 8h. till 11h.; then fog. Hoar frost throughout.
TUESDAY ..	6	sP or mP till 11h.; then sP.	0·3	8·0	Cloudless, with overcast period 1h. till 5½h. Fog till 1h.; and from 11½h. Thick fog 8h. till 11½h. Hoar frost throughout. Rime in morning.
WEDNESDAY	7	sP throughout	0·6	8·0	Nearly overcast generally till 12h.; partially cloudy till 18h.; then overcast. Fog till 1h.; and from 4h. Hoar frost throughout.
THURSDAY	8	sP till 9h.; mP till 13h.; then sP.	0·0	8·1	Overcast. Fog till 16h.; then thick fog. Slight snow shower 1h. till 1½h. Gloom 9½h. till 14½h. Hoar frost in morning and at night.
FRIDAY ..	9	sP till 3h.; mP till 9h.; then sP.	0·5	8·1	Cloudless till 2h.; overcast till 12h.; cloudy till 12½h.; then nearly cloudless. Snow 7½h. till 8h. Mist 0h. till 2h.; and from 11½h. Fog 8h. till 11½h. Hoar frost in morning and at night.
SATURDAY	10	sP throughout	0·0	8·1	Cloudless till 4h.; overcast till 20h.; then cloudy generally. Thick fog 4½h. till 18h.; then fog. Damping 17½h. till 18½h.; and from 23¼h. Hoar frost and rime in morning.
			Sum 1·4	Sum 56·3	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·26 ins. at the beginning of the week to 30·34 ins. by 23h. on 7th; decreased to 30·11 ins. by 13h. on 9th; increased to 30·22 ins. by 9h. on 10th; decreased and was 30·19 ins. by midnight on the same day.

FOR OFFICIAL USE

1931. No. 2.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 17TH JANUARY, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

Table 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

Table 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

Table 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

Table 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

Table 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

Table 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

Table 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

Weekly Summary of Infectious Diseases (Table 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 17TH JANUARY, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the second week of the year numbered 6,470 corresponding to an annual rate of 17·1 per 1,000 living: stillbirths numbered 282 corresponding to a rate of 42 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,493 (42 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.
107 Great Towns	12·8	14·8	17·1	17·2
London	13·9	16·0	17·1	17·3
Birmingham	11·6	14·0	17·6	15·5
Liverpool	15·2	16·4	22·8	26·2
Manchester	13·3	17·9	25·8	22·6
Sheffield	9·9	12·2	11·8	13·8
Leeds	14·9	15·6	16·3	15·7
Bristol	12·3	12·0	14·0	18·8
West Ham	12·9	14·2	13·6	14·9

The deaths from influenza which had been 59, 60, and 101 in the three preceding weeks further rose to 146 and included 27 in London and 27 in Liverpool.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 96, against 73, 86 and 96, in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,421 live births registered corresponding to an annual rate of 16·7 per 1,000 living: stillbirths numbered 50 corresponding to a rate of 34 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,467 (15 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 80, against 62, 74, and 78 in the three weeks preceding.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 17th January, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,659,445*	6,470	282	6,493	626	1	94	9	33	39	60	146
LONDON	4,417,900*	1,421	50	1,467	116	1	–	5	4	8	10	27
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	58	5	77	7	–	–	–	–	1	–	1
WIMBLEDON ..	59,370	11	–	25	2	–	–	–	–	–	–	1
EALING	104,000	40	1	34	3	–	–	–	–	–	–	1
ACTON	65,200	13	–	22	3	–	–	–	–	–	–	2
BRENTFORD AND CHISWICK ..	59,040	11	1	11	–	–	–	–	–	–	–	–
WILLESDEN ..	172,500	48	2	55	1	–	–	–	–	–	–	1
HENDON	83,190*	29	–	18	1	–	–	–	–	–	–	–
HORNSEY	88,450	18	1	26	1	–	–	–	–	–	–	–
WOOD GREEN ..	53,410	10	–	12	–	–	–	–	–	–	–	–
TOTTENHAM ..	155,000	31	1	35	1	–	–	–	–	–	–	1
EDMONTON	75,000	35	2	28	2	–	–	–	–	–	1	1
ENFIELD	65,100	14	1	19	1	–	–	–	–	–	–	–
WEST HAM C.B. ..	307,600	128	7	88	6	–	–	–	–	–	1	1
EAST HAM C.B. ..	147,600	30	1	30	4	–	–	–	–	–	–	–
LEYTON	128,300	16	–	31	–	–	–	–	–	–	–	–
WALTHAMSTOW ..	124,800	36	–	29	3	–	–	–	1	–	–	–
ILFORD	116,200	35	2	37	3	–	–	–	–	–	–	1
GILLINGHAM	56,670*	21	1	19	2	–	2	–	1	–	–	–
CANTERBURY C.B. ..	22,850*	6	–	9	1	–	–	–	–	–	–	–
HASTINGS C.B.	62,620	13	1	30	–	–	–	–	–	–	–	2
EASTBOURNE C.B. ..	58,570	13	–	13	1	–	–	–	–	–	–	–
BRIGHTON C.B. ..	146,800*	46	2	65	4	–	–	–	–	1	–	–
PORTSMOUTH C.B. ..	242,000*	79	–	81	7	–	–	–	–	–	–	1
BOURNEMOUTH C.B. ..	97,360	20	–	44	–	–	–	–	–	–	–	2
SOUTHAMPTON C.B. ..	172,300	52	5	50	3	–	–	1	–	–	–	–
READING C.B.	96,850*	37	1	30	–	–	–	–	–	–	–	–
OXFORD C.B.	73,810*	25	2	24	1	–	–	–	–	–	–	–
NORTHAMPTON C.B. ..	93,970*	26	3	29	1	–	–	–	–	–	–	–
LUTON	65,200	21	1	21	1	–	–	–	–	–	–	–
CAMBRIDGE	60,730	15	–	6	–	–	–	–	–	–	–	–
SOUTHEND-ON-SEA C.B.	114,600	21	1	39	1	–	–	–	–	–	–	1
IPSWICH C.B. ..	85,800	31	1	27	3	–	–	2	1	–	1	–
GREAT YARMOUTH C.B.	58,110	24	1	11	2	–	–	–	–	–	–	–
NORWICH C.B. ..	124,900*	43	–	29	–	–	–	–	1	–	–	–
SWINDON	62,020	26	2	21	2	–	–	–	–	1	–	2
EXETER C.B.	61,290*	18	–	29	2	–	–	–	–	–	–	2
PLYMOUTH C.B. ..	199,000*	72	1	76	4	–	–	–	–	1	–	–
BATH C.B.	69,240	13	1	29	1	–	–	–	–	1	–	1
BRISTOL C.B	391,000*	124	6	141	5	–	10	–	1	–	1	2
GLOUCESTER C.B. ..	52,010	8	1	17	1	–	–	–	1	–	–	–
STOKE-ON-TRENT C.B.	279,200	98	7	80	10	–	–	–	–	–	2	1
BURTON-UPON-TRENT C.B.	48,970	20	–	19	1	–	–	–	–	–	–	–
WOLVERHAMPTON C.B.	134,300	49	1	47	6	–	–	–	2	–	3	–
WALSALL C.B.	100,100	41	–	23	6	–	2	–	–	–	1	–
WEST BROMWICH C.B.	80,840	44	2	16	3	–	–	–	–	–	1	–
DUDLEY C.B.	58,870	18	–	15	1	–	–	–	–	–	–	–
WORCESTER C.B. ..	52,320	15	–	17	1	–	–	–	–	–	–	–
BIRMINGHAM C.B. ..	968,500	351	10	288	31	–	5	–	2	2	7	7
SMETHWICK C.B. ..	85,120	23	1	18	1	–	–	–	–	–	1	1
COVENTRY C.B. ..	162,100	53	3	40	3	–	–	–	–	1	–	–
LEICESTER C.B. ..	245,200	86	3	87	6	–	–	–	–	–	1	1
LINCOLN C.B.	65,080*	21	–	20	–	–	–	–	–	–	–	–
GRIMSBY C.B.	91,440	34	5	20	2	–	–	–	–	–	–	1
NOTTINGHAM C.B. ..	266,800	115	8	105	11	–	6	–	–	–	1	2
DERBY C.B.	140,500*	47	3	43	8	–	–	–	1	–	1	–
CHESTERFIELD	65,270	27	1	13	2	–	–	–	–	–	–	–
STOCKPORT C.B ..	127,800	40	4	42	3	–	–	–	–	–	1	3
CHESTER C.B.	40,750	11	1	3	–	–	–	–	–	–	–	–
BIRKENHEAD C.B. ..	157,600	47	7	77	19	–	4	–	–	4	1	2
WALLASEY C.B. ..	101,300	26	1	25	1	–	–	–	–	–	–	–
LIVERPOOL C.B. ..	869,500	363	16	437	56	–	35	–	2	5	12	27
BOOTLE C.B.	80,400	32	–	36	5	–	–	–	–	1	1	–
ST. HELENS C.B. ..	109,200	48	2	42	4	–	–	–	–	1	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	18	1	29	3	-	-	-	-	-	-	3
Wigan C.B.	87,600	20	4	18	3	-	-	-	-	-	-	-
Warrington C.B. ..	79,400*	35	2	26	6	-	-	1	-	-	-	1
Bolton C.B.	181,500	49	3	66	7	-	-	-	2	-	1	5
Bury C.B.	56,830*	23	-	28	3	-	-	-	-	-	1	1
Manchester C.B. ..	746,500	276	10	323	41	-	-	-	1	1	2	5
Salford C.B.	235,600	90	3	100	22	-	-	-	1	3	1	2
Ashton-under-Lyne	51,750	21	1	25	1	-	-	-	-	-	-	2
Oldham C.B.	142,500	39	1	71	13	-	-	-	1	1	-	1
Rochdale C.B. . ..	90,900	12	-	25	2	-	-	-	-	1	-	-
Burnley C.B.	100,200	37	1	25	4	-	-	-	1	-	-	1
Blackburn C.B ..	125,300	19	2	32	-	-	-	-	-	-	-	2
Preston C.B.	126,100	31	-	43	4	-	-	-	-	-	-	1
Blackpool C.B. ..	99,800	21	2	28	2	-	-	-	-	1	1	2
Barrow-in-Furness C.B.	64,850	14	3	20	3	-	-	-	-	-	-	-
Huddersfield C.B. ..	113,100	39	1	35	1	-	-	-	-	-	-	-
Halifax C.B.	97,400*	24	-	36	-	-	-	-	-	1	-	-
Bradford C.B. ..	294,605	84	5	99	6	-	2	-	-	-	-	1
Leeds C.B.	478,500	142	7	144	7	-	-	-	3	-	1	1
Dewsbury C.B. ..	53,020	14	-	16	-	-	-	-	-	-	-	-
Wakefield C.B. ..	56,640	24	1	16	2	-	-	-	-	-	-	-
Barnsley C.B. ..	71,700	25	4	15	3	-	-	-	-	-	-	2
Sheffield C.B. ..	518,000*	166	6	137	13	-	-	-	-	1	-	4
Rotherham C.B. ..	70,790	25	2	17	4	-	-	-	-	-	-	-
Doncaster C.B ..	59,890	20	4	10	1	-	-	-	-	-	-	-
York C.B.	85,290*	15	-	21	2	-	-	-	-	-	-	1
Hull C.B.	308,200	126	6	124	21	-	8	-	-	-	2	-
Middlesbrough C.B.	133,100	57	-	47	6	-	1	-	1	-	-	1
Darlington C.B. ..	71,790	26	3	20	3	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,090	22	1	15	1	-	-	-	-	-	-	-
West Hartlepool C.B.	69,370	26	1	17	2	-	1	-	-	-	-	-
Sunderland C.B. ..	184,000	88	5	58	12	-	3	-	1	2	-	1
South Shields C.B ..	119,600	37	2	37	7	-	-	-	3	-	1	5
Gateshead C.B. ..	122,600	31	1	44	9	-	4	-	-	-	-	-
Newcastle-on-Tyne C.B.	283,400*	119	5	91	9	-	4	-	-	-	1	2
Tynemouth C.B. ..	65,880	23	2	16	2	-	-	-	-	-	-	2
Carlisle C.B.	56,160*	26	2	18	4	-	-	-	1	-	-	-
Newport (Mon.) C.B.	95,990*	36	4	24	1	-	-	-	-	-	-	1
Cardiff C.B.	224,000*	79	1	68	8	-	2	-	-	-	2	2
Rhondda	153,100	60	4	37	3	-	3	-	1	-	-	-
Merthyr Tydfil C.B.	77,790	25	1	20	3	-	-	-	-	1	-	-
Aberdare	53,050	12	-	13	-	-	1	-	-	-	-	1
Swansea C.B.	162,700	47	2	42	6	-	1	-	-	-	-	-
Greater London ..	7,900,480*	2,472	85	2,467	200	1	-	5	5	12	13	48
Outer Ring	3,452,580*	1,051	35	1,000	84	-	-	-	1	4	3	21
17 Great Towns in Outer Ring	2,027,060*	563	24	577	38	-	-	-	1	1	2	10
Remainder of Outer Ring	1,455,520*	488	11	423	46	-	-	-	-	3	1	11
Edinburgh†	428,800	130	-	145	21	-	-	-	1	-	-	-
Glasgow†	1,088,200	423	-	394	53	-	-	-	22	2	4	7
Dublin (Registration Area)†	412,400	185	-	160	28	1	30	-	-	2	1	2
Belfast†	415,151	184	-	137	30	-	2	-	-	1	2	2

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931 except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœal Diseases (under 2 years).	Influenza.
London‡	4,417,900	1931. Jan. 17	1421	50	1467	17·3	1	–	–	5	4	8	10	27
Calcutta and Suburbs	1,077,264	1930. Dec. 6	?	?	571‖	27·5	?	4	?	–	?	?	?	5
Bombay§	1,298,708	„ 20	589	30	436	17·5	3	–	–	–	–	1	19	–
Madras	528,791	„ 13	545	30	573	56·3	–	1	–	–	3	–	30	–
Sydney and Suburbs	1,243,940	Dec. 31 (31 days)												
Brisbane (Metropolitan Area).	318,631	Oct. 31 (31 days)												
Perth (Metropolitan Area).	202,888	Nov. 8	77	?	42	10·8	–	–	–	–	–	1	–	–
Auckland (Urban Area).	212,100	Nov. 30 (30 days)												
Wellington (Urban Area)	138,050	Nov. 20 (30 days)												
Christchurch (Urban Area).	125,800	Nov. 30 (30 days)												
Cape Town	134,201	Dec. 13	68	2	24	9·3	–	–	–	–	–	–	4	–
Johannesburg	183,674	„ 13	92	5	58	16·4	–	–	–	–	–	–	5	–
Durban	59,929	„ 13	18	–	12	10·4	–	–	–	–	–	–	–	–
Paris	2,871,429	Dec. 20 (10 days)	923	82	1240	15·8	2	–	2	1	1	4	21	6
Antwerp	294,971	Dec. 15 (15 days)	209	10	132	10·5	–	–	–	–	2	3	1	2
Amsterdam	756,553	Dec. 27	230	15	155	10·7	–	–	–	–	2	–	–	1
Copenhagen	608,500	Jan. 3	156	3	157	13·3	–	–	–	–	2	3	–	1
Stockholm	486,672	Dec. 27	101	3	124	13·2	–	–	–	–	–	–	–	–
Gothenberg	241,550	„ 20												
Oslo	253,568	Jan. 3	40	3	70	14·4	–	–	–	–	–	–	–	–
Berlin	4,327,000	Dec. 20	747	29	919	11·0	–	?	–	–	1	14	5	1
Berlin (old)	1,971,000	„ 20	330	14	455	12·0	1	?	–	–	1	7	1	–
Breslau	613,000	„ 20	116	12	138	11·7	–	?	–	–	–	1	–	2
Cologne	739,000	„ 20	187	13	151	10·6	–	?	–	–	1	3	–	3
Dresden	630,000	„ 20	134	6	123	10·2	–	?	–	–	–	–	–	–
Frankfort-on-Main	539,000	„ 20	84	3	71	6·8	–	?	–	–	1	1	–	–
Hamburg	1,144,000	„ 20	285	10	221	10·0	–	?	–	–	–	–	1	–
Leipzig	700,000	„ 20	155	6	151	11·2	–	?	–	1	–	–	2	1
Munich	730,000	„ 20	155	4	167	11·9	–	?	–	–	–	–	–	–
Budapest	991,518	„ 27	249	9	278	14·6	–	–	–	–	2	3	2	2
Warsaw	1,109,478	„ 27	?	12	283	13·0	2	–	2	1	2	6	12	12
Cairo	1,122,800	Sept. 30	918	26	483	22·4	8	–	–	–	?	5	147	?
Alexandria	612,200	„ 30	447	5	300	25·6	2	–	–	–	?	3	72	?
New York	7,014,649	Dec. 20	2149	101	1449	10·9	1	–	1	1	–	1	4	5
Chicago	3,391,663	„ 26	780	27	656	10·1	–	–	–	4	1	8	6	2
New Orleans	433,000	Nov. 30 (30 days)												
Rio de Janeiro ..	1,729,799	Dec. 13	647	64	537	16·2	4	–	5	–	4	2	63	7

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 1 death from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 17th January, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
			ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
	1930.	1931.												
ALL CAUSES	2,285	2,919	1467	116	29	20	21	43	66	60	157	248	353	354
Enteric fever	2	1	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	47	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	5	5	5	-	-	3	1	1	-	-	-	-	-	-
Whooping cough	3	5	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	24	14	8	-	1	4	3	-	-	-	-	-	-	-
Influenza	31	43	27	1	-	1	-	-	1	1	1	5	7	10
Erysipelas	8	12	6	2	-	-	-	-	-	-		1	1	2
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	4	2	-	-	-	-	1	-	1	-	-	-	-
Meningococcal meningitis	3	5	2	1	-	-	-	-	1	-	-	-	-	-
Tuberculosis :—														
Respiratory system	155	203	96	1	-	-	2	16	23	15	21	14	2	2
Nervous system	11	10	3	-	1	1	1	-	-	-	-	-	-	-
Intestines and peritoneum	2	3	2	-	-	-	-	1	1	-	-	-	-	-
Other forms	12	12	7	1	-	-	1	-	3	-	-	2	-	-
Venereal diseases	10	5	1	-	-	-	-	-	-	-	-	1	-	-
Cancer	275	313	157	-	-	1	-	-	1	5	33	52	39	26
Rheumatic fever	7	3	3	-	-	-	2	-	1	-	-	-	-	-
Diabetes	14	27	14	-	-	-	-	-	1	-	3	3	4	3
Alcoholism	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	6	1	-	-	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	87	94	46	-	-	-	-	-		1	2	6	23	14
Epilepsy	10	12	5	-	-	-	2	-	-	1	1	1	-	-
"Convulsions" (not puerperal) ..	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	57	53	27	-	1	1	4	3	4	3	1	1	8	1
Pericarditis	1	2	2	-	-	-	-	-	-	1	-	1	-	-
Acute endocarditis	6	5	3	-	-	1	-	-	-	-	1	1	-	-
Other diseases of heart	491	704	360	-	-	-	1	6	6	8	29	59	113	138
Other diseases of circulatory system	97	115	67	-	-	-	-	-	-	2	-	10	32	23
Bronchitis	113	275	141	8	1	-	-	1	1	2	16	28	36	48
Broncho-pneumonia	134	231	111	34	14	2	-	1	2	3	6	14	18	17
Lobar pneumonia	81	86	38	4	1	2	-	3	3	6	8	4	4	3
Pneumonia (type not distinguished)	28	37	16	1	1	1	-	-	-	-	2	3	5	3
Other diseases of respiratory system	29	50	24	-	1	-	-	3	2	-	4	1	8	5
Diarrhœa and enteritis	33	37	12	9	1	-	-	-	-	1	-	-	1	-
Appendicitis, Typhlitis	24	12	3	-	-	-	-	-	1	-	1	-	-	1
Hernia, Intestinal obstruction	19	24	14	-	-	-	-	-	1	-	3	3	5	2
Cirrhosis of liver	9	10	4	-	-	-	-	-	-	-	1	3	-	-
Other diseases of digestive system ..	59	52	23	-	2	-	1	2	1	1	4	4	6	2
Acute nephritis	5	2	1	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease	66	106	49	-	-	-	-	1	2	2	9	13	12	10
Other diseases of genito-urinary system.	34	49	18	-	-	-	-	-	-	1	1	1	9	6
Puerperal sepsis	3	4	2	-	-	-	-	-	1	1	-	-	-	-
Other causes incident to childbirth ..	3	2	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	11	15	10	10	-	-	-	-	-	-	-	-	-	-
Premature birth	42	48	27	27	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	12	2	1	1	-	-	-	-	-	-	-	-	-	-
Old age	44	61	29	-	-	-	-	-	-	-	-	-	4	25
Suicide	23	20	8	-	-	-	-	-	1	1	2	2	2	-
Burns and Scalds	6	6	1	-	-	1	-	-	-	-	-	-	-	-
Drowning	2	4	2	-	-	-	-	-	-	-	-	1	1	-
Suffocation in bed	2	1	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	35	25	14	-	-	-	1	2	2	-	1	1	3	4
Other deaths by violence	42	28	16	2	-	1	-	-	1	-	2	1	3	6
Other specified causes	68	85	51	10	4	-	2	1	5	3	4	12	7	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th January, 1931.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	45	223	184	–	230	C. 11 D. 5 G. 1 M. 11 N. 13
†CITY OF LONDON	1	–	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	6	5	–	10	M. 2
†BERMONDSEY ...	–	4	7	–	6	C. 1 N. 1
†BETHNAL GREEN	11	5	2	–	6	C. 1
†CAMBERWELL ...	1	14	11	–	7	C. 1 M. 1 N. 1
†CHELSEA	–	3	3	–	2	–
†DEPTFORD ...	2	9	6	–	1	C. 1 N. 1
†FINSBURY ...	–	2	4	–	6	–
†FULHAM	–	4	2	–	11	C. 2 M. 2
†GREENWICH ...	1	7	8	–	8	N. 1
†HACKNEY... ...	5	12	6	–	12	N. 1
†HAMMERSMITH ...	3	5	3	–	8	N. 1
†HAMPSTEAD ...	–	6	2	–	2	N. 2
†HOLBORN... ...	–	–	4	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	27	22	–	13	C. 2 M. 3 N. 1
†KENSINGTON ...	–	2	2	–	9	–
†LAMBETH ...	–	15	12	–	11	C. 1 D. 1 N. 2
†LEWISHAM ...	1	18	13	–	1	G. 1 M. 1
†PADDINGTON ...	–	13	2	–	15	C. 1
†POPLAR	3	4	10	–	22	–
†ST. MARYLEBONE	–	13	–	–	3	C. 1
†ST. PANCRAS ...	–	10	4	–	7	–
†SHOREDITCH ...	1	4	7	–	–	D. 3
†SOUTHWARK ...	–	4	12	–	17	N. 1
†STEPNEY	13	4	13	–	17	N. 1
†STOKE NEWINGTON	1	2	2	–	2	–
†WANDSWORTH ...	1	21	15	–	22	M. 1
†WESTMINSTER, CITY OF	1	1	4	–	–	M. 1
†WOOLWICH ...	–	8	3	–	12	D. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ·

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	–	5	2	–	1	C. 1 N. 1
Boroughs and Urban Districts:—						
†Bedford	–	2	–	–	–	C. 1
†Luton	–	3	–	–	–	N. 1
Rural Districts:—						
Ampthill ...	–	–	1	–	–	–
Biggleswade ...	–	–	–	–	1	–
Luton	–	–	1	–	–	–
BERKS	–	19	7	–	5	N. 1
†Reading C.B. ...	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
†Maidenhead ...	–	1	–	–	–	–
Newbury ...	–	1	–	–	–	–
†New Windsor ...	–	2	–	–	2	–
Wantage ...	–	5	–	–	–	–
Rural Districts:—						
Abingdon ...	–	1	–	–	1	–
Bradfield ...	–	2	–	–	–	–
Cookham ...	–	1	1	–	–	–
Easthampstead	–	1	5	–	1	–
Faringdon (part)	–	–	1	–	–	–
Newbury ...	–	–	–	–	1	–
Wantage ...	–	1	–	–	–	–
Wokingham ...	–	2	–	–	–	–
BUCKINGHAM...	–	3	8	–	6	N. 2
Boroughs and Urban Districts:—						
Buckingham ...	–	–	–	–	–	N. 1
†Chepping Wycombe	–	1	–	–	–	–
Marlow	–	–	1	–	–	–
†Slough	–	–	3	–	1	–
†Wolverton ...	–	1	–		2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
Amersham ...	–	–	–	–	2	–
Aylesbury ...	–	1	1	–	1	–
Newport Pagnell	–	–	1	–	–	N. 1
Wycombe ...	–	–	2	–	–	–
CAMBRIDGE ...	–	2	3	1	–	–
Borough:—						
†Cambridge ...	–	1	2	1	–	+
Rural Districts:—						
Chesterton ...	–	1	1	–	–	–
CHESTER ...	–	32	31	2	53	C. 2 F. 1 G. 1 L. 1 M. 1 N. 2
†Birkenhead C.B.	–	2	11	1	19	
†Chester C.B. ...	–	2	1		4	-
†Stockport C.B. ...	–	2	5	–	4	C. 1 N. 2
†Wallasey C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†Altrincham ...	–	1	–	–	1	G. 1
†Bebington and Bromborough	–	1	–	–	–	–
Bowdon	–	–	–	–	–	L. 1
Bredbury and Romiley	–		–	–	1	–
†Congleton ...	–	2	1	–	–	F. 1
†Crewe	–			–	3	–
†Dukinfield ...	–	1	2	–	4	–
†Ellesmere Port and Whitby	–	–	1	–	–	–
Hale	–	–	1	–	–	–
Hollingworth...	–	2	–	–	–	–
†Hyde	–	2	–	–	–	–
Knutsford ...	–	1	–	–	–	–
†Macclesfield ...	–	2	–	–	–	–
Marple	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Neston and Parkgate	–	–	–	–	1	–
†Runcorn	–	–	2	–	1	–
Sandbach ...	–	–	–	–	3	–
†Stalybridge ...	–	1	1	–	2	M. 1
Wilmslow ...	–	2	–	–	–	–
†Winsford ...	–	1	–	–	5	–
Rural Districts:—						
Bucklow... ...	–	1	–	–	–	–
Chester	–	–	1	–	1	–
Congleton ...	–	1	–	–	–	–
Malpas	–	–	1	–	–	–
Nantwich ...	–	1	–	–	1	–
Northwich ...	–	–	–	1	–	–
Runcorn	–	5	1	–	1	–
Tarvin	–	–	–	–	2	–
Wirral	–	–	3	–	–	C. 1
CORNWALL ...	–	8	15	1	4	–
Boroughs and Urban Districts:—						
Bodmin	–	1	–	1	–	–
†Falmouth ...	–	–	1	–	–	–
Fowey	–	–	1	–	–	–
Newquay ...	–	1	–	–	–	–
Penryn	–	–	2	–	–	–
St. Austell ...	–	–	3	–	–	–
St. Ives	–	–	–	–	1	–
†Truro	–	3	–	–	–	–
Rural Districts:—						
Camelford ...	–	–	1	–	–	–
East Kerrier ...	–	–	–	–	1	–
Liskeard ...	–	–	6	–	–	–
Redruth ...	–	1	–	–	–	–
St. Germans ...	–	1	–	–	2	–
Truro	–	1	–	–	–	–
West Penwith...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	4	3	–	8	C. 1 N. 4
†Carlisle C.B. ...	–	2	–	–	–	C. 1 N. 2
Boroughs and Urban Districts:—						
Aspatria ...	–	–	1	–	–	–
†Maryport ...	–	–	–	–	–	N. 1
Millom	–	–	–	–	1	–
Penrith	–	–	1	–	–	–
†Whitehaven ...	–	–	–	–	3	N. 1
Wigton	–	–	–	–	1	–
†Workington ...	–	1	–	–	–	–
Rural Districts:—						
Carlisle... ...	–	1	–	–	1	–
Penrith	–	–	–	–	1	–
Whitehaven ...	–	–	–	–	1	–
Wigton	–	–	1	–	–	–
DERBY	3	31	12	1	40	C. 2 M. 3 N. 3
†Derby C.B. ...	–	4	4	–	10	C. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†Alfreton ...	–	2	–	–	2	–
Alvaston and Boulton	*	*	*	*	*	*
Ashbourne ...	–	–	–	–	1	–
Bakewell ...	–	–	–	–	1	–
†Bolsover ...	–	–	–	–	3	–
†Buxton ...	–	2	–	–	–	–
†Chesterfield ...	3	2	–	–	1	–
†Glossop	–	1	1	–	–	–
†Heanor	–	3	1	–	1	–
†Ilkeston... ...	–	1	–	–	–	N. 1
†Long Eaton ...	–	1	–	–	–	N. 1
†Ripley	–	–	–	–	3	–
†Swadlincote District	–	–	2	–	1	–
†The Matlocks...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	2	–	–	2	–
BLACKWELL ...	–	4	1	–	1	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	2	1	–	2	–
CLOWNE	–	2	–	–	5	M. 1
REPTON	–	1	1	1	4	–
SHARDLOW ...	–	2	1	–	1	–
CODNOR PARK AND SHIPLEY (parishes)	–	–	–	–	1	–
DEVON	–	31	35	–	19	C. 1 G. 1 M. 2 N. 1
†EXETER C.B. ...	–	2	6	–	4	–
†PLYMOUTH C.B.	–	18	15	–	6	M. 2 N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	–
BIDEFORD ...	–	–	1	–	–	–
BRIXHAM	–	–	–	–	2	–
BUDLEIGH SALTERTON	–	2	–	–	–	–
†EXMOUTH ...	–	1	–	–	2	–
†ILFRACOMBE ...	–	1	–	–	–	–
NORTHAM ...	–	–	1	–	–	–
SIDMOUTH ...	–	–	4	–	–	–
SOUTH MOLTON ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	–	–	–	1	–
†TORQUAY	–	–	–	–	–	G. 1
Rural Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
HONITON	–	–	1	–		–
KINGSBRIDGE ...	–	2	–	–	1	C. 1
PLYMPTON ST. MARY	–	4	2	–	1	–
ST. THOMAS ...	–	1	1	–	–	–
SOUTH MOLTON ...	–	–	–	–	1	–
TAVISTOCK ...	–	–	1	–	–	–
TIVERTON ...	–	–	1	–	–	–
DORSET	–	6	9	–	2	N. 2
Boroughs and Urban Districts:—						
DORCHESTER ...	–	2	–	–	–	–
†POOLE	–	–	3	–	–	
SHERBORNE ...	–	1	–	–	–	N. 2
Rural Districts:—						
DORCHESTER ...	–	1		–	–	–
POOLE	–	1	–	–		–
SHAFTESBURY ...	–	–	3	–	1	–
WEYMOUTH ...	–	–	3	–	–	–
WIMBORNE AND CRANBORNE		1	–	–	1	–
DURHAM ...	–	52	23	4	79	C. 3 D. 1 G. 2 M. 5 N. 4
†DARLINGTON C.B.	–	2	1	–	6	C. 1 M. 1
†GATESHEAD C.B.	–	2	1	–	3	–
†SOUTH SHIELDS C.B.	–	6	–	–	18	N. 1
†SUNDERLAND C.B.	–	2	4	–	23	–
†WEST HARTLEPOOL C.B.	–	4	–	–	4	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	1	–	2	–
BENFIELDSIDE ...	–	–	–	–	2	–
BILLINGHAM ...	–	–	–	–	1	–
†BLAYDON	–	4	–	–	–	–
†CHESTER LE STREET	–	4	–	–	–	–
†CONSETT	–	1	–	–		–
†DURHAM	–	1	1		–	–
†FELLING	–	7	–	–	1	–
†HEBBURN ...	–	1	2	–	–	–
†HETTON	–	3	1	–	2	–
†HOUGHTON LE SPRING	–	–	–	–	2	–
†JARROW	–	1	–	–	2	–
†RYTON	–	1	–	–	–	M. 1
†SEAHAM HARBOUR	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Shildon	–	1	–	–	–	N. 1
†Spennymoor ...	–	–	–	–	–	M. 1
†Stanley	–	3	3	–	–	N. 1
†Stockton on Tees	–	1	–	1	1	D. 1 M. 1
†Tanfield ...	–	–	2	–		–
†Washington ...	–	1	–	–	–	–
†Whickham ...	–	1	1	–	2	–
Willington ...	–	–	–	–	1	–
Rural Districts:—						
Auckland ...	–	–	1		–	–
Chester le Street	–	1	–	–	–	C. 2
Durham	–	–	1	–	–	–
Easington ...	–	–	4	–	4	–
Hartlepool ...	–	–	–	3	1	–
Houghton le Spring	–	–	–	–	2	–
Lanchester ...	–	1	–	–	–	–
Sedgefield ...	–	1	–	–	–	–
South Shields	–	1	–	–	1	–
Sunderland ...	–	–	–	–	1	G. 1 M. 1
Weardale ...	–	–	–	–	–	G. 1
ELY, ISLE OF ...	–	4	3		–	G. 1
Boroughs and Urban Districts:—						
Chatteris ...	–	2	–	–	–	–
Whittlesey ...	–	–	2	–	–	–
Rural Districts:—						
Wisbech	–	2	1	–	–	G. 1
ESSEX	27	100	87	–	52	C. 4 L. 1 M. 1 N. 2
†East Ham C.B....	2	8	5	–	3	C. 1
ESSEX—*cont.*						
†Southend on Sea C.B.	1	8	2	–	4	–
†West Ham C.B.	15	14	10	–	15	–
Boroughs and Urban Districts:—						
†Barking Town...	–	1	8	–	6	–
Benfleet ...	–	1	2	–	–	–
Braintree ...	–	6	–	–	–	–
Brentwood ...	–	–	1	–	–	–
Buckhurst Hill	–	–	–	–	1	–
†Chelmsford ...	–	1	6	–	–	C. 1
Chingford ...	–	6		–	1	C. 1
†Colchester ...	–	2	–	–	1	M. 1
Dagenham ...	6	11	6	–	5	N. 1
†Harwich ...	–	–	1	–	–	–
†Ilford	–	2	10		2	L. 1
†Leyton	–	3	8	–	2	–
†Romford... ...	–	3	1	–	–	–
Saffron Walden	–	1	–	–	–	–
Shoeburyness ...	–	1	–	–	–	–
Tilbury	–	2	2	–	–	–
Waltham Holy Cross	–	2	–	–	–	–
†Walthamstow ...	3	7	12	–	7	–
†Wanstead ...	–	1	2	–	1	–
Wivenhoe ...	–	1	–	–	–	–
†Woodford ...	–	–	1	–	–	–
Rural Districts:—						
Billericay ...	–	7	5	–	1	–
Braintree ...	–	4	1	–	–	N. 1
Chelmsford ...	–	2	–	–	1	C. 1
Halstead ...	–	–	–	–	1	–
Lexden and Winstree	–	1	1	–	–	–
Ongar	–	1	–		–	–
Orsett	–	1	1		–	–
Rochford ...	–	–	–	–	1	–
Stansted ...	–	–	1	–	–	–
Tendring ...	–	3	1	–	–	–
GLOUCESTER ...	–	13	38	–	13	C. 1 D. 2 F. 1 N. 4
†Bristol C.B. ...	–	5	26	–	3	D. 2 N. 1
†Gloucester C.B.	–	2	1	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
AWRE	–	–	2	–	–	–
†CHELTENHAM ...	–	1	3	–	1	–
CIRENCESTER ...	–	2	–	–	–	N. 1
†KINGSWOOD ...	–	1	–	–	–	–
†MANGOTSFIELD ...	–	–	–	–	–	F. 1
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	–	5	–	1	–
GLOUCESTER ...	–	–	–	–	–	C. 1
NEWENT	–	1	–	–	–	–
NORTHLEACH ...	–	–	1	–	–	–
PEBWORTH ...	*	*	*	*	*	*
STROUD	–	1	–	–	3	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	–	–	–	2	–
WEST DEAN ...	–	–	–	–	2	N. 1
HEREFORD ...	–	6	10	–	4	N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	8	–	–	–
LEOMINSTER ...	–		1	–	–	–
ROSS	–	1	–	–	1	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	–
HEREFORD ...	–	1	1	–	1	–
LEDBURY... ...	–	1	–	–	1	–
LEOMINSTER AND WIGMORE	–	2	–	–	1	–
ROSS	–	–	–	–	–	N. 1
HERTFORD ...	–	6	6	–	3	C. 3 N. 3
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	–	C. 1
†CHESHUNT ...	–	–	–	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHORLEYWOOD ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	–	2	–	–	C. 1
GREAT BERKHAMPSTEAD	–	–	–	–	–	C. 1
†LETCHWORTH ...	–	–	–	–	–	N. 1
ROYSTON	–	–	1	–	–	–
†ST. ALBANS ...	–	–	–	–	–	N. 1
TRING	–	1	–	–	–	–
†WATFORD ...	–	1	2	–	2	–
Rural Districts:—						
WATFORD... ...	–	3	1	–	–	–
HUNTINGDON ...	2	3	–	–	–	–
Boroughs and Urban Districts—						
OLD FLETTON ...	2	3	–	–	–	–
KENT	1	46	29	–	24	C. 1
†CANTERBURY C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	1	–	–	–
†BECKENHAM ...	1	1	2	–	2	–
†BEXLEY	–	1	–	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY... ...	–	4	2	–	–	–
†CHATHAM ...	–	2	–	–	–	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	1	–	–	2	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DEAL	–	1		–	–	–
†DOVER	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†ERITH	–	–	1	–	1	–
†FOLKESTONE ...	–	–	3	–	1	–
†GILLINGHAM ...	–	1	–	–	–	–
†GRAVESEND ...	–	2	–	–	–	–
†HERNE BAY ...	–	2	–	–	–	–
†MAIDSTONE ...	–	3	2	–	–	–
†MARGATE ...	–	–	1	–	–	–
†NORTHFLEET ...	–	1	–	–	2	–
†PENGE	–	–	1	–	1	–
†RAMSGATE ...	–	1	–	–	–	C. 1
†ROCHESTER ...	–	3	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	3	–
SANDWICH ...	*	*	*	*	*	*
SEVENOAKS ...	–	1	1	–	–	–
†SHEERNESS ...	–	2	1	–	–	–
†SITTINGBOURNE AND MILTON	–	2	–	–	1	–
SWANSCOMBE ...	–	1	1	–	–	–
TENTERDEN ...	–	1	–	–	–	–
WALMER	–	2	–	–	–	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
BRIDGE	*	*	*	*	*	*
BROMLEY... ...	–	–	1	–	–	–
CRANBROOK ...	–	–	1	–	1	–
DARTFORD ...	–	2	4	–	–	–
DOVER	*	*	*	*	*	*
EAST ASHFORD ...	–	–	–	–	1	–
EASTRY	*	*	*	*	*	*
ISLE OF THANET	–	–	2	–	2	–
MAIDSTONE ...	–	–	1	–	1	–
MALLING	–	2	1	–		–
MILTON	–	–	–	–	1	–
SEVENOAKS ...	–	–	–	–	2	–
TONBRIDGE ...	–	2	1	–	1	–
LANCASTER ...	–	230	190	1	498	C. 9 D. 1 G. 6 L. 1 M. 15 N. 19
†BARROW IN FURNESS C.B.	–	–	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BLACKBURN C.B.	–	–	2	–	5	N. 2
†BLACKPOOL C.B.	–	1	1	–	–	–
†BOLTON C.B. ...	–	2	–	–	7	C. 1 M. 2
†BOOTLE C.B. ...	–	3	5	–	10	N. 2
†BURNLEY C.B. ...	–	1	1	–	5	G. 1
†BURY C.B. ...	–	4	1	–	3	–
†LIVERPOOL C.B....	–	25	91	–	147	C. 1 G. 2 M. 7 N. 5
†MANCHESTER C.B.	–	54	16	–	124	C. 3 D. 1 G. 1 M. 2 N. 1
†OLDHAM C.B. ...	–	5	2	–	13	–
†PRESTON C.B. ...	–	4	3	–	2	N. 2
†ROCHDALE C.B....	–	19	1	–	2	C. 1
†ST HELENS C.B.	–	6	2	–	6	–
†SALFORD C.B. ...	–	5	11	–	51	–
†SOUTHPORT C.B.	–	2	8	–	11	–
†WARRINGTON C.B.	–	21	3	–	8	M. 1 N. 1
†WIGAN C.B. ...	–	4	1	–	13	–
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	1	–
†ACCRINGTON ...	–	1	1	–	–	–
†ASHTON IN MAKERFIELD	–	–	–	–	3	–
†ASHTON-UNDER-LYNE	–	2	1	–	1	–
ASPULL	–	1	–	–	3	–
†ATHERTON ...	–	–	1	–	–	–
AUDENSHAW ...	–	1	–	–	1	–
BILLINGE AND WINSTANLEY	–	–	–	–	1	–
†CHADDERTON ...	–	–	–	–	–	M. 1
†CHORLEY	–	7	–	–	1	–
CHURCH	–	–	–	–	1	–
CLAYTON LE MOORS	–	–	1	–	–	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	2	–	–	1	–
CROSTON	–	2	–	–	–	–
†DARWEN	–	2	1	–	2	–
†DENTON	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DROYLSDEN ...	–	2	–	–	1	G. 1
†ECCLES	–	3	1	–	2	C. 1
†FAILSWORTH ...	–	–	–	–	4	–
†FARNWORTH ...	–	–	1	–	6	C. 1 N. 1
†FLEETWOOD ...	–	1	1	–	1	–
GOLBORNE ...	–	–	1	–	1	–
†GREAT CROSBY ...	–	1	3	–	1	–
†GREAT HARWOOD	*	*	*	*	*	*
†HAYDOCK... ...	–	–	–	–	3	–
†HEYWOOD ...	–	–	1	–	2	–
†HINDLEY... ...	–		–	–	2	–
†HORWICH... ...	–	2	–	–	–	–
†INCE IN MAKERFIELD	–	2	–	–	–	–
†LANCASTER ...	–	1	–	1	–	N. 1
†LEIGH	–	1	–	–	1	–
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	–	2	–	1	–
†LYTHAM ST. ANNE'S	–	1	1	–	–	–
†MIDDLETON ...	–	1	–	–	2	–
MILNROW... ...	–	3	–	–	–	–
†MORECAMBE AND HEYSHAM	–	1	–	–	–	–
†MOSSLEY	–	2	1	–	3	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	1	–	6	–
ORMSKIRK ...	–	–	–	–	2	–
ORRELL	–	1	1	–	–	–
†OSWALDTWISTLE	–	1	1	–	–	–
†PRESTWICH ...	–	–	–	–	1	–
†RADCLIFFE ...	–	1	–	–	–	–
RAINFORD ...	–	1	–	–	–	–
†RAMSBOTTOM ...	–	–	–	–	2	–
†RAWTENSTALL ...	–	–	2	–	2	–
†ROYTON	–	–	–	–	5	–
†STRETFORD ...	–	4	2	–	1	–
†SWINTON AND PENDLEBURY	–	–	2	–	1	–
TRAWDEN ...	–	–	2	–	–	–
†ULVERSTON ...	–	2	–	–	–	–
UPHOLLAND ...	–	–	–	–	1	–
†WALTON LE DALE	–	1	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
WARDLE... ...	–	–	–	–	–	C. 1 N. 1
†WATERLOO WITH SEAFORTH		1	8	–	1	–
†WESTHOUGHTON	–	–	–	–	–	N. 1
WHITEFIELD ...	–	1	–	–	–	–
WHITWORTH ...	–	1	–	–	–	–
†WIDNES	–	4	–	–	10	G. 1 M. 1
†WORSLEY... ...	–	–	–	–	–	N. 1
Rural Districts:—						
BARTON UPON IRWELL	–	1	1	–	–	–
BURNLEY ...	–	4	1	–	1	–
CHORLEY	–	2	–	–	–	
CLITHEROE ...	*	*	*	*	*	*
LEIGH	–	–	1		1	N. 1
LIMEHURST ...		–	1	–	3	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	3	1	–	–	–
WEST LANCASHIRE	–	–	–	–	5	–
WHISTON... ...	–	–	–	–	–	L. 1
WIGAN	–	–	–	–	1	M. 1
LEICESTER ...	86	30	9	–	13	C. 1 D. 2 G. 1
†LEICESTER C.B....	77	6	5	–	4	D. 2 G. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	2	1	–	2	–
†HINCKLEY ...	–	1	–	–	–	–
†LOUGHBOROUGH	3	5	–	–	–	–
MARKET HARBOROUGH	–	2	–	–	–	–
MELTON MOWBRAY	–		1	–	1	–
WIGSTON MAGNA	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	2	C. 1
BARROW UPON SOAR	1	–	1	–	–	–
BELVOIR	–	1	–	–	–	–
BILLESDON ...	1	–	–	–	–	–
BLABY	1	4	–	–	–	–
CASTLE DONINGTON	–	3	–	–	–	–
HINCKLEY ...	2	1	–	–	2	–
LOUGHBOROUGH	–	1	–	–	–	–
LUTTERWORTH ...	–	1	–	–	1	–
MARKET BOSWORTH	1	1	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	5	1	1	2	M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	1	–	–
HOLBEACH ...	–	–	–	–	1	–
†SPALDING ...	–	–	1	–	–	M. 1
Rural Districts:—						
BOSTON	–	2	–	–	1	–
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	3	–	–	1	M. 1
LINCOLN (parts of Lindsey).	4	15	4	–	12	–
†GRIMSBY C.B. ...	–	1	–	–	2	–
†LINCOLN C.B. ...	–	4	–		1	–
LINCOLN (parts of Lindsey)— *cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	–	–	2	–
†CLEETHORPES ...	–	–	2	–	1	–
CROWLE	–	1	–	–	–	–
†GAINSBOROUGH ...	–	–	–	–	2	–
HORNCASTLE ...	2	–	–	–	–	–
LOUTH	–	–	–	–	2	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	–	–
WOODHALL SPA...	–	–	–	–	1	–
Rural Districts:—						
CAISTOR	2	1	–	–	–	–
GAINSBOROUGH ...	–	–	–	–	1	–
GLANFORD BRIGG	–	1	–	–	–	–
ISLE OF AXHOLME	–	–	1	–	–	–
WELTON	–	6	–	–	–	–
MIDDLESEX ...	1	93	55	1	68	C. 1 D. 3 G. 2 M. 7 N. 8
Boroughs and Urban Districts:—						
†ACTON		2	3	–	1	–
†BRENTFORD AND CHISWICK		1	1	–	7	N. 1
†EALING	–	1	1	–	2	M. 1
†EDMONTON ...	–	8	4	–	–	–
†ENFIELD	–	10	6	–	1	–
†FELTHAM... ...	–	2	1	–	–	D. 1
†FINCHLEY ...	–	5	1		2	M. 1
†HAMPTON ...	–	2	2	–	–	–
†HARROW ON THE HILL	–	2	1	–	3	–
HAYES AND HARLINGTON	–	–	–	–	–	M. 1
†HENDON	–	4	6	–	–	M. 2 N. 1
†HESTON AND ISLEWORTH	–	2	2	–	8	D. 1 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HORNSEY	–	13	2	–	4	G. 1 N. 1
KINGSBURY ...	–	1	2	–	–	–
†SOUTHALL NORWOOD	–	–	–	–	3	N. 1
†SOUTHGATE ...	–	–	2	–	5	–
†STAINES	–	–	2	–	–	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	5	1	–	1	–
†TOTTENHAM ...	1	11	6	–	9	–
†TWICKENHAM ...	–	4	1	–	2	–
†UXBRIDGE ...	–	2	1	–	1	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	5	–	–	2	N. 1
†WILLESDEN ...	–	7	8	1	15	C. 1 D. 1 M. 2 N. 2
†WOOD GREEN ...	–	1	1	–	–	–
Rural Districts:—						
HENDON	–	2	–	–	2	G. 1
SOUTH MIMMS ...	–	2	–	–	–	–
NORFOLK ...	–	11	7	–	8	C. 1 L. 1 M. 3 N. 1
†GREAT YARMOUTH C.B.	–	1	2	–	2	–
†NORWICH C.B. ...	–	2	4	–	–	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
CROMER	–	2	–	–	–	–
DOWNHAM MARKET	–	–	–	–	1	–
†KING'S LYNN ...	–	2	1	–	–	M. 1
WELLS	–	1	–	–	–	–
Rural Districts:—						
DEPWADE ...	–	1	–	–	1	–
DOWNHAM ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
ST. FAITH'S ...	–	–	–	–	–	L. 1 M. 1
THETFORD ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–	2	–
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON	2	10	9	–	7	C. 1 N. 1
†NORTHAMPTON C.B.	2	2	3	–	–	C. 1
Boroughs and Urban Districts:—						
BRACKLEY ...	–	–	1	–	–	–
BURTON LATIMER	–	–	–	–	1	–
DAVENTRY ...	–	–	1	–	–	–
FINEDON	–	–	2	–	–	–
†KETTERING ...	–	2	1	–	1	–
ROTHWELL ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	1	–	–	1	–
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
BRIXWORTH ...	–	–	–	–	1	–
CRICK	–	1	–	–	–	–
DAVENTRY ...	–	–	–	–	1	
EASTON ON THE HILL	–	1	–	–	–	–
NORTHAMPTON ...	–	–	1	–	–	–
OUNDLE (part) ...	–	–	–	–	1	–
OXENDON... ...		1	–		–	–
TOWCESTER ...	–	–	–	–	1	N. 1
NORTHUMBERLAND.	–	33	9	2	48	C. 5 D. 1 L. 2 M. 1 N. 4
†NEWCASTLE UPON TYNE C.B.	–	15	2	1	34	C. 4 L. 1 M. 1 N. 3
†TYNEMOUTH C.B.	–	1	–	1	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	1	–	–	–	–
†BLYTH	–	–	–	–	3	–
†EARSDON	–	2	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
HEXHAM	–	–	–	–	–	L. 1
†LONGBENTON ...	–	1	1	–	–	–
NEWBIGGIN BY THE SEA	–	1	1	–	–	–
†WALLSEND ...	–	3	3	–	4	C. 1 D. 1
WEETSLADE ...	–	2	–	–	–	–
Rural Districts:—						
BELFORD	–	–	–	–	1	–
BELLINGHAM ...	–	–	1	–	–	–
CASTLE WARD ...	–	2	1	–	–	–
HEXHAM	–	–	–	–	1	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	N. 1
ROTHBURY ...	–	–	–	–	2	–
NOTTINGHAM ...	–	43	12	–	28	C. 1 L. 3 N. 2
†NOTTINGHAM C.B.	–	14	5	–	16	C. 1 L. 3
Boroughs and Urban Districts:—						
†BEESTON	–	2	1	–	–	–
†CARLTON	–	2	2	–	–	–
†EAST RETFORD ...	–	1	1	–	–	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	2	–	–	3	–
†KIRKBY IN ASHFIELD	–	4	–	–	1	–
†MANSFIELD ...	–	3	–	–	1	–
†SUTTON IN ASHFIELD	–	6	–	–	–	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	4	–	–	6	N. 1
EAST RETFORD ...	–	–	–	–	1	–
SOUTHWELL ...	–	1	2	–	–	N. 1
STAPLEFORD ...	–	–	1	–	–	–
WORKSOP	–	1	–	–	–	–
OXFORD	–	11	9	–	1	N. 1
†OXFORD C.B. ...	–	4	6	–	1	N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	2	–	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	1	–	–	–	–
HEADINGTON ...	–	–	1	–	–	–
HENLEY	–	1	–	–	–	–
WITNEY	–	3	2	–	–	–
PETERBOROUGH (Soke of).	3	3	–	–	5	C. 1
Borough:—						
†PETERBOROUGH...	3	3	–	–	4	C. 1
Rural Districts—						
PETERBOROUGH...	–	–	–	–	1	–
RUTLAND ...	–	–	–	–	1	–
Urban District:—						
OAKHAM	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	3	13	–	3	C. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	–	C. 1
DAWLEY	–	–	1	–	–	–
LUDLOW	–	–	2	–	–	–
NEWPORT... ...	–	–	–	–	1	–
†OAKENGATES ...	–	2	–	–		–
OSWESTRY ...		–	1	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
†WENLOCK ...	–	–	1	–		–
WHITCHURCH ...	–	–	–	–	1	–
Rural Districts:—						
CHURCH STRETTON	–	–	1	–	–	–
CLEOBURY MORTIMER	–	–	1	–	–	–
OSWESTRY ...	–	–	1	–		–
TEME	–	1	–	–	–	–
WELLINGTON ...	–	–	3	–	–	–
WEM	–	–	1	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
SOMERSET ...	–	19	8	–	14	N. 1
†BATH C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
MIDSOMER NORTON	–	1	2	–	–	–
RADSTOCK ...	–	3	–	–	–	–
WELLINGTON ...		1	–	–	–	–
†WESTON SUPER MARE	–	1	–	–	2	–
†YEOVIL	–	–	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	2	–
BRIDGWATER ...	–	–	–		2	–
CHARD	–	–	–	–	1	–
CLUTTON	–	–	1	–	–	–
DULVERTON ...	–	–	–	–	1	–
FROME	–	1	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
LANGPORT ...	–	–	–	–	1	–
LONG ASHTON ...	–	–	1	–	–	–
TAUNTON ...	–	3	–	–	–	–
WINCANTON ...	–	8	1	–	1	N. 1
SOUTHAMPTON	–	43	31	1	16	C. 1 G. 1 M. 1 N. 4
†BOURNEMOUTH C.B.	–	3	–	–	2	–
†PORTSMOUTH C.B.	–	14	13	1	–	C. 1 N. 1
†SOUTHAMPTON C.B.	–	6	6	–	1	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	7	1	–	–	–
ANDOVER... ...	–	–	–	–	–	G. 1
†BASINGSTOKE ...	–	1	–	–	–	–
†FAREHAM ...	–	1	1	–	1	–
FLEET	–	–	–	–	–	N. 1
†GOSPORT	–	4	–	–	5	–
LYMINGTON ...	–	–	2	–	–	–
†WINCHESTER ...	–	–	1	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	5	–
HAVANT	–	3	–	–	1	–
NEW FOREST ...	–	–	1	–	1	–
PETERSFIELD ...	–	–	–	–	–	N. 1
RINGWOOD ...	–	2	–	–	–	–
WHITCHURCH ...	–	–	6	–	–	–
WINCHESTER ...	–	–	–	–	–	N. 1
STAFFORD ...	–	62	39	–	72	M. 6 N. 1
†BURTON UPON TRENT C.B.	–	4	–	–	1	M. 1
†SMETHWICK C.B.	–	6	5	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.	–	–	2	–	16	M. 3
†WALSALL C.B. ...	–	3	10	–	1	–
†WEST BROMWICH C.B.	–	12	–	–	6	–
†WOLVERHAMPTON C.B.	–	5	2	–	5	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	–	–
BIDDULPH ...	–	5	1	–	–	–
†BILSTON	–	–	–	–	9	–
†BRIERLEY HILL...	–	–	–	–	1	–
†BROWNHILLS ...	–	1	3	–	–	–
†CANNOCK	–	–	2	–	–	–
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	1	–	–	2	–
†LEEK	–	–	–	–	1	–
LICHFIELD ...	–	2	2	–	–	M. 1
†NEWCASTLE UNDER LYME	–	1	1	–	2	–
†ROWLEY REGIS ...	–	3	–	–	2	–
RUGELEY... ...	–	–	2	–	–	–
†SEDGLEY	–	–	1	–	1	–
†STAFFORD ...	–	1	1	–	1	–
STONE	–	1	1	–	–	–
TAMWORTH ...	–	–	–	–	1	–
TETTENHALL ...	–	–	1	–	–	–
†TIPTON	–	2	–	–	6	N. 1
†WEDNESBURY ..	–	1	–	–	–	–
WEDNESFIELD ...	–	2	–	–	1	–
†WILLENHALL ...	–	3	–	–	–	–
Rural Districts:—						
CANNOCK	–	1		–	1	–
CHEADLE... ...		1	–	–	8	–
KINGSWINFORD ...	–	–	1	–	1	–
LEEK	–	–	1	–	–	–
MAYFIELD ...	–	–	1	–	1	–
SEISDON	–	1	1	–	–	–
STAFFORD ...	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	1	–
TUTBURY... ...	*	*	*	*	*	*
UTTOXETER ...	–	1	–		–	–
WALSALL... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	28	10	–	6	C. 1 N. 1
†IPSWICH C.B. ...	–	20	4	–	1	C. 1 N. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	1	–	1	–
BUNGAY	–	–	–	–	1	–
†LOWESTOFT ...	–	1	3	–	–	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	3	1	–	1	–
HARTISMERE ...	–	–	1	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	1	–
SAMFORD... ...	–	2	–	–	–	–
SUFFOLK, WEST	–	6	–	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
GLEMSFORD ...	*	*	*	*	*	*
Rural Districts:—						
CLARE	–	1	–	–	–	–
COSFORD	–	1		–	–	–
MILDENHALL ...	–	1	–	–	–	–
THEDWASTRE ...	–	–	–	–	–	G. 1
THINGOE	–	3	–	–	–	N. 1
SURREY	–	75	28	–	14	E. 2 L. 1 M. 2 N. 1
†CROYDON C.B. ...	–	19	6	–	4	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	2	–	1	–
†CARSHALTON ...	–	4	1	–	2	–
†CATERHAM AND WARLINGHAM	–	–	–	–	–	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†COULSDON AND PURLEY	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EPSOM	–	–	1	–	1	–
†ESHER AND THE DITTONS	–	–	2	–	–	–
†FARNHAM ...	–	1		–	–	N. 1
†FRIMLEY AND CAMBERLEY	–	–	2	–	–	–
GUILDFORD ...	–	2	–	–	–	–
†KINGSTON ON THAMES	–	–	3	–	–	–
†MERTON AND MORDEN	–	12	–	–	–	E. 1
†MITCHAM	–	2	3	–	–	–
†RICHMOND ...	–	5	–	–	–	E. 1
†SURBITON ...	–	–	2	–	2	–
†SUTTON AND CHEAM	–	8	–	–	–	–
†WALTON UPON THAMES	–	1	–	–	–	–
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	1	1	–	–	M. 1
†WOKING	–	4	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING	–	1	–	–	2	–
EPSOM	–	6	–	–	–	–
FARNHAM ...	–	2	1	–	–	–
GODSTONE ...	–	–	1	–	–	–
HAMBLEDON ...	–	–	–	–	1	–
REIGATE	–	1	–	–	1	–
SUSSEX, EAST...	–	14	14	–	9	M. 5 N. 1
†BRIGHTON C.B.	–	3	3	–	3	M. 2
†EASTBOURNE C.B.	–	–	1	–	1	N. 1
†HASTINGS C.B. ...	–	–	2	–	4	M. 2
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	–	–
BURGESS HILL ...	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	1	3	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
Rural Districts:—						
BATTLE	–	–	–	–	–	M. 1
CHAILEY	–	1	–	–	–	–
CUCKFIELD ...	–	–	4	–	1	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	1		–	–	–
NEWHAVEN ...	–	–	1	–	–	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST...	–	4	1	1	1	N. 2
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	–	–	1	–	–
†BOGNOR REGIS ...	–	1	1	–	–	–
†CHICHESTER ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	2	–	–	–	–
SHOREHAM BY SEA	–	–	–	–	1	–
†WORTHING ...	–	–	–	–	–	N. 1
Rural Districts:—						
WESTHAMPNETT	–	–	–	–	–	N. 1
WARWICK ...	–	60	74	1	78	C. 4 D. 1 G. 1 L. 1 M. 3 N. 4
†BIRMINGHAM C.B.	–	39	63	–	62	C. 4 D. 1 L. 1 M. 3 N. 1
†COVENTRY C.B. ...	–	–	6	1	4	G. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–		1	–
BULKINGTON ...	–	–	1	–	–	–
†NUNEATON ...	–	–	1	–	2	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–		–	–	1	N. 1
†STRATFORD ON AVON	–	2	–	–	–	–
†SUTTON COLDFIELD	–	3	2	–	1	–
†WARWICK ...	–	4	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	–	–	–	2	–
BRAILES	–	1	–	–	–	–
FOLESHILL ...	–	3	–	–	–	–
MERIDEN	–	1	–	–	–	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	3	–	–	–	N. 1
SOLIHULL ...	–	1	–	–	1	–
SOUTHAM	–	–	–	–	2	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND	–	1	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	1	–
WIGHT, ISLE OF	–	2	–	–	3	C. 1
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	1	–
EAST COWES ...	–	–	–	–	1	–
†NEWPORT	–	–	–	–	1	–
†RYDE	–	–	–	–	–	C. 1
Rural District:—						
ISLE OF WIGHT ...	–	1	–	–	–	–
WILTS	–	8	10	–	6	N. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	–	–	–	N. 1
†SWINDON	–	2	3	–	4	–
†TROWBRIDGE ...	–	2	3	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	1	–	–	–
BRADFORD ON AVON	–	–	3	–	–	–
MELKSHAM ...	–	–	–	–	1	–
PEWSEY	–	1	–	–	–	–
RAMSBURY ...	–	2	–	–	–	–
SALISBURY ...	–	1	–	–	–	–
TISBURY	–	–	–	–	1	–
WORCESTER ...	–	16	4	–	12	G. 1
						N. 1
†DUDLEY C.B. ...	–	–	1	–	1	N. 1
†WORCESTER C.B.	–	3	2	–	4	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	–	–	2	–
†KIDDERMINSTER	–	3	1	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†OLDBURY	–	3	–	–	4	–
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	1	–	–	–	–
PERSHORE ...	–	1	–	–	–	–
STOW ON THE WOLD (part)	–	–	–	–	–	G. 1
YORKS ... ... (East Riding).	–	14	43	2	19	C. 1
						D. 1
						M. 1
						N. 1
†KINGSTON UPON HULL C.B.	–	9	36	1	16	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:— A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	–	M. 1
†BRIDLINGTON ...	–	1	1	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
FILEY	–	–	1	–	–	–
HESSLE		–	1	–	1	–
WITHERNSEA ...	–	–	1	–	–	D. 1
Rural Districts:—						
BEVERLEY ...	–	–	–	–	–	C. 1
BRIDLINGTON ...	–	2	1	1	–	–
DRIFFIELD ...	–	1	–	–	1	–
NORTON	*	*	*	*	*	*
PATRINGTON ...		1	1	–	1	–
POCKLINGTON ...	–	–	–	–	–	N. 1
YORKS ... ... (North Riding).	–	35	10	–	15	C. 2 N. 1
†MIDDLESBROUGH C.B.	–	12	–	–	7	–
Boroughs and Urban Districts:—						
†ESTON	–	–	–	–	2	–
HINDERWELL ...	–	–	1	–	–	–
LOFTUS	–	2	–	–		–
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	1	–	–	–	–
†REDCAR	–	2	–	–	1	C. 2
†SCARBOROUGH ...	–	1	5	–	1	N. 1
†SKELTON AND BROTTON	–	3	3	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	2	–	–	1	–
Rural Districts:—						
AYSGARTH ...	–	1	–	–	–	–
EASINGWOLD ...	–	–	–	–	2	–
GUISBOROUGH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (North Riding)—*cont.*						
Rural Districts—*cont.*						
MALTON	*	*	*	*	*	*
RICHMOND ...	–	3	–	–	–	–
STOKESLEY ...	–	1	1	–	–	–
WHITBY	–	6	–	–	–	–
YORKS ... ... (West Riding).	7	183	97	2	148	C. 4 D. 11 G. 1 L. 3 M. 6 N. 11
†BARNSLEY C.B. ...	–	8	1		6	–
†BRADFORD C.B. ...	–	17	9	1	9	N. 1
†DEWSBURY C.B....	–	4	11	–	–	–
†DONCASTER C.B....	–	2	–	–	3	–
†HALIFAX C.B. ...	5	2	3	–	1	N. 1
†HUDDERSFIELD C.B.	–	3	2	1	7	M. 1 N. 2
†LEEDS C.B. ...	–	42	22	–	13	C. 1 G. 1 L. 2 M. 2 N. 2
†ROTHERHAM C.B.	–	2	5	–	7	M. 1
†SHEFFIELD C.B....	–	21	6	–	49	C. 2 D. 1 N. 3
†WAKEFIELD C.B.	–	6	–	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	–	D. 2 N. 1
ALTOFTS	–	–	1	–	–	–
ARDSLEY, EAST AND WEST	–	–	2	–	–	–
BAILDON	–	1	1	–	–	–
†BATLEY	–	–	–	–	3	–
†BENTLEY WITH ARKSEY	–	–	1	–	–	D. 1
†BINGLEY	–	3	–	–	4	–
BIRKENSHAW ..	–	–	2		–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BRIGHOUSE ...	–	3	–	–	–	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
†CASTLEFORD ...	–	3	–	–	–	–
†CONISBROUGH ...	–	–	1	–	–	D. 4
CUDWORTH ...	–	–	–	–	1	–
†DARTON	1	3	–	–	–	–
DODWORTH ...	–	–	–	–	1	–
DRIGHLINGTON ...	–	–	–	–	1	–
†ELLAND	–	–	1	–	–	–
EMLEY	–	–	–	–	1	–
†FEATHERSTONE ...	–	1	–	–	–	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	–	–	–	–	N. 1
GREASBROUGH ...	–	1	–	–	–	–
GREETLAND ...	–	–	3	–	–	–
†HARROGATE ...	–	4	–	–	2	–
†HEMSWORTH ...	–	1	1	–	–	D. 1
HUNSWORTH ...	–	–	–	–	2	–
†KEIGHLEY ...	–	4	–	–	1	–
LEPTON	–	–	–	–	1	–
LINTHWAITE ...	–	–	–	–	1	–
METHLEY ...	–	1	–	–	1	–
†MEXBOROUGH ...	–	1	1	–	1	–
†NORMANTON ...	–	1	–	–	–	–
†OSSETT	–	2	–	–	–	–
OTLEY	–	2	–	–	1	–
†PUDSEY	–	1	1	–	–	–
QUEENSBURY ...	1	–	2	–	1	–
†RAWMARSH ...	–	–	–	–	3	–
RIPON	–	1	–	–	1	–
†ROTHWELL ...	–	2	2	–	2	C. 1
SHELF	–	–	2	–	–	–
†SHIPLEY	–	2	–	–	–	–
SILSDEN	–	–	1	–	–	–
†SKIPTON	–	2	–	–	–	–
SLAITHWAITE ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	5	–
SPRINGHEAD ...	–	–	–	–	2	–
†STANLEY	–	–	1	–	2	–
STOCKSBRIDGE ...	–	–	1	–	–	–
†SWINTON	–	–	–	–	1	–
THURLSTONE ...	–	–	3	–	–	–
THURNSCOE ...	–	–	1	–	–	–
†TODMORDEN ...	–	4	–	–	2	–
†WOMBWELL ...	–	–	1	–	2	D. 1
†WORSBOROUGH ...	–	1	–	–	1	D. 1
Rural Districts:—						
DONCASTER ...	–	1	–	–	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	6	–	–	–	–
HUNSLET	–	–	–	–	–	L. 1
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	4	–	–	–	–
PENISTONE ...	–	–	–	–	–	M. 1
PONTEFRACT ...	–	4	–	–	–	–
ROTHERHAM ...	–	2	4	–	2	–
SETTLE	–	–	2	–	–	–
SKIPTON	–	2	3	–	–	–
TADCASTER ...	–	6	–	–	1	–
THORNE	–	–	–	–	2	M. 1
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (NORTH)	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	1	–	–	–	–
YORK, CITY OF ..	–	–	3	–	1	C. 1
†YORK C.B. ...	–	–	3	–	1	C. 1
WALES.						
ANGLESEY ...	–	–	–	–	–	C. 1
						N. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	–	–	–	N. 1
Rural Districts:—						
AETHWY	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BRECKNOCK ...	-	1	3	-	2	N. 1
Boroughs and Urban Districts:—						
BUILTH WELLS ...	-	1	-	-	-	-
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	-	-	-	-	-	N. 1
VAYNOR AND PENDERYN	-		1	-	-	-
YSTRADGYNLAIS	-	-	2	-	1	-
YSTRADFELLTE (parish)	-	-	-	-	1	-
CAERNARVON ...	-	-	1	-	1	-
Rural Districts:—						
CONWAY	-	-	-	-	1	-
LLEYN	-	-	1	-	-	-
CARDIGAN ...	-	2		-	1	-
Rural Districts:—						
ABERYSTWYTH (NORTH)	-	1	-	-	1	-
ABERYSTWYTH (SOUTH)	-	1	-	-	-	-
CARMARTHEN ...	-	11	6	-	1	M. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	-	2	1	-	-	-
BURRY PORT ...	-	-	3	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARMARTHEN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CARMARTHEN ...	-	-	-	-	-	M. 1
CWMAMMAN ...	-	1	-	-	-	-
LLANDILO ...	-	-	-		1	-
Rural Districts:—						
CARMARTHEN ...	-	5	-	-	-	-
LLANDILO FAWR	-	1	-	-	-	-
LLANELLY ...	-	2	1	-	-	-
WHITLAND ...	-	-	1	-	-	-
DENBIGH ...	-	8	24	-	5	N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	-	-	-	-	1	-
RUTHIN	-	-	1	-	-	-
†WREXHAM ...	-	3	5	-	1	-
Rural Districts:—						
RUTHIN	-	3	4	-	-	-
ST. ASAPH (DENBIGH)	-	-	-	-	1	-
WREXHAM ...	-	2	14	-	2	N. 1
FLINT	-	3	3	-	4	-
Boroughs and Urban Districts:—						
HOLYWELL ...	-	-	1	-	-	-
†RHYL	-	-	1	-	-	-
Rural Districts:—						
HAWARDEN ...	-	2	1	-	1	-
HOLYWELL ...	-	1	-	-	2	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts—*cont.*						
Overton	*	*	*	*	*	*
St. Asaph (Flint)		–	–	–	1	–
GLAMORGAN ...	6	51	72	1	40	C. 3 D. 1 M. 4 N. 4
†Cardiff C.B. ...	–	11	18		11	M. 1
†Merthyr Tydfil C.B.	–	2	6	1	–	–
†Swansea C.B. ...	–	4	9	–	1	D. 1 M. 1
Boroughs and Urban Districts:—						
†Aberdare ...	–	2	1	–	2	–
†Barry	–	–	2	–	2	–
†Caerphilly ...	–	1	–	–	2	C. 1 M. 1
†Gelligaer ...	–	1	8	–	1	C. 1
†Llwchwr ...	–	1	1	–	1	–
†Maesteg	–	3	2	–	–	–
†Mountain Ash...	6	–	7	–	3	–
†Neath	–	–	1		3	–
†Ogmore and Garw	–		–	–	1	–
†Penarth... ...	–	1		–	1	N. 1
†Pontypridd ...	–	2	4	–	–	N. 1
Porthcawl ...	–	1	–	–	–	–
†Port Talbot ...	–	–	5	–	–	–
†Rhondda ...	–	11	4	–	9	C. 1 N. 2
Rural Districts:—						
Cardiff	–	1	–	–	–	
Cowbridge ...	–	–	–	–	–	M. 1
Gower	–	–	–	–	1	–
Llantrisant and Llantwit-Fardre		2	–	–	–	–
Neath	–	7	–	–	2	–
Penybont ...		1	–	–	–	–
Pontardawe ...	–	–	4	–	–	–
MERIONETH ...	–	3	2	–	–	–
Urban District:—						
Ffestiniog ...	–	1	2	–	–	–
Rural District:—						
Deudraeth ...	–	2	–	–	–	–
MONMOUTH ...	–	32	12	–	14	L. 1
†Newport C.B. ...		10	3	–	4	L. 1
Boroughs and Urban Districts:—						
Abergavenny ...	–	–	1	–	–	–
†Abersychan ...	–	4	1	–	–	–
†Abertillery ...	–	4	2	–	–	–
Bedwas and Machen		1	–	–	3	–
†Bedwellty ...	–	1	2	–	2	–
†Ebbw Vale ...	–	1	–	–	3	–
Llantarnam ...	–	3	–	–	1	–
†Mynyddislwyn	–	2	2	–	–	–
†Panteg	–	1	1		–	
†Tredegar ...	–	3	–	–	1	–
Usk	–	1	–	–	–	–
Rural Districts:—						
Magor	–	1	–	–	–	–
MONTGOMERY...	–		1	–	2	M. 1
Boroughs and Urban Districts:—						
Llanfyllin ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONTGOMERY—*cont.*						
Rural Districts:—						
FORDEN	–	–	–	–	–	M. 1
LLANFYLLIN ...		–	–		1	–
NEWTOWN AND LLANIDLOES	–		1	–	–	–
PEMBROKE ...	–	3	8	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	1	–		–
MILFORD HAVEN	–	3	3	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE—*cont.*						
Rural District:—						
HAVERFORDWEST	–	–	4	–	–	–
Total of Part II....	142	1545	1143	22	1493	C. 59 D. 24 E. 2 F. 2 G. 19 L. 15 M. 70 N.104

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PLYMOUTH	–	–	–	–	1	–
SANDWICH	*	*	*	*	*	*

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOUTHAMPTON ...	–	–	–	1	–	–
PORT OF LONDON ...	–	–	–	–	2	–
Total of Part III. ...	–	–	–	1	3	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N. Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (*see* ‡ note below).
Total of Part I.—London	45	223	184	–	230	C. 1 D. . G. . M. 1 N. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	142	1545	1143	22	1493	C. 5 D. 2 E. . F. . G. 1 L. 1 M. 7 N. 10
Total of Part III.—Port Sanitary Districts	–	–	–	1	3	–
Total (i.e., of returns received), England and Wales ...	187	1768	1327	23	1726	C. 7 D. 2 E. . F. . G. 2 L. 1 M. 8 N. 117

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	Oct. 25	Nov. 1	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Totals from 1st Week of year. * 1930.	1931.
ON :—															
Births	1,387	1,420	1,354	1,369	1,176	1,274	1,390	1,255	1,341	821	1,589	1,438	1,421	2,940	2,859
irths	46	47	43	55	53	59	43	51	39	21	50	61	50	87	111
is (excluding Still-s)—all ages.	841	928	904	957	969	983	973	1,082	1,175	1,183	1,356	1,452	1,467	2,285	2,919
is—0 to 1 year ..	50	67	74	76	80	82	61	92	74	89	107	112	116	212	228
T TOWNS, aggre-(including Lon-:—															
Births	6,276	6,295	6,277	6,410	5,710	5,919	6,505	5,896	6,202	3,997	7,120	6,760	6,470	13,007	13,230
irths	254	261	270	279	257	273	281	286	267	216	311	305	282	560	587
is (excluding Still-s)—all ages.	3,753	4,033	4,010	4,189	4,485	4,487	4,508	4,878	5,165	4,841	5,687	6,451	6,493	9,791	12,944
is—0 to 1 year ..	326	357	357	379	425	401	378	440	476	474	557	622	626	957	1,248
ic Fever—Cases	21	17	27	21	10	10	12	14	13	7	15	10	11	44	21
„ Deaths	—	2	4	2	2	1	3	1	1	—	3	1	1	4	2
Pox—Cases ..	52	58	68	82	88	136	74	112	111	105	131	162	154	572	316
Deaths ..	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
et Fever—Cases	1,226	1,345	1,148	1,376	1,389	1,228	1,283	1,164	1,140	901	1,064	886	907	3,300	1,793
„ Deaths	3	6	7	4	6	1	6	6	8	11	16	8	9	21	17
heria—Cases ..	930	902	976	875	962	965	968	891	860	617	831	775	793	2,201	1,568
Deaths ..	25	32	33	39	30	44	31	35	43	33	43	32	39	108	71
es—Deaths ..	14	15	32	23	40	33	45	57	71	59	62	77	94	103	171
enza—Deaths ..	42	41	40	25	49	56	43	60	58	59	60	101	146	134	247

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the ars and differ from those published for the towns in the Quarterly Return which are corrected for births ng away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 17th January, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
on	52	29	45·0	35·3	3	Huddersfield	50	26	44·7	34·7	17
reenwich).						Bradford ..	49	27	43·9	35·0	13
hton ..	52	31	45·7	36·3	9	Sheffield ..	50	28	44·6	36·3	12
smouth ..	49	30	45·5	36·5	5	York (Museum)	52	27	45·7	36·7	6
vich (Eaton)	53	31	45 0	34·3	8	Hull (Pearson Park).	52	27	45·0	35·6	8
outh ..	51	30	46·6	37·4	6	Tynemouth ..	52	29	44·7	38·7	8
ol (Horfield)	49	27	44·9	36·3	5	Cardiff	49	29	45·3	36·6	6
ingham (Edgbaston).	52	26	42·6	36·7	10						
ingham ..	51	30	44·9	35·0	4	Edinburgh ..	50·0	28·0	44·3	34·7	6
enhead (Bidston).	51	30	43·7	38·9	13	Glasgow ..	50·3	23·0	45·3	35·3	17
hester (Whitworth Park).	51	29	45·9	37·9	32	Dublin (Phœnix Park)	51·2	23·0	45·7	35·3	4
						(Fitzwilliam Square†).	52·1	28·2	46·3	37·8	5
ley	48	26	43·0	34·0	41	Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 17th January, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	11	Last Quarter.	29·988	45·9	36·3	9·6	41·7	+ 3·8	39·7	2·0	4·3	0·4	92	59·1	30·6	44·2	WSW: SW.	SW	2·0	0·0	0·3	327	+ 22	0·03
MONDAY -	12	..	29·488	44·6	38·7	5·9	41·8	+ 3·9	38·5	3·3	5·6	0·6	88	51·1	28 0	44·0	SW: NNW.	Calm	2·2	0·0	0·2	220	- 86	0·05
TUESDAY -	13	..	29·598	41·9	33·1	8·8	37·6	- 0·4	34·9	2·7	5·3	1·9	91	55·4	27·0	44·0	NNE	NNE: N.	4·3	0·0	0·6	415	+ 105	0·01
WEDNESDAY	14	..	29·898	35·7	29·5	6·2	33·1	- 4·9	26 6	6·5	8·6	2·1	77	53·8	24·3	43·9	N: NNW.	N: NW: WSW.	3·7	0·0	0·4	327	+ 12	0·00
THURSDAY -	15	..	29·851	47·0	33·0	14·0	41·6	+ 3·5	39·8	1·8	6·5	1·7	93	48·9	30·2	44·0	SW: WSW.	WSW	1·5	0·0	0·2	331	+ 12	0·00
FRIDAY -	16	Greatest Declination S.	29 625	52·0	43·8	8·2	47·5	+ 9·2	44·7	2·8	9·1	2·9	90	52·7	39·0	44·0	WSW	WSW	9·3	0·0	1·5	614	+ 296	0 03
SATURDAY -	17	..	29·496	51·6	38·2	13·4	42·7	+ 4·2	34·7	8·0	16·3	3·5	73	64·5	29·8	43·9	NW: WNW.	NW: WNW.	11·7	0·0	2·3	713	+ 398	0·00
MEANS -			29 706	45·5	36·1	9·4	40·9	+ 2·8	37·0	3·9	8·0	1·9	86	55·1	29·8	44·0	Westerly				..	Sum 2947	Sum + 759	Sum 0·12
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	11	sP till 4h.; mP till 11h.; sP till 13h.; then mP.	0·4	8·2	Cloudy till 4h.; then overcast generally. Fog till 1½h.; then mist till 18h. Damping till 5h. Rain 18½h. till 19h; 19¾h. till 20h.; then occasional slight rain till 23h.
MONDAY ..	12	mP till 1h.; wP till 4½h.; sN till 6¾h.; then variably sP and mP	0·1	8·2	Overcast generally. Rain 5h. till 7h. Mist 8h. till 12½h.: and from 15h. Occasional slight gloom between 9h. and 15h.
TUESDAY ..	13	mP till 8h.; sP till 13h.; then variably sP and mP.	0·1	8·2	Overcast till 17½h.; nearly cloudless till 21½h.: then nearly overcast. Slight rain 5h. till 7h.; and at 15½h. Hoar frost and mist in morning. Brisk wind 12h. till 18h.
WEDNESDAY	14	mP till 11h.; sP till 16h.; then variably mP and sP.	4·0	8·3	Overcast till 4h.; cloudy till 8h.; nearly cloudless till 16h.; then overcast. Hoar frost and mist in morning. Fog 19½h. till 22h. Occasional slight snow from 22½h.
THURSDAY	15	mP	0·0	8·3	Overcast. Occasional slight snow till 1½h. Occasional damping between 9h. and 10h.: and between 14h and 18½h. Mist 8h. till 14h.; fog 14h. till 17h.; then mist.
FRIDAY ..	16	Variably wP and mP.	0·0	8·3	Overcast. Damping 1h. till 2h.; and 20¼h. till 20⅞h. Rain 6h. till 8½h. Mist in morning. Brisk wind 10h. till 16h.; then high wind.
SATURDAY	17	mP	2·1	8·4	Variably cloudy till 21h.: then cloudless. High wind till 2h.; then brisk wind till 5h. Slight damping at 13¼h., and 14¾h. Dew at night.
			Sum 6·7	Sum 57·9	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 162 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·19 ins. at the beginning of the week to 29·46 ins. by 16h. on 12th; increased to 29·96 ins. by 20h. on 14th; decreased to 29·36 ins. by 22h. on 16th; increased and was 29·68 ins. by midnight on the 17th.

THE CLINICAL RESEARCH ASSOCIATION, LTD.

WATERGATE HOUSE, ADELPHI, W.C.2. (*Close to Charing Cross Station.*)

A COMPLETE LABORATORY SERVICE.

The Consulting Rooms and Laboratories of this Association (established in 1894) are available for all Medical Practitioners desiring Laboratory assistance in the investigation and diagnosis of cases under their care. All necessary apparatus and full instructions for collecting pathogenic material, or for the personal attendance of Patients at the Consulting Rooms of the Association, will be forwarded immediately on application.

X-RAY EXAMINATIONS AND NURSING HOME ACCOMMODATION ARRANGED.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). **Telegrams: "TUBERCLE, WESTRAND, LONDON."**

A GOOD WAY OF STERILIZING YOUR DRESSINGS

Use our Standard Sterilizer (the "SPOROCLAST") which does its work thoroughly, and gives you perfectly dry, absolutely sterile dressings, towels, gowns, etc.

We are manufacturers of Hospital Theatre Equipment, Dressings, Water, Bowl and Instrument sterilizers of the most modern type.

May we send you our catalogue or designs and drawings for any special novel or experimental apparatus?

WM. BARTON & SONS, LTD.
11, FORREST ROAD, EDINBURGH

Telegrams: "STERILIZE" 'Phone: 25769

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, stillbirths, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7*s.* 6*d. instead of* 15*s.* 0*d. as in previous years. Postage* 6*d. extra.*

TABLES. PART II. CIVIL.

This volume contains the following statistics:—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2*s. instead of* 5*s. as in previous years. Postage* 2*d. extra.*

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

(73758) Wt. 87—17 1875 1/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 3.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 24TH JANUARY, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 24TH JANUARY, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the third week of the year numbered 6,502 corresponding to an annual rate of 17·2 per 1,000 living: stillbirths numbered 270 corresponding to a rate of 40 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,249 (244 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.
107 Great Towns	14·8	17·1	17·2	16·6
London	16·0	17·1	17·3	16·7
Birmingham	14·0	17·6	15·5	15·5
Liverpool	16·4	22·8	26·2	32·0
Manchester	17·9	25·8	22·6	19·1
Sheffield	12·2	11·8	13·8	11·6
Leeds	15·6	16·3	15·7	16·2
Bristol	12·0	14·0	18·8	14·4
West Ham	14·2	13·6	14·9	15·6

The deaths from influenza which had been 60, 101, and 146 in the three preceding weeks further rose to 242 and included 47 in London and 68 in Liverpool.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 97, against 86, 96, and 96 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,422 live births registered corresponding to an annual rate of 16·7 per 1,000 living: stillbirths numbered 39 corresponding to a rate of 27 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,415 (52 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 80, against 74, 78, and 80 in the three weeks preceding.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There were no deaths from small-pox in the returns received from areas outside Greater London, the County Boroughs and Great Towns, for the month of December last.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 24th January, 1931.

	Towns.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
							Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
	107 Great Towns ..	19,661,950*	6,502	270	6,249	633	2	73	8	30	53	68	242
	London	4,417,900*	1,422	39	1,415	115	2	–	1	4	10	13	47
Towns in Outer Ring.	Croydon C.B. ..	222,300	69	1	65	6	–	–	–	–	–	2	5
	Wimbledon ..	59,370	12	3	24	2	–	–	–	–	–	–	2
	Ealing	104,000	35	1	39	2	–	–	–	–	–	–	2
	Acton	65,200	16	–	18	2	–	–	–	–	1	–	–
	Brentford and Chiswick ..	59,040	10	1	17	1	–	–	–	–	1	–	2
	Willesden ..	172,500	50	–	54	6	–	–	–	–	–	1	2
	Hendon	83,190*	31	–	15	–	–	–	1	–	–	–	1
	Hornsey	88,450	17	–	29	–	–	–	–	–	–	–	3
	Wood Green ..	53,410	9	1	20	1	–	–	–	–	–	–	4
	Tottenham ..	155,000	23	–	35	2	–	–	–	–	–	–	3
	Edmonton	75,000	34	–	19	1	–	–	–	–	–	1	1
	Enfield	65,100	23	–	23	2	–	–	–	–	–	1	1
	West Ham C.B. ..	307,600	121	5	92	13	–	–	–	1	1	1	2
	East Ham C.B. ..	147,600	22	1	43	–	–	–	–	2	1	–	4
	Leyton	128,300	26	1	42	3	–	–	–	–	1	–	–
	Walthamstow ..	124,800	30	–	31	4	–	–	–	–	1	–	–
	Ilford	116,200	28	2	33	3	–	–	–	–	–	–	–
	Gillingham	56,670*	25	–	16	2	–	1	–	–	–	–	–
	Canterbury C.B. ..	22,850*	8	–	10	1	–	–	–	–	–	–	–
	Hastings C.B.	62,620	12	–	24	–	–	–	–	–	–	–	–
	Eastbourne C.B. ..	58,570	10	1	14	2	–	–	–	–	–	–	–
	Brighton C.B. ..	146,800*	43	–	53	3	–	–	–	–	–	–	1
	Portsmouth C.B. ..	242,000*	73	2	64	5	–	–	–	1	–	–	2
	Bournemouth C.B. ..	97,360	15	–	25	–	–	–	–	–	–	–	1
	Southampton C.B. ..	172,300	56	1	50	2	–	–	–	–	–	–	–
	Reading C.B.	96,850*	29	2	22	–	–	–	–	–	–	–	–
	Oxford C.B	73,810*	26	–	19	2	–	–	–	–	–	–	–
	Northampton C.B. ..	93,970*	18	1	25	3	–	–	–	1	–	–	–
	Luton	65,200	17	1	16	1	–	–	–	–	–	–	1
	Cambridge	60,730	18	2	14	–	–	–	–	–	1	–	–
	Southend-on-Sea C.B.	114,600	17	1	38	1	–	–	–	–	2	–	2
	Ipswich C.B. ..	85,800	26	1	13	6	–	–	–	–	–	–	–
	Great Yarmouth C.B.	58,110	17	2	9	–	–	–	–	–	–	–	–
	Norwich C.B. ..	124,900*	37	–	32	–	–	–	–	–	1	–	–
	Swindon	62,020	15	–	8	–	–	–	–	–	–	–	–
	Exeter C.B.	61,290*	15	–	23	3	–	–	–	1	–	–	1
	Plymouth C.B.	199,000*	60	3	61	4	–	–	–	–	–	–	–
	Bath C.B.	69,240	23	–	17	–	–	2	–	–	–	–	1
	Bristol C.B.†	391,145*	124	9	108	11	–	9	–	–	1	–	1
	Gloucester C.B. ..	52,010	22	–	18	–	–	–	–	–	–	–	–
	Stoke-on-Trent C.B.	279,200	102	5	66	9	–	–	–	–	–	3	1
	Burton-upon-Trent C.B.	48,970	23	1	13	3	–	–	–	–	–	1	–
	Wolverhampton C.B.	134,300	48	3	37	3	–	–	–	1	–	1	–
	Walsall C.B.	100,100	47	2	33	6	–	3	–	–	3	–	–
	West Bromwich C.B.	80,840	36	–	17	2	–	–	–	–	–	–	1
	Dudley C.B.	58,870	23	2	17	1	–	–	–	–	–	1	–
	Worcester C.B. ..	52,320	17	–	24	4	–	–	–	–	–	–	–
	Birmingham C.B. ..	968,500	357	15	288	37	–	3	–	2	1	4	6
	Smethwick C.B. ..	85,120	13	1	14	3	–	–	–	–	–	–	1
	Coventry C.B. ..	162,100	50	1	42	6	–	–	–	–	–	1	1
	Leicester C.B. ..	245,200	76	3	70	3	–	–	–	1	–	–	3
	Lincoln C.B.	65,080*	14	–	16	–	–	–	–	–	–	–	1
	Grimsby C.B. ..	91,440	40	2	20	1	–	–	–	–	–	–	–
	Nottingham C.B. ..	266,800	97	4	74	8	–	–	–	1	–	–	2
	Derby C.B.	140,500*	48	3	33	4	–	–	–	–	2	1	1
	Chesterfield	65,270	23	2	19	1	–	–	–	–	1	–	–
	Stockport C.B ..	127,800	30	1	43	6	–	–	–	–	–	–	2
	Chester C.B.	40,750	19	1	13	2	–	–	–	–	–	–	–
	Birkenhead C.B ..	157,600	58	1	50	5	–	1	–	–	1	–	2
	Wallasey C.B. ..	101,300	25	1	28	1	–	–	–	–	–	–	3
	Liverpool C.B. ..	869,500	410	10	583	54	–	30	–	4	10	9	68
	Bootle C.B.	80,400	29	5	31	4	–	–	–	–	–	–	3
	St. Helens C.B. ..	109,200	43	3	30	6	–	1	–	–	–	–	2

* Population adjusted by the exclusion of non-civilians.

† As extended 1st October, 1930

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B ..	80,040	16	1	22	2	-	-	-	-	-	-	1
Wigan C.B.	87,600	37	7	31	6	-	-	-	-	-	-	2
Warrington C.B. ..	79,400*	24	1	24	1	-	-	1	-	-	-	-
Bolton C.B	181,500	52	3	70	4	-	1	-	1	-	1	6
Bury C.B.	56,830*	16	-	24	2	-	-	-	-	-	-	1
Manchester C.B. ..	746,500	270	20	274	34	-	-	1	2	2	4	6
Salford C.B.	235,600	74	3	86	20	-	-	-	1	-	1	1
Ashton-under-Lyne	51,750	8	1	22	2	-	-	-	-	-	-	2
Oldham C.B	142,500	48	3	51	7	-	-	1	-	-	-	1
Rochdale C.B. ..	90,800	24	1	30	-	-	-	-	-	-	-	-
Burnley C.B	100,200	29	1	37	4	-	1	-	1	-	-	1
Blackburn C.B ..	125,300	29	3	29	3	-	-	-	1	-	-	-
Preston C.B.	126,100	42	5	43	8	-	-	-	-	-	1	2
Blackpool C.B. ..	99,800	19	1	37	2	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	64,850	14	-	25	2	-	-	1	-	-	-	1
Huddersfield C.B ..	113,100	23	3	37	-	-	-	-	-	-	-	1
Halifax C.B.	97,400*	25	2	38	2	-	-	-	-	-	-	-
Bradford C.B. ..	294,605	100	3	98	7	-	-	-	-	1	-	2
Leeds C.B.	478,500	150	7	149	19	-	-	-	1	4	4	3
Dewsbury C.B. ..	53,020	15	2	18	5	-	-	-	-	-	-	-
Wakefield C.B. ..	56,640	14	2	15	1	-	-	-	-	-	1	-
Barnsley C.B. ..	71,700	19	-	29	3	-	-	-	-	-	-	3
Sheffield C.B. ..	518,000*	154	8	115	13	-	-	-	-	-	1	2
Rotherham C.B. ..	70,790	37	2	29	6	-	-	-	-	-	-	-
Doncaster C.B ..	59,890	29	-	18	1	-	-	-	-	-	-	-
York C.B.	85,290*	25	2	30	3	-	-	-	-	-	-	1
Hull C.B.	308,200	120	-	98	16	-	7	-	-	1	-	1
Middlesbrough C.B.	133,100	64	3	44	9	-	-	-	2	-	1	1
Darlington C.B.‡ ..	74,150	27	-	23	5	-	-	-	-	1	-	-
Stockton-on-Tees ..	67,090	29	1	15	2	-	-	-	-	-	-	-
West Hartlepool C.B.	69,370	27	4	19	3	-	-	-	-	-	-	-
Sunderland C.B. ..	184,000	105	1	60	11	-	-	1	-	-	-	5
South Shields C.B ..	118,600	50	3	42	7	-	-	-	-	-	-	3
Gateshead C.B. ..	122,600	45	1	35	7	-	3	-	1	-	-	2
Newcastle-on-Tyne C.B.	283,400*	112	1	86	15	-	5	-	-	-	1	2
Tynemouth C.B. ..	65,880	37	2	20	5	1	-	-	-	-	-	-
Carlisle C.B.	56,160*	23	-	12	2	-	-	-	-	-	-	1
Newport (Mon.) C.B.	95,990*	32	2	26	1	-	-	1	-	1	-	-
Cardiff C.B.	224,000*	85	10	71	7	-	1	-	-	1	2	-
Rhondda	153,100	45	7	45	3	-	3	-	-	1	1	1
Merthyr Tydfil C.B.	77,790	21	2	19	1	-	-	-	-	1	-	-
Aberdare	53,050	24	-	5	-	-	-	-	-	-	-	2
Swansea C.B.	162,700	51	5	42	4	-	2	-	1	1	-	1
Greater London ..	7,900,480*	2,445	70	2,383	191	2	-	2	9	17	19	96
Outer Ring	3,482,580*	1,023	31	988	76	-	-	1	5	7	6	49
17 Great Towns in Outer Ring	2,027,060*	556	16	599	48	-	-	1	3	6	6	32
Remainder of Outer Ring	1,455,520*	467	15	389	28	-	-	-	2	1	-	17
Edinburgh†	428,800	128	-	107	9	-	-	-	1	1	-	2
Glasgow†	1,088,200	442	-	323	51	-	-	3	15	4	2	7
Dublin (Registration Area)†	412,400	209	-	162	29	-	16	-	-	3	6	2
Belfast†	415,151	182	-	145	29	-	2	1	-		3	4

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931 except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended 1st October, 1930.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available period.**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1931.												
London‡	4,417,900	Jan. 24	1422	39	1415	16·7	2	-	-	1	4	10	13	47
		1930.												
Calcutta and Suburbs	1,077,264	Dec. 13	?	?	612‖	29·5	?	2	?	-	?	?	?	9
Bombay§	1,298,708	„ 27	523	26	425	17·0	4	-	-	-	-	-	14	1
Madras	528,791	„ 20	525	24	576‖	56·6	2	-	-	-	-	-	52	-
Sydney and Suburbs	1,243,940	Dec. 31 (31 days)												
Brisbane (Metropolitan Area).	318,631	Oct. 31 (31 days)	484	?	215	8·0	1	-	-	2	2	2	-	2
Perth (Metropolitan Area).	202,888	Nov. 15	83	?	27	6·9	-	-	-	-	-	-	1	-
Auckland (Urban Area).	212,100	Nov. 30 (30 days)												
Wellington (Urban Area)	138,050	Nov. 30 (30 days)												
Christchurch (Urban Area).	125,800	Nov. 30 (30 days)												
Cape Town	134,201	Dec. 20	47	3	32	12·4	-	-	-	-	-	-	4	-
Johannesburg	183,674	„ 20												
Durban	59,929	„ 20												
Paris	2,871,429	Dec. 31 (11 days)	1314	74	1428	18·1	-	-	5	-	-	17	26	11
Antwerp	294,971	Dec. 31 (16 days)	224	16	177	14·1	-	-	2	-	-	3	2	4
Amsterdam	756,553	Jan. 3	244	7	155	10·7	-	-	1	-	-	-	-	3
Copenhagen	615,700	„ 10	164	4	165	14·0	-	-	-	-	-	4	-	5
Stockholm	486,672	„ 3	111	5	114	12·2	-	-	-	1	-	1	-	5
Gothenberg	241,550	Dec. 20	?	?	45	9·8	-	-	-	-	-	-	-	2
Oslo	253,568	Jan. 10	39	1	45	9·2	-	-	-	-	-	-	-	-
Berlin	4,327,000	Dec. 27	637	22	928	11·2	1	?	-	-	-	7	3	13
Berlin (old)	1,971,000	„ 27	275	12	417	11·0	1	?	-	-	-	6	-	4
Breslau	613,000	„ 27	155	4	170	14·4	-	?	2	-	1	3	2	3
Cologne	739,000	„ 27	176	5	142	10·0	-	?	-	-	-	3	-	3
Dresden	630,000	„ 27	141	8	127	10·5	-	?	-	-	-	-	-	2
Frankfort-on-Main	539,000	„ 27	126	2	83	8·0	-	?	-	-	-	-	-	-
Hamburg	1,144,000	„ 27	181	9	186	8·5	-	?	-	-	1	1	10	1
Leipzig	700,000	„ 27	121	6	175	13·0	-	?	-	-	-	2	3	2
Munich	730,000	„ 27	157	4	190	13·5	-	?	-	-	-	1	-	-
Budapest	991,518	Jan. 3	263	10	277	14·5	-	-	-	1	2	2	5	3
Warsaw	1,109,478	„ 3	?	12	338	15·9	1	-	1	2	2	10	5	10
Cairo	1,122,800	Oct. 7	956	23	414	19·2	5	-	-	-	?	9	113	?
Alexandria	612,200	„ 7	443	10	246	21·0	1	-	-	-	?	3	60	?
New York	7,014,649	Dec. 27	1892	97	1512	11·3	-	-	-	-	1	2	9	16
Chicago	3,391,663	Jan. 2	1200	51	751	11·5	1	-	-	6	3	12	4	4
New Orleans	433,000	Nov. 30 (30 days)												
Rio de Janeiro ..	1,729,799	Dec. 20	634	37	495	14·9	11	-	8	-	2	-	74	9

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 7 deaths from Cholera in Calcutta and 8 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 24th January, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	3,411	4,334	1415	115	16	15	25	39	53	90	159	244	316	343
Enteric fever	3	3	2	-	-	-	1	-	-	-	1	-	-	-
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	69	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	7	6	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	6	9	4	2	1	-	1	-	-	-	-	-	-	-
Diphtheria	36	24	10	1	2	4	3	-	-	-	-	-	-	-
Influenza	47	90	47	1	1	-	1	2	1	4	4	11	10	12
Erysipelas	12	16	4	-	-	-	-	-	-	-	-	2	1	1
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	5	1	-	-	-	-	-	-	-	-	-	1	-
Meningococcal meningitis	4	11	6	4	1	-	1	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	226	294	91	-	-	1	1	16	16	18	25	10	2	2
Nervous system	13	10	-	-	-	-	-	-	-	-	-	-	-	-
Intestines and peritoneum	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	17	17	5	-	-	1	-	3	-	-	-	1	-	-
Venereal diseases	14	13	8	2	-	-	-	-	-	-	2	4	-	-
Cancer	400	456	143	-	-	-	1	2	1	6	27	35	48	23
Rheumatic fever	11	5	2	-	-	-	1	-	1	-	-	-	-	-
Diabetes	28	40	13	-	-	-	-	1	-	-	2	2	5	3
Alcoholism	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	9	3	-	1	-	-	-	-	-	1	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	127	152	58	-	-	-	-	-	-	-	3	11	27	17
Epilepsy	12	15	3	-	-	-	-	1	1	-	1	-	-	-
"Convulsions" (not puerperal)	4	2	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	91	75	22	1	1	1	2	1	1	7	3	3	1	1
Pericarditis	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	11	7	2	-	-	-	-	-	1	-	1	-	-	-
Other diseases of heart	744	1039	335	-	-	-	2	1	5	11	35	57	107	117
Other diseases of circulatory system	141	174	59	-	-	-	-	-	-	-	2	16	16	25
Bronchitis	175	368	93	3	2	-	-	2	4	7	18	21	36	
Broncho-pneumonia	188	337	106	32	4	4	2	1	2	6	4	15	15	21
Lobar pneumonia	116	119	33	-	1	-	4	3	2	2	6	6	6	3
Pneumonia (type not distinguished)	39	54	17	3	1	-	-	-	3	1	5	1	3	-
Other diseases of respiratory system	39	79	29	-	-	-	-	-	-	4	4	6	8	7
Diarrhœa and enteritis	41	51	14	12	1	-	-	-	-	-	1	-	-	-
Appendicitis, Typhlitis	32	16	4	-	-	-	-	-	1	1	1	1	-	-
Hernia, Intestinal obstruction	29	36	12	2	-	-	1	-	-	2	4	2	1	-
Cirrhosis of liver	12	16	6	-	-	-	-	-	-	-	2	3	1	-
Other diseases of digestive system	76	90	38	1	-	1	-	-	-	7	7	14	5	3
Acute nephritis	9	7	5	-	-	-	-	1	2	2	-	-	-	-
Chronic Bright's disease	96	149	34	-	-	-	-	-	-	1	3	9	12	9
Other diseases of genito-urinary system.	58	55	15	-	-	-	-	-	-	1	-	4	4	6
Puerperal sepsis	6	10	6	-	-	-	-	1	3	2	-	-	-	-
Other causes incident to childbirth	5	7	5	-	-	-	-	1	2	2	-	-	-	
Congenital malformations	19	23	8	8	-	-	-	-	-	-	-	-	-	
Premature birth	59	79	31	31	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	13	4	2	2	-	-	-	-	-	-	-	-	-	
Old age	78	105	44	-	-	-	-	-	-	-	-	-	5	39
Suicide	39	33	13	-	-	-	-	2	1	4	2	2	1	1
Burns and Scalds	7	12	6	-	-	1	-	-	-	-	-	1	2	2
Drowning	4	6	2	-	-	-	-	-	1	-	-	1	-	-
Suffocation in bed	5	1	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	58	34	9	-	-	-	1	-	1	1	-	1	3	2
Other deaths by violence	61	46	18	-	-	-	-	-	-	1	4	3	3	7
Other specified causes	108	129	44	8	-	1	3	3	6	3	2	4	8	6
Ill-defined causes	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th January, 1931.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	47	236	245	1	283	C. 8 D. 2 E. 1 G. 2 L. 1 M. 15 N. 24
†CITY OF LONDON	–	1	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	8	–	15	C. 1 N. 1
†BERMONDSEY ...	–	7	4	–	3	N. 2
†BETHNAL GREEN	5	6	16	–	9	M. 1 N. 2
†CAMBERWELL ...	2	9	14	–	10	N. 2
†CHELSEA	–	–	1	–	10	–
†DEPTFORD ...	1	10	13	–	3	M. 1
†FINSBURY ...	–	1	3	–	3	N. 2
†FULHAM	–	1	4	–	14	D. 1 G. 1 M. 1 N. 1
†GREENWICH ...	–	8	18	–	1	–
†HACKNEY... ...	–	10	14	–	8	M. 1 N. 1
†HAMMERSMITH ...	12	4	5	–	3	N. 3
†HAMPSTEAD ...	–	8	3	–	6	E. 1 N. 1
†HOLBORN... ...	–	2	1		1	–
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	1	17	14	–	23	M. 1 N. 1
†KENSINGTON ...	–	7	5	–	9	L. 1 N. 1
†LAMBETH ...	–	12	13	–	16	C. 1 M. 1
†LEWISHAM ...	–	22	8	–	1	C. 2
†PADDINGTON ...	–	9	5	1	24	M. 2
†POPLAR	12	8	9	–	30	D. 1 M. 1 N. 2
†ST. MARYLEBONE	–	3	2	–	7	–
†ST. PANCRAS ...	–	11	9		10	M. 2 N. 1
†SHOREDITCH ...	–	7	8	–	3	–
†SOUTHWARK ...	–	13	11	–	23	C. 1 M. 1
†STEPNEY	14	23	36	–	19	G. 1 M. 3
†STOKE NEWINGTON	–	4	2		1	–
†WANDSWORTH ...	–	12	10		17	C. 1 N. 1
†WESTMINSTER, CITY OF	–	6	2	–	–	–
†WOOLWICH ...	–	6	7	–	13	C. 2 N. 3

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	12	2	–	3	–
Boroughs and Urban Districts:—						
†BEDFORD	–	–	–	–	1	–
BIGGLESWADE ...	–	–	1	–	–	–
DUNSTABLE ...	–	1	–	–	–	–
KEMPSTON ...	–	2	–	–	–	–
LEIGHTON BUZZARD	–	–	1	–	–	–
†LUTON	–	4	–	–	2	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
LUTON	–	4	–	–	–	–
BERKS	–	18	6	1	3	–
†READING C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
†MAIDENHEAD ...	–	1	1	–	–	–
WANTAGE ...	–	6	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	–	1	–	–	–
EASTHAMPSTEAD	–	1	1	1	1	–
FARINGDON (part)	–	1	–	–	–	–
WALLINGFORD ...	–	–	3	–	1	–
WANTAGE ...	–	2	–	–	–	–
WOKINGHAM ...	–	–	–	–	1	–
BUCKINGHAM...	–	8	8	–	3	N. 1
Boroughs and Urban Districts:—						
AYLESBURY ...	–	–	–	–	–	N. 1
BEACONSFIELD ..	–	–	1	–	–	–
†CHEPPING WYCOMBE	–	3	–	–	–	–
NEWPORT PAGNELL	–	–	1	–	–	–
†SLOUGH	–	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–		1	–	–	–
ETON	–	1	–	–	–	–
WYCOMBE ...	–	2	5	–	1	–
CAMBRIDGE ...	–	5	3	–	2	C. 1 M. 2
Borough:—						
†CAMBRIDGE ...	–	3	1	–	1	–
Rural Districts:—						
CHESTERTON ...	–	2	2	–	1	M. 1
LINTON	–	–	–	–	–	C. 1
NEWMARKET ...	–		–	–	–	M. 1
CHESTER ...	–	31	31	2	70	C. 3 M. 1 N. 4
†BIRKENHEAD C.B.	–	1	10	–	27	N. 1
†CHESTER C.B. ...	–		1	1	2	
†STOCKPORT C.B. ...	–	2	3	–	1	M. 1
†WALLASEY C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	3	1	–	3	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	2	–
BOLLINGTON ...	–	–	1	–	–	–
BOWDON	–	–	–	–		C. 1
BREDBURY AND ROMILEY	–	1	–			–
†CONGLETON ...	–	–	1	–	–	–
†CREWE	–	3	–			–
†DUKINFIELD ...	–	2	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	1	–			C. 2
HOOLE	–	3	1	1		–
†HYDE	–	2	–	–	2	–
KNUTSFORD ...	–	1	–	–		–
†MACCLESFIELD ...	–	1	–	–	3	N. 1
MARPLE	–	2	–	–		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Northwich ...	–	–	–	–	2	–
†Stalybridge ...	–	2	–	–	5	–
†Winsford ...	–	–	–	–	10	–
Rural Districts:—						
Bucklow	–	1	–	–	6	–
Chester	–	–	1	–	1	–
Congleton ...	–		1	–	–	N. 1
Macclesfield ...	–	1	1	–	2	–
Malpas	–	–		–	1	–
Nantwich ...	–	1	–	–	1	–
Northwich ...	–	2		–		
Runcorn	–	–	2	–	–	N. 1
Wirral	–	–	7	–		–
CORNWALL ...	–	11	12	1	6	N. 2
Boroughs and Urban Districts:—						
Bodmin	–	1		1		–
†Falmouth ...	–	–	2	–	–	–
Fowey	–	–	1	–	–	–
Looe	*	*	*	*	*	*
Lostwithiel ...	–	–	–	–		N. 1
Penryn	–	–	2	–		
Redruth ...	–	2	1	–	–	–
St. Austell ...	–		–	–	1	–
Torpoint ...	–	1		–		–
†Truro	–	1		–	–	–
Rural Districts:—						
Bodmin	–	–	–	–	–	N. 1
East Kerrier ...	–		1			–
Liskeard ...	–	1	5	–		–
St. Austell ...	–	2				–
St. Columb Major	–	–	–	–	1	–
St. Germans ...	–		–	–	3	–
Truro	–	1		–	–	–
West Penwith...	–	2			1	–
CUMBERLAND...	–	13	4	1	11	–
†Carlisle C.B. ...	–	3	1	–	3	–
Boroughs and Urban Districts:—						
Aspatria ...	–	1	2	–	–	–
Cockermouth ...	–	2	–	–	–	–
†Maryport ...	–	–	–	1	–	–
Millom	–	1	–	–	1	–
Penrith		3	–		–	–
Wigton	–	–	–	–	3	–
†Workington ...	–	–	–	–	1	–
Rural Districts:—						
Brampton ...	–	1	–	–	1	–
Carlisle... ...	–	–	–	–	1	–
Cockermouth ...	–	2	1		–	–
Penrith	–	–	–	–	1	–
DERBY	5	29	17	–	27	D. 1 G. 1 M. 1 N. 1
†Derby C.B. ...	–	6	9	–	3	D. 1
Boroughs and Urban Districts:—						
†Alfreton ...		1	–	–	–	N. 1
†Bolsover ...	–	–	–	–	1	G. 1
†Chesterfield ...	5	–	1		4	–
Clay Cross ...	–	1	–	–	3	–
†Glossop	–	1	–			–
†Heanor	–	2		–	3	–
†Ilkeston... ...	–	3	–			–
†Long Eaton ...	–	4	–	–	1	–
North Darley...	–	–	–	–	1	–
†Ripley	–	1	–	–	–	–
†Swadlincote District	–	–		–	4	M. 1
†The Matlocks...	*	*	*	*	*	*
Rural Districts:—						
Belper	–	1	–	–	–	–
Blackwell ...	–	1	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—*cont.*						
CHAPEL EN LE FRITH	–	3	–	–	–	–
CHESTERFIELD ...	–	1	2	–	2	–
CLOWNE	–	1	1	–	–	–
HAYFIELD ...		1		–	–	–
REPTON	–	1	2		1	–
SHARDLOW ...	–	1	1		2	–
DEVON	–	38	37	–	12	N. 2
†EXETER C.B. ...	–	1	11	–	2	–
†PLYMOUTH C.B.	–	24	11	–	4	N. 1
Boroughs and Urban Districts:—						
BIDEFORD ...			2	–	–	–
BRIXHAM... ...		–	–	–	1	–
CREDITON ...	–	1	–	–	–	–
DAWLISH ...	–	1	–	–	–	–
†ILFRACOMBE ...	–	1	–	–	–	–
SIDMOUTH ..	–	–	1	–	–	–
†TEIGNMOUTH ...	–	–	5	–		–
†TORQUAY... ...		1	–	–	–	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	–	–		4	–
HONITON	–	–	1	–	–	–
NEWTON ABBOT	–	1	–	–	–	N. 1
ST. THOMAS ...	–	1	2	–	–	–
SOUTH MOLTON...	–	1		–	–	–
TAVISTOCK ...	–	5	2	–	–	
TIVERTON ...	–		2	–	–	–
TORRINGTON ...	–	1	–	–		–
TOTNES	–	–	–	–	1	–
DORSET	–	8	10	–	3	C. 2 G. 1 N. 2
Boroughs and Urban Districts:—						
†POOLE	–	1	8	–	–	C. 1
SHERBORNE ...	–	2	–	–	–	N. 1
WIMBORNE MINSTER	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts:—						
BLANDFORD ...	–	1	–	–	1	–
DORCHESTER ...	–	2	–	–	–	–
SHERBORNE ...	–	–	–	–	–	G. 1
WAREHAM AND PURBECK	–	1	–	–	–	N. 1
WEYMOUTH ...	–	–	1	–		–
WIMBORNE AND CRANBORNE	–	–	–	–	2	C. 1
DURHAM ...	–	59	44	9	124	M. 2 N. 5
†DARLINGTON C.B.	–	5	4		9	
†GATESHEAD C.B.	–	9	1	–	7	
†SOUTH SHIELDS C.B.		5	–		33	–
†SUNDERLAND C.B.	–	3	10	–	31	M. 1
†WEST HARTLEPOOL C.B.	–	5	3	6	4	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	3	6	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–
BILLINGHAM ...	–	–	1	–	–	–
†BLAYDON... ...	–	1	1	–	2	–
†CHESTER LE STREET	–	1	–	–	1	–
†CONSETT	–	2	–	–	1	–
†DURHAM	–	–	–	–	2	–
†FELLING	–	6	–	–	1	–
†HEBBURN ...	–	3	2	–	3	–
†HETTON		–	–	–	2	–
†JARROW	–		–	–	7	–
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	2	–	–	2	–
†SPENNYMOOR ...	–	3	–	–	–	–
STANHOPE ...	–	–	–	–	1	–
†STANLEY	–	–	2	–	–	–
†STOCKTON ON TEES	–*	–	–	–	1	N. 2
†TANFIELD ...	–	–	5	–	1	–
†WASHINGTON ...	–	–	–	–	1	–
†WHICKHAM ...	–	1	–	–		–
WILLINGTON ...	–		1		–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND ...	–	2	2	–	1	N. 1
CHESTER LE STREET	–	2	1	–	–	–
DURHAM	–	1	1	–	–	–
EASINGTON ...	–	1	2	–	4	N. 1
HARTLEPOOL ...	–	–	2	–	–	–
HOUGHTON LE SPRING	–	–	–	–	2	M. 1
LANCHESTER ...	–	1	–	–	1	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS	–	–	–	–	3	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	3	–
ELY, ISLE OF ...	–	–	4		–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	2	–	–	–
WHITTLESEY ...	–	–	2	–	–	–
ESSEX	52	95	75	–	74	C. 3 D. 3 G. 1 M. 1 N. 3
†EAST HAM C.B....	4	1	6	–	1	C. 1
†SOUTHEND ON SEA C.B.	–	2	4	–	10	–
†WEST HAM C.B.	28	7	11	–	11	C. 1 D. 1 G. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	1	2	5	–	6	–
BENFLEET ...	–	–	3	–	–	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	1	2	–	–	–
BRIGHTLINGSEA...	–	–	–	–	2	–
CANVEY ISLAND	–	1	1		2	–
CHINGFORD ...	–	6	1	–	1	–
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	2	1		3	–
DAGENHAM ...	10	12	2	–	3	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts— *cont.*						
EPPING	–	–	–	–	1	–
†GRAYS THURROCK	1	–	–		1	N. 1
†HARWICH ...		–	5	–	–	–
†HORNCHURCH ...		4	–	–	–	–
†ILFORD	–	3	7	–	7	C. 1 D. 1
†LEYTON	–	14	7	–	6	–
RAYLEIGH ...	–		1	–	–	–
TILBURY	–	–	1	–	–	–
WALTHAM HOLY CROSS		1	–	–	–	–
†WALTHAMSTOW ...	8	11	12	–	8	D. 1 M. 1
†WANSTEAD ...	–	1	–	–	1	–
†WOODFORD ...	–	–	1	–	2	–
Rural Districts:—						
BILLERICAY ...		5	3		1	N. 1
BRAINTREE ...	–	5	–	–	1	–
CHELMSFORD ...	–	2	1	–	1	–
DUNMOW	–	3	–	–	–	–
HALSTEAD ...	–	–	–	–	1	–
LEXDEN AND WINSTREE					2	–
ONGAR	–	2	–		3	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	3	–	–	–	–
TENDRING ...	–	4	1	–		–
GLOUCESTER ...	–	19	38	1	19	C. 3 N. 5
†BRISTOL C.B. ...	–	7	30	1	8	C. 3 N. 1
†GLOUCESTER C.B.	–	2	2	–	6	N. 2
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	1	–	1	N. 1
†MANGOTSFIELD ...	–	1	–	–	–	–
STOW ON THE WOLD	–	1	–	–	–	–
STROUD	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHELTENHAM ...	-		1	-	-	-
CHIPPING SODBURY		1	2	-	-	-
EAST DEAN AND UNITED PARISHES		-	1	-	1	-
GLOUCESTER ...	-	1	-		1	-
LYDNEY	-	-	-	-	-	N. 1
NEWENT	-	-	-	-	1	
TEWKESBURY (part)	-	1	-	-	-	-
THORNBURY ...	-	1	-	-	1	-
WARMLEY ...	-	3	-	-	-	
WEST DEAN ...	-	1	-	-	-	-
HEREFORD ...	-	5	16		4	M. 3 N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...		-	6	-	2	M. 3
LEOMINSTER ...	-		9	-	-	-
Rural Districts:—						
BREDWARDINE ...	*	*	*	*	*	*
HEREFORD ...	-	5	-	-	2	N. 1
LEDBURY... ...	-	-	1		-	-
HERTFORD ...	-	13	10	1	12	G. 1 N. 3
Boroughs and Urban Districts:—						
†BARNET		1	1	-	3	N. 1
†CHESHUNT ...	-	1	-	-	-	-
†EAST BARNET VALLEY	-	-	1	-	1	-
GREAT BERKHAMPSTEAD	-	1	-	-		
†LETCHWORTH ...	-	-	-	-	2	N. 1
STEVENAGE ...	-	1	-	-	-	-
TRING	-	1	-	-	1	-
WARE	-	1	-		-	
†WATFORD ...	-	3	7	-	5	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
HATFIELD ...	-	1	-	-	-	-
HITCHIN	-	-	-	-	-	N. 1
ST. ALBANS ...	-	-		1	-	-
WARE	-	1			-	-
WATFORD... ...	-	2	-	1	-	-
HUNTINGDON ...	2	1	2	-	2	-
Boroughs and Urban Districts—						
HUNTINGDON ...	-	1	1	-		-
OLD FLETTON ...	2			-	1	-
Rural Districts:—						
NORMAN CROSS ...		-		-	1	-
ST. NEOTS ...	-	-	1	-	-	-
KENT	-	54	32	2	38	C. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†ASHFORD	-	-	1	-	3	-
†BECKENHAM ...	-	1	1	-	1	-
†BEXLEY	-	-	1		2	-
†BROMLEY... ...	-	4	3		-	M. 1
†CHATHAM ...	-	-	1	-	1	-
CHERITON ...	-	-	3	-	-	-
CHISLEHURST ...	-			-	1	-
†DARTFORD ...		3	1			-
†DEAL	-	2	-	-	-	-
†DOVER	-	2	1	-		-
†ERITH	-		2	-	3	-
†FAVERSHAM ...	-	2		-		-
†FOLKESTONE ...		-	2	-	2	-
†GILLINGHAM ...	-	1	-	-	1	-
†MAIDSTONE ...	-	5	3	-	-	-
†MARGATE ...		-		1	-	-
†NORTHFLEET ...	-	2	-	-	-	-
†PENGE	-	7	-	-	3	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†RAMSGATE ...	–	3	–	–	5	–
†ROCHESTER ...	–	3	2	–	–	–
†ROYAL TUNBRIDGE WELLS		1	–	–	3	–
SANDGATE ...	–	1	–	–	–	–
SANDWICH ...	*	*	*	*	*	*
SEVENOAKS ...	–	–	–	1	–	–
†SHEERNESS ...	–	–	–	–	1	–
†SITTINGBOURNE AND MILTON	–	2	–	–	–	–
†TONBRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BROMLEY... ...	–	–	4	–	–	–
CRANBROOK ...	–	–	–	–	1	–
DARTFORD ...	–	–	4	–	–	–
EASTRY	–	1	1	–	1	–
HOLLINGBOURNE	–	1	–	–	3	–
ISLE OF THANET	–	2	1	–	–	–
MAIDSTONE ...	–	–	1	–	2	N. 1
MALLING	–	1	–	–	–	–
MILTON	–	–	–	–	–	N. 1
ROMNEY MARSH	–	–	–	–	1	C. 1
SEVENOAKS ...	–	7	–		2	–
STROOD	–	2	–	–	1	–
TENTERDEN ...	–	–	–	–	1	–
TONBRIDGE ...		1	–	–	–	–
LANCASTER ...	–	239	198	–	544	C. 10 D. 1 G. 6 L. 1 M. 16 N. 17
†BARROW IN FURNESS C.B.	–	1	1	–	1	–
†BLACKBURN C.B.	–	–	3	–	10	G. 1 N. 2
†BOLTON C.B. ...	–	5	2	–	5	–
†BOOTLE C.B. ...	–	4	6	–	15	–
†BURNLEY C.B. ...	–	2	2	–	12	C. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BURY C.B. ...	–	2	1	–	3	–
†LIVERPOOL C.B....	–	28	82	–	201	C. 2 D. 1 G. 1 M. 10 N. 4
†MANCHESTER C.B.	–	67	16	–	98	C. 1 G. 4 M. 2 N. 1
†OLDHAM C.B. ...	–	6	3	–	8	M. 2
†PRESTON C.B. ...	–	2	4	–	6	C. 1 N. 1
†ROCHDALE C.B....	–	19	3	–	1	–
†ST. HELENS C.B.	–	2	2	–	3	–
†SALFORD C.B. ...	–	4	14	–	32	C. 1
†SOUTHPORT C.B.	–	4	3	–	3	M. 1
†WARRINGTON C.B.	–	21	3	–	13	–
†WIGAN C.B. ...	–	1	2	–	11	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	3	1	–	1	–
†ASHTON IN MAKERFIELD		–	–	–	5	–
†ASHTON-UNDER-LYNE	–	1	1	–	5	–
ASPULL	–	–	–	–	3	–
†ATHERTON ...	–		1	–	3	–
†BACUP	–	8	1	–	1	C. 1
BILLINGE AND WINSTANLEY	–	–		–	1	–
BRIERFIELD ...	*	*	*	*	*	*
†CHADDERTON ...	–	1	–		2	–
†CHORLEY	–	3	3	–	2	–
CHURCH	–	–	1	–	–	–
CLAYTON LE MOORS	–	–	1	–	–	–
†COLNE	–	–	2	–	1	N. 1
†CROMPTON ...	–	–	1	–	–	–
†DARWEN	–	–	4		1	–
†DENTON	–	1	–	–	1	–
†ECCLES	–		–	–	2	N. 1
†FAILSWORTH ...	–	2	–	–	4	M. 1
†FARNWORTH ...	–	–	–	–	5	C. 1
†FLEETWOOD ...	–	–	–	–	1	–
FULWOOD ...	–	–	–	–	–	C. 1
†HAYDOCK... ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HEYWOOD ...	–	2	1	–	1	–
†HINDLEY	–	1	1	–	6	–
†HORWICH	–	1	–	–	1	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD		1	–	–	4	–
IRLAM	–	–	1	–	–	–
†LANCASTER ...	–	–	1	–	1	–
†LEIGH	–		–	–	2	–
LEYLAND	–	4	1	–	–	–
†LITHERLAND ...	–	1	–	–	3	–
†LITTLEBOROUGH	–	1	–	–	–	–
LITTLE LEVER ...	–	–	–	–	1	–
†LYTHAM ST. ANNE'S	–	–	1	–		–
†MIDDLETON ...	–	–	1	–	2	–
MILNROW	–	3	–	–	–	–
†MORECAMBE AND HEYSHAM	–	2	–	–	1	–
†MOSSLEY	–	–	1	–	2	–
†NELSON	–	1	–	–	2	N. 1
†NEWTON IN MAKERFIELD	–	–	–	–	7	–
ORMSKIRK ...	–	–	–	–	1	–
ORRELL	–	1	–	–	–	–
PRESCOT	–	1		–	–	–
†PRESTWICH ...	–	2	–	–	–	C. 1 N. 1
†RADCLIFFE ...	–	1	1	–	3	N. 1
†RAWTENSTALL ...	–	3	5	–	1	–
RISHTON	–	1	–	–		–
†ROYTON	–	–	–	–	5	–
†STRETFORD ...	–	2	5	–	1	–
†SWINTON AND PENDLEBURY	–	–	–	–	4	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	2	–
†ULVERSTON ...	–	2	1	–	–	–
WARDLE	–	–	–	–	–	N. 1
†WATERLOO WITH SEAFORTH		1	10	–	–	–
WHITEFIELD ...	–	1	1	–	–	–
WHITWORTH ...	–	–	–	–	–	N. 1
†WIDNES		7	–	–	24	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
LANCASTER— *cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	2	–	–	1	–
BLACKBURN ...		1	–	–	2	–
BURNLEY ...	–	3	–	–	–	–
CHORLEY	–	2	1	–	–	–
CLITHEROE ...	–	–	–	–	2	–
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	2	–		–	–
LEIGH	–	–	–		–	N. 1
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	–	1	–	3	–
WARRINGTON ...	–	–	2	–	–	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON	–	–	–	–	–	L. 1
LEICESTER ...	122	24	11	–	19	D. 2 N. 1
†LEICESTER C.B. ...	102	5	6	–	7	D. 2 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS ...	–	–	–	–	1	–
†COALVILLE ...	2	2	2	–	–	–
†LOUGHBOROUGH	4	10	–	–	–	–
MELTON MOWBRAY	–	–	1	–	2	–
THURMASTON ...	–	–	–	–	1	–
WIGSTON MAGNA	–	1	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	2	–
BARROW UPON SOAR	–	–	–	–	1	–
BLABY	4	3	–	–	1	–
HINCKLEY ...	–	1	1	–	1	–
LOUGHBOROUGH	4	–	–	–	–	–
LUTTERWORTH ...	–	–	–	–	1	–
MARKET BOSWORTH	6	–	–	–	1	–
MELTON MOWBRAY	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	1	26	3	–	2	–
Boroughs and Urban Districts:—						
†BOSTON	–	8	–	–	–	–
Rural Districts:—						
BOSTON	–	18	3	–	2	–
SPALDING ...	1	–	–	–	–	–
LINCOLN (parts of Kesteven).	–	4	–		2	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–		M. 1
Rural Districts —						
BRANSTON ...	–	1	–	–	1	–
GRANTHAM ...	–	1	–	–	–	–
SLEAFORD ...	–	1			1	–
LINCOLN (parts of Lindsey).	8	8	12	1	10	C. 1 M. 2
†GRIMSBY C.B. ...	–	1		1	1	–
†LINCOLN C.B. ...	–	2	5	–	1	C. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	4		–	–
†GAINSBOROUGH ...	–	–	–	–	2	–
HORNCASTLE ...	–	–	–		1	–
†SCUNTHORPE AND FRODINGHAM	–	–	3	–		–
SKEGNESS... ...	–	–		–	–	M. 1
WINTERTON ...	–	1	–	–	–	–
Rural Districts:—						
CAISTOR	7	–	–	–	1	–
GAINSBOROUGH ...	–	2	–	–	2	–
GRIMSBY	1	1	–	–	–	–
LOUTH	–	–	–	–	2	M. 1
WELTON	–	1	–	–	–	–
MIDDLESEX ...	–	84	61		91	C. 4 G. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	2	1	–	2	–
†BRENTFORD AND CHISWICK	–	2	4	–	6	–
†EALING	–	5	2	–	6	N. 2
†EDMONTON ...	–	2	3		1	M. 1
†ENFIELD	–	3	7	–	2	–
†FELTHAM... ...	–	–	1	–	–	–
†FINCHLEY ...	–	2	1	–	–	–
†FRIERN BARNET...	–	3	1	–	1	–
†HAMPTON ...	–	5	–	–	–	–
†HARROW ON THE HILL	–	2	–	–	5	–
HAYES AND HARLINGTON	–	–	–	–	2	–
†HENDON	–	9	16		2	–
†HESTON AND ISLEWORTH	–	5	–	–	8	C. 1
†HORNSEY	–	17	6	–	6	–
†SOUTHALL NORWOOD	–	1	1	–	2	–
†SOUTHGATE ...	–	1	–	–	5	
†STAINES	–	–	2	–	–	–
SUNBURY ON THAMES	–	–	–		1	N. 1
†TEDDINGTON ...		1		–	1	–
†TOTTENHAM ...	–	5	5	–	9	C. 1
†TWICKENHAM ...	–	2	3	–	–	–
†UXBRIDGE ...	–	5		–	1	–
†WEALDSTONE ...	–	–	–	–	1	
†WEMBLEY ...		1	–	–	1	G. 1
†WILLESDEN ...		7	5	–	26	C. 2 N. 1
†WOOD GREEN ...	–	2	2	–	2	–
†YIEWSLEY AND WEST DRAYTON	–	–	1	–	–	–
Rural Districts:—						
SOUTH MIMMS ...	–	2	–	–	1	–
NORFOLK ...	–	17	14	1	6	N. 1
†GREAT YARMOUTH C.B.	–	–	2		–	–
†NORWICH C.B. ...		7	2		2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
†KING'S LYNN ...		-	6		1	-
WALSOKEN ...	-	3	-		-	-
WELLS	-	1		-	-	-
Rural Districts:—						
BLOFIELD ...	-	1		1	-	-
DEPWADE ...	-	2		-		-
DOWNHAM ...	-		3	-	-	-
FREEBRIDGE LYNN	-	-	1	-	-	-
HENSTEAD ...	-	-	-	-	-	N. 1
LODDON AND CLAVERING	-	1		-	2	-
MARSHLAND ...	-	-	-	-	1	-
MITFORD AND LAUNDITCH	-	1	-		-	-
WAYLAND ...		1	-	-	-	-
NORTHAMPTON	-	6	7		2	C. 2 M. 2 N. 1
†NORTHAMPTON C.B.	-	3	2		-	C. 1 M. 1
Boroughs and Urban Districts:—						
FINEDON	-	-	3	-	-	-
†KETTERING ...	-	1	-	-	-	-
OUNDLE		1	-	-	-	-
ROTHWELL ...	-	-	1	-	-	-
†RUSHDEN... ...	-	-	-		1	-
†WELLINGBOROUGH	-	1	-	-	-	-
Rural Districts:—						
BRIXWORTH ...	-	-	-	-	-	N. 1
KETTERING ...	-	-	-	-	-	C. 1
NORTHAMPTON ...	-	-	1	-	1	
TOWCESTER ...	-	-	-	-	-	M. 1
NORTHUMBERLAND.	-	32	15	-	68	G. 2 M. 2 N. 4
†NEWCASTLE UPON TYNE C.B.	-	21	4	-	46	M. 2 N. 2
†TYNEMOUTH C.B.	-	-	-	-	9	N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...		1	-		-	-
†BEDLINGTONSHIRE	-	-	-	-	6	-
†BERWICK UPON TWEED	-	2		-	-	N. 1
†BLYTH	-	-	5	-	-	-
†GOSFORTH ...	-	1	-	-	-	-
†LONGBENTON ...				-	2	-
NEWBIGGIN BY THE SEA	-		2	-	-	-
†NEWBURN ...	-				-	G. 1
†WALLSEND ...	-	6	3		1	G. 1
†WHITLEY AND MONKSEATON	-	-	-	-	2	-
Rural Districts:—						
GLENDALE ...	-	-	-	-	1	-
HEXHAM	-	1	1		1	-
NOTTINGHAM ...	-	42	14	1	29	C. 2 L. 2 M. 1 N. 3
†NOTTINGHAM C.B.	-	12	4	-	16	C. 1 L. 1 N. 1
Boroughs and Urban Districts:—						
†BEESTON	-	1	-	-	-	-
†CARLTON	-	2	1	-	-	N. 1
†EAST RETFORD ...	-	-		-	1	M. 1
EASTWOOD ...	-	2	-	-		-
†HUCKNALL ...	-	2	1	-	-	-
HUTHWAITE ...	-	-		-	2	-
†KIRKBY IN ASHFIELD	-	4	-	-	2	L. 1 N. 1
†MANSFIELD ...		2	-	-	1	

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	4	1	–	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	4	3	1	1	C. 1
BINGHAM... ...	–	–	–	–	3	–
EAST RETFORD ...	–	1	–	–	–	–
LEAKE	–	2	–	–	–	–
SKEGBY		2	1	–	1	–
SOUTHWELL ...	–	2	–	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	–	1	2	–	–	–
OXFORD	–	7	8	1	–	C. 1
†OXFORD C.B. ...	–	3	7	–	–	C. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	1	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	1	–	–	–	–
HENLEY	–	1	–	1	–	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of).	1	1	–	–	3	D. 1
Borough:—						
†PETERBOROUGH...	1	1	–	–	3	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	8	28	–	8	M. 1 N. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–		–
DAWLEY	–	–	2	–	–	–
LUDLOW	–	–	1		–	–
OSWESTRY ...	–	–	1	–	–	M. 1
†SHREWSBURY ...	–	2	3	–		N. 1
WELLINGTON ...	–	–	–	–	2	–
†WENLOCK ...	–	–	2	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	–	1	–	–	–
CHURCH STRETTON	–	–	2	–	–	–
CLEOBURY MORTIMER	–	3	3	–	2	–
DRAYTON	–	1	–	–	–	–
ELLESMERE ...	–	–	–	–	1	–
LUDLOW	–	–	–	–	1	–
OSWESTRY ...	–	–	2	–	2	–
WELLINGTON ...	–	1	6	–	–	–
WEM ...	–	–	3	–	–	–
WHITCHURCH ...	–	–	2	–	–	–
SOMERSET ...	–	12	11	–	18	C. 2 F. 1 M. 1
†BATH C.B. ...	–	4	3	–	1	F. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	2	–
CLEVEDON ...	–	–	–	–	1	–
†FROME	–	–	1	–		–
MIDSOMER NORTON	–	2	1			–
PORTISHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	1	–	–	–	–
STREET	–	–	1	–	1	–
†TAUNTON... ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	–	–		–	C. 2
†YEOVIL	–		–		2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	-	-	1	-	1	-
BATH	-	-	2	-	-	-
CLUTTON	-	-	-	-	1	-
DULVERTON ...	-	-	-	-	1	-
FROME	-	-	-	-	1	-
LONG ASHTON ...	-	1	2	-	1	-
TAUNTON ...	-	-	-	-	-	M. 1
WELLS	-	-	-	-	4	-
WINCANTON ...	-	2	-	-	1	-
YEOVIL	-	1	-	-	-	-
SOUTHAMPTON	-	48	27	-	20	C. 3 M. 1 N. 2
†BOURNEMOUTH C.B.	-	8	1	-	1	-
†PORTSMOUTH C.B.	-	13	7	-	-	C. 1
†SOUTHAMPTON C.B.	-	6	2	-	4	C. 1 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	7	-	-	-	-
ANDOVER... ...	-	1	-	-	-	-
†FAREHAM ...	-	-	2	-	-	C. 1
FLEET	-	-	-	-	1	-
†GOSPORT	-	2	-	-	1	-
LYMINGTON ...	-	-	3	-		-
†WINCHESTER ...	-	2	1	-	2	-
Rural Districts:—						
ALTON	-	-	2	-	-	-
BASINGSTOKE ...	-	3	-	-	1	-
CATHERINGTON ...	-	1	-	-	-	-
CHRISTCHURCH ...	-	1	1	-	-	-
DROXFORD ...		-	-	-	5	-
FAREHAM ...	-	1	-	-	1	-
HARTLEY WINTNEY	-	-	-	-		N. 1
KINGSCLERE ...	-	1	-	-	-	-
LYMINGTON ...	-	-	3	-	-	-
NEW FOREST ...		1	-	-	-	-
STOCKBRIDGE ...	-	-	1	-	-	M. 1
WHITCHURCH ...	-		4	-	3	-
WINCHESTER ...	-	1	-	-	1	-
STAFFORD ...	1	42	58	1	68	C. 1 M. 6 N. 1
†BURTON UPON TRENT C.B.	-	1	4	-	1	M. 1
†SMETHWICK C.B.	-	4	14	-	4	N. 1
†STOKE ON TRENT C.B.	1	-	5	-	17	M. 1
†WALSALL C.B. ...	-	1	12	-	5	-
†WEST BROMWICH C.B.	-	17	-	-	4	-
†WOLVERHAMPTON C.B.	-	5	5	-	1	C. 1 M. 2
Boroughs and Urban Districts:—						
BIDDULPH ...	-	-	2	1	-	-
†BILSTON	-	-	-	-	7	-
†BRIERLEY HILL...	-	-	-	-	2	-
†BROWNHILLS ...	-	2	1	-	1	-
†CANNOCK	-		-		1	-
†COSELEY	-	-	-	-	1	-
†DARLASTON ...	-	-	1	-	3	-
†LEEK	-	1	-	-	-	-
†NEWCASTLE UNDER LYME	-	1	1	-	-	M. 1
QUARRY BANK ...	-	-	1	-	1	-
†ROWLEY REGIS ...	-	1	1	-	4	-
RUGELEY... ...	-		2	-	-	-
†SEDGLEY	-	-	1	-	6	-
†STAFFORD ...	-	-	1	-	1	-
TAMWORTH ...	-	1	-	-	-	-
†TIPTON	-	2	1	-	3	-
†WEDNESBURY ..	-	2		-	1	-
†WILLENHALL ...	-	1	-	-		-
†WOLSTANTON UNITED	-	-	-	-	-	M. 1
Rural Districts:—						
CANNOCK	-	-	2	-	2	-
CHEADLE... ...	-	1	-	-	-	-
KINGSWINFORD ...	-	-	-	-	1	-
LEEK	-	1	-	-	1	-
LICHFIELD ...	-		-	-	1	-
TAMWORTH (part)	-	1		-	-	-
WALSALL... ...	-	-	4	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, EAST	–	26	7	–	6	C. 1
†Ipswich C.B. ...	–	20	3	–	1	–
Boroughs and Urban Districts:—						
Aldeburgh ...	–	1	1	–	1	–
†Lowestoft ...	–	2	3		2	–
Saxmundham ...	*	*	*	*	*	*
Rural Districts:—						
Bosmere and Claydon	–	–	–	–	–	C. 1
Hartismere ...	–	1	–	–		–
Hoxne	*	*	*	*	*	*
Mutford and Lothingland	–	1	–	–	–	–
Plomesgate ...	–	1	–	–	–	–
Wangford ...	–	–	–	–	2	–
SUFFOLK, WEST	–	4	2	–	–	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†Bury St. Edmunds	–	2	–	–	–	C. 1 M. 1 N. 1
Hadleigh ...	–	–	1	–	–	–
Haverhill ...	–	1	–		–	–
Newmarket ...	–	–	1	–	–	–
Rural Districts:—						
Mildenhall ...	–	1	–	–	–	–
SURREY	–	56	29	2	23	C. 3 E. 1 M. 2 N. 4
†Croydon C.B. ...	–	17	4	–	2	C. 1 M. 2 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—						
†Barnes	–	1	–	–	3	–
†Beddington and Wallington	–	3	3	–	–	–
†Carshalton ...	–	1	1	–	3	N. 1
†Chertsey ...	–	–	1	–	–	–
†Coulsdon and Purley	–	1	–	–	–	–
East and West Molesey	–	–	1	–	1	–
†Egham	–	1	1	–	1	–
†Epsom	–	1	1	1	–	–
†Esher and the Dittons	–	–	1	–	1	–
†Guildford ...	–	4	–	–	1	–
†Kingston on Thames	–	–	1	–	–	–
Leatherhead ...		–	–		2	–
†Merton and Morden	–	5	–	–		–
†Mitcham	–	–	–	–	–	C. 1
†Reigate	–	1	–	–	–	–
†Richmond ...	–	2	1	–	2	–
†Surbiton ...	–	1	1	–	1	N. 1
†Sutton and Cheam	–	6	1	–	1	–
†The Maldens and Coombe		1		–	–	E. 1
†Wimbledon ...	–	2	6	–	–	–
Windlesham ...	–	1		–	–	–
†Woking	–	1	–	–	–	–
Rural Districts:—						
Chertsey ...	–	3	–	–	–	–
Epsom	–	1	–	1	1	–
Farnham ...	–	1	6	–	–	–
Godstone ...	–	–	–		–	C. 1
Guildford ...	–	1	–	–	–	–
Hambledon ...	–	–	–	–	2	–
Reigate	–	1	–		2	–
SUSSEX, EAST...	–	13	20	1	14	–
†Brighton C.B.		3	6	–	5	–
†Eastbourne C.B.	–	–	1	–	1	–
†Hastings C.B. ...	–	2	4	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
†BEXHILL ...		2	-	-	-	-
†HOVE	-	2	-	-	2	-
NEWHAVEN ...	-	1	7	-	1	-
RYE	*	*	*	*	*	*
Rural Districts:—						
CHAILEY	-	1	-	-	1	-
CUCKFIELD ...	-	1	-	-	1	-
EASTBOURNE ...	-	-		-	1	-
EAST GRINSTEAD	-	1	-	-	-	
HAILSHAM ...		-	-	-	2	-
NEWHAVEN ...	-	-	1	-	-	-
TICEHURST ...	-	-	1			-
SUSSEX, WEST...	-	6	-	-	2	D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	-	-	-	-	1	-
†LITTLEHAMPTON	-	1	-	-	-	-
SHOREHAM BY SEA	-	-	-		1	-
SOUTHWICK ...	-	1	-		-	M. 1
Rural Districts:—						
MIDHURST ...	-		-	-	-	N. 1
STEYNING WEST...		2	-	-	-	-
THAKEHAM ...	-	1	-			-
WESTHAMPNETT	-	1	-	-	-	D. 1
WARWICK ...	1	79	57	4	96	D. 1 E. 1 G. 1 M. 10 N. 5
†BIRMINGHAM C.B.	-	62	52	3	72	D. 1 E. 1 M. 10 N. 5
†COVENTRY C.B. ...	1	2	1	1	4	G. 1
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†BEDWORTH ...	-	1	-	-	4	-
†NUNEATON ...		1	-	-	-	-
†ROYAL LEAMINGTON SPA		1	-	-	-	-
†RUGBY	-	2	-	-	4	-
†STRATFORD ON AVON	-	-	-	-	1	-
†SUTTON COLDFIELD	-	1	-	-	2	-
†WARWICK ...	-	3	-	-	1	-
Rural Districts:—						
ALCESTER ...	-	1	-	-	2	-
ATHERSTONE ...	-	1	2	-	1	-
MERIDEN... ...		2	-	-	1	-
NUNEATON ...	-	2	-		-	-
RUGBY	-	-	-	-	2	-
SOLIHULL ...	-	-	2		2	-
WESTMORLAND	-	2	-	-	1	-
Boroughs and Urban Districts:—						
SHAP	-	1	-	-	-	-
Rural Districts:—						
SOUTH WESTMORLAND	-	-	-	-	1	-
WEST WARD ...	-	1	-	-		-
WIGHT, ISLE OF	-	1	3	-	3	C. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	-	-	1	-		
†RYDE	*	*	*	*	*	*
ST. HELENS ...			-	-	-	C. 1
SANDOWN ...	-	1		-	-	-
Rural District:—						
ISLE OF WIGHT ...	-	-	2	-	3	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	12	11	–	7	M. 1 N. 3
Boroughs and Urban Districts:—						
Chippenham ...	–	2	–	–	–	
Marlborough ...	–	–	–	–	–	N. 1
Melksham ...	–	–	2	–	–	
†Salisbury ...	–	2	–	–	–	–
†Swindon	–	–	5	–	3	M. 1
†Trowbridge ...	–	3	1	–	–	–
Rural Districts:—						
Amesbury ...	–	–	–	–	1	–
Chippenham ...	–	1		–	–	N. 1
Devizes	–	–	2	–	–	–
Highworth ...	–	2	1	–	3	N. 1
Pewsey	–	2	–	–	–	–
WORCESTER ...	–	22	7	–	9	C. 1 N. 1
†Dudley C.B. ...	–	–	–	–	–	C. 1
†Worcester C.B.	–	5	1	–	3	–
Boroughs and Urban Districts:—						
Bromsgrove ...	–	–	2	–	–	–
Evesham	–	1	–		–	–
†Halesowen ...	–	1	1	–	–	–
†Kidderminster	–	7	–	–	–	–
†Lye and Wollescote	–	1	–	–	1	–
†Oldbury	–	4	2	–	2	–
†Redditch ...	–	2		–	–	–
Rural Districts:—						
Evesham	–	–	1	–	–	–
Pershore ...	–	–	–	–	2	–
Upton on Severn	–	1	–	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	9	35	–	20	E. 1 L. 1
†Kingston upon Hull C.B.	–	4	21	–	17	E. 1 L. 1
Boroughs and Urban Districts:—						
†Beverley ...	–	–		–	1	–
†Bridlington ...	–		3		–	–
Great Driffield	–	3		–		–
Hedon	–	–	1	–	–	–
Hessle	*	*	*	*	*	*
Pocklington ...	–	–	1	–	–	–
Withernsea ...			1	–		
Rural Districts:—						
Beverley ...	–	1	2			–
Bridlington ...		–	5			
Sculcoates ...	*	*	*	*	*	*
Skirlaugh ...		1	1	–	2	–
YORKS ... ... (North Riding).	–	29	15	–	19	C. 3
†Middlesbrough C.B.	–	11	2	–	7	C. 1
Boroughs and Urban Districts:—						
†Eston	–	5	–	–	–	
†Scarborough ...	–	2	5		1	C. 1
†Skelton and Brotton	–	–	1	–	–	C. 1
†Thornaby on Tees		1		–	6	–
†Whitby	–	1	–	–	–	–
Rural Districts:—						
Bedale	–	1	–	–	–	–
Croft	–		1	–	–	–
Flaxton	–	–	1	–		–
Guisborough ...	–		–	–	3	–
Leyburn	–	–	1	–	–	–
Scarborough ...	–	2	–			–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:— A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts—*cont.*						
Stokesley ...	–	1	4	–	1	–
Thirsk	–	–		–	1	–
Wath	–	1	–	–	–	–
Whitby	–	4	–			–
YORKS ... ... (West Riding).	17	170	140	6	179	C. 2 D. 5 L. 1 M. 8 N. 9
†Barnsley C.B. ...	–	3	2	–	1	D. 2
†Bradford C.B. ...	1	19	6	–	28	L. 1 M. 2
†Dewsbury C.B....	–	3	10		–	–
†Doncaster C.B....	–	4	1	–	2	–
†Halifax C.B. ...	–	–	2	–	3	–
†Huddersfield C.B.	–	2	7		2	–
†Leeds C.B. ...	–	37	39	–	34	C. 2 D. 1 M. 1 N. 1
†Rotherham C.B.	–	4	10	–	6	
†Sheffield C.B....	1	16	14		47	M. 2 N. 4
†Wakefield C.B.	–	3	4	1	4	–
Boroughs and Urban Districts:—						
†Adwick le Street	–	–	4	1	–	–
Altofts	–	–	1	–		–
Ardsley, East and West	–	–	1			–
†Barnoldswick ...	–	1	–		–	–
†Batley	–	1		–	–	–
†Bentley with Arksey	–	1	1		–	–
†Bingley		1	1	–	–	–
Birkenshaw ..	–	3	–	–	–	–
†Bolton upon Dearne	–	–	–	–	1	–
†Brighouse ...		1	–			–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Castleford ...	–	1	1	–	–	–
†Conisbrough ...	–	1	–			D. 1
Darfield ...	–	–	1	–	1	–
†Darton	3	6	–	–	–	–
Dodworth ...		–	–	–		M. 1
Earby	–	1			–	–
†Elland	–	2		–	–	–
†Featherstone ...	–		1			–
Flockton ...	–	–	–	–		M. 1
Greasbrough ...	–	–	–	–	1	–
Greetland ...	–	–	1		–	–
†Harrogate ...		8	–	1	1	M. 1
†Hemsworth ...	–	1	1	–	2	D. 1
Honley	–	–	–		1	–
Horbury... ...		1	–	–	3	–
†Keighley ...	–	–	–		2	–
Kirkburton ...	–		–	–	1	–
Knottingley ...	–	1		–		–
Lepton		1				–
Maltby	–		1	–		–
Meltham ...	–		–	2	–	–
†Mexborough ...	–	–	1	–	–	–
†Morley	–	2	2	–	3	N. 1
†Normanton ...				–	2	–
†Ossett	–	4	–	–	–	–
Otley	–	4	–	–	–	–
†Pontefract ...	–	–	–	–	1	–
Queensbury ...	6	1	–	–	–	–
Ripon	–	1	–	–		–
†Rothwell ...		3	2		–	–
Royston	–	1			–	–
†Saddleworth ...	–	1				–
Selby	–	–	–	–	1	–
Shelf	2	–	–	–	–	–
†Shipley	–	1	1	–	–	–
Silsden	–	1	–	–	–	–
†Skipton	–	1	–	1		–
†Sowerby... ...	–	1	–	–	–	–
Soyland	–		–	–	1	–
†Spenborough ...	–	–	–	–	1	–
Stainland ...	–	–	1	–	–	–
†Stanley	–	1	–		1	–
Stocksbridge ...	–	1	–	–	–	–
†Swinton	–	–		–	1	D. 1
Thurnscoe ...	–		2	–	–	N. 1
†Todmorden ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH UPON DEARNE	–	–	–	–	1	–
WHITWOOD ...		1	–	–		–
†WOMBWELL ...	–	1	2	–	6	–
†WORSBOROUGH ...	–	–	1	–	–	D. 1
Rural Districts:—						
DONCASTER ...	–	1	2	–	6	D. 1 N. 1
GREAT OUSEBURN	–	2				N. 1
HEMSWORTH ...	–	5	1	–	5	–
KIVETON PARK ...	2	–	2	–	3	–
PATELEY BRIDGE	–	2	–		–	–
PONTEFRACT ...	–	2	1	–	–	
ROTHERHAM ...	2	–	5		1	–
SETTLE	–	–	3	–	1	–
SKIPTON	–	–	3		–	–
TADCASTER ...	–	3	1	–	–	–
TODMORDEN ...	–	1		–	–	–
WAKEFIELD ...	–	3	1	–	1	–
WETHERBY ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	1			3	–
WORTLEY... ...	–	1	–		–	–
YORK, CITY OF ..		3	1	1	3	F. 1
†YORK C.B. ...	–	3	1	1	3	F. 1
WALES.						
ANGLESEY ...	–	–	1	–	1	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–
TWRCELYN ...	–	–	–	–	1	–
BRECKNOCK ...	–	–	3	–	1	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*
HAY	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
HAY	–	–	2	–	–	–
YSTRADGYNLAIS	–		1	–	1	–
CAERNARVON...	–	–	2	–	–	–
Boroughs and Urban Districts:—						
†BANGOR		–	1	–	–	–
Rural Districts:—						
LLEYN	–	–	1		–	–
CARDIGAN ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	2		–	–	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	2	–		1	–
LLANDYSSIL ...	*	*	*	*	*	*
CARMARTHEN...	–	9	6	–	6	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	3	1	–	–	–
†LLANELLY ...	–	1	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN— *cont.*						
Rural Districts:—						
Llandilo Fawr		1	–	–	1	–
Llanelly ...	–	4	5	–	1	–
DENBIGH ...	–	18	33	–	3	N. 1
Boroughs and Urban Districts:—						
Ruthin	–	2	5		–	–
†Wrexham ...	–	3	11	–	–	–
Rural Districts:—						
Ruthin	–	2	1		–	–
Wrexham ...		11	16		3	N. 1
FLINT		1	3		2	N. 2
Boroughs and Urban Districts:—						
Buckley		–	1		–	–
Holywell ...	–		–	–	1	–
Mold	–	1	–	–	–	–
Rural Districts:—						
Hawarden ...	–	–		–		N. 2
Holywell ...	–	–	1		1	–
St. Asaph (Flint)		–	1	–	–	–
GLAMORGAN ...	15	39	79	–	53	C. 3 M. 2 N. 7
†Cardiff C.B. ...	–	12	14		9	M. 1 N. 3
†Merthyr Tydfil C.B.	–	–	6		2	C. 2
†Swansea C.B. ...		1	8		–	
GLAMORGAN— *cont.*						
Boroughs and Urban Districts:—						
†Aberdare ...	–	–	–	–	2	–
†Barry	–	1	2	–	4	–
†Caerphilly ...	–	–	–	–	2	–
†Gelligaer ...	–	5	4		8	C. 1
†Llwchwr ...	–	1	3		–	–
†Maesteg	–		4		1	–
†Mountain Ash...	15	1	3		1	M. 1 N. 2
†Neath	–	–	5	–	4	–
†Ogmore and Garw	–	2	1	–	3	–
†Penarth	–		–	–	4	–
†Pontypridd ...	–	2	3	–	6	–
†Port Talbot ...	–	–	4	–	–	–
†Rhondda ...	–	12	14		6	N. 2
Rural Districts:—						
Cardiff	–	2	2		1	–
Cowbridge ...	*	*	*	*	*	*
Gower	–		1	–	–	–
Llantrisant and Llantwitfardre	–	–	1		–	–
Pontardawe ...	–	–	4	–	–	–
MERIONETH ...	–	2	4	–	–	–
Urban District:—						
Dolgelley ...	–	–	1	–	–	–
Rural District:—						
Deudraeth ...		1	3	–	–	–
Dolgelley ...	–	1	–	–	–	–
MONMOUTH ...		32	16	2	12	C. 1 N. 1
†Newport C.B. ...	–	16	3	–	4	N. 1

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†Abercarn ...	–	–	1	–	–	–
†Abersychan ...	–	2	–		1	–
†Abertillery ...	–	3		–	–	–
Bedwas and Machen	–	2	2	–	3	
†Bedwellty ...	–	3	3	–	1	–
†Ebbw Vale ...	–	–	1	–	1	–
Llanfrechfa Upper	–	1	–		–	–
Llantarnam ...		–	–		1	–
†Mynyddislwyn	–		2	–	–	–
†Panteg	–	–	–	–	1	C. 1
†Rhymney ...	–	1	1	–	–	–
Rural Districts:—						
Abergavenny ...	–	–	–	2	–	–
Chepstow ...		–	1	–		
Magor	–	1	–	–	–	
Monmouth ...		–	1	–	–	–
Pontypool ...	–	2	–			–
St. Mellons ...	–	1	1	–	–	–
MONTGOMERY...	–		1		1	–
Rural Districts:—						
Forden	–	–	–	–	1	–
Newtown and Llanidloes	–	–	1	–	–	–
PEMBROKE ...	–	–	5	–	4	–
Boroughs and Urban Districts:—						
Milford Haven		–	2	–	3	–
†Pembroke ...	–	–	1	–		–
Rural District:—						
Haverfordwest	–		1		–	–
Llanfyrnach ...		–	1	–	–	–
Pembroke ...		–	–	–	1	–
RADNOR	–	–	–	–	–	–
Urban Districts:—						
Llandrindod Wells	*	*	*	*	*	*
Rural Districts:—						
Painscastle ...	*	*	*	*	*	*
Total of Part II....	225	1556	1298	36	1769	C. 55 D. 18 E. 3 F. 2 G. 14 L. 5 M. 71 N.101

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BARNSTAPLE	*	*	*	*	*	*	SANDWICH	*	*	*	*	*	*
LIVERPOOL	–	1	–	–	3	–	SOUTHAMPTON ...	–	–	–	–	1	–
NEWPORT (MON.) ...	–	–	–	–	1	–	PORT OF LONDON ...	–	–	–	–	–	L. 1
PLYMOUTH	–	–	–	–	1	–							
							Total of Part III. ...	–	1	–	–	6	L. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum: N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡)
Total of Part I.—London	47	236	245	1	283	C. D. E. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	225	1556	1298	36	1769	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	-	1	-	-	6	L.
Total (i.e., of returns received), England and Wales...	272	1793	1543	37	2058	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	Nov. 1.	Nov. 8.	Nov. 15	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24	Totals from 1st Week of year. * 1930.	Totals from 1st Week of year. * 1931.
DON :—															
BIRTHS	1,420	1,354	1,369	1,176	1 274	1,390	1,255	1,341	821	1 589	1,438	1,421	1,422	4,363	4,281
BIRTHS	47	43	55	53	59	43	51	39	21	50	61	50	39	140	150
HS (excluding Still-hs)—all ages.	928	904	957	969	983	973	1,082	1,175	1,185	1,356	1,452	1,467	1,415	3,411	4,334
HS—0 to 1 year ..	67	74	76	80	82	61	92	74	89	107	112	116	115	319	343
T TOWNS, aggre- (including Lon- :—															
BIRTHS	6,295	6,277	6,410	5.710	5.919	6.505	5,896	6.202	3,997	7,120	6,760	6,470	6.502	12,133	19,732
BIRTHS	261	270	279	257	273	281	286	267	216	311	305	282	270	855	857
HS (excluding Still-us)—all ages.	4,033	4,010	4,189	4.485	4,487	4,508	4,878	5,165	4,843	5,687	6.451	6,493	6,249	14,523	19,193
HS—0 to 1 year ..	357	357	379	425	401	378	440	476	474	557	622	626	633	1,378	1,881
RIC FEVER—Cases	17	27	21	10	10	12	14	13	7	15	10	11	20	63	41
„ Deaths	2	4	2	2	1	3	1	1	—	3	1	1	3	7	5
L POX—Cases ..	58	68	82	88	136	74	112	111	105	131	162	154	198	811	514
Deaths ..	1	—	—	—	—	1	—	—	—	—	—	—	—	2	—
ET FEVER—Cases	1,345	1,148	1,376	1,389	1,228	1,283	1,164	1,140	901	1,064	886	907	960	5,008	2,753
„ .. Deaths	6	7	4	6	1	6	6	8	11	16	8	9	8	35	25
HERIA—Cases ..	902	976	875	962	965	968	891	860	617	831	775	793	922	3,403	2,490
Deaths ..	32	33	39	30	44	31	35	43	33	43	32	39	53	174	124
LES—Deaths ..	15	32	23	40	33	45	57	71	59	62	77	94	73	149	244
ENZA—Deaths ..	41	40	25	49	56	43	60	58	59	60	101	146	242	208	489

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections g been made for changes in boundary. The live births are derived from the weekly returns furnished by the rar- and differ from those published for the towns in the Quarterly Return which are corrected for births ing away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 24th January, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON	51	31	48·4	38·9	9						
GREENWICH).						HUDDERSFIELD	49	35	44.6	38·7	23
HTON ..	50	38	47·6	42·4	20	BRADFORD ..	49	31	46·9	35·9	20
TSMOUTH ..	§	§	§	§	§	SHEFFIELD ..	49	33	47·1	37·0	25
WICH	51	27	47·4	35·6	17	YORK (MUSEUM)	52	30	46·6	36·0	11
(EATON)						HULL (PEARSON PARK).	50	34	46·3	36·7	12
MOUTH ..	52	41	50·1	43·4	27	TYNEMOUTH ..	51	33	45·7	37·1	12
TOL	53	34	49·3	41·4	28	CARDIFF	51	33	47·9	40·3	52
(HORFIELD)											
INGHAM	50	36	45·3	39·0	15						
EDGBASTON).						EDINBURGH ..	47·0	32·0	43·4	36·3	17
TINGHAM ..	50	30	47·9	37·1	10	GLASGOW ..	48·2	34·9	46·5	37·9	29
KENHEAD	48	35	44·9	39·1	17	DUBLIN					
(BIDSTON).						(PHŒNIX PARK)	51·2	32·0	48·4	36·6	19
CHESTER	48	35	46·0	39·0	47	(FITZWILLIAM SQUARE†).	51·2	36·9	49·0	40·3	15
WHITWORTH PARK).						BELFAST	§	§	§	§	§
NLEY	47	35	46·0	37·9	43						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin,
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th January, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	18	New	29·763	43·3	37·0	6·3	40·7	+ 2·1	34·0	6·7	10·3	1·7	77	51·1	28·1	43·9	WNW : W.	NW : Calm.	2·8	0·0	0·4	333	+ 23	0·00
MONDAY -	19	..	29·729	51·0	38·6	12·4	47·2	+ 8·5	45·2	2·0	3·9	1·0	93	52·1	26·2	44·0	SW : WSW.	WSW : SW.	3·1	0·0	0·4	383	+ 78	0·01
TUESDAY -	20	..	29·894	50·2	37·4	12·8	45·2	+ 6·4	42·8	2·4	5·0	1·4	91	50·6	25·2	44·0	SW : WSW.	W : NW : Calm.	0·8	0·0	0·1	195	- 107	0·02
WEDNESDAY	21	..	29·920	46·5	30·9	15·6	41·0	+ 2·2	39·7	1·3	4·1	0·0	95	56·1	21·4	44·0	Calm	S	0·6	0·0	0·1	163	- 139	0·01
THURSDAY -	22	Apogee	29·719	47·8	41·2	6·6	44·6	+ 5·8	40·9	3·7	6·1	1·2	87	59·3	32·5	44·0	SSW	SW : SSW.	1·5	0·0	0·2	284	- 22	0·02
FRIDAY -	23	..	29·148	49·0	42·5	6·5	46·8	+ 7·9	43·7	3·1	9·2	1·8	89	53·6	34·5	44·3	SSW	SSW : SW : WSW.	9·0	0·0	1·8	634	+ 323	0·28
SATURDAY -	24	In Equator	29·246	47·0	39·2	7·8	43·1	+ 4·2	32·2	10·9	15·6	4·1	66	75·7	29·7	44·1	WSW : W.	W : WSW.	8·6	0·0	1·8	683	+ 366	0·00
MEANS -			29·631	47·8	38·1	9·7	44·1	+ 5·3	39·8	4·3	7·7	1·6	85	56·9	29·7	44·0	Westerly				..	Sum 2675	Sum + 522	Sum 0·34
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	18	sP till 3h.; then mP.	0·0	8·4	Little cloud till 8h., overcast and mist from 8½h. Damping 11½h. till 12½h. and from 21h. Hoar frost in morning.
MONDAY ..	19	mP till 9h.; sP till 18h.; then mP.	0·0	8·5	Overcast throughout. Damping till 9h. and drizzle 19½h. till 20½h. Mist till 13h. then fog till 19½h. Brisk wind 5h. till 11h.
TUESDAY ..	20	mP and wP till 7h.; then sP.	0·0	8·5	Overcast generally till 18½h.; cloudless from 19h Drizzle 0h. till 2h., shower 5½h. and slight drizzle 15½h. and 16h. Fog 8h. till 10½h., then mist. Hoar frost at night.
WEDNESDAY	21	sP and mP till 8h.; then mP.	0·0	8·5	Cloudless till 2h.; cloudy by 3h.; overcast generally from 7½h. Damping from 20¾h. Mist till 5h. and then wet fog till 10h. Hoar frost in morning.
THURSDAY	22	wP till 9h. then mP.	0·0	8·6	Overcast till 19h., then variably cloudy. Damping till 5h. and 14h. till 18¾h, Mist 15h. till 19h.
FRIDAY ..	23	wP till 5h,; mN till 13h.; then mP and wP.	0·0	8·7	Cloudy till 7h.; overcast or nearly so till 20½h., clearing to little cloud by 21½h. Rain or drizzle 5h. till 13½h., then occasional drizzle till 18h. Brisk wind generally from 1h.
SATURDAY	24	wP till 9h; then mP.	4·6	8·7	Little cloud till 3h.; very cloudy till 9h.; little cloud by 9½h. Variably cloudy 11½h. till 17h., clearing to cloudless by 18h. Slight shower 8¾h. Hoar frost at night. Brisk wind till 21h. High wind 10h. till 16h.
			Sum 4·6	Sum 59·9	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·68 ins. at the beginning of the week to 29·82 ins. by 20h. on Jan. 18th; decreased to 29·70 ins. by 7h. on Jan. 19th; increased to 30·03 ins. by 2½h. on Jan. 21st; decreased to 28·96 ins. by 20h. on Jan. 23rd; increased and was 29·43 ins. by midnight on the Jan. 24th.

THE

CLINICAL RESEARCH ASSOCIATION,

LTD.

WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

All kinds of **LABORATORY INVESTIGATIONS** which may be required by

PUBLIC HEALTH AUTHORITIES

are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). **Telegrams: " TUBERCLE, WESTRAND, LONDON."**

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, stillbirths, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics :—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

THE MEDICAL OFFICER

A Journal for Medical Men in the Government and Municipal Services.

36/38 Whitefriars Street, London, E.C.4.

The recognised weekly journal of Medical Officers of Health, School Medical Officers, Tuberculosis Officers, V.D. Officers, Maternity and Child Welfare Medical Officers, and Medical Officers of Municipal Hospitals, Sanatoria, etc. etc.

42/- PER ANNUM, POST FREE.

(73804) Wt. 87—17 1875 1/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 4.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 31st JANUARY,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 IS a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 31st JANUARY, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the fourth week of the year numbered 6,180 corresponding to an annual rate of 16·3 per 1,000 living: stillbirths numbered 295 corresponding to a rate of 46 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,052 (197 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.
107 Great Towns	17·1	17·2	16·6	16·0
London	17·1	17·3	16·7	16·9
Birmingham	17·6	15·5	15·5	15·7
Liverpool	22·8	26·2	32·0	27·0
Manchester	25·8	22·6	19·1	17·3
Sheffield	11·8	13·8	11·6	11·4
Leeds	16·3	15·7	16·2	15·8
Bristol	14·0	18·8	14·4	13·3
West Ham	13·6	14·9	15·6	13·9

The deaths from influenza which had been 101, 146, and 242 in the three preceding weeks further rose to 309 and included 81 in London and 60 in Liverpool.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 99, against 96, 96, and 97 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,383 live births registered corresponding to an annual rate of 16·3 per 1,000 living: stillbirths numbered 41 corresponding to a rate of 29 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,434 (19 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 92, against 78, 80, and 80 in the three weeks preceding.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 31st January, 1931.

	TOWNS.	ESTIMATED POPULATION. Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
	107 GREAT TOWNS ..	19,661,950*	6,180	295	6,052	645	2	72	7	44	43	66	309
	LONDON	4,417,900*	1,383	41	1,434	132	–	1	1	10	7	13	81
TOWNS IN OUTER RING.	CROYDON C.B. ..	222,300	69	2	81	8	–	–	1	–	–	2	6
	WIMBLEDON ..	59,370	16	–	20	–	–	–	–	–	–	–	1
	EALING	104,000	41	1	26	3	–	–	–	–	–	–	3
	ACTON	65,200	16	–	11	3	–	–	–	–	–	–	–
	BRENTFORD AND CHISWICK ..	59,040	9	–	14	2	–	–	–	–	–	–	2
	WILLESDEN ..	172,500	48	1	49	8	–	–	–	–	–	2	4
	HENDON	83,190*	27	1	20	3	–	–	–	–	–	–	2
	HORNSEY	88,450	16	–	25	–	–	–	–	–	–	–	–
	WOOD GREEN ..	53,410	14	–	12	–	–	–	–	–	–	–	2
	TOTTENHAM ..	155,000	30	2	46	1	–	–	–	–	–	–	4
	EDMONTON	75,000	34	–	17	3	–	–	1	–	–	1	2
	ENFIELD	65,100	10	1	21	2	–	–	–	–	–	–	1
	WEST HAM C.B. ..	307,600	122	2	82	9	–	–	–	2	–	–	3
	EAST HAM C.B. ..	147,600	21	3	35	4	–	–	–	1	–	–	1
	LEYTON	128,300	24	–	38	–	–	–	1	–	–	–	3
	WALTHAMSTOW ..	124,800	27	–	34	4	–	–	–	1	2	1	1
	ILFORD	116,200	29	4	29	3	–	–	–	–	–	–	2
	GILLINGHAM	56,670*	16	2	19	–	–	1	–	–	–	–	1
	CANTERBURY C.B. ..	22,850*	6	1	10	1	–	–	–	–	–	–	2
	HASTINGS C.B.	62,620	15	–	22	1	–	–	–	–	–	–	1
	EASTBOURNE C.B. ..	58,570	14	–	22	1	–	–	–	–	–	–	1
	BRIGHTON C.B. ..	146,800*	41	–	46	–	–	–	–	–	–	–	4
	PORTSMOUTH C.B. ..	242,000*	94	3	56	8	–	–	–	1	–	4	2
	BOURNEMOUTH C.B. ..	97,360	19	–	26	1	–	–	–	–	–	–	–
	SOUTHAMPTON C.B. ..	172,300	46	1	51	2	–	–	–	–	1	1	2
	READING C.B.	96,850*	33	3	22	–	–	–	–	–	–	–	1
	OXFORD C.B.	73,810*	25	1	21	1	–	–	–	–	–	–	2
	NORTHAMPTON C.B. ..	93,970*	16	2	27	1	–	–	–	–	–	–	–
	LUTON	65,200	28	2	24	3	–	–	–	1	–	–	1
	CAMBRIDGE	60,730	11	–	15	1	1	–	–	–	–	–	–
	SOUTHEND-ON-SEA C.B.	114,600	28	–	33	1	–	–	–	–	1	–	2
	IPSWICH C.B. ..	85,800	19	1	19	2	–	–	–	1	–	–	–
	GREAT YARMOUTH C.B	58,110	19	–	17	–	–	–	–	–	1	–	–
	NORWICH C.B. ..	124,900*	32	2	31	2	–	–	–	–	–	–	1
	SWINDON	62,020	19	1	23	3	–	–	–	–	–	–	1
	EXETER C.B.	61,290*	19	–	19	1	–	–	–	–	–	–	–
	PLYMOUTH C.B. ..	199,000*	61	6	79	4	–	–	1	–	1	1	5
	BATH C.B.	69,240	11	1	20	1	–	–	–	–	–	–	–
	BRISTOL C.B.†	391,145*	112	4	100	2	–	6	–	–	–	–	1
	GLOUCESTER C.B. ..	52,010	12	–	13	–	–	–	–	1	–	–	–
	STOKE-ON-TRENT C.B.	279,200	117	4	69	11	–	–	–	–	1	2	–
	BURTON-UPON-TRENT C.B.	48,970	18	–	15	–	–	–	–	–	–	–	2
	WOLVERHAMPTON C.B.	134,300	40	6	30	3	–	–	–	–	1	–	–
	WALSALL C.B.	100,100	48	1	27	–	–	–	–	1	–	–	1
	WEST BROMWICH C.B.	80,840	30	1	21	3	–	–	–	–	–	–	1
	DUDLEY C.B.	58,870	26	1	19	3	–	–	–	–	–	–	–
	WORCESTER C.B. ..	52,320	18	–	22	2	–	–	–	–	–	–	1
	BIRMINGHAM C.B. ..	968,500	352	13	291	32	–	4	–	1	3	5	5
	SMETHWICK C.B. ..	85,120	30	–	14	1	–	–	–	1	–	–	1
	COVENTRY C.B. ..	162,100	47	1	33	4	–	–	–	–	–	2	1
	LEICESTER C.B. ..	245,200	62	7	65	5	–	–	–	–	–	–	–
	LINCOLN C.B.	65,080*	21	1	16	–	–	–	–	–	–	–	2
	GRIMSBY C.B. ..	91,440	33	1	23	4	–	–	–	–	–	1	–
	NOTTINGHAM C.B. ..	266,800	93	7	69	8	–	–	–	1	–	2	2
	DERBY C.B.	140,500*	49	1	30	1	–	–	–	–	–	–	1
	CHESTERFIELD	65,270	23	4	15	1	–	–	–	–	–	1	1
	STOCKPORT C.B ..	127,800	41	–	37	5	–	–	–	–	1	–	3
	CHESTER C.B.	40,750	21	1	11	2	–	–	–	–	–	–	1
	BIRKENHEAD C.B ..	157,600	41	2	56	8	–	1	–	1	–	1	10
	WALLASEY C.B. ..	101,300	27	3	30	2	–	–	–	–	–	–	8
	LIVERPOOL C.B. ..	869,500	385	18	451	62	1	31	–	6	3	6	60
	BOOTLE C.B.	80,400	21	–	23	3	–	–	–	–	1	1	2
	ST. HELENS C.B. ..	109,200	35	4	28	5	–	1	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians. † As extended 1st October, 1930

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B ..	80,040	14	1	31	1	-	-	-	-	1	-	-
WIGAN C.B.	87,600	29	3	27	1	-	-	1	-	-	-	1
WARRINGTON C.B. ..	79,400*	34	6	24	5	-	-	-	-	-	-	2
BOLTON C.B	181,500	53	2	56	3	-	-	-	3	-	-	-
BURY C.B.	56,830*	23	-	17	3	-	-	-	-	-	-	1
MANCHESTER C.B. ..	746,500	259	15	247	36	-	-	1	-	-	8	5
SALFORD C.B.	235,600	75	2	75	17	-	-	-	-	2	1	1
ASHTON-UNDER-LYNE	51,750	11	1	16	1	-	-	-	1	-	-	1
OLDHAM C.B	142,500	38	3	58	10	-	-	-	-	-	-	1
ROCHDALE C.B. ..	90,900	11	1	40	1	-	-	-	-	-	-	-
BURNLEY C.B	100,200	30	-	29	3	-	1	-	1	-	-	3
BLACKBURN C.B ..	125,300	25	4	37	2	-	-	-	-	1	-	3
PRESTON C.B.	126,100	35	3	46	13	-	-	-	-	1	-	2
BLACKPOOL C.B. ..	99,800	21	4	30	3	-	-	-	-	-	-	3
BARROW-IN-FURNESS C.B.	64,850	23	2	13	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B ..	113,100	24	3	31	-	-	-	-	-	1	-	-
HALIFAX C.B.	97,400*	23	1	25	1	-	-	-	-	-	-	-
BRADFORD C.B. ..	294,605	75	9	78	5	-	-	-	-	1	1	1
LEEDS C.B.	478,500	153	10	145	16	-	-	-	2	3	1	4
DEWSBURY C.B. ..	53,020	14	1	16	2	-	-	-	-	-	-	1
WAKEFIELD C.B. ..	56,640	19	1	22	6	-	-	-	2	1	-	-
BARNSLEY C.B. ..	71,700	26	-	18	3	-	-	-	-	-	2	-
SHEFFIELD C.B. ..	518,000*	144	6	113	14	-	-	-	-	-	1	4
ROTHERHAM C.B. ..	70,790	24	1	19	5	-	-	-	-	-	-	1
DONCASTER C.B. ..	59,890	20	2	16	1	-	-	-	-	-	1	1
YORK C.B.	85,290*	15	-	27	1	-	1	-	1	-	-	1
HULL C.B.	308,200	105	4	101	18	-	5	-	-	2	-	3
MIDDLESBROUGH C.B.	133,100	48	1	28	3	-	-	-	-	-	-	1
DARLINGTON C.B.‡ ..	74,150	23	2	27	4	-	-	-	-	1	-	1
STOCKTON-ON-TEES ..	67,090	26	1	19	3	-	-	-	-	-	1	1
WEST HARTLEPOOL C.B.	69,370	22	-	21	2	-	1	-	1	-	-	1
SUNDERLAND C.B. ..	184,000	78	6	66	18	-	1	-	-	1	-	2
SOUTH SHIELDS C.B ..	119,600	49	1	47	9	-	-	-	1	-	-	5
GATESHEAD C.B. ..	122,600	35	2	42	9	-	6	-	-	-	1	3
NEWCASTLE-ON-TYNE C.B.	283,400*	92	9	109	8	-	6	-	-	-	2	3
TYNEMOUTH C.B. ..	65,880	25	1	25	2	-	-	-	-	-	-	-
CARLISLE C.B.	56,160*	18	2	15	6	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	95,990*	27	2	30	3	-	-	-	1	-	-	1
CARDIFF C.B.	224,000*	83	5	52	4	-	1	-	-	1	-	2
RHONDDA	153,100	45	7	38	4	-	2	-	-	2	-	-
MERTHYR TYDFIL C.B.	77,790	16	2	28	3	-	-	-	-	-	-	3
ABERDARE	53,050	13	4	9	-	-	2	-	-	1	-	-
SWANSEA C.B.	162,700	47	1	35	9	-	1	-	2	1	-	-
GREATER LONDON ..	7,900,480*	2,416	74	2,396	222	-	1	6	16	12	22	137
OUTER RING	3,482,580*	1,033	33	962	90	-	-	5	6	5	9	56
17 GREAT TOWNS IN OUTER RING	2,027,060*	553	17	560	53	-	-	3	4	2	6	37
REMAINDER OF OUTER RING	1,455,520*	480	16	402	37	-	-	2	2	3	3	19
EDINBURGH†	428,800	118	?	159	12	-	-	-	1	4	-	3
GLASGOW†	1,088,200	487	?	339	56	-	-	1	13	3	5	3
DUBLIN (REGISTRATION AREA)†	412,400	174	?	157	29	-	11	-	-	-	3	2
BELFAST†	415,151	186	?	135	26	-	3	1	2	1	-	2

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended 1st October, 1930.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1931.											
London‡	4,417,900	Jan. 31	1383	41	1434	16·9	-	-	1	1	10	7	13
		1930.											
Calcutta and Suburbs	1,077,264	Dec. 20	?	?	590	28·5	?	7	?	-	?	?	?
Bombay§	1,298,708	Jan. 3	540	38	407	16·3	1	-	-	-	-	2	11
Madras	528,791	Dec. 27											
Sydney and Suburbs	1,243,940	Dec. 31 (31 days)											
Brisbane (Metropolitan Area).	318,631	Nov. 30 (30 days)											
Perth (Metropolitan Area).	202,888	Nov. 22	83	?	34	8·7	-	-	-	-	-	-	-
Auckland (Urban Area).	212,100	Nov. 30 (30 days)	287	7	158	8·9	-	-	-	-	-	-	-
Wellington (Urban Area)	138,050	Nov. 30 (30 days)	231	6	109	9·5	1	-	-	-	-	-	-
Christchurch (Urban Area).	125,800	Nov. 30 (30 days)	185	8	98	9·4	-	-	-	-	-	-	-
Cape Town	134,201	Dec. 27	43	1	22	8·5	-	-	-	-	-	-	2
Johannesburg	183,674	„ 20											
Durban	59,929	„ 20											
Paris	2,871,429	Jan. 10 (10 days)											
Antwerp	294,971	Jan. 15 (15 days)											
Amsterdam	757,528	Jan. 10	221	6	149	10·3	-	-	2	-	1	-	-
Copenhagen	615,700	„ 17	193	2	189	16·0	1	-	-	-	1	3	-
Stockholm	486,672	„ 10	98	2	166	17·7	-	-	-	-	-	-	-
Gothenberg	241,550	Dec. 27	?	?	46	9·8	-	-	-	-	-	1	-
Oslo	253,568	Jan. 17	47	2	52	10·7	-	-	-	1	-	-	-
Berlin	4,327,000	„ 3	924	35	1231	14·8	-	?	-	-	-	17	2
Berlin (old)	1,971,000	„ 3	474	19	623	16·4	-	?	-	-	-	12	1
Breslau	613,000	„ 3	153	4	156	13·2	-	?	1	2	-	2	-
Cologne	739,000	„ 3	189	4	170	12·0	-	?	-	-	-	4	-
Dresden	630,000	„ 3	137	7	166	13·7	2	?	-	-	-	1	-
Frankfort-on-Main	539,000	„ 3	83	2	81	7·7	-	?	-	-	1	2	-
Hamburg	1,144,000	„ 3	283	5	258	11·7	-	?	-	-	-	1	2
Leipzig	700,000	„ 3	156	8	153	11·4	-	?	-	-	-	1	-
Munich	730,000	„ 3	145	5	181	12·9	-	?	-	-	-	1	-
Budapest	991,518	„ 10	304	14	269	14·1	-	-	-	1	2	4	3
Warsaw	1,109,478	„ 10	?	12	355	16·7	5	-	1	1	-	4	9
Madrid	825,471	„ 10	398	36	306	19·3	-	-	2	-	-	2	7
Cairo	1,122,800	Oct. 14	921	32	410	19·0	7	-	-	-	?	10	104
Alexandria	612,200	„ 14	417	7	217	18·5	-	-	-	-	?	2	51
New York	7,014,649	Jan. 3	2297	96	1706	15·2	4	-	-	-	6	5	7
Chicago	3,457,375	„ 9	1219	39	763	11·5	-	-	-	2	1	9	6
New Orleans	433,000	Nov. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Dec. 27	601	43	480	14·5	4	-	11	-	3	3	68

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of a* for Copenhagen Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 6 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 31st January, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	4,487	5,768	1434	132	23	16	24	53	53	82	129	220	326	376
Enteric fever	3	3	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	93	1	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet fever	11	7	1	–	–	1	–	–	–	–	–	–	–	–
Whooping cough	10	19	10	6	–	4	–	–	–	–	–	–	–	–
Diphtheria	49	31	7	–	3	2	2	–	–	–	–	–	–	–
Influenza	54	171	81	1	–	–	–	2	5	7	8	16	17	25
Erysipelas	14	23	7	4	–	–	–	–	–	–	–	3	–	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	3	5	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	7	13	2	1	–	–	1	–	–	–	–	–	–	–
Tuberculosis :—														
Respiratory system	308	386	92	–	–	–	–	24	17	15	15	18	2	1
Nervous system	17	13	3	–	1	1	–	–	1	–	–	–	–	–
Intestines and peritoneum	6	3	–	–	–	–	–	–	–	–	–	–	–	–
Other forms	25	23	6	–	–	–	–	3	2	–	–	–	1	–
Venereal diseases	16	18	5	–	–	–	–	1	–	1	–	2	1	–
Cancer	507	562	106	–	–	–	–	1	–	8	14	21	44	18
Rheumatic fever	14	9	4	–	–	–	3	1	–	–	–	–	–	–
Diabetes	40	50	10	–	–	–	–	–	1	–	–	3	3	3
Alcoholism	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	10	13	4	1	1	–	–	2	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	175	190	38	–	–	–	–	–	–	1	4	7	14	12
Epilepsy	14	21	6	–	–	–	–	–	3	–	–	–	2	1
"Convulsions" (not puerperal)	6	4	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	109	104	29	6	1	1	3	1	–	2	1	5	7	2
Pericarditis	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	14	15	8	–	–	–	–	–	1	3	2	1	1	–
Other diseases of heart	976	1389	350	–	–	–	4	3	3	8	21	68	112	131
Other diseases of circulatory system	189	230	56	–	–	–	–	–	1	1	5	6	14	29
Bronchitis	237	473	105	7	–	1	1	–	2	4	10	12	18	50
Broncho-pneumonia	243	456	119	40	11	2	1	1	4	4	7	12	17	20
Lobar pneumonia	142	167	48	2	1	–	–	5	3	7	14	6	5	5
Pneumonia (type not distinguished)	51	69	15	5	1	–	1	1	–	–	–	3	1	3
Other diseases of respiratory system	47	89	10	–	–	–	–	–	–	–	3	1	4	2
Diarrhœa and enteritis	57	69	18	12	1	1	–	–	2	–	1	1	–	–
Appendicitis, Typhlitis	36	22	6	–	–	–	2	1	1	2	–	–	–	–
Hernia, intestinal obstruction	32	51	15	1	–	–	–	–	–	2	1	5	5	1
Cirrhosis of liver	15	18	2	–	–	–	–	–	–	–	–	2	–	–
Other diseases of digestive system	100	117	27	–	–	1	2	1	–	7	5	5	4	2
Acute nephritis	11	8	1	–	–	–	–	–	–	–	1	–	–	–
Chronic Bright's disease	129	175	35	–	–	–	–	1	1	1	5	8	11	8
Other diseases of genito-urinary system.	76	82	27	–	1	–	–	1	–	–	3	3	9	10
Puerperal sepsis	8	14	4	–	–	–	–	1	2	1	–	–	–	–
Other causes incident to childbirth	8	8	1	–	–	–	–	1	–	–	–	–	–	
Congenital malformations	24	27	4	4	–	–	–	–	–	–	–	–		
Premature birth	74	101	22	22	–	–	–	–	–	–	–	–		
Debility, atrophy (congenital)	21	10	6	–	–	–	–	–	–	–	–	–		
Old age	109	141	36	–	–	–	–	–	–	–	–	2	34	
Suicide	50	41	8	–	–	–	–	1	2	1	2	1	1	
Burns and Scalds	9	14	2	–	–	1	–	–	–	–	1	–	–	
Drowning	6	7	1	–	–	–	–	–	–	–	1	–	–	
Suffocation in bed	6	1	–	–	–	–	–	–	–	–	–	–	–	
Vehicles and horses	71	49	15	–	–	2	1	1	2	2	1	5	1	
Other deaths by violence	85	66	20	2	–	1	–	–	2	–	3	7	5	
Other specified causes	164	188	59	9	2	–	2	1	2	2	6	4	19	12
Ill-defined causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 31st January, 1931.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	33	222	243	2	303	C. 6 D. 3 L. 5 M. 8 N. 17
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	11	–	19	C. 2 L 1 M. 1 N. 1
†BERMONDSEY ...	–	12	11	–	5	D. 1
†BETHNAL GREEN	9	7	10	–	9	M. 1
†CAMBERWELL ...	–	6	14	1	5	D. 1 N. 1
†CHELSEA	–	3	–	–	13	–
†DEPTFORD ...	–	7	6	–	2	M. 1 N. 1
†FINSBURY ...	–	3	8	–	2	–
†FULHAM	–	5	5	–	23	N. 1
†GREENWICH ...	–	11	6	1	3	–
†HACKNEY... ...	1	12	10	–	6	C. 1 N. 1
†HAMMERSMITH ...	7	7	5	–	4	–
†HAMPSTEAD ...	–	3	4	–	2	–
†HOLBORN... ...	–	4	–		3	L. 2
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	1	13	24	–	18	C. 1 M. 2 N. 1
†KENSINGTON ...	–	15	8	–	16	L. 1 N. 1
†LAMBETH ...	–	12	12	–	37	C. 1 N. 2
†LEWISHAM ...	3	19	21	–	6	–
†PADDINGTON ...	–	4	6	–	22	–
†POPLAR	4	5	8	–	30	M. 1 N. 1
†ST. MARYLEBONE	–	3	2	–	5	N. 1
†ST. PANCRAS ...	1	8	12	–	20	L. 1
†SHOREDITCH ...	1	8	8	–	1	N. 1
†SOUTHWARK ...	–	10	12	–	13	N. 2
†STEPNEY	6	21	14	–	13	M. 1 N. 1
†STOKE NEWINGTON	–	–	2	–	1	–
†WANDSWORTH ...	–	6	11	–	10	C. 1 M. 1 N. 2
†WESTMINSTER, CITY OF	–	4	6	–	4	D. 1
†WOOLWICH ...	–	5	7	–	11	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	8	5	–	10	–
Boroughs and Urban Districts:—						
†Bedford	–	3	–	–	3	–
Biggleswade ...	–	–	–	–	1	–
Dunstable ...	–	–	1	–	–	–
Leighton Buzzard	–	–	2	–	–	–
†Luton	–	–	1	–	–	–
Sandy	–	–	–	–	1	–
Rural Districts:—						
Ampthill ...	–	4	1	–	1	–
Bedford	–	1	–	–	–	–
Biggleswade ...	–	–	–	–	4	–
BERKS	–	6	14	–	5	D. 1 L. 1 M. 1
†Reading C.B. ...	–	3	1		–	–
Boroughs and Urban Districts:—						
†Maidenhead ...	–	–	9		1	
†New Windsor ...	–	3	1	–		D. 1
Rural Districts:—						
Abingdon ...	–	–	–	–		L. 1
Easthampstead	–	1	1	–	1	–
Faringdon (part)	–	1	–	–	–	–
Newbury ...	–	–	–	–	1	–
Wantage ...	–		–	–	–	M. 1
Windsor	–	1	–	–	1	–
BUCKINGHAM...	–	3	9	–	5	–
Boroughs and Urban Districts:—						
†Chepping Wycombe		–	1	–	2	–
†Slough	–	1	1	–	–	
†Wolverton ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
Amersham ...	–	1	4	–	–	–
Aylesbury ...	–	–	2	–	–	–
Buckingham ...	–	–	–	–	1	–
Eton	–	–	1	–	–	–
Wycombe ...	–	1	–	–	–	–
CAMBRIDGE ...	–	4	13	–	–	M. 1
Borough:—						
†Cambridge ...	–	1	3	–	–	M. 1
Rural Districts:—						
Chesterton ...	–	2	7	–		–
Newmarket ...	–	1	3	–	–	–
CHESTER ...	–	42	49	1	87	C. 1 M. 1 N. 5
†Birkenhead C.B.	–		11		31	–
†Chester C.B. ...	–	1	–	–	3	–
†Stockport C.B. ...		3	6	–	3	C. 1 N. 3
†Wallasey C.B. ...	–	2	–		3	M. 1
Boroughs and Urban Districts:—						
†Altrincham ...			–		1	–
†Bebington and Bromborough	–	3	2	–	3	–
Bredbury and Romiley	–	–	–	–	1	–
†Cheadle and Gatley	–	–	–	–	1	–
†Crewe	–	–	1	–	–	–
†Dukinfield ...	–	3	–		7	–
†Ellesmere Port and Whitby		1	2		1	–
Hale	–	1	–	–	1	–
Hollingworth...	–	–	–		1	–
Hoole	–	4	1			–
†Hoylake and West Kirby	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HYDE	–	2	1	–	2	–
KNUTSFORD ...	–	2	–	–	1	–
LYMM	–	1	–	–	1	–
†MACCLESFIELD ...	–	1		–	2	–
NESTON AND PARKGATE	–	–	–	–	1	–
†NORTHWICH ..	–	1	1	–	1	–
†RUNCORN			2	–		–
†SALE	–	1	1	–	1	–
†STALYBRIDGE ...	–	–		–	1	–
†WINSFORD ...	–		–	–	8	–
Rural Districts:—						
BUCKLOW... ...	–	–	2	–	1	–
CHESTER	–	–	2	–	1	N. 1
CONGLETON ...	–	–	1	–		–
MALPAS	–		1	–	–	–
NANTWICH ...	–	5	1	–	1	–
NORTHWICH ...		2			–	–
RUNCORN		5	2	–	4	N. 1
TARVIN		1	2	–	4	–
WIRRAL	–	3	10	–	1	–
CORNWALL ...	–	14	12	1	5	L. 2
Boroughs and Urban Districts:—						
BODMIN	–	2	–	1	–	L. 2
†CAMBORNE ...	–	2	–	–	–	–
†FALMOUTH ...	–	–	2	–	–	–
FOWEY	–	–	1	–	–	–
LAUNCESTON ...	–	–	–	–	2	–
LUDGVAN... ...	–	1	–			–
REDRUTH ...	–		1	–		–
ST. AUSTELL ...	–	1	–	–	–	–
TORPOINT ...	–	1	–	–	1	–
†TRURO	–	3	2	–	–	–
Rural Districts:—						
BODMIN	–	–	1	–		
CAMELFORD ...	*	*	*	*	*	*
LISKEARD ...	–		2	–	1	–
CORNWALL—*cont.*						
Rural Districts—*cont.*						
REDRUTH ...	–	1	–	–	–	–
ST. GERMANS ...	–	1	–	–	1	–
TRURO	–	2	3	–	–	–
CUMBERLAND...	–	10	6	–	9	M. 1 N. 1
†CARLISLE C.B. ...	–	3	5	–	2	M. 1
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	2	–	–	–	–
MILLOM	–	–	–	–	2	–
PENRITH	–	2	–	–		–
†WHITEHAVEN ...	–	–	–	–	2	–
†WORKINGTON ...	–	2	–	–	–	–
Rural Districts:—						
PENRITH	–	–	–	–	1	–
WHITEHAVEN ...	–	1	–	–	–	N. 1
WIGTON	–	–	1	–	2	–
DERBY	4	30	14	–	43	C. 2 L. 1 M. 1 N. 5
†DERBY C.B. ...		5	7	–	3	N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	C. 1
ASHBOURNE ...	–		–	–	1	–
†BOLSOVER ...	–	–	–	–	2	–
BONSALL	–	–	–	–	–	N. 1
†BUXTON ...	–	2	–	–	2	–
†CHESTERFIELD ...	3	3	2	–	8	
†HEANOR	–		2	–	1	L. 1
†ILKESTON... ...	–	3	–	–	–	M. 1
†LONG EATON ...	–	5	–	–	–	–
NEW MILLS ...	–	–	1	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
North Darley...	–	–	–	–	3	–
†Ripley	–	–	–	–	2	–
†Swadlincote District	–	–	–	–	2	–
†The Matlocks...	–	1	–	–	–	C. 1
Wirksworth ...	–	–	–	–	–	N. 1
Rural Districts:—						
Bakewell ...	–	–	–	–	1	–
Blackwell ...	–	2	1	–	3	N. 2
Chapel en le Frith	–	1	–	–	–	–
Chesterfield ...	1	2	1	–	6	–
Clowne	–	–	–	–	2	–
Repton	–	3	–	–	–	–
Shardlow ...	–	2	–	–	3	–
Codnor Park and Shipley(parishes)	–	–	–	–	1	–
DEVON	–	27	31	–	28	N. 3
†Exeter C.B. ...	–	–	10	–	1	–
†Plymouth C.B.	–	16	8	–	18	N. 1
Boroughs and Urban Districts:—						
Ashburton	–	–	–	–	2	–
†Barnstaple ...	–	1	–	–	–	–
Bideford ...	–	–	5	–	–	–
Brixham... ...	–	–	–	–	2	–
Buckfastleigh	*	*	*	*	*	*
Budleigh Salterton	–	2	–	–	–	–
†Exmouth ...	–	–	1	–	–	–
Lynton	*	*	*	*	*	*
Northam ...	–	–	1	–	–	–
†Paignton ...	–	1	–	–	1	–
South Molton...	–	1	–	–	–	–
†Teignmouth ...	–	–	1	–	–	N. 1
Rural Districts:—						
Axminster ...	–	–	1	–	–	–
Crediton ...	–	–	2	–	–	–
DEVON—*cont.*						
Rural Districts—*cont.*						
Holsworthy (part)	–	–	–	–	1	–
Plympton St. Mary	–	4	–	–	2	–
St. Thomas ...	–	–	1	–	–	–
Tavistock ...	–	1	1	–	–	
Tiverton ...	–	1	–		1	–
Totnes	–		–	–	–	N. 1
DORSET	–	4	6	–	2	–
Boroughs and Urban Districts:—						
Dorchester ...	–	2	–	–	–	–
†Poole	–		4	–	1	
Sherborne ...	*	*	*	*	*	*
†Weymouth and Melcombe Regis	–	1	–	–	–	
Rural Districts:—						
Beaminster ...	–	–	–	–	1	–
Dorchester ...	–		1	–	–	–
Sherborne ...	–	1		–	–	–
Wimborne and Cranborne		–	1	–		–
DURHAM ...	–	67	31	–	151	C. 1 F. 1 G. 2 M. 6 N. 9
†Darlington C.B.	–	3	1	–	9	–
†Gateshead C.B.	–	11	1	–	7	C. 1 N. 1
†South Shields C.B.	–	1	–	–	33	N. 1
†Sunderland C.B.	–	3	6	–	44	G. 2 M. 1 N. 1
†West Hartlepool C.B.	–	4	1	–	6	M. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Acute Polio-encephalo-myelitis; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	4	1		–	M. 1
BENFIELDSIDE ...	–	–	–	–	3	–
BILLINGHAM ...	–	–	–	–	1	–
†BLAYDON	–	2	1	–	2	–
†BRANDON AND BYSHOTTLES	–	–	1	–	–	–
†CHESTER LE STREET	–	–	1	–	1	–
†CONSETT	–	1	1	–	–	–
†CROOK	–	1	1	–	–	M. 1
†FELLING	–	5	–	–	7	–
†HARTLEPOOL ...	–	1	–	–		–
†HEBBURN ...	–	7	–	–	6	N. 2
†HETTON	–	–	–	–	4	
†HOUGHTON LE SPRING	–	–	–	–	1	M. 1
†JARROW	–	1	1	–	7	N. 1
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR		1	–	–	–	
†SHILDON	*	*	*	*	*	*
†SPENNYMOOR ...	–	1	–	–	1	–
STANHOPE ...	–	–	–	–	1	–
†STANLEY	–	3	2	–	–	M. 1
†STOCKTON ON TEES	–	6	–	–	6	N. 1
†TANFIELD ...	–	–	1	–	–	
TOW LAW ...	–	–	–	–	–	F. 1
†WASHINGTON ...	–	2	–	–	–	–
†WHICKHAM ...	–	1	1	–	2	–
WILLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
AUCKLAND ...	–	1	3		–	–
CHESTER LE STREET	–	–	1		–	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	2	3	–	2	N. 1
HOUGHTON LE SPRING	–	–	1	–	3	–
LANCHESTER ...	–	1	1	–	1	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS	–	1	–	–	2	–
SUNDERLAND ...	–	–	1	–	2	–
ELY, ISLE OF ...	–	2	6	–	5	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
WHITTLESEY ...	–	1	4	–	3	–
†WISBECH	–	–	1	–	2	–
Rural Districts:—						
WISBECH... ...	–	–	1	–	–	–
ESSEX	61	82	81	3	88	C. 4 D. 1 G. 1 L. 1 M. 7 N. 4
†EAST HAM C.B....	4	3	4	–	4	C. 1
†SOUTHEND ON SEA C.B.	3	7	1	–	5	C. 2
†WEST HAM C.B.	44	13	13	–	15	M. 2 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	4	4	–	7	M. 1
BENFLEET ...	–	1	–	–	–	–
BRAINTREE ...	–	2	–	–		–
BRIGHTLINGSEA...			–	–	3	–
BUCKHURST HILL	–	–		–	1	–
CANVEY ISLAND	–	–	1	–	2	–
†CHELMSFORD ...	–	2	–	–	2	–
CHINGFORD ...	–	3	1	–	1	–
†COLCHESTER ...	–	1	2	1	2	–
DAGENHAM ...	4	6	6		2	M. 1
EPPING	–	–	–	1	1	–
†GRAYS THURROCK	–	–	4	–	–	–
†HARWICH ...	–	1	–		–	–
†HORNCHURCH ...	–	–	2	–	–	–
†ILFORD	–	3	11	–	4	D. 1 L. 1 M. 2
†LEYTON	–	2	11	1	2	M. 1
LOUGHTON ...	–	–	–	–	1	–
†ROMFORD... ...	–	1	4	–	–	–
TILBURY	–	2	1	–	1	–
†WALTHAMSTOW ...	5	18	13	–	17	C. 1 G. 1 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WANSTEAD ...	–	–	–	–	4	–
WITHAM	–	–	–	–	1	–
WIVENHOE ...	–	1	–	–	–	–
†WOODFORD ...			1	–	2	N. 1
Rural Districts:—						
BILLERICAY ...	–	3	1	–	4	–
BRAINTREE ...	–	3				–
CHELMSFORD ...	–	–	–	–	3	–
DUNMOW ...	–	1	–	–	1	–
HALSTEAD ...	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	3	–	–	–	–
ROCHFORD ...	1	–	–	–	–	–
ROMFORD... ...	–	1	–	–	1	–
TENDRING ...	–	1	1	–	1	N. 1
GLOUCESTER ...	–	25	48	1	23	C. 2 L. 1 M. 2 N. 5
†BRISTOL C.B. ...	–	12	34	–	9	C. 1 L. 1 M. 2 N. 2
†GLOUCESTER C.B.	–	4	2	–	3	N. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...		1	2	–	1	C. 1
†KINGSWOOD ...	–	–	1	–	–	–
†MANGOTSFIELD ...	–		1	–	–	–
NAILSWORTH ...	–	1	–	–	–	–
NEWNHAM ...	–				2	–
STROUD	–	1	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	1	–
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	1	–	–	–
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
GLOUCESTER ...	–	–	–	1	–	–
LYDNEY	–	–	–	–	2	–
NEWENT	–	–	–	–	2	–
PEBWORTH ...	–	–	–	–	–	N. 1
STOW ON THE WOLD (part)	–	–	1	–	–	–
STROUD	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	
WARMLEY ...		1	2	–	2	–
WEST DEAN ...	–	2	–	–	–	N. 1
WINCHCOMB (part)	–	1	2	–	–	–
HEREFORD ...	–	7	4	–	7	M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	2	–	2	–
LEOMINSTER ...	–	–	1	–	1	–
ROSS	–	2	–	–	1	–
Rural Districts:—						
HEREFORD ...	–	–	–	–	1	–
LEDBURY... ...	–	4	1	–	–	–
LEOMINSTER AND WIGMORE	–	1	–	–	–	M. 1
ROSS	–	–	–	–	2	–
HERTFORD ...	–	8	9	–	7	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BALDOCK	–	–	–	–	1	–
†BARNET	–	–	–	–	–	M. 1
BISHOP'S STORTFORD	–	–	1	–	–	N. 1 C. 1
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	†Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LETCHWORTH ...	–			–	1	–
RICKMANSWORTH	–	2	–	–	–	–
ROYSTON	–	–	–	–	1	–
†ST. ALBANS ...	–	–	–	–	1	–
TRING	–	1	–	–	–	–
†WATFORD ...	–	2	4	–	3	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	–	2	–	–	–
WATFORD... ...	–	1	1	–	–	–
HUNTINGDON ...	–	–	1	1	2	–
Boroughs and Urban Districts—						
HUNTINGDON ...	–	–	–	1	–	–
RAMSEY	–	–	–	–	1	–
ST. NEOTS ...	–	–	1	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
KENT	–	42	29	2	27	C. 2 M. 1 N. 4
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY	–	1	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY... ...	–	5	2	–	2	–
†CHATHAM ...	–	–	2	1	–	–
CHERITON ...	–	–	1	–	–	–
†CRAYFORD ...	–	–	–	–	–	M. 1
†DARTFORD ...	–	1	1	–	–	–
†DEAL	–	1		–	–	N. 1
†DOVER	–	–	1	–	1	N. 1
†ERITH	–	–	1	–	3	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	†Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FOLKESTONE ...	–	–	1	–	2	–
†GILLINGHAM ...	–	5	2	–	1	–
†GRAVESEND ...	–	4	1	–	–	–
†MAIDSTONE ...	–	–	3	–	–	–
†MARGATE ...	–	2	1	–	–	–
†NORTHFLEET ...	–	5	–	–	–	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	2	–	–	–
SANDWICH ...	*	*	*	*	*	*
SEVENOAKS ...	–	1	–	–	–	–
†SITTINGBOURNE AND MILTON	–	2	1	–	–	–
†TONBRIDGE ...	–	–	1	–	–	–
WALMER	*	*	*	*	*	*
WROTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BRIDGE	–	1	–	–	–	–
BROMLEY... ...	–	2	1	–	1	–
CRANBROOK ...	–	–	–	–	2	–
DARTFORD ...	–	1	2	–	–	C. 1
DOVER		–	–	–	–	N. 1
EAST ASHFORD ...	–	1	–	–		C. 1
EASTRY	–	1	3	–	1	–
FAVERSHAM ...	–	–	–	–	4	–
HOLLINGBOURNE	–	2	–	–	–	–
MAIDSTONE ...	–	–		–	2	–
MALLING	–	–	1	–	–	–
SEVENOAKS ...		–	–	1	–	–
TENTERDEN ...	–	–	1	–	–	–
TONBRIDGE ...	–	1	–	–	6	–
LANCASTER ...	–	254	176	1	488	C. 3 D. 5 E. 1 G. 3 M. 26 N. 20
†BARROW IN FURNESS C.B.	–	–	1	–	1	–
†BLACKBURN C.B.	–	1	1	–	9	–
†BLACKPOOL C.B.	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Bolton C.B. ...	–	5	–	–	5	–
†Bootle C.B. ...	–	1	7	–	11	N. 1
†Burnley C.B. ...	–	4	2	–	13	
†Bury C.B. ...	–	3	–	–	4	G. 1
†Liverpool C.B....	–	30	75	1	175	C. 2
						D. 4
						M. 17
						N. 6
†Manchester C.B.	–	77	14	–	55	C. 1
						E. 1
						M. 3
						N. 4
†Oldham C.B. ...	–	4	–	–	2	–
†Preston C.B. ...	–	6	5	–	11	D. 1
						N. 1
†Rochdale C.B....	–	10	4	–	3	–
†St. Helens C.B.	–	2	–		7	N. 1
†Salford C.B. ...	–	10	11	–	25	N. 1
†Southport C.B.	–	4	4	–	13	
†Warrington C.B.	–	21	1	–	10	M. 1
†Wigan C.B. ...	–	7	3		9	
Boroughs and Urban Districts:—						
†Accrington ...	–	3		–	2	–
Adlington ...	–	–	2	–	–	–
†Ashton in Makerfield		–	–	–	4	–
†Ashton-under-Lyne	–	3	1		5	–
Aspull	–	–		–	3	–
†Atherton ...	–	–	–		2	N. 1
Audenshaw ...	–	1	–	–	–	–
†Bacup ...	–	2	–	–	1	M. 1
Briefield ...	–	–		–	1	
†Chadderton ...	–	1	–	–	4	–
†Chorley	–	1	1	–	4	–
Church	–	–	3	–	1	–
†Clitheroe ...	–	–	–	–	–	G. 1
†Crompton ...	–	1	–	–	1	–
†Darwen	–	6	3	–	–	
†Denton	–	1	2	–	1	–
†Droylsden ...	–	1	4	–	3	G. 1
						N. 1
†Eccles	–	–	1	–	5	M. 1
†Failsworth ...	–	1	–	–	–	–
†Farnworth ...	–	2	–	–	5	M. 1
†Fleetwood ...	–	1	–	–	–	–
Fulwood ...	–	–	–	–	–	N. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Golborne ...	–	–	–	–	2	–
†Great Crosby ...	–	–	–	–	1	–
†Haslingden ...	–	–		–	1	–
†Haydock... ...	–	–	–	–	4	–
†Heywood ...	–	–	1	–		–
†Hindley... ...	–	–	–		8	–
†Horwich... ...	–	1	–	–	1	–
†Ince in Makerfield		1	–	–	5	–
†Lancaster ...	–	1	–	–	–	–
Lathom and Burscough	–	3	–		–	–
†Leigh	–	1	1		5	–
Leyland... ...	–	–	1	–	–	–
†Litherland ...	–	–	2	–	–	M. 1
†Littleborough	–	1	–	–	–	–
†Lytham St. Anne's	–	–	–	–	1	–
†Middleton ...	–	3	–	–	7	–
Milnrow... ...	–	–	1	–	–	–
†Morecambe and Heysham	–	–	–	–	1	–
†Nelson	–	1	1		1	–
†Newton in Makerfield	–	1	–	–	4	N. 1
Orrell		1	–	–	–	–
†Padiham... ...		–	–	–	1	–
Prescot	–	4	–	–	–	–
†Prestwich ...	*	*	*	*	*	*
†Radcliffe ...	–	1	2	–		–
†Ramsbottom ...	–	–	1	–	–	M. 1
†Rawtenstall ...	–	1	1	–	1	–
†Royton	–	1	–		3	–
Skelmersdale ...	–	–	1	–	–	–
†Stretford ...	–	5	–	–	4	–
†Swinton and Pendlebury	–	–	1	–	9	–
Thornton Cleveleys	–	1	–	–	–	–
†Turton	–	–	–	–	1	–
†Tyldesley with Shakerley	–	–	–	–	2	–
†Ulverston ...	–	–	1	–	–	–
Upholland ...	–	–	–	–	1	–
Urmston... ...	–	–	3	–	–	–
Wardle... ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†Waterloo with Seaforth	–	1	8	–	1	–
†Westhoughton	–	–	–	–	2	–
Whitefield ...	–	1	–	–	2	–
†Widnes	–	6	–	–	16	–
†Worsley... ...	–	1	–	–	–	N. 1
Rural Districts:—						
Burnley ...	–	1	–	–	–	–
Clitheroe ...	–	–	–	–	1	N. 1
Garstang ...	–	6	–	–	–	–
Limehurst ...	–	1	1	–	1	–
Preston	–	–	2	–	1	–
Warrington ...	–	–	1	–	1	–
West Lancashire	–	–	1	–	3	–
Whiston... ...	–	1	–	–	–	–
Wigan	–	–	–	–	1	–
LEICESTER ...	151	33	16	–	18	D. 1 G. 1 N. 1
†Leicester C.B....	99	13	11	–	4	N. 1
Boroughs and Urban Districts:—						
Ashby Woulds...	–	–	–	–	1	–
†Coalville ...	–	–	2	–	–	–
†Hinckley ...	–	1	–	–	1	–
†Loughborough	8	9	–	–	–	–
Market Harborough	–	3	–	–	–	–
Melton Mowbray	–	–	–	–	6	–
Oadby	–	1	–	–	–	–
Quorndon ...	–	–	–	–	1	–
Shepshed ...	3	–	–	–	–	–
Wigston Magna	1	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts:—						
Ashby de la Zouch	–	–	–	–	–	G. 1
Barrow upon Soar	–	–	1	–	–	–
Billesdon ...	5	–	–	–	–	–
Blaby	2	1	–	–	–	–
Hinckley ...	4	–	1	–	1	–
Loughborough	7	–	–	–	–	–
Market Bosworth	22	1	–	–	1	D. 1
Market Harborough	–			–	1	–
Melton Mowbray	–	2	–	–	2	–
LINCOLN (parts of Holland).	–	6	–	1	2	G. 1
Boroughs and Urban Districts:—						
†Boston	–	1		1	2	G. 1
Sutton Bridge	*	*	*	*	*	*
Rural Districts:—						
Boston		5	–	–	–	–
Spalding ...	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	–	5	3	–	1	C. 1 D. 1 N. 1
Boroughs and Urban Districts:—						
Bourne	–	1	–	–	–	–
†Grantham ...	–	–	2	–		C. 1
Sleaford ...	–	1	–	–		N. 1
Rural Districts —						
Grantham ...	–	2	1	–	–	–
Sleaford ...	–	1	–	–	1	D. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ,

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LINCOLN (parts of Lindsey).	3	15	6	–	18	F. 1 M. 2 N. 2
†GRIMSBY C.B. ...	–	4	2	–	1	F. 1 N. 2
†LINCOLN C.B. ...	–	4	3	–	2	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	2	–	–	–	–
†CLEETHORPES ...	–	1	–	–	2	–
†GAINSBOROUGH ...	–	1	–	–	2	M. 2
HORNCASTLE ...	–	–	–	–	1	–
LOUTH	–	1	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	7	–
Rural Districts:—						
CAISTOR	3	–	–	–	1	–
GAINSBOROUGH ...	–	–	–	–	1	–
GRIMSBY		1	–	–	–	–
SPILSBY	–	1	–	–	–	–
MIDDLESEX ...	1	73	57	1	106	C. 2 G. 1 M. 3 N. 3
Boroughs and Urban Districts:—						
†ACTON	1	2	5	–	1	N. 1
†BRENTFORD AND CHISWICK	–	1		–	3	–
†EALING	–	3	4	–	2	
†EDMONTON ...	–	6	3	–	3	–
†ENFIELD	–	3	6	–	5	–
†FELTHAM... ...	–	–	3	–	–	–
†FINCHLEY ...	–	2	1	–	3	G. 1
†FRIERN BARNET...	–	–	1	–	2	–
†HAMPTON ...	–	–	1	–	–	–
†HARROW ON THE HILL	–	1	1	–	–	–
HAYES AND HARLINGTON	–	2	–	–	1	–
†HENDON	–	7	7	–	7	–
†HESTON AND ISLEWORTH	–	6	1	–	7	–
†HORNSEY	–	8	4	–	5	–
KINGSBURY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MIDDLESEX— *cont.*						
Boroughs and Urban Districts— *cont.*						
RUISLIP NORTHWOOD	–	–	–	–	1	–
†SOUTHALL NORWOOD	–	1	1	–	8	–
†SOUTHGATE ...	–	1	1	–	3	–
†STAINES	–	–	–	–	–	M. 1
†TEDDINGTON ...	–	2	–	–	–	–
†TOTTENHAM ...	–	5	3	1	14	M. 1
†TWICKENHAM ...	–	–	6	–	3	–
†UXBRIDGE ...	–	2	–	–	3	C. 1 N. 1
†WEALDSTONE ...	–	2	–		4	N. 1
†WEMBLEY ...	–	2	1	–	7	–
†WILLESDEN ...	–	11	6	–	22	C. 1 M. 1
†WOOD GREEN ...		1	–	–	1	–
†YIEWSLEY AND WEST DRAYTON	–	2	–	–	–	–
Rural Districts:—						
HENDON	–	2	2	–	1	–
NORFOLK ...	–	10	15	2	10	N. 4
†GREAT YARMOUTH C.B.	–	–	8	–	6	–
†NORWICH C.B. ...	–	1	4	–	–	N. 4
Boroughs and Urban Districts:—						
CROMER	–	2	–	–	1	–
NEW HUNSTANTON	–	–	1	–	–	–
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
AYLSHAM... ...	–	–	–	2	–	–
BLOFIELD ...	–		1	–	–	–
DEPWADE ...	–	3	–	–	–	–
DOWNHAM ...	–	1	–	–	–	–
EAST AND WEST FLEGG	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J. Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
FREEBRIDGE LYNN	–	2	–	–	–	–
MARSHLAND ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	1	
WALSINGHAM ...	–	–	–	–	1	–
WAYLAND ...	–		–	–	1	–
NORTHAMPTON	–	10	15	–	9	N. 1
†NORTHAMPTON C.B.	–	3	3	–	6	N. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	1	–	–	–
DESBOROUGH ...	–	3	1	–	–	–
FINEDON	–	–	1	–	1	–
†KETTERING ...	–	1	3	–	–	–
†RUSHDEN... ...	–	2	1	–	1	–
†WELLINGBOROUGH	–	–	–	–	1	–
Rural Districts:—						
KETTERING ...	–	1	–	–	–	–
MIDDLETON CHENEY	–	–	1	–	–	–
OXENDON... ...	–	–	2	–	–	–
THRAPSTON (part)	–	–	2	–	–	–
NORTHUMBERLAND.	–	28	4	–	70	C. 2 D. 1 L. 1 M. 2 N. 8
†NEWCASTLE UPON TYNE C.B.	–	20	2	–	44	C. 2 D. 1 M. 2 N. 7
†TYNEMOUTH C.B.	–	1	–	–	8	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†BEDLINGTONSHIRE	–	–	–	–	2	–
†BLYTH	–	1	–	–	2	–
†EARSDON	–	1		–	–	–
HEXHAM	–	–	–	–	–	L. 1
†LONGBENTON ...	–	–	–	–	1	–
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE... ...	*	*	*	*	*	*
SEATON DELAVAL	–	–	–	–	3	–
†WALLSEND ...	–	1	1		7	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	N. 1
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	–	–
HALTWHISTLE ...	–	–	–	–	1	
NORHAM AND ISLANDSHIRES	–	2	–	–	–	–
ROTHBURY ...	–		1		–	–
NOTTINGHAM ...	–	40	27	1	39	C. 1 M. 1 N. 1
†NOTTINGHAM C.B.	–	11	9	1	19	–
Boroughs and Urban Districts:—						
†ARNOLD	–	2	–	–	2	–
†BEESTON	–	–	2	–	–	–
†CARLTON		2	1	–	1	–
†EAST RETFORD ...	–	–	1	–	–	–
†HUCKNALL ...	–	1	1	–	3	M. 1
†KIRKBY IN ASHFIELD	–	3	1	–	2	–
†MANSFIELD ...	–	3	1	–	2	–
†SUTTON IN ASHFIELD	–	2	3	–	1	–
WARSOP	–	1	–	–	1	–
†WEST BRIDGFORD	–	–	1	–	–	–
†WORKSOP... ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD		10	5	–	6	C. 1
BINGHAM... ...	–	1	–	–	1	–
LEAKE	–	1		–		–
SOUTHWELL ...	–	1	–	–		N. 1
STAPLEFORD ...	–	1	1	–	–	–
OXFORD	–	8	8	–	1	M. 3 N. 1
†OXFORD C.B. ...	–	3	2	–	–	M. 3 N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	1	–	–	–
WOODSTOCK ...	–	–	1	–	–	–
Rural Districts:—						
BANBURY... ...	–	1	–	–	–	–
BICESTER... ...	–	1		–	–	–
CHIPPING NORTON	–	–	3	–	–	–
GORING	–	–	–	–	1	–
HENLEY	–	1	–	–		–
WITNEY	–	1	1	–	–	–
PETERBOROUGH (Soke of).	–	4	2	–	1	–
Borough:—						
†PETERBOROUGH...	–	4	2	–	1	–
RUTLAND ...	–	–	–	–	2	–
Rural Districts—						
OAKHAM	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SALOP	–	9	14	–	2	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...		2	–	–		–
DAWLEY	–	–	4	–	–	–
LUDLOW	–	–	4	–	–	–
†OAKENGATES ...		4	2	–	–	–
OSWESTRY ...	–	–	1	–		–
†SHREWSBURY ...		2	–	–	–	–
Rural Districts:—						
CHURCH STRETTON			1	–		–
DRAYTON		1	1	–		–
ELLESMERE ...	–	–		–	1	–
WELLINGTON ...	–	–	1	–	–	–
WEM	–	–		–	1	–
SOMERSET ...	–	13	18	1	15	C. 1 G. 1 N. 3
†BATH C.B. ...	–	3	4	–	–	G. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	2	–	–	–	–
BURNHAM ON SEA	–	–	–	–	1	–
†FROME	–	–	1		–	C. 1
MIDSOMER NORTON	–	3	–	–	–	–
RADSTOCK ...	–	1	–	–	–	–
†TAUNTON... ...	–	–	–	–	1	N. 1
WELLS	–	–	–	–	2	–
†WESTON SUPER MARE	–	–	2	–	1	–
†YEOVIL		–	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	3	–
BATH	–	–	5	–	–	–
BRIDGWATER ...	–	–	–	–	1	–
CHARD		1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
CLUTTON	-	-	1	-	2	N. 1
FROME	-	-	-	-	2	-
KEYNSHAM ...	-	-	-		-	N. 1
SHEPTON MALLET		-	-	1	1	-
TAUNTON ...	-	-			1	-
WELLINGTON ...		-	1	-	-	-
WILLITON ...	-		2	-	-	-
WINCANTON ...	-	3	-	-	-	-
YEOVIL	-	-	1	-	-	-
SOUTHAMPTON	-	32	32	3	23	C. 4 G. 1 M. 2 N. 4
†BOURNEMOUTH C.B.	-	6	2	1	-	-
†PORTSMOUTH C.B.	-	12	14	1	2	C. 1 M. 1 N. 1
†SOUTHAMPTON C.B.	-	3	4	-	5	-
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	1	1	-	-	-
ALTON	-	-	-	-	1	-
†FAREHAM ...	-	-	3	-	-	-
†GOSPORT	-	1	-	-		-
LYMINGTON ...	-	1	1	-	1	-
†WINCHESTER ...	-	-	-	1	8	M. 1 N. 1
Rural Districts:—						
ALTON	-	-	-	-	2	G. 1
CATHERINGTON ...	-	1	-	-	-	-
DROXFORD ...	-	1	-	-	1	-
FAREHAM ...			2	-	-	C. 3 N. 1
HAVANT	-	1		-		
KINGSCLERE ...	-	1	-	-	-	-
NEW FOREST ...	-	1	5		-	-
PETERSFIELD ...	-		-		1	-
RINGWOOD ...		1		-	-	-
SOUTH STONEHAM		1	-	-		-
STOCKBRIDGE ...	-	-	-	-	-	N. 1
WHITCHURCH ...	-	-	-	-	2	-
WINCHESTER ...	-	1	-	-	-	-
STAFFORD ...	-	29	63	-	72	E. 1 G. 1 L. 1 M. 4 N. 3
†BURTON UPON TRENT C.B.	-	2	3	-	4	-
†SMETHWICK C.B.	-	4	20	-	2	N. 1
†STOKE ON TRENT C.B.	-	4	5	-	14	E. 1 G. 1 M. 1 N. 1
†WALSALL C.B. ...	-	1	4	-	9	-
†WEST BROMWICH C.B.	-	4	1	-	6	M. 1
†WOLVERHAMPTON C.B.	-	3	9	-	3	L. 1 M. 1
Boroughs and Urban Districts:—						
BIDDULPH ...	-	-	-	-	3	-
†BILSTON	-	-	2	-	3	-
†BROWNHILLS ...	-	-	-	-	1	-
†CANNOCK	-	-	-	-	1	-
†COSELEY		-	1	-	1	-
†DARLASTON ...	-	-	-	-	2	-
KIDSGROVE ...	-	-	4	-	3	-
†LEEK	-		-	-	-	N. 1
LICHFIELD ...	-	-	1	-	-	-
†NEWCASTLE UNDER LYME		-	2	-	-	-
QUARRY BANK ...	-	-		-	1	-
†ROWLEY REGIS ...	-	2	1	-	4	-
RUGELEY... . .	-	-	1	-	-	-
†SEDGLEY	-	1		-	2	-
†STAFFORD ...	-	-	-	-	2	-
STONE	-	1	-	-		-
†TIPTON	-	1	-	-	6	-
UTTOXETER ...	-	1		-	-	-
†WEDNESBURY ..	-		-	-	2	-
†WILLENHALL ...	-	1	1	-	-	-
†WOLSTANTON UNITED	-	-	1	-	-	-
Rural Districts:—						
CANNOCK	-	-	-	-	1	-
CHEADLE... ...	-	1	-	-	2	-
KINGSWINFORD ...	-	-	1	-	-	-
LICHFIELD ...	-	1	5	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
Newcastle under Lyme	–	–	–	–	–	M. 1
Seisdon	–	1	–	–	–	–
Uttoxeter ...	–	1	–		–	–
Walsall	–	–	1	–	–	–
SUFFOLK, EAST	–	22	8	–	4	M. 1
†Ipswich C.B. ...	–	16	3	–	2	M. 1
Boroughs and Urban Districts:—						
†Lowestoft ...	–	–	4		1	–
Stowmarket ...	–	1	–	–	1	–
Rural Districts:—						
Bosmere and Claydon	–	1	–	–	–	–
East Stow ...	–	1	–	–	–	–
Plomesgate ...	–	1	–	–	–	–
Samford	–	2	–	–	–	–
Woodbridge ...	–	–	1	–		–
SUFFOLK, WEST	–	2	1		1	–
Boroughs and Urban Districts:—						
†Bury St. Edmunds	–	2	–	–	–	–
Glemsford ...	–		–		1	–
Newmarket ...	*	*	*	*	*	*
Rural Districts:—						
Cosford	–	–	1	–	–	–
SURREY	1	43	37	–	40	N. 3
†Croydon C.B. ...	–	10	11	–	7	N. 1
Boroughs and Urban Districts:—						
†Barnes	–	2	–	–	1	–
†Beddington and Wallington	–	1	–	–	–	–
†Carshalton ...	–	1	4	–	–	–
†Caterham and Warlingham	–	–	–	–	1	–
†Chertsey ...	–	–	1	–		–
†Coulsdon and Purley	–	–	1	–	2	–
East and West Molesey	–	–			5	–
†Egham		–	1	–	–	–
†Epsom	–	–	–	–	2	–
†Esher and the Dittons	–	–	1		–	–
†Farnham ...	–	1	–	–	–	
†Godalming ...	–	–	2	–	–	–
†Guildford ...	–	1	–		1	
†Kingston on Thames		2	2		–	–
†Merton and Morden	–	2	–	–	1	
†Mitcham	1	3	4		1	–
†Reigate	–	1	2	–	1	–
†Richmond ...	–	–	3	–	2	
†Surbiton ...	–	1	–	–	3	–
†Sutton and Cheam	–	4	1	–	2	
†The Maldens and Coombe	–	–	–	–	5	N. 1
†Walton upon Thames	–	2	–	–	5	
†Wimbledon ...	–	2	–	–	–	–
†Woking	–	–	2	–	–	N. 1
Rural Districts:—						
Chertsey ...	–	1		–	–	–
Dorking	–	1	–	–	–	–
Epsom	–	3	1	–	1	–
Farnham ...	–	–	1		–	
Hambledon ...	–	2	–	–		–
Reigate	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum: N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST...	–	10	16	–	13	D. 1
†BRIGHTON C.B.	–	1	5	–	3	D. 1
†EASTBOURNE C.B.	–	–	1	–	3	
†HASTINGS C.B. ...	–	1	1	–	4	–
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	–	–
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE		1		–	–	–
NEWHAVEN ...	–	–	5	–	–	–
PORTSLADE BY SEA		–	1	–	–	–
SEAFORD		–	2	–		–
UCKFIELD ...		1		–	–	–
Rural Districts:—						
HAILSHAM ...	–	–	–	–	1	–
NEWHAVEN ...	–	1	1		2	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	1	–		–	–
SUSSEX, WEST...	–	3	–	–	1	C. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	–	–	–	1	C. 1
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
EAST PRESTON ...		2	–	–	–	–
WARWICK ...		66	90	2	147	C. 3 M. 16 N. 6
†BIRMINGHAM C.B	–	52	54	1	112	C. 1 M. 16 N. 5
†COVENTRY C.B. ...	–	3	13	–	6	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†BEDWORTH ...		–	1	–	1	–
BULKINGTON ...	–	–	1	–		–
KENILWORTH ...	–	–	1	–		–
†NUNEATON ...	–	–	3		3	–
†ROYAL LEAMINGTON SPA	–	3	–	–	2	–
†RUGBY	–	2	–	–	1	–
†SUTTON COLDFIELD	–	1	2		4	–
†WARWICK ...	–	–	–	1	–	C. 1 N. 1
Rural Districts:—						
ALCESTER ...	–	1	1	–	7	–
ATHERSTONE ...	–	–	7	–	2	–
FOLESHILL ...	–	–			4	–
MERIDEN... ...		1	2	–	–	–
NUNEATON ...		1	1	–	1	–
RUGBY	–	–	1	–	1	–
SOLIHULL ...		1	–		1	C. 1
SOUTHAM... ...		–	–		1	–
STRATFORD ON AVON	–	1		–	1	–
TAMWORTH (part)	–	–	3		–	–
WESTMORLAND	–	3	3	–	2	–
Boroughs and Urban Districts:—						
APPLEBY	–	–		–	1	–
†KENDAL		–	1	–	–	–
WINDERMERE ...	–		1	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	1	–
SOUTH WESTMORLAND	–	2	1		–	–
WIGHT, ISLE OF	–	–	–	–	1	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	10	16	–	10	C. 1 D. 1 N. 3
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MELKSHAM ...	–	–	–	–	1	–
†SALISBURY ...	–	3	–	–	–	N. 2
†SWINDON	–	2	8	–	8	D. 1
†TROWBRIDGE ...	–	3	1	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	–	–	–	–	N. 1
DEVIZES	–	–	3	–	–	–
HIGHWORTH ...	–	–	–	–	1	–
PEWSEY	–	–	–	–	–	C. 1
SALISBURY ...	–	1	1	–	–	–
WESTBURY AND WHORWELLSDOWN	–		1	–		–
WILTON	–	–	2	–		–
WORCESTER ...	–	20	2	1	17	C. 1 M. 1 N. 3
†DUDLEY C.B. ...	–	3	–		–	C. 1
†WORCESTER C.B.	–	3	1	–	8	N. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	–	–	3	–
†KIDDERMINSTER	–	2	1	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†MALVERN ...	–	–	–	–	1	–
†OLDBURY	–	5	–	–	1	–
†REDDITCH ...	–	–		–	1	–
†STOURBRIDGE ...	–	3	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	1	–
EVESHAM	–		–		1	–
KIDDERMINSTER		1	–	–	–	–
PERSHORE ...	–	–	–	–		N. 1
UPTON ON SEVERN	–	1	–	1	–	N. 1
YORKS ... ... (East Riding).	–	11	21	–	31	C. 1
†KINGSTON UPON HULL C.B.	–	9	17	–	27	–
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	1	–	–	–
FILEY	–		1		–	C. 1
GREAT DRIFFIELD	–	1	–	–		–
HEDON	–	–	–	–	1	–
Rural Districts:—						
BEVERLEY ...	–	–	2	–	–	
DRIFFIELD ...	–		–	–	2	–
HOWDEN		1		–		
NORTON	*	*	*	*	*	*
SKIRLAUGH ...		–	–	–	1	
YORKS ... ... (North Riding).		27	6	–	24	D. 1 M. 2
†MIDDLESBROUGH C.B.	–	13	2	–	8	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	1	–
LOFTUS		1	–		1	M. 1
MALTON	*	*	*	*	*	*
†SCARBOROUGH ...		1	2	–	2	D. 1
†SKELTON AND BROTTON	–	3	1	–	–	–
†THORNABY ON TEES		1	1	–	5	–
†WHITBY	–	4	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	2	–
HELMSLEY ...	–	–	–	–	1	–
KIRKBY MOORSIDE	–	–		–	1	–
MALTON	*	*	*	*	*	*
PICKERING ...	–	–	–	–	1	–
RICHMOND ...	–	–	–		1	–
STOKESLEY ...		1	–			–
WATH	–	–	–	–	1	–
WHITBY	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	10	173	109	2	266	C. 9 D. 10 E. 2 G. 1 M. 6 N. 10
†Barnsley C.B. ...	-	4	2	-	4	D. 1
†Bradford C.B. ...	-	21	6	-	44	C. 1 M. 1
†Dewsbury C.B....	-	2	4		-	-
†Doncaster C.B....	-	5	1	-	2	D. 1
†Halifax C.B. ...	-	1	2		-	M. 1
†Huddersfield C.B.	-	1	-	-	6	-
†Leeds C.B. ...	-	31	25	-	30	C. 7 M. 1 N. 2
†Rotherham C.B.	-	-	2	-	10	
†Sheffield C.B....	1	20	12		96	-
†Wakefield C.B.		3	-		1	N. 1
Boroughs and Urban Districts:—						
†Adwick le Street	-	-	2	-	1	D. 1
Altofts	-	-	-	-	1	-
Ardsley, East and West	-	1	-	-		-
†Batley	-	1			-	-
†Bingley	-	1	2		5	-
Birkenshaw ..		1	-			-
†Bolton upon Dearne	-	1		-	-	-
Burley in Wharfedale	-	-	-	-	1	-
†Castleford ...	-	-	-	-	1	N. 1
†Conisbrough ...	-	-	2	1		-
Cudworth ...	-	2	1		-	
Darfield ...	-	-	5	-		D. 1
†Darton	-	1	-		-	-
Earby	-	1	-			-
†Elland	1	-	-	-	-	-
Gildersome ...		-	1	-	-	-
†Golcar	-	-	1	-	-	-
Greetland ...	-	-	2	-	-	-
†Harrogate ...	-	14	1	1	5	G. 1
†Hemsworth ...	-	1	1	-		-
Hipperholme ...	-	-	-		1	-
Horbury... ...	-	-	-		1	-
†Hoyland Nether	-	1		-	5	-
†Keighley ...	-	-	-	-	2	-
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Maltby	-	-	-	-	-	D. 2
Methley ...		1	-	-		-
†Mexborough ...	-	1	1	-	-	-
†Morley	-	2	1	-	1	N. 1
†Normanton ...	-	2	1	-	4	-
†Ossett	-	7	1	-		-
†Pontefract ...	-	2	-	-	1	C. 1
†Pudsey	-	-	1	-	2	-
Queensbury ...	7		-	-	-	-
Rawdon	-	1	-	-	-	-
†Rawmarsh ...	-	-	-	-	4	N. 1
†Rothwell ...	-	2	1	-	6	-
Royston	-	1	-	-		-
†Saddleworth ...	-	1	-	-	-	-
Shelf	-	-	1	-	-	-
Shepley	-		-	-	1	-
†Shipley	-	1	-	-	-	-
†Skipton	-	-	-	-	1	-
Slaithwaite ...	-	-	-	-	1	-
†Spenborough ...	-	-	1	-	6	E. 1 N. 1
†Stanley	-	5	-	-	-	-
Stocksbridge ...	-	1	-	-		
†Swinton	-		-	-	1	N. 1
Thurnscoe ...	-	4	-		-	D. 1
†Todmorden ...	-	1	-	-	1	-
†Wath upon Dearne	-	1	-	-	2	-
†Wombwell ...	-		2	-	1	-
†Worsborough ...	-	2	1	-	-	-
Yeadon	-	-	1	-	-	-
Rural Districts:—						
Barnsley ...			-	-	1	D. 1
Doncaster ...	-	1	-		1	D. 1 M. 1
Goole	-	-	2	-	-	-
Great Ouseburn	-	-	-	-	1	-
Hemsworth ...	-	3	-	-	3	E. 1 N. 1
Kiveton Park ...	1	-	1	-	1	-
Knaresborough	-	1	-		-	-
Pateley Bridge	-	1	-	-	-	-
Pontefract ...	-	3			3	-
Rotherham ...	-	3	8	-	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
SETTLE	–		7	–		–
SKIPTON	–	1	6	–	–	
TADCASTER ...	–	3	1	–	–	M. 1
THORNE		–	–	–	2	D. 1
WAKEFIELD ...	–	3	–		–	N. 1
WETHERBY ...	–	3	–	–	–	–
WHARFEDALE (SOUTH)	–	1		–	3	–
WORTLEY... ...	–	2	–	–	1	–
YORK, CITY OF ..		1	–	–		–
†YORK C.B. ...	–	1	–	–	–	–
WALES.						
ANGLESEY ...	–	–	–	–	–	–
Rural Districts:—						
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
YSTRADGYNLAIS	–	–	1	–	–	–
CAERNARVON...	–	–	6	–	4	D. 1
Boroughs and Urban Districts:—						
CONWAY	–	–	–	–	1	–
†LLANDUDNO ...	–	–	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON—*cont.*						
Rural Districts:—						
CONWAY	–		–	–	1	–
GWYRFAI... ...	–	–	1	–	–	–
LLEYN	–	–	4	–	–	–
OGWEN	–		–	–	–	D. 1
CARDIGAN ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1		–	–	–
Rural Districts:—						
LLANDYSSIL ...	*	*	*	*	*	*
CARMARTHEN...	–	5	8	–	4	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	2	–		–	–
BURRY PORT ...	–		3	–	–	–
KIDWELLY ...	–	–	–	–	1	–
†LLANELLY ...	–	1	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	2	–	–	–	–
LLANDILO FAWR	–		1		1	–
LLANELLY ...	–	–	3	–	1	–
LLANYBYTHER ...	–		–	–	1	–
WHITLAND ...	*	*	*	*	*	*
DENBIGH ...	–	15	19	–	7	N. 1
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	3	–	–	–
RUTHIN	–	2	1	–	–	–
†WREXHAM ...	–	1	3	–	5	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts:—						
LLANGOLLEN ...	–	–	1	–	–	–
LLANRWST ...		1	–		–	–
RUTHIN	–	3	3	–	–	–
WREXHAM ...	–	8	8	–	2	N. 1
FLINT	–	–	2	–	3	–
Boroughs and Urban Districts:—						
MOLD	*	*	*	*	*	*
PRESTATYN ...	*	*	*	*	*	*
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL ...	–	–	1	–	3	–
GLAMORGAN ...	22	65	83	1	53	C. 3 E. 1 J. 1 N. 4
†CARDIFF C.B. ...	–	13	17	–	6	C. 1 N. 2
†MERTHYR TYDFIL C.B.	–	–	4	–	1	C. 1
†SWANSEA C.B. ...	–	4	17	–	–	
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	2	–	4	–
†BARRY	–	1	1	–	3	
†CAERPHILLY ...	–	2	–	–	–	–
†GELLIGAER ...	1	2	1	1	7	–
†LLWCHWR ...	–		3		–	N. 1
†MAESTEG	–	1	5		1	–
†MOUNTAIN ASH...	19	2	13		1	
†NEATH	–	–	3	–	–	–
†OGMORE AND GARW	–	6	4	–	6	
†PENARTH	–	3	–	–	1	–
†PONTYPRIDD ...	–	3	1	–	4	–
PORTHCAWL ...	–	–			1	E. 1
†PORT TALBOT ...	–	–	5			–
†RHONDDA ...	–	12	4		17	C. 1 N. 1
GLAMORGAN—*cont.*						
Rural Districts:—						
CARDIFF	–	2	1	–	1	–
COWBRIDGE ...	*	*	*	*	*	*
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT-FARDRE	–	1	1	–	–	J. 1
NEATH	–	10	–	–	–	–
PONTARDAWE ...	2	–	1	–	–	–
MERIONETH ...	–	–	3	–	–	–
Urban District:—						
FFESTINIOG ...	–	–	3	–	–	–
MONMOUTH ...		28	15	–	10	N. 1
†NEWPORT C.B. ...	–	11	4	–	3	N. 1
Boroughs and Urban Districts:—						
ABERGAVENNY ...	*	*	*	*	*	*
†ABERSYCHAN ...	–	1	2	–	–	–
†ABERTILLERY ...	–	6	1	–	–	–
BEDWAS AND MACHEN	–	–	–	–	2	–
†BEDWELLTY ...	–	3	–	–	1	–
†EBBW VALE ...	–	3	3	–	1	–
†PANTEG	–	1	–	–	–	–
†RHYMNEY ...	–	1	2	–	–	–
†TREDEGAR ...	–	–	3	–	3	–
Rural Districts:—						
CHEPSTOW ...	–	1	–	–	–	–
MAGOR	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY..	–		–	–	–	N. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–		N. 1
LLANIDLOES ...	*	*	*	*	*	*
PEMBROKE ...	–	–	6	–	5	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
PEMBROKE— *cont.*						
Rural Districts:—						
HAVERFORDWEST	–		3		1	–
LLANFYRNACH ...	–	–	1	–	–	
NARBERTH ...		–	–	–	1	–
PEMBROKE ...	–	–	–		1	
Total of Part II....	253	1455	1276	25	2024	C. 46 D. 24 E. 5 F. 2 G. 13 J. 1 L. 8 M. 92 N.121

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON	–	–	1	–	–	–
PLYMOUTH	–	–	–	1	1	–
SANDWICH	*	*	*	*	*	*

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WISBECH	*	*	*	*	*	*
PORT OF LONDON ...	–	–	–	–	1	–
Total of Part III. ..	–		1	1	2	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever, E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡)
Total of Part I.—London	33	222	243	2	303	C. D. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	253	1455	1276	25	2024	C. D. E. F. G. J. L. M. N.
Total of Part III.—Port Sanitary Districts	–	–	1	1	2	
Total (i.e., of returns received), England and Wales ...	286	1677	1520	28	2329	C. D. E. F. G. J. L. M. N.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the REGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

Week ended :—	Nov. 8.	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24	Jan. 31	Totals from 1st Week of year. *	
														1930.	1931.
ON :—															
BIRTHS	1,354	1,369	1,176	1,274	1,390	1,255	1,341	821	1,589	1,438	1,421	1,422	1,383	5,731	5,664
IRTHS	43	55	53	59	43	51	39	21	50	61	50	39	41	181	191
IS (excluding Still-s)—all ages.	904	957	969	983	973	1,082	1,175	1,185	1,356	1,452	1,467	1,415	1,434	4,487	5,768
IS—0 to 1 year ..	74	76	80	82	61	92	74	89	107	112	116	115	132	414	475
T TOWNS, aggre-(including Lon-:															
BIRTHS	6,277	6,410	5,710	5,919	6,505	5,896	6,202	3,997	7,120	6,760	6,470	6,502	6,180	25,220	25,912
IRTHS	270	279	257	273	281	286	267	216	311	305	282	270	295	1,152	1,152
IS (excluding Still-s)—all ages.	4,010	4,189	4,485	4,487	4,508	4,878	5,165	4,843	5,587	6,451	6,493	6,249	6,052	19,159	25,245
IS—0 to 1 year ..	357	379	425	401	378	440	476	474	557	622	626	633	645	1,846	2,526
IC FEVER—Cases	27	21	10	10	12	14	13	7	15	10	11	20	9	80	50
„ Deaths	4	2	2	1	3	1	1	—	3	1	1	3	2	10	7
POX—Cases ..	68	82	88	136	74	112	111	105	131	162	154	198	194	1,092	708
Deaths ..	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—
ET FEVER—Cases	1,148	1,376	1,389	1,228	1,283	1,164	1,140	901	1,064	886	907	960	935	6,655	3,688
„ Deaths	7	4	6	1	6	6	8	11	16	8	9	8	7	49	32
HERIA—Cases ..	976	875	962	965	968	891	860	617	831	775	793	922	894	4,689	3,384
Deaths ..	33	39	30	44	31	35	43	33	43	32	39	53	43	219	167
ES—Deaths ..	32	23	40	33	45	57	71	59	62	77	94	73	72	197	316
ENZA—Deaths ..	40	25	49	56	43	60	58	59	60	101	146	242	309	265	798

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ing away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 31st January, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.*				Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.*				Rainfall in Millimetres.‡
	Highest.	Lowest.	Mean Maximum.	Mean Minimum.			Highest.	Lowest.	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
DON	45	26	43·4	34·4	11	HUDDERSFIELD	43	28	42·0	34·3	25
GREENWICH).						BRADFORD ..	43	29	40·4	32·6	31
HTON ..	48	31	45·7	36·6	22	SHEFFIELD ..	43	30	41·6	33·9	24
TSMOUTH ..	49	29	46·0	36·5	19	YORK (MUSEUM)	45	28	42·1	32·7	23
WICH ..	46	28	42·9	33·3	28	HULL (PEARSON PARK).	48	28	42·8	33·9	35
(EATON)											
MOUTH ..	50	38	48·7	40·0	37	TYNEMOUTH ..	43	32	41·1	34·1	29
TOL ..	49	30	45·4	36·0	14	CARDIFF	47	32	45·3	36·4	26
(HORFIELD)											
MINGHAM	44	31	40·9	35·0	19						
EDGBASTON).						EDINBURGH ..	42·0	29·0	38·4	32·1	23
TINGHAM ..	45	29	43·0	33·1	22	GLASGOW ..	41·5	29·6	39·1	31·7	25
KENHEAD	45	32	41·0	37·1	21	DUBLIN					
(BIDSTON).						(PHŒNIX PARK)	52·0	29·0	46·6	33·9	19
CHESTER	44	30	42·1	36·0	32	(FITZWILLIAM	52·1	32·9	46·8	36·5	12
WHITWORTH						SQUARE†).					
PARK).											
NLEY	42	27	40·4	32·1	63	BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 31st January, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	25	..	29·648	44·9	38·3	6·6	41·6	+ 2·5	31·4	10·2	15·1	2·8	67	61·0	28 4	44·6	WSW : W.	W : WSW.	5·9	0·0	0 8	491	+ 168	0·07
MONDAY -	26	..	29·930	44·2	37·4	6 8	40·6	+ 1·3	32·2	8 4	13·5	2·8	72	62·4	28·1	44·4	WNW : NW.	WNW	4·1	0·0	0 6	480	+ 151	0·00
TUESDAY -	27	First Quarter.	29·946	42·5	32·1	10·4	37·1	- 2·4	32·6	4·5	12·7	0·9	84	59·0	22·0	44·3	WNW : WSW.	SW : S	1·9	0·0	0·1	236	- 99	0·09
WEDNESDAY	28	..	29·505	45·1	39·5	5·6	42·3	+ 2·7	34·3	8·0	10·7	1·1	73	49·0	29·8	44·2	SW : WSW.	WNW : W : WSW.	8·5	0·0	1·1	564	+ 225	0·02
THURSDAY -	29	..	29·377	44·8	37·9	6·9	40·8	+ 1·1	36·4	4·4	8·9	1·5	84	65·8	29·4	44·1	WSW	W : WSW.	2·5	0·0	0·2	339	- 4	0 09
FRIDAY -	30	..	29·608	39·9	32·5	7·4	36·1	- 3·6	33·5	2·6	6·8	1·1	91	40·7	26·5	44·0	W : NW : NNW.	N	6 5	0·0	0·7	415	+ 69	0·14
SATURDAY -	31	Greatest Declination N.	29·745	41·0	25·6	15·4	34·8	- 4·9	30·5	4·3	13·7	1·7	84	67·1	17·3	44·0	Calm	SSE	3·1	0·0	0·3	233	- 112	0 03
MEANS -		..	29·680	43·2	34·8	8·4	39·0	- 0·5	33·0	6·1	11·6	1·7	79	57·9	25·9	44·2	WSW				..	Sum 2758	Sum + 398	Sum 0·44
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	25	Variably mP and wP till 6h.; mP till 22h.; then variably mP and mN.	4·4	8·8	Partially cloudy generally till 20h.; then clouding up to overcast by 22h. Hoar frost in morning. Brisk wind 10h. till 23h. Rain 22½h. till 23h.
MONDAY ..	26	Variably mP and wP till 7h.; variably mP and sP till 21h.; then mP.	1·6	8·8	Overcast till 1h.; variably cloudy till 9h.; partially cloudy till 21h.; then becoming cloudless by 21½h. Brisk wind 1h. till 8h. Mist 7h. till 12h. Hoar frost at night.
TUESDAY ..	27	mP till 20½h.; then variably wN and wP.	2·6	8·9	Cloudless till 15h.; partially cloudy till 17½h.; then overcast. Hoar frost in morning. Fog 8h. till 12½h. Damping 19h. till 19½h.; then frequent rain.
WEDNESDAY	28	Variably wN and wP till 2½h.; then mP.	0·0	8·9	Overcast till 18¾h.; partially cloudy till 22h.; then overcast. Slight rain till 1h.; and 12¾h. till 14¼h. Brisk wind 4h. till 20h. Dew at night.
THURSDAY	29	mP till 3h.; sN till 4¼h.; mP till 16¾h.; then variably sN and mP.	0·8	9·0	Overcast till 5¾h.; partially cloudy till 9h.; then becoming overcast by 10¼h. Rain 2½h. till 3½h. Occasional damping between 12½h. and 13½h; from 16½h. till 17½h.; and from 20¾h.
FRIDAY ..	30	sN till 0½h.; variably mP and wP till 10h.; sN till 10½h.; then mP.	0·0	9·0	Overcast till 20½h.; then partially cloudy. Rain till 0½h. and at 6h. Damping 9½h. till 10½h.; sleet 10½h. till 12½h.; then frequent damping till 16½h. Brisk wind 5h. till 9h. Hoar frost at night.
SATURDAY	31	mP till 16½h.; then variably wP and wN.	1·0	9·1	Partially cloudy till 9½h.; then overcast. Fog till 10h. Solar halo 9½h. till 14½h. Damping generally from 15½h. Hoar frost and rime in morning.
			Sum 10·4	Sum 62·5	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·43 ins. at the beginning of the week to 30·04 ins. by 8h. on 27th; decreased generally to 29·36 ins. by 16h. on 29th; increased to 29·99 ins. by 3h. on 31st; decreased and was 29·36 ins. by midnight on the same day.

THE CLINICAL RESEARCH ASSOCIATION, LTD.

WATERGATE HOUSE, ADELPHI, W.C.2. (*Close to Charing Cross Station.*)

A COMPLETE LABORATORY SERVICE.

The Consulting Rooms and Laboratories of this Association (established in 1894) are available for all Medical Practitioners desiring Laboratory assistance in the investigation and diagnosis of cases under their care. All necessary apparatus and full instructions for collecting pathogenic material, or for the personal attendance of Patients at the Consulting Rooms of the Association, will be forwarded immediately on application.

X-RAY EXAMINATIONS AND NURSING HOME ACCOMMODATION ARRANGED.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). **Telegrams: "TUBERCLE, WESTRAND, LONDON."**

STATISTICAL REVIEW.

The Registrar General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, stillbirths, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics:—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

(73876) Wt. 87—17 1875 2/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 5.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 7TH FEBRUARY, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 7TH FEBRUARY, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the fifth week of the year numbered 6,308 corresponding to an annual rate of 16·7 per 1,000 living: stillbirths numbered 244 corresponding to a rate of 37 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,178 (126 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.
107 Great Towns	17·2	16·6	16·0	16·4
London	17·3	16·7	16·9	17·7
Birmingham	15·5	15·5	15·7	13·2
Liverpool	26·2	32·0	27·0	21·3
Manchester	22·6	19·1	17·3	15·3
Sheffield	13·8	11·6	11·4	13·8
Leeds	15·7	16·2	15·8	15·7
Bristol	18·8	14·4	13·3	16·0
West Ham	14·9	15·6	13·9	15·8

The deaths from influenza which had been 146, 242, and 309 in the three preceding weeks further rose to 331 and included 97 in London and 25 in Liverpool.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 100, against 96, 97, and 99 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,401 live births registered corresponding to an annual rate of 16·5 per 1,000 living: stillbirths numbered 33 corresponding to a rate of 23 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,496 (62 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 87, against 80, 80, and 92 in the three weeks preceding.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 7th February, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
107 GREAT TOWNS ..	19,661,240*	6,308	244	6,178	650	4	72	7	49	50	45	33
LONDON	4,417,900*	1,401	33	1,496	125	2	1	1	11	9	11	-
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	64	3	72	10	-	-	-	-	-	2	-
WIMBLEDON ..	59,370	16	1	15	4	-	-	-	1	-	-	-
EALING	104,000	45	2	24	3	-	-	-	-	1	-	-
ACTON	65,200	15	-	19	-	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	59,040	10	-	19	2	-	-	-	-	1	2	-
WILLESDEN ..	172,500	48	2	55	5	-	-	-	1	1	1	-
HENDON	83,190*	27	-	23	3	-	-	-	-	1	-	-
HORNSEY	88,450	22	1	18	-	-	-	-	-	1	-	-
WOOD GREEN ..	53,410	9	-	22	-	-	-	-	1	-	-	-
TOTTENHAM ..	155,000	28	1	51	3	-	-	-	-	-	-	-
EDMONTON	75,000	45	3	21	3	-	-	-	-	-	-	-
ENFIELD	65,100	10	2	24	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	307,600	123	2	93	11	-	-	-	4	2	-	-
EAST HAM C.B. ..	147,600	32	1	31	5	-	-	-	-	1	1	-
LEYTON	128,300	25	1	31	1	-	-	-	-	-	-	-
WALTHAMSTOW ..	124,800	34	1	37	5	-	-	-	2	1	-	-
ILFORD	116,200	26	2	30	4	-	-	-	-	-	-	-
GILLINGHAM	56,670*	25	1	7	2	-	-	-	-	-	-	-
CANTERBURY C.B. ..	22,850*	2	-	6	-	-	-	-	-	-	-	-
HASTINGS C.B.	62,620	9	-	28	1	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	58,570	10	-	19	1	-	-	-	-	-	-	-
BRIGHTON C.B. ..	146,800*	36	1	40	2	-	-	-	-	1	-	-
PORTSMOUTH C.B. ..	242,000*	88	3	66	8	-	-	-	-	1	1	-
BOURNEMOUTH C.B. ..	97,360	22	-	25	-	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	172,300	51	2	57	3	-	-	-	3	-	1	-
READING C.B.	96,850*	31	2	39	5	-	-	-	-	-	-	-
OXFORD C.B.	73,810*	25	1	19	3	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,970*	26	-	27	4	-	-	-	-	-	-	-
LUTON	65,200	20	1	18	3	-	-	-	-	1	-	-
CAMBRIDGE	60,730	16	-	16	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	114,600	21	-	41	1	-	-	-	-	-	-	-
IPSWICH C.B. ..	85,800	33	-	28	1	-	-	1	-	-	-	-
GREAT YARMOUTH C.B.	58,110	14	1	14	1	-	-	-	-	-	-	-
NORWICH C.B.	124,900*	37	1	36	2	-	-	-	-	1	1	-
SWINDON	62,020	18	2	16	5	-	-	-	-	-	-	-
EXETER C.B.	61,290*	27	2	20	-	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	199,000*	69	3	103	11	-	-	-	-	-	-	-
BATH C.B.	69,240	12	1	17	-	-	-	-	-	-	-	-
BRISTOL C.B.†	391,145*	117	6	120	9	-	4	-	-	-	-	-
GLOUCESTER C.B. ..	52,010	25	-	18	1	-	-	-	3	-	-	-
STOKE-ON-TRENT C.B.	279,190	95	6	79	9	-	-	-	-	1	1	-
BURTON-UPON-TRENT C.B.	48,970	16	-	9	-	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,300	41	1	27	2	-	-	-	-	2	-	-
WALSALL C.B.	100,100	38	3	21	3	-	1	-	1	-	-	-
WEST BROMWICH C.B.	80,840	27	1	20	3	-	-	-	-	-	-	-
DUDLEY C.B.	58,870	22	1	23	3	-	-	-	-	-	1	-
WORCESTER C.B. ..	52,320	6	2	17	2	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	968,500	328	12	246	21	-	4	1	1	-	1	-
SMETHWICK C.B. ..	85,120	34	1	11	-	-	-	-	-	-	-	-
COVENTRY C.B. ..	162,100	51	-	44	5	-	-	-	-	2	-	-
LEICESTER C.B. ..	245,200	85	3	83	13	-	1	-	2	-	-	-
LINCOLN C.B.	65,080*	20	-	17	-	-	-	-	-	-	-	-
GRIMSBY C.B.	91,440	30	1	20	4	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	266,800	89	3	69	3	-	-	-	-	-	-	-
DERBY C.B.	140,500*	58	-	30	2	-	-	-	-	1	-	-
CHESTERFIELD	65,270	27	2	23	4	-	-	-	-	-	-	-
STOCKPORT C.B ..	127,800	36	2	44	10	-	-	-	-	-	-	-
CHESTER C.B.	40,750	14	1	14	-	-	-	-	-	-	-	-
BIRKENHEAD C.B ..	157,600	51	1	64	6	-	2	-	1	2	-	-
WALLASEY C.B. ..	101,300	24	3	34	-	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	869,500	401	14	355	40	-	26	2	3	7	2	-
BOOTLE C.B.	80,400	43	1	27	1	-	-	-	1	1	-	-
ST. HELENS C.B. ..	109,200	53	2	27	4	-	1	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

† As extended 1st October, 1930

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	18	–	21	2	–	–	–	–	–	–	2
Wigan C.B.	87,600	39	2	31	5	–	–	–	–	–	–	3
Warrington C.B. ..	79,400*	29	1	26	7	–	–	–	–	1	–	1
Bolton C.B.	181,500	32	3	58	6	–	–	–	1	–	–	7
Bury C.B.	56,830*	16	1	18	3	–	–	–	–	–	–	–
Manchester C.B. ..	746,500	259	9	219	27	1	–	–	1	–	6	4
Salford C.B.	235,600	63	6	65	6	–	–	–	1	–	–	4
Ashton-under-Lyne	51,750	10	4	12	1	–	–	–	–	–	–	–
Oldham C.B.	142,500	47	4	47	3	–	–	–	–	1	–	3
Rochdale C.B. ..	90,900	16	–	25	2	–	–	–	–	2	–	–
Burnley C.B.	100,200	40	–	18	4	–	2	–	–	–	–	2
Blackburn C.B. ..	125,300	24	2	30	9	–	–	–	4	–	2	–
Preston C.B.	126,100	36	4	51	9	–	–	–	–	1	–	6
Blackpool C.B. ..	99,800	17	2	32	3	–	–	–	–	–	–	2
Barrow-in-Furness C.B.	64,850	20	1	19	2	–	–	–	–	–	–	–
Huddersfield C.B. ..	113,100	32	1	23	2	–	–	–	–	–	–	–
Halifax C.B.	97,400*	14	–	23	2	1	–	–	1	–	–	1
Bradford C.B. ..	294,605	70	1	107	14	–	1	–	–	–	–	4
Leeds C.B.	478,500	144	7	144	17	–	–	–	1	3	–	4
Dewsbury C.B. ..	53,020	20	–	16	2	–	–	–	–	–	–	–
Wakefield C.B. ..	56,640	22	1	10	3	–	–	–	–	–	–	–
Barnsley C.B. ..	71,700	26	2	23	3	–	–	–	–	–	1	1
Sheffield C.B. ..	518,000*	130	9	137	24	–	–	–	2	–	5	8
Rotherham C.B. ..	70,790	20	2	18	3	–	–	–	–	–	–	1
Doncaster C.B. ..	59,890	25	1	13	2	–	–	–	–	–	–	1
York C.B.	85,290*	26	1	25	1	–	–	–	–	–	–	2
Hull C.B.	307,500	98	5	99	18	–	6	1	–	2	1	1
Middlesbrough C.B.	133,100	68	2	60	7	–	–	–	–	1	–	6
Darlington C.B.‡ ..	74,150	20	1	23	3	–	1	–	–	–	–	2
Stockton-on-Tees ..	67,090	25	–	23	1	–	–	–	–	–	–	1
West Hartlepool C.B.	69,370	31	2	16	3	–	2	–	–	–	–	2
Sunderland C.B. ..	184,000	74	2	80	15	–	–	–	1	–	1	8
South Shields C.B. ..	119,600	43	–	57	8	–	–	–	–	–	–	4
Gateshead C.B. ..	122,600	58	2	61	8	–	2	–	1	–	–	5
Newcastle-on-Tyne C.B.	283,400*	119	10	118	13	–	12	1	–	–	–	8
Tynemouth C.B. ..	65,880	22	–	24	3	–	–	–	–	–	–	1
Carlisle C.B.	56,160*	19	–	12	1	–	–	–	–	–	–	–
Newport (Mon.) C.B.	95,990*	22	2	23	4	–	–	–	1	–	–	–
Cardiff C.B.	224,000*	78	3	73	9	–	3	–	–	1	3	5
Rhondda	153,100	41	6	42	3	–	3	–	–	–	–	1
Merthyr Tydfil C.B.	77,790	21	–	32	4	–	–	–	–	–	–	–
Aberdare	53,050	8	–	17	1	–	–	–	–	–	1	–
Swansea C.B.	162,700	63	3	42	5	–	–	–	–	–	–	–
Greater London ..	7,900,480*	2,438	69	2,451	216	2	1	2	21	20	19	156
Outer Ring	3,482,580*	1,037	36	955	91	–	–	1	10	11	8	59
7 Great Towns in Outer Ring	2,027,060*	579	22	585	59	–	–	–	9	9	6	33
Remainder of Outer Ring	1,455,520*	458	14	370	32	–	–	1	1	2	2	26
Edinburgh†	428,800	134	?	134	16	–	–	–	–	–	–	3
Glasgow†	1,088,200	479	?	400	69	–	–	2	25	2	5	9
Dublin (Registration Area)†	412,400	187	?	158	14	–	12	–	3	–	2	2
Belfast†	415,151	155	?	154	24	–	3	–	3	1	–	3

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931 except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas

‡ As extended 1st October, 1930.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,417,900	1931. Feb. 7	1401	33	1496	17·7	2	-	1	1	11	9	11
Calcutta and Suburbs	1,077,264	Dec. 27	?	?	656‖	31·7	?	13	?	-	?	?	?
Bombay§	1,298,708	Jan. 10	618	45	470	18·8	4	1	3	-	-	-	13
Madras	528,791	Dec. 27	347	17	576‖	56·6	2	-	-	-	-	-	22
Sydney and Suburbs	1,243,940	Dec. 31 (31 days)											
Brisbane (Metropolitan Area).	318,631	Nov. 30 (30 days)											
Perth (Metropolitan Area).	202,888	Nov. 29	92	?	32	8·2	-	-	-	-	-	-	-
Auckland (Urban Area).	212,100	Dec. 31 (31 days)											
Wellington (Urban Area)	138,050	Dec. 31 (31 days)											
Christchurch (Urban Area).	125,800	Dec. 31 (31 days)											
Cape Town	134,201	Jan. 3	57	3	26	10·1	1	-	-	-	-	-	1
Johannesburg	183,674	Dec. 27	76	5	49	13·9	-	-	1	-	-	-	11
Durban	59,929	„ 27	24	-	12	10·4	-	-	-	-	-	-	-
Paris	2,871,429	Jan. 10 (10 days)											
Antwerp	294,971	Jan. 15 (15 days)											
Amsterdam	757,528	Jan. 17	294	8	172	11·8	-	-	2	1	1	2	-
Copenhagen	615,700	24	201	2	191	16·2	-	-	-	-	1	3	1
Stockholm	486,672	„ 17	91	4	203	21·7	-	-	-	1	2	1	-
Gothenberg	241,550	Jan. 3	?	?	67	14·3	-	-	-	-	-	1	1
Oslo	253,568	Jan. 24	34	2	48	9·6	-	-	-	-	-	-	-
Berlin	4,336,000	„ 10	758	25	1152	13·8	-	?	2	1	1	3	5
Breslau	616,000	„ 10	139	3	142	12·0	-	?	-	-	2	2	-
Cologne	740,000	„ 10	198	6	190	13·4	-	?	1	-	-	-	-
Dresden	634,000	„ 10	135	8	150	12·3	-	?	-	-	-	2	-
Frankfort-on-Main	541,000	„ 10	90	3	112	10·8	-	?	-	-	-	1	1
Hamburg	1,148,000	„ 10	262	8	323	14·6	-	?	-	-	-	2	7
Leipzig	700,000	„ 10	165	5	155	11·5	-	?	-	-	-	1	1
Munich	730,000	„ 10	161	2	111	12·8	-	?	-	-	-	-	-
Budapest	991,518	„ 17	346	17	275	14·4	1	-	1	-	-	1	3
Warsaw	1,109,478	„ 17											
Madrid	825,471	„ 17	432	39	427	26·9	2	-	-	-	-	2	11
Cairo	1,122,800	Oct. 21	964	21	405	18·8	6	-	-	-	?	10	88
Alexandria	612,200	„ 21	434	6	221	18·8	1	-	-	-	?	3	51
New York	7,090,089	Jan. 10	2258	123	1916	14·1	-	-	-	-	2	1	9
Chicago	3,457,375	„ 16	1114	44	715	10·8	-	-	1	3	1	4	4
New Orleans	433,000	Nov. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Jan. 3	652	68	518	15·6	4	-	9	-	2	3	82

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of a* for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 4 deaths from Cholera in Calcutta and 12 in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 7th February, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	All Ages.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	5,547	7,264	1496	125	33	23	26	52	66	92	171	234	336	338
Enteric fever	3	5	2	-	-	-	-	-	1	-	-	1	-	-
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	125	2	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	13	3	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough	16	30	11	4	5	2	-	-	-	-	-	-	-	-
Diphtheria	61	40	9	2	2	2	3	-	-	-	-	-	-	-
Influenza	72	268	97	2	2	2	-	7	4	12	13	21	19	15
Erysipelas	23	29	6	2	-	-	-	-	-	-	2	-	1	1
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	8	18	5	1	2	1	-	1	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	370	481	95	-	-	1	-	11	27	23	20	8	5	-
Nervous system	19	19	6	2	1	2	1	-	-	-	-	-	-	-
Intestines and peritoneum	7	4	1	-	-	-	-	-	-	-	1	-	-	-
Other forms	26	34	11	1	-	-	1	1	-	2	1	4	-	1
Venereal diseases	22	23	5	2	-	-	-	-	1	-	-	1	1	-
Cancer	631	691	129	-	-	-	-	-	2	12	18	35	38	24
Rheumatic fever	17	12	3	-	-	-	2	-	1	-	-	-	-	-
Diabetes	51	58	8	-	-	-	-	-	-	-	-	3	3	2
Alcoholism	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	12	18	5	1	-	2	2	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	243	238	48	-	-	-	-	-	-	1	4	11	19	13
Epilepsy	14	23	2	-	-	-	-	1	-	-	-	-	1	-
"Convulsions" (not puerperal)	8	7	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	126	128	24	-	1	-	1	2	1	5	5	4	5	-
Pericarditis	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	19	22	7	-	-	-	1	2	3	-	1	-	-	-
Other diseases of heart	1216	1729	340	-	-	-	2	9	8	9	27	54	109	122
Other diseases of circulatory system	227	284	54	-	-	-	-	-	-	-	-	8	16	30
Bronchitis	280	608	135	10	1	1	-	-	-	6	17	22	33	45
Broncho-pneumonia	302	575	119	29	14	6	4	-	2	2	13	11	14	24
Lobar pneumonia	165	210	43	1	1	-	2	3	3	5	8	8	7	5
Pneumonia (type not distinguished)	63	78	9	-	1	1	-	-	-	1	3	2	1	-
Other diseases of respiratory system	62	109	20	-	-	-	-	3	1	1	4	5	5	1
Diarrhœa and enteritis	76	82	13	10	1	1	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	38	27	5	-	-	-	-	1	-	-	1	1	2	-
Hernia, Intestinal obstruction	37	61	10	1	-	1	-	-	-	-	2	2	3	1
Cirrhosis of liver	18	21	3	-	-	-	-	-	-	2	-	-	1	-
Other diseases of digestive system	127	136	19	-	-	-	1	-	3	1	2	6	4	2
Acute nephritis	13	10	2	-	-	-	1	1	-	-	-	-	-	-
Chronic Bright's disease	163	215	40	-	-	-	1	1	1	2	8	7	14	6
Other diseases of genito-urinary system.	94	106	24	-	-	-	-	1	1	-	5	3	8	6
Puerperal sepsis	10	17	3	-	-	-	-	2	-	1	-	-	-	-
Other causes incident to childbirth	9	13	5	-	-	-	-	-	3	1	1	-	-	-
Congenital malformations	29	30	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	90	134	33	33	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	23	19	9	9	-	-	-	-	-	-	-	-	-	-
Old age	125	171	30	-	-	-	-	-	-	-	-	3	27	
Suicide	59	49	8	-	-	-	-	-	1	-	4	3	-	-
Burns and Scalds	10	17	3	-	1	1	-	-	-	-	-	-	1	-
Drowning	8	11	4	1	-	-	-	1	-	1	1	-	-	-
Suffocation in bed	6	2	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	86	67	18	-	-	-	3	2	1	-	2	3	6	1
Other deaths by violence	108	79	13	1	-	-	-	-	-	-	-	3	3	6
Other specified causes	205	239	51	6	-	-	1	2	2	5	8	7	14	6
Ill-defined causes	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 7th February, 1931.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	24	250	230	4	322	C. 10 D. 9 G. 1 L. 3 M. 10 N. 17
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	16	5	–	18	G. 1 N. 1
†BERMONDSEY ...	–	5	14	–	6	–
†BETHNAL GREEN	2	5	6	–	3	D. 1
†CAMBERWELL ...	–	17	10	–	4	–
†CHELSEA	–	5	2	–	3	–
†DEPTFORD ...	–	14	12	–	2	M. 1
†FINSBURY ...	–	–	7	–	4	–
†FULHAM	–	7	8	–	14	C. 1 N. 1
†GREENWICH ...	–	5	12	–	4	N. 1
†HACKNEY... ...	1	2	9	1	2	D. 2 N. 1
†HAMMERSMITH ...	1	7	6	–	7	N. 1
†HAMPSTEAD ...	–	–	1	–	4	C. 1
†HOLBORN... ...	–	2	5	–	2	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	17	21	1	37	C. 3 M. 2
†KENSINGTON ...	–	8	7	1	18	L. 3 N. 2
†LAMBETH ...	1	14	10	–	26	C. 1 N. 3
†LEWISHAM ...	1	26	12	–	4	–
†PADDINGTON ...	–	8	4	–	24	D. 1 N. 3
†POPLAR	7	11	10	–	32	D. 2 M. 1
†ST. MARYLEBONE	–	3	2	–	–	N. 1
†ST. PANCRAS ...	–	12	10	1	16	C. 1 M. 2 N. 1
†SHOREDITCH ...	1	11	9	–	–	C. 1 D. 1
†SOUTHWARK ...	–	13	11	–	13	N. 1
†STEPNEY	9	10	13	–	21	C. 1 M. 1
†STOKE NEWINGTON	–	2	–	–	3	M. 1
†WANDSWORTH ...	–	12	14	–	34	D. 1 M. 2
†WESTMINSTER, CITY OF	1	3	3	–	–	N. 1
†WOOLWICH ...	–	14	7	–	21	C. 1 D. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	6	–	7	–
Boroughs and Urban Districts:—						
†Bedford	–	–	–	–	1	–
Dunstable ...	–	–	1	–	–	–
†Luton	–	2	5	–	1	–
Rural Districts:—						
Ampthill ...	–	1	–	–	1	–
Biggleswade ...	–	–	–	–	1	–
Luton	–	–	–	–	3	–
BERKS	–	4	4	–	1	M. 1
†Reading C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
Abingdon ...	–	1	–	–	–	–
†Maidenhead ...	–	–	1	–	–	–
†New Windsor ...	–	–	1	–	–	–
Rural Districts:—						
Cookham ...	–	–	1	–	–	–
Easthampstead	–	–	1	–	–	–
Newbury ...	–	2	–	–	–	–
Wallingford ...	–	–	–	–	–	M. 1
BUCKINGHAM...	–	8	8	–	9	C. 2
Boroughs and Urban Districts:—						
†Aylesbury ...	–	1	–	–	–	–
Bletchley ...	–	3	–	–	–	–
Chesham... ...	–	–	1	–	3	–
Eton	–	1	–	–	–	–
Marlow	–	–	2	–	–	–
Newport Pagnell	–	2	–	–	–	–
†Slough	–	1	–	–	2	–
†Wolverton ...	–	–	–	–	1	–
BUCKINGHAM—cont.						
Rural Districts:—						
Amersham ...	–	–	3	–	1	–
Aylesbury ...	*	*	*	*	*	*
Buckingham ...	*	*	*	*	*	*
Eton	–	–	–	–	1	C. 1
Wycombe ...	–	–	2	–	1	C. 1
CAMBRIDGE ...	–	1	6	–	5	M. 1
Borough:—						
†Cambridge ...	–	–	3	–	4	–
Rural Districts:—						
Caxton and Arrington	–	–	–	–	1	–
Chesterton ...	–	1	1	–	–	–
Melbourn ...	–	–	1	–	–	M. 1
Newmarket ...	–	–	1	–	–	–
CHESTER ...	–	36	38	1	62	C. 2 E. 1 G. 1 N. 1
†Birkenhead C.B.	–	3	11	–	18	–
†Chester C.B. ...	–	1	1	–	3	C. 1
†Stockport C.B. ...	–	4	5	–	7	–
†Wallasey C.B. ...	–	–	1	–	6	G. 1
Boroughs and Urban Districts:—						
†Altrincham ...	–	–	1	–	2	–
†Bebington and Bromborough	–	3	1	–	1	–
†Cheadle and Gatley	–	1	1	–	–	–
†Congleton ...	–	–	1	–	1	–
†Crewe	–	1	2	–	–	–
†Dukinfield ...	–	7	1	–	3	–
Hollingworth...	–	1	–	–	–	–
Hoole	–	–	–		1	–
†Hoylake and West Kirby	–	1	–	–	1	–
†Hyde	–	2	–	–	2	–
Knutsford ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LYMM	–	–	–	–	1	–
MARPLE	–	–	–	–	1	–
MIDDLEWICH ...	–	–	–	–	1	E. 1
†NORTHWICH ...	–	–	–	–	1	–
†RUNCORN	–	1	–	–	1	–
†SALE	*	*	*	*	*	*
SANDBACH ...	–	–	1	–	–	–
†STALYBRIDGE ...	–	–	–	–	3	–
TARPORLEY ...	–	1	–	–	–	–
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	–	1	–	1	–
Rural Districts:—						
BUCKLOW... ...	–	5	–	–	4	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	–	3	1	–	–
MACCLESFIELD ...	–	1	–		1	–
NANTWICH ...	–	2	2	–	–	C. 1
NORTHWICH ...	–	1	–	–		N. 1
RUNCORN	–	–	1	–	1	–
WIRRAL	–	–	2	–	2	–
CORNWALL ...	–	10	2	–	3	N. 1
Boroughs and Urban Districts:—						
BODMIN	–	2	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	–	–	–	–	1	–
TORPOINT ...	–	2	–	–	–	–
†TRURO	–	2	–	–	–	–
Rural Districts:—						
LISKEARD ...	–	1	2	–	–	–
REDRUTH ...	–	–	–	–	–	N. 1
ST. GERMANS ...	–	1	–	–	1	–
TRURO	–	2	–	–	–	–
CUMBERLAND...	–	8	13	–	8	D. 1 N. 3
†CARLISLE C.B. ...	–	1	2	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
HARRINGTON ...	–	–	–	–	1	–
MILLOM	–	–	–	–	1	–
PENRITH	–	4	–	–	1	–
†WHITEHAVEN ...	–	–	–	–	3	N. 1
WIGTON	–	–	–	–	–	N. 1
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
CARLISLE... ...	–	1	–	–	–	–
COCKERMOUTH ...	–	–	2	–	–	D. 1
LONGTOWN ...	*	*	*	*	*	*
PENRITH	–	–	1	–		–
WHITEHAVEN ...	–	–	1	–	1	N. 1
WIGTON	–	1	6	–	–	–
DERBY	4	33	22	–	34	G. 1 L. 2 M. 2 N. 3
†DERBY C.B. ...	2	9	6	–	6	G. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	3	–	–	3	M. 1
ASHBOURNE ...	–	1	–	–	–	–
†BUXTON ...	–	1	1	–	–	–
†CHESTERFIELD ...	2	1	3	–	3	N. 1
DRONFIELD ...	–	–	–	–	–	N. 1
†GLOSSOP	–	1	1	–	1	–
†HEANOR	–	–	–	–	1	L. 2
†ILKESTON... ...	–	1	–	–	–	N. 1
†LONG EATON ...	–	3	–	–	2	–
NORTH DARLEY...	–	–	–	–	1	–
†RIPLEY	–	–	–	–	4	–
†SWADLINCOTE DISTRICT	–	–	–	–	2	–
†THE MATLOCKS ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	-	-	1	-	-	-
BAKEWELL ...	-	2	1	-	2	-
BELPER	-	-	-	-	1	-
BLACKWELL ...	-	1	-	-	-	-
CHAPEL EN LE FRITH	-	1	-	-	-	-
CHESTERFIELD ...	-	6	5	-	1	-
CLOWNE	-	-	1	-	-	-
HARTSHORN AND SEALS	-	-	-	-	1	-
HAYFIELD ...	-	1	-	-	-	-
NORTON	-	-	-	-	1	-
REPTON	-	-	1	-	2	-
SHARDLOW ...	-	2	1	-	3	M. 1
DEVON	-	47	29	-	26	D. 1 E. 1 G. 1 M. 1 N. 3
†EXETER C.B. ...	-	1	9	-	-	-
†PLYMOUTH C.B.	-	25	9	-	2	D. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	-	1	2	-	-	-
BIDEFORD ...	-	-	3	-	-	-
BRIXHAM	-	-	-	-	3	-
BUDLEIGH SALTERTON	-	4	-	-	-	-
DARTMOUTH ...	-	-	-	-	7	-
NORTHAM ...	-	-	1	-	-	-
OKEHAMPTON ...	-	-	-	-	1	-
†PAIGNTON ...	-	-	-	-	1	N. 1
SIDMOUTH ..	-	-	-	-	1	-
SOUTH MOLTON...	-	-	-	-	1	-
†TEIGNMOUTH ...	-	-	1	-	-	-
TIVERTON ...	-	-	-	-	1	-
†TORQUAY	-	-	1	-	-	-
Rural Districts:—						
BARNSTAPLE ...	-	1	2	-	2	-
BIDEFORD ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
KINGSBRIDGE ...	-	-	-	-	2	-
NEWTON ABBOT...	-		-	-	-	E. 1 G. 1
OKEHAMPTON ...	-	-	-	-	1	-
PLYMPTON ST. MARY	-	9	1	-	1	-
ST. THOMAS ...	-	2	-	-	-	-
TAVISTOCK ...	-	2	-	-		-
TIVERTON ...	-	1	-	-	-	-
TOTNES	-	-	-	-	3	-
DORSET	-	13	3	-	4	-
Boroughs and Urban Districts:—						
BLANDFORD FORUM	-	-	-	-	1	-
DORCHESTER ...	-	1		-	-	-
†POOLE	-	2	1	-	2	-
SHAFTESBURY ...	-	1	-	-	-	-
SHERBORNE ...	-	5	-	-	-	-
†WEYMOUTH AND MELCOMBE REGIS		1	-	-	-	-
Rural Districts:—						
BEAMINSTER ...	-	-	-	-	1	-
CERNE	-	3	1	-	-	-
SHAFTESBURY ...	-	-	1	-		-
DURHAM	-	33	34	3	145	C. 1 D. 1 M. 4 N. 4
†DARLINGTON C.B.	-	3	2	-	2	-
†GATESHEAD C.B.	-	4	2	-	9	-
†SOUTH SHIELDS C.B.	-	2	1		30	M. 1
†SUNDERLAND C.B.	-	1	10	-	31	D. 1
†WEST HARTLEPOOL C.B.	-	4	2	-	7	-

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†Annfield Plain	–	1	1	–	–	–
Benfieldside ...	–	–	–	–	4	–
Billingham ...	–	1	–	–	5	–
†Blaydon	–	–	1	–	–	–
†Brandon and Byshottles	–	1	–	–	–	–
†Chester le Street	–	–	–	–	1	–
†Consett	–	–	1	–	–	–
†Crook	–	1	–	–	–	–
†Durham	–	–	1	–	3	–
†Felling	–	3	–	–	3	–
†Hartlepool ...	–	–	1	–	–	–
†Hebburn ...	–	2	–	1	3	–
†Hetton	–	–	–	–	4	–
†Houghton le Spring	–	–	–	–	3	–
†Jarrow	–	–	–	–	11	–
Leadgate ...	–	–	1	–	–	–
†Ryton	–	–	–	1	–	–
†Seaham Harbour	–	1	–	–	2	N. 1
†Spennymoor ...	–	1	–	–	–	–
Stanhope ...	–	–	–	–	1	–
†Stanley	–	1	2	–	1	–
†Stockton on Tees	–	–	–	–	6	–
†Tanfield ...	–	1	–	–	–	–
†Washington ...	–	1	2	–	–	–
Willington ...	–	–	–	–	–	N. 1
Rural Districts:—						
Barnard Castle	–	–	1	–	–	–
Chester le Street	–	2	–	1	4	M. 1
Durham	–	–	1	–	–	–
Easington ...	–	2	3	–	4	C. 1 N. 1
Hartlepool ...	–	–	–	–	1	–
Houghton le Spring	–	–	1	–	4	M. 1
Lanchester ...	–	–	1	–	–	–
Sedgefield ...	–	1	–	–	–	N. 1
Sunderland ...	–	–	–	–	6	M. 1
ELY, ISLE OF ...	–	6	4	–	2	M. 1
Boroughs and Urban Districts:—						
Chatteris ...	–	–	1	–	–	–
Ely	–	–	–	–	–	M. 1
Whittlesey ...	–	–	3	–	–	–
†Wisbech	–	4	–	–	2	–
Rural Districts:—						
Wisbech... ...	–	2	–	–	–	–
ESSEX	48	82	60	27	84	D. 3 G. 1 J. 1 M. 4 N. 4
†East Ham C.B....	5	3	3	–	3	D. 1
†Southend on Sea C.B.	–	4	1	–	4	N. 1
†West Ham C.B.	25	4	5	–	24	N. 2
Boroughs and Urban Districts:—						
†Barking Town...	–	2	6	–	6	M. 1
Braintree ...	–	1	–	–	1	–
Brentwood ...	–	2	–	–	–	–
Burnham on Crouch	–	1	1	–	–	–
Canvey Island	–	–	–	–	1	–
†Chelmsford ...	–	5	1	–	–	G. 1
Chingford ...	–	3	–	–	1	J. 1
†Clacton	–	1	–	–	–	–
†Colchester ...	–	4	–	–	3	–
Dagenham ...	10	8	10	–	3	M. 1
Epping	–	–	–	22	1	–
†Grays Thurrock	–	2	1	–	1	–
†Harwich ...	–	–	2	–	–	–
†Hornchurch ...	–	1	1	–	1	–
†Ilford	–	6	4	1	6	D. 2
†Leyton	–	8	7	–	3	N. 1
Loughton ...	–	–	–	2	–	–
Maldon	–	1	–	–	–	–
Purfleet ...	–	–	–	–	1	–
†Romford... ...	–	2	1	–	1	–
Shoeburyness ...	–	1	–	–	2	–
Tilbury	–	1	–	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
WALTHAM HOLY CROSS	–	1	1	–	–	–
†WALTHAMSTOW ...	8	10	8	1	9	–
†WANSTEAD ...		1	–	–	2	–
†WOODFORD ...	–	–	4	–	–	–
Rural Districts:—						
BILLERICAY ...	–	3	1	–	1	–
BRAINTREE ...	–	2	–	–	1	–
CHELMSFORD ...	–	–	1	–	–	–
DUNMOW ...	–	–	–	–	1	–
EPPING	–	–	–	1	–	–
LEXDEN AND WINSTREE	–	1	–	–	1	–
MALDON	–	2	–	–	1	–
ONGAR	–	1	–	–	–	–
ORSETT	–	–	–	–	3	–
ROCHFORD ...	–	–	–	–	1	
ROMFORD... ...	–	–	–	–	1	M. 1
SAFFRON WALDEN	–	1	–	–	–	–
TENDRING ...	–	–	2	–	–	–
GLOUCESTER ...	–	19	29	2	20	E. 1 M. 1 N. 2
†BRISTOL C.B. ...	–	8	17	2	6	E. 1
†GLOUCESTER C.B.	–	4	1	–	2	M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–		1	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
†MANGOTSFIELD ...	–	–	2	–	–	–
NAILSWORTH ...	–	–	–	–	1	–
NEWNHAM ...	–	–	–	–	1	–
TEWKESBURY	–	1	–	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	2	–	–	N. 2
LYDNEY	–	–	–	–	6	–
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
STROUD	–	2	2	–	–	–
WARMLEY ...		1	2	–	2	–
WEST DEAN ...	–		1	–	2	–
WHEATENHURST	–	1	–	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	2	5	–	–	C. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	1	–	–	–
LEDBURY... ...	–	1	–	–	–	–
LEOMINSTER AND WIGMORE	–	–	2	–		C. 1
ROSS	–	–	1	–	–	–
HERTFORD ...	–	16	7	–	12	D. 1
Boroughs and Urban Districts:—						
BALDOCK	*	*	*	*	*	*
†BARNET	–	2	–	–	2	–
BISHOP'S STORTFORD	–	–	1	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	4	–	–	1	–
HARPENDEN ...	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	2	–	–	–	–
†HITCHIN	–	–	–	–	–	D. 1
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	*	*	*	*	*	*
†ST. ALBANS ...	–	–	–	–	3	–
†WATFORD ...	–	–	5	–	5	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
Hitchin	–	–	–	–	1	–
St. Albans ...	–	1	–	–	–	–
Ware	–	2	–	–	–	–
Watford... ...	–	3	–	–	–	–
HUNTINGDON ...	–	2	–	–	1	–
Boroughs and Urban Districts—						
Huntingdon ...	–	2	–	–	–	–
Rural Districts:—						
St. Neots ...	–	–	–	–	1	–
KENT	1	33	33	–	52	M. 2 N. 3
Boroughs and Urban Districts:—						
†Beckenham ...	1	–	–	–	3	N. 1
†Bexley	–	–	1	–	–	–
†Broadstairs and St. Peter's	–	2	–	–	1	–
†Bromley... ...	–	4	2	–	1	–
†Chatham ...		1		–	–	N. 1
Cheriton ...	–	–	1	–	–	–
Chislehurst ...	–			–	1	–
†Dartford ...	–	2	3	–	–	–
†Dover	–	3	6	–	2	–
†Erith	–	1	1	–	3	–
†Faversham ...	–	–	1	–	–	–
†Folkestone ...	–	–	4	–	1	–
†Gillingham ...		1	–	–	4	–
†Gravesend ...	–	4	–	–	1	–
Hythe			–	–	2	–
†Maidstone ...	–	–	1	–	1	–
†Margate ...	–	–	–	–	1	–
New Romney ...	–		–	–	1	–
†Northfleet ...	–	–	1	–	–	–
†Penge	–	2		–	1	–
†Ramsgate ...	–	2	–	–	1	–
†Rochester ...	–	2	1	–	2	–
†Royal Tunbridge Wells	–	–	–	–	1	–
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
Sandwich ...	*	*	*	*	*	*
†Sheerness ...	–	2	1	–	2	–
†Sittingbourne and Milton	–	1	2	–	1	M. 1
Tenterden ...	–	1	–	–	–	–
†Tonbridge ...	–	–	–	–	3	N. 1
Walmer	–	1	–	–	–	–
Whitstable ...	–	–	1	–	2	–
Rural Districts:—						
Blean	–	–	–	–	1	–
Bromley... ...	–	1	2	–	2	–
Cranbrook ...	–	–	–	–	5	–
Dartford ...	–	1	1	–	1	–
Eastry	–	–	2	–	2	–
Faversham ...	–	–	–	–	1	–
Hollingbourne	–	–	–	–	1	–
Hoo	–	1	–	–	–	–
Isle of Thanet		–	–	–	1	–
Maidstone ...	–	1	1		1	–
Sevenoaks ...	–	–	–		2	M. 1
Tenterden ...	–	–	1	–	–	–
LANCASTER ...	–	242	198	–	390	C. 5 D. 11 G. 1 L. 1 M. 19 N. 19
†Barrow in Furness C.B.	–	–	1		1	–
†Blackburn C.B.	–	1	1	–	11	N. 1
†Blackpool C.B.	–	1	1	–	1	–
†Bolton C.B. ...	–	8	1	–	1	–
†Bootle C.B. ...	–	5	6	–	22	–
†Burnley C.B. ...		–	4	–	8	M. 1
†Bury C.B. ...	–	1	–		3	–
†Liverpool C.B....	–	24	90	–	78	C. 2 D. 4 G. 1 L. 1 M. 13 N. 4
†Manchester C.B.	–	69	13	–	79	C. 1 M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever :

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†OLDHAM C.B. ...	–	4	3	–	3	C. 2 N. 1
†PRESTON C.B. ...	–	4	3	–	11	–
†ROCHDALE C.B....	–	13	5	–	6	–
†ST. HELENS C.B.	–	–	5	–	12	–
†SALFORD C.B. ...	–	5	8	–	15	N. 3
†SOUTHPORT C.B.	–	3	5	–	5	N. 1
†WARRINGTON C.B.	–	23	4	–	14	–
†WIGAN C.B. ...	–	2	1	–	7	–
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	–	–
†ACCRINGTON ...	–	4	1	–	1	D. 1
ADLINGTON ...	*	*	*	*	*	*
†ASHTON IN MAKERFIELD	–	–	–	–	4	–
†ASHTON-UNDER-LYNE	–	3	–	–	2	–
ASPULL	–	–	–	–	6	–
†ATHERTON ...	–	–	–	–	1	–
AUDENSHAW ...	–	2	–	–	1	–
†BACUP	–	2	1	–	1	N. 1
BARROWFORD ...	–	–	–	–	–	N. 1
BRIERFIELD ...	–	–	–	–	1	–
†CHADDERTON ...	–	2	–	–	1	–
†CHORLEY	–	1	1	–	–	–
†CLITHEROE ...	–	–	2	–	1	–
†COLNE	–	2	–	–	–	–
†CROMPTON ...	–	1	1	–	3	–
†DARWEN	–	6	2	–	1	–
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–	1	–	–	1	–
†ECCLES	–	1	1	–	4	–
†FAILSWORTH ...	–	1	–	–	3	–
†FARNWORTH ...	–	–	–	–	4	D. 2 N. 2
†FLEETWOOD ...	–	–	–	–	–	N. 1
FORMBY	–	–	1	–	–	–
FULWOOD ...	–	1	1	–	–	N. 2
GOLBORNE ...	–	1	–	–	3	M. 1
†GREAT CROSBY ...	–	2	2	–	2	–
†HASLINGDEN ...	–	–	–	–	3	–
†HAYDOCK... ...	–	–	–	–	3	–
†HEYWOOD ...	–	2	1	–	1	–
†HINDLEY... ...	–	–	–	–	5	–
†HORWICH... ...	–	–	–	–	3	D. 1 M. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	–	2	–	3	N. 1
IRLAM	–	–	–	–	1	–
†LANCASTER ...	–	1	–	–	3	–
LEES	–	–	–	–	–	N. 1
†LEIGH	–	1	1	–	2	–
†LITHERLAND ...	–	–	3	–	–	–
LITTLE HULTON	–	–	–	–	–	D. 1
LONGRIDGE ...	–	1	1	–	–	–
†MIDDLETON ...	–	2	1	–	–	–
†MORECAMBE AND HEYSHAM	–	–	–	–	1	–
†MOSSLEY	–	1	–	–	1	–
†NELSON	–	3	1	–	1	–
†NEWTON IN MAKERFIELD	–	3	2	–	3	–
ORMSKIRK ...	–	–	–	–	1	–
ORRELL	–	–	–	–	1	–
†OSWALDTWISTLE	–	–	1	–	–	–
†PADIHAM... ...	–	–	–	–	1	–
†PRESTWICH ...	–	2	–	–	1	–
†RADCLIFFE ...	–	2	–	–	1	–
RAINFORD ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	1	2	–	1	–
†STRETFORD ...	–	5	2	–	7	–
†SWINTON AND PENDLEBURY	–	1	3	–	–	D. 2
†TYLDESLEY WITH SHAKERLEY	–	3	–	–	–	–
UPHOLLAND ...	–	–	–	–	3	–
WARDLE... ...	–	–	2	–	–	M. 1
†WATERLOO WITH SEAFORTH	–	3	4	–	1	–
†WESTHOUGHTON	–	–	–	–	1	–
WHITEFIELD ...	–	4	–	–	–	–
WHITWORTH ...	–	–	–	–	3	–
†WIDNES	–	2	–	–	10	–
Rural Districts:—						
BARTON UPON IRWELL	*	*	*	*	*	*
BLACKBURN ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Rural Districts— *cont.*						
BURNLEY ...	–	1	–	–	–	–
BURY	–	–	–	–	3	–
CLITHEROE ...	–	1	–	–	–	–
GARSTANG ...	–	4	1	–	–	–
LEIGH	–	1	–	–	1	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON	–	1	2	–	–	–
WARRINGTON ...	–	1	3	–	4	–
WEST LANCASHIRE	–	–	1	–	1	–
WHISTON	*	*	*	*	*	*
LEICESTER ...	107	13	4	–	13	C. 1 G. 1 L. 3 M. 1 N. 1
†LEICESTER C.B....	74	4	1	–	5	C. 1 L. 3 N. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	2	–	1	–	1	–
†LOUGHBOROUGH	11	3	–	–	–	–
MELTON MOWBRAY	–	–	–	–	2	G. 1
SHEPSHED ...	–	–	–	–	1	–
THURMASTON ...	1	–	–	–	–	–
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BARROW UPON SOAR	2	1	–	–	2	–
BELVOIR	–	1	–	–	–	–
BILLESDON ...	2	–	–	–	–	–
BLABY	–	2	1	–	–	–
CASTLE DONINGTON	–	1	–	–	–	–
HINCKLEY ...	2	–	–	–	–	–
LOUGHBOROUGH	1	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts— *cont.*						
LUTTERWORTH ...	–	–	1	–	–	–
MARKET BOSWORTH	12	–	–	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	M. 1
LINCOLN (parts of Holland).	–	9	–	–	2	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	1	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
EAST ELLOE ...	–	1	–	–	1	–
SPALDING ...	–	6	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	1	1	6	G. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	1	–	–	–
RUSKINGTON ...	–	–	–	–	–	G. 1
SLEAFORD ...	–	–	–	–	2	–
STAMFORD ...	–	–	–	–	2	–
Rural Districts —						
GRANTHAM ...	–	–	–	1	2	–
LINCOLN (parts of Lindsey).	1	11	5	–	19	C. 1 M. 2
†GRIMSBY C.B. ...	–	2	–	–	3	–
†LINCOLN C.B. ...	–	2	2	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
†Cleethorpes ...	–	1	1	–	–	–
†Gainsborough ...	–	1	–	–	3	M. 1
Horncastle ...	–	–	–	–	1	–
Market Rasen ...	–	–	–	–	1	–
†Scunthorpe and Frodingham	–	1	1	–	2	C. 1
Skegness... ...	–	–	–	–	–	M. 1
Rural Districts:—						
Caistor	1	–	–	–	2	–
Gainsborough ...	–	–	–	–	1	–
Glanford Brigg	–	1	1	–	1	–
Horncastle ...	–	–	–	–	1	–
Spilsby	–	3	–	–	1	–
MIDDLESEX ...	–	77	44	1	88	C. 2 E. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
†Acton	–	3	–	–	1	–
†Brentford and Chiswick	–	3	1	–	6	–
†Ealing	–	3	–	–	7	–
†Edmonton ...	–	3	2	–	4	–
†Enfield	–	5	4	–	–	–
†Feltham... ...	–	1	1	–	–	–
†Finchley ...	–	5	–	–	2	–
†Friern Barnet...	–	4	–	–	–	–
†Hampton ...	–	1	–	–	–	–
†Harrow on the Hill	–	–	1	–	1	–
Hayes and Harlington	–	–	–	–	3	–
†Hendon	–	6	8	–	1	C. 1
†Heston and Isleworth	–	1	3	–	4	–
†Hornsey	–	7	1	–	3	N. 1
†Southall Norwood	–	–	–	–	1	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Southgate ...	–	1	–	–	7	N. 1
Sunbury on Thames	–	–	–	–	1	M. 1
†Teddington ...	–	3	–	–	2	–
†Tottenham ...	–	14	9	–	10	C. 1 M. 1
†Twickenham ...		2	4	–	2	–
†Uxbridge ...	–	3	–	–	–	–
†Wealdstone ...	–	2	1	–	–	–
†Wembley ...	–	3	–	1	7	–
†Willesden ...	–	4	8	–	22	E. 1
†Wood Green ...	–	1	–	–	3	–
Rural Districts:—						
Hendon	–	2	1	–	1	N. 1
NORFOLK ...	–	11	8	–	11	N. 1
†Great Yarmouth C.B.	–	–	2	–	1	–
†Norwich C.B. ...	–	–	5	–	6	N. 1
Boroughs and Urban Districts:—						
East Dereham...	–	–	–	–	1	–
†King's Lynn ...	–	1	1	–	–	–
Rural Districts:—						
Aylsham... ...	–	1	–	–	–	–
Depwade ...	–	2	–	–	1	–
Docking	–	–	–	–	1	–
Freebridge Lynn	–	1	–	–	–	–
Loddon and Clavering	–	–	–	–	1	–
Wayland ...	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J. Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	2	15	11	–	7	C. 1
†NORTHAMPTON C.B.	2	7	5	–	1	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	1	–	–	1	–
DESBOROUGH ...	–		1	–	–	–
†KETTERING ...	–	4	–	–	–	–
ROTHWELL ...	–	1	1	–	–	–
†RUSHDEN... ...	–	–	–	–	2	–
†WELLINGBOROUGH	–	–	1	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	1	–	–	–
KETTERING ...	–	1	–	–	–	C. 1
NORTHAMPTON ...	–	–	–	–	1	–
OXENDON... ...		1	–	–	–	–
THRAPSTON (part)	–	–	2	–	–	–
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	–	–	–	1	–
NORTHUMBERLAND.	–	38	5	–	101	D. 2 L. 2 M. 2 N. 6
†NEWCASTLE UPON TYNE C.B.	–	22	1	–	59	D. 2 L. 2 M. 2 N. 6
†TYNEMOUTH C.B.	–	–	–	–	3	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	–	1	–	–	–
†BEDLINGTONSHIRE	–	–	–	–	6	–
†BLYTH	–	2	–	–	9	–
CRAMLINGTON ...	–	1	–	–	–	–
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	–	–	–	–	1	–
†NEWBURN ...	–	–	–	–	6	–
PRUDHOE... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
ROTHBURY ...	–	–	–	–	1	–
SEATON DELAVAL	–	–	–	–	1	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	7	1	–	8	–
WEETSLADE ...	–	1	1	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	3	–
Rural Districts:—						
MORPETH... ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	–	1	–	–	–
ROTHBURY ...	–	–	–	–	2	–
NOTTINGHAM ...	1	38	17	–	21	E. 1 G. 1 L. 1 N. 1
†NOTTINGHAM C.B.	1	8	10	–	6	E. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†BEESTON	–	1	–	–	–	–
†CARLTON	–	–	2	–	–	–
†EAST RETFORD ...	–	1		–	–	–
†HUCKNALL ...	–	1	–	–		–
†KIRKBY IN ASHFIELD	–	3	–	–	2	–
†MANSFIELD ...	–	2	1	–	1	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	4	1	–	1	–
†WORKSOP... ...	–	2	1	–	1	–
Rural Districts:—						
BASFORD	–	6	–	–	1	–
BINGHAM... ...	–	1	–	–	1	L. 1
SOUTHWELL ...	–	6		–	5	–
STAPLEFORD ...	–	–	1	–	–	–
WORKSOP... ...	–	1	1	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	-	7	4	-	6	G. 1 N. 2
†OXFORD C.B. ...	-	3	3	-	5	N. 1
Rural Districts:—						
BANBURY... ...	-	1	-	-	-	-
BICESTER... ...	-	1	-	-	1	-
CHIPPING NORTON	-	-	1	-	-	-
HEADINGTON ...	-	-	-	-	-	N. 1
WITNEY	-	2	-	-	-	G. 1
PETERBOROUGH (Soke of).	-	1	1	-	-	-
Borough:—						
†PETERBOROUGH...	-	1	1	-	-	-
RUTLAND ...	-	-	-	-	1	-
Rural Districts—						
OAKHAM	-	-	-	-	1	-
SALOP	-	7	10	1	3	C. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	-	3	-	-	-	-
LUDLOW	-	-	1	-	-	-
†SHREWSBURY ...	-	3	1	-	-	-
WELLINGTON ...	-	-	1	-	-	-
Rural Districts:—						
ATCHAM	-	-	1	-	-	-
CLEOBURY MORTIMER	-	-	1	1	-	-
DRAYTON	-	1	-	-	-	-
ELLESMERE ...	-	-	-	-	-	M. 1
OSWESTRY ...	-	-	2	-	-	C. 1
WELLINGTON ...	-	-	3	-	2	-
WEM	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	-	12	7	-	12	M. 2 N. 1
†BATH C.B. ...	-	1	1	-	3	-
Boroughs and Urban Districts:—						
BURNHAM ON SEA	-	-	-	-	1	-
CLEVEDON ..	-	-	-	-	1	-
†FROME	-	1	-	-	-	-
MIDSOMER NORTON	-	1	-	-	1	-
RADSTOCK ...	-	1	-	-	-	-
†TAUNTON... ...	-	-	-	-	-	M. 1
†WESTON SUPER MARE	-	-	5	-	-	-
Rural Districts:—						
BRIDGWATER ...	-	1	-	-	-	-
CHARD	-	-	-	-	2	-
CLUTTON		3	-	-	-	N. 1
DULVERTON ...	-	1	-	-	-	-
KEYNSHAM ...	-		1	-	1	-
SHEPTON MALLET	-	2	-	-	1	-
WELLS	-	-	-	-	1	-
WINCANTON ...	-	1	-	-	-	M. 1
YEOVIL	-	-	-	-	1	-
SOUTHAMPTON	-	40	28	-	28	C. 2 D. 2 G. 1 M. 2 N. 2
†BOURNEMOUTH C.B.	-	7	2	-	1	N. 1
†PORTSMOUTH C.B.	-	12	12	-	1	C. 1 D. 2
†SOUTHAMPTON C.B.	-	5	2	-	7	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	1	1	-	1	-
ALTON	-	-	-	-	1	-
†EASTLEIGH AND BISHOPSTOKE	-	1	-	-	1	-
†FAREHAM ...	-	-	-	-	2	-
FLEET	-	-	-	-	1	-
†GOSPORT	-	4	-	-	-	-
LYMINGTON ...	-		9	-	-	-
†WINCHESTER ...	-	-	-	-	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
ALTON	–	–	–	–	1	–
CHRISTCHURCH ...	–	2	–	–	–	G. 1
DROXFORD ...		3	–	–	5	
FAREHAM ...	–	–	1	–	2	–
HARTLEY WINTNEY	–	2	–	–	–	–
HAVANT	–	1	–	–	–	–
KINGSCLERE ...	–	1	–	–	–	
RINGWOOD ...		–	1	–	–	–
ROMSEY	–	–	–	–	–	N. 1
WHITCHURCH ...	–	–	–	–	1	–
WINCHESTER ...	–	–	–	–	2	–
STAFFORD ...	–	34	52	–	67	C. 2 D. 1 E. 1 L. 1 M. 11 N. 6
†BURTON UPON TRENT C.B.	–	5	5	–	5	–
†SMETHWICK C.B.	–	3	8	–	1	N. 2
†STOKE ON TRENT C.B.	–	1	8	–	19	M. 4 N. 1
†WALSALL C.B. ...	–	1	9	–	2	–
†WEST BROMWICH C.B.	–	2	2	–	9	C. 1 N. 1
†WOLVERHAMPTON C.B.		5	5	–	2	M. 5 N. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	–	1	–	2	–
†BRIERLEY HILL ...	–	–	1	–	–	–
†BROWNHILLS ...	–	–	1	–	1	–
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	–	2	–	5	D. 1
†DARLASTON ...	–	–	–	–	–	L. 1
†LEEK	–	2	–	–	–	–
LICHFIELD ...	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	1		–	1	–
†ROWLEY REGIS ...	–	1	1	–	5	–
†SEDGLEY	–		1		3	–
STAFFORD—*cont.*						
Boroughs and Urban Districts— *cont.*						
SHORT HEATH ...	–	1	1	–	–	–
†STAFFORD ...	–	1	1	–	1	E. 1
TETTENHALL ...	–	–	1	–	–	–
†TIPTON	–	1	–	–	3	M. 1
†WEDNESBURY ...		1	–	–	3	–
WEDNESFIELD ...	–	3	1	–	–	–
†WILLENHALL ...	–	1	1	–	1	–
†WOLSTANTON UNITED	–	–	1	–	–	–
Rural Districts:—						
CANNOCK	–	1	–	–	2	–
CHEADLE	–	–	1	–	2	–
KINGSWINFORD ...	–	–	–	–	–	C. 1
SEISDON	*	*	*	*	*	*
STAFFORD ...	–	1	–	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
WALSALL	–	–	–	–	–	M. 1
SUFFOLK, EAST	–	23	6	–	9	C. 1 M. 1 N. 2
†IPSWICH C.B. ...	–	13	2	–	3	M. 1
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
BUNGAY	–	–	–	–	1	–
†FELIXSTOWE ...	–	–	1	–	–	–
LEISTON CUM SIZEWELL	–	–		–	1	–
†LOWESTOFT ...	–	1	2	–	–	N. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	1	–	–	–
EAST STOW ...	–	1	–	–		–
HARTISMERE ...	–	1	–	–	1	–
MUTFORD AND LOTHINGLAND	–	2	–	–	–	N. 1
PLOMESGATE ...	–	1		–	1	C. 1
WANGFORD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUFFOLK, WEST	–	6	1	–	2	–
Boroughs and Urban Districts:—						
†Bury St. Edmunds	–	3	–	–	1	–
Newmarket ...	–	1	1	–	–	–
Rural Districts:—						
Clare	–	1	–	–	–	–
Melford... ...	–	–	–	–	1	–
Thingoe	–	1	–	–	–	–
SURREY	–	51	34	–	28	C. 1 G. 2 L. 5 M. 1 N. 4
†Croydon C.B. ...	–	10	7	–	5	M. 1 N. 2
Boroughs and Urban Districts:—						
†Barnes	–	–	–	–	1	–
†Beddington and Wallington	–	5	3	–	–	–
†Carshalton ...	–	1	4	–	–	–
†Caterham and Warlingham	–	–	–	–		L. 1
†Chertsey ...	–	–	–	–	1	–
Dorking	–	1	–	–	–	–
East and West Molesey	–	1	–	–	–	–
†Egham	–	2	1	–	1	–
†Esher and the Dittons	–	–	3	–	–	–
†Farnham ...	–	2	–	–	1	–
†Frimley	–	–	1	–	–	–
†Guildford ...	–	1	–	–	–	G. 1 L. 4
Haslemere ...	–	–	–	–	1	–
†Kingston on Thames	–	1	5	–	–	–
†Merton and Morden	–	11	1	–	–	G. 1
†Mitcham... ...	–	–	2	–	2	N. 1
†Reigate	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Richmond ...	–	2	–	–	2	N. 1
†Surbiton ...	–	2	–	–	2	–
†Sutton and Cheam	–	4	1	–	2	–
†The Maldens and Coombe	–	–	–	–	2	–
†Walton upon Thames	–	–	–	–	4	–
Weybridge ...	–	1	–	–	1	–
†Wimbledon ...	–	–	3	–	–	–
Rural Districts:—						
Dorking	–	1	–	–	1	–
Epsom		3	–	–	–	C. 1
Farnham ...	–	1	1	–	–	–
Hambledon ...	–	–	–	–	1	–
Reigate	–	1	2	–	1	–
SUSSEX, EAST...	–	14	11	2	8	M. 1 N. 6
†Brighton C.B.	–	2	6	–	–	N. 3
†Eastbourne C.B.	–	–	–	1	3	–
†Hastings C.B. ...	–	4	1	–	1	M. 1
Boroughs and Urban Districts:—						
†Bexhill ...	–	–	1	1	–	–
Burgess Hill ...	–	–	–		1	–
East Grinstead	–	–	1	–	–	–
†Hove	–	–	–	–	2	–
†Lewes	–	–	1	–	–	–
Newhaven ...	–	3	–	–	–	–
Seaford	–	2	–	–	–	–
Rural Districts:—						
Battle	–	1	–	–	–	N. 1
Cuckfield ...	–	–	–	–	1	N. 1
East Grinstead	–	–	1	–	–	–
Hailsham ...	–	1	–	–	–	–
Ticehurst ...	–	1	–		–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	14	1	–	7	D. 2 M. 2
Boroughs and Urban Districts:—						N. 2
†CHICHESTER ...	–	–	–	–	–	N. 1
†HORSHAM ...	–	–	–	–	1	N. 1
SHOREHAM BY SEA	–	–	–	–	2	D. 1
SOUTHWICK ...	–	2	–	–	–	M. 1
†WORTHING ...	–	2	–	–	–	M. 1
Rural Districts:—						
EAST PRESTON ...	–	5	–	–	–	–
HORSHAM ...	–	–	–	–	–	D. 1
MIDHURST ...	–	–	–	–	1	–
PETWORTH ...	–	1	–	–	–	–
STEYNING WEST...	–	2	–	–	–	–
THAKEHAM ...	–	–	–	–	1	–
WESTHAMPNETT	–	2	1	–	2	–
WARWICK ...	–	60	69	–	151	C. 3 M. 7 N. 8
†BIRMINGHAM C.B	–	46	56	–	123	C. 2 M. 6 N. 7
†COVENTRY C.B. ...	–	7	5	–	8	–
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	–	1	–	6	–
†RUGBY	–	1	–	–	–	–
†STRATFORD ON AVON	–	–	–	–	5	–
†SUTTON COLDFIELD	–	1	–	–	2	–
†WARWICK ...	–	1	2	–	–	–
Rural Districts:—						
MERIDEN... ...	–	4	–	–	2	C. 1
NUNEATON ...	–	–		–	1	–
RUGBY	–	–	1	–	1	–
SOUTHAM	–		3	–	1	–
TAMWORTH (part)	–	–	1	–	–	M. 1
WARWICK ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	–	1	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	1	–	1	–
WIGHT, ISLE OF	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	–	–	2	–
WILTS	–	7	9	–	7	–
Boroughs and Urban Districts:—						
BRADFORD ON AVON	*	*	*	*	*	*
†SALISBURY ...	–	2	–	–	–	–
†SWINDON... ...	–	–	2	–	4	–
†TROWBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CALNE	–	1	–	–	1	–
CHIPPENHAM ...	–	2	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES	–	–	7	–	–	–
HIGHWORTH ...	–	–	–	–	2	–
MELKSHAM ...	*	*	*	*	*	*
WORCESTER ...	–	21	2	–	31	C. 1 M. 1 N. 4
†DUDLEY C.B. ...	–	–	–	–	2	–
†WORCESTER C.B.	–	2	1	–	5	M. 1 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:– A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER— *cont.*						
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	–	–	5	–
†KIDDERMINSTER	–	3	–	–	–	N. 1
†MALVERN ...	–	–	–	–	1	–
NORTH BROMSGROVE	–	–	1	–	–	–
†OLDBURY... ...	–	3	–	–	7	N. 1
†REDDITCH ...	–	5	–	–	4	C. 1
†STOURBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	–	–	–	2	–
EVESHAM... ...	–	1	–	–	–	–
MARTLEY... ...	–	–	–	–	1	–
PERSHORE ...	–	2	–	–	1	–
ROCK	–	–	–	–	–	N. 1
SHIPSTON ON STOUR	–	–	–	–	1	–
TEWKESBURY (part)	–	–	–	–	1	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	10	20		20	–
†KINGSTON UPON HULL C.B.	–	9	16		13	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1		–	2	–
†BRIDLINGTON ...	–	–	1	–	1	–
FILEY	–		1		–	–
GREAT DRIFFIELD	–	–	–	–	1	–
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
RICCALL	–	–	–	–	1	–
SCULCOATES ...	–	–	1	–	1	–
SKIRLAUGH ...	–	–	1	–	1	–
YORKS ... ... (North Riding).	–	21	8	–	47	C. 1 G. 1
†MIDDLESBROUGH C.B.	–	5	1	–	27	–
Boroughs and Urban Districts:—						
†ESTON	–	–	–	–	2	–
†REDCAR		1	1	–	1	C. 1
SALTBURN BY THE SEA		–	–	–	–	G. 1
†SCARBOROUGH ...	–	4	1		2	–
†SKELTON AND BROTTON	–	1	1	–	–	–
†THORNABY ON TEES	–	–	–	–	12	–
†WHITBY		1	–	–		–
Rural Districts:—						
AYSGARTH ...	–	1	–	–		–
EASINGWOLD ...	–	–	–	–	1	–
FLAXTON	–	1	–	–	–	–
KIRKBY MOORSIDE	–	2	1	–	1	–
NORTHALLERTON	–	–	–	–	1	–
STARTFORTH ...	–	–	1	–	–	–
STOKESLEY ...	–	4	2	–	–	–
WATH	–	1	–	–	–	–
YORKS ... ... (West Riding).	5	196	89	1	277	C. 8 D. 12 E. 2 G. 1 L. 1 M. 8 N. 13
†BARNSLEY C.B. ...	–	6	–	–	7	C. 1 D. 3 G. 1
†BRADFORD C.B. ...	3	29	6	–	32	M. 3
†DEWSBURY C.B....	–	2	3		–	–
†DONCASTER C.B....	–	3	1	–	2	M. 1
†HALIFAX C.B. ...	–	3	5		3	–
†HUDDERSFIELD C.B.	–	–	5	–	7	N. 1
†LEEDS C.B. ...	–	29	20	–	45	C. 3 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†Rotherham C.B.	–	3	1	–	5	–
†Sheffield C.B....	1	31	11	1	99	C. 3 E. 1 M. 2 N. 5
†Wakefield C.B.	–	–	2	–	1	–
Boroughs and Urban Districts:—						
†Adwick le Street	–	1	2	–	–	–
Altofts	–	–	1	–	2	–
†Batley	–	2	–	–		–
†Bingley	–	2	–	–	5	–
Birkenshaw ...	–	1	–	–	2	–
Birstal	–	1	–	–	–	–
†Bolton upon Dearne	–	1	–	–	1	–
Burley in Wharfedale	–	–	–	–	1	–
Calverley ...	–	–	1	–	–	–
†Castleford ...	–	5	–	–	1	–
†Conisbrough ...	–	3	1	–	–	D. 1
Cudworth ...	–	1	1			N. 1
Darfield ...	–	–	1	–	–	–
†Darton	–	6	–	–	–	–
Earby	–	1		–	2	–
†Elland	–	–	–	–	1	N. 1
Gildersome ...	–	–	–	–	1	–
†Golcar	–	2		–	–	–
Greetland ...	–	–	1	–	–	–
†Harrogate ...	–	7	–	–	–	–
†Hemsworth ...	–	1	–	–	3	–
Horbury... ...	–	–	–	–	4	–
Hunsworth ...	–	–	–	–	1	–
Ilkley	–	6	–	–	–	–
†Keighley ...	–	2	1	–	5	C. 1 N. 1
Knaresborough	*	*	*	*	*	*
Knottingley ...	–	3	–	–	–	–
Lepton	–	–	–	–	–	M. 1
Maltby	–	–	–	–	–	D. 5
Methley ...		1		–		–
†Mexborough ...	–	–	–	–	1	–
†Morley	–	–	1	–	2	–
†Normanton ...	–	2	1	–	–	–
Oakworth ...	–	1	–	–	–	–
†Ossett	–	–	1	–	–	–
Otley	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Pontefract ...	–	–	–	–	2	–
†Rawmarsh ...	–		1	–	3	–
†Rothwell ...	–	1	–	–	–	–
Royston	–	–	1	–	–	–
Shelf	1	–	–	–	–	–
†Shipley	–	2	–	–	–	–
Skelmanthorpe	–	–	1	–	–	–
†Spenborough ...	–	3	–	–	8	–
Springhead ...	–	–	–	–	1	–
†Stanley	–	–	–		1	–
Stocksbridge ...	–	–	–	–	3	–
†Swinton	*	*	*	*	*	*
Thurnscoe ...	–	–	–	–	1	–
†Todmorden ...	–	1	–	–	–	–
†Wath upon Dearne	–	–	2	–	–	–
Whitwood ...	–	1	–	–	–	–
†Wombwell ...	–	3	–	–	3	–
Rural Districts:—						
Barnsley ...	–	3	1	–	–	–
Doncaster ...	–	–	1	–	5	D. 1
Halifax	–	1	–	–	–	–
Hemsworth ...		3	2	–	3	D. 1 M. 1
Keighley ...	–	1	–	–	–	–
Kiveton Park ...	–	–	1	–	2	–
Knaresborough	–	–	–	–	–	D. 1
Penistone ...	–	1	–	–	–	–
Pontefract ...	–	4	–	–	–	N. 1
Rotherham ...	–	1	10	–	5	L. 1 N. 1
Settle	–	–	1	–	–	–
Skipton	–	2	–	–	–	–
Tadcaster ...	–	2	–	–	1	–
Thorne	–	1	1	–	1	–
Wakefield ...	–	1	–	–	1	–
Wetherby ...	–	4			1	E. 1
Wharfedale (North)	–	–	–	–	1	–
Wharfedale (South)	–	–	1	–	–	–
Wortley... ...	–	4	–	–	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK, CITY OF ..	-	2	2	-	2	-
†York C.B. ...	-	2	2	-	2	-
WALES.						
BRECKNOCK ...	-	1	1	-	2	-
Boroughs and Urban Districts:—						
Llanwrtyd ...	-	-	-	-	1	-
Rural Districts:—						
Builth	-	1	-	-	-	-
Crickhowell ...	-	-	-	-	1	-
Ystradgynlais	-	-	1	-	-	-
CAERNARVON ...	-	-	5	-	-	-
Boroughs and Urban Districts:—						
Conway	-	-	1	-	-	-
Penmaenmawr ...	-	-	1	-	-	-
Rural Districts:—						
Lleyn	-	-	3	-	-	-
CARDIGAN ...	-	3	-	-	4	-
Boroughs and Urban Districts:—						
†Aberystwyth ...	-	3	-	-	1	-
Cardigan ...	-	-	-	-	2	-
CARDIGAN— *cont.*						
Rural Districts:—						
Aberystwyth (South)	-	-	-	-	1	-
Llandyssil ...	*	*	*	*	*	*
CARMARTHEN ...	-	5	2	-	7	-
Boroughs and Urban Districts:—						
Ammanford ...	-	1	-	-	-	-
Burry Port ...	-	-	2	-	-	-
Kidwelly ...	-	1	-	-	-	-
Llandilo ...	-	1	-	-	-	-
†Llanelly ...	-	1	-	-	2	-
Rural Districts:—						
Llandilo Fawr	-	-	-	-	4	-
Llanelly ...	-	1	-	-	1	-
Whitland ...	*	*	*	*	*	*
DENBIGH ...	-	11	23	-	5	-
Boroughs and Urban Districts:—						
Denbigh ...	-	1	-	-	-	-
Ruthin	-	1	4	-	-	-
†Wrexham ...	-	4	4	-	-	-
Rural Districts:—						
Llangollen ...	-	-	2	-	-	-
Ruthin	-	-	3	-	-	-
Wrexham ...	-	5	10	-	5	-
FLINT	-	2	4	-	5	C. 1
Boroughs and Urban Districts:—						
Buckley	-	1	-	-	-	-
Holywell ...	-	-	-	-	1	-
†Rhyl	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
Hawarden ...	–	1	–	–	–	C. 1
Holywell ...	–	–	3	–	3	–
St. Asaph (Flint)	–	–	1	–	–	–
GLAMORGAN ...	20	53	79	–	87	C. 1 D. 1 M. 2 N. 3
†Cardiff C.B. ...	–	12	21	–	7	D. 1 M. 1 N. 1
†Merthyr Tydfil C.B.	–	–	3	–	2	–
†Swansea C.B. ...	–	1	12	–	2	N. 1
Boroughs and Urban Districts:—						
†Aberdare ...	–	1	3	–	2	–
†Barry	–	3	1	–	2	–
†Caerphilly ...	–	–	2	–	1	–
†Gelligaer ...	–	6	2	–	5	–
†Glyncorwg ...	–	1	1	–	–	–
†Llwchwr ...	–	1	–	–	2	–
†Maesteg	–	1	3	–	1	–
†Mountain Ash...	18	1	7	–	3	–
†Neath	–	–	7	–	2	N. 1
†Ogmore and Garw	–	9	–	–	2	–
†Penarth	–	1	–	–	3	–
†Pontypridd ...	–	2	2	–	24	–
Porthcawl ...	–	2	–	–	1	–
†Port Talbot ...	–	–	3	–	–	–
†Rhondda ...	–	10	7	–	27	M. 1
Rural Districts:—						
Cardiff	–	1	–	–	–	–
Llantrisant and Llantwit-fardre	–	–	1	–	–	–
Neath	–	–	1	–	–	C. 1
Penybont ...	–	–	–	–	1	–
Pontardawe ...	2	1	3	–	–	–
MERIONETH ...	–	1	3	–	1	–
Urban District:—						
Dolgelley ...	–	–	–	–	1	–
Ffestiniog ...	–	–	1	–	–	–
Rural Districts:—						
Deudraeth ...	–	–	2	–	–	–
Dolgelley ...	–	1	–	–	–	–
MONMOUTH ...	–	19	13	1	14	D. 1 G. 1 N. 1
†Newport C.B. ...	–	12	3	–	8	D. 1 G. 1
Boroughs and Urban Districts:—						
†Abersychan ...	–	2	–	–	–	–
†Abertillery ...	–	3	2	–	–	–
Bedwas and Machen	–	–	1	–	–	–
†Bedwellty ...	–	–	1	–	–	–
†Blaenavon ...	–	–	1	–	–	–
†Ebbw Vale ...	–	–	–	–	4	–
Llantarnam ...	–	1	–	–	1	–
†Nantyglo and Blaina	–	–	–	–	1	N. 1
†Rhymney ...	–	–	3	–	–	–
†Risca	*	*	*	*	*	*
†Tredegar ...	–	–	2	–	–	–
Rural Districts:—						
Abergavenny ...	–	–	–	1	–	–
Pontypool ...	–	1	–	–	–	–
MONTGOMERY...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
Welshpool ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONTGOMERY—*cont.*						
Rural District:—						
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE ...	–	1	4	–	3	N. 1
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	1	–	–	–
MILFORD HAVEN	–	1	2	–	–	–
PEMBROKE—*cont.*						
Rural Districts:—						
HAVERFORDWEST	–		1	–	3	–
NARBERTH ...	–	–	–	–	–	N. 1
Total of Part II....	189	1432	1085	40	1972	C. 38 D. 39 E. 8 G. 15 J. 1 L. 16 M. 82 N.110

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BARNSTAPLE	*	*	*	*	*	*
LIVERPOOL	–	1	1	–	1	–
PLYMOUTH	–	–	–	–	–	L. 1
SANDWICH	*	*	*	*	*	*
Total of Part III. ..	–	1	1	–	1	L. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡)
Total of Part I.—London	24	250	230	4	322	C. D. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	189	1432	1085	40	1972	C. D. E. G. J. L. M. N. 1
Total of Part III.—Port Sanitary Districts	–	1	1	–	1	L.
Total (i.e., of returns received), England and Wales...	213	1683	1316	44	2295	C. D. E. G. J. L. M. N. 12

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the gregate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended:—	Nov. 15.	Nov. 22.	Nov. 29.	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24	Jan. 31.	Feb. 7.	Totals from 1st Week of year. *	
														1930.	1931.
DON:—															
Births	1,369	1,176	1,274	1,390	1,255	1,341	821	1,589	1,438	1,421	1,422	1,383	1,401	7,151	7,065
Deaths	55	53	59	43	51	39	21	50	61	50	39	41	33	231	224
HS (excluding Still-ths)—all ages.	957	969	983	973	1,082	1,175	1,185	1,356	1,452	1,467	1,415	1,434	1,496	5,547	7,264
HS—0 to 1 year ..	76	80	82	61	92	74	89	107	112	116	115	132	125	515	600
AT TOWNS, aggre-e (including Lon-):—															
Births	6,410	5,710	5,919	6,505	5,896	6,202	3,997	7,120	6,760	6,470	6,502	6,180	6,308	31,595	32,220
Deaths	279	257	273	281	286	267	216	311	305	282	270	295	244	1,454	1,396
HS (excluding Still-ths)—all ages.	4,189	4,485	4,487	4,508	4,878	5,165	4,843	5,587	6,451	6,493	6,249	6,052	6,178	23,948	31,423
HS—0 to 1 year ..	379	425	401	378	440	476	474	557	622	626	633	645	650	2,333	3,176
ERIC FEVER—Cases	21	10	10	12	14	13	7	15	10	11	20	9	10	90	60
„ Deaths	2	2	1	3	1	1	—	3	1	1	3	2	4	10	11
LL POX—Cases ..	82	88	136	74	112	111	105	131	162	154	198	194	147	1,375	855
„ Deaths ..	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—
LET FEVER—Cases	1,376	1,389	1,228	1,283	1,164	1,140	901	1,064	886	907	960	935	907	8,125	4,595
„ Deaths	4	6	1	6	6	8	11	16	8	9	8	7	7	61	39
ITHERIA—Cases ..	875	962	965	968	891	860	617	831	775	793	922	894	820	5,885	4,204
„ Deaths ..	39	30	44	31	35	43	33	43	32	39	53	43	50	280	217
SLES—Deaths ..	23	40	33	45	57	71	59	62	77	94	73	72	72	273	388
UENZA—Deaths ..	25	49	56	43	60	58	59	60	101	146	242	309	331	354	1,129

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ng been made for changes in boundary. The live births are derived from the weekly returns furnished by the strars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 7th February, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.*				Rainfall in Millimetres.‡	Towns.	Temperature of Air.*				Rainfall in Millimetres.‡
	Highest.	Lowest.	Mean Maximum.	Mean Minimum.			Highest.	Lowest.	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
NDON (GREENWICH).	47	27	40·4	30·4	8	HUDDERSFIELD	41	31	39·4	32·3	9
						BRADFORD ..	40	31	36·9	31·9	14
IGHTON ..	46	29	42·3	33·9	6	SHEFFIELD ..	42	31	38·6	32·9	9
RTSMOUTH ..	45	30	43·4	33·8	6	YORK (MUSEUM)	41	31	38·4	32·4	11
RWICH (EATON)	43	25	39·6	30·4	7	HULL (PEARSON PARK).	41	27	37·8	31·7	16
YMOUTH ..	48	31	45·7	37·3	17	TYNEMOUTH ..	42	33	39·1	34·1	8
ISTOL (HORFIELD)	48	30	42·9	35·7	6	CARDIFF	46	32	42·9	35·0	10
RMINGHAM (EDGBASTON).	44	31	39·7	33·3	11						
						EDINBURGH ..	44·0	33·0	40·3	31·0	9
TTINGHAM ..	43	31	39·0	32·3	8	GLASGOW ..	44·5	30·5	41·5	36·2	12
RKENHEAD (BIDSTON).	45	34	40·9	35·3	7	DUBLIN (PHŒNIX PARK)	48·3	29·0	45·4	32·1	5
NCHESTER (WHITWORTH PARK).	45	32	40·7	34·7	13	(FITZWILLIAM SQUARE†).	48·3	33·7	46·1	36·4	5
RNLEY	43	29	38·3	32·1	9	BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 7th February, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	1	..	29·522	46·5	40·2	6·3	43·0	+ 3·4	41·1	1·9	5·0	1·1	93	57·6	37·2	43·9	SSE: Calm.	N	2·6	0·0	0·2	242	- 98	0·16
MONDAY -	2	..	29·822	42·3	28·9	13·4	35·9	- 3·6	30·9	5·0	14·9	1·3	82	50·3	19·3	43·8	NNW: Calm.	W: WSW.	0·8	0·0	0·1	176	- 157	0·06
TUESDAY -	3	Full. Perigee	29·935	41·7	36·2	5·5	39·0	- 0·5	33·9	5·1	9·5	2·4	81	54·8	30·1	43·7	N: NNE.	NNE	3·3	0·0	0·4	353	+ 28	0·01
WEDNESDAY	4	..	30·096	38·1	31·4	6·7	34·6	- 4·9	29·8	4·8	12·9	2·4	82	73·7	28·2	43·6	NNE	NNE: N: NNW.	1·5	0·0	0·1	246	- 72	0·01
THURSDAY -	5	..	30·099	34·7	26·5	8·2	30·7	- 8·9	27·9	2·8	7·6	1·2	89	38·3	17·1	43·3	Calm	Calm: SSE.	0·3	0·0	0·0	107	- 208	0·00
FRIDAY -	6	In Equator	29·767	38·2	32·7	5·5	35·9	- 3·7	30·5	5·4	8·2	2·8	81	50·0	28·7	43·3	SE	SE: ESE.	1·0	0·0	0·1	206	- 112	0·04
SATURDAY -	7	..	29·783	39·8	29·8	10·0	34·8	- 4·7	34·5	0·3	4·4	0·0	99	43·8	19·5	43·1	Calm	N: SSE.	0·2	0·0	0·0	133	- 190	0·07
MEANS -			29·861	40·2	32·2	7·9	36·3	- 3·3	32·7	3·6	8·9	1·6	87	52·6	25·7	43·5	Variable		..	..	..	Sum 1463	Sum - 809	Sum 0·35
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	1	wP till 8h.; variably mP and mN till 18h.; then variably wP and wN.	0·0	9·1	Overcast. Damping till 4h.; at 6½h.; 11½h. till 11⅝h.; and generally from 14h. till 17h. Rain 17h. till 18¼h.
MONDAY ..	2	wP till 2h.; mP till 9h.; sP till 20h.; then variably mP and mN.	0·1	9·2	Overcast till 3h.; variably cloudy till 16½h.; then overcast. Hoar frost in morning. Fog 7½h. till 13½h.; then mist. Damping 19⅜h. till 20½h.; then slight rain till 23½h.
TUESDAY ..	3	Variably mP and wP till 6h.; then mP.	0·0	9·3	Overcast. Rain 4⅜h. till 5h. Slight showers at 9¼h. and 12¾h.
WEDNESDAY	4	wP till 6h.; variably mP and sP till 19h.: then mP.	0·7	9·3	Overcast till 11⅜h.; very cloudy till 14h.; then overcast. Slight snow 4½h. till 5h.; and occasionally afterwards.
THURSDAY	5	mP till 16¾h.; then loss of register.	0·0	9·3	Overcast generally. Hoar frost in morning and at night. Fog 7h. till 16h.; then mist till 20½h.
FRIDAY ..	6	Loss of Register till 13h.; wP till 19h.; mP till 23h.; then wP.	0·0	9·4	Overcast throughout. Slight snow 8½h.; and from 21h.
SATURDAY	7	wP till 5½h.; mN till 8h.; then mP.	0·0	9·5	Overcast till 17½h.; then becoming cloudless by 19½h. Slight snow till 6¼h. Fog from 7h. Hoar frost at night.
			Sum 0·8	Sum 65·1	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·36 ins. at the beginning of the week to 29·30 ins. by 5h. on 1st; increased to 29·85 ins. by 12h. on 2nd; decreased to 29·74 ins. by 2h. on 3rd; increased to 30·16 ins. by 9h. on 5th; decreased to 29·75 ins. by 15h. on 6th.; increased generally to 29·83 ins. by 20h. on 7th; decreased and was 29·81 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION,
LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

All kinds of **LABORATORY INVESTIGATIONS** which may be required by

PUBLIC HEALTH AUTHORITIES

are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8893 (3 lines). Telegrams: " TUBERCLE, WESTRAND, LONDON."

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, stillbirths, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics :—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

TEXT.

This volume contains a commentary (with many Tables and some Diagrams) on the contents of the two Volumes of Tables (Medical and Civil) above mentioned. Many of the subjects—especially causes of death—are dealt with in detail.

The volume is priced at 2s. 6d. instead of 5s. as in previous years. Postage 3d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

(73926) Wt. 87—17 1875 2/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 6.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 14TH FEBRUARY, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 14th FEBRUARY, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the sixth week of the year numbered 6,349 corresponding to an annual rate of 16·8 per 1,000 living: stillbirths numbered 278 corresponding to a rate of 42 per 1,000 total births registered (including stillborn) : the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,834 (656 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.
107 Great Towns	16·6	16·0	16·4	18·1
London	16·7	16·9	17·7	19·1
Birmingham	15·5	15·7	13·2	14·6
Liverpool	32·0	27·0	21·3	18·2
Manchester	19·1	17·3	15·3	19·3
Sheffield	11·6	11·4	13·8	14·3
Leeds	16·2	15·8	15·7	17·1
Bristol	14·4	13·3	16·0	14·3
West Ham	15·6	13·9	15·8	18·6

The deaths from influenza which had been 242, 309, and 331 in the three preceding weeks further rose to 456 and included 116 in London.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 115, against 97, 99, and 100 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,397 live births registered corresponding to an annual rate of 16·4 per 1,000 living: stillbirths numbered 51 corresponding to a rate of 35 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,620 (124 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 101, against 80, 92, and 87 in the three weeks preceding.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 14th February, 1931.**

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 Great Towns ..	19,661,240*	6,349	278	6,834	748	2	80	9	59	29	61	456
London	4,417,900*	1,397	51	1,620	145	-	2	3	8	4	19	116
Towns in Outer Ring. Croydon C.B. ..	222,300	49	4	77	5	-	-	-	-	-	-	8
Wimbledon ..	59,370	14	-	17	2	-	-	-	-	-	-	2
Ealing	104,000	28	-	26	7	-	-	-	1	-	-	1
Acton	65,200	9	-	21	1	-	-	-	-	1	-	2
Brentford and Chiswick ..	59,040	9	-	12	-	-	-	-	-	-	-	-
Willesden ..	172,500	34	1	49	4	-	-	1	1	-	2	3
Hendon	83,190*	17	2	24	3	-	-	-	-	-	-	1
Hornsey	88,450	16	-	30	1	-	-	-	-	-	-	2
Wood Green ..	53,410	8	-	12	1	-	-	-	1	-	-	1
Tottenham ..	155,000	31	1	51	1	-	-	-	-	2	-	10
Edmonton	75,000	43	3	20	2	-	-	-	-	-	-	1
Enfield	65,100	14	2	20	1	-	-	-	-	-	-	3
West Ham C.B. ..	307,600	120	3	110	9	-	-	-	1	-	-	7
East Ham C.B. ..	147,600	26	-	58	4	-	-	1	1	-	-	4
Leyton	128,300	27	-	36	2	-	-	-	-	-	-	4
Walthamstow ..	124,800	40	1	44	6	-	-	-	3	-	1	-
Ilford	116,200	29	1	33	3	-	-	-	-	-	-	5
Gillingham	56,670*	26	-	10	1	-	-	-	-	-	-	3
Canterbury C.B. ..	22,850*	8	-	1	-	-	-	-	-	-	-	-
Hastings C.B.	62,620	12	-	28	1	-	1	-	-	-	-	2
Eastbourne C.B. ..	58,570	13	1	13	-	-	-	-	-	-	-	-
Brighton C.B. ..	146,800*	36	3	36	3	-	-	-	-	-	-	1
Portsmouth C.B. ..	242,000*	76	4	77	6	-	-	1	1	-	-	1
Bournemouth C.B. ..	97,360	21	1	24	1	-	-	-	-	-	-	-
Southampton C.B. ..	172,300	47	4	64	4	-	-	-	-	-	1	9
Reading C.B.	96,850*	35	2	19	2	-	-	-	1	-	-	2
Oxford C.B	73,810*	38	1	17	-	-	-	-	-	1	-	2
Northampton C.B. ..	93,970*	21	2	31	2	-	-	-	-	-	-	4
Luton	65,200	25	-	22	-	-	-	-	-	1	-	1
Cambridge	60,730	25	-	16	-	-	-	-	-	-	-	1
Southend-on-Sea C.B.	114,600	28	1	31	1	-	-	-	-	-	-	-
Ipswich C.B.	85,800	31	2	22	5	-	-	-	-	-	-	2
Great Yarmouth C.B.	58,110	15	2	18	-	-	-	-	-	-	-	1
Norwich C.B.	124,900*	48	2	41	5	-	-	-	-	-	-	1
Swindon	62,020	15	-	16	2	-	-	-	-	-	-	3
Exeter C.B.	61,290*	18	2	9	1	-	-	-	-	-	-	-
Plymouth C.B. ..	199,000*	68	3	112	4	-	-	-	-	-	-	8
Bath C.B.	69,240	13	-	23	2	-	-	-	-	-	1	-
Bristol C.B.†	391,145*	136	4	107	7	-	6	-	-	2	-	1
Gloucester C.B. ..	52,010	24	1	16	-	-	-	-	1	-	-	-
Stoke-on-Trent C.B.	279,190	116	6	89	13	-	-	-	1	1	-	2
Burton-upon-Trent C.B.	48,970	11	1	16	3	-	-	-	-	1	-	-
Wolverhampton C.B.	134,300	47	3	42	6	-	-	-	-	-	-	1
Walsall C.B.	100,100	35	1	36	3	-	2	-	-	-	1	1
West Bromwich C.B.	80,840	37	2	32	7	-	1	-	1	-	-	4
Dudley C.B.	58,870	30	1	23	5	-	-	-	1	-	1	-
Worcester C.B. ..	52,320	13	1	23	2	-	-	-	-	-	-	-
Birmingham C.B. ..	968,500	314	19	271	33	-	6	-	3	-	2	3
Smethwick C.B. ..	85,120	23	-	16	-	-	1	-	-	1	-	1
Coventry C.B. ..	162,100	55	2	39	3	-	-	-	-	-	-	1
Leicester C.B. ..	245,200	96	2	94	13	-	-	-	-	-	-	1
Lincoln C.B.	65,080*	18	1	22	-	-	-	-	-	-	-	-
Grimsby C.B.	91,440	33	-	32	7	-	1	-	-	-	-	-
Nottingham C.B. ..	266,800	92	2	86	9	-	1	-	1	-	-	6
Derby C.B.	140,500*	59	5	52	6	-	-	-	-	-	-	3
Chesterfield	65,270	27	3	19	6	-	-	-	-	-	-	1
Stockport C.B ..	127,800	40	3	49	6	-	-	-	-	-	-	5
Chester C.B.	40,750	17	1	14	3	-	-	-	-	-	-	3
Birkenhead C.B ..	157,800	53	-	60	6	-	3	-	4	2	1	1
Wallasey C.B. ..	101,300	19	-	34	1	-	-	1	-	-	-	3
Liverpool C.B. ..	869,500	390	9	304	48	-	24	-	2	4	7	17
Bootle C.B.	80,400	37	-	27	4	-	1	-	-	-	-	2
St. Helens C.B. ..	109,200	42	-	42	9	-	2	-	-	-	-	3

* Population adjusted by the exclusion of non-civilians.

† As extended 1st October, 1930

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	17	1	37	2	-	-	-	-	2	-	2
Wigan C.B.	87,600	27	-	39	7	-	-	-	-	-	1	5
Warrington C.B. ..	79,400*	30	1	28	5	-	1	-	-	-	-	2
Bolton C.B	181,500	58	3	84	10	-	-	-	-	-	-	9
Bury C.B.	56,830*	15	2	23	2	-	-	-	-	-	-	-
Manchester C.B. ..	746,500	292	14	276	30	-	-	-	4	1	6	22
Salford C.B.	235,600	76	3	85	9	-	-	-	-	-	4	2
Ashton-under-Lyne	51,750	9	-	9	1	-	-	-	-	-	-	-
Oldham C.B	142,500	39	-	57	9	-	-	-	-	-	-	6
Rochdale C.B. ..	90,900	18	-	35	2	-	-	-	-	-	-	4
Burnley C.B	100,200	16	3	39	6	-	-	-	2	1	1	4
Blackburn C.B. ..	125,300	17	3	46	4	-	-	-	-	-	-	3
Preston C.B.	126,100	28	1	69	7	-	-	-	-	-	-	8
Blackpool C.B. ..	99,800	17	2	32	1	-	-	-	-	-	-	2
Barrow-in-Furness C.B.	64,850	22	3	23	1	-	-	-	-	-	-	1
Huddersfield C.B. ..	113,100	26	-	47	2	-	-	-	-	-	-	3
Halifax C.B.	97,400*	32	2	39	6	-	-	-	-	1	1	1
Bradford C.B. ..	294,605	73	6	100	15	-	-	-	-	-	1	4
Leeds C.B.	478,500	149	5	157	13	-	-	1	5	2	1	6
Dewsbury C.B. ..	53,020	11	2	23	3	-	-	-	-	-	-	-
Wakefield C.B. ..	56,640	13	2	12	-	-	-	-	2	-	-	-
Barnsley C.B. ..	71,700	32	3	28	6	-	1	-	1	-	-	1
Sheffield C.B. ..	518,000*	145	9	142	26	-	-	-	1	-	1	10
Rotherham C.B. ..	70,790	20	3	22	2	-	1	-	-	-	-	-
Doncaster C.B. ..	59,890	29	1	8	-	-	-	-	-	-	-	-
York C.B.	85,290*	23	1	30	1	-	1	-	-	-	-	5
Hull C.B.	307,500	109	2	162	17	-	8	-	-	-	-	7
Middlesbrough C.B.	133,100	48	7	68	14	-	-	1	-	-	-	7
Darlington C.B.‡ ..	74,150	18	-	28	3	-	-	-	-	1	-	4
Stockton-on-Tees ..	67,090	33	2	29	5	1	-	-	1	-	1	-
West Hartlepool C.B.	69,370	29	-	29	4	-	-	-	1	-	-	4
Sunderland C.B. ..	184,000	77	4	76	15	-	2	-	2	-	-	5
South Shields C.B ..	119,600	54	-	60	11	-	-	-	-	-	-	11
Gateshead C.B. ..	122,600	45	6	63	11	-	-	-	-	-	1	9
Newcastle-on-Tyne C.B.	283,400*	117	8	122	22	-	14	-	3	-	3	16
Tynemouth C.B. ..	65,880	19	3	29	4	-	-	-	-	-	1	1
Carlisle C.B.	56,160*	18	-	18	2	-	-	-	1	-	-	-
Newport (Mon.) C.B.	95,990*	45	2	28	6	-	-	-	-	-	1	2
Cardiff C.B.	224,000*	73	4	66	8	-	1	-	1	-	-	6
Rhondda	153,100	54	2	41	6	-	-	-	1	-	1	4
Merthyr Tydfil C.B.	77,790	27	-	27	5	1	-	-	1	-	-	5
Aberdare	53,050	14	1	16	3	-	-	-	-	-	-	3
Swansea C.B.	162,700	41	1	49	5	-	-	-	1	1	1	2
Greater London ..	7,900,480*	2,356	81	2 678	236	-	2	6	17	17	24	206
Outer Ring	3,452,580*	959	30	1,058	91	-	-	3	9	13	5	90
17 Great Towns in Outer Ring	2,027,060*	514	18	640	52	-	-	2	8	3	3	54
Remainder of Outer Ring	1,455,520*	445	12	418	39	-	-	1	1	10	2	36
Edinburgh†	428,800	130	?	106	13	-	-	-	2	-	-	2
Glasgow†	1,088,200	421	?	383	60	1	-	1	22	6	4	4
Dublin (Registration Area)†	412,400	182	?	175	25	-	14	-	1	1	3	10
Belfast†	415,151	138	?	174	24	-	3	-	2	-	1	8

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931 except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended 1st October, 1930.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
London‡	4,417,900	1931. Feb. 14	1397	51	1620	19·1	–	–	2	3	8	4	19
Calcutta and Suburbs	1,077,264	Jan. 3	?	?	530‖	25·6	?	10	?	–	?	?	?
Bombay§	1,298,708	„ 17	524	39	387‖	15·6	4	–	–	–	–	–	9
Madras	528,791	„ 3	381	16	564‖	55·4	–	1	–	–	2	–	25
Sydney and Suburbs	1,243,940	Dec. 31 (31 days)	1879	?	962	9·3	3	–	18	3	7	11	23
Brisbane (Metropolitan Area).	318,631	Nov. 30 (30 days)											
Perth (Metropolitan Area).	202,888	Dec. 6	95	?	25	6·4	–	–	–	–	–	–	–
Auckland (Urban Area).	212,100	Dec. 31 (31 days)											
Wellington (Urban Area)	138,050	Dec. 31 (31 days)											
Christchurch (Urban Area).	125,800	Dec. 31 (31 days)											
Cape Town	136,748	Jan. 10	74	–	43	16·4	–	–	–	–	1	–	7
Johannesburg	187,326	„ 3	137	3	37	10·5	1	–	1	–	–	–	5
Durban	61,667	„ 3	16	–	12	10·4	–	–	–	–	–	–	–
Paris	2,871,429	Jan. 10 (10 days)											
Antwerp	294,928	Jan. 15 (15 days)	193	13	208	16·7	–	–	2	–	–	–	7
Amsterdam	759,247	Jan. 24	272	4	144	9·9	2	–	3	–	–	–	2
Copenhagen	615,700	„ 31	180	1	166	14·1	–	–	–	–	–	1	–
Stockholm	486,672	„ 24	95	3	170	18·2	–	–	–	–	–	–	–
Gothenberg	245,336	„ 10	?	?	62	13·1	–	–	–	–	–	–	–
Oslo	253,568	„ 31	48	1	60	12·3	–	–	–	–	–	–	–
Berlin	4,336,000	„ 17	808	27	1289	15·5	–	?	–	–	1	4	3
Breslau	616,000	„ 17	139	15	159	13·4	–	?	–	1	–	5	–
Cologne	740,000	„ 17	212	6	167	11·7	–	?	1	–	1	3	–
Dresden	634,000	„ 17	137	4	167	13·7	–	?	–	–	–	3	1
Frankfort-on-Main	541,000	„ 17	142	4	103	9·9	–	?	–	–	1	–	–
Hamburg	1,148,000	„ 17	251	13	309	14·0	–	?	–	–	–	2	–
Leipzig	700,000	„ 17	161	4	170	12·6	–	?	–	–	–	–	3
Munich	730,000	„ 17	165	5	183	13·0	–	?	–	1	2	–	2
Budapest	991,518	„ 24	364	8	236	12·4	–	–	–	1	2	–	1
Warsaw	1,109,478	„ 17	?	7	324	15·2	3	–	1	2	–	3	9
Madrid	825,471	„ 24											
Cairo	1,122,800	Oct. 28	1050	30	428	19·9	7	–	2	–	?	2	97
Alexandria	612,200	„ 28	498	9	218	18·6	4	–	–	–	?	4	47
New York	7,090,089	Jan. 17	2323	109	2134	11·4	–	–	1	2	7	7	11
Chicago	3,457,375	„ 23	862	?	768	11·8	1	–	–	5	1	6	5
New Orleans	433,000	Nov. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Jan. 10	683	57	524	15·8	7	–	6	–	3	1	81

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of ag* for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only

§ The registration of Births in Bombay is incomplete.

‖ Including 5 deaths from Cholera in Calcutta, 6 in Bombay and 19 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 14th February, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	All Ages.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	6,754	8,884	1620	145	35	12	29	41	54	105	170	228	356	445
Enteric fever	3	5	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	154	4	2	1	-	1	-	-	-	-	-	-	-	-
Scarlet fever	17	11	3	-	-	1	-	2	-	-	-	-	-	-
Whooping cough	18	38	8	2	4	2	-	-	-	-	-	-	-	-
Diphtheria	78	44	4	-	-	3	1	-	-	-	-	-	-	-
Influenza	86	384	116	4	1	-	-	3	5	11	13	13	36	30
Erysipelas	27	33	4	1	-	-	-	1	-	-	-	-	1	2
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	5	7	2	-	-	-	-	1	-	-	-	-	-	1
Meningococcal meningitis	9	18	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	445	576	95	-	-	-	-	13	17	16	29	12	5	3
Nervous system	23	23	4	-	-	-	2	2	-	-	-	-	-	-
Intestines and peritoneum	8	5	1	-	1	-	-	-	-	-	-	-	-	-
Other forms	31	42	8	1	2	-	2	-	-	-	2	-	1	-
Venereal diseases	29	29	6	1	-	-	-	-	-	1	2	1	1	-
Cancer	787	836	145	-	-	1	-	-	2	8	24	37	46	27
Rheumatic fever	19	17	5	-	-	-	2	-	1	1	-	-	1	-
Diabetes	69	71	13	-	-	-	1	-	-	-	2	2	5	3
Alcoholism	3	1	1	-	-	-	-	-	-	-	-	-	1	-
Simple meningitis	16	19	1	-	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	301	284	46	-	-	-	-	-	-	-	4	5	15	22
Epilepsy	21	27	4	-	-	-	1	-	1	-	1	1	-	-
"Convulsions" (not puerperal)	8	9	2	1	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	148	158	30	2	-	1	1	1	2	5	4	6	8	-
Pericarditis	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	26	22	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of heart	1451	2106	377	-	-	-	4	5	9	15	28	58	105	153
Other diseases of circulatory system	290	348	64	-	-	-	-	-	-	1	-	10	16	37
Bronchitis	353	743	135	11	-	2	1	-	1	9	11	19	24	57
Broncho-pneumonia	357	719	144	42	19	-	3	1	3	6	13	13	16	28
Lobar pneumonia	184	255	45	1	-	-	1	1	-	10	12	11	6	3
Pneumonia (type not distinguished)	72	98	20	3	1	1	1	-	-	3	2	3	4	2
Other diseases of respiratory system	71	127	18	-	1	-	-	1	1	-	-	4	8	3
Diarrhœa and enteritis	93	102	20	18	1	-	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	41	32	5	-	-	-	1	1	-	1	1	-	-	1
Hernia, Intestinal obstruction	50	74	13	1	1	-	1	-	1	-	2	2	3	2
Cirrhosis of liver	24	26	5	-	-	-	-	-	-	-	-	4	1	-
Other diseases of digestive system	149	162	26	1	1	-	-	3	-	3	4	5	5	4
Acute nephritis	14	12	2	-	-	-	-	-	1	1	-	-	-	-
Chronic Bright's disease	204	264	49	-	-	-	-	2	2	2	6	9	21	7
Other diseases of genito-urinary system.	108	133	27	-	-	-	-	1	2	2	1	2	11	8
Puerperal sepsis	15	17	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth	10	16	3	-	-	-	-	-	1	2	-	-	-	
Congenital malformations	39	35	5	4	-	-	-	-	1	-	-	-	-	-
Premature birth	119	171	37	37	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	28	22	3	3	-	-	-	-	-	-	-	-	-	-
Old age	154	204	33	-	-	-	-	-	-	-	-	-	-	33
Suicide	67	60	11	-	-	-	-	-	2	3	3	2	1	-
Burns and Scalds	16	19	2	-	1	-	-	1	-	-	-	-	-	-
Drowning	11	11	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	6	2	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	103	77	10	-	-	-	1	1	1	-	-	1	4	2
Other deaths by violence	129	101	22	2	-	-	-	1	-	-	-	3	4	12
Other specified causes	259	282	43	9	-	-	5	1	1	5	6	4	7	5
Ill-defined causes	1	1	1	-	1	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 14th February, 1931.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	23	203	204	3	311	C. 6 D. 4 G. 1 L. 7 M. 12 N. 19
†CITY OF LONDON	–	–	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	5	–	12	D. 1 M. 1
†BERMONDSEY ...	–	4	12	–	8	N. 1
†BETHNAL GREEN	4	4	6	–	5	M. 2
†CAMBERWELL ...	–	8	8	–	8	D. 1 M. 1 N. 1
†CHELSEA	–	5	3	–	4	–
†DEPTFORD ...	–	6	10	–	6	D. 1
‡FINSBURY ...	–	3	6	–	4	D. 1 M. 1 N. 1
†FULHAM	–	8	5	–	15	M. 1
†GREENWICH ...	–	7	4	–	7	–
†HACKNEY... ...	–	11	6	–	12	M. 1
†HAMMERSMITH ...	–	7	11	–	11	M. 1
†HAMPSTEAD ...	–	4	–	–	5	–
†HOLBORN... ...	–	–	1		1	L. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	11	8	–	23	L. 1 N. 2
†KENSINGTON ...	–	10	6	–	13	L. 3 N. 1
†LAMBETH ...	–	6	14	–	20	N. 1
†LEWISHAM ...	–	15	6	–	9	N. 1
†PADDINGTON ...	–	7	8	–	10	C. 1 M. 1 N. 1
†POPLAR	5	4	5	–	27	M. 1
†ST. MARYLEBONE	–	9	5	–	5	C. 1
†ST. PANCRAS ...	–	6	7	3	19	C. 1 M. 1 N. 2
†SHOREDITCH ...	3	10	12	–	3	M. 1
†SOUTHWARK ...	–	11	14	–	24	C. 2 L. 1 N. 1
†STEPNEY	11	17	21	–	15	N. 5
†STOKE NEWINGTON	–	1	–	–	5	–
†WANDSWORTH ...	–	11	10		24	C. 1 G. 1 L. 1 N. 1
†WESTMINSTER, CITY OF	–	2	4	–	4	N. 1
†WOOLWICH ...	–	8	7	–	11	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	6	7	–	6	N. 1
Boroughs and Urban Districts:—						
†BEDFORD	–	–	–	–	1	N. 1
DUNSTABLE ...	–	1	1	–	–	–
LEIGHTON BUZZARD	–	–	2	–	–	–
†LUTON	–	5	3	–	1	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	–
BIGGLESWADE ...	–	–	–	–	3	–
EATON BRAY ...			1	–	–	–
BERKS	–	10	10	–	5	–
†READING C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	6	–	1	–
NEWBURY ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	2	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	–	–	1	–
BRADFIELD ...	–	–	–	–	2	–
COOKHAM ...	–	1	3	–	–	–
EASTHAMPSTEAD	–	3	–	–	–	–
FARINGDON (part)	–	2	–	–	–	–
NEWBURY ...	–	–	–	–	1	–
WINDSOR	–	–	1	–	–	–
BUCKINGHAM ...	–	7	7	–	6	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	–	1	–	–	–
CHESHAM	–	–	–	–	1	–
†WOLVERTON ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–	–	3	–	2	–
NEWPORT PAGNELL	–	–	1	–	1	–
WINSLOW...	–	3	–	–	–	–
WYCOMBE ...	–	4	2	–	–	–
CAMBRIDGE ...	–	5	6	–	–	N. 1
Borough:—						
†CAMBRIDGE ...	–	3	6	–	–	N. 1
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	–
CHESTER ...	–	29	32	2	74	C. 1 M. 2 N. 3
†BIRKENHEAD C.B.	–	5	11	–	15	–
†CHESTER C.B. ...	–	2	1	–	7	M. 1
†STOCKPORT C.B. ...		2	1	–	5	N. 2
†WALLASEY C.B. ...	–	2	1	–	4	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	–	–		N. 1
†BEBINGTON AND BROMBOROUGH	–	–	1	–	1	–
BOWDON	–	–	–	–		C. 1
†CONGLETON ...	–	2	–	–	1	–
†CREWE		3	1	–	–	–
†DUKINFIELD ...		1	–	–	3	–
†ELLESMERE PORT AND WHITBY	–	–	2	–	7	–
HALE	–	1	–	–	–	–
HOLLINGWORTH...	–	1	–	–	1	–
HOOLE	–	–	2	–	6	M. 1
†HOYLAKE AND WEST KIRBY	–	–	–	–	3	–
†HYDE	–	3	1	–	3	–
†MACCLESFIELD ...	–	–	–	1	1	–
†NORTHWICH ...		1	1		2	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
SANDBACH ...	–	–	1	–	2	–
†STALYBRIDGE ...	–	–	–	–	1	–
†WINSFORD ...	–	–	1	–	3	–
Rural Districts:—						
BUCKLOW... ...	–	1	–	–	–	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	–	1	1	5	–
NANTWICH ...	–	–	2	–	1	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN	–	4	–	–	2	–
TARVIN	–	–	1	–	–	–
WIRRAL	–	–	4	–	–	–
CORNWALL ...	–	19	4	2	8	–
Boroughs and Urban Districts:—						
BODMIN	–	2	–	–	–	–
†CAMBORNE ...	–	1	–	–	–	–
†FALMOUTH ...	–	–	1	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	–	–	–	–	2	–
NEWQUAY ...	–	1	–	–	–	–
†PENZANCE ...	–	2	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	–	–	1	–	1	–
TORPOINT ...	–	1	–	–	–	–
†TRURO	–	6	–	2	–	–
Rural Districts:—						
EAST KERRIER ...	–	1	–	–	–	–
LISKEARD ...	–	2	1	–	1	–
REDRUTH ...	–	–	–	–	1	–
ST. AUSTELL ...	–	1	1	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
TRURO	–	2	–	–	–	–
WEST PENWITH...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	10	4	–	11	C. 1 M. 1 N. 1
†CARLISLE C.B. ...		2	1	–	3	–
Boroughs and Urban Districts:—						
ASPATRIA ...		2		–	–	–
CLEATOR MOOR ...	–	–	1	–	–	–
COCKERMOUTH ...	–	1	–	–	–	M. 1
KESWICK	–	–	–	–	1	–
†MARYPORT ...	–	–		–	–	N. 1
PENRITH	–	4	–	–	5	–
†WORKINGTON ...	–		–	–	–	C. 1
Rural Districts:—						
CARLISLE... ...	–	–	–	–	1	–
LONGTOWN ...	–		1	–		–
WHITEHAVEN ...	–	1	1	–	–	–
WIGTON	–	–		–	1	–
DERBY	9	25	21	–	48	C. 2 L. 1 M. 1 N. 3
†DERBY C.B. ...	–	5	7	–	8	C. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	6	N. 2
ASHBOURNE ...	–	–	1		1	–
BONSALL	–		1	–		–
†BUXTON ...	*	*	*	*	*	*
†CHESTERFIELD ...	2	2	2	–	3	M. 1
CLAY CROSS ...	–	–	–	–	1	–
†GLOSSOP	–	1	2	–	2	–
HEAGE	–	–	–	–	1	–
†HEANOR	–	–	–	–	–	L. 1
†ILKESTON... ...	–	–	–	–	–	C. 1
†LONG EATON ...	–	3	–	–	–	–
†RIPLEY	–	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	–	1	–	3	–
Rural Districts:—						
ASHBOURNE ...	–	–	4	–	–	–
BELPER	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
BLACKWELL ...	–	1	–	–	4	–
CHESTERFIELD ...	7	4	–	–	5	–
CLOWNE	–	–	–	–	7	–
HARTSHORN AND SEALS		1	–	–	–	–
HAYFIELD ...		–	–	–	1	–
NORTON	–	–	–	–	1	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	4	2	–	3	N. 1
SUDBURY	–	1	–	–	–	–
DEVON	–	26	34	–	33	D. 1 N. 1
†EXETER C.B. ...	–	1	6	–	–	–
†PLYMOUTH C.B.		22	15	–	22	D. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	6	–	–	–
BIDEFORD ...	–	–	2	–	–	–
BRIXHAM	–	–	–	–	2	–
CREDITON ...	–	–	–	–	1	–
†ILFRACOMBE ...				–	1	–
NORTHAM ...	–	–	2	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	–	2	–	–	–
CREDITON ...			–	–	–	N. 1
HOLSWORTHY (part)	–		–	–	1	–
PLYMPTON ST. MARY	–	1	–	–	1	–
ST. THOMAS ...	–	2	1		1	–
TAVISTOCK ...	–	–	–		1	–
TOTNES		–	–	–	2	–
DORSET	–	6	2	–	6	G. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM			–	–	2	–
DORCHESTER ...	–	1		–	–	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†POOLE	–	3	1	–	3	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
WIMBORNE MINSTER	*	*	*	*	*	*
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	G. 1
DURHAM ...	–	34	22	–	232	C. 1 D. 4 M. 4 N. 4
†DARLINGTON C.B.	–	3	3	–	10	–
†GATESHEAD C.B.	–	7	1	–	13	C. 1
†SOUTH SHIELDS C.B.	–	–	1	–	41	D. 1
†SUNDERLAND C.B.	–	5	4	–	50	D. 3 M. 1 N. 1
†WEST HARTLEPOOL C.B.	–	4	2	–	14	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	–	2	–
BARNARD CASTLE	*	*	*	*	*	*
BENFIELDSIDE ...	–	–	–	–	4	–
BILLINGHAM ...	–	1		–	2	–
†BLAYDON	–	1	1	–	2	M. 1
†BRANDON AND BYSHOTTLES	–	–		–	–	N. 1
†CHESTER LE STREET	–	–	–	–	2	–
†CONSETT	–	1	–	–	1	–
†DURHAM	–	–	1	–	–	–
†FELLING	–	1	1	–	2	–
†HARTLEPOOL ...	–	1		–	–	–
†HEBBURN ...	–	2	–	–	6	–
†HETTON	–		2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOUGHTON LE SPRING	–	–	–	–	2	–
†JARROW	–	2	–	–	18	N. 1
†RYTON	–	–	–	–	1	–
†SEAHAM HARBOUR	–	–	–	–	9	–
STANHOPE ...	–	–	–	–	5	–
†STANLEY	–	–	1	–	1	–
†STOCKTON ON TEES	–	2	–	–	7	–
†TANFIELD ...	–	–	2	–	–	–
†WASHINGTON ...	–	–	1	–	–	–
†WHICKHAM ...	–	–	1	–	1	M. 1
Rural Districts:—						
AUCKLAND ...	–	–	–	–	2	–
CHESTER LE STREET	–	1	–	–	1	–
DURHAM	–	–	–	–	1	–
EASINGTON ...	–	–	–	–	14	–
HOUGHTON LE SPRING	–	–	–	–	5	M. 1
LANCHESTER ...	–	3	1	–	2	–
SOUTH SHIELDS	–	–	–	–	5	N. 1
SUNDERLAND ...	–	–	–	–	7	–
WEARDALE ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	12	12	–	–	D. 1
Boroughs and Urban Districts:—						
ELY	–	4	–	–	–	–
MARCH	–	–	–	–	–	D. 1
WHITTLESEY ...	–	2	8	–	–	–
Rural Districts:—						
ELY	–	5	–	–	–	–
WISBECH	–	1	4	–	–	–
ESSEX	47	74	57	150	104	C. 1 M. 4 N. 5
†EAST HAM C.B....	4	5	7	–	9	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†SOUTHEND ON SEA C.B.	–	1	3	–	7	M. 1
†WEST HAM C.B.	28	12	8	–	34	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	6	–	8	M. 1
BENFLEET ...	–	2	1	–	–	–
BRAINTREE ...	–	3	–	–	–	–
BRIGHTLINGSEA...	–	–	–	–	1	–
BURNHAM ON CROUCH	–	1	–	–	–	–
CANVEY ISLAND	–	–	–	–	1	–
†CHELMSFORD ...	–	4	–	–	–	–
CHINGFORD ...	–	2	1	3	2	–
†COLCHESTER ...	–	3	–	–	2	N. 1
DAGENHAM ...	9	6	3	–	5	–
EPPING	–	–	–	105	–	–
†GRAYS THURROCK	–	–	2	–	–	–
HALSTEAD ...	–	2	–	–	–	–
†HARWICH ...	–	–	1	–	–	–
†HORNCHURCH ...	–	1	1	–	1	–
†ILFORD	–	4	5	–	6	M. 1
†LEYTON	1	10	3	3	2	C. 1 M. 1 N. 2
LOUGHTON ...	–	–	–	10	–	–
†ROMFORD... ...	–	1	–	–	–	–
SHOEBURYNESS ...	–	1	–	–	2	–
TILBURY	–	2	1	–	–	–
WALTHAM HOLY CROSS	–	2	2	1	5	–
†WALTHAMSTOW ...	5	4	9	16	7	N. 1
†WANSTEAD ...	–	1	–	–	6	–
†WOODFORD ...	–	2	–	1	–	–
Rural Districts:—						
BILLERICAY ...	–	1	2	–	2	–
BRAINTREE ...	–	1	–	–	2	–
EPPING	–	–	–	10	–	–
LEXDEN AND WINSTREE	–	1	–	–		
ONGAR	–	1	–	–		–
ORSETT	–	–	–	–	1	–
ROCHFORD ...	–	–	2	–	–	–
STANSTED ...	–	–	–	1		–
TENDRING ...	–	1	–	–	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLOUCESTER ...	-	13	34	–	23	C. 1 D. 1 L. 4 M. 1 N. 3
†BRISTOL C.B. ...		7	23		14	C. 1 D. 1 L. 4 M. 1 N. 1
†GLOUCESTER C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...		1	4	–	1	–
NAILSWORTH ...	–	–	1	–	–	–
STROUD		–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	-	2	–	–	–	N. 1
DURSLEY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	-	–	2	–	1	N. 1
LYDNEY	-	–	–	–	1	–
PEBWORTH ...	–	–	–		1	–
THORNBURY ...	–	1	–	–	1	–
WARMLEY ...	-	–	2	–	–	–
WEST DEAN ...	–	–	–	–	1	–
WHEATENHURST	–	1	–	–	2	–
HEREFORD ...	-	3	6	–	5	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	2	–
†HEREFORD ...	–	–	2	–	2	–
LEOMINSTER ...	–	–	2	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	1	–	–	–	–
LEDBURY... ...	–	1	–	–	–	–
LEOMINSTER AND WIGMORE	–	–	1	–	1	–
ROSS	–	–	1	–	–	–
HERTFORD ...	-	14	8	1	14	D. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	3	–
†CHESHUNT ...	–	–	2	–	1	–
CHORLEYWOOD ...	–	–	1	–	–	–
†EAST BARNET VALLEY		1	1		2	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	4	–
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	1			–	–
†WATFORD ...	–	2	3	–	3	D. 1
Rural Districts:—						
HADHAM	–	–	–	–	1	–
ST. ALBANS ...	–	–	1	–	–	–
WARE	–	1	–	–	–	–
WATFORD... ...	–	7		1	–	
HUNTINGDON ...	-	6		–	2	N. 3
Boroughs and Urban Districts—						
GODMANCHESTER.	–	–		–	1	–
HUNTINGDON ...	–	1				–
OLD FLETTON ...	–	3	–	–	–	–
RAMSEY	–	1	–	–	–	N. 1
ST. IVES	–	1	–	–	–	–
Rural Districts:—						
ST. IVES	–	–	–	–	1	–
ST. NEOTS ...	-	–				N. 1
THRAPSTON (part)	–	–	–			N. 1
KENT	–	50	27	–	35	C. 3 G. 1 M. 2 N. 2
†CANTERBURY C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	-	–	4	–
†BEXLEY	-	5			1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROADSTAIRS AND ST. PETER'S		1	–	–		–
†BROMLEY	–	3	2	–	1	–
†CHATHAM ...	–	–	–	–	2	–
†CRAYFORD ...	–	–	–	–	1	–
†DARTFORD ...	–	5	–	–		–
†DOVER	–	1	–	–	1	–
†ERITH	–	–	3	–	3	–
†FAVERSHAM ...	–	–	–	–	1	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	2	–		2	G. 1
†GRAVESEND ...	–	2	–	–	1	C. 1
†MAIDSTONE ...		1	–	–	1	C. 1
†MARGATE ...		1	–	–	1	–
NEW ROMNEY ...	–	–	–		1	M. 1
†NORTHFLEET ...	–	1	2	–	–	–
†RAMSGATE ...	–	2	–		1	–
†ROYAL TUNBRIDGE WELLS	–	–	2	–	1	–
†SHEERNESS ...		1	2	–	1	–
SIDCUP	–	1	–	–	–	–
†SITTINGBOURNE AND MILTON	–	–	–	–	1	–
SWANSCOMBE ...	–	–	2	–	–	–
†TONBRIDGE ...			–	–	2	–
WALMER	–	2	–	–	–	–
WHITSTABLE ...	–	–	2	–	2	–
WROTHAM ...	–	2	–		–	–
Rural Districts:—						
BROMLEY	–	–	1	–	–	C. 1 N. 1
DARTFORD ...	–	4	5	–	–	–
DOVER		–	1	–	–	–
EAST ASHFORD ...	–	1	–		1	–
EASTRY	–	3	–		1	–
ELHAM	–		–	–	–	M. 1
FAVERSHAM ...	–	5	1	–	1	–
HOLLINGBOURNE ...	–	–	1		1	–
HOO	–	3	–	–		–
ISLE OF THANET	–	–	–	–	1	–
MALLING	–	2	–	–	–	N. 1
SEVENOAKS ...	–	1	–	–	1	–
SHEPPEY	–	–	1	–	–	–
TONBRIDGE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	237	215	–	426	C. 10 D. 6 E. 1 F. 1 G. 5 L. 3 M. 26 N. 16
†BARROW IN FURNESS C.B.	–	–	–	–	4	–
†BLACKBURN C.B.		1	1	–	22	C. 1
†BLACKPOOL C.B.	–	–	1		–	–
†BOLTON C.B. ...	–	6	1	–	9	–
†BOOTLE C.B. ...	–	1	9	–	7	N. 3
†BURNLEY C.B. ...		2	3	–	22	M. 1
†BURY C.B. ...	–	1	1	–	1	C. 1 M. 1 N. 1
†LIVERPOOL C.B....	–	26	94	–	59	C. 1 D. 1 M. 18
†MANCHESTER C.B.	–	64	15	–	90	C. 1 D. 3 G. 1 M. 1 N. 3
†OLDHAM C.B. ...	–	18	3	–	14	–
†PRESTON C.B. ...	–	–	1		12	N. 1
†ROCHDALE C.B....		11	–	–	6	M. 2
†ST. HELENS C.B.	–	1	6	–	12	C. 1
†SALFORD C.B. ...	–	10	12	–	18	C. 3 G. 2 M. 1 N. 1
†SOUTHPORT C.B.		1	15	–	5	E. 1 F. 1
†WARRINGTON C.B.	–	22	2	–	9	–
†WIGAN C.B. ...		2	5	–	13	–
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	2	–
†ACCRINGTON ...	–	4	–	–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	5	–
†ASHTON-UNDER-LYNE	–	4	–	–	1	N. 1
ASPULL	–	–	–	–	2	–
†ATHERTON ...	–	1	–	–	1	–
†BACUP	–	3	1	–	1	–
BARROWFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
BILLINGE AND WINSTANLEY	–		1	–	1	–
†CHADDERTON ...	–	2	–	–	–	
†CHORLEY	–	3	1	–	4	–
CHURCH	–	–	2	–	–	–
CLAYTON LE MOORS	–	2	–	–	–	–
†CLITHEROE ...	–	–	–	–	1	L. 1
†COLNE		1	–	–	2	N. 1
†DARWEN	–	2	4		1	
†DENTON	–	2	1	–	3	–
†DROYLSDEN ...	–	2	–	–	1	–
†ECCLES	–	–	–	–	1	–
†FAILSWORTH ...	–	1	–	–		–
†FARNWORTH ...	–	1	1	–	3	N. 1
†FLEETWOOD ...		1		–	–	–
FULWOOD ...	–	–	–	–	–	N. 1
GOLBORNE ...	–	1	–	–		–
†GREAT HARWOOD	–	–	1	–	1	
†HASLINGDEN ...	–		–	–	2	–
†HAYDOCK... ...		–	–	–	4	–
†HINDLEY... ...	–	–	–	–	10	
†HORWICH... ...	–	–	–	–	–	G. 1
†INCE IN MAKERFIELD	–		–	–	2	M. 1
IRLAM	–	–	1	–	–	–
†LANCASTER ...	–	–	–	–	6	–
LATHOM AND BURSCOUGH	–	1	–	–	–	–
†LEIGH	–	3	–		6	–
LEYLAND... ...	–	1		–		–
†LITHERLAND ...	–	–	3	–	2	–
†LYTHAM ST. ANNE'S	–	–	1	–	–	–
†MIDDLETON ...		2	–	–	2	–
MILNROW... ...	–	1	–	–		–
†MORECAMBE AND HEYSHAM	–	–	–	–	2	N. 1
†NEWTON IN MAKERFIELD	–	1	2	–	8	–
ORRELL	–	–		–	1	–
†PADIHAM... ...	–	2	–		–	–
†PRESTWICH ...	–	1	1	–	1	–
†RADCLIFFE ...	–	1	–	–	–	–
RAINFORD ...	–	–	–	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAMSBOTTOM ...	–	–	1	–	–	–
†RAWTENSTALL ...	–	1	1	–	2	C. 1
†ROYTON	–	–	1	–	–	D. 1
SKELMERSDALE ...	–	–	–	–	1	–
†STRETFORD ...	–	1	3	–	3	
†SWINTON AND PENDLEBURY	–	1	1	–	2	D. 1
TOTTINGTON ...	–	–			1	M. 1
TRAWDEN ...	–	–	1	–	–	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	–	2	–
†ULVERSTON ...	–	1	–	–	–	–
UPHOLLAND ...	–	–	–	–	2	–
URMSTON... ...	–	2	–	–	–	–
†WALTON LE DALE	–	–	–		1	–
†WATERLOO WITH SEAFORTH	–	–	14	–	–	–
†WESTHOUGHTON	–	–	–	–	2	N. 1
WHITWORTH ...	–	1	–		–	–
†WIDNES	–	3	–	–	14	C. 1
						G. 1
†WORSLEY... ...	–	1	–	–	5	–
Rural Districts:—						
BLACKBURN ...	–	1	–	–	3	–
BURNLEY ...	–	1	–	–	–	–
BURY	–	1	–	–	1	–
CLITHEROE ...	–	–	–	–	–	L. 2
GARSTANG ...	–	6	–	–	–	N. 1
LIMEHURST ...	–	1	–	–	1	–
PRESTON	–	2	–	–	2	–
WARRINGTON ...	–	2	–	–	1	–
WEST LANCASHIRE	–		1	–	1	–
WHISTON... ...	–		1	–		–
WIGAN	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	105	22	15	-	23	C. 2 D. 1 G. 2 L. 1 M. 1 N. 1
†LEICESTER C.B....	75	13	3	-	11	C. 1 D. 1 G. 1 L. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	-	-	-	-	1	-
†COALVILLE ...	-	2	1	-	-	M. 1
†LOUGHBOROUGH	8	3	-	-	-	G. 1
SHEPSHED ...	-	-	-	-	-	N. 1
THURMASTON ...	2	-	-	-	-	-
WIGSTON MAGNA	2	-	4	-	-	-
Rural Districts:—						
ASHBY DE LA ZOUCH	-	-	-	-	2	-
BARROW UPON SOAR	1	2	1	-	3	-
BLABY	2	1	1	-	1	-
CASTLE DONINGTON	-	1	-	-	-	-
HINCKLEY ...	-	-	2	-	-	-
LOUGHBOROUGH	3	-	-	-	-	-
LUTTERWORTH ...	1	-	1	-	1	-
MARKET BOSWORTH	11	-	2	-	4	C. 1
LINCOLN (parts of Holland).	-	7	2	-	1	-
Boroughs and Urban Districts:—						
†BOSTON	-	4	-		1	-
Rural Districts:—						
BOSTON	-	3	2	-	-	-
LINCOLN (parts of Kesteven).	-	3	2	-	1	-
Boroughs and Urban Districts:—						
†GRANTHAM ...	-	-	-	-	1	-
Rural Districts —						
BOURNE	-	1	-	-	-	-
GRANTHAM ...	-	2	1	-	-	-
SLEAFORD ...	-	-	1	-	-	-
LINCOLN (parts of Lindsey).	16	15	5	-	21	C. 1 G. 1 M. 1
†GRIMSBY C.B. ...	11	4	-	-	3	C. 1
†LINCOLN C.B. ...		-	1		5	-
Boroughs and Urban Districts:—						
†CLEETHORPES ...	-	3	-		-	-
CROWLE	*	*	*	*	*	*
†GAINSBOROUGH ...	-	2	1	-	3	M. 1
LOUTH	-	-	-		1	-
†SCUNTHORPE AND FRODINGHAM	-	2	-		4	G. 1
WINTERTON ..	-	-	2	-	-	-
Rural Districts:—						
CAISTOR	5	-		-		-
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	-	-	1	-	1	-
GRIMSBY	-	1	-		-	-
HORNCASTLE ...	-	1	-	-	2	-
ISLE OF AXHOLME	-	-	-	-	2	-
LOUTH	-	1	-		-	-
SPILSBY	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	74	43	-	80	C. 2 D. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†ACTON	-	1	-	-	-	-
†BRENTFORD AND CHISWICK		2	-	-	4	-
†EALING	-	3	-	-	2	-
†EDMONTON ...	-	4	2	-	2	-
†ENFIELD	-	4	10	-	5	-
†FELTHAM... ...	-	-	1	-	-	-
†FINCHLEY ...	-	7	2	-	-	-
†FRIERN BARNET...	-	3	1	-	4	-
†HAMPTON ...	-	2	-	-	-	-
HAMPTON WICK...	-	-	-	-	1	-
†HARROW ON THE HILL	-	1	1	-	-	C. 1
†HENDON	-	2	3	-	3	-
†HESTON AND ISLEWORTH	-	2	-	-	1	-
†HORNSEY	-	6	-	-	6	-
KINGSBURY ...	-		1	-	-	N. 1
RUISLIP NORTHWOOD	-	-	1	-	-	-
†SOUTHALL NORWOOD	-	2	1	-	1	-
†SOUTHGATE ...	-	6	-	-	6	-
†TEDDINGTON ...	-	3	-	-	-	-
†TOTTENHAM ...	-	7	4	-	16	M. 1 N. 1
†TWICKENHAM ...	-	2	4	-	3	C. 1 M. 1
†UXBRIDGE ...	-	2	-	-	5	-
†WEALDSTONE ...	-	1	-	-	1	-
†WEMBLEY ...	-	7	1	-	5	-
†WILLESDEN ...	-	3	9	-	15	D. 1
†WOOD GREEN ...	-	2	1	-	-	
Rural Districts:—						
HENDON	-	2	1	-	-	-
NORFOLK ...	-	7	10	2	13	C. 2 N. 5
†GREAT YARMOUTH C.B.	-	-	3	-		N. 1
†NORWICH C.B. ...	-	-	1	1	3	C. 2 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
CROMER	-	-	-	-	-	N. 1
†KING'S LYNN ...	-	-	1	-	2	-
SHERINGHAM ...	-	-	-	-	2	-
WALSOKEN ...	-	2	-	-	-	-
Rural Districts:—						
BLOFIELD ...	-	-	-	-	1	-
DEPWADE ...	-	4	4	-	1	-
FREEBRIDGE LYNN	-	-	1		-	-
LODDON AND CLAVERING	-		-	-	1	-
MITFORD AND LAUNDITCH		-	-	1	2	N. 1
SMALLBURGH ...	-	-				N. 1
WALSINGHAM ...	-	1		-	-	-
WAYLAND ...		-	-		1	-
NORTHAMPTON	-	11	4	-	20	M. 1
†NORTHAMPTON C.B.		3	1	-	8	-
Boroughs and Urban Districts:—						
BRACKLEY ...	-	-			1	-
BURTON LATIMER	-	-	-	-	1	-
DESBOROUGH ...	-		-	-	1	-
FINEDON	-	-	1		-	-
IRTHLINGBOROUGH	-	2	-	-	-	-
†KETTERING ...	-	-	1	-	3	-
OUNDLE		1	-		-	-
†RUSHDEN... ...	-	1	-	-	2	-
†WELLINGBOROUGH	-	1	1	-	-	-
Rural Districts:—						
BRIXWORTH ...	-	-	-	-	-	M. 1
DAVENTRY ...	-	-	-	-	1	-
KETTERING ...	-	2	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON *cont.*						
Rural Districts—*cont.*						
NORTHAMPTON ...	–		–	–	1	–
OXENDON... ...	–	1	–	–	–	–
WELLINGBOROUGH	–		–	–	1	–
NORTHUMBERLAND.	–	27	7	–	115	C. 1 D. 4 M. 2 N. 3
†NEWCASTLE UPON TYNE C.B.	–	15	–	–	65	C. 1 D. 4 M. 1 N. 3
†TYNEMOUTH C.B.	–	1	4	–	5	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	–	1		2	M. 1
†BEDLINGTONSHIRE	–	–	–	–	11	–
†BLYTH	–	–	–	–	7	–
CRAMLINGTON ...	–	–	–	–	2	–
†EARSDON	–	1			–	–
†GOSFORTH ...	–	2	–			–
HEXHAM	–	1		–	–	
†LONGBENTON ...		–	–		1	–
MORPETH... ...	–	–	–	–	1	–
†NEWBURN ...	–	–	–	–	2	–
SEATON DELAVAL	–	1	–	–	8	–
†WALLSEND ...	–	5	–	–	3	–
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
BELFORD	–	–	–	–	1	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	–	2	–	1	–
HEXHAM	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	–	33	21	–	39	C. 3 G. 1 L. 1 M. 1
†NOTTINGHAM C.B.	–	12	11	–	16	C. 2 M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	2	4	–	4	–
†EAST RETFORD ...	–	–	–	–	1	–
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD		–	–	–	2	–
†MANSFIELD ...		2	3	–	6	–
†MANSFIELD WOODHOUSE	–		–	–	1	–
†SUTTON IN ASHFIELD	–	5		–	2	–
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP... ...	–			–	–	G. 1
Rural Districts:—						
BASFORD	–	7	1	–		–
BINGHAM... ...	–	–	1	–	3	L. 1
EAST RETFORD ...	–	1	–	–	–	–
SKEGBY	–	–	–	–	1	–
SOUTHWELL ...	–	2	–	–	1	C. 1
WORKSOP... ...		1	1	–	–	–
OXFORD		14	6	–	4	C. 1 M. 1
†OXFORD C.B. ...	–	9	5	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	1	–	–	–	–
THAME	–	1	–	–	–	–
Rural Districts:—						
BANBURY... ...	–	3	–	–	–	–
CULHAM	–	–	1	–	–	–
WITNEY	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I. Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	–	2	–	–	4	–
Borough:—						
†PETERBOROUGH...	–	2	–	–	3	–
Rural Districts—						
PETERBOROUGH...	–	–	–	–	1	–
SALOP	–	6	5	–	4	N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	1	–
OSWESTRY ...	–	–	1	–	–	–
†SHREWSBURY ...	–	1	–	–	1	–
WELLINGTON ...	–	1	1	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	–	N. 1
CLEOBURY MORTIMER	–	–	1	–	–	–
DRAYTON	–	1	–	–	–	–
OSWESTRY ...	–	–	1	–	1	–
SHIFNAL	–	1	–	–	1	–
WELLINGTON ...	–	2	–	–	–	–
SOMERSET ...		5	9	–	11	C. 1 D. 1
†BATH C.B. ...	–	1	3		1	D. 1
Boroughs and Urban Districts:—						
BURNHAM ON SEA	–	–	–	–	1	–
MIDSOMER NORTON	–	–	–	–	1	–
†TAUNTON... ...		1	–	–	–	–
†WESTON SUPER MARE	–	–	3	–		–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
BRIDGWATER ...	–	–	–	–	2	–
CLUTTON	–	–	–	–	1	–
DULVERTON ...	–	–	–	–	1	–
LANGPORT ...		–	1	–		C. 1
SOMERSET— *cont.*						
Rural Districts— *cont.*						
LONG ASHTON ...	–	–	1		–	–
SHEPTON MALLET	–	–			1	–
TAUNTON ...	–	1	1		–	–
WELLS	–	–	–	–	1	–
WINCANTON ...	–	2	–	–	1	–
SOUTHAMPTON	–	43	15	1	27	C. 1 D. 2 G. 1 L. 5 M. 1 N. 3
†BOURNEMOUTH C.B.	–	8			3	G. 1
†PORTSMOUTH C.B.	–	21	7	–	2	–
†SOUTHAMPTON C.B.	–	4	2	–	6	C. 1 N. 3
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
CHRISTCHURCH ...	–	–	–	–	1	–
†FAREHAM ...	–	–	–	–	1	M. 1
†GOSPORT	–		–	–	3	–
LYMINGTON ...	–		1	–	–	–
ROMSEY	*	*	*	*	*	*
†WINCHESTER ...	–	–	–	–	4	–
Rural Districts:—						
ALRESFORD ...		1	–	–	–	–
ALTON	–	–	–	–	1	–
ANDOVER... ...	–	1	–			–
BASINGSTOKE ...	–	2	–	–	–	–
CHRISTCHURCH ...		–	–	–		L. 5
FAREHAM ...	–	–	–	–	1	–
FORDINGBRIDGE	–	–	–	–	1	–
HARTLEY WINTNEY	–	1	–	–	–	D. 1
HAVANT	–	–	1	–	1	D. 1
HURSLEY	–	–	–	–	1	–
NEW FOREST ..		2	1	–		–
RINGWOOD ...			3	–		
ROMSEY	*	*	*	*	*	*
SOUTH STONEHAM		1	–	–		
WHITCHURCH ...	–	–	–	1	–	–
WINCHESTER ...	–	–	–	–	2	

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	–	46	52	–	111	C. 1 E. 1 G. 1 M. 7 N. 5
†BURTON UPON TRENT C.B.	–	2	2	–	2	–
†SMETHWICK C.B.		5	13	–	8	C. 1
†STOKE ON TRENT C.B.	–	5	3	–	45	M. 2 N. 2
†WALSALL C.B. ...		3	4	–	5	–
†WEST BROMWICH C.B.		4	–	–	5	N. 1
†WOLVERHAMPTON C.B.		7	6	–	3	M. 3
Boroughs and Urban Districts:—						
†AUDLEY	–	–	2	–	2	–
†BILSTON	–	–	2	–	4	–
†BRIERLEY HILL ...	–	–		–	1	–
†BROWNHILLS ...	*	*	*	*	*	*
†CANNOCK	–	–	–	–	1	
†COSELEY	–	–	1		1	–
†DARLASTON ...		1	4	–	1	M. 1
KIDSGROVE ...			1	–	1	G. 1
†LEEK	–	–	–	–	1	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	2	1	–	9	–
†SEDGLEY	–	–		–	4	–
SHORT HEATH ...		1	–		–	
†STAFFORD ...	–	1	–		3	–
STONE	–		1		–	
†TIPTON	–	1	2	–	5	
†WEDNESBURY ...	–	1	1	–	–	–
WEDNESFIELD ...	–	1	–	–	–	M. 1
†WILLENHALL ...			–	–	2	–
†WOLSTANTON UNITED	–		1		1	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE	–	–	1		3	N. 1
GNOSALL	*	*	*	*	*	*
KINGSWINFORD ...	–	2	5	–	2	N. 1
LICHFIELD ...		1	1	–	–	E. 1
STAFFORD ...	–	2		–	–	–
TAMWORTH (part)	–	1	–		1	–
TUTBURY		2	–	–	–	–
UTTOXETER ...	–	2	–	–	–	–
WALSALL	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	24	6		6	–
†IPSWICH C.B. ...	–	17	2	–	2	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	–		–	–	2	–
†LOWESTOFT ...	–	2	3	–	–	–
SOUTHWOLD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–		–
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	–	–	–
HARTISMERE ...	–	–	–	–	1	–
PLOMESGATE ...	–	1	1	–	–	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST	–	2	2	–	–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1			–	–
NEWMARKET ...	–	–	2	–	–	–
Rural Districts:—						
COSFORD	–	–	–	–	–	N. 1
MELFORD	–	1	–	–	–	–
SURREY	–	67	27	–	46	C. 3 L. 8 M. 1 N. 6
†CROYDON C.B. ...	–	18	13	–	2	C. 3 N. 4
Boroughs and Urban Districts:—						
†BARNES	–	–	–		2	–
†BEDDINGTON AND WALLINGTON	–	5	1	–	1	–
†CARSHALTON ...	–	4	5	–	1	N. 1
†CATERHAM AND WARLINGHAM	–	–	–	–	2	L. 8 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1		–	–	–
EAST AND WEST MOLESEY	–	1	–	–	2	–
†EGHAM	–	1		–	1	–
†EPSOM	–	1	–	–	1	–
†ESHER AND THE DITTONS	–	1	1	–	–	–
†FARNHAM ...	–	1	–	–	–	–
†FRIMLEY AND CAMBERLEY	–	1	–	–	–	–
†GUILDFORD ...	–	2	–	–	3	–
†KINGSTON ON THAMES	–	7	2	–	6	–
LEATHERHEAD ...	–	–	–	–	1	–
†MERTON AND MORDEN	–	4	1	–	–	M. 1
†MITCHAM	–	1	2	–	–	–
†REIGATE	–	1	–	–	3	–
†RICHMOND ...	–	3	–	–	5	–
†SURBITON ...	–	–	–	–	1	–
†SUTTON AND CHEAM	–	2	–	–	2	–
†THE MALDENS AND COOMBE	–	2	–		–	–
†WIMBLEDON ...	–	5	1	–		–
†WOKING	–	1	–		–	–
Rural Districts:—						
DORKING	–	1		–	4	–
EPSOM	–	1	–	–	3	
FARNHAM ...	–	–	–	–	1	–
GODSTONE ...	–	–	–	–	1	–
GUILDFORD ...	–	–	–	–	2	
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	1	1	–	2	–
SUSSEX, EAST...	–	17	8	1	17	N. 2
†BRIGHTON C.B.	–	2	2	–	3	N. 2
†EASTBOURNE C.B.	–	1	1	–	1	–
†HASTINGS C.B. ...	–	3	3	–	–	–
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
EAST GRINSTEAD		1	–		2	–
†HOVE	–	2	–	–	4	–
SEAFORD		1	–	–	–	–
Rural Districts:—						
CHAILEY	–	2	–	–		–
CUCKFIELD ...	–	–	–	–	2	–
EAST GRINSTEAD		1		–	–	–
HAILSHAM ...	–	–	–	1	4	–
TICEHURST ...	–	1	2	–	–	–
UCKFIELD ...	–	3	–	–	1	–
SUSSEX, WEST...	–	5	3	–	6	N. 1
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	–	–	1	–	–	–
†CHICHESTER ...	–	1	1	–	2	–
†LITTLEHAMPTON	–	–	–	–	–	N. 1
SHOREHAM BY SEA		–	–	–	2	–
SOUTHWICK ...	–	–	–		1	–
†WORTHING ...	–	2	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	1			–	–
STEYNING WEST...	–	1	–	–		–
WESTHAMPNETT		–		–	1	–
WARWICK ...		55	58	–	146	C. 1 D. 1 G. 4 M. 10 N. 4
†BIRMINGHAM C.B.	–	40	44	–	125	D. 1 G. 2 M. 10 N. 3
†COVENTRY C.B. ...	–	4	5	–	5	C. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
KENILWORTH ...		–	2	–		–
†NUNEATON ...	–	–	1	–	7	–
†ROYAL LEAMINGTON SPA	–	1	–	–	1	
†RUGBY	–	–	1	–	–	–
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	2		–		G. 1
Rural Districts:—						
ATHERSTONE ...	–	2	1	–	2	–
FOLESHILL ...	–	1	–		1	–
MERIDEN	–	–	1	–	–	–
RUGBY	–	1	1			–
SOLIHULL ...	–	–		–	1	–
SOUTHAM	–	1	1	–	2	–
TAMWORTH (part)	–	1	1	–	1	G. 1
WARWICK ...	–	1		–		–
WESTMORLAND	–	–	1	–	4	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	–	2	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	–	1	–	1	–
WIGHT, ISLE OF		2	3	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT	–	–	3	–	–	
VENTNOR	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	8	10	–	5	D. 1 N. 4
Boroughs and Urban Districts:—						
MELKSHAM ...	–	–	1	–	–	–
†SALISBURY ...	–			–	–	D. 1
†SWINDON	–	3	4	–	2	N. 1
†TROWBRIDGE ...	–	–	2	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	3	–	–	–
BRADFORD ON AVON	–	2	–	–	–	–
CALNE	–	1	–	–	–	N. 1
CHIPPENHAM ...	–	–	–	–	–	N. 1
CRICKLADE AND WOOTTON BASSETT	–		–	–	1	–
HIGHWORTH ...	–	–	–	–	2	N. 1
RAMSBURY ...	–	1	–		–	–
WARMINSTER ...	–	1	–	–		–
WORCESTER ...		28	11		31	N. 1
†DUDLEY C.B. ...		3	2	–	–	–
†WORCESTER C.B.		6	1		–	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	1		3	–
†KIDDERMINSTER	–	4	1			–
†LYE AND WOLLESCOTE	–	–	1		–	–
†MALVERN ...	–	5		–	–	–
†OLDBURY	–	4	2	–	22	–
†REDDITCH ...	–	1		–	2	–
†STOURBRIDGE ...	–	1	–		1	–
STOURPORT ...	–	–		–	–	N. 1
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	1	–
KIDDERMINSTER	–	2	1	–	–	–
MARTLEY	–		1		1	–
SHIPSTON ON STOUR	–	–	–		1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:– A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	7	31	–	42	N. 1
†Kingston upon Hull C.B.	–	7	20	–	22	N. 1
Boroughs and Urban Districts:—						
†Beverley ...	–	–		–	9	–
†Bridlington ...		–	2	–	1	
Cottingham ...	–	–	1	–	1	–
Great Driffield	–		1		–	
Withernsea ...	–	–	2	–	1	–
Rural Districts:—						
Beverley ...	–	–	–	–	2	–
Bridlington ...	–	–	3			
Howden	–	–		–	2	–
Patrington ...		–	1		3	–
Skirlaugh ...	–	–	1	–	1	–
YORKS ... ... (North Riding).		28	12	–	67	G. 1 M. 2 N. 2
†Middlesbrough C.B.	–	9	4	–	32	M. 1 N. 1
Boroughs and Urban Districts:—						
†Eston	–	–	–	–	1	–
Guisborough ...	–	1		–	5	
Hinderwell ...	–	–	2	–	–	–
Loftus		1		–	1	–
†Redcar	–	1	1	–	–	–
Saltburn by the Sea	–	–	–	–	2	–
†Scarborough ...	–	2	2	–	–	G. 1
†Skelton and Brotton	–	1	1	–	4	M. 1 N. 1
†Thornaby on Tees	–	1	1	–	14	–
†Whitby		4	–			–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
Flaxton		–	1	–	–	–
Guisborough ...		–	–		1	–
Pickering ...		–	–	–	1	–
Richmond ...	–	2	–	–	–	–
Scarborough ...	*	*	*	*	*	*
Stokesley ...	–	3	–	–	6	–
Wath	–	3	–	–	–	–
YORKS ... ... (West Riding).	5	180	77	1	310	C. 6 D. 22 G. 1 I. 1 L. 1 M. 9 N. 9
†Barnsley C.B. ...	–	3	2	–	2	D. 1 I. 1 M. 1
†Bradford C.B. ...		16	7	–	22	C. 3 M. 1
†Dewsbury C.B....	–	1	–		1	–
†Doncaster C.B....	–	10	1		3	–
†Halifax C.B. ...	–	3	1	–	11	M. 1
†Huddersfield C.B.	–	1	2		3	–
†Leeds C.B. ...	–	46	17	–	38	C. 2 M. 1 N. 1
†Rotherham C.B.	–	3	9	–	6	D. 3
†Sheffield C.B....	–	26	4	1	133	D. 1 M. 1
†Wakefield C.B.	–	3	2	–	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†Adwick le Street	–	–	1	–		–
Altofts	–	–	–	–	1	–
Ardsley, East and West	*	*	*	*	*	*
Baildon	–	2		–		–
†Barnoldswick ...	–	–	–	–	1	–
†Batley		7	1	–	–	–
†Bingley		–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bolton upon Dearne	–	–	–	–		M. 1
Burley in Wharfedale	–		–	–	1	–
†Castleford ...		1	–			–
†Conisbrough ...	–	2	1		–	–
Cudworth ...	–	1	–	–	–	–
Darfield ...	–	–	1	–	–	–
†Darton	–	2			–	–
Denholme ...	–	1		–	–	–
†Featherstone ...	–	1	–		–	–
Flockton ...		–	1			–
Garforth ...	–	–	–	–	1	–
†Goole	–		1	–	2	–
†Harrogate ...	–	3	–		3	–
†Hemsworth ...	–	–			2	D. 1
†Holmfirth ...	–	–	1	–	2	–
Horbury... ...		–	–	–	4	–
Horsforth ...		–	1	–	1	–
†Hoyland Nether	–	–	–	–	4	D. 1
Ilkley	–	1		–		–
†Keighley ...	–	4	–	–	1	–
Knottingley ...	–	–	–	–	1	L. 1
Linthwaite ...	–	–	1	–	2	
Maltby	–	–	–		–	D. 4
Marsden... ...		1			1	–
†Mexborough ...	–	1	–	–	2	–
†Mirfield ...	–	1	–	–	2	–
†Morley	–	–	1	–	2	–
Mytholmroyd ...	–	–	–	–	–	M. 1
†Normanton ...	–	1	–	–	–	–
Oakworth ...		2		–	–	–
†Ossett	–	2	–		1	N. 1
Otley	–	4	–		–	N. 2
†Pontefract ...	–	–	–	–	3	N. 1
†Pudsey	–	–	1	–	–	G. 1
Queensbury ...	1	–	–		–	–
†Rawmarsh ...	–	1		–	4	–
Ripon	–	1			–	–
†Rothwell ...		–	1	–	1	–
†Saddleworth ...	*	*	*	*	*	*
Selby	–	1	–	–	–	–
Shelf	2	–	–	–	–	–
†Shipley	–	2	–	–	2	–
Skelmanthorpe	–	–	–	–	1	–
†Skipton	–	2	–		–	–
Southowram ...	–	–	–		–	M. 1
†Sowerby... ...	–	1		–	–	–
†Spenborough ...	–	1	3	–	4	–
Springhead ...	–	–	–	–	–	C. 1
†Stanley	–	–	1	–	4	–
Stocksbridge ...	–	–	–	–	1	–
Thurnscoe ...	–	–	–	–	1	–
†Todmorden ...	–	–	–	–	5	–
†Wath upon Dearne	–	1	–	–	–	–
Whitley Upper	–	–	–	–	2	–
†Wombwell ...	–	1	3		1	D. 1
						N. 1
†Worsborough ...	–	1	2	–	–	
Rural Districts:—						
Doncaster ...		3		–	5	D. 5
Hemsworth ...	–	1	2	–	4	D. 2
						N. 2
Kiveton Park ...	2	–	1	–	2	–
Penistone ...	–	1	–		–	–
Pontefract ...	–	1	–	–	4	–
Rotherham ...	–	1	2	–	1	D. 2
Settle		–	–		1	–
Skipton		1	–	–	–	–
Tadcaster ...	–	6	1	–	–	–
Thorne	–	–	–	–	2	–
Wakefield ...	–	2	1	–	4	–
Wetherby ...	–	–	3	–	1	–
Wortley... ...	–	3	–		–	D. 1
YORK, CITY OF ..	–	4	1	–	1	–
†York C.B. ...	–	4	1		1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	–	–	–	1	–
Rural Districts:—						
VALLEY	–	–	–	–	1	–
BRECKNOCK ...	–	1	3	–	1	–
Boroughs and Urban Districts:—						
BUILTH WELLS ...	–	–	–	–	1	–
Rural Districts:—						
HAY	–	1	–	–	–	–
VAYNOR AND PENDERYN	–	–	2	–	–	–
YSTRADGYNLAIS	–	–	1	–	–	–
CAERNARVON...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
CONWAY	–	1	1	–	–	–
PWLLHELI ...	–	–	–	–	1	–
CARDIGAN ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
Rural Districts:—						
LLANDYSSIL ...	–	1	–	–	–	–
CARMARTHEN...	–	9	5	–	7	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
BURRY PORT ...	–	1	1	–	–	–
†LLANELLY ...	–	2	–	–	4	–
Rural Districts:—						
CARMARTHEN ...	–	1		–	1	–
LLANDILO FAWR	–	3	–	–	1	–
LLANELLY ...	–	2	3	–	1	–
DENBIGH ...	–	12	18	–	8	N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	1	–	–	–	–
DENBIGH ...	–	–	–	–	1	–
RUTHIN	–	–	1	–	–	–
†WREXHAM ...	–	3	8	–	1	–
Rural Districts:—						
RUTHIN	–	1	–	–	–	
WREXHAM ...	–	7	9	–	6	N. 1
FLINT	–	1	–	–	7	–
Boroughs and Urban Districts:—						
FLINT	–	–	–	–	1	–
HOLYWELL ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
Hawarden ...	–	–	–	–	4	–
Holywell ...	*	*	*	*	*	*
Overton	*	*	*	*	*	*
St. Asaph (Flint)	–	1	–	–	–	–
GLAMORGAN ...	16	61	64	–	92	C. 1 D. 1 J. 1 M. 4 N. 1
†Cardiff C.B. ...	–	21	9		6	C. 1 M. 2
†Merthyr Tydfil C.B.	1	3	6	–	–	–
†Swansea C.B. ...	–	–	13	–	4	–
Boroughs and Urban Districts:—						
†Aberdare ...	–	1	–	–	13	–
†Barry	–	–	–	–	2	–
†Caerphilly ...	–	1	–	–	2	–
†Gelligaer ...	–	1	4	–	1	–
†Glyncorwg ...	–	–	1	–	–	–
†Llwchwr ...	–	–	–	–	1	–
†Maesteg	–	1	2	–	–	–
†Mountain Ash...	15	1	5		5	–
†Neath	–	1	2		–	–
†Ogmore and Garw	–	10	1	–	6	–
†Penarth	–	2			1	–
†Pontypridd ...	–	6	2	–	26	–
Porthcawl ...	–	1	–		–	–
†Port Talbot ...	–	–	6	–		–
†Rhondda ...	–	9	7	–	22	N. 1
Rural Districts:—						
Cardiff	–	1	1	–	–	–
Llantrisant and Llantwit-Fardre	–	–	–	–	3	J. 1
Neath	–	1	1	–	–	M. 1
Penybont ...	–	–	–	–	–	M. 1
Pontardawe ...	–	1	4	–	–	D. 1
MERIONETH ...	–	–	6	–	1	C. 1
Urban District:—						
Ffestiniog ...	–	–	3	–	–	–
Rural Districts:—						
Deudraeth ...	–	–	3	–	–	–
Dolgelley ...	–	–	–	–	1	–
Penllyn	–	–	–	–	–	C. 1
MONMOUTH ...	–	23	10	–	15	M. 1
†Newport C.B. ...	–	14	3	–	8	–
Boroughs and Urban Districts:—						
Abergavenny ...	–	–	1	–	–	–
†Abertillery ...	–	4	1	–	1	–
†Bedwellty ...	–	2	2	–	1	M. 1
†Ebbw Vale ...	–	1	1		2	–
†Mynyddislwyn	–		2	–	–	–
†Nantyglo and Blaina	–	–	–	–	2	–
†Rhymney ...	–	1	–	–	–	–
Rural Districts:—						
Magor	–	1	–		–	–
St. Mellons ...	–	–	–	–	1	–
MONTGOMERY...	–		2		3	–
Boroughs and Urban Districts:—						
Llanfyllin ...	–	–	–	–	1	–
Llanidloes ...	–	–	1	–	–	–
Montgomery ...	–	–	–	–	1	–
Newtown and Llanllwchaiarn	*	*	*	*	*	*
Rural District:—						
Llanfyllin ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE ...		1	7	–	2	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–		1	–	–	–
GOODWICK ...	–	–	3	–	–	–
MILFORD HAVEN	–	–	1		2	–
†PEMBROKE ...	–		1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE— *cont.*						
Rural Districts:—						
HAVERFORDWEST	–		1	–	–	–
NARBERTH ...	*	*	*	*	*	*
PEMBROKE ...	–	1	–	–	–	–
Total of Part II....	198	1439	1070	160	2331	C. 47 D. 48 E. 2 F. 1 G. 19 I. 1 J. 1 L. 24 M. 85 N. 96

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
FALMOUTH AND TRURO	*	*	*	*	*	*
PLYMOUTH	–	–	–		2	–

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
PORT OF LONDON ...	–	–	6	–	–	–
Total of Part III. ...	–	–	6	–	2	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	23	203	204	3	311	C. ... D. ... G. ... L. ... M. 1 N. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	198	1439	1070	160	2331	C. 4 D. 4 E. ... F. ... G. 1 I. ... J. ... L. 2 M. 8 N. 9
Total of Part III.—Port Sanitary Districts	...	–	6	–	2	... –
Total (i.e., of returns received), England and Wales...	221	1642	1280	163	2644	C. 5 D. 5 E. ... F. ... G. 2 I. ... J. ... L. 3 M. 9 N. 11

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the EGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

eek ended:—	Nov. 22.	Nov. 29	Dec. 6.	Dec. 13	Dec. 20.	Dec. 27.	Jan. 3	Jan. 10.	Jan. 17.	Jan. 24	Jan. 31	Feb 7	Feb. 14	Totals from 1st Week of year. * 1930.	1931.
ON:—															
IRTHS	1,176	1 274	1,390	1,255	1,341	821	1,589	1,438	1,421	1,422	1,383	1,401	1 397	8,549	8,462
IRTHS	53	59	43	51	39	21	50	61	50	39	41	33	51	285	275
S (excluding Still-s)—all ages.	969	983	973	1,082	1,175	1,185	1,356	1,452	1,467	1,415	1,434	1,496	1,620	6,754	8,884
S—0 to 1 year ..	80	82	61	92	74	89	107	112	116	115	132	125	145	634	745
T TOWNS, aggre-(including Lon-:—															
IRTHS	5.710	5.919	6.505	5,896	6,202	3,997	7,120	6,760	6,470	6,502	6,180	6,308	6,349	38,102	38.569
IRTHS	257	273	281	286	267	216	311	305	282	270	295	244	278	1,717	1,674
S (excluding Still-s)—all ages.	4,485	4,487	4,508	4,878	5,165	4,843	5,587	6.451	6,493	6,249	6,052	6,178	6,834	29,128	38.257
S—0 to 1 year ..	425	401	378	440	476	474	557	622	626	633	645	650	748	2,843	3,924
IC FEVER—Cases	10	10	12	14	13	7	15	10	11	20	9	10	24	112	84
„ Deaths	2	1	3	1	1	—	3	1	1	3	2	4	2	10	13
POX—Cases ..	88	136	74	112	111	105	131	162	154	198	194	147	150	1,630	1,005
Deaths ..	—	—	1	—	—	—	—	—	—	—	—	—	—	3	—
ET FEVER—Cases	1,389	1,228	1,283	1,164	1,140	901	1,064	886	907	960	935	907	925	9,562	5,520
„ Deaths	6	1	6	6	8	11	16	8	9	8	7	7	9	73	48
HERIA—Cases ..	962	965	968	891	860	617	831	775	793	922	894	820	781	7,031	4,985
Deaths ..	30	44	31	35	43	33	43	32	39	53	43	50	29	335	246
ES—Deaths ..	40	33	45	57	71	59	62	77	94	73	72	72	80	352	468
ENZA—Deaths ..	49	56	43	60	58	59	60	101	146	242	309	331	456	434	1,585

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections g been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 14th February, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON	52	28	47·0	35·6	13	HUDDERSFIELD	54	31	45·4	36·1	44
GREENWICH).						BRADFORD ..	51	30	43·9	35·1	37
GHTON ..	49	31	46·3	36·7	19	SHEFFIELD ..	54	31	44·7	35·9	41
TSMOUTH ..	51	33	47·7	38·8	18	YORK (MUSEUM)	53	33	46·1	36·6	15
WICH	§	§	§	§	§	HULL (PEARSON	54	31	46·2	35·9	15
(EATON)						PARK).					
MOUTH ..	52	34	48·3	40·1	35	TYNEMOUTH ..	52	31	44·1	36·7	10
TOL	53	31	47·3	37·7	22	CARDIFF	51	32	46·1	36·7	36
(HORFIELD)											
MINGHAM	52	31	44·1	36·1	21						
EDGBASTON).						EDINBURGH ..	50·0	30·0	43·7	35·1	19
TINGHAM ..	54	33	46·4	35·9	22	GLASGOW ..	48·3	32·0	43·5	36·0	28
KENHEAD	52	33	44·4	38·6	11	DUBLIN					
(BIDSTON).						(PHŒNIX	55·0	29·0	48·3	35·9	14
ICHESTER	52	30	45·7	37·3	29	PARK)					
(WHITWORTH						(FITZWILLIAM	56·0	32·1	49·0	38·0	8
PARK).						SQUARE†).					
NLEY	50	28	43·1	34·9	41	BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 14th February, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	8	..	29·754	46·0	28·1	17·9	38·9	- 0·4	37·7	1·2	5·4	1·0	95	72·0	17·3	43·2	SSE: S	SSW	3·8	0·0	0·4	311	- 18	0·02
MONDAY -	9	Last Quarter.	29·767	52·4	44·2	8·2	48·7	+ 9·6	47·9	0·8	2·6	0·4	97	56·6	42·4	43 3	SSW	SSW: SW.	3·1	0·0	0·4	387	+ 55	0·01
TUESDAY -	10	..	29·662	51·7	36·5	15·2	44·2	+ 5·3	37·8	6·4	17·7	1·0	78	80·1	28·1	43 2	SW: WSW.	W: WSW.	11·1	0·1	1 6	621	+ 288	0·12
WEDNESDAY	11	..	29·628	48·0	35·1	12·9	42·4	+ 3·6	36·2	6·2	12·4	3·7	79	79·9	27·0	43·2	WSW: SW.	SW: W.	13·1	0·2	14·4	548	+ 216	0·21
THURSDAY -	12	..	29·361	44·7	35·0	9·7	39·4	+ 0·6	26·1	13·3	18·8	5·4	58	75·1	27·7	43·3	W	WNW: W.	11·0	0·1	2·1	701	+ 372	0 01
FRIDAY -	13	Greatest Declination S.	29·310	41·9	34·1	7·8	37·5	- 1·5	28 1	9·4	16·9	2·0	69	66·7	26·0	43·0	WSW: W: NW.	NNW: N.	4·8	0·0	0·7	469	+ 142	0·01
SATURDAY -	14	..	29·756	42·7	32·2	10·5	36·9	- 2·4	26·5	10·4	15·8	7·0	66	76·0	22·4	43·2	N	N: NW: W.	4·0	0·0	0·5	333	+ 7	0 00
MEANS -		..	29·605	46·8	35·0	11·7	41·0	+ 2·1	34·3	6·8	12·8	2·9	77	72·3	27·3	43·2	Variable		..		..	Sum 3370	Sum +1062	Sum 0·38
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	8	mP till 4h.; wP till 8h.; mP till 19h.; then wP.	0·1	9·5	Cloudless till 3½h.; then becoming overcast by 5½h. Hoar frost in morning. Fog till 1h. Occasional damping between 15h. and 19½h.; then slight rain.
MONDAY ..	9	wP till 8h.; mP till 13h.; then variably mP and wP.	0·0	9·6	Overcast. Damping till 1h.; at 3h.; and occasionally between 6¾h. and 22h.
TUESDAY ..	10	wP till 9h.; mN till 11h.; then mP.	2·2	9·6	Overcast till 13½h.; partially cloudy till 17½h.; then cloudless. Damping 6h. till 10¾h.; with heavy rain squall about 9½h. Brisk wind 1h. till 12h.; high wind 12h. till 17h.; then brisk wind till 20h.
WEDNESDAY	11	mP till 14½h.; mN till 20½h; then mP.	1·9	9·7	Cloudless till 5h.; nearly overcast till 20½h.; nearly cloudless till 21h.; then variably cloudy. Hoar frost in morning. Showers at 9½h. and 22½h. Slight rain generally from 14½h. till 20½h. Solar halo 13h. till 13½h. Brisk wind 12h. till 15h.; then high generally.
THURSDAY	12	mP till 1h; mN till 1½h.; then mP.	3·2	9·8	Nearly overcast till 3½h.; very cloudy generally till 16½h.; then cloudless. High wind till 16h.; then brisk wind till 19h. Shower at 1h. Hoar frost at night.
FRIDAY ..	13	mP	0·9	9·8	Cloudless till 1h.; cloudy till 6h.; overcast till 13h.; then variably cloudy. Hoar frost in morning. Damping about 6h. Snow 9h. till 9½h. Brisk wind 9h. till 15h.
SATURDAY	14	mP	5·4	9·9	Nearly cloudless till 11h.; partially cloudy till 15½h; cloudless generally till 23h.; then overcast. Hoar frost in morning and at night. Fog from 21½h.
			Sum 13·7	Sum 67·9	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·81 ins. at the beginning of the week to 29·49 ins. by 9h. on 10th; increased to 29·98 ins. by 2h. on 11th; decreased to 29·22 ins. by 20h. on 11th; increased to 29·38 ins. by 11h. on 12th; decreased to 29·22 ins. by 7h. on 13th.; increased to 29·82 ins. by 20h. on 14th; decreased and was 29·78 ins. by midnight on the same day.

THE CLINICAL RESEARCH ASSOCIATION, LTD.

WATERGATE HOUSE, ADELPHI, W.C.2. (*Close to Charing Cross Station.*)

A COMPLETE LABORATORY SERVICE.

The Consulting Rooms and Laboratories of this Association (established in 1894) are available for all Medical Practitioners desiring Laboratory assistance in the investigation and diagnosis of cases under their care. All necessary apparatus and full instructions for collecting pathogenic material, or for the personal attendance of Patients at the Consulting Rooms of the Association, will be forwarded immediately on application.

X-RAY EXAMINATIONS AND NURSING HOME ACCOMMODATION ARRANGED.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). **Telegrams: "TUBERCLE, WESTRAND, LONDON."**

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, stillbirths, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics:—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

TEXT.

This volume contains a commentary (with many Tables and some Diagrams) on the contents of the two Volumes of Tables (Medical and Civil) above mentioned. Many of the subjects—especially causes of death—are dealt with in detail.

The volume is priced at 2s. 6d. instead of 5s. as in previous years. Postage 3d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

(7 992) Wt. 87—17 1875 2/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 7.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 21ST FEBRUARY, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 21st FEBRUARY, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the seventh week of the year numbered 6,320 corresponding to an annual rate of 16·7 per 1,000 living: stillbirths numbered 315 corresponding to a rate of 47 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,826 (8 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.
107 Great Towns	16·0	16·4	18·1	18·1
London	16·9	17·7	19·1	18·6
Birmingham	15·7	13·2	14·6	15·6
Liverpool	27·0	21·3	18·2	16·6
Manchester	17·3	15·3	19·3	20·1
Sheffield	11·4	13·8	14·3	14·7
Leeds	15·8	15·7	17·1	17·4
Bristol	13·3	16·0	14·3	14·7
West Ham	13·9	15·8	18·6	21·7

The deaths from influenza which had been 309, 331 and 456 in the three preceding weeks further rose to 509 and included 106 in London.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 107, against 99, 100 and 115, in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,317 live births registered corresponding to an annual rate of 15·5 per 1,000 living: stillbirths numbered 59 corresponding to a rate of 43 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,578 (42 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 64, against 92, 87, and 101 in the three weeks preceding.

During the week small-pox was mentioned as a cause of death in one case which has been provisionally classified to small-pox and assigned to Leicester C.B.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There were no deaths from small-pox in the returns from areas outside Greater London, the County Boroughs and Great Towns, for the month of January last.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 21st February, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
107 GREAT TOWNS ..	19,661,240*	6,320	315	6,826‡	697	1	97	8	44	48	55	50
LONDON	4,417,900*	1,317	59	1,578	92	-	2	2	12	11	9	10
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	70	5	77	1	-	-	-	-	1	-	
TOWNS IN OUTER RING. WIMBLEDON ..	59,370	9	-	13	2	-	-	-	-	-	1	
TOWNS IN OUTER RING. EALING	104,000	27	1	27	1	-	-	-	1	1	-	
TOWNS IN OUTER RING. ACTON	65,200	20	-	16	1	-	-	-	-	-	-	
TOWNS IN OUTER RING. BRENTFORD AND CHISWICK ..	59,040	11	-	25	3	-	-	-	-	-	-	
TOWNS IN OUTER RING. WILLESDEN ..	172,500	39	3	50	3	-	-	-	1	-	-	
TOWNS IN OUTER RING. HENDON	83,190*	27	3	18	1	-	-	-	-	-	-	
TOWNS IN OUTER RING. HORNSEY	88,450	23	-	31	1	-	-	-	1	-	-	
TOWNS IN OUTER RING. WOOD GREEN ..	53,410	10	-	12	-	-	-	-	-	-	-	
TOWNS IN OUTER RING. TOTTENHAM ..	155,000	32	-	49	5	-	-	1	1	-	-	
TOWNS IN OUTER RING. EDMONTON	75,000	56	3	24	-	-	-	-	-	-	-	
TOWNS IN OUTER RING. ENFIELD	65,100	22	1	12	2	-	-	-	-	-	-	
TOWNS IN OUTER RING. WEST HAM C.B. ..	307,600	105	3	128	10	-	-	-	2	-	-	1
TOWNS IN OUTER RING. EAST HAM C.B. ..	147,600	33	-	54	3	-	-	-	-	1	2	
TOWNS IN OUTER RING. LEYTON	128,300	26	1	40	1	-	-	-	1	-	-	
TOWNS IN OUTER RING. WALTHAMSTOW ..	124,800	26	-	53	2	-	-	-	-	1	-	
TOWNS IN OUTER RING. ILFORD	116,200	39	1	28	-	-	-	-	-	-	-	
GILLINGHAM	56,670*	22	2	20	1	-	1	-	-	-	-	
CANTERBURY C.B. ..	22,850*	7	-	8	1	-	-	-	-	-	-	
HASTINGS C.B.	62,620	15	2	22	-	-	-	-	-	1	-	
EASTBOURNE C.B. ..	58,570	21	-	15	1	-	-	-	-	-	-	
BRIGHTON C.B. ..	146,800*	31	4	45	4	-	-	-	-	-	-	
PORTSMOUTH C.B. ..	242,000*	79	8	76	6	-	-	-	3	-	-	
BOURNEMOUTH C.B. ..	97,360	17	1	39	6	-	-	-	2	-	1	
SOUTHAMPTON C.B. ..	172,300	34	2	51	2	-	-	-	1	1		
READING C.B.	96,850*	37	2	26	3	-	-	-	-	-	1	
OXFORD C.B.	73,810*	34	1	19	4	-	-	-	-	-		
NORTHAMPTON C.B. ..	93,970*	24	-	19	5	-	-	-	-	-	1	
LUTON	65,200	28	1	15	3	-	-	-	-	-	-	
CAMBRIDGE	60,730	21	1	16	2	-	-	-	-	-	-	
SOUTHEND-ON-SEA C.B.	114,600	21	1	33	2	-	-	-	-	-	1	
IPSWICH C.B. ..	85,800	32	3	26	6	-	-	-	-	-	-	
GREAT YARMOUTH C.B.	58,110	22	-	14	2	-	-	-	-	-	-	
NORWICH C.B.	124,900*	31	3	36	6	-	-	-	1	2	-	
SWINDON	62,020	19	1	26	-	-	-	-	-	-	-	1
EXETER C.B.	61,290*	21	2	18	1	-	-	-	-	1	-	
PLYMOUTH C.B. ..	199,000*	60	1	102	6	-	-	-	-	-	-	
BATH C.B.	69,240	14	1	30	1	-	-	-	-	-	-	
BRISTOL C.B.†	391,145*	115	12	110	5	-	3	-	-	-	-	
GLOUCESTER C.B. ..	52,010	14	2	12	2	-	-	-	-	-	-	
STOKE-ON-TRENT C.B.	279,190	119	6	96	28	-	1	-	-	1	-	
BURTON-UPON-TRENT C.B.	48,970	18	-	18	-	-	-	-	-	-	-	
WOLVERHAMPTON C.B.	134,300	47	1	37	2	-	-	-	1	-	1	
WALSALL C.B.	100,100	41	1	24	4	-	1	-	-	1	1	
WEST BROMWICH C.B.	80,840	38	2	34	6	-	-	-	-	-	-	
DUDLEY C.B.	58,870	14	1	27	3	-	-	-	-	-	2	
WORCESTER C.B. ..	52,320	15	2	17	-	-	-	-	-	-	-	
BIRMINGHAM C.B. ..	968,500	318	13	290	41	-	11	-	-	-	1	1
SMETHWICK C.B. ..	85,120	17	-	19	3	-	-	-	-	1	-	
COVENTRY C.B. ..	162,100	45	2	57	10	-	-	-	-	-	-	
LEICESTER C.B. ..	245,200	78	1	72‡	16	-	-	-	1	-	-	
LINCOLN C.B.	65,080*	24	-	17	4	-	-	-	-	-	-	
GRIMSBY C.B. ..	91,440	39	1	34	5	-	-	-	-	-	1	
NOTTINGHAM C.B. ..	266,800	92	6	100	9	-	4	-	-	-	-	
DERBY C.B.	140,500*	53	1	42	5	-	-	-	2	-	-	
CHESTERFIELD	65,270	29	5	19	3	-	-	-	-	-	-	
STOCKPORT C.B ..	127,800	41	2	44	-	-	-	-	1	-	-	
CHESTER C.B.	40,750	15	-	14	-	-	-	-	-	-	-	
BIRKENHEAD C.B ..	157,600	65	3	44	9	-	4	-	2	-	1	
WALLASEY C.B. ..	101,300	21	-	23	1	-	-	-	1	-	1	
LIVERPOOL C.B. ..	869,500	379	12	277	39	-	25	1	-	12	5	
BOOTLE C.B.	80,400	43	2	25	2	-	-	1	-	-	-	
ST. HELENS C.B. ..	109,200	41	-	45	4	-	4	-	-	-	-	

* Population adjusted by the exclusion of non-civilians. † As extended 1st October, 1930

‡ Includes one death from small-pox.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B. ..	80,040	10	1	32	1	-	-	-	-	-	-	2
WIGAN C.B.	87,600	36	-	27	5	-	-	-	-	-	1	-
WARRINGTON C.B. ..	79,400*	29	2	19	3	-	1	1	-	-	1	2
BOLTON C.B	181,500	50	5	66	8	-	-	-	-	1	-	13
BURY C.B.	56,830*	27	-	18	2	-	-	-	-	-	-	4
MANCHESTER C.B. ..	746,500	252	21	288	28	-	1	-	1	-	8	24
SALFORD C.B.	235,600	59	5	103	10	-	-	-	-	-	1	4
ASHTON-UNDER-LYNE	51,750	31	1	18	1	-	-	-	-	-	-	-
OLDHAM C.B	142,500	46	7	55	8	-	-	-	-	-	-	5
ROCHDALE C.B. ..	90,900	12	2	35	1	-	-	-	-	1	1	3
BURNLEY C.B	100,200	25	2	44	2	-	-	-	-	-	1	5
BLACKBURN C.B. ..	125,300	34	1	42	1	-	-	-	1	-	-	4
PRESTON C.B.	126,100	42	2	64	5	-	-	-	-	-	-	13
BLACKPOOL C.B. ..	99,800	24	2	31	3	-	-	-	-	-	-	3
BARROW-IN-FURNESS C.B.	64,850	16	2	17	3	-	-	-	-	-	1	-
HUDDERSFIELD C.B. ..	113,100	35	3	46	6	-	1	-	-	-	-	-
HALIFAX C.B.	97,400*	29	-	43	3	-	-	-	-	1	-	2
BRADFORD C.B. ..	294,605	72	5	94	7	-	-	-	-	-	-	8
LEEDS C.B.	478,500	145	5	160	19	-	-	-	2	1	3	3
DEWSBURY C.B. ..	53,020	15	-	19	2	-	-	-	-	-	-	1
WAKEFIELD C.B. ..	56,640	16	1	19	6	-	-	-	-	2	1	
BARNSLEY C.B. ..	71,700	27	2	25	7	-	-	-	-	-	-	-
SHEFFIELD C.B. ..	518,000*	156	8	146	26	-	-	1	-	1	2	8
ROTHERHAM C.B. ..	70,790	29	-	28	7	-	-	-	1	-	-	1
DONCASTER C.B. ..	59,890	26	1	14	3	-	-	-	-	-	-	1
YORK C.B.	85,290*	28	-	32	5	-	1	-	-	-	-	3
HULL C.B.	307,500	126	4	147	20	1	7	-	1	3	-	10
MIDDLESBROUGH C.B.	133,100	61	1	77	13	-	-	-	-	-	-	7
DARLINGTON C.B.‡ ..	74,150	27	1	36	3	-	-	-	1	-	1	8
STOCKTON-ON-TEES ..	67,090	37	1	22	5	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	69,370	26	3	30	4	-	-	-	1	-	1	2
SUNDERLAND C.B. ..	184,000	75	9	82	12	-	5	-	-	-	1	8
SOUTH SHIELDS C.B. ..	119,600	56	4	59	15	-	-	-	-	-	-	2
GATESHEAD C.B. ..	122,600	47	2	49	7	-	2	-	-	-	-	10
NEWCASTLE-ON-TYNE C.B.	283,400*	107	4	116	14	-	15	-	1	-	-	10
TYNEMOUTH C.B. ..	65,880	33	1	21	3	-	-	-	-	-	-	5
CARLISLE C.B.	56,160*	16	-	13	1	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	95,990*	29	1	40	9		-	-	-	-	-	5
CARDIFF C.B.	224,000*	68	8	82	7	-	4	1	-	1	2	12
RHONDDA	153,100	55	3	73	8	-	3	-	1	1	-	7
MERTHYR TYDFIL C.B.	77,790	22	1	36	7	-	-	-	-	1	-	4
ABERDARE	53,050	8	2	21	2	-	-		-	-	-	5
SWANSEA C.B.	162,700	53	1	49	4	-	1	-	-	-	1	7
GREATER LONDON ..	7,900,480*	2,322	94	2,680	161	-	3	3	24	16	14	210
OUTER RING	3,462,580*	1,005	35	1,102	69	-	1	1	12	5	5	104
7 GREAT TOWNS IN OUTER RING	2,027,060*	575	21	657	36	-	-	1	7	4	3	67
REMAINDER OF OUTER RING	1,455,520*	430	14	445	33	-	1	-	5	1	2	37
EDINBURGH†	428,800	146	?	128	21	-	-	-	-	-	1	2
GLASGOW†	1,088,200	460	?	397	57	-	-	1	25	4	7	20
DUBLIN (REGISTRATION AREA)†	412,400	253	?	203	26	-	9	-	2	2	1	10
BELFAST†	415,151	182	?	201	29	-	9	-	3	1	2	9

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas,

‡ As extended 1st October, 1930.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. Births and Deaths for last available per

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
London‡	4,417,900	1931. Feb. 21	1317	59	1578	18·6	-	-	2	2	12	11	9
Calcutta and Suburbs	1,077,264	Jan. 10	?	?	593	28·6	?	21	?	-	?	?	?
Bombay§	1,208,708	„ 24	524	42	352‖	14·1	2	-	-	-	-	-	9
Madras	528,791	„ 10	457	17	681‖	67·0	4	-	-	-	-	-	28
Sydney and Suburbs	1,243,940	Jan. 31 (31 days)											
Brisbane (Metropolitan Area).	318,631	Nov. 30 (30 days)											
Perth (Metropolitan Area).	202,888	Dec. 13	86	?	37	9·5	-	-	-	-	-	-	-
Auckland (Urban Area).	212,100	Dec. 31 (31 days)											
Wellington (Urban Area)	138,050	Dec. 31 (31 days)											
Christchurch (Urban Area).	125,800	Dec. 31 (31 days)											
Cape Town	136,748	Jan. 17	49	2	38	14·5	-	-	-	-	-	-	4
Johannesburg	187,326	„ 10	110	6	57	15·8	-	-	-	-	1	-	11
Durban	61,667	„ 10	30	-	10	8·4	-	-	-	-	-	-	1
Paris	2,871,429	Jan. 10 (10 days)											
Antwerp	294,928	Jan. 31 (16 days)	201	7	180	14·4	-	-	2	1	1	2	3
Amsterdam	759,262	Jan. 31	276	10	128	8·8	-	-	-	-	2	-	-
Copenhagen	615,700	Feb. 7	183	6	175	14·8	-	-	-	-	-	-	-
Stockholm	486,672	Jan. 31	94	3	143	15·3	-	-	-	-	-	-	-
Gothenberg	245,336	„ 17	?	?	73	15·5	-	-	1	-	-	-	-
Oslo	253,568	Feb. 7	48	2	50	10·3	-	-	-	-	-	-	-
Berlin	4,336,000	Jan. 24	870	29	1267	15·2	-	?	-	-	2	4	4
Breslau	616,000	„ 24	160	3	179	15·1	-	?	-	2	-	5	2
Cologne	740,000	„ 24	219	13	206	14·5	-	?	1	-	1	3	2
Dresden	634,000	„ 24	123	10	142	11·6	-	?	-	-	-	2	-
Frankfort-on-Main	541,000	„ 24	107	4	125	12·0	-	?	1	-	-	-	2
Hamburg	1,148,000	„ 24	247	6	326	14·8	-	?	1	-	-	1	3
Leipzig	700,000	„ 24	171	3	154	11·4	-	?	-	-	-	-	1
Munich	730,000	„ 24	170	3	188	13·4	-	?	-	-	-	-	1
Budapest	991,518	„ 31	255	9	306	16·0	-	-	1	-	-	-	3
Warsaw	1,109,478	„ 24	?	12	294	13·8	-	-	1	2	-	2	7
Madrid	825,471	„ 31	470	42	765	48·3	2	-	1	1	1	1	4
Cairo	1,122,800	Nov. 4	929	27	409	19·0	3	-	-	-	?	10	75
Alexandria	612,200	„ 4	446	9	188	16·0	2	-	-	-	?	1	42
New York	7,090,089	Jan. 24	2313	101	2243	11·6	-	-	1	3	11	2	7
Chicago	3,457,375	„ 30	965	28	971	14·6	-	-	-	4	5	5	5
New Orleans	433,000	Nov. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Jan. 17	640	47	536	16·2	1	-	9	-	4	2	76

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of* for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 3 deaths from Cholera in Bombay and 28 in Madras, and 1 from plague in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 21st February, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
LL CAUSES	7,965	10,462	1578	92	33	25	29	59	57	74	168	242	360	439
nteric fever	4	5	-	-	-	-	-	-	-	-	-	-	-	-
mall-pox	1	-	-	-	-	-	-	-	-	-	-	-	-	-
easles	202	6	2	-	2	-	-	-	-	-	-	-	-	-
carlet fever	19	13	2	-	1	-	-	-	-	-	1	-	-	-
hooping cough	20	50	12	4	4	3	-	-	-	-	1	-	-	-
iphtheria	93	55	11	-	3	3	4	-	1	-	-	-	-	-
nfluenza	98	490	106	3	1	-	-	8	9	6	14	19	13	33
rysipelas	30	35	2	-	-	-	-	-	-	-	-	-	2	-
cute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ncephalitis lethargica	6	7	-	-	-	-	-	-	-	-	-	-	-	-
eningococcal meningitis	13	25	7	4	-	2	-	-	-	-	-	1	-	-
uberculosis :—														
Respiratory system	532	663	87	-	1	-	3	16	16	14	15	18	4	-
Nervous system	28	26	3	-	1	-	2	-	-	-	-	-	-	-
Intestines and peritoneum	8	9	4	-	1	-	1	1	-	-	1	-	-	-
Other forms	35	48	6	-	1	-	-	2	1	-	-	1	-	1
enereal diseases	31	29	-	-	-	-	-	-	-	-	-	-	-	-
ancer	925	974	138	-	-	-	-	-	-	5	29	32	46	26
neumatic fever	24	21	4	-	-	-	1	-	-	1	1	1	-	-
iabetes	80	82	11	-	-	-	-	2	-	-	-	3	3	3
lcoholism	3	4	3	-	-	-	-	-	-	-	-	1	1	1
mple meningitis	20	20	1	-	-	-	1	-	-	-	-	-	-	-
erebral hæmorrhage, &c., Apoplexy	341	325	41	-	-	-	-	-	-	-	1	10	17	13
pilepsy	25	29	2	-	-	-	-	-	-	-	-	1	1	-
Convulsions" (not puerperal) ..	9	11	2	2	-	-	-	-	-	-	-	-	-	-
ther diseases of nervous system ..	172	191	33	-	-	1	3	2	3	3	5	9	3	4
ericarditis	3	2	-	-	-	-	-	-	-	-	-	-	-	-
cute endocarditis	30	27	5	-	-	-	1	-	1	1	2	-	-	-
ther diseases of heart	1722	2476	370	-	-	-	4	5	2	12	24	64	121	138
ther diseases of circulatory system	349	410	62	-	-	-	-	-	-	-	5	6	19	32
onchitis	425	878	135	5	-	-	-	-	2	1	21	14	33	59
oncho-pneumonia	410	842	123	21	13	6	1	-	1	6	8	18	22	27
bar pneumonia	213	307	52	1	1	-	-	2	2	8	11	7	10	10
neumonia (type not distinguished)	88	118	20	2	2	2	-	-	-	1	3	1	4	5
ther diseases of respiratory system	87	150	23	-	-	1	2	2	-	-	1	6	2	9
arrhœa and enteritis	111	113	11	8	1	-	-	-	1	-	-	-	-	1
ppendicitis, Typhlitis	45	40	8	-	-	-	1	-	-	1	2	2	2	-
rnia, Intestinal obstruction	58	82	8	-	-	-	-	-	1	1	-	-	3	3
rrhosis of liver	30	31	5	-	-	-	-	-	-	1	-	1	3	-
ther diseases of digestive system ..	177	183	21	-	-	-	-	-	-	4	5	2	6	4
ute nephritis	19	13	1	-	-	-	-	1	-	-	-	-	-	-
ronic Bright's disease	245	305	41	-	-	-	1	5	4	4	2	5	12	8
ther diseases of genito-urinary ystem.	121	159	26	-	-	-	-	-	1	1	2	4	8	10
erperal sepsis	17	18	1	-	-	-	-	1	-	-	-	-	-	-
ther causes incident to childbirth ..	11	19	3	-	-	-	-	2	1	-	-	-	-	
ngenital malformations	44	38	3	3	-	-	-	-	-	-	-	-	-	
emature birth	148	194	23	23	-	-	-	-	-	-	-	-		
bility, atrophy (congenital)	33	29	7	7	-	-	-	-	-			-	-	
l age	179	248	44	-	-	-	-	-	-	-	-	-	8	36
cide	76	75	15	-	-	-	-	2	4	1	4	2	1	1
rns and Scalds	19	22	3	-	-	1	-	1	-	-	-	-	-	1
owning	12	12	1	-	-	-	-	-	1	-	-	-	-	-
ffocation in bed	7	3	1	1	-	-	-	-		-	-	-	-	-
nicles and horses	119	90	13	-	-	1	2	1	3	1	4	1	-	-
ner deaths by violence	144	118	17	2	-	-	-	1	2	-	1	3	2	6
ner specified causes	302	341	59	6	1	5	2	5	2	1	5	10	14	8
defined causes	1	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 21st February, 1931.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	16	230	194	2	296	C. 13 D. 5 L. 3 M. 8 N. 20
†CITY OF LONDON	–	–	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	11	5	–	17	M. 2
†BERMONDSEY ...	–	2	5	–	6	C. 3
†BETHNAL GREEN	1	8	6	–	11	L. 1
†CAMBERWELL ...	–	10	12	–	11	C. 1 D. 1
†CHELSEA	–	4	2	–	4	–
†DEPTFORD ...	2	10	5	–	5	M. 1
†FINSBURY ...	–	4	4	–	3	C. 1
†FULHAM	–	9	4	–	11	N. 2
†GREENWICH ...	–	8	12	–	6	N. 1
†HACKNEY... ...	2	6	10	–	9	N. 1
†HAMMERSMITH ...	3	4	11	–	1	L. 1
†HAMPSTEAD ...	–	2	–	–	2	–
†HOLBORN... ...	–	2	1		2	L. 1 M. 1 N. 1
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	20	13	–	38	C. 3 D. 1 M. 2 N. 4
†KENSINGTON ...	–	5	12	–	10	N. 4
†LAMBETH ...	–	5	16	–	17	C. 1 N. 2
†LEWISHAM ...	–	24	5	–	16	N. 1
†PADDINGTON ..	–	13	6	–	13	N. 1
†POPLAR	1	10	7	–	14	–
†ST. MARYLEBONE	–	5	2	–	–	N. 1
†ST. PANCRAS ...	–	8	7	2	5	C. 1 M. 1 N. 1
†SHOREDITCH ...	2	7	9	–	6	–
†SOUTHWARK ...	–	9	8	–	15	D. 2 N. 1
†STEPNEY	5	17	12	–	25	–
†STOKE NEWINGTON	–	–	1	–	2	C. 2 D. 1
†WANDSWORTH ...	–	23	7		32	M. 1
†WESTMINSTER, CITY OF	–	2	3	–	–	–
†WOOLWICH ...	–	2	9	–	14	C. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	16	4	–	5	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	1	–	–	1	–
†BEDFORD	–	1	1	–	1	–
DUNSTABLE ...	–	1	–	–	–	–
†LUTON	–	4	3	–	2	–
Rural Districts:—						
AMPTHILL ...	–	7	–	–	–	–
BEDFORD	–	2	–	–	1	–
BERKS	–	13	7	–	4	–
†READING C.B. ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	3	–	–	–
†NEWBURY ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	–	1	–	–	–
EASTHAMPSTEAD	–	3	1	–	–	–
HUNGERFORD ...	–	–	–	–	1	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WINDSOR	–	–	1	–	1	–
WOKINGHAM ...	–	–	1	–	1	–
BUCKINGHAM ...	–	2	4	–	5	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	–	–	1	–
†CHEPPING WYCOMBE	–	1	1	–	–	–
MARLOW	–	–	–	–	1	–
†SLOUGH	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...	–	–	1	–	2	–
AYLESBURY ...	–	1	–	–	1	–
ETON	–	–	1	–	–	–
CAMBRIDGE ...	–	9	3	–	3	–
Borough:—						
†CAMBRIDGE ...	–	3	2	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	4	–	–	1	–
LINTON	–	2	1	–	–	–
NEWMARKET ...	–	–	–	–	1	–
CHESTER ...	–	35	29	2	50	D. 1 L. 2 N. 3
†BIRKENHEAD C.B.	–	2	5	–	15	D. 1
†CHESTER C.B. ...	–	1	2		2	–
†STOCKPORT C.B. ...	–	2	–	–	4	N. 1
†WALLASEY C.B. ...	–	6	1	1	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–		–
†BEBINGTON AND BROMBOROUGH		1	3		–	–
†CHEADLE AND GATLEY	–	–	–	–	3	–
†CONGLETON ...	–	2	–	–	–	–
†CREWE	–		1	–	–	–
†DUKINFIELD ...	–	5	1	–	1	–
†ELLESMERE PORT AND WHITBY		–	1	–	3	–
†HAZEL GROVE AND BRAMHALL			–		3	–
HOLLINGWORTH ...	–	1			1	–
HOOLE	–	1	–	–		–
†HOYLAKE AND WEST KIRBY	–		–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HYDE	–	2	–	–	5	–
KNUTSFORD ...	–	–	1	–	–	–
LYMM	–	–	1	–	–	–
†MACCLESFIELD ...	–	–	1	1	–	L. 2
MARPLE	–	–	–	–	–	N. 1
†NORTHWICH ...	–	–	1		–	–
†SALE	–	1	5	–	–	–
SANDBACH ...	–	–	–	–	1	–
†STALYBRIDGE ...	–	1	–	–	–	
WILMSLOW ...	–	1	–	–		N. 1
Rural Districts:—						
BUCKLOW... ...	–	1	–	–	1	–
CHESTER	–	1	–	–	1	–
CONGLETON ...	–	–	–	–	3	–
MACCLESFIELD ...	–	–	–	–	1	–
NANTWICH ...	–	4	–	–	–	–
NORTHWICH ...	–	–	1	–	2	–
RUNCORN	–	1	–	–	1	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	1	5	–	–	–
CORNWALL ...	–	8	7	–	6	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	2	–	–	–
PADSTOW ...	*	*	*	*	*	*
PENRYN	–	–	1	–	–	–
SALTASH	–	–	–	–	1	–
†TRURO	–	5	1	–	–	–
Rural Districts:—						
CALSTOCK ...	–	–	–	–	1	–
LISKEARD ...	–	–	3	–	2	–
ST. COLUMB MAJOR	–	1	–		–	–
ST. GERMANS ...	–	–	–	–	2	–
TRURO	–	2	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	5	2	1	6	G. 1 N. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	2	–
†MARYPORT ...	–	–	–	–	1	–
MILLOM	–	–	–	–	1	–
PENRITH	–	3	1	–	1	G. 1
†WHITEHAVEN ...	–	1	–	–	–	N. 1
Rural Districts:—						
CARLISLE... ...	–	–	–	1	1	–
COCKERMOUTH ...	–	1	1	–	–	–
LONGTOWN ...	*	*	*	*	*	*
DERBY	2	18	24	1	49	C. 2 D. 2 N. 4
†DERBY C.B. ...	1	2	7	–	4	C. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	6	N. 1
BAKEWELL ...	–	1	–	–	–	–
BRAMPTON AND WALTON	*	*	*	*	*	*
†BUXTON ...	–	–	–	–	–	D. 1
†CHESTERFIELD ...	–	–	2	1	2	C. 1
†GLOSSOP	–	1	–	–	1	–
†HEANOR	–	–	–	–	4	–
†ILKESTON... ...	–	–	–		4	N. 1
†LONG EATON ...	–	1	–	–	1	–
NORTH DARLEY...	–	1	1	–	–	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	–	6	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	–	1	–	–	–
BELPER		–	–	–	–	N. 1
BLACKWELL ...	–	3	–	–	4	N. 1
CHAPEL EN LE FRITH	–	1	–	–	1	–
CHESTERFIELD ...	1	2	6	–	6	D. 1
CLOWNE		1	–	–	10	–
GLOSSOP DALE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
Hartshorn and Seals	*	*	*	*	*	*
Repton	–	3	–	–	–	–
Shardlow ...	–	1	–	–	1	–
Codnor Park and Shipley (parishes)	–	–	–	–	2	–
DEVON	–	21	31	1	30	C. 1 E. 1 M. 3 N. 3
†Exeter C.B. ...	–	1	6	1	3	–
†Plymouth C.B.	–	10	6	–	12	C. 1 E. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†Barnstaple ...	–	–	7	–	1	–
Bideford ...	–	–	6	–	–	–
Brixham	–	–	–	–	1	–
Budleigh Salterton	–	1	–	–	–	–
†Exmouth ...	–	–	1	–	–	–
Holsworthy	–	–	–	–	1	–
†Ilfracombe ...	–	–	1	–	–	–
Northam ...	–	–	2	–	–	–
Okehampton ...	–	–	–	–	1	–
†Paignton ...	–	–	–	–	2	–
Salcombe ...	*	*	*	*	*	*
South Molton...	–	–	–	–	–	N. 1
Tiverton ...	–	–	–	–	1	
Totnes	*	*	*	*	*	*
Rural Districts:—						
Barnstaple ...	–	5	–	–	–	–
Bideford ...	–	–	1	–	–	–
Holsworthy (part)	–	–	–	–	1	M. 1
Newton Abbot...	–	–	–	–	1	–
Plympton St. Mary	–	2	–	–	–	–
St. Thomas ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
Tavistock ...	–	1	–	–	–	–
Tiverton ...	–	–	–	–	–	N. 1
Totnes	–	–	–	–	6	–
DORSET	–	5	5	–	7	N. 1
Boroughs and Urban Districts:—						
Blandford Forum	–	1	–	–	–	–
Dorchester ...	–	1		–	–	–
†Poole	–	–	5	–	–	–
Sherborne ...	–	1	–	–		–
Rural Districts:—						
Cerne	–	–	–	–		N. 1
Dorchester ...	–	–	–	–	1	–
Shaftesbury ...	–	2	–	–	–	–
Weymouth ...	–	–	–	–	5	–
Wimborne and Cranborne	–	–	–	–	1	–
DURHAM ...	–	45	29	3	173	C. 1 D. 1 L. 1 M. 1 N. 3
†Darlington C.B.	–	5	3	–	9	–
†Gateshead C.B.	–	4	–	–	13	–
†South Shields C.B.	–	2	–	–	19	N. 1
†Sunderland C.B.	–	6	5	2	43	–
†West Hartlepool C.B.	–	2	1	–	12	M. 1
Boroughs and Urban Districts:—						
†Annfield Plain	–	–	1	–	1	–
Benfieldside ...	–	–	1	–	–	–
Billingham ...	–	–	1	–	3	–
†Blaydon... ...	–	–	3	–	–	–
†Brandon and Byshottles	–	1	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	–	–	1	–	3	–
†CONSETT	–	1		–	–	L. 1
†DURHAM	–	–	1	–		–
†FELLING	–	5	–	–	2	C. 1
†HEBBURN ...	–	3	–	–	5	–
†HETTON	–	–	–	–	1	N. 1
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	1	2	–	10	–
LEADGATE ...	–	–	1	–	–	–
†SEAHAM HARBOUR	–	1	1	–	11	–
†SHILDON	–	–	–	–	1	–
†SPENNYMOOR ...	–	–	–	–	1	–
†STANLEY	–	1	–	–	–	–
†STOCKTON ON TEES	–	3	–	–	4	–
†TANFIELD ...	–	3	1	1	–	–
TOW LAW ...	–	–	–	–	1	–
†WHICKHAM ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	1	1	–	–	–
CHESTER LE STREET	–	1	2	–	5	–
DURHAM	–	–	–	–	1	–
EASINGTON ...	–	1	1	–	9	–
HARTLEPOOL ...	–	–	1	–	1	–
HOUGHTON LE SPRING	–	1	–	–	6	D. 1
LANCHESTER ...	–	2	1	–	2	–
SEDGEFIELD ...	–	–	–	–	1	–
SOUTH SHIELDS	–	–	–	–	1	–
SUNDERLAND ...	–	1	1	–	3	–
WEARDALE ...	–	–	–	–	3	–
ELY, ISLE OF ...	–	10	2	–	7	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	4	–	–	4	–
WHITTLESEY ...	–	2	2	–	1	–
†WISBECH	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
ELY	–	1	–	–	–	–
WISBECH... ...	–	1	–	–	1	–
ESSEX	42	90	72	91	98	D. 2 L. 1 M. 4 N. 4
†EAST HAM C.B....	3	5	9	–	1	D. 2 M. 1
†SOUTHEND ON SEA C.B.	–	7	–	–	3	–
†WEST HAM C.B.	33	7	5	–	28	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	8	–	5	–
BENFLEET ...	–	–	2	–	–	–
BRAINTREE ...	–	6	1	–	–	–
BRENTWOOD ...	–	–	1	–	1	–
BURNHAM ON CROUCH	–	–	–	–	2	M. 1
CANVEY ISLAND	–	1	–	–	–	–
†CHELMSFORD ...	–	1	–	–	1	–
CHINGFORD ...	–	3	–	1	1	–
†CLACTON	–	4	–	–	3	–
†COLCHESTER ...	–	6	–	–	5	–
DAGENHAM ...	5	13	3	–	6	M. 1
EPPING	–	–	–	72	2	–
†GRAYS THURROCK	–	–	1	–	–	–
†HARWICH ...	–	1	3	–	–	–
†HORNCHURCH ...	–	–	1	–		N. 1
†ILFORD	–	2	4	1	10	N. 1
†LEYTON	–	5	9	1	7	–
†ROMFORD... ...	–	2	1	1	–	–
TILBURY	–	3	3		–	–
WALTHAM HOLY CROSS		1	–		1	–
†WALTHAMSTOW ...	1	4	11	8	12	N. 1
†WANSTEAD ...	–	1	1		2	–
†WOODFORD ...	–	2	1	1	–	–
Rural Districts:—						
BILLERICAY ...	–	2	1	–	3	L. 1
BRAINTREE ...	–	6	1	–	–	N. 1
CHELMSFORD ...		3	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX – *cont.*						
Rural Districts—*cont.*						
Epping	–	–	–	6	–	–
Lexden and Winstree	–	1	–	–	1	–
Orsett	–	–	2	–	1	–
Rochford ...	–	–	1	–	1	–
Romford... ...	–	1	–	–	–	–
Tendring ...	–	–	3	–	2	–
GLOUCESTER ...	–	26	38	1	30	L. 1
†Bristol C.B. ...	–	18	22	1	9	L. 1
†Gloucester C.B.		1	3	–	1	–
Boroughs and Urban Districts:—						
†Cheltenham ...		–	1	–	1	–
Nailsworth ...	–	–	1	–	–	–
Stow on the Wold	–	2	–	–	–	–
Stroud	–	–	1	–		–
Tewkesbury	–	1	–		1	–
Rural Districts:—						
Chipping Sodbury	–	1	–	–		–
Dursley	–	–	1	–	–	–
East Dean and United Parishes	–	–	–	–	3	–
Lydney	–	–	–	–	4	–
Stow on the Wold (part)	–	–	1	–		–
Stroud	–	1	5	–	–	–
Thornbury ...	–	1	2	–	1	–
Warmley ...	–	–	1	–	1	–
West Dean ...	–	–	–	–	9	–
Wheatenhurst	–	1	–	–	–	–
HEREFORD ...	–	5	5	–	1	M. 1
Boroughs and Urban Districts:—						
Bromyard ...	–	–	1	–	–	–
†Hereford ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Leominster ...	–	1	–	–	–	M. 1
Ross	–	1	–	–	–	–
Rural Districts:—						
Bredwardine ...	*	*	*	*	*	*
Dore	–	–	1	–	–	–
Ledbury... ...	–	2	–	–	–	–
Leominster and Wigmore	–	1	–	–	–	–
Ross	–	–	3	–	–	–
HERTFORD ...	–	8	14	–	16	C. 1 N. 2
Boroughs and Urban Districts:—						
Baldock	–	–	–	–	1	–
†Barnet	–	–	1	–	6	C. 1 N. 1
Bishop's Stortford	–	–	–	–	1	–
Chorleywood ...	–	–	1	–	–	–
†Hitchin	–	–	4	–	–	–
†Letchworth ...	–	–	–	–	4	–
†St. Albans ...	–	–	–	–	1	–
Tring	–	1	–	–	–	–
Ware	–	1	–	–	–	–
†Watford ...	–	2	6	–	1	–
Rural Districts:—						
Berkhampstead	–	1	–	–	–	–
Hadham	–	–	–	–	–	N. 1
Hitchin	–	–	1	–	1	–
Ware	–	2	–	–	1	–
Watford... ...	–	1	1	–	–	–
HUNTINGDON ...	–	2	–	–	2	N. 1
Boroughs and Urban Districts—						
Godmanchester.	–	1	–	–	–	–
St. Ives	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON—*cont.*						
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	2	–
ST. IVES	–	1	–	–	–	–
KENT	–	51	19	–	46	C. 1 D. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
†ASHFORD	–	2	–	–	2	–
†BECKENHAM ...	–	–	–	–	9	–
†BEXLEY	–	8	–	–	1	–
†BROADSTAIRS AND ST. PETER'S	–		–	–	1	–
†BROMLEY	–	4	2	–	6	–
†CHATHAM ...	–	1	–	–	–	N. 1
CHERITON ...	–	–	3	–	–	–
CHISLEHURST ...		1	–	–		–
†CRAYFORD ...	–	3	–		1	–
†DARTFORD ...	–	4	–	–	–	–
†DOVER		–	2	–	–	–
†ERITH	–	1	1	–	4	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...		1	–	–	–	D. 1
†GRAVESEND ...	–	1	–	–	–	–
†HERNE BAY ...	–	1	1	–	–	–
HYTHE	–	–	–	–	–	N. 1
†MAIDSTONE ...	–	2	–	–		M. 1
†MARGATE ...	–	1	1	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	–	–	–	–	C. 1
†RAMSGATE ...		–	–	–	1	–
†ROCHESTER ...	–	–	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	4	–
†SHEERNESS ...			–	–	2	–
SIDCUP	–	–	–	–	1	–
†SITTINGBOURNE AND MILTON	–	1	–	–	–	N. 1
†TONBRIDGE ...	–	2	–	–	1	–
WALMER	–	3	–	–	–	–
WHITSTABLE ...	–	–	–	–	2	–
Rural Districts:—						
BROMLEY	–	2	–	–	3	N. 1
DARTFORD ...	–	6	1	–	2	–
EASTRY	–	1	1	–	–	–
KENT—*cont.*						
Rural Districts:—*cont.*						
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE	–	–	–	–	1	–
ISLE OF THANET	–	–	–	–	2	–
MALLING	–	1	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
SHEPPEY	–	–	2	–	–	–
STROOD	–	3	–	–	–	–
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	–		–	1	–
WEST ASHFORD ...	–	–	–	–	1	–
LANCASTER ...	–	222	216	3	392	C. 9 D. 3 G. 1 L. 2 M. 13 N. 10
†BARROW IN FURNESS C.B.	–	2	1	–	4	–
†BLACKBURN C.B.		3	1	–	9	–
†BLACKPOOL C.B.	–		3	1	4	C. 1
†BOLTON C.B. ...	–	6	3	–	17	C. 1 L. 1
†BOOTLE C.B. ...	–	1	5	–	3	M. 1 –
†BURNLEY C.B. ...	–	8	1	–	13	–
†BURY C.B. ...	–	4	2	–	5	C. 1 N. 1
†LIVERPOOL C.B....	–	25	97	–	28	C. 2 D. 1 M. 10 N. 1
†MANCHESTER C.B.	–	69	8	–	103	C. 2 M. 1 N. 1
†OLDHAM C.B. ...	–	10	1	–	8	–
†PRESTON C.B. ...	–	–	–	–	17	–
†ROCHDALE C.B....	–	8	4	–	4	–
†ST. HELENS C.B.	–	1	5	–	7	C. 1
†SALFORD C.B. ...	–	3	18	–	35	N. 2
†SOUTHPORT C.B.	–	1	9		7	–
†WARRINGTON C.B.	–	16	2	–	8	–
†WIGAN C.B. ...	–	1	3	–	7	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	1		2	–
†ASHTON IN MAKERFIELD	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON-UNDER-LYNE	–	4	–	–	2	G. 1
ASPULL	–	–	1	–	3	–
†ATHERTON ...		1	1	–	3	
AUDENSHAW ...	*	*	*	*	*	*
†BACUP	–	1	1	–	3	–
BILLINGE AND WINSTANLEY	*	*	*	*	*	*
†CHADDERTON ...	–	–	–	–	–	N. 1
†CHORLEY	–	1	–	–	2	–
CHURCH	–	–	1	–	–	–
CLAYTON LE MOORS	–	–	–	–	1	–
†COLNE		–	–	–	4	–
†CROMPTON ...	–	–	–	–	2	–
†DARWEN	–	3	3	–	1	–
†DENTON	–	3	–	–	–	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	–	2	–	7	–
†FAILSWORTH ...	–	1	–	–	3	–
†FARNWORTH ...	–		1	1	1	–
†FLEETWOOD ...	–	–	–	–	3	–
FULWOOD ...	–	1	1	–	–	–
GOLBORNE ...	–	1	–	–	2	–
†GREAT HARWOOD	–	–	–	–	2	–
†HASLINGDEN ...		1	–	–	–	–
†HAYDOCK... ...	–	1	–	–	–	–
†HEYWOOD ...	–	–	–	1	–	–
†HINDLEY	–	1	2	–	7	–
†HORWICH... ...			–	–	1	N. 1
†INCE IN MAKERFIELD	–	–	1	–	1	
KEARSLEY ...	–	1	1	–	–	–
†LANCASTER ...	–	1	–	–	2	–
†LEIGH	–	–	–	–	5	–
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	–	2	–	–	–
†LITTLEBOROUGH	–	–	–	–	1	–
†LYTHAM ST. ANNE'S	–	–	3	–	1	–
†MIDDLETON ...	–	3	–	–	–	–
†MORECAMBE AND HEYSHAM	–	1	1	–	2	N. 1
†NELSON	–	2	–	–	1	–
†NEWTON IN MAKERFIELD	–	2	1	–		–
†OSWALDTWISTLE	–	2	2	–	2	–
†PADIHAM... ...	–	–	–	–	1	–
†PRESTWICH ...	–	1	–	–	1	–
†RADCLIFFE ...	–	2	–	–	3	–
RAINFORD ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	–	1	–	–	–
†RAWTENSTALL ...	–	1	1	–	–	–
†ROYTON	–	2	3	–	1	–
SKELMERSDALE ...	–	–	1	–	–	–
†STRETFORD ...	–	1	5	–	3	–
†SWINTON AND PENDLEBURY	–	1	1	–	3	–
TOTTINGTON ...	–	–	–	–	4	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	–	–	–
†ULVERSTON ...	–	1	1	–	–	–
†WALTON LE DALE	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	3	8	–	1	N. 1
†WESTHOUGHTON	–	1	–	–	4	M. 1
WHITEFIELD ...	–	2	–	–	1	–
†WIDNES	–	4	2	–	4	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BLACKBURN ...	–	–	–	–	4	–
BURNLEY ...	–	1	–	–		–
CHORLEY		1	–	–	–	D. 2
FYLDE	–	1	–	–	–	–
GARSTANG ...		1	1	–	3	C. 1
LEIGH	–	–	–	–	2	–
PRESTON	–		–	–	1	–
SEFTON	–		1	–		–
ULVERSTON ...		1	–	–	3	–
WARRINGTON ...	–	2	–	–	2	N. 1
WEST LANCASHIRE	–	1	2	–	–	–
WHISTON... ...	–	–	–	–	1	L. 1
WIGAN		–	–	–	1	–
LEICESTER ...	128	20	8	–	16	D. 1 L. 1 M. 1
†LEICESTER C.B....	96	13	2	–	6	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	3	-	1	-	2	-
†HINCKLEY ...	1	-	-	-	2	-
†LOUGHBOROUGH	8	1	-	-	-	-
MARKET HARBOROUGH	-	3	-	-	-	-
SHEPSHED ...	1	-	-	-	-	-
WIGSTON MAGNA	-	-	1	-	-	-
Rural Districts:—						
BLABY	3	1	2	-	2	D. 1 M. 1
CASTLE DONINGTON	-	-	-	-	1	-
HINCKLEY ...	4	1	2	-	-	-
LOUGHBOROUGH	1	1	-	-	-	-
MARKET BOSWORTH	11	-	-	-	1	-
MELTON MOWBRAY	-	-	-	-	2	-
LINCOLN (parts of Holland).		15	1	-	1	M. 1
Boroughs and Urban Districts:—						
†BOSTON	-	8	-	-	-	M. 1
HOLBEACH ...	-	-		-	1	-
†SPALDING ...	-	-	1	-		-
SUTTON BRIDGE	*	*	*	*	*	*
Rural Districts:—						
BOSTON	-	2	-	-	-	-
SPALDING ...	-	5	-	-	-	-
LINCOLN (parts of Kesteven).	-	1	2	1	1	N. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	-	-	1	-	-	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts—						
BOURNE	-	-	-	-	1	-
BRANSTON ...	-	1	-	-	-	-
CLAYPOLE ...	-	-	-	1	-	-
SLEAFORD ...	-	-	1	-	-	-
LINCOLN (parts of Lindsey).	19	15	5	-	17	C. 1 M. 1
†GRIMSBY C.B. ...	18	4	-	-	6	-
†LINCOLN C.B. ...		4	1	-	3	M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	-	-	-		1	-
†CLEETHORPES ...	-	-	2	-	-	-
†GAINSBOROUGH ...	1	1	1	-	2	-
HORNCASTLE ...	-	1	-	-	-	-
†SCUNTHORPE AND FRODINGHAM	-	2	1	-	2	-
Rural Districts:—						
CAISTOR	-	1	-	-	-	-
GAINSBOROUGH ...	-	1	-		-	
GRIMSBY	-	-	-	-	1	-
HORNCASTLE ...		1	-	-	1	C. 1
SPILSBY	-	-	-	-	1	-
MIDDLESEX ...	-	92	39	-	76	C. 1 D. 3 M. 3 N. 2
Boroughs and Urban Districts:—						
†ACTON	-	2	-	-	4	-
†BRENTFORD AND CHISWICK	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EALING	–	3	–	–	4	–
†EDMONTON ...	–	8	5		2	N. 1
†ENFIELD	–	5	5	–	4	–
†FINCHLEY ...	–	3	1	–	1	–
†FRIERN BARNET...	–	2	–	–	2	–
†HAMPTON ...	–	1	–	–	1	–
†HARROW ON THE HILL	–	7	–	–	–	–
HAYES AND HARLINGTON	–	–	–	–	3	–
†HENDON	–	3	3	–	1	–
†HESTON AND ISLEWORTH	–	1	1	–	2	–
†HORNSEY		7	1		1	–
RUISLIP NORTHWOOD	–	1	1	–	–	–
†SOUTHALL NORWOOD	–	–	1	–	3	–
†SOUTHGATE ...	–	4	–	–	2	–
†STAINES	–	1	–	–	1	–
SUNBURY ON THAMES	–	1	1	–	3	–
†TEDDINGTON ...	–	3	–	–	1	–
†TOTTENHAM ...	–	8	3	–	11	D. 1 M. 2 N. 1
†TWICKENHAM ...	–	1	2	–	2	C. 1
†UXBRIDGE ...	–	6	1	–	3	D. 1
†WEALDSTONE ...	–	1	6		2	
†WEMBLEY ...	–	3	2		2	–
†WILLESDEN ...	–	14	5	–	16	M. 1
†WOOD GREEN ...	–	3	1	–	1	–
†YIEWSLEY AND WEST DRAYTON	–	1		–	–	–
Rural Districts:—						
HENDON	–	2	–	–	1	D. 1
SOUTH MIMMS ...	–	1		–	2	
NORFOLK ...	–	16	6		5	–
†GREAT YARMOUTH C.B.	–	–	4		3	–
†NORWICH C.B. ...	–	3	2		1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
CROMER	–	1	–	–		–
†KING'S LYNN ...	–	3	–	–	–	–
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	1	–	–	–	–
KING'S LYNN ...	–	1	–	–	–	–
SMALLBURGH ...		2	–	–	–	–
THETFORD ...	–	1	–	–	–	–
WALSINGHAM ...	–	1	–		–	–
WAYLAND ...	–	3	–	–	–	–
NORTHAMPTON	–	9	14	–	7	N. 1
†NORTHAMPTON C.B.	–	2	3	–	–	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	–	3	–	–	–
HIGHAM FERRERS	–	–	–	–	1	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	1	2	–	1	–
†RUSHDEN... ...	–	1	–	–	1	N. 1
†WELLINGBOROUGH	–	–	4	–		–
Rural Districts:—						
BRACKLEY ...	–	–	1	–		–
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	–	1		–	–
NORTHAMPTON ...		1	–		–	–
OXENDON... ...	–	1			–	–
POTTERSPURY ...	–		–	–	1	–
THRAPSTON (part)	–	2	–		1	–
TOWCESTER ...	–		–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	17	9	–	104	D. 4 L. 1 M. 3 N. 4
†NEWCASTLE UPON TYNE C.B.	–	13	2	–	64	D. 2 L. 1 M. 2 N. 3
†TYNEMOUTH C.B.	–	–	3	–	3	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	–	–	–	3	–
†BEDLINGTONSHIRE	–	–	1	–	5	–
†BLYTH	–	–	–	–	7	–
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	–	–	–	–	3	–
NEWBIGGIN BY THE SEA	–	–	1	–	2	D. 1
†NEWBURN ...	–	–	–	–	2	–
PRUDHOE... ...	*	*	*	*	*	*
SEATON DELAVAL	–	–	–	–	5	–
†WALLSEND ...	–	1	1	–	4	D. 1 N. 1
WEETSLADE ...	–	–	1	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	3	–
Rural Districts:—						
CASTLE WARD ...	–	–	–	–	2	–
HEXHAM	–	–	–	–	1	M. 1
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	–	20	22	–	68	C. 1 G. 1 L. 7 N. 5
†NOTTINGHAM C.B.	–	5	9	–	34	N. 1
Boroughs and Urban Districts:—						
†BEESTON	–	2	–	–	–	–
†CARLTON	–	1	1	–	2	–
†EAST RETFORD ...	–	–	–	–	1	–
EASTWOOD ...	–	–	–	–	1	N. 1
†HUCKNALL ...	–	1	2	–	6	
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KIRKBY IN ASHFIELD	–	2	–	–	–	C. 1 N. 1
†MANSFIELD ...	–	–	3	–	3	G. 1 N. 1
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	4	3	–	2	–
WARSOP	–	1	–	–	2	–
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	2	3	–	6	–
BINGHAM... ...	–	1	–	–	4	L. 7
EAST RETFORD ...	–	–	–	–	1	–
SKEGBY	–	–	–	–	1	–
SOUTHWELL ...	–	1	–	–	2	N. 1
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	–	–	–	–	1	–
OXFORD	–	9	5	1	13	C. 1 D. 1 N. 1
†OXFORD C.B. ...	–	4	4	1	7	C. 1 D. 1 N. 1
Boroughs and Urban Districts:—						
CHIPPING NORTON	–	–	1	–	2	–
Rural Districts:—						
BANBURY... ...	–	3	–	–	–	–
GORING	–	–	–	–	1	–
HENLEY	–	1	–	–	1	–
THAME	–	1	–	–	–	–
WITNEY	–	–	–	–	2	–
PETERBOROUGH (Soke of).	–	1	–	–	2	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I. Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	4	9	–	4	M. 1 N. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	1	–
NEWPORT... ...	–	–	–	–	1	–
†SHREWSBURY ...	–	1	1	–	–	–
WELLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	1	–	–		N. 1
CHIRBURY ...	–	–	–	–	–	M. 1
CLEOBURY MORTIMER	–	–	1		–	–
DRAYTON	–		1	–	–	–
ELLESMERE ...	–	–	1	–		–
LUDLOW	–	–	1	–	–	–
SHIFNAL	–	–	–	–	1	–
WELLINGTON ...	–	1	3	–	–	–
WEM	–		–	–	1	–
SOMERSET ...		15	7	–	15	G. 1 N. 3
†BATH C.B. ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	1	–
CREWKERNE ...	–	–	–	–	–	N. 1
†FROME	–	–	1	–	–	–
GLASTONBURY ...	–	–	–	–	1	–
MIDSOMER NORTON	–	–	3	–	1	–
†WESTON SUPER MARE	–	1	–	–	–	–
†YEOVIL	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...		1	–	–	–	G. 1
BATH	–	1	–	–	–	–
CHARD		–	–	–	1	N. 1
FROME	–	1	1	–	1	N. 1
KEYNSHAM ...	–	1	–	–	2	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	2	–	–	1	–
TAUNTON ...	–	1	–	–	–	–
SOMERSET— *cont.*						
Rural Districts— *cont.*						
WELLS	–	–	–	–	1	–
WINCANTON ...	–	3	–	–	1	–
YEOVIL	–	–	2	–	2	–
SOUTHAMPTON	–	29	25	1	14	D. 4 G. 1 M. 2 N. 4
†BOURNEMOUTH C.B.	–	1	1	–	–	N. 1
†PORTSMOUTH C.B.	–	13	12	–	1	D. 3 G. 1 M. 1 N. 1
†SOUTHAMPTON C.B.	–	2	5	–	1	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–		D. 1
ANDOVER... ...	–		1	–	1	–
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	–	–	–	N. 1
†FARNBOROUGH ..	–	–	–	–	–	M. 1
†GOSPORT	–	2	–	–	–	–
LYMINGTON ...	–		5	–	–	–
†WINCHESTER ...	–	–	–	–	2	–
Rural Districts:—						
ALTON	–	1	–	–	1	
DROXFORD ...	–	–	–	–	2	
FAREHAM ...	–	–	–	–	5	
FORDINGBRIDGE	–	–	–	–	1	
HARTLEY WINTNEY	–	1	–	–	–	
LYMINGTON ...	–	–	1	–	–	–
NEW FOREST ...	–	–	–	–	–	N. 1
PETERSFIELD ...	–	–	–	1	–	–
RINGWOOD ...	–	4	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	–	33	40	1	133	M. 6 N. 4
†BURTON UPON TRENT C.B.	–	2	–		4	
†SMETHWICK C.B.	–	1	7	–	9	–
†STOKE ON TRENT C.B.	–	2	6	–	47	M. 4 N. 2
†WALSALL C.B. ...		1	7	–	5	–
†WEST BROMWICH C.B.		3	1	–	10	–
†WOLVERHAMPTON C.B.	–	4	6	–	5	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–		–	4	–
BIDDULPH ...	–	–	2	–	1	–
†BILSTON	–	–	–	–	5	–
†BRIERLEY HILL ...	–	–	1		3	–
†BROWNHILLS ...	–	–	–	–	2	
†DARLASTON ...	–		1	–	1	–
KIDSGROVE ...	–	1	–	–	1	–
†NEWCASTLE UNDER LYME		–		–	2	–
QUARRY BANK ...		–	–	–	2	–
†ROWLEY REGIS ...	–	–	–	–	8	
RUGELEY	–	–	1	–		–
†SEDGLEY	–	2	–		1	
SHORT HEATH ...	–	2		–	–	
†STAFFORD ...	–	1	–	–	2	N. 1
†TIPTON	–	5	1	–	12	N. 1
†WEDNESBURY ...	–	–		–	4	–
WEDNESFIELD ...	–	1	–	–	2	–
†WILLENHALL ...	–	–	2	–	–	–
†WOLSTANTON UNITED		1	–		–	–
Rural Districts:—						
CANNOCK	–	–	1	–	–	–
CHEADLE	–	6	2	–	–	M. 1
GNOSALL	–	–	–		3	–
KINGSWINFORD ...	–		1		–	
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	–		1	–	–
SEISDON	*	*	*	*	*	*
STONE	–	1	–	–	–	–
TUTBURY	–		–		1	–
WALSALL	–	–	1	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	–	22	3		8	D. 1 N. 1
†IPSWICH C.B. ...	–	15	1	–	1	D. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	3	–
BUNGAY	–	–	–		1	–
†FELIXSTOWE ...	–	1	–	–	–	
†LOWESTOFT ...	–	–	1	–	1	N. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	4	1	–	–	–
HARTISMERE ...	–	1	–	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST	–	2	2	–	3	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	1	–
NEWMARKET ...	–	–	1	–	2	–
SUDBURY	–	–	1	–	–	–
Rural Districts:—						
MILDENHALL ...	–	1	–	–	–	–
SURREY	–	45	22	1	37	C. 1 D. 2 L. 12 N. 3
†CROYDON C.B. ...	–	8	5	–	2	C. 1 D. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–		–
†CARSHALTON ...	–	–	1	–	6	–
†CATERHAM AND WARLINGHAM	–	–	–	–	–	L. 5
†CHERTSEY ...	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Coulsdon and Purley	–	3	–		–	–
†Egham		–	1	–	2	–
†Epsom	–	1		1	–	L. 6
†Farnham ...	–	1	–	–	1	–
†Frimley	–	1	–	–	–	D. 1
†Guildford ...	–	7	–	–	1	–
Haslemere ...		1	–	–	–	–
†Kingston on Thames	–	2	–	–	2	N. 1
†Merton and Morden	–	3	4	–	–	L. 1
†Mitcham	–	–	1	–	4	–
†Reigate	–	2	7	–		–
†Richmond ...	–	–	–	–	3	
†Surbiton ...		1	–		2	–
†Sutton and Cheam	–	–	–	–	1	N. 2
†The Maldens and Coombe	–	1	–	–	1	–
†Walton upon Thames	–		–	–	1	–
Weybridge ...	–	1	–	–	–	–
†Wimbledon ...	–	1	1	–		
Windlesham ...		1		–	–	–
†Woking	–	–	–	–	1	–
Rural Districts:—						
Chertsey ...	–	1	–	–	–	–
Epsom	–	2	1	–	4	–
Farnham ...	–	1	1		–	
Godstone ...	–	1	–	–	–	–
Hambledon ...	–	2	–	–	1	–
Reigate	–	1	–		1	–
SUSSEX, EAST...	–	18	4	–	14	D. 2 N. 8
†Brighton C.B.	–	3	–	–	1	D. 2 N. 3
†Eastbourne C.B.	–	1	–	–	–	N. 2
†Hastings C.B. ...	–	4	2	–	6	
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
East Grinstead	–	1	1	–	1	–
†Hove		–	–	–	1	
Newhaven ...	–	2	–	–	–	–
Portslade by Sea	–	1	–	–	–	–
Rye	–	1	–	–	–	–
Rural Districts:—						
Battle	–	–	–	–	–	N. 1
Cuckfield ...		2	–	–	–	–
Hailsham ...		2	–	–	2	–
Hastings ...	–	–	–	–	2	–
Ticehurst ...	–		1	–		N. 2
Uckfield ...	–	1	–	–	1	–
SUSSEX, WEST...	–	4	2	–	10	C. 2 G. 1
Boroughs and Urban Districts:—						
†Littlehampton		–	2	–		–
Shoreham by Sea	–	–	–	–	3	C. 2 G. 1
Southwick ...	–	–	–	–	3	–
†Worthing ...	–	–	–	–	1	–
Rural Districts:—						
Horsham ...		–	–	–	2	–
Thakeham ...	–	–	–		1	–
Westhampnett	–	4	–	–	–	–
WARWICK ...	2	75	50	–	149	C. 8 D. 1 F. 1 G. 1 M. 9 N. 2
†Birmingham C.B.	–	60	34	–	120	C. 6 D. 1 F. 1 M. 9
†Coventry C.B. ...	1	5	7	–	7	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†Bedworth ...	–	–		–		G. 1
Bulkington ...	–	–	1	–	1	
†Nuneaton ...	1	2	–	–	11	N. 1
†Rugby	–	–	5	–	–	–
†Stratford on Avon	–	–	–	–	1	–
†Sutton Coldfield	–	1		–	2	–
†Warwick ...	–	2	–	–	–	–
Rural Districts:—						
Alcester ...	*	*	*	*	*	*
Atherstone ...	–	2	1	–	3	–
Foleshill ...	–	–	1	–	2	C. 1
Nuneaton ...	–	–	1	–	–	
Rugby	–	2	–	–	–	C. 1
Solihull ...		–	–	–	1	–
Southam... ...	–		–	–	1	N. 1
Tamworth (part)	–	1	–	–	–	–
WESTMORLAND	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†Kendal	–	–	–	–	1	–
WIGHT, ISLE OF	–	–	–	–	1	–
Rural District:—						
Isle of Wight ...	–	–	–	–	1	–
WILTS	–	10	11	–	7	C. 1
Boroughs and Urban Districts:—						
Bradford on Avon	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Boroughs and Urban Districts—*cont.*						
Marlborough ...	–	1	–	–	–	–
†Salisbury ...	–	–	2	–	–	–
†Swindon... ...	–	2	4	–	5	–
†Trowbridge ...	–	2	–		–	–
Rural Districts:—						
Amesbury ...	–	–	1	–	–	–
Bradford on Avon	–	–	–	–	–	C. 1
Calne	–	–	1	–		–
Cricklade and Wootton Bassett	–	–	–	–	1	–
Devizes	–	3	2	–	–	–
Malmesbury ...	–	–	–	–	1	–
Salisbury ...	–	1	–	–	–	–
Wilton	–	–	1	–	–	–
WORCESTER ...	–	19	5	–	24	C. 2 M. 1
†Dudley C.B. ...	–	2	–	–	2	–
†Worcester C.B.	–	1	1	–	4	M. 1
Boroughs and Urban Districts:—						
Bromsgrove ...	–	–	–	–	2	–
†Halesowen ...	–	1	4	–	3	–
†Kidderminster	–	2	–	–	1	C. 1
†Lye and Wollescote	–	–	–	–	2	–
†Oldbury... ...	–	5	–	–	6	–
†Redditch ...	–	2	–	–	1	C. 1
†Stourbridge ...	–	4	–	–	3	–
Rural Districts:—						
Bromsgrove ...	–	1	–	–	–	–
Tenbury... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague: encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	-	6	25	2	30	-
†Kingston upon Hull C.B.	-	6	22	2	21	-
Boroughs and Urban Districts:—						
†Beverley ...	-	-	-	-	6	-
†Bridlington ...	-		1	-	-	-
Withernsea ...			-	-	1	-
Rural Districts:—						
Bridlington ...	-	-	2	-	-	-
Pocklington ...	-	-	-	-	2	-
YORKS ... ... (North Riding).	-	25	8	-	70	G. 1 N. 1
†Middlesbrough C.B.	-	11	-	-	29	N. 1
Boroughs and Urban Districts:—						
†Eston	-	3	3	-	4	-
Guisborough ...		-	-	-	10	-
Loftus	-	-	-	-	6	-
†Redcar		1	-	-	7	-
Saltburn by the Sea				-	1	-
†Scarborough ...	-	2	2	-	6	-
†Skelton and Brotton	-	-	1	-	1	-
†Thornaby on Tees	*	*	*	*	*	*
†Whitby		4	-		2	-
Rural Districts:—						
Bedale	*	*	*	*	*	*
Easingwold ...	-	1	-	-	-	-
Helmsley ...	-	-	-	-	1	-
Middlesbrough	-	1	-	-	-	-
Reeth	-	-	-	-	1	-
Startforth ...	-	-	1	-	-	-
YORKS (North Riding)—*cont.*						
Rural Districts—*cont.*						
Stokesley ...		-	1	-	2	-
Wath	-	1	-	-	-	G. 1
Whitby	-	1	-	-		-
YORKS ... ... (West Riding).	23	177	77	-	285	C. 11 D. 41 G. 1 L. 3 M. 4 N. 11
†Barnsley (C.B.)	-	5	1	-	9	D. 2
†Bradford C.B. ...	1	35	6	-	19	C. 2 N. 3
†Dewsbury C.B....		3	-			
†Doncaster C.B....	-	2	3		2	-
†Halifax C.B. ...	-	-	2		11	-
†Huddersfield C.B.	-	-	3	-	7	N. 1
†Leeds C.B. ...		44	12	-	39	C. 4 M. 1 N. 4
†Rotherham C.B.		-	2	-	10	D. 1 G. 1
†Sheffield C.B....	16	23	13	-	97	C. 1 D. 1 M. 2 N. 1
†Wakefield C.B.	-	2	4	-	3	L. 1
Boroughs and Urban Districts:—						
†Adwick le Street	-	-	-	-	-	D. 1 M. 1
†Batley	-	3	-	-		-
†Bentley with Arksey	-	-	-		1	-
†Bingley	-	-	1	-	1	-
Birkenshaw ...	-	1	-		-	-
Birstal	-	-	-		-	D. 1
†Bolton upon Dearne	-	2	-	-	1	D. 1
†Brighouse ...	-	1	1		3	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
CALVERLEY ...	-	3	-	-		-
†CONISBROUGH ...	-		1	-	-	C. 1
CUDWORTH ...	-	1	-	-		
DARFIELD ...	-	-	-	-	2	-
EARBY		1		-	-	-
†FEATHERSTONE ...		4	-	-	-	-
†GOOLE	-	1	1	-	1	-
GREASBROUGH ...	-	-	-	-		D. 1
†HARROGATE ...	-	1		-	1	-
†HEMSWORTH ...	-		-	-	3	D. 4
HIPPERHOLME ...		1				-
HORBURY... ...	-	3	1	-	-	-
HORSFORTH ...	-		1	-		-
†HOYLAND NETHER	-	-	-	-	1	-
ILKLEY	-		-	-	1	-
†KEIGHLEY ...		1	-		1	C. 1
KIRKBURTON ...	-				4	
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	-	-	-		3	-
LUDDENDEN FOOT	-	-	-	-	2	-
MALTBY	-	-			2	C. 1
						D. 7
MELTHAM ...	-	-	-	-	-	N. 1
†MEXBOROUGH ...	-	1	-	-	-	-
MIDGLEY... ...	-	1	-	-	-	-
†MIRFIELD ...	-	1	-	-	-	-
†MORLEY		1	-	-	1	-
MYTHOLMROYD ...	-	-	-	-	2	-
†OSSETT	-	2	1	-	-	-
OTLEY	-	1	-	-	1	-
†PUDSEY	-	1		-	4	-
QUEENSBURY ...	-		1	-	-	-
†RAWMARSH ...	-	-	-		1	D. 1
RIPON	-	-	-	-	1	-
†ROTHWELL ...	-	2	1	-	-	-
†SADDLEWORTH ...	-	1	-	-	-	-
SHELF	3	1	-	-	-	-
SHELLEY	-	-	-	-	-	D. 1
†SHIPLEY	-	2	2	-	-	-
†SKIPTON	-	1	-	-	-	-
SLAITHWAITE ...	-	1	-	-	-	-
†SOWERBY... ...	-	1	-	-	1	-
†SPENBOROUGH ...	-	1	-	-	6	-
†STANLEY	-	1	-		4	C. 1
STOCKSBRIDGE ...		1	2	-	-	
†SWINTON		-	-	-	-	D. 1
THURNSCOE ...		-	1	-	3	D. 1
THURSTONLAND AND FARNLEY TYAS	-	-	-	-	2	-
†TODMORDEN ...	-	2	-	-	4	-
†WATH UPON DEARNE	-	-	-	-	-	D. 1
WHITWOOD ...	-	1	-	-		-
†WOMBWELL ...	-	1	1	-	2	-
†WORSBOROUGH ...	-	-	-	-	-	D. 1
Rural Districts:—						
DONCASTER ...	-	-	1	-	7	D. 2
GOOLE	-	-	1	-	-	-
HEMSWORTH ...	-	1	3		6	D. 10
KIVETON PARK ...	3	2	1		2	-
PONTEFRACT ...	-	2	-	-	6	-
ROTHERHAM ...	-	-	6	-	2	-
SELBY	-	1	-	-	-	-
SETTLE	-	-	3	-	-	-
SKIPTON		1	1	-	1	-
TADCASTER ...	-	4	-	-	1	N. 1
THORNE	-		-	-	-	D. 4
WAKEFIELD ...	-	1	-	-	3	-
WETHERBY ...	-	1	-	-	-	-
WHARFEDALE (SOUTH)	-	1	-	-	1	-
WORTLEY... ...	-	2	-	-	-	L. 2
YORK, CITY OF ..	-	8	2	-	4	-
†YORK C.B. ...	-	8	2		4	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
BRECKNOCK ...	–	–	7	–	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts:—						
VAYNOR AND PENDERYN	–	–	4	–	–	–
YSTRADGYNLAIS	–	–	2	–		–
CAERNARVON...	–		3	–	–	D. 1 M. 1
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	–	–	–	–	D. 1 M. 1
Rural Districts:—						
LLEYN	–	–	3	–	–	–
CARDIGAN ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	2	–		–	–
CARMARTHEN...	–	4	8	1	5	M. 1
Boroughs and Urban Districts:—						
†CARMARTHEN ...		1	–			–
CWMAMMAN ...	–	–	1	–	–	–
CARMARTHEN—*cont.*						
Boroughs and Urban Districts—*cont.*						
KIDWELLY ...	*	*	*	*	*	*
LLANDOVERY ...	–		–	–	1	–
†LLANELLY ...	–	1			2	–
Rural Districts:—						
CARMARTHEN ...		2	1	–	–	–
LLANDILO FAWR	–	–	3	–	–	M. 1
LLANELLY ...	–	–	3	1	2	–
WHITLAND ...	*	*	*	*	*	*
DENBIGH ...	–	22	18	–	7	–
Boroughs and Urban Districts:—						
DENBIGH ...	–	2	–	–	–	–
RUTHIN	–	–	2	–	–	–
†WREXHAM ...	–	1	3	–	–	–
Rural Districts:—						
RUTHIN	–	1	1	–	–	–
WREXHAM ...	–	18	12	–	7	–
FLINT	–	1	1	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
FLINT	–	–	–	–	1	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	1	–
HOLYWELL ...	–	–	1	–	–	M. 1 N. 1

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
T, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	18	53	72	1	97	C. 2 D. 1 G. 1 M. 3 N. 2
†Cardiff C.B. ...	–	17	20	–	5	C. 1 D. 1
†Merthyr Tydfil C.B.	–	4	5	–	6	M. 1
†Swansea C.B. ...	–	3	12	–	7	–
Boroughs and Urban Districts:—						
†Aberdare ...	–	2	1	–	9	–
†Caerphilly ...	–	–	1	–	–	–
†Gelligaer ...	–	–	1	–	11	G. 1 N. 1
†Glyncorwg ...	–	–	1	–	2	–
†Llwchwr ...	–	–	–	–	3	–
†Maesteg	–	–	1	–	–	M. 1
†Mountain Ash ...	18	–	4		16	–
†Neath	–	2	4	–	2	–
†Ogmore and Garw	–	8	1	–	7	C. 1 M. 1
†Penarth	–	–	–	–	1	–
†Pontypridd ...	–	–	2	1	4	–
Porthcawl ...	–	–	–		1	–
†Port Talbot ...	–	4	4	–	–	–
†Rhondda ...	–	10	8	–	19	N. 1
Rural Districts:—						
Cardiff	–	–	–	–	1	–
Llantrisant and Llantwit-fardre	–	2	1	–	1	–
Neath	–	1	1	–	2	–
Penybont ...	–	–	2	–	–	–
Pontardawe ...	–	–	3	–	–	–
MERIONETH ...	–	–	3	–	1	M. 1
Urban District:—						
Ffestiniog ...	–	–	–	–	1	–
MERIONETH— *cont.*						
Rural Districts:—						
Deudraeth ...	–	–	2	–	–	M. 1
Edeirnion ...	–	–	1	–	–	–
MONMOUTH ...	–	19	10	–	38	C. 1 D. 1 G. 2 L. 1 M. 1
†Newport C.B. ...	–	9	3	–	18	L. 1 M. 1
Boroughs and Urban Districts:—						
Abergavenny ...	–	–	1	–	–	–
†Abersychan ...	–	3	–	–	–	–
†Abertillery ...	–	–	1	–	–	–
Bedwas and Machen	–	1	–	–	–	–
†Bedwellty ...	–	1	–		–	–
Chepstow ...	–	–	–	–	–	G. 1
†Ebbw Vale ...		3	1	–	2	G. 1
†Mynyddislwyn	–		–	–	–	C. 1
†Nantyglo and Blaina	–	–	–	–	10	–
†Rhymney ...	–	2	3	–	–	–
†Tredegar ...	–	–	–	–	5	–
Rural Districts:—						
Chepstow ...	–	–	–	–	1	–
Magor	–	–	–	–	1	–
Pontypool ...	–	–	–	–	1	–
St. Mellons ...	–	–	1	–	–	D. 1
MONTGOMERY...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
Welshpool ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE ...	-		1	-	4	-
Boroughs and Urban Districts:—						
FISHGUARD ...	-	-	-	-	1	-
MILFORD HAVEN		-	1	-	1	-
†PEMBROKE ...	-		-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
PEMBROKE— *cont.*						
Rural Districts:—						
PEMBROKE ...	-	-	-	-	1	-
Total of Part II....	234	1399	1037	112	2204	C. 47 D. 73 E. 1 F. 1 G. 12 L. 32 M. 63 N. 91

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BARNSTAPLE	*	*	*	*	*	*
KINGSBRIDGE AND SALCOMBE	*	*	*	*	*	*
PADSTOW	*	*	*	*	*	*
PENZANCE	*	*	*	*	*	*

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
SOUTHAMPTON ..	-	-	-	-	-	L. 1
PORT OF LONDON ...	-	-	-	-	1	-
Total of Part III. ..	-	-	-	-	1	L. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡)
Total of Part I.—London	16	230	194	2	296	C. D. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	234	1399	1037	112	2204	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts		–	–	–	1	L.
Total (i.e., of returns received), England and Wales ...	250	1629	1231	114	2501	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

eek ended :—	Nov. 29.	Dec. 6.	Dec. 13	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Totals from 1st Week of year. * 1930.	1931.
ON :—															
IRTHS	1,274	1,390	1,255	1,341	821	1,589	1,438	1,421	1,422	1,383	1,401	1 397	1,317	9,960	9,779
IRTHS	59	43	51	39	21	50	61	50	39	41	33	51	59	345	334
IS (excluding Still-s)—all ages.	983	973	1,082	1,175	1,185	1,356	1,452	1,467	1,415	1,434	1,496	1.620	1,578	7.965	10,462
IS—0 to 1 year ..	82	61	92	74	89	107	112	116	115	132	125	145	92	752	837
T TOWNS, aggre-(including Lon-:—															
IRTHS	5,919	6.505	5,896	6,202	3,997	7,120	6,760	6,470	6,502	6,180	6,308	6,349	6,320	44,533	44.889
IRTHS	273	281	286	267	216	311	305	282	270	295	244	278	315	2,012	1,989
IS (excluding Still-s)—all ages.	4,487	4,508	4,878	5,165	4,843	5,587	6.451	6,493	6,249	6,052	6.178	6,834	6,826	34,525	45.083
IS—0 to 1 year ..	401	378	440	476	474	557	622	626	633	645	650	748	697	3,359	4,621
IC FEVER—Cases	10	12	14	13	7	15	10	11	20	9	10	24	22	127	106
„ Deaths	1	3	1	1	—	3	1	1	3	2	4	2	1	12	14
POX—Cases ..	136	74	112	111	105	131	162	154	198	194	147	150	186	1,942	1,191
Deaths ..	—	1	—	—	—	—	—	—	—	—	—	—	1	3	1
ET FEVER—Cases	1,228	1,283	1,164	1,140	901	1,064	886	907	960	935	907	925	917	10,974	6,437
„ Deaths	1	6	6	8	11	16	8	9	8	7	7	9	8	84	56
HERIA—Cases ..	965	968	891	860	617	831	775	793	922	894	820	781	735	8,076	5,720
Deaths ..	44	31	35	43	33	43	32	39	53	43	50	29	48	394	294
LES—Deaths ..	33	45	57	71	59	62	77	94	73	72	72	80	97	475	565
ENZA—Deaths ..	56	43	60	58	59	60	101	148	242	309	331	456	509	518	2,094

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections g been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 21st February, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON	48	30	44·4	33·9	3	Huddersfield	49	31	40·9	32·7	22
Greenwich).						Bradford ..	47	31	41·0	33·0	20
GHTON ..	49	31	44·6	35·7	6	Sheffield ..	46	31	40·6	34·4	13
TSMOUTH ..	49	31	44·4	35·8	5	York (Museum)	49	33	42·6	33·9	17
WICH	§	§	§	§	§	Hull (Pearson	47	32	43·0	34·2	20
(Eaton)						Park).					
MOUTH ..	51	35	46·0	37·4	11	Tynemouth ..	51	33	43·0	34·9	11
STOL	50	32	44·4	35·3	11	Cardiff	49	33	44·0	35·0	11
(Horfield)											
MINGHAM	46	31	41·0	33·4	12						
Edgbaston).						Edinburgh ..	49·0	31·0	40·9	32·7	13
TTINGHAM ..	47	31	42·0	34·0	20	Glasgow ..	47·0	31·2	41·8	33·7	20
KENHEAD	51	33	42·0	35·0	17	Dublin					
(Bidston).						(Phœnix	51·8	26·0	46·0	32·9	9
CHESTER	50	33	42·3	34·9	22	Park)					
(Whitworth						(Fitzwilliam	§	§	§	§	§
Park).						Square†).					
NLEY	48	30	40·3	32·8	31	Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 21st February, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	15	..	29·579	48·1	32·9	15·2	40·1	+ 0·7	35·4	4·7	11·9	1·3	83	70·0	21·9	43·1	SW: W.	NW: W: WSW.	1·3	0·0	0·1	273	- 54	0·12
MONDAY -	16	..	29·011	41·7	36·2	5 5	38·9	- 0·6	30·3	8·6	16·5	3·7	71	66·0	32·2	43·0	WSW: NW.	NW: WSW: NNW.	3·3	0·0	0 5	404	+ 75	0·04
TUESDAY -	17	New	29·206	39·7	31·9	7·8	34·4	- 5·2	30·5	3·9	10 4	2·1	85	84·5	25·0	43·0	NNW: W: SW.	E: NE.	1·2	0·0	0·1	235	- 96	0·01
WEDNESDAY	18	Apogee	29·617	39·9	33·0	6 9	35·9	- 3·6	32·3	3·6	8·9	2·2	87	56·1	27·2	42·9	NE: NNE.	NNE: N.	6·3	0·0	1·0	452	+ 120	0·06
THURSDAY -	19	..	29 790	46·4	30·1	16·3	36·7	- 2·8	33·0	3·7	12·1	1·1	86	88·6	21·9	42·9	NNE: NE.	Calm: SSE.	1·8	0·0	0·1	207	- 125	0·00
FRIDAY -	20	In Equator	29·675	46·9	30·3	16·6	39·9	+ 0·4	36·8	3·1	6·7	1·3	89	70·7	22·3	42·8	SSW	SSW: SW.	4·1	0·0	0·5	386	+ 57	0·01
SATURDAY -	21	..	29·619	47·9	33·0	14·9	40·5	+ 0·9	30·3	10·2	19·2	2·7	67	92·0	21·7	42·8	SW: W.	WNW: W.	3·7	0·0	0·4	359	+ 34	0 00
MEANS -		..	29 500	44·4	32·5	11·9	38·1	- 1·5	32·7	5·4	12·2	2·1	81	75·4	24·6	42·9	Variable		..		..	Sum 2316	Sum + 11	Sum 0·24
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	15	mP till 6½h; wN till 9h.: then mP.	0·7	10·0	Overcast till 14½h.; then variably cloudy. Snow 4½h. till 6h. Fog till 13h. Dew at night.
MONDAY ..	16	wP till 8h.; wN till 9½h.; mP till 17h.; variably sP and mN till 19h.; then mP.	0·8	10·0	Overcast generally. Frequent slight rain between 3h. and 10h.; and 17½h. till 19¾h. Occasional snow between 14½h. and 18h.
TUESDAY ..	17	mP	1·8	10·1	Overcast till 13½h.; partially cloudy till 22h.; then overcast. Fog till 9h.; then mist. Snow 8½h. till 12½h. Hoar frost in morning and at night.
WEDNESDAY	18	mP	0·0	10·1	Overcast. Frequent snow between 8½h. and 9h. Rain and snow intermittently from 17h. Brisk wind from 13h.
THURSDAY	19	wP till 6h.; then mP.	3·5	10·2	Overcast till 8h.; partially cloudy till 16h.; then cloudless. Mist till 9h.; and from 18h. Hoar frost at night.
FRIDAY ..	20	mP	0·0	10·3	Cloudless till 5h.; partially cloudy till 8½h.; then overcast. Hoar frost in morning. Solar halo 8h. till 8½h. Occasional slight rain from 13½h. till 17½h.
SATURDAY	21	mP till 9h.; then variably mP and sP.	3·8	10·3	Nearly overcast till 11½h.; cloudy till 18½h.; then cloudless. Hoar frost at night.
			Sum 10·6	Sum 71·0	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·78 ins. at the beginning of the week to 28·96 ins. by 19h. on 16th; increased generally to 29·87 ins. by 22h. on 19th; decreased to 29·53 ins. by 6h. on 21st; increased and was 29·83 ins. by midnight on the same day.

THE

CLINICAL RESEARCH ASSOCIATION, LTD.

WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

All kinds of **LABORATORY INVESTIGATIONS** which may be required by

PUBLIC HEALTH AUTHORITIES

are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). **Telegrams: " TUBERCLE, WESTRAND, LONDON."**

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, still-births, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics:—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

TEXT.

This volume contains a commentary (with many Tables and some Diagrams) on the contents of the two Volumes of Tables (Medical and Civil) above mentioned. Many of the subjects—especially causes of death—are dealt with in detail.

The volume is priced at 2s. 6d. instead of 5s. as in previous years. Postage 3d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

BETTER HEALTH

The Official Journal of the Central Council for Health Education

36/38, Whitefriars Street, London, E.C.4.

The Official Journal of the Central Council for Health Education. It is intended to carry simple, non-technical and accurate teaching on the prevention of disease into the homes of the people. With the assistance of upwards of 150 health departments, the circulation has now reached 300,000 copies per month.

Quantities are supplied at special prices for local distribution. Write for specimen copy and particulars.

(74035) Wt. 87—17 1875 2/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 8.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 28TH FEBRUARY, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 28TH FEBRUARY, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the eighth week of the year numbered 6,631 corresponding to an annual rate of 17·5 per 1,000 living: stillbirths numbered 282 corresponding to a rate of 41 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,879 (53 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.
107 Great Towns	16·4	18·1	18·1	18·2
London	17·7	19·1	18·6	17·2
Birmingham	13·2	14·6	15·6	16·9
Liverpool	21·3	18·2	16·6	15·7
Manchester	15·3	19·3	20·1	23·5
Sheffield	13·8	14·3	14·7	14·4
Leeds	15·7	17·1	17·4	17·9
Bristol	16·0	14·3	14·7	19·2
West Ham	15·8	18·6	21·7	18·5

The deaths from influenza which had been 331, 456 and 509 in the three preceding weeks further rose to 546 and included 79 in London and 48 in Manchester.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 105, against 100, 115 and 107, in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,407 live births registered corresponding to an annual rate of 16·6 per 1,000 living: stillbirths numbered 47 corresponding to a rate of 32 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,457 (121 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 75, against 87, 101 and 64, in the three weeks preceding.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. { BIRTHS and DEATHS registered in th week ended 28th February, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 GREAT TOWNS ..	19,661,240*	6,631	282	6,879	686	2	70	4	69	42	52
LONDON	4,417,900*	1,407	47	1,457	108	-	2	-	11	8	15
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	60	2	79	8	-	-	-	-	-	-
WIMBLEDON ..	59,370	13	-	23	6	-	-	-	-	-	1
EALING	104,000	30	3	36	3	-	-	1	-	-	-
ACTON	65,200	14	-	18	3	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	59,040	14	-	16	2	-	-	-	-	-	-
WILLESDEN ..	172,500	41	-	51	3	-	-	-	-	-	-
HENDON	83,190*	29	1	28	2	-	-	-	-	-	-
HORNSEY	88,450	23	-	27	3	-	-	-	-	-	1
WOOD GREEN ..	53,410	11	-	18	-	-	-	-	-	-	-
TOTTENHAM ..	155,000	32	3	41	3	-	-	-	-	-	-
EDMONTON	75,000	47	3	15	-	-	-	-	-	-	-
ENFIELD	65,100	17	1	22	3	-	-	-	-	-	-
WEST HAM C.B. ..	307,600	127	2	109	6	-	-	-	3	-	-
EAST HAM C.B. ..	147,600	25	1	48	3	-	-	-	-	2	1
LEYTON	128,300	28	-	51	1	-	-	-	-	-	-
WALTHAMSTOW ..	124,800	32	1	38	1	1	-	-	1	-	-
ILFORD	116,200	25	-	37	5	-	-	-	-	-	-
GILLINGHAM	56,670*	31	-	15	-	-	-	-	-	-	-
CANTERBURY C.B. ..	22,850*	7	-	17	3	-	-	-	-	-	-
HASTINGS C.B.	62,620	26	-	17	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	58,570	7	-	16	2	-	-	-	-	-	-
BRIGHTON C.B. ..	146,800*	39	-	56	1	-	-	-	-	-	-
PORTSMOUTH C.B. ..	242,000*	75	1	101	11	-	-	-	-	-	3
BOURNEMOUTH C.B. ..	97,360	20	2	39	1	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	172,300	57	1	46	5	-	-	-	-	-	1
READING C.B.	96,850*	27	5	29	1	-	1	-	-	-	-
OXFORD C.B	73,810*	30	-	20	-	-	-	1	-	1	-
NORTHAMPTON C.B. ..	93,970*	36	-	24	-	-	-	-	-	-	-
LUTON	65,200	16	-	15	1	-	-	-	-	-	-
CAMBRIDGE	60,730	20	5	21	3	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	114,600	21	1	42	4	-	-	-	-	1	-
IPSWICH C.B.	85,800	36	3	37	3	-	-	-	-	-	-
GREAT YARMOUTH C.B.	58,110	13	-	15	-	-	-	-	1	1	-
NORWICH C.B.	124,900*	54	1	37	5	-	-	-	-	-	1
SWINDON	62,020	14	1	15	-	-	-	-	-	-	-
EXETER C.B.	61,290*	27	2	21	1	-	-	-	1	-	-
PLYMOUTH C.B. ..	199,000*	58	3	87	5	-	-	-	-	-	-
BATH C.B.	69,240	24	-	33	1	-	-	-	-	-	-
BRISTOL C.B.	391,145*	125	6	144	14	-	4	-	-	2	-
GLOUCESTER C.B. ..	52,010	21	-	18	1	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	279,190	115	2	98	17	-	-	-	1	-	1
BURTON-UPON-TRENT C.B.	48,970	18	-	19	3	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,300	61	2	39	3	-	-	-	-	-	-
WALSALL C.B.	100,100	32	-	38	-	-	-	-	-	1	-
WEST BROMWICH C.B.	80,840	36	5	22	1	-	1	-	-	-	-
DUDLEY C.B.	58,870	20	1	34	5	-	-	-	-	-	-
WORCESTER C.B. ..	52,320	22	2	14	3	-	-	-	1	-	-
BIRMINGHAM C.B. ..	968,500	370	15	314	32	-	5	-	1	1	-
SMETHWICK C.B. ..	85,120	25	1	27	3	-	-	-	-	1	-
COVENTRY C.B. ..	162,100	59	1	41	4	-	-	-	-	-	-
LEICESTER C.B. ..	245,200	92	2	79	11	-	1	-	-	3	1
LINCOLN C.B.	65,080*	23	-	17	2	-	-	-	-	-	-
GRIMSBY C.B.	91,440	33	1	28	6	-	-	-	-	-	-
NOTTINGHAM C.B. ..	266,800	108	3	106	7	-	1	-	2	1	-
DERBY C.B.	140,500*	60	4	31	4	-	-	-	-	-	-
CHESTERFIELD	65,270	31	2	26	5	-	-	-	-	-	1
STOCKPORT C.B ..	127,800	32	3	59	7	-	-	-	-	-	-
CHESTER C.B.	40,750	18	-	11	-	-	-	-	-	-	-
BIRKENHEAD C.B ..	157,600	57	2	43	5	-	2	-	1	1	-
WALLASEY C.B. ..	101,300	22	2	20	2	-	-	-	-	-	-
LIVERPOOL C.B. ..	869,500	352	9	261	27	-	16	-	6	6	4
BOOTLE C.B.	80,400	36	3	27	4	-	1	-	-	-	-
ST. HELENS C.B. ..	109,200	40	3	38	2	-	2	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
UTHPORT C.B ..	80,040	13	1	19	2	-	-	-	-	-	-	4
IGAN C.B.	87,600	29	1	33	6	-	-	-	-	-	-	-
ARRINGTON C.B. ..	79,400*	33	3	39	6	-	2	-	-	2	-	4
OLTON C.B	181,500	46	2	78	10	-	-	-	-	-	-	13
URY C.B.	56,830*	25	-	21	3	-	-	-	-	-	-	-
ANCHESTER C.B. ..	746,500	273	10	336	29	-	-	-	4	1	4	48
LFORD C.B.	235,600	68	4	102	13	-	-	-	2	1	2	12
HTON-UNDER-LYNE	51,750	21	-	26	3	-	-	-	1	-	-	-
LDHAM C.B	142,500	50	-	50	5	-	-	-	-	-	-	3
OCHDALE C.B. ..	90,900	13	-	44	3	-	-	-	-	-	-	5
URNLEY C.B	100,200	28	2	36	4	-	-	-	3	1	-	5
LACKBURN C.B. ..	125,300	31	2	68	7	-	-	-	1	-	-	15
ESTON C.B.	126,100	38	2	53	6	-	-	-	-	-	1	8
LACKPOOL C.B. ..	99,800	14	3	49	3	-	-	-	1	-	-	3
ARROW-IN-FURNESS C.B.	64,850	20	-	26	-	-	-	-	-	-	-	5
UDDERSFIELD C.B. ..	113,100	26	-	23	1	-	-	-	-	-	-	3
ALIFAX C.B.	97,400*	28	-	45	7	-	-	-	-	-	1	4
RADFORD C.B. ..	294,605	81	4	117	17	-	-	-	-	1	-	16
EEDS C.B.	478,500	158	12	164	21	-	-	2	2	1	2	14
EWSBURY C.B. ..	53,020	19	-	25	1	-	1	-	-	-	-	2
AKEFIELD C.B. ..	56,640	21	2	17	-	-	-	-	-	-	-	-
ARNSLEY C.B. ..	71,700	30	4	32	7	-	-	-	1	-	1	2
EFFIELD C.B. ..	518,000*	167	8	143	20	-	-	-	2	1	2	10
OTHERHAM C.B. ..	70,790	33	2	23	4	-	-	-	-	-	-	-
ONCASTER C.B. ..	59,890	32	3	17	3	-	-	-	-	-	-	-
ORK C.B.	85,290*	26	-	34	2	-	-	-	1	-	-	4
ULL C.B.	307,500	118	7	134	21	1	6	-	1	3	3	8
DDLESBROUGH C.B.	133,100	66	3	64	16	-	-	-	1	-	1	6
ARLINGTON C.B. ..	74,150	23	-	24	2	-	1	-	-	-	-	5
OCKTON-ON-TEES ..	67,090	22	-	20	3	-	-	-	1	-	-	1
EST HARTLEPOOL C.B.	69,370	33	1	40	4	-	-	-	1	-	-	5
NDERLAND C.B. ..	184,000	95	4	84	15	-	2	-	1	-	1	9
UTH SHIELDS C.B ..	119,600	51	2	43	9	-	-	-	2	-	1	3
TESHEAD C.B. ..	122,600	60	3	51	7	-	3	-	-	-	-	5
EWCASTLE-ON-TYNE C.B.	283,400*	132	5	112	11	-	9	-	2	-	1	6
NEMOUTH C.B. ..	65,880	22	1	17	2	-	-	-	-	-	-	1
RLISLE C.B.	56,160*	18	2	16	1	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	95,990*	20	-	49	7	-	1	-	1	-	-	12
RDIFF C.B.	224,000*	72	6	83	3	-	6	-	-	-	-	7
ONDDA	153,100	51	11	52	8	-	1	-	2	1	1	2
ERTHYR TYDFIL C.B.	77,790	36	3	28	8	-	-	-	-	-	-	5
ERDARE	53,050	12	2	16	3	-	-	-	-	-	-	4
ANSEA C.B.	162,700	56	9	55	7	-	2	-	-	-	1	9
EATER LONDON ..	7,900,480*	2,443	78	2,575	193	3	2	2	16	13	20	168
TER RING	3,482,580*	1,036	31	1,118	85	3	-	2	5	5	5	89
GREAT TOWNS IN UTER RING	2,027,060*	568	17	657	52	1	-	1	4	2	3	57
MAINDER OF OUTER ING	1,455,520*	468	14	461	33	2	-	1	1	3	2	32
INBURGH†	428,800	142	?	162	14	-	-	1	-	1	1	10
ASGOW†	1,088,200	486	?	436	65	-	-	-	20	1	5	23
BLIN (REGISTRATION REA)†	412,400	283	?	212	31	1	11	-	-	1	4	21
LFAST†	415,151	197	?	156	27	-	8	1	2	-	-	6

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census ure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally rrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths esidents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and fast are corrected by the exclusion of deaths of persons admitted into public institutions from without respective areas,

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1931.											
London‡	4,417,900	Feb. 28	1407	47	1457	17·2	-	-	2	-	11	8	1
Calcutta and Suburbs	1,077,264	Jan. 17	?	?	556‖	26·8	?	16	-	-	-	-	
Bombay§	1,298,708	„ 31	548	39	388	15·5	-	1	1	-	-	-	1
Madras	528,791	„ 17	447	20	703‖	69·2	4	-	-	-	2	-	3
Sydney and Suburbs	1,243,940	Jan. 31 (31 days)											
Brisbane (Metropolitan Area).	318,631	Nov. 30 (30 days)											
Perth (Metropolitan Area).	202,888	Dec. 20	85	?	50	12·8	-	-	-	-	-	-	
Auckland (Urban Area).	212,100	Dec. 31 (31 days)	272	5	176	10·0	-	-	-	-	-	2	
Wellington (Urban Area)	138,050	Dec. 31 (31 days)	248	7	112	9·7	-	-	-	1	-	-	
Christchurch (Urban Area).	125,800	Dec. 31 (31 days)	179	4	89	8·5	-	-	-	-	-	-	
Cape Town	136,748	Jan. 24	65	3	29	11·0	1	-	-	-	-	-	
Johannesburg	187,326	„ 17	97	-	52	14·4	-	-	-	-	-	-	
Durban	61,667	„ 17	35	1	13	11·0	-	-	-	-	-	-	
Paris	2,871,429	Jan. 10 (10 days)	1218	61	1413	17·9	2	-	9	1	1	7	1
Antwerp	294,928	Feb. 15 (15 days)											
Amsterdam	759,282	Feb. 7	252	8	173	11·9	-	-	-	-	-	1	
Copenhagen	615,700	„ 14	176	3	163	13·8	-	-	-	-	1	1	
Stockholm	486,672	„ 7	112	3	129	13·8	-	-	-	-	-	-	
Gothenberg	245,336	Jan. 24	?	?	78	16·5	-	-	-	-	-	-	
Oslo	253,568	Feb. 14	48	2	81	16·6	-	-	-	-	-	-	
Berlin	4,336,000	Jan. 31	710	29	1186	14·2	-	?	2	1	-	7	3
Breslau	616,000	„ 31	148	7	182	15·4	-	?	1	-	2	3	1
Cologne	740,000	„ 31	188	6	155	10·9	-	?	-	1	2	3	
Dresden	634,000	„ 31	105	3	158	13·0	-	?	-	-	-	1	
Frankfort-on-Main	541,000	„ 31	93	3	107	10·3	-	?	-	-	-	-	
Hamburg	1,148,000	„ 31	215	12	350	15·9	-	?	-	1	3	2	1
Leipzig	700,000	„ 31	163	3	192	14·3	-	?	-	-	-	1	2
Munich	730,000	„ 31	165	6	207	14·7	-	?	-	1	-	-	1
Budapest	991,518	Feb. 7	334	13	299	15·7	-	-	-	-	1	1	2
Warsaw	1,109,478	Jan. 31	?	10	291	13·7	-	-	2	-	3	3	5
Madrid	825,471	Feb. 7	?	44	589	37·2	-	1	2	-	-	-	8
Cairo	1,122,800	Nov. 11	1073	31	424	19·7	3	-	1	-	?	13	82
Alexandria	612,200	„ 11	507	-	231	19·7	3	-	1	-	?	4	35
New York	7,090,089	Jan. 31	2343	110	2215	16·3	-	-	1	2	5	4	6
Chicago	3,457,375	Feb. 6	1179	49	962	14·5	-	-	-	7	-	5	5
New Orleans	433,000	Nov. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Jan. 24											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year o* for Copenhagen, Stockholm, Gothenberg, and the German Cities
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 25 deaths from Cholera in Calcutta and 21 in Madras.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 28th February, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
L CAUSES	9,205	11,919	1457	108	29	27	24	54	60	84	148	227	315	381
teric fever	4	5	-	-	-	-	-	-	-	-	-	-	-	-
all-pox	4	-	-	-	-	-	-	-	-	-	-	-	-	-
asles	252	8	2	1	-	1	-	-	-	-	-	-	-	-
rlet fever	23	13	-	-	-	-	-	-	-	-	-	-	-	-
ooping cough	23	61	11	5	4	2	-	-	-	-	-	-	-	-
phtheria	108	63	8	2	-	2	3	-	-	1	-	-	-	-
uenza	114	569	79	1	2	1	-	6	3	1	10	16	14	25
ysipelas	33	42	7	1	1	-	-	-	1	-	1	2	1	-
ute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
cephalitis lethargica	6	7	-	-	-	-	-	-	-	-	-	-	-	-
ningococcal meningitis	14	30	5	1	-	-	-	2	-	-	1	1	-	-
berculosis :—														
Respiratory system	611	759	96	-	-	-	3	21	14	20	20	12	3	3
Nervous system..	34	32	6	-	1	-	3	1	1	-	-	-	-	-
Intestines and peritoneum	10	10	1	-	-	-	-	-	-	1	-	-	-	-
Other forms	39	50	2	-	-	1	-	-	-	1	-	-	-	-
nereal diseases	38	32	3	-	-	-	-	-	-	1	-	1	1	-
ncer	1043	1114	140	-	-	-	-	-	2	8	22	33	50	25
eumatic fever	27	22	1	-	-	-	1	-	-	-	-	-	-	-
abetes	95	97	15	-	-	-	-	-	1	-	3	2	6	3
coholism	3	4	-	-	-	-	-	-	-	-	-	-	-	-
ople meningitis	24	22	2	-	-	-	1	1	-	-	-	-	-	-
rebral hæmorrhage, &c., Apoplexy	386	374	49	-	-	-	-	-	-	2	6	12	14	15
ilepsy	33	30	1	-	-	-	-	-	-	1	-	-	-	-
onvulsions" (not puerperal) ..	9	11	-	-	-	-	-	-	-	-	-	-	-	-
ner diseases of nervous system ..	206	221	30	3	1	2	-	3	4	1	4	7	4	1
ricarditis	4	4	2	-	-	-	-	-	-	-	-	2	-	-
ute endocarditis	35	34	7	-	-	-	-	2	3	-	1	1	-	-
ner diseases of heart	1996	2809	333	-	-	-	5	3	8	14	27	45	110	121
ner diseases of circulatory system	400	454	44	-	-	-	-	-	-	2	-	5	13	24
nchitis	509	992	114	6	-	-	-	1	2	3	11	11	28	54
ncho-pneumonia	475	945	103	17	16	8	1	-	-	6	1	11	16	27
ar pneumonia	247	360	43	3	1	1	2	4	-	1	8	10	6	7
umonia (type not distinguished)	96	130	12	-	-	-	-	-	2	2	3	1	4	-
ner diseases of respiratory system	104	166	16	1	-	-	-	1	-	1	1	5	1	6
rrhœa and enteritis	131	129	16	14	1	-	-	-	-	-	-	-	-	1
pendicitis, Typhlitis	49	46	6	-	-	2	1	1	1	1	-	-	-	-
rnia, Intestinal obstruction	67	99	17	1	-	1	-	1	1	1	3	3	4	2
rhosis of liver	32	34	3	-	-	-	-	-	-	-	1	1	1	-
ner diseases of digestive system ..	208	209	26	-	-	-	1	-	1	5	4	10	4	1
ute nephritis	20	15	2	-	-	-	1	-	-	-	1	-	-	-
ronic Bright's disease	293	346	41	-	-	-	-	1	2	1	7	12	9	9
ner diseases of genito-urinary stem.	138	182	23	-	-	-	-	-	1	2	4	6	5	5
erperal sepsis	21	21	3	-	-	-	-	-	2	1	-	-	-	-
ner causes incident to childbirth ..	16	21	2	-	-	-	-	-	1	1	-	-	-	
genital malformations	54	47	9	7	-	1	-	-	1	-	-	-	-	-
mature birth	164	215	21	21	-	-	-	-	-	-	-	-	-	
bility, atrophy (congenital)	33	34	5	5	-	-	-	-	-	-	-	-	-	
age	208	287	39	-	-	-	-	-	-	-	-	1	5	33
cide	87	88	13	-	-	-	-	1	-	4	-	4	2	2
ns and Scalds	23	29	7	-	1	2	-	1	-	-	-	1	1	1
wning	14	13	1	1	-	-	-	-	-	-	-	-	-	-
focation in bed	8	3	-	-	-	-	-	-	-	-	-	-	-	-
icles and horses	133	107	17	-	-	1	1	2	1	-	-	4	7	1
er deaths by violence	159	138	20	2	-	-	-	1	1	-	2	-	5	9
er specified causes	340	395	54	16	1	2	1	1	7	2	7	8	3	6
defined causes	1	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 28th February, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	23	258	193	4	225	C. 8 D. 8 L. 1 M. 7 N. 15
Metropolitan Boroughs:—						
†BATTERSEA ...	–	17	7	–	14	M. 1
†BERMONDSEY ...	–	7	4	–	3	M. 1
†BETHNAL GREEN	6	6	6	–	3	D. 1
†CAMBERWELL ...	1	16	10	–	10	C. 1 D. 1
†CHELSEA	–	4	2	–	8	M. 1
†DEPTFORD ...	1	5	6	–	6	N. 1
†FINSBURY ...	2	4	3	1	3	–
†FULHAM	–	10	6	–	7	N. 1
†GREENWICH ...	2	12	6	–	4	N. 1
†HACKNEY... ...	1	13	11	–	7	N. 1
†HAMMERSMITH ...	–	4	5	–	3	N. 1
†HAMPSTEAD ...	–	7	1	–	2	N. 2
†HOLBORN... ...	–	3	–	1	1	D. 3 M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (*see* ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	19	9	–	14	C. 2 M. 1
†KENSINGTON ...	–	9	7	–	10	L. 1
†LAMBETH ...	2	14	18	–	24	–
†LEWISHAM ...	–	20	12	–	11	–
†PADDINGTON ...	–	12	4	–	8	–
†POPLAR	1	9	6	–	17	C. 2 N. 1
†ST. MARYLEBONE	–	2	8	1	–	D. 1
†ST. PANCRAS ...	–	8	8	–	9	M. 1 N. 1
†SHOREDITCH ...	–	7	9	1	1	–
†SOUTHWARK ...	–	9	8	–	10	C. 1 D. 1 N. 2
†STEPNEY	7	15	17	–	15	N. 1
†STOKE NEWINGTON	–	4	1	–	1	C. 1
†WANDSWORTH ...	–	16	11	–	19	M. 1 N. 1
†WESTMINSTER, CITY OF	–	1	3	–	2	D. 1
†WOOLWICH ...	–	5	5	–	13	C. 1 N. 2

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera : B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	8	4	–	8	N. 1
Boroughs and Urban Districts:—						
†BEDFORD	–	1	–	–	1	N. 1
DUNSTABLE ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	1	–	–	1	–
†LUTON	–	2	4	–	2	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BIGGLESWADE ...	–	–	–	–	4	–
EATON BRAY ...	–	2	–	–	–	–
BERKS	2	10	8	–	6	D. 1 M. 1 N. 1
†READING C.B. ...	2	1	–	–	1	D. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
†MAIDENHEAD ...	–	–	1	–	1	–
†NEWBURY ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	3	1	–	–	–
WANTAGE ...	–	2	–	–	–	–
Rural Districts:—						
EASTHAMPSTEAD	–	–	1	–	1	–
FARINGDON (part)	–	2	–	–	–	N. 1
NEWBURY ...	–	–	1	–	–	–
WANTAGE ...	–	1	–	–	–	M. 1
WINDSOR ...	–	–	2	–	2	–
WOKINGHAM ...	–	–	1	–	1	–
BUCKINGHAM...	–	5	4	–	6	D. 1 G. 1
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	1	–	–	–	–
CHESHAM... ...	–	–	–		1	–
†SLOUGH	–	–	3	–	–	–
BUCKINGHAM—cont.						
Rural Districts:—						
AMERSHAM ...	–	2	–	–	2	G. 1
AYLESBURY ...	–	–	–	–	1	–
BUCKINGHAM ...	*	*	*	*	*	*
ETON	–	1	1	–	–	D. 1
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	–	–	–	2	–
CAMBRIDGE ...	–	4	3	–	4	–
Borough:—						
†CAMBRIDGE ...	–	2	1	–	1	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	1	–	–	–	–
CHESTERTON ...	–	1	–	–	2	–
LINTON	–	–	1	–	–	–
NEWMARKET ...	–	–	1	–	1	–
CHESTER ...	–	30	25	1	52	G. 1 M. 1 N. 3
†BIRKENHEAD C.B.	–	1	4	–	9	–
†CHESTER C.B. ...	–	1	3	–	5	M. 1
†STOCKPORT C.B....	–	6	3	–	13	G. 1 N. 2
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	2	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	3	–	2	–
BOLLINGTON ...	–	1		–	1	–
BUGLAWTON ...	–	–	–	–	1	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	6	2	–	–	–
†DUKINFIELD ...	–	1	–	–	4	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HALE	–	1	–	–	–	–
HOOLE	–	–	1	–	3	–
†HYDE	–	2	–	–	1	N. 1

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MACCLESFIELD ...	–	–	1	–	–	–
MARPLE	–	1	–	–	–	–
NANTWICH ...	–	–	–	–	2	–
†NORTHWICH ...		–	–	–	1	
†RUNCORN		–		1	1	–
†SALE	*	*	*	*	*	*
SANDBACH ...	–	–		–	1	–
†STALYBRIDGE ...	–	1	–	–		
†WINSFORD ...	–	–	–	–	2	–
Rural Districts:—						
BUCKLOW... ...	–	1	2	–	–	–
CONGLETON ...	–	1	–	–	1	–
DISLEY	–	1	–	–	–	–
NANTWICH ...	–	2	–	–	1	–
RUNCORN	–	2	3	–	2	–
WIRRAL	–	–	1	–	–	–
CORNWALL ...	–	12	3	4	15	M. 1 N. 3
Boroughs and Urban Districts:—						
CALLINGTON ...	–	1	–	–	–	–
†FALMOUTH ...	–	–	–	–	–	M. 1
LOOE	*	*	*	*	*	*
NEWQUAY ...	–	1	–	–	–	
PENRYN	–	1	2	–	–	–
ST. AUSTELL ...	–		1	–	1	–
ST. IVES	–	–	–	–	–	N. 1
SALTASH	–	–	–	–	1	
†TRURO	–	5	–	3	1	–
Rural Districts:—						
BODMIN	–	1	–	–	–	–
LISKEARD ...	–	3	–	–	3	–
REDRUTH ...	–	–	–	1	2	–
ST. AUSTELL ...	–	–	–	–	1	–
ST. COLUMB MAJOR	–	–	–	–	1	–
ST. GERMANS ...	–	–	–	–	2	
TRURO	–		–	–	2	N. 2
WEST PENWITH...	–	–	–	–	1	–
CUMBERLAND...	–	8	3	–	7	N. 2
†CARLISLE C.B. ...	–	1	3	–	1	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	1	–	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
HARRINGTON ...	–	–	–	–	1	–
PENRITH	–	3	–	–	–	–
†WHITEHAVEN ...	–	–	–	–	2	–
†WORKINGTON ...	–	–	–	–	1	N. 1
Rural Districts:—						
COCKERMOUTH ...	–	2	–	–	–	–
WIGTON	–	–	–	–	2	N. 1
DERBY	4	31	16	–	62	D. 7 M. 5 N. 3
†DERBY C.B. ...	–	5	4	–	10	M. 2 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	4	–
ALVASTON AND BOULTON	–	–	–	–	1	–
BAKEWELL ...	–	–	–	–	1	–
†BOLSOVER ...	–	1	–	–	–	–
†BUXTON ...	–	3	–	–	–	–
†CHESTERFIELD ...	1	2	–	–	8	M. 1
CLAY CROSS ...	–	–	–	–	1	–
DRONFIELD ...	–	–	–		1	–
†GLOSSOP	–		–	–	1	–
†HEANOR	–	–	–	–	6	–
†ILKESTON... ...	–	–	–	–	1	–
†LONG EATON ...	–	1	–		1	–
NORTH DARLEY...	–	–	2	–	–	–
†RIPLEY	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	1	–	5	–
WIRKSWORTH ...	–	–	1	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	2	–	1	D. 1
BAKEWELL ...	–	–	1	–	–	–
BELPER	–	1		–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
Blackwell ...	–	2	–	–	3	D. 5 M. 1 N. 1
Chapel en le Frith	–	4	–	–	1	–
Chesterfield ...	3	3	4	–	4	M. 1 N. 1
Clowne	–	1	–	–	3	D. 1
Glossop Dale ...	–	–	–	–	1	–
Norton	–	3	–	–	3	–
Repton	–	3	–	–	–	
Shardlow ...	–	1	–	–	2	–
Codnor Park and Shipley (parishes)	–	–	–	–	2	–
DEVON	–	30	19	1	25	C. 1 D. 3 N. 7
†Exeter C.B. ...	–	1	3	1	1	N. 1
†Plymouth C.B.	–	19	6	–	10	D. 3 N. 5
Boroughs and Urban Districts:—						
†Barnstaple ...	–		–	–	3	–
Bideford ...	–	–	1	–	–	–
Brixham	–	–	–	–	1	N. 1
†Exmouth ...	–	–	1		–	–
Northam ...	–	–	2	–	–	–
†Paignton ...	–	–	–	–	1	–
Salcombe ...		2	–		–	–
†Teignmouth ...	–	–	4	–	–	–
Tiverton ...		–	–	–	1	–
Rural Districts:—						
Crediton ...	–		–	–	1	–
Kingsbridge ...	–	1	–	–	1	–
Newton Abbot ...	–	1	–	–	–	–
Plympton St. Mary	–	4	1	–	2	–
St. Thomas ...	–	–	1	–	4	C. 1
Tavistock ...	–	1		–	–	–
Tiverton ...		1	–			–
DORSET	–	3	6	–	4	N. 1
Boroughs and Urban Districts:—						
Dorchester ...	–	–	–	–	2	–
†Poole	–	–	2	–	–	–
Sherborne ...	–	2	–	–	–	–
Wareham ...	–	–		–	–	N. 1
†Weymouth and Melcombe Regis	–	–	–	–	1	–
Wimborne Minster	–		1	–	–	–
Rural Districts:—						
Blandford ...	–	–	1	–	–	–
Cerne	–	1	–	–	–	–
Dorchester ...	–	–	1	–	–	–
Wimborne and Cranborne	–		1	–	1	–
DURHAM ...	–	53	18	4	179	C. 2 D. 6 M. 3 N. 3
†Darlington C.B.	–	4	4	–	4	–
†Gateshead C.B.	–	6	1	1	8	–
†South Shields C.B.	–	5	–	–	21	D. 3
†Sunderland C.B.	–	5	2	–	34	D. 2 N. 1
†West Hartlepool C.B.		8	1	1	23	–
Boroughs and Urban Districts:—						
†Annfield Plain	–	1	–	–	1	–
Benfieldside ...	–	–	–	–	2	–
Billingham ...	–	1	–	–	3	–
†Blaydon		–		–	1	–
†Chester le Street	–	–		–	1	–
†Consett	–	1	1	–	1	–
†Durham	–	–	–	–	1	
†Felling	–	4	–	–	–	–
†Hebburn ...	–	4	–	–	1	D. 1
†Hetton	–	–	–	–	11	
†Houghton le Spring	–	–	–	–		M. 1
†Jarrow	–	–	–	–	12	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
Leadgate ...	–	–	1	–	–	–
†Ryton	–	1	–	–	1	M. 1
†Seaham Harbour	–	–	–	–	1	–
Stanhope ...	–	–	–	–	1	–
†Stanley	–	2	3	–	–	–
†Stockton on Tees	–	4	1	1	4	–
Tow Law ...	–	–	–	–	1	–
†Washington ...	–	–	–	–	6	–
†Whickham ...	–	–	–	–	2	–
Rural Districts:—						
Auckland ...	–	2	1	–	1	N. 1
Chester le Street	–	–	1	1	4	C. 1
Darlington ...	–	1	–	–	–	–
Easington ...	–	1	1		18	C. 1
Hartlepool ...	–	–	–	–	3	–
Houghton le Spring	–	–	–	–	2	M. 1
Lanchester ...	–	3	1	–	–	–
Sedgefield ...	–	–	–	–	1	–
South Shields	–	–	–	–	2	–
Sunderland ...	–	–	–	–	7	–
Weardale ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	–	2	–	1	–
Boroughs and Urban Districts:—						
Chatteris ...	–	–	1	–	–	–
†Wisbech	–	–	1	–	1	–
ESSEX	55	87	57	28	67	D. 1 M. 5 N. 6
†East Ham C.B....	9	3	4	–	3	M. 1
†Southend on Sea C.B.	–	10	2	–	10	M. 1
†West Ham C.B.	42	14	8	–	16	M. 1 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†Barking Town...	–	6	5	–	2	–
Braintree ...	–	2	1	–	–	–
Brentwood ...	–	–	1	–	–	–
Buckhurst Hill	–	1	–	–	–	–
Burnham on Crouch	*	*	*	*	*	*
†Chelmsford ...	–	1	1	–	–	–
Chingford ...	–	5	–	–	–	–
†Colchester ...	–	2	1	–	7	–
Dagenham ...	1	3	5	–	2	N. 1
Epping	–	–	–	20	1	–
†Grays Thurrock	–	–	–	–	1	–
†Harwich ...	–	–	1	–	–	–
†Hornchurch ...		2	–		–	–
†Ilford	–	6	5	2	5	D. 1 M. 1
†Leyton	–	1	5	1	4	–
Maldon	–	1	–	–	–	–
Purfleet ...	–	–	–	–	–	M. 1
†Romford... ...	–	–	3	–	–	–
Saffron Walden	–	–	1	–	–	–
Shoeburyness ...	–	2	–	–	–	–
Tilbury	–	–	1	–	1	–
Waltham Holy Cross	–	–	1	–	–	–
†Walthamstow ...	3	8	7	5	4	–
Walton on the Naze	–	–	–		1	–
†Wanstead ...	–	1	–	–	–	–
†Woodford ...	–	–	2	–	1	–
Rural Districts:—						
Billericay ...	–	4	1	–	1	–
Braintree ...	–	4	–	–	1	–
Chelmsford ...	–	1	–	–	–	–
Dunmow... ...	–	2	–	–	–	N. 2
Lexden and Winstree	–	1	–	–	1	N. 1
Orsett	–	–	–	–	5	–
Rochford ...	–	7	–	–	–	–
Tendring ...	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLOUCESTER ...	–	13	23	1	35	C. 1 L. 1
†BRISTOL C.B. ...	–	8	16	1	21	C. 1
†GLOUCESTER C.B.	–		–	–	6	–
Boroughs and Urban Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	–	1		–	–
†MANGOTSFIELD ...	–	1		–	–	–
NAILSWORTH ...	–		1	–		–
STROUD	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY	–	–	–	–	1	–
LYDNEY	–	–	–	–	2	–
NORTHLEACH ...	–	–	–	–	1	–
STOW ON THE WOLD (part)	–	–	2	–	–	–
STROUD	–	–	1	–	–	–
TETBURY... ...	–	–	–	–	1	–
WARMLEY ...	–		1	–	–	–
WEST DEAN ...	–	–		–	2	L. 1
WHEATENHURST	–	–	1	–		–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	4	2	–	6	M. 1 N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–		3	N. 1
LEDBURY... ...	–	–	1	–	–	–
LEOMINSTER ...	–	–	1	–	–	
ROSS	–	2	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	–	1	–
LEOMINSTER AND WIGMORE	–	1	–	–	–	–
ROSS	–	–	–	–	2	–
WEOBLEY... ...	–	–	–	–	–	M. 1
HERTFORD ...	–	9	11	–	13	N. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	1	–	–	–
†CHESHUNT ...	–	1	1	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HITCHIN	–	–	5	–	–	–
†LETCHWORTH ...	–	–	–	–	3	–
ROYSTON	–	–	–	–	2	–
†ST. ALBANS ...		–	1	–	–	N. 1
TRING	–	–	–	–	1	–
†WATFORD ...	–	2	2		3	–
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
BUNTINGFORD ...	–	–	–	–	1	–
HADHAM	–	–	–	–	1	
HATFIELD ...	–	1	–	–		–
HEMEL HEMPSTEAD	–	–	1	–	–	–
HITCHIN	–	1		–	–	
WARE	–	1	–	–	2	–
WATFORD... ...	–	1	–	–	–	–
HUNTINGDON ...	–	4		–	1	D. 1
Boroughs and Urban Districts—						
HUNTINGDON ...	–	1	–	–	–	D. 1
OLD FLETTON ...	–	3	–	–	–	–
Rural Districts:—						
ST. NEOTS ...	–	–	–	–	1	–
KENT	1	60	19	1	52	C. 2 D. 2 G. 2 M. 2 N. 1
†CANTERBURY C.B.	–	–	–	–	–	D. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	–	1	–	2	
†BECKENHAM ...	–	1	–	–	6	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BEXLEY	–	1	1	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY	–	3	3	–	3	–
†CHATHAM ...	–	–	–	–	2	–
CHERITON ...	–	1	–	–	1	–
CHISLEHURST ...	–	–	–	1	–	–
†DARTFORD ...	–	2	–	–		–
†DEAL	–	1	–	–		–
†DOVER	–	–	–	–	4	G. 1
†ERITH	–	–	–	–	1	–
†FAVERSHAM ...	–	–		–	2	–
†FOLKESTONE ...	–	3	2	–	2	–
†GILLINGHAM ...	–	1	–	–	1	M. 1
†GRAVESEND ...	–	1	–	–	1	D. 1
†HERNE BAY ...	–	1	1	–	1	–
†MAIDSTONE ...		4	–	–		–
†MARGATE ...	–	–	1	–	–	–
†NORTHFLEET ...	–	2	3	–	–	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	1	–		–	–
†ROCHESTER ...			–	–	2	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	3	–
SANDWICH ...	–	–	–	–	1	–
†SHEERNESS ...	–	1	–	–	1	–
SIDCUP	–	2	–	–	1	–
†SITTINGBOURNE AND MILTON	–	2	2	–	–	–
SWANSCOMBE ...	–	–	2	–	–	–
†TONBRIDGE ...	–	–	–	–	2	–
WALMER	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BROMLEY	–	2	–	–	1	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	1	1	1	–	–	N. 1
EAST ASHFORD ...	–	1	–	–	–	–
EASTRY	–	2	1	–	4	–
HOLLINGBOURNE	–	3	1	–	1	C. 1
						M. 1
HOO	–	1	–	–	–	
ISLE OF THANET	–	–	–	–	1	–
MALLING	–	1		–	–	–
SEVENOAKS ...	–	17	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—*cont.*						
SHEPPEY	–	1	–	–	–	–
STROOD	–	–	–	–	2	–
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD ...	–	–	–	–	2	C. 1
LANCASTER ...	–	256	176	5	488	C. 2
						D. 5
						E. 1
						G. 3
						L. 5
						M. 17
						N. 14
†BLACKBURN C.B.	–	1	2	–	24	N. 1
†BLACKPOOL C.B.	–	4	1	–	3	–
†BOLTON C.B. ...	–	6	–	–	11	D. 1
†BOOTLE C.B. ...	–	2	11	–	8	L. 1
†BURNLEY C.B. ...	–	2	2	–	10	E. 1
						M. 1
†BURY C.B. ...	–	1	–	–	6	–
†LIVERPOOL C.B. ...	–	37	81	–	37	D. 2
						L. 1
						M. 14
						N. 3
†MANCHESTER C.B.	–	88	13	–	131	C. 1
						G. 2
†OLDHAM C.B. ...	–	3	5	–	18	G. 1
						M. 1
						N. 2
†PRESTON C.B. ...	–	4	5	1	10	N. 1
†ROCHDALE C.B. ...	–	3	3	–	4	–
†ST. HELENS C.B.	–	3	1	–	11	C. 1
						N. 1
†SALFORD C.B. ...	–	9	11	1	38	M. 1
						N. 1
†SOUTHPORT C.B.	–	3	5		6	–
†WARRINGTON C.B.	–	19	4		12	–
†WIGAN C.B. ...		3	1	–	5	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	5		–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	2	–
†ASHTON-UNDER-LYNE	–	4	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
ASPULL	–	.	–	–	3	–
†ATHERTON ...	–	–	–	–	4	–
AUDENSHAW ...	–	1	–	–	2	–
†BACUP	–	2	–	–	3	–
BRIERFIELD ...	–	1	.	–	–	–
†CHADDERTON ...	–	.	.	–	2	–
†CHORLEY	–	4	1	–	3	–
CHURCH	–	–	1	–	1	–
†COLNE	–	–	–	–	3	–
†CROMPTON ...	–	–	.	–	2	–
†DARWEN	–	1	2	–	1	–
†DENTON	–	4	–	–	–	–
†DROYLSDEN ...	–	–	.	–	3	–
†ECCLES	–	1	–	.	3	–
†FAILSWORTH ...	–	1	–	–	4	–
†FARNWORTH ...	.	.	–	–	5	N. 3
†FLEETWOOD ...	–	1	–	–	4	.
FORMBY	–	1	.	.	–	–
GOLBORNE ...	–	1	–	–	1	–
†GREAT CROSBY ...	–	2	2	–	–	–
†HEYWOOD ...	–	–	–	–	–	L. 1
†HINDLEY	–	–	1	–	12	.
†HORWICH	–	–	–	–	1	L. 1
†INCE IN MAKERFIELD	–	–	1	–	–	–
IRLAM	–	2	1	–	.	–
†LANCASTER ...	–	1	–	1	3	.
LEES	–	–	–	–	2	N. 1
†LEIGH	–	1	1	–	6	–
†LITHERLAND ...	–	1	2	.	1	–
†LYTHAM ST. ANNE'S	–	–	–	–	1	–
†MIDDLETON ...	–	3	–	.	5	D. 1
MILNROW	–	1	–	.	1	–
†MORECAMBE AND HEYSHAM	–	3	–	–	–	–
†MOSSLEY	–	2	–	–	2	–
†NELSON	–	1	–	–	1	–
†NEWTON IN MAKERFIELD	–	1	–	–	6	N. 1
ORMSKIRK ...	–	–	–	–	2	–
ORRELL	–	–	.	–	1	–
†OSWALDTWISTLE	–	–	–	.	4	–
†PRESTWICH ...	–	–	–	1	1	–
RAINFORD ...	–	–	.	–	1	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	3	1	–	1	–
RISHTON	–	–	–	1	–	–
†ROYTON	–	1	–	–	2	–
SKELMERSDALE ...	–	–	4	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	4	3	–	5	–
†SWINTON AND PENDLEBURY	–	1	2	–	3	D. 1
TOTTINGTON ...	*	*	*	*	*	*
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	–	5	–
†WATERLOO WITH SEAFORTH	–	2	5	–	–	–
†WESTHOUGHTON	–	1	–	–	2	–
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES	–	1	–	1	8	–
†WORSLEY	–	–	1	–	–	–
Rural Districts:—						
BURNLEY ...	–	1	–	–	1	–
CHORLEY	–	2	–	–	2	L. 1
CLITHEROE ...	–	–	–	–	1	–
FYLDE	–	–	–	–	1	–
GARSTANG ...	–	3	–	–	1	–
LEIGH	–	–	–	–	2	–
LIMEHURST ...	–	–	–	–	1	–
PRESTON	–	–	–	–	1	–
ULVERSTON ...	–	–	–	–	2	–
WARRINGTON ...	–	.	1	–	2	–
WEST LANCASHIRE	–	2	–	–	7	–
WIGAN	–	–	–	–	2	–
LEICESTER ...	124	26	4	–	17	C. 1 L. 1
†LEICESTER C.B....	96	13	2	–	6	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	2	–	–	–	–	–
†HINCKLEY ...	–	1	–	–	–	–
†LOUGHBOROUGH	4	–	–	–	2	–
MARKET HARBOROUGH	–	1	–	–	1	–
MELTON MOWBRAY	–	–	–	–	1	–
SHEPSHED ...	1	1	–	–	–	–
WIGSTON MAGNA	2	1	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	–	C. 1
BARROW UPON SOAR	1	1	–	–	2	–
BELVOIR		1	–	–	–	–
BILLESDON ...	1	–	–	–	–	–
BLABY	2	2	–	–	–	–
CASTLE DONINGTON		1	–	–	1	–
HINCKLEY ...	4	–	–	–	–	–
LUTTERWORTH ...	–	1	1	–	–	–
MARKET BOSWORTH	11	2	–	–	3	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).		12	2	–	4	M. 1 N. 1
Boroughs and Urban Districts:—						
†BOSTON	–	5	–	–	2	N. 1
HOLBEACH ...	–	1	–		–	–
†SPALDING ...	–	–	2		–	M. 1
SUTTON BRIDGE	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	6	–	–	2	–
LINCOLN (parts of Kesteven).	–	2	2	–	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	1	–	–	–
SLEAFORD ...	–	–	–	–	1	–
STAMFORD ...	–	–	–	–	1	–
Rural Districts —						
BOURNE	–	–	1	–	–	–
GRANTHAM ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	2	8	5	–	15	–
†GRIMSBY C.B. ...	1	3	1	–	2	–
†LINCOLN C.B. ...		1	2	–	3	–
Boroughs and Urban Districts:—						
BRIGG	–	–	–		1	–
†CLEETHORPES ...	–		1	–		–
†GAINSBOROUGH ...	–	2	–	–	–	
LOUTH	–	2	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	4	–
WINTERTON ..			–	–	1	–
Rural Districts:—						
CAISTOR	1	–	–	–	–	–
GLANFORD BRIGG	–	–		–	2	–
GRIMSBY	–	–	–	–	1	–
SPILSBY	–	–	–		1	–
MIDDLESEX ...	–	91	36	–	89	C. 3 D. 4 G. 1 M. 6 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	1	–
†BRENTFORD AND CHISWICK	–	4	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ealing	–	2	3	–	5	–
†Edmonton ...	–	9	–	–	7	D. 1 N. 2
†Enfield	–	4	2	–	10	C. 2
†Feltham... ...	–	–	1	–	–	–
†Friern Barnet...	–	–	1	–	1	–
†Harrow on the Hill	–	5	–	–	–	–
Hayes and Harlington	–	–	–	–	1	–
†Hendon	–	3	5	–	3	M. 1
†Heston and Isleworth	–	3	–	–	3	D. 2 N. 1
†Hornsey	–	9	5	–	10	–
Kingsbury ...	–	–	1	–	–	–
Ruislip Northwood	–	–	1	–	1	–
†Southall Norwood	–	1	–	–	2	C. 1 M. 1
†Southgate ...	–	3	2	–	1	N. 1
†Staines	–	3	–	–	–	D. 1
Sunbury on Thames	–	–	1	–	–	–
†Teddington ...	–	4	–	–	–	–
†Tottenham ...	–	10	3	–	20	M. 1
†Twickenham ...	–	2	1	–	–	M. 1
†Uxbridge ...	–	9	1	–	2	–
†Wealdstone ...	–	1	–	–	2	–
†Wembley ...	–	5	1	–	5	–
†Willesden ...	–	9	7	–	9	G. 1 M. 2
†Wood Green ...	–	2	–	–	4	–
Rural Districts:—						
Hendon	–	1	–	–	–	–
NORFOLK ...	–	15	7	1	15	–
†Great Yarmouth C.B.	–	1	4	–	1	–
†Norwich C.B. ...	–	–	–	–	3	–
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
†King's Lynn ...	–	1	–	–	–	–
Walsoken ...	–	2	–	–	–	–
Wells	*	*	*	*	*	*
Rural Districts:—						
Depwade ...	–	4	–	–	3	–
Downham ...		–	–	–	1	–
Erpingham ...	–	–	3	–	–	
Forehoe	–	1	–	–	–	–
Henstead ...	–	–	–	–	1	–
Mitford and Launditch	–	1			1	
St. Faith's ...	–	–	–	1	–	–
Walsingham ...	–	–		–	2	–
Wayland ...	–	5	–	–	3	–
NORTHAMPTON	1	8	10	–	15	N. 1
†Northampton C.B.	1	2	5	–	5	–
Boroughs and Urban Districts:—						
Burton Latimer	–	–	–	–	1	–
†Kettering ...	–	2	1	–	–	–
Rothwell ...	–	1	–	–	–	–
†Rushden... ...		1	–	–	3	–
†Welling-borough	–	1	1	–	1	–
Rural Districts:—						
Brixworth ...	–	–	–	–	2	–
Northampton ...	–	–	2	–	–	–
Potterspury ...	–	–	–	–	2	–
Thrapston (part)	–	–	1	–	–	N. 1
Towcester ...	–	–	–	–	1	–
Welling-borough	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	22	11	–	77	C. 1 D. 3 L. 1 M. 1 N. 7
†NEWCASTLE UPON TYNE C.B.	–	12	4	–	39	C. 1 D. 2 L. 1 N. 2
†TYNEMOUTH C.B.	–	–	1	–	6	N. 2
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	–	–	–	1	–
†BEDLINGTONSHIRE	–	–	–	–	8	–
†BLYTH	–	–	–	–	2	–
CRAMLINGTON ...	–	–	–		4	–
†GOSFORTH ...	–	3	–			
†LONGBENTON ...	–		–	–	3	N. 1
†NEWBURN ...			–		1	–
PRUDHOE... ..	*	*	*	*	*	*
SEATON DELAVAL	–	–	–		2	
SEGHILL	–	–	–	–	2	–
†WALLSEND ...	–	1	2	–	1	D. 1 N. 1
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
ALNWICK... ...	–	1			–	–
BELLINGHAM ...	–	–	–	–	2	–
CASTLE WARD ...	–	1	4	–		N. 1
GLENDALE ...		1	–	–	–	–
HEXHAM	–	1	–	–	5	M. 1
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	–	28	15	–	60	D. 6 M. 3 N. 3
†NOTTINGHAM C.B.	–	11	4	–	33	–
Boroughs and Urban Districts:—						
†BEESTON	–	–	2	–	–	–
†CARLTON	–	1	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
EASTWOOD ...	–	–	–	–	–	M. 1
†HUCKNALL ...		1	–	–	3	
†KIRKBY IN ASHFIELD	–		–	–	2	–
†MANSFIELD ...	–	3	1	–	4	D. 4 M. 1 N. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	2	–	–	–
†SUTTON IN ASHFIELD	–	3	–	–	2	–
WARSOP	–	1		–	1	–
†WEST BRIDGFORD	–		–	–	1	M. 1
†WORKSOP... ...	–	1	1		2	D. 1
Rural Districts:—						
BASFORD	–	2	2	–	5	N. 1
BINGHAM... ...	–	–	1	–		–
EAST RETFORD ...	–	1		–	1	...
SKEGBY	–	1	–	–	1	D. 1
SOUTHWELL ...	–	1	–	–	3	N. 1
OXFORD		5	2	–	8	M. 1
†OXFORD C.B. ...	–	2	2	–	4	M 1.
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	1	–	–	–	–
Rural Districts:—						
BANBURY... ...	–	1	–	–	–	–
GORING	–	–	–	–	1	–
HEADINGTON ...	–	–	–	–	1	–
WITNEY	–	1	–	–	1	–
WOODSTOCK ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	–	2	–	–	1	N. 1
Borough:—						
†PETERBOROUGH...	–	2	–	–	1	N. 1
SALOP	–	7	3	–	6	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	2	–	–	–	–
OSWESTRY ...	–	–	1	–	–	–
†SHREWSBURY ...	–	3	1	–	–	–
WELLINGTON ...	–	–	1	–	–	–
WHITCHURCH ...	–	–	–	–	2	–
Rural Districts:—						
CLEOBURY MORTIMER	–	2	–	–	1	–
NEWPORT... ...	–	–	–	–	2	–
WEM	–	–	–	–	1	–
SOMERSET ...	–	11	3	–	17	–
†BATH C.B. ...	–	4	1	–	2	–
Boroughs and Urban Districts:—						
BURNHAM ON SEA	–	–	–	–	1	–
CLEVEDON ..	–	–	–	–	1	–
†FROME	–	–	1	–	–	–
GLASTONBURY ...	–	–	–	–	2	–
ILMINSTER ...	–	–	–	–	1	–
MIDSOMER NORTON	–	–	–	–	3	–
†WESTON SUPER MARE	–	1	–	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	2	–	–	–	–
CHARD	–	–	–	–	1	–
DULVERTON ...	–			–	1	–
KEYNSHAM ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET— *cont.*						
Rural Districts— *cont.*						
LONG ASHTON ...	–	–	–	–	1	–
SHEPTON MALLET	–	2	–	–	–	–
TAUNTON ...		1	–	–	–	–
WELLS		1	–	–	–	
YEOVIL	–	–	1	–	2	–
SOUTHAMPTON	–	36	26	–	29	C. 1 D. 2 M. 1 N. 4
†BOURNEMOUTH C.B.	–	4	2	–	2	–
†PORTSMOUTH C.B.	–	15	11		7	D. 1 N. 2
†SOUTHAMPTON C.B.	–	10	4	–	6	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	D. 1 N. 1
†BASINGSTOKE ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†GOSPORT	–	1	–	–	7	–
LYMINGTON ...	–		2	–	–	–
†WINCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
ALTON	–	–	1	–	–	–
ANDOVER... ...	–	–	1	–	–	–
BASINGSTOKE ...	–	1	–			–
DROXFORD ...	–	–		–	1	–
FAREHAM ...	–	2	2		2	N. 1
HAVANT	–		1	–	–	–
LYMINGTON ...	–	–	1	–	–	–
NEW FOREST ...	–	1	–	–	–	–
SOUTH STONEHAM	–	–	–	–	1	–
STOCKBRIDGE ...	–	–	1	–	–	–
WHITCHURCH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	–	39	39	–	158	C. 1 G. 1 M. 7 N. 8
†BURTON UPON TRENT C.B.	–	3	1	–	4	M. 1 N. 1
†SMETHWICK C.B.	–	–	5	–	14	–
†STOKE ON TRENT C.B.	–	1	5	–	36	G. 1 M. 1 N. 1
†WALSALL C.B. ...	–	4	2	–	8	–
†WEST BROMWICH C.B.	–	4	3	–	9	M. 1
†WOLVERHAMPTON C.B.	–	7	5	–	1	N. 3
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	–	–	1	–
†AUDLEY		1	2	–	4	–
BIDDULPH ...	–	1	1	–	5	M. 1
†BILSTON	–	–	1		5	N. 1
†BRIERLEY HILL ...	–	–	1	–	1	
†BROWNHILLS ...	–	–		–	5	–
†CANNOCK	–*	1	–	–	1	–
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	1	1	–	6	–
KIDSGROVE ...	–	–	3	–		–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	3	–	2	
QUARRY BANK ...		1	–	–	1	–
†ROWLEY REGIS ...	–	–	–	–	9	–
RUGELEY	–	1	1	–	3	–
†SEDGLEY	–	–	–		2	C. 1 N. 1
†STAFFORD ...	–	1	–	–	1	N. 1
TAMWORTH ...			–	–	3	–
†TIPTON	–	7	1	–	11	M. 1
†WEDNESBURY ...	–	1		–	3	M. 1
WEDNESFIELD ...	–	1	–	–	2	–
†WILLENHALL ...	–	–	2	–	2	–
†WOLSTANTON UNITED	–	–	1		1	–
Rural Districts:—						
CANNOCK	–	–	–		3	–
CHEADLE	–	–		–	4	–
GNOSALL	–	–	–		1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
KINGSWINFORD ...	–	1	1	–	–	–
LICHFIELD ...	–	–	–	–	3	M. 1
NEWCASTLE UNDER LYME	–	–	–	–	1	–
STAFFORD ...	–	1	–		1	–
STONE	–	–	–	–	1	–
TAMWORTH (part)	–	–	–	–	1	–
UTTOXETER ...	–	–	–	–	2	–
SUFFOLK, EAST	–	15	6		11	C. 1
†IPSWICH C.B. ...	–	12	3	–	–	C. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
†LOWESTOFT ...	–	–	3	–	4	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
BOSMERE AND CLAYDON	–	1	–	–	2	
EAST STOW ...	–	–	–	–	2	–
HARTISMERE ...	–	1	–	–	–	–
SAMFORD	–		–	–	1	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	4	2	–	1	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	3	1	–	–	–
HADLEIGH ...	–	–	–	–	1	–
SUDBURY	–	–	–	–	–	N. 1
Rural Districts:—						
CLARE	–	1	–	–	–	–
THINGOE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY	6	44	40	–	34	C. 4 G. 1 M. 3 N. 2
†CROYDON C.B. ...	4	14	6	–	3	C. 2
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	1	C. 1
†BEDDINGTON AND WALLINGTON	–	1	–	–	1	–
†CARSHALTON ...	–	1	4	–	4	–
†CATERHAM AND WARLINGHAM	–	1	–		3	–
†CHERTSEY ...	–	–	–	–	–	M. 1
†COULSDON AND PURLEY	–	4	1	–	–	–
EAST AND WEST MOLESEY	–	–	–	–	1	–
†EGHAM	–	–	1	–	1	–
†EPSOM	–	–	–	–	1	–
†FARNHAM ...	–	–	–	–	2	–
†FRIMLEY	–	–	–	–	1	–
†GUILDFORD ...	–	5	–	–	–	G. 1
†KINGSTON ON THAMES	–	1	–	–	–	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	1	5	–	–	–	–
†MITCHAM	1	4	4	–	1	M. 1
†REIGATE	–	–	17	–	1	–
†RICHMOND ...	–	–	1	–	–	–
†SURBITON ...	–	–	1	–	2	–
†SUTTON AND CHEAM	–	–	–	–	1	–
†THE MALDENS AND COOMBE	–	–	–	–	2	–
WEYBRIDGE ...	–	–		–	–	N. 1
†WIMBLEDON ...	–	1	2	–	–	M. 1
†WOKING	–	1	1	–	1	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
DORKING		1	–	–	4	–
EPSOM	–	–	–	–	2	–
FARNHAM ...	–	–	1	–	–	–
GODSTONE ...	–	–	–	–	1	N. 1
GUILDFORD ...	*	*	*	*	*	*
HAMBLEDON ...	–	2	–	–	–	–
REIGATE	–	–	1	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUSSEX, EAST ...	–	9	8	3	20	C. 1 D. 1 G. 1 M. 2 N. 2
†BRIGHTON C.B.	–	–	6	–	7	D. 1 N. 2
†EASTBOURNE C.B.	–	1	–	–	2	–
†HASTINGS C.B. ...	–	3	–	–	7	M. 1
Boroughs and Urban Districts:—						
†BEXHILL	–	–	–	3	–	M. 1
EAST GRINSTEAD	–	–	1	–	–	C. 1
†HOVE	–	1	–	–	2	–
NEWHAVEN ...	–	–	1	–	–	G. 1
Rural Districts:—						
BATTLE	–	1	–	–	–	–
EAST GRINSTEAD		1	–	–	–	–
HAILSHAM ...	–	1	–	–	2	
TICEHURST ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	10	2	–	7	M. 1
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	–	–	–		1	–
†CHICHESTER ...	–	–	–	–	1	–
†HORSHAM ...	–	3	1	–	–	–
SHOREHAM BY SEA	–	1		–	4	M. 1
†WORTHING ...	–	–	–	–	1	–
Rural Districts:—						
EAST PRESTON ...	–	2	–	–	–	–
MIDHURST ...	–	1	1	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WESTHAMPNETT	–	2	–	–		
WARWICK ...	–	65	53	–	154	C. 5 G. 2 M. 17 N. 3
†BIRMINGHAM C.B.	–	42	45	–	117	C. 3 G. 1 M. 14 N. 2
†COVENTRY C.B. ...	–	4	3	–	8	C. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	1	–	–	1	–
BULKINGTON ...	–		–	–	1	–
KENILWORTH ...	–	1	–	–	–	–
†NUNEATON ...	–	–	–	–	11	M. 1
†ROYAL LEAMINGTON SPA	–		–	–	1	–
†RUGBY	–	2	–	–	2	–
†SUTTON COLDFIELD	–	1	1	–	1	G. 1
†WARWICK ...		2	–	–		N. 1
Rural Districts:—						
ATHERSTONE ...	–	4	–	–	2	–
BRAILES		–	–	–	1	C. 1
FOLESHILL ...	–	–	1	–	1	–
MERIDEN... ...	–	3	–	–	1	M. 1
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	–	–	–	1	–
SOUTHAM... ...	–	1	1		3	–
STRATFORD ON AVON	–	2	–	–		–
TAMWORTH (part)	–	1	2	–	2	–
WESTMORLAND	–	–	2	–	2	N. 1
Boroughs and Urban Districts:—						
WINDERMERE ...	–	–	2	–	–	–
Rural Districts:—						
EAST WESTMORLAND		–	–	–	1	N. 1
WEST WARD ...			–	–	1	–
WIGHT, ISLE OF	–	1	3	–	–	G. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	1		–	–
Rural District:—						
ISLE OF WIGHT ...	–	1	2	–	–	G. 1
WILTS	–	5	5	–	19	C. 1 M. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	–	–	1	–
MARLBOROUGH ...	–	1	–	–	–	–
MELKSHAM ...	–	–	1	–	–	–
†SALISBURY ...	–	1	1	–	–	–
†SWINDON... ...		–	2	–	7	–
WILTON	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	–	–	–	3	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	1	–
DEVIZES	–	1	–	–	2	C. 1
HIGHWORTH ...	–	–	–	–	4	–
RAMSBURY ...	–	–	–	–	1	–
SALISBURY ...	–	1	1	–	–	–
TISBURY		1	–	–	–	M. 1
WILTON	*	*	*	*	*	*
WORCESTER ...	–	20	11	–	46	C. 1 M. 1 N. 1
†DUDLEY C.B. ...	–	3	4	–	4	
†WORCESTER C.B.	–	3	3	–	4	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
EVESHAM... ...		1	–	–	–	–
†HALESOWEN ...	–	1	1	–	6	–
†KIDDERMINSTER	–	2	–	–	1	N. 1
†LYE AND WOLLESCOTE		–	–	–	11	–
†MALVERN ...	–	3	–	–	1	–
NORTH BROMSGROVE	*	*	*	*	*	*
†OLDBURY... ...	–	2	3	–	8	
†REDDITCH ...	–	2	–	–	2	–
†STOURBRIDGE ...	–		–	–	3	C. 1
Rural Districts:—						
BROMSGROVE ...		2	–	–	–	–
DROITWICH ...	*	*	*	*	*	*
EVESHAM... ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WORCESTER—*cont.*						
Rural Districts—*cont.*						
KIDDERMINSTER	–	–	–	–	1	–
MARTLEY	–	–	–	–	1	
PERSHORE ...	–	–	–	–	2	–
SHIPSTON ON STOUR	–	–	–	–	1	–
UPTON ON SEVERN	–	1	–	–	1	–
YORKS ... ... (East Riding).	–	6	37	–	29	C. 1
†KINGSTON UPON HULL C.B.	–	3	29	–	23	C. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	3	–
†BRIDLINGTON ...	–	–	2	–	1	–
FILEY	–	–	–	–	1	–
HESSLE	–	1	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	–
BRIDLINGTON ...	–	–	2	–	–	–
DRIFFIELD ...	–	2	–	–	–	–
POCKLINGTON ...	–	–	1	–	–	–
SKIRLAUGH ...	–	–	1	–	1	–
YORKS ... ... (North Riding).	–	30	11	–	67	C. 1 M. 2 N. 2
†MIDDLESBROUGH C.B.	–	8	5	–	24	C. 1 N. 1
Boroughs and Urban Districts:—						
†ESTON	–	3	1	–	4	–
GUISBOROUGH ...		–	–	–	1	–
LOFTUS	–	–	1	–	5	M. 1
†REDCAR		3		–	3	
RICHMOND ...	–		2	–	–	–
†SCARBOROUGH ...	–	2	1	–	6	–
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SKELTON AND BROTTON		4	–	–	–	–
†THORNABY ON TEES	–	–	–	–	5	–
†WHITBY	–	1	–	–	4	N. 1
Rural Districts:—						
BEDALE	–	1	–	–	–	–
EASINGWOLD ...	–	1	–	–	4	–
FLAXTON	–	1	–	–	–	–
GUISBOROUGH ...		–	–	–	2	–
HELMSLEY ...	–	5	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
LEYBURN	–	1	–	–	–	–
PICKERING ...	–	–	–	–	–	M. 1
RICHMOND ...	–	–	–	–	5	–
STOKESLEY ...	–	–	1	–	3	–
YORKS ... ... (West Riding).	15	128	96	–	315	C. 7 D. 21 M. 3 N. 12
†BARNSLEY C.B. ...	–	2	2	–	8	D. 1
†BRADFORD C.B. ...	–	22	6	–	25	D. 1 N. 3
†DEWSBURY C.B....	–	5	–	–	–	–
†DONCASTER C.B....	–	–	1	–	8	–
†HALIFAX C.B. ...	1	1	–	–	23	–
†HUDDERSFIELD C.B.	–	–	9	–	7	N. 1
†LEEDS C.B. ...	–	26	24	–	44	M. 2 N. 1
†ROTHERHAM C.B.	–	1	5	–	2	D. 1
†SHEFFIELD C.B....	6	14	15	–	104	C. 4 D. 1 N. 2
†WAKEFIELD C.B.	–	2	4	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	4	–	1	–
ALTOFTS	–		1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Baildon	–	–	1	–	–	–
†Barnoldswick ...	–	1	1	–	–	–
†Batley	–	2	1	–	–	–
†Bentley with Arksey	–	–	1	–	–	–
†Bingley	–	1	2	–	4	–
Birstal	–	–	–	–	1	–
†Bolton upon Dearne	–	1	–	–	–	–
†Brighouse ...	–	–	1	–	1	–
Calverley ...	–	1	–			–
†Castleford ...	–	–	–	–	1	C. 1
Cudworth ...	–	1	–		–	–
Darfield ...	–	–	–	–	1	–
Dodworth ...	–	–	–		1	–
†Featherstone ...	–	–	–	–	1	–
Flockton ...	–	–	–	–	1	–
Gildersome ...	–	–	–	–	1	–
†Goole	–	–	–	–	–	D. 1
Greasbrough ...	–	1	–	–	1	–
†Harrogate ...	–	2	–	–	5	–
Haworth ...	–	1	–	–	–	–
Hebden Bridge	–	–	–	–	1	–
†Hemsworth ...	–	–	4	–	3	D. 1
†Holmfirth ...	–	–	1	–	–	–
†Hoyland Nether	–	–	1	–	2	D. 2 N. 1
†Keighley ...	–	1	–	–	5	D. 1
Kirkburton ...	–	–	–	–	2	–
Knottingley ...	–	2	–	–	2	–
Maltby	–	–	–	–		D. 2
Marsden... ...	–	1	–	–	1	–
†Mexborough ...	–	2	–	–	3	D. 1
†Mirfield ...	–	–	–	–	2	C. 1
Mytholmroyd ...	–	–	–	–	1	–
New Mill ...	–	–	–	–	1	–
†Normanton ...	–	2	–	–	1	–
†Ossett	–	1	–	–	–	–
†Pontefract ...	–	1	–		–	–
†Pudsey	–	3	–	–	–	–
†Rawmarsh ...		1	–	–	1	D. 1
†Rothwell ...	–	–	1	–	–	–
Selby	–	–	–	–	2	–
Shelf	3	–	–	–	1	D. 1
Shelley	–	–	–	–	1	–
†Shipley	–	2	–	–	–	–
†Skipton	–	2	–	–	–	–
†Sowerby... ...	–	–	1	–	–	–
†Spenborough ...	–	–		–	4	–
†Stanley	–	2	–	–	5	–
†Swinton	–	1	–	–	–	–
Thurnscoe ...	–	–	–	–	3	–
Thurstonland and Farnley Tyas	–	1	–	–	–	–
†Todmorden ...	–	–	–	–	5	N. 2
†Wombwell ...	–	–	2	–	2	C. 1 N. 1
†Worsborough ...	–	1	–	–	2	–
Yeadon	–	1	–	–	–	–
Rural Districts:—						
Doncaster ...	–	2	–	–	3	D. 2 M. 1
Goole	–	–	–	–	1	–
Great Ouseburn	–	–	–	–	1	
Hemsworth ...	–	5	2	–	2	D. 2
Hunslet	–	1	–	–	–	–
Kiveton Park ...	4	–	1	–	5	–
Knaresborough	–	1	–	–	–	–
Pontefract ...	–	4	–	–	–	N. 1
Rotherham ...	1	2	4	–	4	D. 2
Settle	–	–	–	–	1	–
Skipton		1	–	–	–	–
Tadcaster ...	–	1	–	–	–	–
Thorne	–	–	–	–	4	D. 1
Wetherby ...	–	1	1	–	–	–
Wharfedale (South)	–	–	–	–	1	–
Wortley... ...	–	–			3	–
YORK, CITY OF ..	–	3	1	–	8	–
†York C.B. ...	–	3	1	–	8	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	2	–	–	3	–
Borough and Urban Districts:—						
†HOLYHEAD ...	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	–	–	–	3	–
BRECKNOCK ...	–	–	2	–	3	–
Boroughs and Urban Districts:—						
BRYNMAWR ...		–	–		2	–
BUILTH WELLS ...	*	*	*	*	*	*
HAY	–		–	–	1	–
Rural Districts:—						
BUILTH	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	–	1		–	–
YSTRADFELLTE (parish)	–		1	–		–
CAERNARVON...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
CONWAY	–	1	1	–	2	
CARDIGAN ...	–	1	–	–	1	C. 1
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	–	–	1	–
CARDIGAN—*cont.*						
Rural Districts:—						
ABERAYRON ...	–	–	–	–	–	C. 1
ABERYSTWYTH (NORTH)	–	1	–	–	–	–
CARMARTHEN...	–	4	7	–	12	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	1	–	1	–
BURRY PORT ...	–	–	2	–	–	–
CWMAMMAN ...	–	–	1	–	–	–
KIDWELLY ...	–	–	1	–	–	–
LLANDOVERY ...	–		–	–	1	–
†LLANELLY ...	–	1		–	9	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	1	–	–	1	–
LLANELLY ...	–	1	–		–	–
WHITLAND ...	–	–	1	–	–	–
DENBIGH ...	–	10	22	–	7	C. 1
Boroughs and Urban Districts:—						
DENBIGH ...	–	–	1	–	–	C. 1
RUTHIN	–	–	2		–	–
†WREXHAM ...	–	4	7	–	1	–
Rural Districts:—						
LLANGOLLEN ...	–	–	–	–	1	–
RUTHIN	–		1	–	3	–
WREXHAM ...	–	6	11	–	2	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	1	3		8	C. 1 N. 1
Boroughs and Urban Districts:—						
Buckley	–	–	2	–	2	–
Mold	*	*	*	*	*	*
Rural Districts:—						
Hawarden ...	–	–		–	–	C. 1
Holywell ...	–	1	1	–	6	N. 1
GLAMORGAN ...	14	42	82	1	148	C. 2 D. 1 M. 3 N. 5
†Cardiff C.B. ...	–	17	22	–	17	C. 1 M. 1 N. 3
†Merthyr Tydfil C.B.	–	–	6	–	5	–
†Swansea C.B. ...	–	1	14	–	8	D. 1
Boroughs and Urban Districts:—						
†Aberdare ...	–	–	–	–	8	–
†Barry	–	–	1	–	2	–
†Caerphilly ...	–	3	1	–	3	–
†Gelligaer ...	–	2	4	1	10	M. 1
†Glyncorwg ...	–	5	–	–	–	–
†Llwchwr ...	–	1	1	–	4	–
†Maesteg	–	1	5	–	–	N. 1
†Mountain Ash...	14	–	2		12	–
†Neath	–	–	5	–	5	–
†Ogmore and Garw	–	3	1	–	7	N. 1
†Penarth... ...	–	–	1	–	2	–
†Pontypridd ...	–	2	–	–	16	–
Porthcawl ...	*	*	*	*	*	*
†Port Talbot ...	–	1	5	–	–	–
†Rhondda ...	–	1	12	–	39	C. 1
Rural Districts:—						
Cardiff	–	3	–	–	3	–
Cowbridge ...	–	–	–	–	1	M. 1
Gower		–	1	–	1	–
GLAMORGAN— *cont.*						
Rural Districts— *cont.*						
Llantrisant and Llantwit-fardre	–	2	–	–	2	–
Neath	–	–	1	–	2	–
Pontardawe ...	–	–	–	–	1	–
MONMOUTH ...	–	19	14	–	36	N. 1
†Newport C.B. ...	–	7	5	–	18	–
Boroughs and Urban Districts:—						
Abergavenny ...	–	–	2	–	–	–
†Abersychan ...	–	2	2	–	–	–
†Abertillery ...	–	–	–	–	1	–
Bedwas and Machen	–	2	–	–	1	–
†Bedwellty ...	–	2	1	–	4	–
†Ebbw Vale ...	–	3	–	–	2	–
Llanfrechfa Upper	–	–	–	–	1	–
Llantarnam ...	–	2	–	–	–	–
†Mynyddislwyn	–	–	2	–	–	–
†Nantyglo and Blaina		–	–	–	7	–
†Panteg	–	–	1	–	–	–
Pontypool ...	–	1	–	–	–	N. 1
†Rhymney ...	–	–	1	–	–	–
†Risca	*	*	*	*	*	*
†Tredegar ...	–		–	–	1	–
Rural Districts:—						
Magor	–	–	–		1	–
St. Mellons ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONTGOMERY...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	1	–	–		–
PEMBROKE ...	–		1	–	2	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	1	–	–	–
Rural Districts:—						
HAVERFORDWEST	–		–	–	2	–
NARBERTH ...	*	*	*	*	*	*
RADNOR	–	–	–	–	–	N. 1
Rural Districts:—						
COLWYN	*	*	*	*	*	*
KNIGHTON ...	–	–	–	–	–	N. 1
Total of Part II....	224	1360	973	50	2479	C. 42 D. 65 E. 1 G. 14 L. 8 M. 89 N.108

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (*see* ‡ note below).
LIVERPOOL	–	–	–	–	1	–
PENZANCE	*	*	*	*	*	*
WELLS (NORFOLK) ...	*	*	*	*	*	*
WISBECH	*	*	*	*	*	*
PORT OF LONDON ...	–	–	–	–	1	–
Total of Part III. ...	–	–	–	–	2	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	23	258	193	4	225	C. 8 D. 8 L. 1 M. 7 N. 18
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	224	1360	973	50	2479	C. 42 D. 65 E. 1 G. 14 L. 8 M. 89 N. 108
Total of Part III.—Port Sanitary Districts	–	–	–	–	2	–
Total (i.e., of returns received), England and Wales ...	247	1618	1166	54	2706	C. 50 D. 73 E. 1 G. 14 L. 9 M. 96 N. 123

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e 5.—London and Great Towns in the GREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

Week ended :—	Dec. 6.	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7	Feb. 14.	Feb. 21.	Feb. 28.	Totals from 1st Week of year. * 1930.	1931.
DON :—															
BIRTHS	1,390	1,255	1,341	821	1,589	1,438	1,421	1,422	1,383	1,401	1,397	1,317	1,407	11,413	11,186
LBIRTHS	43	51	39	21	50	61	50	39	41	33	51	59	47	392	381
THS (excluding Still-ths)—all ages.	973	1,082	1,175	1,185	1,356	1,452	1,467	1,415	1,434	1,496	1,620	1,578	1,457	9,205	11,919
THS—0 to 1 year ..	61	92	74	89	107	112	116	115	132	125	145	92	108	845	945
AT TOWNS, aggre-e (including Lon-) :—															
BIRTHS	6,505	5,896	6,202	3,997	7,120	6,760	6,470	6,502	6,180	6,308	6,349	6,320	6,631	51,025	51,520
LBIRTHS	281	286	267	216	311	305	282	270	295	244	278	315	282	2,310	2,271
THS (excluding Still-ths)—all ages.	4,508	4,878	5,165	4,843	5,587	6,451	6,493	6,249	6,052	6,178	6,834	6,826	6,879	40,270	51,962
THS—0 to 1 year ..	378	440	476	474	557	622	626	633	645	650	748	697	686	3,923	5,307
ERIC FEVER—Cases	12	14	13	7	15	10	11	20	9	10	24	22	19	137	125
„ Deaths	3	1	1	—	3	1	1	3	2	4	2	1	2	14	16
L POX—Cases ..	74	112	111	105	131	162	154	198	194	147	150	186	189	2,234	1,380
„ Deaths ..	1	—	—	—	—	—	—	—	—	—	—	1	—	7	1
LET FEVER—Cases	1,283	1,164	1,140	901	1,064	886	907	960	935	907	925	917	922	12,376	7,359
„ Deaths	6	6	8	11	16	8	9	8	7	7	9	8	4	98	60
THERIA—Cases ..	968	891	860	617	831	775	793	922	894	820	781	735	749	9,146	6,469
„ Deaths ..	31	35	43	33	43	32	39	53	43	50	29	48	42	447	336
SLES—Deaths ..	45	57	71	59	62	77	94	73	72	72	80	97	70	617	635
UENZA—Deaths ..	43	60	58	59	60	101	146	242	309	331	456	509	546	620	2,640

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ng been made for changes in boundary. The live births are derived from the weekly returns furnished by the strars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 28th February, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡
	°	°	°	°			°	°	°	°	
NDON	55	28	48·7	35·0	15	HUDDERSFIELD	53	30	46·6	33·9	26
(GREENWICH).						BRADFORD ..	52	31	44·1	34·9	21
GHTON ..	48	31	45·9	35·6	11	SHEFFIELD ..	55	31	45·7	36·1	21
RTSMOUTH ..	51	33	49·0	37·1	11	YORK (MUSEUM)	54	29	45·9	33·6	10
RWICH	$	$	$	$	$	HULL (PEARSON PARK).	58	26	47·3	33·4	10
(EATON)											
YMOUTH ..	52	32	50·0	38·6	19	TYNEMOUTH ..	55	30	45·4	35·4	8
ISTOL	50	32	48·7	36·9	13	CARDIFF	49	31	48·1	35·9	20
(HORFIELD)											
MINGHAM	53	32	46·1	36·6	19						
(EDGBASTON).						EDINBURGH ..	55·0	27·0	44·1	33·6	6
TTINGHAM ..	56	29	46·7	33·9	18	GLASGOW ..	50·9	30·1	43·0	33·5	12
KENHEAD	55	31	45·1	38·4	21	DUBLIN	55·4	37·4	47·9	35·6	9
(BIDSTON).						(PHŒNIX PARK)					
NCHESTER	55	31	45·6	36·3	†27	(FITZWILLIAM	57·0	32·8	48·1	38·3	7
(WHITWORTH PARK).						SQUARE†).					
RNLEY	50	32	43·0	35·1	41	BELFAST	$	$	$	$	$

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres
$ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 28th February, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	22	..	29·928	48·4	28·0	20·4	38·1	− 1·6	29·5	8·6	14·4	1·0	71	92·9	15·8	42·8	WSW : SW.	WSW : SW.	2·1	0·0	0·1	238	− 84	0·00
MONDAY -	23	..	29·970	48·4	34·6	13·8	41·4	+ 1·6	35·4	6·0	12·5	2·2	79	75·0	22·5	42·8	WSW	NW	2·9	0·0	0·1	268	− 52	0·01
TUESDAY -	24	..	30·157	49·0	31·0	18·0	39·1	− 0·9	35·2	3·9	14·4	0·8	86	85·5	21·3	42·7	NW ; Calm	WSW	1·7	0·0	0·1	230	− 89	0·00
WEDNESDAY	25	First Quarter.	29·968	55·2	43·1	12·1	49·4	+ 9·3	46·5	2·9	7·1	2·4	90	74·2	37·6	42·7	WSW	WSW	2·9	0·0	0·5	440	+ 117	0·00
THURSDAY -	26	..	29·738	53·0	37·4	15·6	46·3	+ 6·1	42·1	4·2	14·6	1·4	85	63·4	30·8	42·8	WSW	WSW : NNW : NW.	5·7	0·0	0·9	542	+ 212	0·00
FRIDAY -	27	Greatest Declination N.	29·692	47·2	34·0	13·2	40·1	− 0·2	31·8	8·3	17·9	1·5	72	72·2	25·2	42·7	WNW : WSW.	SW : SSW : S.	2·0	0·0	0·1	256	− 78	0·30
SATURDAY -	28	..	29·098	47·9	31·8	16·1	36·3	− 4·0	33·0	3·3	9·4	0·0	88	66·9	27·6	42·8	SW : NW : W.	NW : WNW.	5·5	0·0	0·5	419	+ 82	0·13
MEANS -		..	29·793	49·9	34·3	15·6	41·5	+ 1·5	36·2	5·3	12·9	1·3	82	75·7	25·8	42·8	WSW		..	..	..	Sum 2393	Sum + 108	Sum 0·44
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	22	mP till 9h; sP till 10½h.: then mP.	5·9	10·4	Partially cloudy till 15¼h.; variably cloudy till 19¾h.; then partially cloudy. Mist till 10h. Hoar frost in morning and at night.
MONDAY ..	23	mP till 9½h.; sP till 15h.; variably sP and sN till 20h.; then mP.	0·3	10·5	Cloudless till 4¾h.; nearly overcast till 21h.; then cloudless. Slight showers at 13h.; 14½h.; 15½h. and 17½h. Hoar frost in morning and at night.
TUESDAY ..	24	mP till 3¾h.; wP till 13½h.; then mP.	1·1	10·5	Overcast generally till 10h.; partially cloudy till 18h.; then nearly overcast Mist 4½h. till 7h.; then fog till 13½h. Hoar frost in morning. Lunar halo 20¾h.
WEDNESDAY	25	mP till 3h.; wP till 8h.; mP till 21½h.; then wP.	0·0	10·6	Overcast. Damping 0h. till 1h.; at 7½h.; and 12h. till 12½h. Brisk wind from 20h.
THURSDAY	26	wP till 12h.; then mP.	0·0	10·7	Overcast till 21h.; then clearing to partially cloudy by 21½h. Rain 11½h. till 13½h. Damping 16½h. till 18h. Brisk wind till 17h. Lunar halo 22h. till 22½h.
FRIDAY ..	27	mP till 7h.: sP till 11h.; mP till 17h.; then variably sN and mP.	0·0	10·7	Partially cloudy till 3h.; then overcast generally. Hoar frost and mist in morning. Damping 16½h. till 17¼h.; then rain.
SATURDAY	28	Variably mP and wN till 3h.; mP till 9h.; variably sP and sN till 22h.; then mP.	0·6	10·8	Overcast generally. Rain till 1½h.; then damping till 2h. Gloom about 10½h. Snow at 12½h.; 12⅔h.; 14h. till 14½h.; 16h. till 17h.; and from 20½h. till 21½h. Thunder at 14h. Brisk wind 20h. till 23h. Lunar halo 22½h. till 23h. Hoar frost at night.
			Sum 7·9	Sum 74·2	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·83 ins. at the beginning of the week to 30·13 ins. by 11h. on 24th; decreased to 29·67 ins. by 15h. on 26th; increased to 29·87 ins. by 3h. on 27th; decreased to 29·04 by 16h. on 28th; increased and was 29·13 ins. by midnight on the same day.

THE CLINICAL RESEARCH ASSOCIATION, LTD.

WATERGATE HOUSE, ADELPHI, W.C.2. (*Close to Charing Cross Station.*)

A COMPLETE LABORATORY SERVICE.

The Consulting Rooms and Laboratories of this Association (established in 1894) are available for all Medical Practitioners desiring Laboratory assistance in the investigation and diagnosis of cases under their care. All necessary apparatus and full instructions for collecting pathogenic material, or for the personal attendance of Patients at the Consulting Rooms of the Association, will be forwarded immediately on application.

X-RAY EXAMINATIONS AND NURSING HOME ACCOMMODATION ARRANGED.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). **Telegrams: "TUBERCLE, WESTRAND, LONDON."**

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, stillbirths, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics:—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

TEXT.

This volume contains a commentary (with many Tables and some Diagrams) on the contents of the two Volumes of Tables (Medical and Civil) above mentioned. Many of the subjects—especially causes of death—are dealt with in detail.

The volume is priced at 2s. 6d. instead of 5s. as in previous years. Postage 3d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

(74095) Wt. 87—17 1875 3/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 9.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 7TH MARCH,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 7TH MARCH, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the ninth week of the year numbered 6,562 corresponding to an annual rate of 17·3 per 1,000 living: stillbirths numbered 289 corresponding to a rate of 42 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,480 (399 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.
107 Great Towns	18·1	18·1	18·2	17·2
London	19·1	18·6	17·2	15·9
Birmingham	14·6	15·6	16·9	17·3
Liverpool	18·2	16·6	15·7	16·8
Manchester	19·3	20·1	23·5	23·7
Sheffield	14·3	14·7	14·4	14·9
Leeds	17·1	17·4	17·9	18·0
Bristol	14·3	14·7	19·2	17·6
West Ham	18·6	21·7	18·5	18·1

The deaths from influenza which had been 456, 509 and 546 in the three preceding weeks fell to 471 and included 65 in London and 44 in Manchester.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 97, against 115, 107 and 105, in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,384 live births registered corresponding to an annual rate of 16·3 per 1,000 living: stillbirths numbered 49 corresponding to a rate of 34 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,347 (110 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 77, against 101, 64 and 75 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 7th March, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
107 GREAT TOWNS ..	19,661,240*	6,562	289	6,480	629	-	73	7	48	42	59	47
LONDON	4,417,900*	1,384	49	1,347	111	-	-	2	8	7	14	6
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	66	5	61	7	-	-	-	1	-	-	
TOWNS IN OUTER RING. WIMBLEDON ..	59,370	9	-	17	1	-	-	-	-	-	-	
TOWNS IN OUTER RING. EALING	104,000	44	-	40	2	-	-	-	-	-	-	
TOWNS IN OUTER RING. ACTON	65,200	22	-	20	-	-	-	-	-	-	-	
TOWNS IN OUTER RING. BRENTFORD AND CHISWICK ..	59,040	14	-	15	2	-	-	-	-	-	-	
TOWNS IN OUTER RING. WILLESDEN ..	172,500	36	2	47	6	-	-	-	1	-	1	
TOWNS IN OUTER RING. HENDON	83,190*	35	-	25	3	-	-	-	1	1	-	
TOWNS IN OUTER RING. HORNSEY	88,450	14	-	20	3	-	-	-	1	-	-	
TOWNS IN OUTER RING. WOOD GREEN ..	53,410	6	-	13	2	-	-	-	-	-	-	
TOWNS IN OUTER RING. TOTTENHAM ..	155,000	41	2	47	5	-	-	-	-	-	-	
TOWNS IN OUTER RING. EDMONTON ..	75,000	40	3	14	1	-	-	-	-	-	-	
TOWNS IN OUTER RING. ENFIELD	65,100	14	-	23	4	-	-	-	-	-	-	
TOWNS IN OUTER RING. WEST HAM C.B. ..	307,600	137	6	107	13	-	-	-	-	-	-	1
TOWNS IN OUTER RING. EAST HAM C.B. ..	147,600	24	2	43	5	-	-	-	1	1	-	
TOWNS IN OUTER RING. LEYTON	128,300	28	-	23	1	-	-	-	-	-	-	
TOWNS IN OUTER RING. WALTHAMSTOW ..	124,800	33	4	34	2	-	-	-	-	-	-	
TOWNS IN OUTER RING. ILFORD	116,200	35	3	26	1	-	-	-	-	-	-	
GILLINGHAM	56,670*	16	-	13	1	-	-	-	-	-	-	
CANTERBURY C.B. ..	22,850*	7	-	12	3	-	-	-	-	-	-	
HASTINGS C.B.	62,620	9	-	20	1	-	-	-	-	-	1	
EASTBOURNE C.B. ..	58,570	10	1	17	-	-	-	-	-	-	-	
BRIGHTON C.B. ..	146,800*	54	1	51	1	-	-	-	-	2	-	
PORTSMOUTH C.B. ..	242,000*	82	2	72	10	-	-	-	2	-	2	
BOURNEMOUTH C.B. ..	97,360	28	1	27	1	-	-	-	1	-	-	
SOUTHAMPTON C.B. ..	172,300	66	1	51	1	-	-	-	2	-	-	
READING C.B.	96,850*	31	1	23	1	-	-	-	-	-	-	
OXFORD C.B	73,810*	31	-	17	1	-	-	-	-	-	-	
NORTHAMPTON C.B. ..	93,970*	33	-	34	2	-	-	-	-	-	-	
LUTON	65,200	14	-	8	1	-	-	-	-	-	-	
CAMBRIDGE	60,730	20	1	23	1	-	-	-	-	-	-	
SOUTHEND-ON-SEA C.B.	114,600	28	-	35	-	-	-	-	-	-	-	
IPSWICH C.B.	85,800	29	1	34	2	-	2	-	-	-	-	
GREAT YARMOUTH C.B	58,110	13	-	23	1	-	-	-	-	-	-	
NORWICH C.B.	124,900*	38	1	39	4	-	-	-	-	-	-	
SWINDON	62,020	15	-	24	1	-	-	-	-	1	-	
EXETER C.B.	61,290*	20	1	21	2	-	-	-	-	-	-	
PLYMOUTH C.B. ..	199,000*	77	4	65	1	-	-	-	-	-	-	
BATH C.B.	69,240	20	1	27	-	-	1	-	-	-	-	
BRISTOL C.B.	391,145*	125	4	132	5	-	2	-	-	2	1	
GLOUCESTER C.B. ..	52,010	17	1	17	-	-	-	-	-	-	-	
STOKE-ON-TRENT C.B.	279,190	114	4	88	21	-	-	-	-	-	2	
BURTON-UPON-TRENT C.B.	48,970	12	-	16	1	-	-	-	-	1	-	
WOLVERHAMPTON C.B.	134,300	48	1	48	2	-	-	-	-	1	-	
WALSALL C.B.	100,100	31	-	33	4	-	-	-	-	-	-	
WEST BROMWICH C.B.	80,840	33	2	35	6	-	-	-	-	-	-	
DUDLEY C.B.	58,870	22	1	22	4	-	-	-	-	-	1	
WORCESTER C.B. ..	52,320	12	1	21	1	-	-	-	-	-	-	
BIRMINGHAM C.B. ..	968,500	333	15	321	40	-	7	-	-	4	3	2
SMETHWICK C.B. ..	85,120	26	-	26	2	-	-	-	-	2	1	
COVENTRY C.B. ..	162,100	61	2	43	5	-	-	-	-	-	-	
LEICESTER C.B. ..	245,200	86	4	80	14	-	2	-	1	1	2	
LINCOLN C.B.	65,080*	19	-	19	-	-	-	-	-	-	-	
GRIMSBY C.B.	91,440	34	1	21	5	-	-	-	-	-	-	
NOTTINGHAM C.B. ..	266,800	114	8	110	12	-	5	-	-	-	2	1
DERBY C.B.	140,500*	55	1	59	4	-	-	-	-	-	-	
CHESTERFIELD	65,270	34	1	15	2	-	-	-	-	-	-	
STOCKPORT C.B ..	127,800	31	1	41	1	-	-	-	-	-	1	1
CHESTER C.B.	40,750	20	-	11	-	-	-	-	-	-	-	
BIRKENHEAD C.B ..	157,600	49	3	43	6	-	5	-	1	1	2	
WALLASEY C.B. ..	101,300	29	1	20	4	-	-	-	-	-	2	
LIVERPOOL C.B. ..	869,500	376	15	280	34	-	15	1	6	5	4	1
BOOTLE C.B.	80,400	25	-	18	3	-	-	-	-	1	-	
ST. HELENS C.B. ..	109,200	43	1	37	6	-	2	-	-	-	-	

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	13	2	24	-	-	-	-	-	-	-	1
Wigan C.B.	87,600	40	-	24	3	-	-	-	1	-	-	1
Warrington C.B. ..	79,400*	34	2	26	3	-	-	-	-	1	1	4
Bolton C.B	181,500	40	4	68	7	-	-	-	2	-	1	6
Bury C.B.	56,830*	14	1	23	-	-	-	-	-	-	-	1
Manchester C.B. ..	746,500	288	15	339	30	-	-	-	2	-	4	44
Salford C.B.	235,600	64	8	90	8	-	-	1	2	1	-	7
Ashton-under-Lyne	51,750	17	1	26	1	-	-	-	-	-	-	3
Oldham C.B	142,500	38	4	55	5	-	-	-	-	-	-	3
Rochdale C.B. ..	90,900	21	2	24	1	-	-	-	-	-	-	2
Burnley C.B	100,200	26	-	38	2	-	-	-	-	-	1	4
Blackburn C.B. ..	125,300	43	3	57	4	-	1	-	1	-	1	6
Preston C.B.	126,100	32	2	42	7	-	-	-	-	-	-	3
Blackpool C.B. ..	99,800	30	1	45	4	-	-	-	1	-	-	3
Barrow-in-Furness C.B.	64,850	20	1	20	1	-	-	-	-	-	-	2
Huddersfield C.B. ..	113,100	29	1	42	2	-	1	-	-	1	-	2
Halifax C.B.	97,400*	26	2	30	1	-	-	-	-	-	-	5
Bradford C.B. ..	294,605	88	5	128	17	-	-	1	-	-	1	13
Leeds C.B.	478,500	147	8	165	17	-	-	1	2	1	1	12
Dewsbury C.B. ..	53,020	14	1	29	2	-	-	-	1	-	-	3
Wakefield C.B. ..	56,640	21	1	24	6	-	-	-	1	-	-	1
Barnsley C.B. ..	71,700	28	-	37	11	-	-	-	1	-	-	-
Sheffield C.B. ..	518,000*	179	11	148	17	-	-	1	3	-	-	8
Rotherham C.B. ..	70,790	24	1	24	5	-	-	-	-	-	1	1
Doncaster C.B. ..	59,890	19	2	17	1	-	-	-	-	1	-	1
York C.B.	85,290*	25	2	29	5	-	1	-	2	-	-	5
Hull C.B.	307,500	119	4	130	10	-	1	-	-	3	-	12
Middlesbrough C.B.	133,100	65	4	44	11	-	-	-	-	-	1	3
Darlington C.B. ..	74,150	25	1	22	2	-	-	-	-	-	-	1
Stockton-on-Tees ..	67,090	40	1	24	2	-	-	-	-	-	-	6
West Hartlepool C.B.	69,370	31	1	31	1	-	-	-	1	-	-	5
Sunderland C.B. ..	184,000	87	3	74	9	-	6	-	-	1	3	7
South Shields C.B. ..	119,600	44	3	44	10	-	-	-	-	-	-	4
Gateshead C.B. ..	122,600	52	-	39	4	-	3	-	-	-	-	2
Newcastle-on-Tyne C.B.	283,400*	121	10	91	9	-	9	-	1	-	1	2
Tynemouth C.B. ..	65,880	28	-	15	-	-	-	-	-	-	-	2
Carlisle C.B.	56,160*	19	-	20	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	95,990*	32	1	42	4	-	2	-	-	-	-	6
Cardiff C.B.	224,000*	72	7	65	2	-	3	-	-	2	-	6
Rhondda	153,100	45	3	47	6	-	2	-	1	1	2	3
Merthyr Tydfil C.B.	77,790	22	5	35	3	-	-	-	-	-	-	4
Aberdare	53,050	14	-	15	3	-	1	-	-	-	1	3
Swansea C.B.	162,700	54	7	54	7	-	2	-	-	-	1	5
Greater London ..	7,900,480*	2,428	99	2,320	198	-	-	5	17	10	17	150
Outer Ring	3,482,580*	1,044	50	973	87	-	-	3	9	3	3	85
17 Great Towns in Outer Ring	2,027,060*	593	27	575	58	-	-	-	5	2	1	47
Remainder of Outer Ring	1,455,520*	446	23	398	29	-	-	3	4	1	2	38
Edinburgh†	428,800	133	?	167	12	-	1	-	-	-	-	14
Glasgow†	1,088,200	435	?	377	55	-	-	-	26	3	3	12
Dublin (Registration Area)†	412,400	201	?	175	45	-	8	1	3	1	-	10
Belfast†	415,151	195	?	177	25	-	11		1	-	2	8

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases(un-
		1931.											
London‡	4,417,900	Mar. 7	1384	49	1347	15·9	-	-	-	2	8	7	14
Calcutta and Suburbs	1,077,264	Jan. 24	?	?	539‖	26·0	?	22	?	-	?	?	?
Bombay§	1,298,708	Feb. 7	569	36	403	16·1	-	-	-	-	-	1	7
Madras	528,791	Jan. 24	620	39	724‖	71·2	3	2	1	-	4	-	40
Sydney and Suburbs	1,243,940	Jan. 31 (31 days)											
Brisbane (Metropolitan Area).	318,631	Nov. 30 (30 days)	402	?	211	7·9	1	-	-	-	4	-	4
Perth (Metropolitan Area).	202,888	Dec. 27	49	?	24	6·2	-	-	-	-	-	-	-
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Jan. 31	47	3	39	14·8	1	-	-	-	1	-	5
Johannesburg	187,326	„ 24	83	3	37	10·3	3	-	-	-	-	1	4
Durban	61,667	„ 24	19	-	19	16·0	-	-	-	-	-	-	2
Paris	2,871,429	Jan. 20 (10 days)	1301	74	1671	21·2	3	-	5	1	1	7	25
Antwerp	294,928	Feb. 15 (15 days)											
Amsterdam	759,282	Feb. 14	251	10	200	13·7	-	-	2	-	-	-	-
Copenhagen	615,700	„ 21	192	4	151	12·8	-	-	-	-	-	3	1
Stockholm	486,672	„ 14	108	1	140	15·0	-	-	-	-	-	-	-
Gothenberg	245,336	Jan. 31	?	?	66	13·9	-	-	3	-	-	-	-
Oslo	253,568	Feb. 21	36	1	55	11·3	-	-	-	-	-	-	-
Berlin	4,336,000	Feb. 7	731	27	1081	13·0	-	?	3	1	3	2	3
Breslau	616,000	„ 7	141	7	167	14·1	-	?	-	-	2	4	1
Cologne	740,000	„ 7	216	9	170	11·9	-	?	-	-	1	2	1
Dresden	634,000	„ 7	93	4	160	13·1	-	?	-	-	-	2	-
Frankfort-on-Main	541,000	„ 7	126	5	114	11·0	-	?	-	-	-	-	1
Hamburg	1,148,000	„ 7	280	8	372	16·9	-	?	-	1	-	-	2
Leipzig	700,000	„ 7	153	6	210	15·6	-	?	-	-	-	-	2
Munich	730,000	„ 7	156	1	233	16·6	-	?	-	-	2	1	2
Budapest	991,518	„ 14	339	9	295	15·5	1	-	1	-	2	2	2
Warsaw	1,109,478	„ 7	?	16	283	13·3	2	-	-	-	-	4	3
Madrid	825,471	„ 14	319	26	503	31·8	-	-	5	1	-	1	6
Cairo	1,122,800	Nov. 18	1067	31	427	19·8	3	-	2	-	?	6	75
Alexandria	612,200	„ 18	516	9	232	19·8	1	-	-	-	?	5	42
New York	7,090,089	Feb. 7	2259	90	1857	13·7	-	-	3	4	6	3	9
Chicago	3,457,375	„ 13	978	23	860	13·0	-	-	1	6	-	4	6
New Orleans	433,000	Nov. 30 (30 days)	798	31	634	16·5	3	-	-	3	5	4	5
Rio de Janeiro ..	1,729,799	Jan. 24	630	60	511	15·4	1	-	3	-	2	-	80

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year o* for Copenhagen Stockholm Gothenberg, and the German Cities
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 19 deaths from Cholera in Calcutta and 11 in Madras.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 7th March, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	10,410	13,266	1347	111	23	22	19	44	65	61	137	220	312	333
Enteric fever	4	5	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	311	8	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	27	15	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough	30	69	8	2	4	2	-	-	-	-	-	-	-	-
Diphtheria	120	70	7	2	1	1	1	2	-	-	-	-	-	-
Influenza	126	634	65	1	1	1	-	3	4	2	7	15	13	18
Erysipelas	37	45	3	1	1	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	9	7	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	15	31	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	695	874	115	-	-	-	-	20	27	21	24	14	9	-
Nervous system	41	37	5	-	-	1	2	2	-	-	-	-	-	-
Intestines and peritoneum	10	10	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	47	52	2	-	-	-	1	1	-	-	-	-	-	-
Venereal diseases	41	33	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	1162	1261	147	-	-	-	-	1	1	4	23	39	51	28
Rheumatic fever	32	22	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	111	104	7	-	-	-	-	-	1	-	1	-	4	1
Alcoholism	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	25	24	2	1	-	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	422	434	60	-	-	-	-	-	-	-	2	13	23	22
Epilepsy	40	32	2	-	-	-	-	-	1	-	1	-	-	-
"Convulsions" (not puerperal)	10	16	5	5	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	246	245	24	2	-	-	2	2	1	1	7	5	4	-
Pericarditis	6	5	1	-	-	-	-	-	-	-	-	-	1	-
Acute endocarditis	38	37	3	-	-	-	-	1	1	-	-	1	-	-
Other diseases of heart	2246	3100	291	-	-	1	2	2	6	10	14	58	91	107
Other diseases of circulatory system	453	506	52	-	-	-	-	-	2	1	5	11	13	20
Bronchitis	583	1089	97	3	-	-	-	1	2	-	2	11	34	44
Broncho-pneumonia	533	1035	90	22	10	5	1	-	2	2	7	12	14	15
Lobar pneumonia	282	386	36	2	-	1	3	-	4	4	8	3	10	1
Pneumonia (type not distinguished)	111	149	19	3	2	2	-	-	-	1	1	4	2	4
Other diseases of respiratory system	116	190	24	1	-	1	1	1	1	1	5	3	4	6
Diarrhœa and enteritis	146	144	15	13	1	-	-	-	-	-	-	-	-	1
Appendicitis, Typhlitis	56	51	5	-	-	2	-	1	-	1	1	-	-	-
Hernia, Intestinal obstruction	77	112	13	-	-	-	1	1	-	1	4	1	4	1
Cirrhosis of liver	39	37	3	-	-	-	-	-	-	-	-	-	1	2
Other diseases of digestive system	238	238	29	1	-	1	-	1	2	2	7	8	4	3
Acute nephritis	23	16	1	-	-	-	-	-	1	-	-	-	-	-
Chronic Bright's disease	334	378	32	-	-	-	-	-	-	2	4	9	9	8
Other diseases of genito-urinary system.	151	197	15	-	-	-	-	2	-	1	2	2	4	4
Puerperal sepsis	21	23	2	-	-	-	-	-	1	1	-	-	-	-
Other causes incident to childbirth	16	22	1	-	-	-	-	-	1	-	-	-	-	
Congenital malformations	60	58	11	11	-	-	-	-	-	-	-	-	-	
Premature birth	181	232	17	17	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	42	37	3	3	-	-	-	-	-	-	-	-	-	
Old age	238	325	38	-	-	-	-	-	-	-	-	-	2	36
Suicide	98	93	10	-	-	-	-	-	2	2	4	1	1	-
Burns and Scalds	26	31	2	1	1	-	-	-	-	-	-	-	-	-
Drowning	16	15	2	-	-	-	-	-	1	-	-	-	1	-
Suffocation in bed	8	7	4	4	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	142	114	7	-	-	-	1	-	-	1	2	2	1	-
Other deaths by violence	182	153	15	3	-	-	-	-	1	-	-	2	3	6
Other specified causes	378	448	53	11	2	2	3	3	3	3	6	5	9	6
Ill-defined causes	1	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 7th March, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	36	219	164	1	192	C. 4 D. 7 E. 1 L. 4 M. 10 N. 11
†CITY OF LONDON	-		-	-	2	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	11	3	-	14	D. 1
†BERMONDSEY ...	1	5	6	-	5	-
†BETHNAL GREEN	4	3	11	-	-	M. 2 N. 1
†CAMBERWELL ...	-	8	12	-	2	D. 2
†CHELSEA	-	1	1	-	-	M. 1
†DEPTFORD ...	5	8	7	-	4	N. 1
†FINSBURY ...	1	2	2	-	2	-
†FULHAM	-	12	2	1	12	M. 2
†GREENWICH ...	1	3	5	-	3	-
†HACKNEY... ...	3	8	7	-	2	L. 1 N. 2
†HAMMERSMITH ...	-	2	3	-	4	-
†HAMPSTEAD ...	-	3	2	-	1	-
†HOLBORN... ...	-	2	2	-	1	C. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (*see* ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	20	14	-	10	C. 1 L. 2 N. 1
†KENSINGTON ...	-	10	6	-	6	N. 1
†LAMBETH ...	-	14	7	-	9	D. 1 M. 2
†LEWISHAM ...	-	27	9	-	14	D. 1 M. 1 N. 1
†PADDINGTON ...	-	8	5	-	12	-
†POPLAR	3	7	6	-	10	E. 1
†ST. MARYLEBONE	-	6	1	-	2	-
†ST. PANCRAS ...	-	8	6	-	7	-
†SHOREDITCH ...	-	5	5	-	3	D. 1 M. 1
†SOUTHWARK ...	-	13	9	-	20	N. 1
†STEPNEY	18	10	11	-	21	D. 1 L. 1 M. 1 N. 1
†STOKE NEWINGTON	-	2	1	-	2	N. 1
†WANDSWORTH ...	-	9	9	-	15	C. 1
†WESTMINSTER, CITY OF	-	7	5	-	-	N. 1
†WOOLWICH ...	-	5	7	-	9	C. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	–	5	2	–	8	–
Boroughs and Urban Districts:—						
†Bedford	–	1	–	–	3	–
Leighton Buzzard	–	–	–	–	1	–
†Luton	–	2	2	–	1	–
Rural Districts:—						
Ampthill ...	–	2	–	–	1	–
Biggleswade ...	–	–	–	–	1	–
Luton	–	–	–	–	1	–
BERKS	6	16	1	–	10	M. 1
†Reading C.B. ...	6	1	–	–	–	–
Boroughs and Urban Districts:—						
†Maidenhead ...	–	–	1	–	3	–
†Newbury ...	–	2	–	–	1	–
†New Windsor ...	–	1	–	–	–	–
Wantage ...	–	3	–	–	–	–
Rural Districts:—						
Abingdon ...	–	1	–	–	1	–
Cookham ...	–	1	–	–	1	–
Easthampstead	–	2	–	–	3	–
Faringdon (part)	–	3	–	–	1	M. 1
Hungerford ...	–	1	–	–		–
Windsor	–	1	–	–		–
BUCKINGHAM...	–	8	3	–	2	N. 1
Boroughs and Urban Districts:—						
†Chepping Wycombe	–	3	–	–	–	N. 1
Eton	–	1		–	–	–
†Slough	–	–	1	–	–	–
BUCKINGHAM— *cont.*						
Rural Districts:—						
Aylesbury ...	–	2	–	–	1	–
Eton	–	1	2	–	–	–
Winslow... ...	–	1	–	–	–	–
Wycombe ...	–	–	–	–	1	–
CAMBRIDGE ...	–	1	2	–	–	–
Rural Districts:—						
Chesterton ...	–	1	–	–	–	–
Newmarket ...	–	–	2	–	–	–
CHESTER ...	–	36	34	–	44	D. 1 J. 1 N. 4
†Birkenhead C.B.	–	3	5		4	–
†Chester C.B. ...	–	–	1	–	–	–
†Stockport C.B. ...	–	5	5	–	9	N. 3
†Wallasey C.B. ...		2	–	–	1	–
Boroughs and Urban Districts:—						
†Altrincham ...	–	–	2	–	1	–
†Bebington and Bromborough	–	–	3	–	2	–
†Cheadle and Gatley	–	1	–	–	3	–
†Crewe	–	–	3	–	1	–
†Dukinfield ...	–	1		–	1	–
†Ellesmere Port and Whitby	–	–	1	–	–	–
Hale	–	–	–	–	2	–
Hoole	–	1	4	–	–	–
†Hoylake and West Kirby	–	–	–	–	1	–
†Hyde	–	1	–	–	–	–
Knutsford ...	–	1	–	–	1	–
†Macclesfield ...	–		–	–	2	–
Marple	–	–	–	–	3	–
Middlewich ...	–		–	–	1	–
Nantwich ...	–	–	3	–	–	–
†Northwich ...	–	1	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUNCORN	-	1	-	-	-	
†SALE	-	1	3	-	-	
SANDBACH ...			-	-	1	
†STALYBRIDGE ...	-	4	-	-	3	
WILMSLOW ...	-	2	-	-		
Rural Districts:—						
BUCKLOW... ...		3	-		1	
CONGLETON ...	-	-	-	-	-	N. 1
NANTWICH ...		4	-	-	-	-
NORTHWICH ...	-	-		-	1	-
RUNCORN	-	3	2	-		D. 1 J. 1
TARVIN	-	1	-		2	
TINTWISTLE ...	-	-		-	2	-
WIRRAL	-	1	2	-	1	-
CORNWALL ...		7	6	2	9	G. 1 N. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	-	-	1	-	-	-
†FALMOUTH ...	-	2	-			G. 1
LAUNCESTON ...	-	1		-	-	-
NEWQUAY ...	-	2	-		-	
PAUL ...	*	*	*	*	*	*
PENRYN	-	-	1	-	-	-
PHILLACK ...	-	1		-		-
ST. JUST	-	-	-	-	1	
SALTASH	-	-	-	-	2	-
†TRURO	-	-	1	2	-	-
Rural Districts:—						
LAUNCESTON ...	-	-	-		1	-
ST. AUSTELL ...	-	-	3		1	-
ST. GERMANS ...	-	1			1	-
TRURO		-	-	-	1	N. 1
WEST PENWITH...	-	-	-		2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	-	7	-	1	7	N. 1
†CARLISLE C.B. ...	-	1	-	-	-	-
Boroughs and Urban Districts:—						
COCKERMOUTH ...	-	1	-	-	-	-
MILLOM	-	-	-	-	3	
PENRITH	-	1	-	-	-	-
†WHITEHAVEN ...	-	2	-	-	3	N. 1
†WORKINGTON ...	-	-	-	1	-	-
Rural Districts:—						
ALSTON WITH GARIGILL	*	*	*	*	*	*
LONGTOWN ...	*	*	*	*	*	*
WHITEHAVEN ...	-	2		-	-	-
WIGTON	-	-	-	-	1	-
DERBY	10	29	8	2	52	C. 1 D. 1 G. 1 M. 2 N. 5
†DERBY C.B. ...		6	3	-	9	M. 1 N. 3
Boroughs and Urban Districts:—						
†ALFRETON ...	1	1	-	-	2	-
ALVASTON AND BOULTON	-	1	-	-	2	-
BAKEWELL ...	-	1	-	-	-	-
†BELPER	-	-	-	-	1	-
†BUXTON ...	-	1	-	-		-
†CHESTERFIELD ...	5	5		-	2	N. 1
DRONFIELD ...	-	-	-	-	1	-
†GLOSSOP	-	-	-	-	2	-
HEAGE	-	-	-	-	2	-
†HEANOR	-		-	-	1	M. 1
†ILKESTON... ...	-	-	-	-	2	-
†LONG EATON ...		1	-	-	-	-
NEW MILLS ...	-	1	-	-	2	-
NORTH DARLEY...	-	-	-			C. 1
†SWADLINCOTE DISTRICT	-	-	1	-	11	N. 1
WIRKSWORTH ...	-		1	-	-	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	–	–	1	–	–	–
BLACKWELL ...	–	4	–	–	1	D. 1
CHESTERFIELD ...	4	4	2	–	5	–
CLOWNE	–	–	–	–	2	–
GLOSSOP DALE ...	–	1	–		–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
HAYFIELD ...	–		–	–	1	–
NORTON	–	–	–	–	1	–
REPTON	–	1	–	2	–	G. 1
SHARDLOW ...	–	1		–	4	–
CODNOR PARK AND SHIPLEY(parishes)	–	1	–	–	–	–
DEVON	–	18	15	–	25	M. 1 N. 2
†EXETER C.B. ...	–	–	4	–	–	M. 1
†PLYMOUTH C.B.	–	14	8	–	6	N. 1
Boroughs and Urban Districts:—						
ASHBURTON ...			–	–	2	–
†BARNSTAPLE ...	–	1	1	–	1	–
BIDEFORD ...	–		1	–	–	–
BRIXHAM	–	–	–	–	1	–
DARTMOUTH ...	–	–	–	–	1	–
†EXMOUTH ...	–	–	1	–	1	–
†ILFRACOMBE ...	–	1	–	–	2	–
†NEWTON ABBOT...	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
SALCOMBE ...	–	–	–	–	1	–
SIDMOUTH ..	–	–	–		1	–
TAVISTOCK ...	–	–	–	–	1	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY	–	–			2	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	–	–		–	N. 1
HOLSWORTHY (part)	–	–	–		1	–
HONITON... ...	–	–	–		1	–
PLYMPTON ST. MARY	–	–	–	–	2	–
TOTNES	–	–	–	–	1	–
DORSET	–	1	1	–	4	D. 1 N. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	*	*	*	*	*	*
†POOLE	–	–	1	–	–	–
†PORTLAND ...	–	–		–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
BLANDFORD ...	–	–	–	–	1	–
CERNE		1	–		–	–
DORCHESTER ...	*	*	*	*	*	*
POOLE	–	–	–	–	–	N. 1
WEYMOUTH ...	–	–	–	–	–	D. 1
DURHAM ...	–	49	28	–	122	C. 1 D. 4 M. 3 N. 3
†DARLINGTON C.B.	–	8	2	–	4	–
†GATESHEAD C.B.	–	8	1	–	6	D. 1
†SOUTH SHIELDS C.B.	–	3	–	–	16	–
†SUNDERLAND C.B.	–	6	6	–	21	D. 3 M. 1 N. 2
†WEST HARTLEPOOL C.B.	–	3	–	–	18	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	1	–
BENFIELDSIDE ...	–	1	–	–		–
BILLINGHAM ...	–	–	–	–	2	–
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON... ...	–		5	–	–	–
†BRANDON AND BYSHOTTLES	–	–	–	–	1	–
†CHESTER LE STREET	–	–	–	–	1	–
†CROOK	–	–	1	–		–
†FELLING	–	4		–	3	–
†HEBBURN ...	–	–	1	–	3	–
†HETTON	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M. Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOUGHTON LE SPRING	–	–	–	–	3	–
†JARROW	–	–	–	–	3	–
†RYTON		1	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	7	–
†SHILDON		–	–	–	1	–
†STANLEY	–		5	–	–	–
†STOCKTON ON TEES	–	3	–	–	4	M. 1
TOW LAW ...	–		1	–	–	–
†WASHINGTON ...	–	–	–	–	–	C. 1
†WHICKHAM ...	–	2	–		2	–
Rural Districts:—						
AUCKLAND ...	–	2	–	–	1	N. 1
CHESTER LE STREET	–	1	1	–	3	–
DURHAM	–	1	–	–	1	–
EASINGTON ...	–	2	–	–	7	–
HARTLEPOOL ...	–	–	–	–	2	–
HOUGHTON LE SPRING	–	–	–	–	1	–
LANCHESTER ...	–	2	1	–	1	–
SEDGEFIELD ...	–	–	–			M. 1
SOUTH SHIELDS	–	–		–	1	–
SUNDERLAND ...	–	2	–	–	5	–
WEARDALE ...		–	1	–	–	–
ELY, ISLE OF ...	–	2	3	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	1	–	–	–	–
WHITTLESEY ...	–	–	2		–	–
†WISBECH	–	1	–	–	–	–
Rural Districts:—						
WISBECH... ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	40	65	56	12	47	D. 1 L. 2 M. 3 N. 1
†EAST HAM C.B....	1	1	3	–	2	–
†SOUTHEND ON SEA C.B.		8	1	–	5	–
†WEST HAM C.B.	32	5	6	–	7	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	3	–	1	M. 1
BRAINTREE ...	–	1	–	–	–	–
BUCKHURST HILL	–	–	–	–	1	–
CANVEY ISLAND	–	–	1	–	–	–
†CHELMSFORD ...	–	2	4	–	–	D. 1
CHINGFORD ...	–	1	–	–	–	–
†CLACTON	–	2	2	–	–	–
†COLCHESTER ...	–	1	2	–	5	–
DAGENHAM ...	5	9	3		5	–
EPPING	–		–	9	1	–
†GRAYS THURROCK	–	1	2		1	–
†HARWICH ...	–	–	2	–	–	–
†HORNCHURCH ...	–	–	2	–	1	–
†ILFORD	–	–	2	–	2	–
†LEYTON	–	5	5	–	3	–
LOUGHTON ...	–	–	–	1	–	–
†ROMFORD... ...	–	1	1	–	–	–
TILBURY	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	–	1	–	–	–
†WALTHAMSTOW ...	2	10	7	1	4	
†WANSTEAD ...		1	1	–	–	–
WITHAM		–	1		–	–
†WOODFORD ...	–	1	2		2	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	L. 2
BRAINTREE ...	–	5	–	–	1	–
CHELMSFORD ...	–	–	2	–	–	–
DUNMOW ...	–	–	1	–	–	N. 1
EPPING	–	2	–	1	–	–
LEXDEN AND WINSTREE		–	–	–	1	–
MALDON	–	–	–	–	1	–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	2	1	–	–	–
ROMFORD... ...	–	1	–	–	–	–
TENDRING ...	–	3	–	–	4	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	14	30	–	21	C. 1 M. 2 N. 3
†BRISTOL C.B. ...	–	12	24	–	17	M. 1 N. 3
†GLOUCESTER C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	4	–	–	–
CIRENCESTER ...	–	–	1	–	–	C. 1
†MANGOTSFIELD ...	–	–	–	–	1	–
STOW ON THE WOLD	–	2	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	–	–	–	M. 1
EAST DEAN AND UNITED PARISHES	–	–	–	–	1	–
STOW ON THE WOLD (part)	–	–	–	–	1	–
WHEATENHURST	–	–	–	–	1	–
HEREFORD ...	–	1	4		7	M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	2	–
LEOMINSTER ...	–	–	1	–		–
Rural Districts:—						
DORE	–	–	–	–	1	
HEREFORD ...	–	1	–	–	2	–
KINGTON	–	–	–	–	–	M. 1
LEDBURY... ...	–	–	–	–	2	–
LEOMINSTER AND WIGMORE	–	–	1	–	–	–
ROSS	–	–	1	–	–	
WEOBLEY... ...	–	–	1	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	8	3	1	8	D. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	2	–	–	3	N. 1
BISHOP'S STORTFORD	–	–	–	–	1	–
†CHESHUNT ...	*	*	*	*	*	*
†EAST BARNET VALLEY	–	1	–	–	–	–
ROYSTON	–	–	1	–	–	–
†ST. ALBANS ...	–	1	–	–	1	–
†WATFORD ...	–	1	2		–	–
Rural Districts:—						
BARNET	–	1	–	1	2	–
ST. ALBANS ...	–	–	–		1	–
WARE	–	1	–	–	–	–
WATFORD... ...	–	1	–		–	D. 1
HUNTINGDON ...	–	2	–	–	1	–
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
NORMAN CROSS ...		1	–	–		–
ST. IVES	–	1	–	–		–
KENT	–	53	18	–	53	C. 1 M. 2 N. 2
†CANTERBURY C.B.	–	–	–	–	3	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	2	–
†BECKENHAM ...	–	2	–	–	3	N. 1
†BEXLEY	–	2	–	–	2	
†BROMLEY... ...	–	3	–		2	–
†CHATHAM ...	–	–	–	–	3	–
†CRAYFORD ...	–	1	–		–	–
†DARTFORD ...	–	–	1	–	–	–
†DEAL	–	2	–	–		–
†DOVER ...	–	–	1	–	2	–
†ERITH	–	2	1	–	5	–
†FAVERSHAM ...	–	–	–	–	1	–
†FOLKESTONE ...	–	1	–	–	–	N. 1
†GILLINGHAM ...	–	3	–	–	8	–
†HERNE BAY ...	–	–	–	–	2	–
†MAIDSTONE ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†MARGATE ...	–	1	4	–	1	M. 1
†NORTHFLEET ...	–	1	–	–	–	
†PENGE	–	1	–	–	1	
†RAMSGATE ...	–	1	–	–	1	M. 1
†ROCHESTER ...	–	3	–	–	2	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
SANDWICH ...	–	1	–	–	–	–
SEVENOAKS ...	*	*	*	*	*	*
SIDCUP	–	1	1	–	–	–
†SITTINGBOURNE AND MILTON	–	2	–	–	–	–
SWANSCOMBE ...	–	1	–	–	–	–
WALMER	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	2	–
WROTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BLEAN	–	2	–	–	2	–
BRIDGE	*	*	*	*	*	*
BROMLEY... ...	–	1	1	–	–	–
CRANBROOK ...	–	4	–	–	–	–
DARTFORD ...	–	4	2	–	–	–
DOVER	*	*	*	*	*	*
EAST ASHFORD ...	–	2	–	–	–	–
EASTRY	–	1	6	–	1	–
HOLLINGBOURNE	–	–	–	–	–	C. 1
ISLE OF THANET	–	–	–	–	1	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	2	–	–	2	–
ROMNEY MARSH	–	–	–	–	1	–
SEVENOAKS ...	–	3	1	–	–	–
STROOD	–	2	–	–	2	–
TENTERDEN ...	–	1	–	–	1	–
WEST ASHFORD...	–	–	–	–	1	–
LANCASTER ...	–	244	145	2	373	C. 6 D. 10 E. 1 G. 8 L. 3 M. 23 N. 12
†BARROW IN FURNESS C.B.	–	1	–	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BLACKBURN C.B.	–	1	1	–	14	G. 1 N. 1
†BLACKPOOL C.B.	–	1	1	–	2	C. 1
†BOLTON C.B. ...	–	5	4	–	2	C. 1 M. 1
†BOOTLE C.B. ...	–	2	7	–	2	M. 1 N. 1
†BURNLEY C.B. ...	–	5	1	–	17	–
†BURY C.B. ...	–	1	–	–	5	–
†LIVERPOOL C.B....	–	20	64	–	53	C. 1 D. 3 G. 2 L. 1 M. 16 N. 2
†MANCHESTER C.B.	–	65	3	–	105	C. 1 D. 7 G. 1 M. 3 N. 3
†OLDHAM C.B. ...	–	11	2	–	12	E. 1 N. 1
†PRESTON C.B. ...	–	1	2	–	–	–
†ROCHDALE C.B....	–	12	3	–	6	–
†ST. HELENS C.B.	–	3	5	–	2	C. 1 N. 1
†SALFORD C.B. ...	–	16	12	–	24	–
†SOUTHPORT C.B.	–	4	–	–	6	–
†WARRINGTON C.B.	–	15	2	–	7	–
†WIGAN C.B. ...	–	3	3	–	4	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	1	–	5	–
ADLINGTON ...	–	–	–	–	2	–
†ASHTON IN MAKERFIELD	–	–	–	–	1	–
†ASHTON-UNDER-LYNE	–	6	1	–	5	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	–	–	–	3	–
AUDENSHAW ...	*	*	*	*	*	*
†BACUP	–	–	1	–	–	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY	–	3	–	–	4	–
CHURCH	–	–	1	–	–	–
†CLITHEROE ...	–	–	–	–	1	–
†COLNE	–	–	1	–	2	–
†CROMPTON ...	–	1	–	–	2	–
†DARWEN	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†DENTON	–	3	–	–	2	–
†DROYLSDEN ...	–	1	–	–	3	–
†ECCLES	–	1	–	–	1	–
†FAILSWORTH ...	–	1	–	–	2	–
†FARNWORTH ...	–	–	–	–	1	–
†FLEETWOOD ...	–	–	–	–	1	N. 1
FORMBY	–	1		–	–	–
FULWOOD ...	–	–	–	–	1	–
GOLBORNE ...			–	–	1	–
GRANGE	–	1	–		–	–
†GREAT CROSBY ...	–	6	6	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK... ...	–	2	–	–		–
†HEYWOOD ...	–	2	–	–	–	G. 1
†HINDLEY	–	1	–	–	–	–
†HORWICH... ...	–	1	–	–	4	–
HUYTON WITH ROBY	*	*	*	*	*	*
IRLAM	–	1	–	–	–	
KEARSLEY ...	–	–	–	–	2	–
†LANCASTER ...	–		–	–	3	–
LEES		–	–	–	–	G. 1
†LEIGH	–	1	2	–	6	
LEYLAND... ...	–	2	1	–	–	–
†LITHERLAND ...	–	1	3			–
LONGRIDGE ...	–	1	–	–	1	–
†LYTHAM ST. ANNE'S			–	–	1	N. 1
†MIDDLETON ...	–	5	1	–	10	
†MORECAMBE AND HEYSHAM	–	3	1	–	–	M. 2
†MOSSLEY	–	1		–	–	
†NELSON	–	2	–	–	3	–
†NEWTON IN MAKERFIELD	–	1	1	–	3	–
†OSWALDTWISTLE	–	–		–	1	–
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	–	–	–	2	–
†RADCLIFFE ...	–	1	1	–	–	–
†RAMSBOTTOM ...	–	–		–	1	–
†RAWTENSTALL ...	–	–	1	–	1	–
RISHTON		1	–	–	1	–
†ROYTON	–	–	–	–	2	–
†STRETFORD ...	–	3	4	–	2	N. 1
†SWINTON AND PENDLEBURY		3	–	–	3	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
THORNTON CLEVELEYS	–	1	–	–	–	–
TOTTINGTON ...	–	2	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	3	–
†ULVERSTON ...	–	1	–		–	–
WARDLE... ...	–	–	1	–	–	–
†WATERLOO WITH SEAFORTH	–	3	4	–	1	–
†WESTHOUGHTON	–	–	–	–	4	G. 1
†WIDNES	–	4	1	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	2	–
BLACKBURN ...	–	1	–	–	1	G. 1
BURNLEY ...	–	–	–	1	–	–
CHORLEY	–	–	1	1	–	C. 1
CLITHEROE ...	–	–	–	–	1	L. 1
FYLDE	–	–	1	–	–	–
GARSTANG ...	–	2	–	–	–	–
LEIGH	–	–	–	–	1	–
LIMEHURST ...	–	–	–	–	2	–
PRESTON	–	–			3	–
WARRINGTON ...	–	1	–	–	–	–
WHISTON... ...	–	1	–	–	–	L. 1
WIGAN	–	–	–	–	1	–
LEICESTER ...	96	15	7	–	18	D. 1 G. 1 M. 3 N. 1
†LEICESTER C.B....	59	5	3	–	6	D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–		–	1	–
†COALVILLE ...	5	–	–	–	1	–
†HINCKLEY ...	–	–	–	–	3	–
†LOUGHBOROUGH	8	3	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
QUORNDON ...	–	–	1	–	–	–
SHEPSHED ...	2	1	–	–	–	–
THURMASTON ...	1	–	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	G. 1
BARROW UPON SOAR	3	1		–	2	
BLABY	1	2	1	–	–	M. 1
CASTLE DONINGTON	–	–	1	–	–	–
HINCKLEY ...	1	–	–	–	1	–
LOUGHBOROUGH	–	2	–	–	–	–
MARKET BOSWORTH	16	–	–	–	–	M. 1
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).		9	2	–	–	M. 2
Boroughs and Urban Districts:—						
†BOSTON	–	3	–	–	–	
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
BOSTON	–	6	1	–	–	M. 1
EAST ELLOE ...	–	–	–	–	–	M. 1
LINCOLN (parts of Kesteven).	–	1	–	1	2	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts —						
BRANSTON ...	–	–	–	1	–	M. 1
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	7	15	7	–	22	M. 1 N. 1
†GRIMSBY C.B. ...	5	2	2	–	4	M. 1 N. 1
†LINCOLN C.B. ...	–	1	2	–	3	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–		–	2	–
†CLEETHORPES ...	–	2	1	–	1	–
†GAINSBOROUGH ...	2	2	–	–	5	–
LOUTH	–	1	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	3	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	1	–
GLANFORD BRIGG		–	1	–	2	–
HORNCASTLE ...	–	1	–	–	–	–
SPILSBY	–	4	–	–	1	–
WELTON	–	1	–	–	–	–
MIDDLESEX ...	–	77	42	–	65	D. 1 G. 2 N. 2
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	–	G. 1
†BRENTFORD AND CHISWICK	–	1	3	–	1	–
†EALING	–	3	1	–	1	–
†EDMONTON ...	–	3	1	–	4	G. 1 N. 1
†ENFIELD	–	3	3	–	8	–
†FELTHAM... ...	–	1	1	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FINCHLEY ...	–	3	–	–	–	–
†FRIERN BARNET...	–	1	2	–	1	–
†HAMPTON ...	–	1	1	–		–
†HARROW ON THE HILL	–	4	1	–	1	–
†HENDON	–	3	5	–	3	–
†HESTON AND ISLEWORTH	–	8	–	–	3	–
†HORNSEY	–	7	2	–	4	–
RUISLIP NORTHWOOD	–	1	2	–	–	–
†SOUTHALL NORWOOD	–	2	2	–	1	–
†SOUTHGATE ...	–	–	1	–	1	–
SUNBURY ON THAMES	–	–	1	–		–
†TOTTENHAM ...	–	10	4	–	18	–
†TWICKENHAM ...	–	1	1	–	2	–
†UXBRIDGE ...	–	7	1	–	–	D. 1
†WEALDSTONE ...	–	2	–	–	2	–
†WEMBLEY ...	–	1	2		3	–
†WILLESDEN ...	–	12	5	–	11	N. 1
†WOOD GREEN ...	–	–	1	–	–	–
†YIEWSLEY AND WEST DRAYTON	–	–	2	–		–
Rural Districts:—						
HENDON	–	2	–		1	–
NORFOLK ...	–	11	4	1	15	D. 2 M. 2 N. 1
†GREAT YARMOUTH C.B.	–	1	3	–	1	–
†NORWICH C.B. ...	–	1	–	1	2	D. 2 M. 2 N. 1
Boroughs and Urban Districts:—						
CROMER	–	1	–	–	–	–
SHERINGHAM ...	*	*	*	*	*	*
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	*	*	*	*	*	*
BLOFIELD ...	*	*	*	*	*	*
DEPWADE ...	–	1	–	–	1	–
DOCKING	–	–	–	–	5	–
DOWNHAM ...	–	–	–	–	2	–
EAST AND WEST FLEGG	–	–	1	–	–	–
ERPINGHAM ...	*	*	*	*	*	*
FOREHOE	–	1	–	–		–
HENSTEAD ...	–	2	–	–	–	–
KING'S LYNN ...	–	1	–	–	–	–
LODDON AND CLAVERING	–		–	–	2	–
MARSHLAND ...	–	2	–	–	–	–
MITFORD AND LAUNDITCH	–		–	–	2	–
WAYLAND ...	–	1		–	–	–
NORTHAMPTON	1	9	15	–	14	–
†NORTHAMPTON C.B.	–	4	6	–	8	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	1	–	–	–
DESBOROUGH ...	1	–	–	–	–	–
FINEDON	–	–	4	–	–	–
†KETTERING ...	–	2	1	–	1	–
†RUSHDEN... ...	–	1	–	–	4	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	1	–	1	–
HARDINGSTONE ...	–	–	1	–	–	–
OXENDON... ...	–	1	1	–	–	–
NORTHUMBERLAND.	–	27	6	–	69	D. 2 M. 1 N. 4
†NEWCASTLE UPON TYNE C.B.	–	15	1	–	39	D. 2 N. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J. Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
†TYNEMOUTH C.B.	–	1		–	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	3	–
†BEDLINGTONSHIRE	–	–	–	–	9	–
†BLYTH	–	1	–	–	4	–
†EARSDON	–	2	–	–		–
†GOSFORTH ...	–	2			–	–
†LONGBENTON ...	–	–	–	–	–	N. 1
NEWBIGGIN BY THE SEA	–	–	–	–	2	–
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE... ...	*	*	*	*	*	*
SEATON DELAVAL	–	–	–	–	1	
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	2	4	–	3	–
WEETSLADE ...		2	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	2	–
Rural Districts:—						
CASTLE WARD ...	–	–	1	–	–	–
HEXHAM	–	–	–	–	1	–
NOTTINGHAM ...	–	33	17	–	59	D. 4 G. 1 M. 4 N. 2
†NOTTINGHAM C.B.	–	12	10	–	18	N. 2
Boroughs and Urban Districts:—						
†BEESTON	–	1	2	–	1	–
†CARLTON	–	–	1	–	6	–
†EAST RETFORD ...	–	2	–	–	1	M. 1
†HUCKNALL ...	–	1		–	6	–
†KIRKBY IN ASHFIELD	–	2	–	–	–	D. 1
†MANSFIELD ...	–	2	1	–	6	D. 2 M. 1
†MANSFIELD WOODHOUSE	–	–	–	–	1	D. 1
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON IN ASHFIELD		4	2	–	4	–
†WEST BRIDGFORD	–	–	–	–	1	–
†WORKSOP... ...	–	–	–	–	1	M. 1
Rural Districts:—						
BASFORD	–	7		–	8	M 1.
BINGHAM... ...	–	1	–	–	–	–
EAST RETFORD ...	–	–	–	–	2	–
SKEGBY		1	–	–	1	G. 1
SOUTHWELL ...	–	–		–	1	–
STAPLEFORD ...	–		–	–	1	–
WORKSOP... ...	–	–	1	–	1	–
OXFORD	–	2	–	–	13	M. 1
†OXFORD C.B. ...	–	2		–	4	M. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	–		1	–
Rural Districts:—						
BICESTER... ...	–	–	–	–	6	–
WOODSTOCK ...	–	–	–	–	2	–
PETERBOROUGH (Soke of).	–	1	–	–	2	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	2	–
SALOP	–	5	5	2	12	C. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	3	–	–	–	–
ELLESMERE ...	–	–	–		1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
LUDLOW	–	–	2	–	–	–
OSWESTRY ...	–	–	1		–	M. 1
†SHREWSBURY ...	–	1	1		–	C. 1 N. 1
WELLINGTON ...	–	–	–	–	1	–
WHITCHURCH ...	–	–	–	–	1	–
Rural Districts:—						
ATCHAM	–	–	–	2	1	–
CLEOBURY MORTIMER		1	–	–	–	–
DRAYTON	–	–	1	–	3	–
ELLESMERE ...	–	–	–	–	1	N. 1
NEWPORT... ...	–			–	1	–
OSWESTRY ...	–	–	–	–	1	–
SHIFNAL	–	–	–	–	–	N. 1
WHITCHURCH ...	–	–	–		2	–
SOMERSET ...	–	14	21	–	18	M. 3 N. 1
†BATH C.B. ...	–	2	2	–	–	N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	1	–
CLEVEDON ..	–	–	1	–	–	–
CREWKERNE ...	–	–	–	–	1	–
†FROME	–	1	–	–	–	–
GLASTONBURY ...	–		–	–	1	–
ILMINSTER ...	–	2	–	–	–	–
MIDSOMER NORTON			–	–	1	–
†TAUNTON... ...	–	4	–	–	–	–
†WESTON SUPER MARE	–	–	12	–	1	M. 1
†YEOVIL	–	–	2	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	1	1	–	–	M. 1
BATH	–	1	1	–	–	–
CLUTTON	–	–	–	–	2	–
FROME	–	–	–	–	–	M. 1
SOMERSET—*cont.*						
Rural Districts—*cont.*						
KEYNSHAM ...	–	–	–	–	2	–
LONG ASHTON ...	–	–	1	–	2	–
SHEPTON MALLET		1	–	–	–	–
TAUNTON ...	–	–	–	–	3	–
WELLS	–	1	–	–	1	
YEOVIL	–	–	1	–	1	–
SOUTHAMPTON	–	28	23	1	9	C. 1 D. 2 G. 1 M. 4 N. 2
†BOURNEMOUTH C.B.		1	3	–	1	–
†PORTSMOUTH C.B.	–	10	8		1	D. 2
†SOUTHAMPTON C.B.	–	3	5	1	2	C. 1 G. 1 M. 3 N. 2
Boroughs and Urban Districts:—						
ANDOVER... ...	–		3	–	1	–
†BASINGSTOKE ...	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	1	–	–	1	–
†GOSPORT	–	3	–	–	–	–
†WINCHESTER ...	–	–	–	–	2	–
Rural Districts:—						
ANDOVER... ...	–	–	2	–	–	–
CATHERINGTON ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	–	1	–	–	M. 1
HAVANT	–	1	–	–	–	–
NEW FOREST ...	–	2	–	–	1	–
ROMSEY	–	1	–	–	–	–
STOCKBRIDGE ...	–	–	1	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	1	27	31	–	148	D. 3 G. 1 M. 7 N. 6
†Burton upon Trent C.B.	–	3	–	–	–	
†Smethwick C.B.	–	–	5	–	16	M. 1 N. 1
†Stoke on Trent C.B.	1	3	2	–	42	M. 2 N. 1
†Walsall C.B. ...	–	2	–	–	5	D. 2
†West Bromwich C.B.	–	6		–	12	M. 1
†Wolverhampton C.B.	–	3	3	–	5	M. 2
Boroughs and Urban Districts:—						
Biddulph ...	–	–	–	–	1	N. 1
†Bilston	–	–	–	–	2	–
†Brierley Hill ...	–	–	1	–	–	–
†Brownhills ...	–	–	3	–	2	–
†Darlaston ...	–	–	–	–	1	–
Kidsgrove ...	–	–	1	–	1	–
†Newcastle under Lyme	–	–	3	–	2	–
Quarry Bank ...	–	–	–	–	3	–
†Rowley Regis ...	–	1	–	–	7	–
†Sedgley	–	–	2	–	8	–
†Stafford ...	–	–	1	–	2	–
Tamworth ...	–	1	–		3	–
Tettenhall ...	–	–	–	–	–	D. 1
†Tipton	–	–	–	–	1	N. 2
†Wednesbury ...	–	–	1	–	7	G. 1 M. 1
†Willenhall ...	–	–	1	–	5	–
†Wolstanton United	–	1	–		5	–
Rural Districts:—						
Cannock	–	1	1	–	1	–
Cheadle	–	1	1	–	8	–
Kingswinford ...	–	1	3	–	–	–
Leek	–	–	2	–	2	–
Lichfield ...	–	–	–		1	–
Newcastle under Lyme	–	–	–	–	1	–
Stafford ...	–	4	–	–	–	N. 1
Tamworth (part)	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
Walsall	–	–	1	–	3	–
SUFFOLK, EAST	–	15	2	–	9	C. 1 D. 1 G. 1 N. 1
†Ipswich C.B. ...	–	10	–	–	1	C. 1 D. 1 G. 1
Boroughs and Urban Districts:—						
Aldeburgh ...	–	–		–	1	–
Beccles	–	1	–	–	–	–
Bungay	–	–	–	–	1	–
†Lowestoft ...	–	–	1	–	3	–
Rural Districts:—						
Bosmere and Claydon	–	3	–	–	–	N. 1
Hartismere ...	–	–	1	–	–	–
Plomesgate ...	–	–	–	–	1	–
Wangford ...	–		–	–	1	–
Woodbridge ...	–	1	–	–	1	–
SUFFOLK, WEST	–	–	2	–	2	–
Boroughs and Urban Districts:—						
Glemsford ...	*	*	*	*	*	*
Hadleigh ...	–	–	–	–	1	–
Newmarket ...	–	–	1		–	–
Sudbury	*	*	*	*	*	*
Rural Districts:—						
Brandon	–	–	1	–	–	–
Melford	*	*	*	*	*	*
Mildenhall ...	–	–		–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	1	52	32	2	27	C. 1 L. 2 M. 1 N. 2
†Croydon C.B. ...	1	13	4	–	3	–
Boroughs and Urban Districts:—						
†Barnes	–	3	–	–	1	–
†Beddington and Wallington	–	1	1	–	–	–
†Carshalton ...	–	–	3	–	2	–
†Caterham and Warlingham	–	2	–	–	–	–
†Chertsey ...	–			–	1	–
†Coulsdon and Purley	–	1	–	–	–	–
East and West Molesey	–	1		–	–	–
†Egham		3			–	
†Epsom		–	–	1	–	L. 2
†Farnham ...	–	2	–		–	–
†Frimley		4		–	–	–
†Guildford ...	–	–	–	–	1	–
Haslemere ...	–	1	–	–	–	–
†Kingston on Thames	–	1	1	–	4	–
†Merton and Morden	–	3	5	–	–	–
†Mitcham	–	2			2	C. 1 M. 1
†Reigate	–	1	13	–	1	–
†Richmond ...	–	2	1	–	–	–
†Surbiton ...	–	–	–	–	6	–
†Sutton and Cheam	–	2	–	–	1	–
†The Maldens and Coombe	–	1	–	–	–	–
†Walton upon Thames	–	–		–	–	N. 1
Weybridge ...	–	1	–	–	–	–
†Wimbledon ...	–	2	3	–	–	–
†Woking	–	1	–	–	1	–
Rural Districts:—						
Chertsey ...	–	–	–	–	1	–
Epsom	–	2	–	1	–	–
Farnham ...	–	–	1	–	–	
Godstone ...	–	1	–	–	–	–
Guildford ...		1	–	–	–	
Hambledon ...	–	1	–	–	2	
Reigate	–	–	–	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST...	–	8	9	–	19	N. 2
†Brighton C.B.	–	3	5	–	2	N. 1
†Eastbourne C.B.	–	–	–	–	2	–
†Hastings C.B. ...	–	–	2	–	2	N. 1
Boroughs and Urban Districts:—						
†Bexhill	–	1	–	–	–	–
Burgess Hill ...	–			–	3	–
East Grinstead	*	*	*	*	*	*
†Hove	–	2	–	–	–	–
Newhaven ...	–		–	–	2	–
Rural Districts:—						
Chailey	–	–	–	–	1	–
Cuckfield ...	–	–	–	–	1	–
East Grinstead	–	–	1	–	–	–
Hailsham ...	–		1	–	6	–
Ticehurst ...	–	2	–		–	–
SUSSEX, WEST...	–	5	2	–	5	C. 1 N. 1
Boroughs and Urban Districts:—						
†Chichester ...		1		–	3	N. 1
Shoreham by Sea	–	1	–	–	1	C. 1
†Worthing ...	–	2	–	–	–	–
Rural Districts:—						
Midhurst ...	–	–	1	–	–	–
Petworth ...	–	–	1	–	–	–
Thakeham ...	–		–	–	1	–
Westbourne ...	–	1	–	–	–	–
WARWICK ...	–	61	56	1	157	C. 6 D. 2 M. 10 N. 12
†Birmingham C.B.	–	47	46	1	111	C. 4 D. 2 M. 8 N. 9
†Coventry C.B. ...	–	3	5	–	2	C. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	2	–	–	4	–
BULKINGTON ...	–	–	1	–	–	–
†NUNEATON ...	–		–	–	9	–
†ROYAL LEAMINGTON SPA	–	1	–	–	5	C. 1
†RUGBY	–		–	–	2	–
†STRATFORD ON AVON	–	–	–	–	2	–
†SUTTON COLDFIELD		1	–		2	–
†WARWICK ...		–	–	–	2	–
Rural Districts:—						
ATHERSTONE ...	–	–	1	–	7	N. 2
FOLESHILL ...	–	2	–	–	2	–
MERIDEN... ...	–	–	–	–	3	–
NUNEATON ...	–	–		–	1	–
RUGBY	–	3	1		1	M. 1
SOLIHULL ...	–	–	1	–	–	N. 1
SOUTHAM... ...		–	–	–	2	–
STRATFORD ON AVON	–	1	–			–
TAMWORTH (part)	–	–	1	–	1	–
WARWICK ...	–	1	–		1	–
WESTMORLAND	–	1	–	–	6	G. 1 M. 1
Boroughs and Urban Districts:—						
APPLEBY	–	–		–		M. 1
†KENDAL	–	–	–	–	1	–
KIRKBY LONSDALE	–	–	–	–	2	–
WINDERMERE ...	–	–	–	–	–	G. 1
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	2	–
WEST WARD ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF	–	1	–	–	3	M. 1
Boroughs and Urban Districts:—						
EAST COWES ...	–	–	–	–	1	–
SANDOWN ...	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT ...	–		–	–	2	M. 1
WILTS	–	8	10	–	19	–
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
CHIPPENHAM ...		1	–	–	–	–
DEVIZES	–	–	1	–	–	–
MELKSHAM ...	–	–	1	–	–	–
†SALISBURY ...	–	1	1	–	–	–
†SWINDON... ...		–	3	–	11	–
†TROWBRIDGE ...		–	2	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	2	–
CRICKLADE AND WOOTTON BASSETT	–	–	–		1	–
DEVIZES	–	1	–	–	–	–
HIGHWORTH ...	–	–	–	–	3	–
MARLBOROUGH ...	–	–	–	–	1	–
MELKSHAM ...	–	–	–	–	1	–
PEWSEY	–	2	–		–	–
RAMSBURY ...	–	–	1	–		–
SALISBURY ...	–	–	1	–	–	–
WESTBURY AND WHORWELLSDOWN		1	–	–	–	–
WORCESTER ...	1	20	3	–	27	N. 1
†DUDLEY C.B. ...	–	–	1	–	1	–
†WORCESTER C.B.	–	3	1	–	3	–

† Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER— *cont.*						
Boroughs and Urban Districts:—						
BEWDLEY ...	–		–	–	1	–
†HALESOWEN ...		–		–	6	–
†KIDDERMINSTER	–	2	1		1	–
†LYE AND WOLLESCOTE		1	–	–	5	–
†MALVERN ...	–	5	–	–	1	
†OLDBURY ...	–	1	–		5	N. 1
†REDDITCH ...	–	2	–	–		
†STOURBRIDGE ...	1	3	–	–	2	–
STOURPORT ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	–	
MARTLEY	–	–		–	1	–
YORKS ... ... (East Riding).	–	11	36	1	34	M. 1 N. 1
†KINGSTON UPON HULL C.B.	–	10	30		20	M. 1 N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...			–		7	–
†BRIDLINGTON ...	–	–	1	–	1	–
COTTINGHAM ...	–		–	1	–	–
FILEY	–	–	1	–	–	–
POCKLINGTON ...	–	–		–	3	
WITHERNSEA ...		–		–	1	–
Rural Districts:—						
BRIDLINGTON ...	–	–	2	–	–	–
PATRINGTON ...	–		1		1	–
POCKLINGTON ...	–	1	–	–	–	–
SCULCOATES ...	–	–	1	–	–	–
SKIRLAUGH ...	–				1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	–	20	2	1	51	C. 2
†MIDDLESBROUGH C.B.	–	7	–	–	21	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	–	–	–	5	–
GUISBOROUGH ...	–	–		–	4	
HINDERWELL ...	–	–	1	–	–	–
KIRKLINGTON CUM UPSLAND	*	*	*	*	*	*
LOFTUS	–	–	1	–	3	–
†REDCAR	–	1	–	–	–	–
SCALBY	–	3	–	–	–	–
†SCARBOROUGH ...	–	1		–	6	–
†SKELTON AND BROTTON	–	2	–	–	3	–
†THORNABY ON TEES	–	–	–	–	2	–
†WHITBY	–	2	–	–	2	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	1	–	–
GUISBOROUGH ...	–	–	–	–	1	–
HELMSLEY ...	–	1	–	–		–
MIDDLESBROUGH	–	–		–	1	–
PICKERING ...		1	–		1	–
RICHMOND ...	–	–	–	–	1	–
SCARBOROUGH ...	–	1		–		–
STARTFORTH ...	–	1	–	–	1	C. 1
YORKS ... ... (West Riding).	15	157	74	2	301	C. 7 D. 28 M. 4 N. 11
†BARNSLEY C.B. ...	–	3	2	–	8	D. 2
†BRADFORD C.B. ...	–	17	8	–	34	C. 1 D. 1 M. 2
†DEWSBURY C.B....	–	2	1	–	2	N. 1
†DONCASTER C.B....	–	–	2	–	1	D. 3
†HALIFAX C.B. ...	–	6	3		5	–
†HUDDERSFIELD C.B.	–	1	3	–	10	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†Leeds C.B. ...	-	35	11	1	34	C. 1 D. 1 M. 1 N. 4
†Rotherham C.B.	-	-	3	-	7	D. 2
†Sheffield C.B....	10	13	9	-	94	C. 3 D. 1 N. 4
†Wakefield C.B.	-	1	1	-	3	-
Boroughs and Urban Districts:—						
†Adwick le Street	-	1	2		1	D. 1
Altofts	-	-	-	-	1	-
†Barnoldswick ...	-	1			-	-
†Batley	-	1	1	-	-	-
†Bentley with Arksey	-	1	-	-	2	D. 1
†Bingley	-	2		-	7	C. 1
Birkenshaw ...	-	3	1	-	-	-
†Bolton upon Dearne		1				-
†Brighouse ...	-	-	1	-	-	-
†Castleford ...	-			-	1	N. 1
†Conisbrough ...	-	-	-	-	-	D. 1
Cudworth ...	-	2	-		-	-
Darfield ...	-	-	-	-	2	-
†Darton		1	-		1	-
Drighlington ...	-		1	-	-	-
Earby	-	-	-	-	1	-
Flockton ...	-		-	-	1	-
Garforth ...		1	-	-	-	-
†Golcar	-		1	-		-
†Goole	-	-	-	-	1	-
Greasbrough ...	-	-	-	-	1	D. 1
†Harrogate ...		2	-	-	4	-
Hebden Bridge	-	-	-	-	2	-
Heckmondwike	-	1	-	-		-
†Hemsworth ...	-		-	-	6	-
Horbury... ...	-	1		-	-	-
†Hoyland Nether	-	-	-	-	2	D. 1
Keighley ...	-	3	-	-	3	N. 1
†Kirkburton ...	-	-	-	-	4	-
Maltby	-	-	-	-		D. 2
†Mexborough ...		1	-	-	1	-
Midgley... ...	-	1	-	-	-	-
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Morley	-	1	-	-	3	-
Mytholmroyd ...	-	-	-	-	2	-
New Mill ...	-	-	1	-	1	-
†Normanton ...	-	3	-	-	-	-
†Ossett	-	1		-	-	M. 1
Otley	-	2	-	-	-	
†Pontefract ...	-	2	-	-	-	-
†Pudsey	-	2	-	-	2	-
Queensbury ...	-	-	1	-	-	-
†Rawmarsh ...		-	1	-	2	D. 1
†Rothwell ...	-	-	-	-	1	-
Shelf	1	-	-	-	-	-
†Shipley		1		-	1	-
†Skipton	-	3		-	-	
†Sowerby... ...	-	1		-	1	-
†Spenborough ...	-	-	-		4	C. 1
Springhead ...	-	1	-	-	1	-
†Stanley	-		1	-	-	
Stocksbridge ...	-	1	-	-	3	-
†Swinton		-	-	-	2	D. 1
Thurnscoe ...	-	-	1	-	-	-
Thurstonland and Farnley Tyas	-	-	-	-	1	
†Todmorden ...	-	3	-	-	1	-
†Wath upon Dearne	1	-		-	-	-
†Wombwell ...	-	-	1	-	6	D. 2
†Worsborough ...	-	1	-	-	1	-
Rural Districts:—						
Barnsley ...	-	-	-	-	1	-
Doncaster ...	-	4	-	-	3	D. 2
Goole	-	2	2		-	
Hemsworth ...	-	7	3	-	5	D. 3
Hunslet	-	1	-	-	-	-
Kiveton Park ...	2	3	1	-	3	-
Knaresborough	-	1	-	-	-	-
Pontefract ...	-	2	1	-	-	-
Rotherham ...	1	2	6		10	D. 2
Selby	-	1	-	1	-	-
Settle	-		-	-	1	-
Skipton		2	-	-	1	-

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—*cont.*						
TADCASTER ...	–	5	2		2	–
THORNE	–		–	–	1	–
WAKEFIELD ...		1	1	–	2	–
WETHERBY ...	–	1	2	–	–	–
WHARFEDALE (SOUTH)	–	–			1	–
WORTLEY... ...	–	2		–	–	–
YORK, CITY OF ..	–		–	–	1	D. 1
†YORK C.B. ...	–	–	–	–	1	D. 1
WALES.						
ANGLESEY ...		–	–	–	–	M. 1
Borough and Urban Districts:—						
†HOLYHEAD ...	–	–	–	–	–	M. 1
BRECKNOCK ...	–	1	6	1	7	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–		–
BRYNMAWR ...	–	–	–	–	2	–
HAY	–	–	1	–	–	–
LLANWRTYD ...	–	–	–	–	1	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	*	*	*	*	*	*
BUILTH	–	–	–	1	–	–
CRICKHOWELL ...		–	–	–	1	–
HAY	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BRECKNOCK—*cont.*						
Rural Districts—*cont.*						
VAYNOR AND PENDERYN	–	–	1	–	–	–
YSTRADGYNLAIS	–	–	1	–	2	–
YSTRADFELLTE (parish)	–	–	–	–	1	–
CAERNARVON...	–	–	3	–	1	–
Boroughs and Urban Districts:—						
CONWAY	–	–	2	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	–	1	–	–	–
GWYRFAI... ...	–	–	–	–	1	–
CARDIGAN ...	–	4	–		–	–
Rural Districts:—						
ABERAYRON ...	–	1	–	–	–	–
LLANDYSSIL ...	–	3	–	–	–	–
CARMARTHEN...	–	1	12	–	7	
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	2	–	–	–
KIDWELLY ...	–	1	2	–		–
LLANDILO ...	–	–		–	1	–
†LLANELLY ...	–	–	–	–	2	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	–	4	–	–	–
LLANELLY ...	–	–	3	–	3	–
LLANYBYTHER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	15	18	–	9	–
Boroughs and Urban Districts:—						
†Colwyn Bay ...	–	–	1	–	–	–
Denbigh ...	–	–	1	–	1	–
Ruthin	–	–	3	–	–	–
†Wrexham ...	–	5	2	–	1	–
Rural Districts:—						
Chirk	*	*	*	*	*	*
Llangollen ...	–	–	1	–	–	–
Ruthin	–	2	1	–	–	–
Uwchaled ...	–	–	–	–	1	–
Wrexham ...	–	8	9	–	6	–
FLINT	–	1	2	–	4	–
Boroughs and Urban Districts:—						
Buckley	–	–	1	–	–	–
Rural Districts:—						
Hawarden ...	–	–	–	–	2	–
Holywell ...	–	–	1	–	1	–
Overton	–	1	–	–	–	–
St. Asaph (Flint)	–	–		–	1	–
GLAMORGAN ...	13	39	60	–	76	C. 6 M. 2 N. 7
†Cardiff C.B. ...	–	10	11	–	10	C. 3 M. 1 N. 4
†Merthyr Tydfil C.B.	–	1	1	–	6	C. 1
†Swansea C.B. ...	–	1	4	–	3	N. 1
Boroughs and Urban Districts:—						
†Aberdare ...	–	–	1	–	5	–
†Barry	–	–	–	–	–	N. 1
Bridgend ...		–	–	–	–	C. 2
†Caerphilly ...	–	1	1	–	1	–
†Gelligaer ...	–	2	–		5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Llwchwr ...	–	–	3	–	3	–
†Maesteg... ...	–	1	1	–	1	–
†Mountain Ash...	13	1	2	–	8	–
†Neath	–	1	3	–	1	–
†Ogmore and Garw	–	6	–	–	5	–
†Pontypridd ...	–	–	1	–	7	–
Porthcawl ...	–	–	–	–	1	N. 1
†Port Talbot ...	–	1	4	–	–	–
†Rhondda ...	–	5	24	–	15	M. 1
Rural Districts:—						
Cardiff	–	4	–	–	1	–
Cowbridge ...	–	–	1	–	3	–
Llantrisant and Llantwitfardre	–	2	1	–	–	–
Neath	–	1	–	–	1	–
Penybont ...	–	1	–	–	–	–
Pontardawe ...		1	2	–	–	–
MERIONETH ...	–	–	1	–	–	–
Urban District:—						
Ffestiniog ...		–	1		–	–
MONMOUTH ...	–	20	13	–	44	–
†Newport C.B. ...	–	8	3	–	16	–
Boroughs and Urban Districts:—						
†Abercarn ...	–	1	–	–	4	–
Abergavenny ...	*	*	*	*	*	*
†Abersychan ...	–	–	1	–	–	–
†Abertillery ...	–	7	1	–	4	–
Bedwas and Machen		–	–	–	4	–
†Ebbw Vale ...	–	3	1	–	7	–
†Mynyddislwyn	–	–	3	–	–	–
†Nantyglo and Blaina	–	–	–	–	2	–
†Rhymney ...	–	–	1	–	–	–
†Risca	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH— *cont.*						
Rural Districts:—						
Chepstow ...	–	–	–	–	2	–
Magor	–	–	–	–	1	–
Pontypool ...	–	–	–	–	2	–
St. Mellons ...	–	1	1	–	1	–
MONTGOMERY...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
Newtown and Llanllwchaiarn	–	–	–	–	–	M. 1
Llanfyllin ...	–	1	–	–	–	–
PEMBROKE ...	–		–	–	11	–
Boroughs and Urban Districts:—						
Goodwick ...	*	*	*	*	*	*
†Pembroke ...	–	–	–	–	1	–
PEMBROKE— *cont.*						
Rural Districts:—						
Haverfordwest	–	–	–	–	3	–
Narberth ...	–	–	–	–	6	–
St. Dogmells ...	–	–	–	–	1	–
RADNOR						
Urban Districts:—						
Llandrindod Wells	*	*	*	*	*	*
Presteigne ...	*	*	*	*	*	*
Total of Part II....	191	1281	882	33	2079	C. 36, D. 66, E. 1, G. 18, J. 1, L. 7, M. 90, N. 98

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Barnstaple	*	*	*	*	*	*
Penzance	*	*	*	*	*	*
Plymouth	–	–	–	–	1	–
Southampton ...	–	–		1	–	–
Port of London ...	–	–	–	–	1	–
Total of Part III. ...	–	–	–	1	2	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below)
Total of Part I.—London	36	219	164	1	192	C. D. E. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	191	1281	882	33	2079	C. D. E. G. J. L. M. N.
Total of Part III.—Port Sanitary Districts	-	-	-	1	2	-
Total (i.e., of returns received), England and Wales ...	227	1500	1046	35	2273	C. D. E. G. J. L. M. 1 N. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	Dec. 13.	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Feb. 28.	Mar. 7.	Totals from 1st Week of year. * 1930.	1931.
ON :—															
BIRTHS	1,255	1,341	821	1,589	1,438	1,421	1,422	1,383	1,401	1,397	1,317	1,407	1,384	12,914	12,570
BIRTHS	51	39	21	50	61	50	39	41	33	51	59	47	49	433	430
HS (excluding Still-hs)—all ages.	1,082	1,175	1,185	1,356	1,452	1,467	1,415	1,434	1,496	1,620	1,578	1,457	1,347	10,410	13,266
HS—0 to 1 year ..	92	74	89	107	112	116	115	132	125	145	92	108	111	951	1,056
T TOWNS, aggre- (including Lon- :—															
BIRTHS	5,896	6,202	3,997	7,120	6,760	6,470	6,502	6,180	6,308	6,349	6,320	6,631	6,562	57,813	58,082
BIRTHS	286	267	216	311	305	282	270	295	244	278	315	282	289	2,603	2,560
HS (excluding Still-hs)—all ages.	4,878	5,165	4,843	5,587	6,451	6,493	6,249	6,052	6,178	6,834	6,826	6,879	6,480	45,841	58,442
HS—0 to 1 year ..	440	476	474	557	622	626	633	645	650	748	697	686	629	4,450	5,936
RIC FEVER—Cases	14	13	7	15	10	11	20	9	10	24	22	19	6	150	131
„ Deaths	1	1	—	3	1	1	3	2	4	2	1	2	—	18	16
L POX—Cases ..	112	111	105	131	162	154	198	194	147	150	186	189	158	2,521	1,538
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	1	—	—	7	1
ET FEVER—Cases	1,164	1,140	901	1,064	886	907	960	935	907	925	917	922	826	13,823	8,185
„ Deaths	6	8	11	16	8	9	8	7	7	9	8	4	7	106	67
THERIA—Cases ..	891	860	617	831	775	793	922	894	820	781	735	749	628	10,191	7,097
„ Deaths ..	35	43	33	43	32	39	53	43	50	29	48	42	42	495	378
LES—Deaths ..	57	71	59	62	77	94	73	72	72	80	97	70	73	769	708
ENZA—Deaths ..	60	58	59	60	101	146	242	309	331	456	509	546	471	708	3,111

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections g been made for changes in boundary. The live births are derived from the weekly returns furnished by the trars and differ from those published for the towns in the Quarterly Return which are corrected for births ring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 7th March, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡
	°	°	°	°			°	°	°	°	
DON (GREENWICH).	44	24	40·0	30·4	1	HUDDERSFIELD	40	19	37·3	23·4	3
						BRADFORD ..	37	22	35·3	25·7	3
GHTON ..	47	27	42·3	32·7	8	SHEFFIELD ..	40	23	36·7	27·4	3
TSMOUTH ..	44	29	42·2	33·2	16	YORK (MUSEUM)	43	23	39·4	27·6	4
WICH (EATON)	§	§	§	§	§	HULL (PEARSON PARK).	41	26	39·2	28·6	4
MOUTH ..	45	28	42·9	35·7	19	TYNEMOUTH ..	41	25	38·1	31·1	15
STOL (HORFIELD)	47	23	40·6	30·9	8	CARDIFF	46	24	41·6	30·3	14
MINGHAM (EDGBASTON).	43	22	37·1	29·0	0						
TTINGHAM ..	41	24	37·0	28·0	3	EDINBURGH ..	45·0	23·0	38·3	27·1	8
KENHEAD (BIDSTON).	41	23	37·7	30·3	1	GLASGOW ..	40·0	23·6	37·0	27·9	3
NCHESTER (WHITWORTH PARK).	41	23	37·7	27·7	0	DUBLIN (PHŒNIX PARK) (FITZWILLIAM SQUARE†).	44·8	27·0	41·1	31·5	5
RNLEY	39	20	36·6	25·4	0		44·1	29·7	42·2	34·1	8
						BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 7th March, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	1	..	29·465	40·2	29·7	10·5	34·1	− 6·3	26·5	7·6	19·2	0·0	73	84·1	22·1	42·8	Calm : N : NW.	NNW : NW.	12·0	0·0	0·7	372	+ 31	0·09
MONDAY -	2	..	29·720	36·9	26·4	10·5	31·2	− 9·2	26·4	4·8	11·4	1·9	82	65·0	17·4	42·8	NW : W : SW.	Calm	1·0	0·0	0·0	166	− 176	0·00
TUESDAY -	3	..	29·662	43·6	23·9	19·7	35·3	− 5·2	29.0	6·3	18·8	2·5	78	87·2	15·3	42·8	Calm : SE.	SE : E	0·6	0·0	0·1	156	− 186	0·02
WEDNESDAY	4	Full Perigee.	29·774	42·6	36·0	6·6	39·0	− 1·7	31·1	7·9	10·4	2·5	73	73·5	29·1	42·7	ENE : E.	E	6·0	0·0	0·7	376	+ 32	0·00
THURSDAY -	5	In Equator	29·801	43·6	34·0	9·6	37·8	− 3·1	30·3	7·5	12·4	5·9	74	86·7	27·1	42·5	E	E	3·8	0·0	0·5	340	− 9	0·00
FRIDAY -	6	..	29·599	36·0	30·0	6·0	32·6	− 8·4	24·1	8·5	14·0	3·0	71	61·8	25·4	42·3	E	ENE	11·3	0·0	2·5	618	+ 267	0·00
SATURDAY -	7	..	29·499	35·9	28·0	7·9	31·0	− 10·0	20·6	10·4	13·3	7·2	65	86·8	25·5	42·1	ENE	ENE	8·8	0·0	2·5	669	+ 317	0·00
MEANS -		..	29·646	39·8	29·7	10·1	34·4	− 6·3	26·9	7·6	14·2	3·3	74	77·9	23·1	42·6	E		...		..	Sum 2697	Sum + 276	Sum 0·11
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	1	mP till 6h.; variably mP and mN till 7½h.; mP till 19h.; variably wP and mN till 20h.; then mP.	3·3	10·9	Variably cloudy till 15½h.; then overcast. Snow 3h. till 7½h.: and 17h. till 17½h Brisk wind 10h. till 13h.: high wind 13h. till 17h.; then brisk wind till 18h. Hoar frost in morning and at night.
MONDAY ..	2	mP till 8h.; variably mP and sP till 19h.; then mP.	0·2	10·9	Variably cloudy till 6h.; overcast till 17h.; then cloudless. Fog 6h. till 9h.; then mist till 21h. Hoar frost in morning and at night.
TUESDAY ..	3	mP till 19⅜h.; sN till 23½h.; then wP.	0·5	11·0	Partially cloudy till 3½h.; then overcast generally. Fog 7h. till 10h. Damping 19½h. till 23h. Hoar frost in morning.
WEDNESDAY	4	wP till 12h.; then mP.	1·6	11 1	Nearly overcast till 15h.; cloudy till 21½h.; then overcast. Brisk wind 9h. till 15h.
THURSDAY	5	mP till 21h.; then wP.	2·7	11·1	Nearly overcast till 11h.; variably cloudy till 21½h; then overcast. Occasional solar halo between 11h. and 14½h.; and at 16¾h. Lunar halo 22½h. till 23h.
FRIDAY ..	6	wP till 8h.; then variably mP and wP.	0·2	11·2	Overcast generally. Brisk wind 4h. till 13h.; then high wind till 17h. Solar halo 16½h. till 17h. Slight snow 17h. till 17½h.; and at 20h.
SATURDAY	7	Variably wP and mP.	4·5	11·3	Cloudy generally till 21h.; then overcast. Snow at 2h.; and from 6h. till 10h. Brisk wind throughout, rising to high wind from 11h. to 16h
			Sum 13·0	Sum 77·5	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon. 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·13 ins. at the beginning of the week to 29·75 ins. by 8h. on 2nd; decreased to 29·63 ins. by 4h. on 4th; increased to 29·89 ins. by 1h. on 5th; decreased to 29·48 ins. by 15h. on 7th; increased and was 29·57 ins. by midnight on the same day.

THE
CLINICAL RESEARCH ASSOCIATION, LTD.
WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

All kinds of **LABORATORY INVESTIGATIONS** which may be required by

PUBLIC HEALTH AUTHORITIES

are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, stillbirths, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics:—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

TEXT.

This volume contains a commentary (with many Tables and some Diagrams) on the contents of the two Volumes of Tables (Medical and Civil) above mentioned. Many of the subjects—especially causes of death—are dealt with in detail.

The volume is priced at 2s. 6d. instead of 5s. as in previous years. Postage 3d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

(74122) Wt. 87—17 1875 2/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 10.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 14TH MARCH, 1931



LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

Table 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

Table 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

Table 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

Table 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

Table 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

Table 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

Table 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

Weekly Summary of Infectious Diseases (Table 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 14TH MARCH, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the tenth week of the year numbered 6,503 corresponding to an annual rate of 17·2 per 1,000 living: stillbirths numbered 323 corresponding to a rate of 47 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,713 (233 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.
107 Great Towns	18·1	18·2	17·2	17·8
London	18·6	17·2	15·9	16·3
Birmingham	15·6	16·9	17·3	19·1
Liverpool	16·6	15·7	16·8	15·1
Manchester	20·1	23·5	23·7	18·4
Sheffield	14·7	14·4	14·9	17·2
Leeds	17·4	17·9	18·0	22·6
Bristol	14·7	19·2	17·6	19·1
West Ham	21·7	18·5	18·1	15·3

The deaths from influenza which had been 509, 546 and 471 in the three preceding weeks further fell to 417 and included 53 in London and 24 in Bradford.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 98, against 107, 105 and 97, in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,394 live births registered corresponding to an annual rate of 16·4 per 1,000 living: stillbirths numbered 69 corresponding to a rate of 47 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,377 (30 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 72, against 64, 75 and 77 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in th week ended 14th March, 1931.

	TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
							Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
	107 GREAT TOWNS ..	19,661,240*	6,503	323	6,713	640	1	84	6	48	34	68
	LONDON	4,417,900*	1,394	69	1,377	104	1	3	-	11	11	19
TOWNS IN OUTER RING.	CROYDON C.B. ..	222,300	80	3	70	8	-	-	-	-	-	-
	WIMBLEDON ..	59,370	14	-	20	-	-	-	-	-	-	-
	EALING	104,000	25	-	26	1	-	-	-	-	-	-
	ACTON	65,200	19	-	18	-	-	-	-	-	-	-
	BRENTFORD AND CHISWICK ..	59,040	14	-	15	2	-	-	-	-	-	-
	WILLESDEN ..	172,500	43	-	52	4	-	-	-	1	-	-
	HENDON	83,190*	23	2	20	-	-	-	-	-	-	-
	HORNSEY	88,450	11	1	29	-	-	-	-	-	1	-
	WOOD GREEN ..	53,410	15	-	13	-	-	-	-	-	-	-
	TOTTENHAM ..	155,000	27	1	51	4	-	-	-	1	3	-
	EDMONTON	75,000	37	3	21	-	-	-	-	-	1	-
	ENFIELD	65,100	19	-	16	2	-	-	1	-	-	-
	WEST HAM C.B. ..	307,600	118	4	90	6	-	-	-	-	1	1
	EAST HAM C.B. ..	147,600	22	3	60	7	-	-	-	2	-	
	LEYTON	128,300	22	-	29	1	-	-	-	-	-	-
	WALTHAMSTOW ..	124,800	37	3	46	2	-	-	-	-	-	-
	ILFORD	116,200	42	-	29	1	-	-	-	-	-	-
	GILLINGHAM	56,670*	16	1	17	1	-	1	-	2	-	-
	CANTERBURY C.B. ..	22,850*	12	1	15	2	-	-	-	-	-	-
	HASTINGS C.B.	62,620	13	-	25	-	-	-	-	-	-	-
	EASTBOURNE C.B. ..	58,570	11	-	20	1	-	-	-	-	-	-
	BRIGHTON C.B. ..	146,800*	41	2	72	5	-	-	-	-	-	-
	PORTSMOUTH C.B. ..	242,000*	80	4	97	6	-	-	1	4	-	1
	BOURNEMOUTH C.B. ..	97,360	24	4	36	-	-	-	-	1		
	SOUTHAMPTON C.B. ..	172,300	59	2	45	7	-	-	-	1	-	1
	READING C.B.	96,850*	41	2	23	5	-	-	-	-	-	-
	OXFORD C.B	73,810*	29	1	14	1	-	-	1	-	-	-
	NORTHAMPTON C.B. ..	93,970*	19	-	40	3	-	-	-	-	-	-
	LUTON	65,200	20	-	20	2	-	-	-	-	-	-
	CAMBRIDGE	60,730	20	2	26	2	-	-	-	-	-	-
	SOUTHEND-ON-SEA C.B.	114,600	20	1	37	3	-	-	-	-	-	-
	IPSWICH C.B.	85,800	28	2	34	1	-	1	-	-	1	-
	GREAT YARMOUTH C.B	58,110	19	4	14	1	-	-	-	-	-	1
	NORWICH C.B.	124,900*	44	5	52	7	-	-	-	-	-	-
	SWINDON	62,020	21	-	17	1	-	-	-	-	-	-
	EXETER C.B.	61,290*	20	4	32	2	-	-	-	-	-	1
	PLYMOUTH C.B. ..	199,000*	66	6	70	12	-	-	-	-	1	-
	BATH C.B.	69,240	11	-	39	2	-	2	-	-	-	-
	BRISTOL C.B.	391,145*	119	4	143	10	-	2	-	-	-	-
	GLOUCESTER C.B. ..	52,010	21	4	22	2	-	-	-	1	-	-
	STOKE-ON-TRENT C.B.	279,190	106	9	108	20	-	-	-	1	1	4
	BURTON-UPON-TRENT C.B.	48,970	13	-	16	5	-	-	-	-	-	-
	WOLVERHAMPTON C.B.	134,300	45	2	49	1	-	1	-	-	-	-
	WALSALL C.B.	100,100	49	-	36	7	-	2	-	-	-	-
	WEST BROMWICH C.B.	80,840	36	1	41	9	-	-	-	-	-	1
	DUDLEY C.B.	58,870	16	4	25	2	-	-	-	-	-	-
	WORCESTER C.B. ..	52,320	21	-	20	3	-	-	-	-	-	-
	BIRMINGHAM C.B. ..	968,500	332	20	354	37	-	7	-	1	-	3
	SMETHWICK C.B. ..	85,120	22	-	23	4	-	1	-	-	-	-
	COVENTRY C.B. ..	162,100	57	3	40	2	-	-	-	1	-	-
	LEICESTER C.B. ..	245,200	69	7	81	4	-	1	-	-	1	1
	LINCOLN C.B.	65,080*	16	1	23	2	-	-	-	-	-	-
	GRIMSBY C.B.	91,440	36	1	28	5	-	1	-	-	-	-
	NOTTINGHAM C.B. ..	266,800	112	4	94	11	-	2	-	1	-	2
	DERBY C.B.	140,500*	53	7	56	6	-	-	-	1	-	-
	CHESTERFIELD	65,270	28	2	22	7	-	-	-	-	-	1
	STOCKPORT C.B ..	127,800	26	3	42	3	-	-	-	-	-	-
	CHESTER C.B.	40,750	18	-	21	2	-	-	-	-	-	-
	BIRKENHEAD C.B ..	157,600	53	2	41	5	-	1	-	1	-	1
	WALLASEY C.B. ..	101,300	27	1	32	2	-	-	-	-	-	-
	LIVERPOOL C.B. ..	869,500	358	14	251	39	-	26	-	2	4	6
	BOOTLE C.B.	80,400	34	-	24	2	-	1	-	-	1	1
	ST. HELENS C.B. ..	109,200	50	2	39	5	-	4	-	-	1	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
UTHPORT C.B. ..	80,040	22	1	27	1	-	-	-	-	-	-	1
GAN C.B.	87,600	32	1	33	3	-	-	-	-	-	-	3
ARRINGTON C.B. ..	79,400*	29	1	23	7	-	-	-	-	-	-	3
LTON C.B.	181,500	52	3	54	6	-	-	-	-	-	1	4
RY C.B.	56,830*	22	2	22	-	-	-	-	-	-	-	2
NCHESTER C.B. ..	746,500	283	13	264	27	-	-	-	2	-	10	19
LFORD C.B.	235,600	54	4	99	12	-	-	-	-	1	2	4
HTON-UNDER-LYNE	51,750	14	-	16	2	-	-	-	-	-	1	1
DHAM C.B	142,500	35	4	48	3	-	-	-	-	-	-	3
CHDALE C.B. ..	90,900	22	1	40	2	-	-	-	-	-	-	8
RNLEY C.B	100,200	23	2	46	1	-	1	-	-	-	-	10
ACKBURN C.B ..	125,300	27	-	65	1	-	-	-	-	-	1	9
ESTON C.B.	126,100	33	3	42	2	-	-	-	-	-	-	5
ACKPOOL C.B. ..	99,800	23	1	31	2	-	-	-	-	-	-	1
RROW-IN-FURNESS C.B.	64,850	17	2	25	3	-	-	-	-	-	-	1
DDERSFIELD C.B. ..	113,100	29	2	46	4	-	1	-	-	-	-	1
LIFAX C.B.	97,400*	27	1	37	3	-	-	1	-	-	1	2
ADFORD C.B. ..	294,605	94	4	141	10	-	-	-	-	1	-	24
EDS C.B.	478,500	153	6	207	15	-	-	-	3	1	1	7
WSBURY C.B. ..	53,020	17	1	16	1	-	1	-	-	-	-	-
AKEFIELD C.B. ..	56,640	19	1	27	1	-	-	-	-	-	-	3
RNSLEY C.B. ..	71,700	35	6	26	5	-	-	-	-	-	-	3
EFFIELD C.B. ..	518,000*	171	5	171	22	-	-	-	1	-	2	14
THERHAM C.B. ..	70,790	27	2	28	3	-	-	-	-	-	-	1
NCASTER C.B. ..	59,890	18	-	28	4	-	-	-	-	-	-	1
RK C.B.	85,290*	24	1	23	2	-	-	-	-	-	-	4
LL C.B.	307,500	124	6	101	10	-	1	-	-	-	-	4
DDLESBROUGH C.B.	133,100	66	-	69	14	-	-	-	-	-	-	2
RLINGTON C.B. ..	74,150	22	-	38	4	-	1	-	1	-	-	5
CKTON-ON-TEES ..	67,090	30	1	18	3	-	-	-	2	-	-	-
ST HARTLEPOOL C.B.	69,370	21	-	26	2	-	-	-	-	-	-	7
NDERLAND C.B. ..	184,000	88	4	66	8	-	3	-	1	1	-	5
UTH SHIELDS C.B ..	119,600	35	4	38	8	-	1	-	4	-	-	3
TESHEAD C.B. ..	122,600	45	1	38	4	-	-	1	-	1	-	3
WCASTLE-ON-TYNE C.B.	283,400*	129	6	90	9	-	11	-	1	-	-	5
NEMOUTH C.B. ..	65,880	32	-	20	5	-	2	-	-	-	-	-
RLISLE C.B.	56,160*	25	2	19	1	-	-	-	1	-	-	1
WPORT (MON.) C.B.	95,990*	40	-	20	1	-	-	1	-	-	-	1
RDIFF C.B.	224,000*	89	4	79	6	-	4	-	-	1	-	2
ONDDA	153,100	62	3	54	9	-	2	-	-	1	2	4
ERTHYR TYDFIL C.B.	77,790	26	1	25	3	-	-	-	-	-	-	2
ERDARE	53,050	12	1	18	-	-	-	-	-	-	-	6
ANSEA C.B.	162,700	62	2	51	10	-	-	-	-	-	-	7
EATER LONDON ..	7,900,480*	2,453	101	2,409	180	1	3	2	18	18	22	93
TER RING	3,482,580*	1,059	32	1,032	76	-	-	2	7	7	3	40
GREAT TOWNS IN UTER RING	2,027,060*	568	20	605	38	-	-	1	4	6	1	22
MAINDER OF OUTER RING	1,455,520*	491	12	427	38	-	-	1	3	1	2	18
INBURGH†	428,800	135	?	155	10	-	-	-	-	1	-	12
ASGOW†	1,088,200	484	?	359	55	-	-	1	25	3	10	8
BLIN (REGISTRATION REA)†	412,400	195	?	195	29	-	14	1	-	1	2	9
LFAST†	415,151	188	?	182	32	-	12	1	4	-	2	7

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931 except that of Belfast which is the 1926 Census ure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally rrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and lfast are corrected by the exclusion of deaths of persons admitted into public institutions from without e respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases
London‡	4,417,900	1931. Mar. 14	1394	69	1377	16·3	1	–	3	–	11	11	1
Calcutta and Suburbs	1,077,264	Jan. 31	?	?	556‖	26·8	?	29	?	–	?	?	
Bombay§	1,298,708	Feb. 14	463	38	415‖	16·6	2	–	–	–	–	1	1
Madras	528,791	Jan. 31	545	32	620‖	61·0	2	–	–	–	1	–	3
Sydney and Suburbs	1,249,170	Jan. 31 (31 days)	1827	?	868	8·3	–	–	7	3	2	5	3
Brisbane (Metropolitan Area).	318,631	Dec. 31 (31 days)	441	?	246	9·3	–	–	–	–	1	3	
Perth (Metropolitan Area).	202,888	Jan. 3	89	?	21	5·4	–	–	–	–	–	–	–
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Feb. 7	64	–	23	8·8	2	–	–	1	–	–	–
Johannesburg	187,326	Jan. 31	71	3	55	15·3	3	–	–	–	–	–	5
Durban	61,667	„ 31	33	–	14	11·3	–	–	–	–	–	–	–
Paris	2,871,429	Jan. 31 (11 days)	1258	70	1596	20·3	4	–	12	–	1	6	19
Antwerp	295,138	Feb. 15 (15 days)	229	13	143	11·4	1	–	5	–	–	1	2
Amsterdam	759,282	Feb. 21	217	10	238	16·3	–	–	–	–	2	–	–
Copenhagen	615,700	„ 28	176	4	169	14·3	–	–	–	–	2	4	3
Stockholm	486,672	„ 21	128	1	120	12·8	–	–	–	–	1	–	–
Gothenberg	245,336	„ 7	?	?	63	13·3	–	–	–	–	–	–	–
Oslo	253,568	„ 28	55	2	63	12·9	–	–	–	–	–	–	–
Berlin	4,336,000	„ 14	755	27	1122	13·5	–	?	–	1	2	5	6
Breslau	616,000	„ 14	148	10	166	14·0	–	?	–	–	1	2	1
Cologne	740,000	„ 14	188	5	170	11·9	–	?	–	–	1	2	3
Dresden	634,000	„ 14	120	9	166	13·6	–	?	–	–	–	–	1
Frankfort-on-Main	541,000	„ 14	112	3	102	9·8	–	?	–	–	–	–	–
Hamburg	1,148,000	„ 14	241	13	275	12·5	–	?	–	–	1	–	1
Leipzig	700,000	„ 14	152	3	182	13·5	–	?	–	–	–	1	2
Munich	730,000	„ 14	182	4	221	15·7	–	?	–	–	–	–	–
Budapest	991,518	„ 21	328	14	272	14·3	1	–	1	1	1	3	4
Warsaw	1,109,478	„ 14	?	15	280	13·2	–	–	–	2	1	1	5
Madrid	825,471	„ 21	440	27	407	25·7	–	–	1	–	2	1	13
Cairo	1,122,800	Nov. 25	1020	24	389	18·1	8	–	–	–	?	7	69
Alexandria	612,200	„ 25	590	9	203	17·3	2	–	–	–	?	4	28
New York	7,090,089	Feb. 14	2231	93	1718	12·6	1	–	–	4	7	3	7
Chicago	3,457,375	„ 20	1012	27	840	12·7	–	–	1	8	1	2	4
New Orleans	433,000	Dec. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Jan. 31	586	49	571	17·2	5	–	3	–	4	1	88

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year o*
for Copenhagen, Stockholm, Gothenberg, and the German Cities
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 19 deaths from Cholera in Calcutta, 7 in Madras and 1 from plague in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 14th March, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	11,624	14,643	1377	104	26	19	20	63	46	73	140	201	336	349
Enteric fever	4	6	1	-	-	-	1	-	-	-	-	-	-	-
Small-pox	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	377	11	3	1	2	-	-	-	-	-	-	-	-	-
Scarlet fever	33	15	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	35	80	11	4	4	3	-	-	-	-	-	-	-	-
Diphtheria	134	81	11	2	2	3	4	-	-	-	-	-	-	-
Influenza	139	687	53	1	2	-	-	1	2	7	11	12	8	9
Erysipelas	37	46	1	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	9	9	2	-	-	-	-	-	-	2	-	-	-	-
Meningococcal meningitis	18	34	3	1	-	-	2	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	797	980	106	-	-	1	2	30	20	18	26	5	4	-
Nervous system	45	43	6	-	1	2	2	-	-	1	-	-	-	-
Intestines and peritoneum ..	10	12	2	-	-	-	-	1	1	-	-	-	-	-
Other forms	54	57	5	-	-	-	-	1	1	-	2	-	1	-
Venereal diseases	47	37	4	2	-	-	-	-	-	-	-	2	-	-
Cancer	1298	1389	128	-	-	-	-	-	1	4	22	33	43	25
Rheumatic fever	35	25	3	-	-	-	-	1	1	1	-	-	-	-
Diabetes	120	119	15	-	-	-	-	1	-	-	1	4	6	3
Alcoholism	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	25	25	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	457	488	54	-	-	-	-	1	-	1	5	10	16	21
Epilepsy	44	35	3	-	-	-	-	1	-	-	-	1	-	1
"Convulsions" (not puerperal) ..	18	16	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	266	272	27	4	1	-	-	2	-	1	2	7	9	1
Pericarditis	6	5	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	42	41	4	-	-	-	1	1	-	-	1	1	-	-
Other diseases of heart	2491	3432	332	-	-	-	2	5	6	10	25	50	114	120
Other diseases of circulatory system	499	565	59	-	-	-	-	-	-	-	2	11	25	21
Bronchitis	652	1195	106	-	1	-	-	1	1	2	9	15	28	49
Broncho-pneumonia	594	1116	81	19	9	2	2	1	-	4	9	5	17	13
Lobar pneumonia	316	412	26	1	-	1	-	1	2	5	1	7	3	5
Pneumonia (type not distinguished)	121	157	8	-	-	2	-	2	-	2	-	-	2	-
Other diseases of respiratory system	125	209	19	-	-	1	-	-	-	1	3	4	3	7
Diarrhœa and enteritis	160	165	21	16	3	-	-	-	1	-	-	-	-	1
Appendicitis, Typhlitis	63	57	6	-	-	-	-	1	-	-	-	1	4	-
Hernia, Intestinal obstruction	89	123	11	1	-	-	-	1	-	-	2	1	4	2
Cirrhosis of liver	44	44	7	-	-	-	-	-	-	-	2	3	1	1
Other diseases of digestive system ..	268	270	32	-	-	2	1	2	2	3	4	6	6	6
Acute nephritis	27	18	2	-	-	-	-	-	-	-	1	-	1	-
Chronic Bright's disease	379	421	43	-	-	-	1	2	1	5	6	8	13	7
Other diseases of genito-urinary system.	169	216	19	-	-	-	-	1	-	1	1	3	5	8
Puerperal sepsis	25	25	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	16	24	2	-	-	-	-	-	2	-	-	-	-	-
Congenital malformations	69	64	6	5	-	-	-	-	-	1	-	-	-	-
Premature birth	199	262	30	30	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	48	39	2	2	-	-	-	-	-	-	-	-	-	-
Old age	274	362	37	-	-	-	-	-	-	-	-	-	5	32
Suicide	108	103	5	-	-	-	-	1	-	1	1	-	1	1
Burns and Scalds	27	35	4	-	1	1	1	-	-	-	1	-	-	-
Drowning	17	16	1	-	-	-	-	-	-	1	-	-	-	-
Suffocation in bed	8	7	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	152	120	6	-	-	-	1	1	1	-	-	1	2	-
Other deaths by violence	203	167	14	1	-	-	-	1	1	1	1	1	2	6
Other specified causes	421	501	53	14	-	1	-	3	1	1	2	8	13	10
Ill-defined causes	1	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 14th March, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	26	181	176	3	168	C. 6 D. 4 M. 13 N. 17
†CITY OF LONDON	–	–	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	1	–	6	M. 1
†BERMONDSEY ...	–	6	7	–	3	C. 1 N. 1
†BETHNAL GREEN	8	2	6	1	2	M. 1 N. 1
†CAMBERWELL ...	–	8	15	–	5	N. 1
†CHELSEA	–	1	1	–	2	–
†DEPTFORD ...	–	9	6	–	2	N. 1
†FINSBURY ...	–	2	5	–	1	M. 2
†FULHAM	–	7	5		7	–
†GREENWICH ...	2	6	7	–	6	C. 1 M. 1 N. 1
†HACKNEY... ...	1	10	17	–	4	D. 1 N. 1
†HAMMERSMITH ...	–	2	4	–	5	N. 1
†HAMPSTEAD ...	–	2	2	–	3	–
†HOLBORN... ...	–	4	4	–	–	M. 1
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	12	10	–	9	C. 1 N. 3
†KENSINGTON ...	–	7	6	–	7	D. 1 N. 1
†LAMBETH ...	4	10	9	–	14	M. 1 N. 2
†LEWISHAM ...	–	9	5	–	8	D. 1 N. 1
†PADDINGTON ...	–	3	4	–	6	M. 2
†POPLAR	–	2	5	–	12	C. 2 D. 1
†ST. MARYLEBONE	–	9	2	–	4	–
†ST. PANCRAS ...	–	5	7	1	11	M. 1 N. 1
†SHOREDITCH ...	2	2	7	1	3	–
†SOUTHWARK ...	–	7	7	–	8	M. 1
†STEPNEY	9	22	12	–	8	M. 1
†STOKE NEWINGTON	–	4	2	–	2	N. 1
†WANDSWORTH ...	–	14	6	–	9	C. 1 M. 1
†WESTMINSTER, CITY OF	–	5	10	–	2	–
†WOOLWICH ...	–	7	4	–	18	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	9	3	–	3	C. 1 N. 2
Boroughs and Urban Districts:—						
†Luton	–	3	1	–	1	–
Rural Districts:—						
Ampthill ...	–	3	–	–	–	C. 1
Bedford... ...	–	–	1		–	N. 2
Biggleswade ...		–		–	2	–
Eaton Bray ...	–	1	1	–	–	–
Luton	–	2		–		–
BERKS	–	18	2	–	3	M. 1 N. 1
†Reading C.B. ...	–	8	2	–	–	–
Boroughs and Urban Districts:—						
Abingdon ...	–	3	–	–	–	M. 1
†Maidenhead ...	–	1	–	–	–	–
†Newbury ...	–	2	–	–	–	–
†New Windsor ...	–	1	–	–	–	–
Rural Districts:—						
Abingdon ...	–	1	–	–	1	–
Easthampstead	–	1	–	–		–
Faringdon (part)	–	–	–	–	–	N. 1
Wantage ...	–	1	–	–	–	–
Windsor... ...	–	–	–		1	–
Wokingham ...	–	–	–	–	1	–
BUCKINGHAM...	–	8	2	–	9	D. 1
Boroughs and Urban Districts:—						
Buckingham ...	–	1	–		1	–
†Chepping Wycombe	–	2	1		–	–
Eton	–	1		–	–	–
Marlow	–	4	1	–	–	–
†Wolverton ...	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
Amersham ...	–	–	–	–	1	–
Aylesbury ...	–	–	–	–	3	–
Buckingham ...	–	–	–	–	–	D. 1
CAMBRIDGE ...	–	8	2	–	–	N. 2
Borough:—						
†Cambridge ...	–	1		–	–	N. 2
Rural Districts:—						
Chesterton ...	–	6	1	–	–	–
Linton	–	1	–	–	–	–
Swavesey ...	–	–	1	–	–	–
CHESTER ...	–	28	25	1	33	M. 1 N. 4
†Birkenhead C.B.	–	1	3		9	M. 1
†Chester C.B. ...	–	–	3	–	1	–
†Stockport C.B. ...	–	6	3	–	4	N. 2
†Wallasey C.B. ...		1	–	–	1	–
Boroughs and Urban Districts:—						
Alderley Edge.	–	–	–	–	1	–
†Altrincham ...	–	–	1		1	–
†Bebington and Bromborough	–	1	4	–	1	–
Bredbury and Romiley	–	1	1	–	–	–
†Congleton ...	–	–	1	–	–	N. 1
†Crewe	–	–	2	–	1	–
†Dukinfield ...	–	2			1	–
Hoole	–	–	–			N. 1
†Hoylake and West Kirby	–	–	–	–	1	–
†Hyde	–	2	–	–		–
Knutsford ...	–	2	–	–	–	–
†Macclesfield ...			–	1	1	–
Marple	–		–	–	2	–
Nantwich ...	–	–	2	–	–	–
†Northwich ...	–		–	–	1	–

† Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STALYBRIDGE ...	-	4		-	-	-
TARPORLEY ...		1	1	-		-
YEARDSLEY CUM WHALEY	-	-	-	-	1	-
Rural Districts:—						
BUCKLOW... ...	-	2	-	-	2	-
CONGLETON ...	-	-		-	2	-
MALPAS	-	1	2	-	-	-
NANTWICH ...	-	3	-		1	-
NORTHWICH ...	-	-		-	1	-
RUNCORN	*	*	*	*	*	*
TARVIN			-	-	1	-
WIRRAL	-	1	2	-		-
CORNWALL ...	-	10	1	1	3	N. 1
Boroughs and Urban Districts:—						
BODMIN	-	-	-	1	-	-
CALLINGTON ...	-	1		-	-	-
†CAMBORNE ...	-	-	1	-	-	-
NEWQUAY ...	-	1	-	-	-	-
TORPOINT ...	-	2	-	-	1	-
†TRURO	-	2	-	-		-
Rural Districts:—						
BODMIN	-	1	-	-	-	-
CAMELFORD ...	-	2	-	-	1	-
ST. AUSTELL ...	-	-	-		1	-
TRURO	-	1	-	-	-	N. 1
CUMBERLAND...	-	5	1	-	14	N. 1
†CARLISLE C.B. ...	-	2	-	-	1	-
Boroughs and Urban Districts:—						
ASPATRIA ...	-	-	-	-	1	-
MILLOM	-	-	-		7	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENRITH	-	1			-	-
†WHITEHAVEN ...	-	-	1	-	2	N. 1
†WORKINGTON ...	-	-	-		1	-
Rural Districts:—						
COCKERMOUTH ...		2	-		2	-
DERBY	4	28	13		71	C. 1 D. 3 M. 1 N. 3
†DERBY C.B. ...		6	4	-	21	N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	-	2	-	-	2	-
ALVASTON AND BOULTON	-	-		-	1	N. 1
ASHBOURNE ...	-	-	1	-	-	-
†BELPER	-	1	-	-	-	-
†BOLSOVER ...	-	3	-	-	1	-
†BUXTON ...	-	1	-	-	-	-
†CHESTERFIELD ...	3	1	1	-	2	-
CLAY CROSS ...	-	-	-	-	1	-
†GLOSSOP	-	-	-	-	2	-
†HEANOR	-		-	-	6	M. 1
†ILKESTON... ...	-	-	-	-	1	-
†LONG EATON ...		1	-	-	-	-
NEW MILLS ...	-	-	-	-	1	-
†RIPLEY	-	-	-	-	1	-
†SWADLINCOTE DISTRICT	-	-	-	-	10	N. 1
†THE MATLOCKS...	*	*	*	*	*	*
WIRKSWORTH ...	-	1	-	-	-	-
Rural Districts:—						
ASHBOURNE ...	-	1	-	-	1	-
BAKEWELL ...	-	1	1	-	-	-
BELPER	-	1	-		-	-
BLACKWELL ...	-	1	1	-	2	D. 3
CHAPEL EN LE FRITH	-	3	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHESTERFIELD ...	1	5	4	–	3	–
CLOWNE	–	–	–	–	1	–
HARTSHORN AND SEALS		–	–	–	2	–
NORTON	–	–	–	–	2	–
REPTON	–	–		–	6	–
SHARDLOW ...	–	–	1	–	4	C. 1
CODNOR PARK AND SHIPLEY(parishes)	–	–	–	–	1	–
DEVON	–	30	11	–	33	M. 3 N. 2
†EXETER C.B. ...	–	1	2	–	2	–
†PLYMOUTH C.B.	–	21	3	–	8	N. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	4	–
BIDEFORD ...	–	–	2	–	–	–
BRIXHAM	–	–	–	–	3	–
BUDLEIGH SALTERTON	–	1	–	–	–	–
†NEWTON ABBOT...	–	2	–			–
†PAIGNTON ...	–	–	–	–	5	–
TOTNES	–	–	–	–	1	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	2	–
BARNSTAPLE ...	–	1	–	–	2	–
BIDEFORD ...	–	–	–	–	–	M. 2
BROADWOOD WIDGER	–	–	–		1	–
HOLSWORTHY (part)	–	–	–			M. 1
HONITON... ...	–	–	1	–	–	–
KINGSBRIDGE ...	–	1	–	–	–	–
OKEHAMPTON ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	–	2	–	2	–
TIVERTON ...	–	–	–	–	2	–
TOTNES		2	–			–
DORSET	–	8	3	–	4	–
Boroughs and Urban Districts:—						
†POOLE	–	1	1	–	–	–
SHERBORNE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–		–	2	–
WIMBORNE MINSTER	*	*	*	*	*	*
Rural Districts:—						
POOLE	–	1	–	–		–
WEYMOUTH ...	–	4	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	2	–	2	–
DURHAM ...	–	35	18	2	115	C. 3 D. 4 M. 4 N. 1
†DARLINGTON C.B.	–	2	–	–	6	C. 1 N. 1
†GATESHEAD C.B.	–	2	–	–	5	D. 1 M. 2
†SOUTH SHIELDS C.B.	–	4	–		12	–
†SUNDERLAND C.B.	–	5	3	1	27	D. 1
†WEST HARTLEPOOL C.B.	–	1	1	1	11	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1		–	2	–
BILLINGHAM ...	–	–	1	–	4	–
†BLAYDON... ...	–	1	3	–		–
†BRANDON AND BYSHOTTLES	–	–	–	–	1	C. 1
†CHESTER LE STREET	–	1	1	–	1	–
†CONSETT	–	–	–	–		M. 1
†DURHAM	–	–	1	–	2	–
†FELLING	–	5	–	–	–	–
†HARTLEPOOL ...	–		–	–	1	–
†HEBBURN ...	–	5		–	–	–
†HETTON	–	–	–	–	2	–
†JARROW	–	–	–	–	4	D. 1
†SHILDON	–	–	1	–	–	–
†SPENNYMOOR ...		–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STANLEY	-	-	1	-	-	-
†STOCKTON ON TEES	-	3	-	-	7	M. 1
†TANFIELD ...	-	1	-	-	-	-
TOW LAW ...	-	-	-	-	1	-
†WHICKHAM ...	-	-	-	-	1	-
Rural Districts:—						
CHESTER LE STREET	-	-	2	-	3	-
DURHAM	-	-	-	-	1	-
EASINGTON ...		1	4	-	13	C. 1 D. 1
HARTLEPOOL ...	-	1	-	-	2	-
HOUGHTON LE SPRING	-	-	-	-	3	-
LANCHESTER ...	-	1	-	-	-	-
SEDGEFIELD ...	-	-	-	-	1	-
SOUTH SHIELDS	-	-	-	-	1	-
STOCKTON ...	-	-	-	-	1	-
SUNDERLAND ...	-	1	-	-	2	-
ELY, ISLE OF ...	-	2	1	-	2	-
Boroughs and Urban Districts:—						
WHITTLESEY ...	-	-	1	-	-	-
Rural Districts:—						
ELY	-	-	-	-	1	-
WISBECH... ...	-	2	-	-	1	-
ESSEX	27	71	47	9	45	C. 2 D. 4 G. 1 M. 3 N. 5
†EAST HAM C.B....	2	4	1	-	2	
†SOUTHEND ON SEA C.B.	-	7	-	-	7	-
ESSEX—*cont.*						
†WEST HAM C.B.	23	6	10	1	5	D. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	2	5	-	2	-
BENFLEET ...	-	-	1	-	-	-
BURNHAM ON CROUCH	*	*	*	*	*	*
CANVEY ISLAND	-	1	-	-	-	-
†CHELMSFORD ...	-	2	1	-	-	-
CHINGFORD ...	-	6	1	-	-	-
†CLACTON	-	-	2	-	-	C. 1
†COLCHESTER ...	-	4	-	-	3	-
DAGENHAM ...	2	10	2	-	3	-
EPPING	-	-	-	4	-	-
†GRAYS THURROCK	-	-	-	-	1	-
†HORNCHURCH ...	-	-	1	-	-	-
†ILFORD	-	3	7	-	2	D. 2 M. 2 N. 1
†LEYTON	-	5	3	-	3	G. 1 M. 1 N. 1
MALDON	-	-	-	-	1	-
†ROMFORD... ...	-	1	1	-	-	D. 1
TILBURY	-	-	1	-	-	-
†WALTHAMSTOW ...	-	11	3	1	3	N. 2
†WANSTEAD ...	-	-	-	-	1	-
WIVENHOE ...	-		-	-	-	C. 1
†WOODFORD ...	-	2	1		1	-
Rural Districts:—						
BILLERICAY ...	-	2	3	-	-	-
DUNMOW... ...	-	1	-	-	4	-
EPPING	-	-	-	2	1	-
LEXDEN AND WINSTREE	-	1	1	-	-	-
MALDON	-	-	1	1	-	-
ROMFORD... ...	-	-	1	-		-
SAFFRON WALDEN	-	1	-	-		-
TENDRING ...	-	2	1	-	6	-
GLOUCESTER ...	-	9	27	-	39	D. 1 M. 2
†BRISTOL C.B. ...	-	2	15	-	18	M. 2
†GLOUCESTER C.B.	-	1	2	-	5	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER— *cont.*						
Boroughs and Urban Districts:—						
AWRE	–	–	–	–	1	–
†CHELTENHAM ...	–	1	5	–	2	–
COLEFORD ...	–	–	–	–	4	–
†MANGOTSFIELD ...	–	1	–	–	–	–
STOW ON THE WOLD	–	1	–	–	–	–
STROUD	–	–	–	–	–	D. 1
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	1	–
GLOUCESTER ...	–	–	1	–	–	–
NORTHLEACH ...	–	1	–	–	–	–
STOW ON THE WOLD (part)	–	–	2	–		–
STROUD	–	–	1	–	1	–
THORNBURY ...	–	–	1	–		–
WARMLEY ...	–	–	–	–	2	–
WEST DEAN ...	–	–	–	–	4	–
WHEATENHURST	–	–	–	–	1	–
HEREFORD ...	–	4	3	–	5	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	2	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	1	–	1	–
DORE	–	–	–	–	1	–
HEREFORD ...	–	1	–	–	–	–
LEDBURY... ...	–	2	–	–	–	–
ROSS	–	–	–	–	1	–
WEOBLEY... ...	–	–	2	–	–	–
WHITCHURCH ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	11	9	–	11	C. 2
Boroughs and Urban Districts:—						
†BARNET		2	–	–	1	C. 1
†CHESHUNT ...	–	–	–	–	1	–
†HEMEL HEMPSTEAD	–	–	–	–	1	–
†HITCHIN	–	2	1		–	–
†LETCHWORTH ...	–	1	2	–	–	–
RICKMANSWORTH	–	–	–	–	1	–
†ST. ALBANS ...	–	–	2	–	–	–
†WATFORD ...	–	–	4	–	4	–
Rural Districts:—						
BUNTINGFORD ...	–	–	–		–	C. 1
HITCHIN	–	4	–	–	1	–
ST. ALBANS ...	–	1	–	–	1	–
WATFORD... ...	–	1	–	–	1	–
HUNTINGDON ...		3	–	–	1	–
Boroughs and Urban Districts—						
OLD FLETTON ...	–	1	–	–	–	–
RAMSEY	–	2	–	–		–
ST. NEOTS ...	–	–	–	–	1	–
KENT	–	28	22	1	42	M. 2 N. 1
†CANTERBURY C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	1	–	2	–
†BECKENHAM ...	–	–	–	–	–	M. 1
†BEXLEY	–	3	1	–	–	–
†BROMLEY... ...	–	2	1	–	2	–
†CHATHAM ...	–	–	1	–	1	–
†DARTFORD ...	–	1	–	–	–	–
†DEAL	–	3	–	–	–	–
†ERITH	–	–	–	–	3	–
†FAVERSHAM ...	–	–	–	–	1	–
†FOLKESTONE ...	–	1	5	1	1	M. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†GILLINGHAM ...	–	2	–	–	2	–
†GRAVESEND ...	–	1	–	–	2	–
†HERNE BAY ...	–	1	–	–	1	–
†MAIDSTONE ...	–	2	–	–	1	–
†MARGATE ...	–	–	–	–	1	–
†NORTHFLEET ...	–	–	2	–	–	–
†RAMSGATE ...	–	–	–	–	4	–
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	5	–
†SHEERNESS ...	–	–	1	–	–	–
SIDCUP	–	–	–	–	2	–
†TONBRIDGE ...	–	1	–	–	1	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BRIDGE	–	–	–	–	1	–
BROMLEY... ...	–	1	2	–	–	–
CRANBROOK ...	–	1	1	–	–	–
DARTFORD ...	–	1	1		–	–
DOVER	–	1		–	–	–
EAST ASHFORD ...	–	1	–	–		–
EASTRY	–	1	3	–	2	–
ISLE OF THANET	–	1	–	–	4	–
MAIDSTONE ...	–	–	–	–	1	–
MALLING	–	–	1		–	–
SEVENOAKS ...	–	–	1		1	–
STROOD	–	–	–	–	1	–
TONBRIDGE ...	–	1	–		–	–
WEST ASHFORD...	–	–	–	–	2	–
LANCASTER ...	–	229	140	2	291	C. 3 D. 3 G. 1 L. 4 M. 34 N. 9
†BARROW IN FURNESS C.B.	–	–	1	–	3	–
†BLACKBURN C.B.	–	–	–	–	8	N. 1
†BLACKPOOL C.B.	–	–	2	–	1	–
†BOLTON C.B. ...	–	4	1	–	2	M. 1
†BOOTLE C.B. ...	–	6	5	–	7	–
†BURNLEY C.B. ...		6	2	–	16	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BURY C.B. ...	–	2	–	–	2	–
†LIVERPOOL C.B....	–	21	71	–	37	D. 1 G. 1 M. 20
†MANCHESTER C.B.	–	66	14	–	69	N. 2 C. 1 M. 2 N. 2
†OLDHAM C.B. ...	–	8	1	–	6	–
†PRESTON C.B. ...	–	3	1	–	3	D. 1
†ROCHDALE C.B....	–	7	–	–	9	–
†ST. HELENS C.B.	–	1	7	–	3	–
†SALFORD C.B. ...	–	12	12	–	12	C. 2 M. 1
†SOUTHPORT C.B.	–	4	–	–	5	N. 1
†WARRINGTON C.B.	–	22	1		3	–
†WIGAN C.B. ...	–	–	–	–	4	M. 2
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–		1	–
†ASHTON IN MAKERFIELD	–	–	–	–	2	–
†ASHTON-UNDER-LYNE	–	4	–	–	4	–
ASPULL	–		–		2	–
†ATHERTON ...	–	–	1	–	3	–
†BACUP	–	–	1	–	1	M. 1
BRIERFIELD ...	–	–	–	–	2	–
†CHADDERTON ...	–	3	1	–	–	–
†CHORLEY		1		–	–	–
CHURCH		–	–	–	1	–
†COLNE	–	–		–	1	–
†CROMPTON ...	–	–	–	–	3	–
†DARWEN	–	4	2	–	1	–
†DENTON	–	1	–	–	1	–
†DROYLSDEN ...		–	–	–	–	M. 1
†ECCLES	–	5	2	–	1	–
†FAILSWORTH ...	–	1			–	–
†FARNWORTH ...	–	–	–	–	4	–
†FLEETWOOD ...	–				4	–
FORMBY	*	*	*	*	*	*
GRANGE	–	1		–	–	–
†GREAT CROSBY ...	–	1	4	1	1	–
†HASLINGDEN ...	–	–	–	–	2	–
†HAYDOCK... ...	–	1	–	–	1	–
†HEYWOOD	–	1		–		–
†HORWICH... ...			–	–	4	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	-	-			1	-
IRLAM	-	-	2	-	-	-
†LANCASTER ...	-	1	-	-	3	-
LEES	-	-		-	1	-
†LEIGH	-	2	1	-	4	N. 1
†LITHERLAND ...	-	1	1	-	1	-
LITTLE LEVER ...	-		-	-	1	M. 1
†LYTHAM ST. ANNE'S	-	1	-	-	2	N. 1
†MIDDLETON ...	-	2	-	-	6	-
MILNROW... ...	-	1	-	-	1	-
†MORECAMBE AND HEYSHAM	-	-	1	1	2	-
†MOSSLEY	-	-	-		1	-
†NELSON	-	1	-	-	1	-
†NEWTON IN MAKERFIELD	-	-	-	-	1	D. 1
ORMSKIRK ...	-	-	-	-	2	-
†OSWALDTWISTLE	-	-		-	2	-
†PADIHAM... ...	-	-	-	-	1	-
POULTON LE FYLDE	-	-	-	-	1	-
PRESCOT	-	1	-	-	-	-
†PRESTWICH ...	-	-	-	-	3	-
†RADCLIFFE ...	-	1	1			-
†RAMSBOTTOM ...	-	1	-	-	1	-
†RAWTENSTALL ...	-	2	-	-	-	M. 1
†ROYTON	-	-	-	-	4	-
†STRETFORD ...	-	3	2	-	1	M. 1
†SWINTON AND PENDLEBURY	-	5	1	-	1	M. 1
TOTTINGTON ...	-	1	1	-	-	-
†TYLDESLEY WITH SHAKERLEY	-	-	-	-	2	-
†ULVERSTON ...	-	2	-	-	-	-
†WALTON LE DALE	-		-	-	1	-
WARDLE... ...	-	2	-	-	-	M. 1
†WATERLOO WITH SEAFORTH	-	5	-		-	-
WHITEFIELD ...	-	-	-	-	1	-
WHITWORTH ...	-	-	-	-	1	-
†WIDNES	-	1	1	-	5	
†WORSLEY... ...	-	1	-	-	-	-
LANCASTER— *cont.*						
Rural Districts:—						
BLACKBURN ...	-	-	-	-	2	-
BURNLEY ...	-	-	-	-	-	M. 1
CLITHEROE ...	-	-	-	-	-	L. 1
GARSTANG ...	-	-	-		1	-
LEIGH	-	1	-	-	2	-
LIMEHURST ...	-	1	-	-	-	-
LUNESDALE ...		1	-		-	-
PRESTON	-	2	-	-	-	-
WARRINGTON ...	-	1	-		4	-
WEST LANCASHIRE	-	3	-	-	2	-
WHISTON... ...	-	-	-	-	-	L. 3
LEICESTER ...	80	16	8	-	16	C. 1 D. 2 L. 5 M. 3 N. 1
†LEICESTER C.B....	51	7	5	-	8	C. 1 D. 2 L. 5
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	-	1	-	-	-	-
ASHBY WOULDS...	-	-	-	-	1	-
†COALVILLE ...	5	1	-	-	-	-
†HINCKLEY ...	1	-	-	-	-	M. 1
†LOUGHBOROUGH	1	3	-	-	-	-
MARKET HARBOROUGH	-	-	-	-	2	-
SHEPSHED ...	-	-	-	-	1	-
THURMASTON ...	2	-	-	-	-	-
WIGSTON MAGNA	-	1	1	-	-	-
Rural Districts:—						
ASHBY DE LA ZOUCH	-	-	-	-		M. 1
BARROW UPON SOAR	1	-	-	-	1	-
BLABY	3	2	1	-	1	M. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts— *cont.*						
CASTLE DONINGTON	–	–	–	–	1	–
HINCKLEY ...	2	–	–	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	14	–	–	–	1	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	11	2	–	1	C. 1
Boroughs and Urban Districts:—						
†BOSTON	–	5	–	–	–	C. 1
†SPALDING ...	–	2	2	–	–	–
Rural Districts:—						
BOSTON	–	3	–	–	1	
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	3	–	4	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	2	–
SLEAFORD ...	–	–	1	–	–	–
STAMFORD ...	–	–	–	–	1	–
Rural Districts —						
BRANSTON ...	–	–	1	–	–	–
GRANTHAM ...	–	1	–	–	1	–
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	3	20	12	1	26	C. 1 G. 1 M. 2 N. 1
†GRIMSBY C.B. ...	1	6	2	–	1	–
LINCOLN (parts of Lindsey)— *cont.*						
†LINCOLN C.B. ...	–	3	5	–	6	C. 1 G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	–		1	–
BRIGG	–	–	–		–	M. 1
†CLEETHORPES ...	–	–	1	–	1	–
†GAINSBOROUGH ...	2	2	1	–	7	–
LOUTH	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	3	–	–	4	–
WINTERTON ..	–	–	1	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	1		1	–	–
GLANFORD BRIGG	–	1	–	–	3	–
ISLE OF AXHOLME	–	–	1	–	3	–
SPILSBY	–	3	–	–	–	–
WELTON	–	–	1	–	–	–
MIDDLESEX ...	–	82	32	–	70	C. 2 D. 1 J. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	1	–
†BRENTFORD AND CHISWICK	–	1	–	–	1	–
†EALING	–	3	2	–	4	C. 1
†EDMONTON ...	–	4	4	–	6	–
†ENFIELD	–	9	1	–	3	–
†FELTHAM... ...	–	–	2	–	–	–
†FINCHLEY ...	–	2	–	–	1	–
†FRIERN BARNET...	–	–	1	–	–	–
†HAMPTON ...	–	1		–	2	–
†HARROW ON THE HILL	–	2	1	–	2	–
HAYES AND HARLINGTON	–	2	–	–	1	–
†HENDON	–	6	2	–	4	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HESTON AND ISLEWORTH	–	10	1	–	3	–
†HORNSEY	–	5	4	–	2	–
RUISLIP NORTHWOOD	–	–	–	–	3	–
†SOUTHALL NORWOOD	–	3	–	–	1	–
†SOUTHGATE ...		1			1	–
†STAINES	–	1	–	–		–
SUNBURY ON THAMES	–	–	–	–	1	–
†TEDDINGTON ...	–	1	–	–	2	–
†TOTTENHAM ...	–	6	5	–	6	M. 1
†TWICKENHAM ...	–	1	3	–	–	–
†UXBRIDGE ...	–	–	–	–	1	J. 1
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	1	–	–	2	D. 1
†WILLESDEN ...	–	12	4	–	15	C. 1 M. 1 N. 1
†WOOD GREEN ...	–	6	2	–	3	–
Rural Districts:—						
HENDON	–	2	–	–	5	–
NORFOLK ...	–	5	7	–	16	G. 2 M. 1
†GREAT YARMOUTH C.B.	–	–	6	–	2	–
†NORWICH C.B. ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
EAST DEREHAM...	–	–	–	–	2	–
†KING'S LYNN ...	–	1	–	–	1	–
Rural Districts:—						
BLOFIELD ...	–	1	–	–	1	–
DEPWADE ...	*	*	*	*	*	*
DOCKING	–	–	–	–	2	G. 1
DOWNHAM ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
FOREHOE	–	2	–	–	–	–
LODDON AND CLAVERING	–	–	–	–	3	–
MITFORD AND LAUNDITCH	–	–	–	–	–	M. 1
SMALLBURGH ...	–	–	–	–	–	G. 1
SWAFFHAM ...	–	–	–	–	1	–
THETFORD ...	*	*	*	*	*	*
NORTHAMPTON	–	6	8	1	11	M. 2 N. 1
†NORTHAMPTON C.B.	–	4	5	–	3	–
Boroughs and Urban Districts:—						
BRACKLEY ...	–	–	–	–	–	M. 1
BURTON LATIMER		1	–	–	1	–
FINEDON	–	–	1	–	1	–
IRTHLINGBOROUGH	–	–	–	1	–	–
†RUSHDEN... ...	–	–	–	–	2	–
Rural Districts:—						
BRACKLEY ...	–	–	–	–	–	N. 1
DAVENTRY ...	–	–	1	–	1	–
HARDINGSTONE ...	–	–	–	–	1	–
NORTHAMPTON ...	–	–	1	–	2	–
OXENDON... ...	–	1	–	–	–	–
WELLINGBOROUGH	–	–	–	–	–	M. 1
NORTHUMBERLAND.	–	37	8	1	41	C. 2 D. 2 L. 4 M. 2 N. 7
†NEWCASTLE UPON TYNE C.B.	–	22	3	1	23	L. 4 M. 2 N. 4
†TYNEMOUTH C.B.	–	–	–	–	2	D. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	–		–	–	C. 1
†BEDLINGTONSHIRE	–	–	–	–	5	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	1	1		2	–
†EARSDON	–	3		–	1	N. 1
†GOSFORTH ...	–	2	–			–
†LONGBENTON ...	–	2	–	–	3	
†NEWBURN ...	–	1	1	–	–	C. 1
SEATON DELAVAL	–	1	–	–	1	–
†WALLSEND ...	–	3	1	–	2	D. 1
Rural Districts:—						
CASTLE WARD ...	–	1	1	–	–	–
GLENDALE ...	–	–	–	–	1	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	–	1	–	–	N. 1
NORHAM AND ISLANDSHIRES	–	–	–	–	1	–
NOTTINGHAM ...	–	31	10	1	47	D. 3 L. 1 N. 3
†NOTTINGHAM C.B.	–	11	4	–	18	D. 1 N. 3
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†BEESTON	–	–	–	–	3	–
†CARLTON	–	2	–	–	2	–
†EAST RETFORD ...	–	2	–	–	2	–
†HUCKNALL ...	–	–	–	–	1	–
†MANSFIELD ...	–	2	6	–	1	D. 1
†NEWARK	–	–	–	–	5	
†SUTTON IN ASHFIELD	–	–	–	1	–	D. 1
†WEST BRIDGFORD	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	6		–	3	–
BINGHAM... ...	–	2	–	–	–	L. 1
SKEGBY	–	1	–	–	–	–
SOUTHWELL ...	–	3	–	–	4	–
STAPLEFORD ...	–	–	–	–	3	–
WORKSOP... ...	–	2	–	–	4	–
OXFORD	–	8	3	–	1	D. 1
†OXFORD C.B. ...	–	3	2	–	–	D. 1
Rural Districts:—						
†BANBURY... ...	–	2		–	–	–
GORING	–	1	–	–	1	–
THAME	–	2	–	–	–	–
WITNEY	–	–	1	–		–
PETERBOROUGH (Soke of).	–	1	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	3	–
SALOP	–	10	7	–	1	C. 2 N. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	5	–	–	–	–
†OAKENGATES ...	–	–	1	–	–	–
†SHREWSBURY ...		2	–	–	–	–
WELLINGTON ...	–	1	1	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
CLEOBURY MORTIMER	–	1	1	–	–	–
LUDLOW	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica H, Typhus Fever : I. Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SALOP—*cont.*						
Rural Districts—*cont.*						
OSWESTRY ...	–				1	C. 1
TEME	–	–	–	–	–	N. 1
WELLINGTON ...	–	–	–	–	–	C. 1
WHITCHURCH ..	–	–	1	–	–	–
SOMERSET ...	–	16	10	–	31	E. 1 G. 1 M. 2
†BATH C.B. ...	–	2	1	–	6	G. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–		2	–
GLASTONBURY ...	–	–	–	–		E. 1
ILMINSTER ...	–	–	1	–	–	–
MIDSOMER NORTON	–	–	–	–	2	–
PORTISHEAD ...	–	–		–	2	–
†TAUNTON	–	1	1	–	–	M. 1
WELLINGTON ...	–	–	2	–	2	–
†WESTON SUPER MARE	–	–	3	–	1	–
†YEOVIL	–	–	1	–	4	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	M. 1
BATH	–	3	–	–	–	–
CHARD	–	–	–	–	1	–
CLUTTON	–	2	–	–	2	–
LANGPORT ...	–	–	1	–	2	–
SHEPTON MALLET	–	3	–	–	–	–
TAUNTON ...	–	–	–	–	1	–
WELLS	–	–	–	–	1	–
WINCANTON ...	–	5	–	–	2	–
YEOVIL	–	–	–	–	2	–
SOUTHAMPTON	–	32	20	1	11	G. 1 M. 2 N. 2
†BOURNEMOUTH C.B.	–	3	1	–	2	–
†PORTSMOUTH C.B.	–	13	11		–	G. 1 M. 1
SOUTHAMPTON—*cont.*						
†SOUTHAMPTON C.B.	–	6	4	–	3	N. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
ALTON	–	–	–	–		M. 1
†FAREHAM ...	–	–	–		2	–
†GOSPORT	–	1	1	–	1	–
ROMSEY	–	1	–	–	–	–
Rural Districts:—						
ALTON	–		1	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
CATHERINGTON ...	–	1	–	–	–	–
DROXFORD ...	–	1	–			–
FAREHAM ...	–	–	1	–	1	–
FORDINGBRIDGE	–	–	–	–	2	–
HARTLEY WINTNEY	–	–	–	1	–	–
NEW FOREST ...	–	–	1	–	–	–
ROMSEY	–	1	–	–	–	–
WINCHESTER ...	–	2	–	–	–	–
STAFFORD ...	–	31	34	1	157	C. 2 M. 3 N. 8
†BURTON UPON TRENT C.B.	–	4	2	–	4	–
†SMETHWICK C.B.	–	4	10	–	11	–
†STOKE ON TRENT C.B.	–	2	8	–	41	C. 1 M. 1
†WALSALL C.B. ...	–	2	1	–	16	N. 1
†WEST BROMWICH C.B.	–	4	2	–	8	
†WOLVERHAMPTON C.B.	–	1	2	–	7	M. 2 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1		–	6	N. 2
BIDDULPH ...	–	–	–	–	1	N. 1
†BILSTON	–	1	1	–	5	–
†BRIERLEY HILL ...	–	–	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROWNHILLS ...	–	–	1	–	–	N. 1
†CANNOCK	–	–	–	–	2	C. 1
†DARLASTON ...	–	–	–	–	1	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	1	–	1	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	–	–	–	2	–
RUGELEY	–	–	–	–	3	–
†SEDGLEY	–	1	1	–	4	–
†STAFFORD ...	–	–	1	–	3	–
TAMWORTH ...	–	1	–	–	2	–
†TIPTON	–	–	–	–	1	N. 1
†WEDNESBURY ...	–	–	–	–	2	N. 1
WEDNESFIELD ...	–	1	–	–	–	–
†WILLENHALL ...	–	–	–	–	3	–
†WOLSTANTON UNITED	–	1	1	–	–	–
Rural Districts:—						
CANNOCK	–	–	–	–	3	–
CHEADLE	–	2	–	–	5	–
GNOSALL		1	–	–	3	–
KINGSWINFORD ...	–	–	1	–	2	–
LEEK	–	–	–	–	2	–
LICHFIELD ...	–	–	1	1	8	–
SEISDON	–	–	–	–	1	–
STAFFORD ...	–	3	–	–	–	–
TAMWORTH (part)	–		–		4	–
WALSALL	–	–	1	–	4	–
BLYMHILL AND WESTON UNDER LIZARD (Parishes)	–	1	–		–	–
SUFFOLK, EAST	–	21	2		10	C. 1 N. 3
†IPSWICH C.B. ...	–	18	–		4	C. 1
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	–	1		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST *cont.*						
Rural Districts:—						
BLYTHING ...	–	–	–	–	1	–
BOSMERE AND CLAYDON	–	2	1	–	1	N. 2
MUTFORD AND LOTHINGLAND	–	..	–	–	–	N. 1
PLOMESGATE ...	–	–	–	–	1	–
SAMFORD	–	1	–	–	–	–
WANGFORD ...	–	–	–	–	2	–
SUFFOLK, WEST	–	3	2	–	1	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	1	–	1	–
NEWMARKET ...	–	–	1	–	–	–
Rural Districts:—						
BRANDON	*	*	*	*	*	*
MELFORD	–	–	–	–	–	N. 1
MILDENHALL ...	–	1	–	–	–	–
SURREY	8	54	27	1	12	C. 2 M. 2 N. 6
†CROYDON C.B. ...	8	15	3	–	2	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	2	–	1	N. 1
†BEDDINGTON AND WALLINGTON	–	1	1	–	–	–
†CARSHALTON ...	–	2	4	–	1	M. 1 N. 1
†CATERHAM AND WARLINGHAM	–	1	–	–	–	–
†CHERTSEY ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	3	–	–	1	N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
EAST AND WEST MOLESEY	–	1	1	–	–	–
†EGHAM	–	–	1	–	–	–
†EPSOM	–	–	–	1	–	–
†FARNHAM ...	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	–	1	–
†KINGSTON ON THAMES	–	2	1	–	–	–
LEATHERHEAD ...	–	1	–	–	1	–
†MERTON AND MORDEN	–	6	1	–	–	–
†MITCHAM	–	5	1	–	2	C. 1
†REIGATE	–	1	1	–	–	–
†RICHMOND ...	–	1	4	–	–	–
†SURBITON ...	–	–	1		1	–
†SUTTON AND CHEAM	–	1	1	–	1	–
†THE MALDENS AND COOMBE	–	2	–	–	–	–
†WIMBLEDON ...	–	1	1	–	–	N. 1
†WOKING		4	–	–	1	–
Rural Districts:—						
EPSOM	–	1		–	–	–
GODSTONE ...	–	1	2	–	–	–
HAMBLEDON ...	–	1		–	–	–
REIGATE	–	–	2		–	–
SUSSEX, EAST...	–	12	8	–	15	M. 1
†BRIGHTON C.B.	–	2	1	–	1	–
†EASTBOURNE C.B.	–		2	–	–	–
†HASTINGS C.B. ...	–	1	1	–	4	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–		–
EAST GRINSTEAD	–	–	1	–	–	–
†HOVE	–	1	–		1	
NEWHAVEN ...	–	–	–	–	–	M. 1
Rural Districts:—						
CHAILEY	–	1	1	–	1	–
CUCKFIELD ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts—*cont.*						
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	6	–
HASTINGS ...		2			1	–
TICEHURST ...	–	2	2	–	–	–
SUSSEX, WEST...	–	9	2	–	9	N. 3
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	–	–	N. 1
†HORSHAM ...	–	–	1	–	2	–
†LITTLEHAMPTON	–	–	1		1	–
SHOREHAM BY SEA	–	3	–	–	2	–
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	–	–	–	1	–
Rural Districts:—						
EAST PRESTON ...	–	–		–	1	N. 1
HORSHAM ...	–	1			1	–
MIDHURST ...	–	2	–	–	–	–
THAKEHAM ...	–	2	–	–	1	–
WESTBOURNE ...	–	–	–	–	–	N. 1
WARWICK ...	1	50	48	2	152	C. 2 D. 1 M. 12 N. 3
†BIRMINGHAM C.B.	–	42	39	–	102	C. 1 D. 1 M. 12 N. 3
†COVENTRY C.B. ...	–	4	1	–	14	C. 1
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	1	–	2	–
†NUNEATON ...		–	2	–	3	–
†ROYAL LEAMINGTON SPA	–	2	–	1	3	–
†STRATFORD ON AVON	–	–	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Sutton Coldfield		–		–	3	–
†Warwick ...	–	–	–	–	3	–
Rural Districts:—						
Alcester ...	–	–	–	–	1	–
Atherstone ...	–	1	4	–	8	–
Foleshill ...	–	–	–	–	2	–
Meriden	–	–	–	–	3	–
Nuneaton ...	1	–	1	–	1	–
Solihull ...		1	–	1	3	–
Southam	–	–	–	–	2	–
Tamworth (part)	–	–	–	–	1	–
WESTMORLAND	–	2	2	–	5	–
Boroughs and Urban Districts:—						
†Kendal		1	1	–	1	–
Shap	–	1		–	–	–
Rural Districts:—						
South Westmorland	–	–	1	–	3	–
West Ward ...	–	–	–	–	1	–
WILTS	–	10	4	–	12	N. 1
Boroughs and Urban Districts:—						
Chippenham ...	–	2	–	–	1	–
Melksham ...		1	–	–	1	–
†Salisbury ...	–	1		–	–	–
†Swindon	–	1	1	–	4	–
†Trowbridge ...	–	3	–	–	–	–
Rural Districts:—						
Calne	–	1	–	–	–	–
Cricklade and Wootton Bassett	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
Highworth ...	–	–	–		1	N. 1
Melksham ...	–	–	1	–	–	–
Pewsey	–	1	–	–	1	–
Salisbury ...	–	–	1	–		–
Tetbury	*	*	*	*	*	*
Westbury and Whorwellsdown	–	–	1	–	–	–
WORCESTER ...	–	19	3	–	26	C. 1 M. 2 N. 1
†Dudley C.B. ...	–	1	1	–	1	–
†Worcester C.B.	–	4	–		–	C. 1
Boroughs and Urban Districts:—						
Bewdley ...	–	1	–	–	1	–
Bromsgrove ...	–	–	–		1	–
Evesham	–	–		–	–	N. 1
†Halesowen ...	–	4	1	–	5	M. 1
†Kidderminster		–	–	–	3	–
†Lye and Wollescote	–	–	–	–	5	–
†Oldbury	–	4	–	–	1	M. 1
†Redditch ...	–	2	–	–	4	–
†Stourbridge ...	–	–	–	–	5	–
Rural Districts:—						
Kidderminster	–	–	1	–	–	–
Tewkesbury (part)		3	–	–	–	–
YORKS ... ... (East Riding).	–	11	28	–	15	C. 2 D. 1 F. 1 M. 1 N. 2
†Kingston upon Hull C.B.	–	7	26	–	8	C. 2 D. 1 F. 1 M. 1 N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...		1		-	3	-
†BRIDLINGTON ...	-	-	1	-	1	-
HORNSEA	-	-	1	-	-	-
Rural Districts:—						
BEVERLEY ...	-		-	-	1	-
BRIDLINGTON ...	-				1	
PATRINGTON ...		3	-	-	1	-
YORKS ... ... (North Riding).	-	20	8		38	G. 1 M. 1 N. 1
†MIDDLESBROUGH C.B.	-	9	2	-	22	-
Boroughs and Urban Districts:—						
†ESTON		1	-		2	-
GUISBOROUGH ...	-			-	1	-
LOFTUS	-	-	2	-	1	-
†REDCAR	-	-	-	-	1	-
RICHMOND ...	-	-	-	-	1	
†SCARBOROUGH ...		3	-	-	1	M. 1
†SKELTON AND BROTTON	-	1	-	-	1	-
†THORNABY ON TEES	-		1		3	N. 1
†WHITBY		3	-	-	-	-
Rural Districts:—						
EASINGWOLD ...	-	-	-	-	1	-
HELMSLEY ...	-	2	-	-	1	-
RICHMOND ...	-		1		1	
SCARBOROUGH ...	-	-	1	-	-	-
STOKESLEY ...	-		1		1	
THIRSK	-	-	-	-	1	-
WHITBY	-	1	-	-	-	G. 1
YORKS ... ... (West Riding).	10	150	70	1	289	C. 3 D. 26 G. 2 M. 4 N. 13
†BARNSLEY C.B. ...	-	5	-	-	9	D. 1 G. 1
†BRADFORD C.B. ...	-	29	1	-	31	N. 6
†DEWSBURY C.B....	-	1	2	-	-	M. 1 N. 1
†DONCASTER C.B....	-	1	-	-	-	C. 1 D. 2
†HALIFAX C.B. ...	-	2	-		-	-
†HUDDERSFIELD C.B.	-	2	2	-	6	-
†LEEDS C.B. ...	-	22	16	-	35	D. 1 N. 3
†ROTHERHAM C.B.	-	1	4		7	D. 1
†SHEFFIELD C.B....	2	11	7	-	93	G. 1 M. 1
†WAKEFIELD C.B.	-	3	2	-	5	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	1	4		2	D. 1 M. 1
ALTOFTS	-	-	-		1	-
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BARNOLDSWICK ...	-	1			-	-
†BATLEY	-	2	2	-	-	-
†BENTLEY WITH ARKSEY	-	5	-		-	-
†BINGLEY		2	1		-	-
†BOLTON UPON DEARNE	-	-	-	-	2	-
†BRIGHOUSE ...	-		1	-	1	-
CALVERLEY ...		1			-	-
†CASTLEFORD ...	-		-	-	1	-
†CONISBROUGH ...	-	-	1	-	-	D. 1
DARFIELD ...	-	1		-		-
†DARTON		2	-		-	-
DODWORTH ...	-	-	-	-		D. 1
DRIGHLINGTON ...	-		-	-	4	-
†ELLAND	-	-	-		1	-
GILDERSOME ...	-	-	-	-	1	-
†GOOLE	-	-	-	-	2	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
GREASBROUGH ...	–	–	–		1	D. 1
GREETLAND ...		–	–		1	–
†HARROGATE ...	–	6	–	–	3	–
HEBDEN BRIDGE	–				2	–
HECKMONDWIKE	–	–			4	–
†HEMSWORTH ...	–	–	1	–	7	D. 1
HORBURY... ...	–	1	1	–		–
HORSFORTH ...		–		–	1	–
†HOYLAND NETHER	–	–	–	–	2	D. 2
ILKLEY		–	–	–	1	–
KEIGHLEY ...	–	4			2	N. 1
KNOTTINGLEY ...	–		–	–	1	–
MALTBY	–	–	–	–	1	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY			1	–	4	–
MYTHOLMROYD ...	–		–	–	1	–
†NORMANTON ...	–	4	–	1	2	–
†OSSETT	–	–	1	–	1	–
†PONTEFRACT ...	–	–	–		1	C. 1
†PUDSEY	–	–	–	–	2	
†RAWMARSH ...	–	1	3		1	N. 1
RIPON	–	–	–	–	3	N. 1
†ROTHWELL ...		1	1	–	–	–
ROYSTON	–		1		–	–
SHELF	1	–	–	–	–	–
†SHIPLEY	–	–				C. 1
†SKIPTON	–	2	–	–		
SOUTH CROSLAND	–	–	–	–	1	–
†SOWERBY... ...			1	–	–	–
†SPENBOROUGH ...		1	–	–	9	–
STAINLAND ...				–	1	–
†STANLEY	–	3	–	–	2	–
STOCKSBRIDGE ...	–	–	2		1	–
THURNSCOE ...	–	1	1		3	M. 1
THURSTONLAND AND FARNLEY TYAS	–	–		–	1	–
TICKHILL... ...				–	–	D. 1
†TODMORDEN ...	–	–	–	–	2	–
†WATH UPON DEARNE	1	1	–	–	–	D. 1
†WOMBWELL ...	–	–	1		4	–
†WORSBOROUGH ...		1	–	–	1	–
YORKS (West Riding)—*cont.*						
Rural Districts:—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	1	–		–	D. 2
GREAT OUSEBURN	–	–	–	–	1	–
HEMSWORTH ...	–	5	2	–	4	D. 6
KIVETON PARK ...	5	1	1	–	4	D. 2
KNARESBOROUGH	–	4	–	–	1	–
PATELEY BRIDGE	–		–	–	1	–
PENISTONE ...	–	–	–	–	2	–
PONTEFRACT ...	–	2	–	–	–	–
ROTHERHAM ...	1	1	3		4	–
SETTLE	–	1	–	–	2	–
SKIPTON	–		1	–		–
TADCASTER ...	–	8	3	–	–	–
THORNE	–		–	–	–	D. 2
WAKEFIELD ...	–	2	3		–	–
WETHERBY ...	–	5		–		–
WORTLEY... ...	–	1	–	–	2	–
YORK, CITY OF ..	–	–			6	–
†YORK C.B. ...	–	–	–	–	6	–
WALES.						
ANGLESEY ...	–	–	5	1	1	–
Borough and Urban Districts:—						
†HOLYHEAD ...	–	–	3		–	–
Rural Districts:—						
AETHWY	–	–	2	–	–	–
TWRCELYN ...	–		–	1	1	–
BRECKNOCK ...	–	1	1	–	3	–
Boroughs and Urban Districts:—						
BUILTH WELLS ...	–	1	–	–	–	–
HAY	–	–	1	–		–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BRECKNOCK— *cont.*						
Rural Districts:—						
CRICKHOWELL ...	–	–	–	–	2	–
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
CAERNARVON ...	–	–	2	–	–	–
CONWAY	–	–	1	–	–	–
CARDIGAN ...	–	2	–	–	–	C. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
Rural Districts:—						
ABERYSTWYTH (SOUTH)	–	1	–	–	–	–
LLANDYSSIL ...	–	–	–	–	–	C. 1
CARMARTHEN...	–	4	9	–	13	M. 1 N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	–		–	N. 1
BURRY PORT ...	–	–	4	–	–	–
†CARMARTHEN ...	–	–	1	–	–	–
KIDWELLY ...	–	–	–	–	1	–
†LLANELLY ...	–	–		–	9	–
Rural Districts:—						
CARMARTHEN ...	–	1	2	–	–	–
LLANDILO FAWR	–	1	–	–	1	–
LLANDOVERY ...	–	–		–	1	–
LLANELLY ...	–	1	2	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DENBIGH ...	–	10	23	–	2	G. 1 N. 1
Boroughs and Urban Districts:—						
RUTHIN	–	–	2	–	–	N. 1
†WREXHAM ...	–	2	1	–	–	G. 1
Rural Districts:—						
RUTHIN	–	1	1	–	–	–
UWCHALED ...	–	–	1	–	–	–
WREXHAM ...	–	7	18	–	2	–
FLINT	–	–	–	–	3	C. 1 D. 1 N. 1
Rural Districts:—						
HAWARDEN ...	–	–	–	–	–	C. 1 N. 1
HOLYWELL ...	–	–	–	–	3	D. 1
GLAMORGAN ...	12	57	72	–	75	C. 2 E. 1 M. 3 N. 3
†CARDIFF C.B. ...	–	11	14	–	5	C. 1
†MERTHYR TYDFIL C.B.	–	2	3	–	5	N. 1
†SWANSEA C.B. ...	–	2	9	–	4	–
Boroughs and Urban Districts:—						
†ABERDARE ...	1	3	–	–	7	–
†BARRY	–	–	–	–	3	–
†CAERPHILLY ...	–	–	1	–	1	–
†GELLIGAER ...	–	2	2	–	2	–
†GLYNCORWG ...	–	10	1	–	2	–
†LLWCHWR ...		–	–	–	3	–
†MAESTEG	–	–	2	–	–	–
†MOUNTAIN ASH...	10	2	2	–	2	–
†NEATH	–	–	4	–	2	–
†OGMORE AND GARW	–	4	–	–	6	–

† Population over 10,000

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Penarth	–	–	–	–	–	M. 1
†Pontypridd ...	1	–	2	–	7	–
Porthcawl ...	–	1	1	–	2	–
†Port Talbot ...	–	5	5	–	–	E. 1
†Rhondda ...	–	8	22	–	17	M. 2 N. 1
Rural Districts:—						
Cardiff	–	4	1	–	–	–
Cowbridge ...	–	1	–	–	3	
Gower	–	–	3		1	–
Llantrisant and Llantwitfardre	–	1	–	–	–	–
Neath		1	–	–	1	C. 1
Penybont ...	–	–	–	–	2	–
Pontardawe ...	–	–	–	–	–	N. 1
MERIONETH ...	–	1	1	–	1	–
Urban District:—						
Ffestiniog ...	–	1	–	–	–	–
Towyn	–	–	1	–	1	–
MONMOUTH ...	–	25	13	1	12	G. 1 N. 2
†Newport C.B. ...	–	7	5	–	4	G. 1
Boroughs and Urban Districts:—						
Abergavenny ...	–	–	3	1	–	–
†Abersychan ...	–	1	–	–	–	–
†Abertillery ...	–	6	–	–	5	–
Bedwas and Machen	–	1	–	–	–	–
†Bedwellty ...	–	–	1	–	–	–
Chepstow ...	–	–	1	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ebbw Vale ...	–	3	–	–	–	N. 1
Llanfrechfa Upper	–	1	–	–	–	–
Monmouth ...	*	*	*	*	*	*
†Mynyddislwyn	–	1	1	–	–	–
†Nantyglo and Blaina	–	–	–	–	1	–
†Panteg	–	1	–	–	–	–
†Rhymney ...	–	1	–	–	–	–
†Risca	–	–	1	–	1	–
†Tredegar ...	–	1	–	–	–	–
Rural Districts:—						
Magor	–	1	–	–	1	–
Monmouth ...	*	*	*	*	*	*
St. Mellons ...	–	1	1	–	–	N. 1
MONTGOMERY...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
Machynlleth ...	*	*	*	*	*	*
Rural Districts:—						
Llanfyllin ...	–	1	–	–	1	–
PEMBROKE ...	–	7	1	–	6	–
Boroughs and Urban Districts:—						
Haverfordwest	–	1	–	–	–	–
Milford Haven	–	–	1	–	1	–
Narberth ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE— *cont.*						
Rural Districts:—						
NARBERTH ...	–	6	–	–	2	–
PEMBROKE ...	–	–	–	–	2	–
RADNOR	–	–	–	–	–	N. 1
Rural Districts:—						
NEW RADNOR ...	–	–	–	–	–	N. 1
Total of Part II....	145	1320	826	28	1867	C. 38 D. 54 E. 2 F. 1 G. 12 J. 1 L. 14 M. 97 N.100

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
OSTON	–	–	1	–	–	–
INGSBRIDGE AND SALCOMBE	–	–	–	–	1	–
IVERPOOL	–	1	–	–	1	D. 1
PLYMOUTH	–	–		–	1	L. 2
SOUTHAMPTON ...	–	–	–	–	1	L. 1
Total of Part III. ...	–	1	1	–	4	D. 1 L. 3

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Total of Part I.—London	26	181	176	3	168	C. D. M. N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	145	1320	826	28	1867	C. D. E. F. G. J. L. M. N. 1
Total of Part III.—Port Sanitary Districts	-	1	1	–	4	D. L.
Total (i.e., of returns received), England and Wales ...	171	1502	1003	31	2039	C. D. E. F. G. J. L. M. 11 N. 11

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the EGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

ek ended :—	Dec. 20.	Dec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14	Totals from 1st Week of year. *	
														1930.	1931.
N :—															
RTHS	1,341	821	1,589	1,438	1,421	1,422	1,383	1,401	1,397	1,317	1,407	1,384	1,394	14,385	13,964
RTHS	39	21	50	61	50	39	41	33	51	59	47	49	69	493	499
(excluding Still- —all ages,	1,175	1,185	1,356	1,452	1,467	1,415	1,434	1,496	1,620	1,578	1,457	1,347	1,377	11,624	14,643
—0 to 1 year ..	74	89	107	112	116	115	132	125	145	92	108	111	104	1,061	1,160
TOWNS, aggre- (including Lon-															
RTHS	6,202	3,997	7,120	6,760	6,470	6,502	6,180	6,308	6,349	6,320	6,631	6,562	6,503	64,484	64,585
RTHS	267	216	311	305	282	270	295	244	278	315	282	289	323	2,898	2,883
(excluding Still- —all ages,	5,165	4,843	5,537	6,451	6,493	6,249	6,052	6,178	6,834	6,826	6,879	6,480	6,713	51,030	65,155
—0 to 1 year ..	476	474	557	622	626	633	645	650	748	697	686	629	640	4,968	6,576
C Fever—Cases	13	7	15	10	11	20	9	10	24	22	19	6	8	173	139
,, Deaths	1	—	3	1	1	3	2	4	2	1	2	—	1	20	17
Pox—Cases ..	111	105	131	162	154	198	194	147	150	186	189	158	117	2,854	1,655
Deaths ..	—	—	—	—	—	—	—	—	—	1	—	—	—	8	1
T Fever—Cases	1,140	901	1,064	886	907	960	935	907	925	917	922	826	824	15,162	9,009
Deaths	8	11	16	8	9	8	7	7	9	8	4	7	6	120	73
eria—Cases ..	860	617	831	775	793	922	894	820	781	735	749	628	626	11,244	7,723
Deaths ..	43	33	43	32	39	53	43	50	29	48	42	42	34	538	412
s—Deaths ..	71	59	62	77	94	73	72	72	80	97	70	73	84	934	792
nza—Deaths ..	58	59	60	101	146	242	309	331	456	509	546	471	417	793	3,528

e figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the rs and differ from those published for the towns in the Quarterly Return which are corrected for births g away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 14th March, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.*				Rainfall in Millimetres.‡	Towns.	Temperature of Air.*				Rainfall in Millimetres.‡
	Highest.	Lowest.	Mean Maximum.	Mean Minimum.			Highest.	Lowest.	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
on (Greenwich).	55	21	42·0	27·3	1	Huddersfield ..	49	21	39·6	26·0	7
						Bradford ..	46	22	38·4	26·4	7
ton ..	49	21	41·6	28·3	1	Sheffield ..	48	23	39·6	27·3	1
mouth ..	54	21	43·4	28·5	0	York (Museum)	50	23	40·3	28·4	9
ich	§	§	§	§	§	Hull (Pearson Park).	49	25	40·3	28·6	10
(Eaton)											
uth ..	51	22	43·6	27·6	1	Tynemouth ..	43	29	38·3	30·4	17
l	53	21	43·9	27·3	2	Cardiff	51	24	41·7	28·1	2
(Horfield)											
ngham	50	21	39·6	27·3	1						
(Dgbaston).											
ngham ..	52	24	41·6	27·7	4	Edinburgh ..	40·0	25·0	36·1	29·0	19
nhead	46	26	38·9	30·6	1	Glasgow ..	41·4	27·3	39·1	31·1	8
(Bidston).						Dublin (Phœnix Park)	52·4	21·7	43·6	28·7	3
hester	48	24	39·7	28·4	2						
hitworth Park).						(Fitzwilliam Square†).	51·0	26·1	43·2	32·2	3
ley	47	18	39·3	25·0	7	Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 14th March, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	8	..	29·629	37·4	25·6	11·8	31·0	−10·1	22·5	8·5	14·9	3·7	71	93·8	17·8	42·2	ENE	ENE : NE.	9·3	0·0	1·4	489	+ 136	0·00
MONDAY -	9	..	29·505	30·8	21·8	9·0	25·7	−15·3	23·4	2·3	9·3	3·2	92	77·0	13·1	42·0	N : NE	ENE : Calm : N.	2·4	0·0	0·2	240	− 107	0·05
TUESDAY -	10	..	29·471	34·1	21·0	13·1	27·2	−13·7	22·1	5·1	14·2	2·0	81	69·9	12·0	41·9	NNW : NW.	N : NW.	2·0	0·0	0·1	242	− 95	0·00
WEDNESDAY	11	Last Quarter.	29·620	40·1	28·9	11·2	35·3	− 5·7	25·9	9·4	14·0	2·8	67	52·0	22·0	41·9	W : NW : NNW.	NNW : NW : W.	3·2	0·0	0·3	318	− 8	0·00
THURSDAY -	12	Greatest Declination S.	29·647	43·8	27·3	16·5	35·4	− 5·7	24·1	11·3	23·0	3·1	65	80·1	18·0	41·8	WSW : NW.	N : SSE.	0·9	0·0	0·1	196	− 121	0·00
FRIDAY -	13	..	29·495	49·9	25·3	24·6	38·7	− 2·6	26·5	12·2	22·1	4·2	62	102·1	16·1	41·6	Calm : E.	SW	1·7	0·0	0·1	222	− 88	0·00
SATURDAY -	14	..	29·520	54·9	35·1	19·8	44·0	+ 2·5	33·3	10·7	25·3	2·9	66	111·4	24·0	41·5	SW : WSW.	WSW	1·3	0·0	0·2	280	− 27	0·00
MEANS -		..	29·555	41·6	26·4	15·1	33·9	− 7·2	25·4	8·5	17·5	3·1	72	83·8	17·6	41·8	Variable		..	..	..	Sum 1987	Sum − 310	Sum 0·05
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	8	wP till 11½h.; then mP.	3·9	11·3	Overcast till 8½h.; very cloudy till 17h.; then nearly cloudless. Slight snow 7h. till 9h.; at 11h.; 12½h., and 15h. Brisk wind till 17h. Hoar frost at night.
MONDAY ..	9	Variably mP and sP till 5h.; variably sN and sP till 15h.; then variably sP and mP.	1·5	11·4	Cloudless till 2½h.; nearly overcast till 14½h.; then variably cloudy. Snow 5½h. till 7h.; 9h. till 15½h.; and at 17½h. Hoar frost in morning and at night.
TUESDAY ..	10	mP till 6½h.; then variably sP and mP.	0·9	11·4	Variably cloudy till 1½h.; nearly overcast till 18½h.; cloudless till 21½h.; then becoming overcast by 22½h. Occasional slight snow 9h. till 15h.; and 17½h. till 18h. Hoar frost in morning and at night.
WEDNESDAY	11	Variably sP and mP.	0·3	11·5	Overcast generally till 20½h.; partially cloudy till 21½h.; then overcast. Snow about 3h. Hoar frost in morning.
THURSDAY	12	mP till 6½h; variably sP and mP till 19h.; then mP.	4·5	11·6	Nearly overcast till 11½h.; partially cloudy till 17h.; then cloudless. Snow shower at 7½h. Fog 17½h. till 20½h. Hoar frost at night.
FRIDAY ..	13	mP	8·1	11·6	Cloudless till 10h.; partially cloudy till 15h.; then variably cloudy. Hoar frost in morning. Haze 9h. till 15h.
SATURDAY	14	mP	7·0	11·7	Variably cloudy till 8h.; nearly cloudless till 10h.; cloudy generally till 17h.; then cloudless. Shower at 4½h. Hoar frost in morning and at night.
			Sum 26·2	Sum 80·5	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·57 ins. at the beginning of the week to 29·65 ins. by 12h. on 8th; decreased to 29·45 ins. by 15h. on 10th; increased to 29·68 ins. by 21h. on 11th; decreased to 29·43 ins. by 2h. on 14th; increased and was 29·65 ins. by midnight on the same day.

THE CLINICAL RESEARCH ASSOCIATION, LTD.

WATERGATE HOUSE, ADELPHI, W.C.2. (*Close to Charing Cross Station.*)

A COMPLETE LABORATORY SERVICE.

The Consulting Rooms and Laboratories of this Association (established in 1894) are available for all Medical Practitioners desiring Laboratory assistance in the investigation and diagnosis of cases under their care. All necessary apparatus and full instructions for collecting pathogenic material, or for the personal attendance of Patients at the Consulting Rooms of the Association, will be forwarded immediately on application.

X-RAY EXAMINATIONS AND NURSING HOME ACCOMMODATION ARRANGED.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, stillbirths, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics:—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

TEXT.

This volume contains a commentary (with many Tables and some Diagrams) on the contents of the two Volumes of Tables (Medical and Civil) above mentioned. Many of the subjects—especially causes of death—are dealt with in detail.

The volume is priced at 2s. 6d. instead of 5s. as in previous years. Postage 3d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

(74165) Wt. 87—17 1875 3/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 11.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 21ST MARCH, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

Table 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

Table 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

Table 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

Table 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

Table 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

Table 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

Table 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

Weekly Summary of Infectious Diseases (Table 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 21st MARCH, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the eleventh week of the year numbered 6,772 corresponding to an annual rate of 17·9 per 1,000 living: stillbirths numbered 303 corresponding to a rate of 43 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,700 (13 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.
107 Great Towns	18·2	17·2	17·8	17·8
London	17·2	15·9	16·3	16·9
Birmingham	16·9	17·3	19·1	21·1
Liverpool	15·7	16·8	15·1	16·5
Manchester	23·5	23·7	18·4	16·9
Sheffield	14·4	14·9	17·2	19·7
Leeds	17·9	18·0	22·6	19·5
Bristol	19·2	17·6	19·1	18·7
West Ham	18·5	18·1	15·3	14·2

The deaths from influenza which had been 546, 471 and 417 in the three preceding weeks further fell to 365 and included 44 in London, 25 in Birmingham and 20 in Sheffield.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 90, against 105, 97 and 98, in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,422 live births registered corresponding to an annual rate of 16·7 per 1,000 living: stillbirths numbered 51 corresponding to a rate 35 of per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,433 (56 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 71, against 75, 77 and 72 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 21st March, 1931.

	TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
	107 GREAT TOWNS ..	19,661,240*	6,772	303	6,700	585	5	75	5	59	32	73	366
	LONDON	4,417,900*	1,422	51	1,433	102	2	1	-	18	5	20	44
TOWNS IN OUTER RING.	CROYDON C.B. ..	222,300	72	1	67	5	-	-	-	-	-	1	1
	WIMBLEDON ..	59,370	16	-	21	3	-	-		1	-	-	-
	EALING	104,000	48	1	24	2	-	-	-	-	-	-	2
	ACTON	65,200	14	-	17	-	-	-	-	-	-	-	-
	BRENTFORD AND CHISWICK ..	59,040	15	-	25	-	-	-	-	-	-	-	-
	WILLESDEN ..	172,500	37	1	47	5	-	-	1	-	-	1	2
	HENDON	83,190*	28	-	20	3	-	-	-	-	-	1	2
	HORNSEY	88,450	21	2	27	-	-	-	-	-	-	-	1
	WOOD GREEN ..	53,410	15	-	10	-	-	-	-	-	-	-	1
	TOTTENHAM ..	155,000	43	1	46	6	-	-	-	-	-	1	2
	EDMONTON ..	75,000	45	-	16	2	-	-	-	1	-	-	-
	ENFIELD	65,100	15	-	11	-	-	-	-	-	-	-	-
	WEST HAM C.B. ..	307,600	135	4	84	2	1	-	-	1	-	-	3
	EAST HAM C.B. ..	147,600	23	-	34	1	-	-	-		-		-
	LEYTON	128,300	29	-	37	2	-	1	-	-	-	-	1
	WALTHAMSTOW ..	124,800	32	1	38	1	-	-	1	1	-	1	-
	ILFORD	116,200	48	-	26	2	-	-	-	-	-	1	1
	GILLINGHAM	56,670*	23	1	13	-	-	-	-	-	-	-	2
	CANTERBURY C.B. ..	22,850*	7	-	10	-	-	-	-	-	-	-	2
	HASTINGS C.B.	62,620	20	-	26	1	-	-	-	-	-	-	6
	EASTBOURNE C.B. ..	58,570	18	2	21	2	-	-	-	-	1	-	2
	BRIGHTON C.B. ..	146,800*	55	2	52	3	-	-	-	-	-	1	7
	PORTSMOUTH C.B. ..	242,000*	77	5	84	6	-	-	2	-	-	1	5
	BOURNEMOUTH C.B. ..	97,360	27	2	39	2	-	-	-	-	-	-	2
	SOUTHAMPTON C.B. ..	172,300	72	4	43	4	-	-	-	-	1	-	1
	READING C.B.	96,850*	25	-	32	1	-	1	-	1	-	-	1
	OXFORD C.B	73,810*	30	2	16	-	-	-	-	-	-	-	1
	NORTHAMPTON C.B. ..	93,970*	28	2	31	5	-	3	-	-	-	-	1
	LUTON	65,200	23	1	14	3	-	-	-	1	-	-	-
	CAMBRIDGE	60,730	19	-	26	2	-	-	-	-	-	-	2
	SOUTHEND-ON-SEA C.B.	114,600	22	2	44	2	-	-	-	-	-	-	1
	IPSWICH C.B.	85,800	27	2	29	3	-	-	-	-	-	-	2
	GREAT YARMOUTH C.B.	58,110	16	-	17	1	-	-	-	-	-	1	1
	NORWICH C.B. ..	124,900*	36	4	56	4	-	-	-	-	-	-	7
	SWINDON	62,020	13	1	17	-	-	-	-	-	1	-	2
	EXETER C.B.	61,290*	19	1	33	1	-	-	-	-	-	-	2
	PLYMOUTH C.B. ..	199,000*	87	1	65	13	-	-	-	-	1	-	-
	BATH C.B.	69,240	14	2	39	-	-	1	-	-	-	-	5
	BRISTOL C.B.	391,145*	113	6	140	14	-	3	-	-	1	-	12
	GLOUCESTER C.B. ..	52,010	22	-	27	2	-	-	-	-	-	-	3
	STOKE-ON-TRENT C.B.	279,190	122	11	114	25	-	-	-	-	-	8	12
	BURTON-UPON-TRENT C.B.	48,970	17	-	23	4	-	-	-	-	-	-	1
	WOLVERHAMPTON C.B.	134,300	38	1	52	6	-	2	-	3	-	-	3
	WALSALL C.B.	100,100	34	1	33	3	-	1	-	-	1	-	3
	WEST BROMWICH C.B.	80,840	43	2	30	4	-	1	-	-	-	-	3
	DUDLEY C.B.	58,870	21	2	27	1	-	-	-	-	-	-	2
	WORCESTER C.B. ..	52,320	28	-	11	1	-	-	-	-	1	-	-
	BIRMINGHAM C.B. ..	968,500	360	12	392	41	-	8	-	1	3	11	25
	SMETHWICK C.B. ..	85,120	25	-	27	2	-	2	-	-	1	-	3
	COVENTRY C.B. ..	162,100	61	2	53	3	-	-	-	-	-	-	5
	LEICESTER C.B. ..	245,200	62	2	68	4	-	-	-	-	-	-	3
	LINCOLN C.B.	65,080*	18	-	28	2	-	1	-	-	-	-	4
	GRIMSBY C.B.	91,440	32	-	28	2	-	-	-	-	-	-	-
	NOTTINGHAM C.B. ..	266,800	99	5	100	7	-	3	-	-	-	2	4
	DERBY C.B.	140,500*	66	2	56	7	-	-	-	-	1	-	14
	CHESTERFIELD	65,270	35	2	16	4	-	-	-	-	-	-	1
	STOCKPORT C.B ..	127,800	40	2	47	4	-	-	-	-	1	-	4
	CHESTER C.B.	40,750	19	1	11	-	-	-	-	-	-	-	-
	BIRKENHEAD C.B ..	157,600	63	1	37	8	-	1	-	1	-	2	-
	WALLASEY C.B. ..	101,300	20	1	27	1	-	-	-	-	-	-	2
	LIVERPOOL C.B. ..	869,500	364	13	275	27	1	12	-	6	5	2	5
	BOOTLE C.B.	80,400	35	1	21	3	-	-	-	-	-	-	2
	ST. HELENS C.B. ..	109,200	40	6	32	2	-	1	-	-	-	1	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	27	1	21	1	-	-	-	-	-	-	-
Wigan C.B.	87,600	31	2	41	5	-	-	-	-	-	1	2
Warrington C.B. ..	79,400*	28	3	29	1	-	-	-	-	-	1	4
Bolton C.B.	181,500	44	3	63	7	-	-	-	1	-	-	3
Bury C.B.	56,830*	14	3	18	-	-	-	-	-	-	-	1
Manchester C.B. ..	746,500	264	17	242	18	-	-	-	5	1	3	19
Salford C.B.	235,600	68	3	64	9	-	1	-	-	2	2	4
Ashton-under-Lyne	51,750	36	1	33	1	-	-	-	-	-	-	2
Oldham C.B	142,500	39	3	54	4	-	-	-	-	-	-	6
Rochdale C.B. ..	90,900	19	1	42	4	-	-	1	-	-	-	4
Burnley C.B	100,200	20	2	39	4	-	-	-	1	-	-	1
Blackburn C.B. ..	125,300	48	1	49	1	-	-	-	-	-	1	4
Preston C.B.	126,100	51	2	36	1	-	-	-	-	-	-	3
Blackpool C.B. ..	99,800	16	2	35	2	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	64,850	31	1	28	1	-	-	-	-	-	-	2
Huddersfield C.B. ..	113,100	29	1	42	3	-	1	-	-	-	-	3
Halifax C.B.	97,400*	39	3	42	2	-	-	-	-	-	-	5
Bradford C.B. ..	294,605	102	4	144	11	-	1	-	-	-	1	9
Leeds C.B.	478,500	169	10	179	16	-	-	-	1	1	1	7
Dewsbury C.B. ..	53,020	12	3	23	-	-	-	-	-	-	1	1
Wakefield C.B. ..	56,640	25	1	32	2	-	-	-	-	-	-	1
Barnsley C.B. ..	71,700	26	3	35	3	-	-	-	2	-	-	-
Sheffield C.B. ..	518,000*	170	11	196	17	-	-	-	-	-	1	20
Rotherham C.B. ..	70,790	31	1	22	5	-	-	-	-	-	-	1
Doncaster C.B. ..	59,890	17	2	21	2	-	-	-	-	-	-	2
York C.B.	85,290*	14	4	23	2	-	-	-	-	-	-	2
Hull C.B.	307,500	127	2	101	9	-	2	-	-	-	-	4
Middlesbrough C.B.	133,100	58	2	44	9	-	-	-	-	-	1	-
Darlington C.B. ..	74,150	25	2	30	2	-	-	-	1	-	-	2
Stockton-on-Tees ..	67,090	34	2	18	2	-	-	-	1	-	-	-
West Hartlepool C.B.	69,370	30	1	39	6	-	-	-	1	1	-	1
Sunderland C.B. ..	184,000	100	5	68	8	1	1	-	-	-	-	5
South Shields C.B ..	119,600	54	3	45	4	-	1	-	2	-	-	4
Gateshead C.B. ..	122,600	55	-	34	4	-	4	-	-	-	-	1
Newcastle-on-Tyne C.B.	283,400*	131	10	100	13	-	6	-	6	-	2	1
Tynemouth C.B. ..	65,880	20	1	17	1	-	4	-	-	-	-	-
Carlisle C.B.	56,160*	10	2	19	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	95,990*	30	-	32	3	-	3	-	-	-	-	2
Cardiff C.B.	224,000*	70	4	73	9	-	4	-	-	2	1	2
Rhondda	153,100	60	6	60	6	-	2	-	1	2	-	4
Merthyr Tydfil C.B.	77,790	37	2	29	4	-	-	-	-	-	2	3
Aberdare	53,050	20	2	23	5	-	2	-	-	-	-	-
Swansea C.B.	162,700	49	2	64	7	-	1	-	2	-	-	4
Greater London ..	7,900,480*	2,567	83	2,352	168	3	2	2	23	5	28	80
Outer Ring	3,482,580*	1,145	32	919	66	1	1	2	5	-	8	36
17 Great Towns in Outer Ring	2,027,060*	631	11	550	34	1	1	2	4	-	6	16
Remainder of Outer Ring	1,455,520*	514	21	369	32	-	-	-	1	-	2	20
Edinburgh†	428,800	139	?	164	16	-	-	-	3	-	-	8
Glasgow†	1,088,200	443	?	399	61	-	-	-	17	4	6	8
Dublin (Registration Area)†	412,400	155	?	159	22	-	3	2	-	3	4	3
Belfast†	415,151	208	?	148	28	-	10	-	1	-	1	4

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases(un-
London‡	4,417,900	1931. Mar. 21	1422	51	1433	16·9	2	-	1	-	18	5	20
Calcutta and Suburbs	1,077,264	Feb. 7	?	?	592‖	28·6	?	33	?		?	?	?
Bombay§	1,298,708	„ 21	459	35	431	17·3	2	1	2	-	2	-	12
Madras	528,791	„ 7	394	23	568‖	55·7	3	-	-	-	1	1	31
Sydney and Suburbs	1,249,170	Feb. 28 (28 days)											
Brisbane (Metropolitan Area).	318,631	Jan. 31 (31 days)											
Perth (Metropolitan Area).	202,888	Jan. 10	106	?	42	10·8	-	-	-	-	-	-	-
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Feb. 14	58	1	28	10·7	1	-	-	-	-	-	-
Johannesburg	187,326	„ 7	102	4	46	12·8	-	-	-	-	-	-	2
Durban	61,667	„ 7	14	-	15	12·7	-	-	-	-	-	2	-
Paris	2,871,429	Feb. 10 (10 days)	1120	64	1272	16·2	5	-	9	-	2	6	24
Antwerp	295,138	Feb. 28 (13 days)	161	8	147	11·7	-	-	2	1	-	1	3
Amsterdam	759,282	Feb. 28	260	6	220	15·1	-	-	-	-	3	1	-
Copenhagen	615,700	Mar. 7	196	6	167	14·1	-	-	-	-	1	2	-
Stockholm	486,672	Feb. 28	99	2	126	13·5	-	-	-	-	-	-	-
Gothenberg	245,336	„ 14											
Oslo	253,568	Mar. 7	57	-	72	14·8	-	-	-	-	-	-	-
Berlin	4,336,000	Feb. 21	833	28	1039	12·5	-	?	2	-	1	3	4
Breslau	616,000	„ 21	184	10	185	15·6	-	?	-	-	2	2	2
Cologne	740,000	„ 21	206	7	175	12·3	-	?	-	-	1	-	2
Dresden	634,000	„ 21	122	9	155	12·7	-	?	1	-	-	-	1
Frankfort-on-Main	541,000	„ 21	114	3	146	14·0	-	?	-	-	-	-	-
Hamburg	1,148,000	„ 21	365	9	340	15·4	-	?	-	1	2	1	4
Leipzig	700,000	„ 21	163	3	165	12·3	-	?	-	-	1	-	3
Munich	730,000	„ 21	163	6	208	14·8	-	?	-	-	-	-	1
Budapest	991,518	„ 28	310	12	301	15·8	-	-	-	1	3	3	4
Warsaw	1,109,478	„ 21	?	10	276	13·0	-	-	-	-	1	2	11
Madrid	825,471	„ 28	590	27	403	25·5	2	-	3	-	-	1	7
Cairo	1,122,800	Dec. 2	1126	36	409	19·0	3	-	-	-	?	4	58
Alexandria	612,200	„ 2	503	13	216	18·4	-	-	-	-	?	2	30
New York	7,090,089	Feb. 21	2334	109	1731	12·7	1	-	3	1	1	6	6
Chicago	3,457,375	„ 27	1021	54	787	11·9	-	-	-	6	1	6	3
New Orleans	433,000	Dec. 31 (31 days)	1099	34	751	19·6	5	-	-	-	7	2	9
Rio de Janeiro ..	1,729,799	Feb. 7	744	61	537	16·2	3	-	3	-	6	2	64

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of* for Copenhagen, Stockholm, Gothenberg, and the German Cities
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 29 deaths from Cholera in Calcutta and 8 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 21st March, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	12778	16,076	1433	102	25	21	26	50	61	83	133	213	322	397
nteric fever	5	8	2	-	-	-	-	1	1	-	-	-	-	-
mall-pox	5	-	-	-	-	-	-	-	-	-	-	-	-	-
easles	444	12	1	-	-	1	-	-	-	-	-	-	-	-
arlet fever	38	15	-	-	-	-	-	-	-	-	-	-	-	-
hooping cough	41	98	18	8	5	4	1	-	-	-	-	-	-	-
iphtheria	147	86	5	1	1	2	1	-	-	-	-	-	-	-
fluenza	149	731	44	-	1	1	-	2	3	4	3	10	9	11
rysipelas	38	54	8	-	-	-	-	-	1	1	-	2	3	1
cute Poliomyelitis, Polioencephalitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ncephalitis lethargica	11	11	2	-	-	-	-	-	-	1	-	1	-	-
eningococcal meningitis	21	37	3	1	-	1	-	1	-	-	-	-	-	-
uberculosis :—														
Respiratory system	882	1068	88	1	-	1	-	14	21	16	15	12	8	-
Nervous system	48	48	5	1	-	-	2	2	-	-	-	-	-	-
Intestines and peritoneum	13	13	1	-	-	-	-	-	-	-	-	-	-	1
Other forms	57	64	7	-	1	2	-	1	-	2	1	-	-	-
enereal diseases	51	39	2	2	-	-	-	-	-	-	-	-	-	-
ancer	1417	1530	141	-	-	-	-	1	7	11	18	39	35	30
neumatic fever	40	26	1	-	-	-	-	1	-	-	-	-	-	-
iabetes	133	133	14	-	-	-	-	1	-	-	-	3	5	5
lcoholism	4	4	-	-	-	-	-	-	-	-	-	-	-	-
mple meningitis	26	26	1	-	-	-	1	-	-	-	-	-	-	-
erebral hæmorrhage, &c., Apoplexy	498	547	59	-	-	-	-	-	-	1	2	9	23	24
pilepsy	47	43	8	-	-	-	1	2	2	-	1	1	-	1
Convulsions" (not puerperal) ..	20	18	2	2	-	-	-	-	-	-	-	-	-	-
ther diseases of nervous system ..	293	311	39	-	-	1	1	1	4	9	8	3	7	5
ericarditis	7	5	-	-	-	-	-	-	-	-	-	-	-	-
cute endocarditis	44	43	2	-	-	-	1	-	-	-	1	-	-	-
ther diseases of heart	2724	3774	342	-	-	-	4	6	3	9	28	49	105	138
ther diseases of circulatory system	547	621	56	-	-	-	-	-	2	-	5	4	16	29
ronchitis	713	1290	95	2	-	-	-	1	2	9	11	23	47	
roncho-pneumonia	664	1208	92	28	8	2	1	1	3	9	10	17	12	
obar pneumonia	338	434	22	-	1	-	2	3	4	2	3	4	3	
neumonia (type not distinguished)	129	175	18	1	-	1	1	-	2	4	4	1	4	
ther diseases of respiratory system	135	228	19	-	1	-	-	-	1	3	5	2	7	
iarrhœa and enteritis	178	186	21	17	3	-	-	-	1	-	-	-	-	-
ppendicitis, Typhlitis	66	66	9	-	2	2	-	2	-	-	-	3	-	-
ernia, intestinal obstruction	100	133	10	-	1	-	-	1	-	-	2	3	3	-
rrhosis of liver	48	48	4	-	-	-	-	-	-	-	1	1	1	1
ther diseases of digestive system ..	298	304	34	1	-	-	-	1	-	4	7	10	9	2
cute nephritis	29	19	1	-	-	-	-	-	1	-	-	-	-	-
ironic Bright's disease	422	471	50	-	-	-	-	1	1	3	3	13	14	15
ther diseases of genito-urinary system.	181	236	20	-	-	-	1	-	-	-	3	4	5	7
uerperal sepsis	28	25	-	-	-	-	-	-	-	-	-	-	-	-
ther causes incident to childbirth ..	18	26	2	-	-	-	-	-	1	1	-	-	-	
ongenital malformations	78	70	6	5	-	1	-	-	-	-	-	-	-	
remature birth	226	280	18	18	-	-	-	-	-	-	-	-		
ebility, atrophy (congenital)	50	41	2	2	-	-	-	-	-			-	-	
d age	302	397	35	-	-	-						1	5	29
uicide	122	111	8	-	-	-	-	1	1	-	-	2	4	-
urns and Scalds	29	45	10	1	1	-	1	-	1	-	1	-	2	3
rowning	19	17	1	1	-	-	-	-	-	-	-	-	-	-
ffocation in bed	9	7	-	-	-	-	-	-	-	-	-	-	-	-
ehicles and horses	163	137	17	-	-	-	4	1	2	-	1	1	3	5
ther deaths by violence	212	191	24	2	1	-	2	2	1	1	2	-	4	9
her specified causes	468	564	63	7	2	2	2	6	2	7	4	12	11	8
-defined causes	1	2	1	1	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 21st March 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	54	222	166	3	151	C. 7 D. 8 M. 8 N. 20
Metropolitan Boroughs:—						
†BATTERSEA ...	–	7	5	–	5	N. 1
†BERMONDSEY ...	–	15	1	–	3	N. 1
†BETHNAL GREEN	5	3	7	–	6	N. 1
†CAMBERWELL ...	14	8	6	–	5	D. 1 N. 2
†CHELSEA	–	3	1	–	5	–
†DEPTFORD ...	2	10	4	–	1	C. 1
†FINSBURY ...	9	2	3	–	–	D. 1
†FULHAM	–	11	8	–	4	D. 2
†GREENWICH ...	1	8	8	–	2	–
†HACKNEY... ...	2	10	5	–	3	N. 1
†HAMMERSMITH ...	–	6	4	–	4	D. 1 N. 1
†HAMPSTEAD ...	–	4	5	–	1	–
†HOLBORN... ...	–	1	5	–	–	–
†ISLINGTON ...	–	18	14	–	7	C. 1 D. 1 M. 1 N. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	4	2	–	4	D. 1 N. 1
†LAMBETH ...	4	15	15	–	9	C. 1 M. 1 N. 3
†LEWISHAM ...	–	16	6	1	10	N. 1
†PADDINGTON ...	–	9	9	–	10	N. 1
†POPLAR	3	4	8	–	15	C. 2 M. 1
†ST. MARYLEBONE	1	2	5	–	3	–
†ST. PANCRAS ...	–	7	8	–	7	C. 2 N. 1
†SHOREDITCH ...	1	3	3	1	–	N. 2
†SOUTHWARK ...	2	7	8	–	9	N. 1
†STEPNEY	10	12	14	–	8	N. 1
†STOKE NEWINGTON	–	1	–	–	–	–
†WANDSWORTH ...	–	23	8	1	16	D. 1 M. 3 N. 1
†WESTMINSTER, CITY OF	–	4	1	–	–	M. 1
†WOOLWICH ...	–	9	3	–	14	M. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	–	9	2	1	10	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	–	1	–	–
†BEDFORD		1	–	–	4	–
†LUTON	–	4	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	3	1	–	1	–
BIGGLESWADE ...	–	–	–	–	3	–
EATON BRAY ...	–	1	–	–	–	–
EATON SOCON ...		–	–	–	1	–
LUTON	–	–	–	–	1	–
BERKS	–	20	7	–	7	D. 1 N. 2
†READING C.B. ...	–	6	2	–	1	D. 1 N. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	–	–	1	–
†NEWBURY ...	–	2	–	–	–	–
†NEW WINDSOR ...	–	3	–	–	–	–
WANTAGE ...	–	3	–	–	–	–
Rural Districts:—						
BRADFIELD ...	–	–	–	–	1	–
COOKHAM ...	–	1	2	–	1	–
EASTHAMPSTEAD	–	2	1	–	–	
FARINGDON (part)	–	–	1	–	–	N. 1
NEWBURY ...	–	1	–	–		–
WANTAGE ...	–	1	–	–	–	–
WINDSOR	–	1	1		1	–
WOKINGHAM ...	–	–	–		2	–
BUCKINGHAM...	–	17	2	–	8	–
Boroughs and Urban Districts:—						
BEACONSFIELD ..	*	*	*	*	*	*
BLETCHLEY ...	–	1	–	–	–	
†CHEPPING WYCOMBE	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BUCKINGHAM— *cont.*						
Boroughs and Urban Districts:— *cont.*						
ETON	–	2	–	–	–	–
LINSLADE ...	–	1	–	–	–	–
MARLOW	–	–	2	–	1	–
†SLOUGH	–	2	–	–	1	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	1	–
AYLESBURY ...	–	5	–	–	–	–
ETON	–	2	–	–	–	–
WING	–	–	–	–	1	–
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	–	–	–	3	–
CAMBRIDGE ...	–	13	2	1	5	–
Borough:—						
†CAMBRIDGE ...	–	1	2	1	2	–
Rural Districts:—						
CHESTERTON ...	–	10	–	–	1	–
LINTON	–	1		–	–	–
MELBOURN ...	–	1	–	–	2	–
CHESTER ...	1	29	25	2	49	G. 1 N. 2
†BIRKENHEAD C.B.	–	1	7	–	13	–
†CHESTER C.B. ...	–	1	2	–	1	–
†STOCKPORT C.B. ...	–	3	3	–	5	–
†WALLASEY C.B. ...		3	1	2	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–		–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	2	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	–		–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum, N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CREWE	–	1	1	–	–	N. 1
†DUKINFIELD ...	–	4		–	4	–
†HOYLAKE AND WEST KIRBY	–		–	–	1	–
†HYDE	–	3	–		1	–
MIDDLEWICH ...	–	–	–			G. 1
†NORTHWICH ...		1	1	–	2	–
†RUNCORN	–		–	–	2	–
†SALE		1		–	–	–
†STALYBRIDGE ...		3	–		5	–
WILMSLOW ...			–	–	1	N. 1
†WINSFORD ...			–	–	1	–
Rural Districts:—						
BUCKLOW	–	–	2	–	–	–
CHESTER	–	–	1		1	–
MALPAS	–	–	1	–	–	–
NANTWICH ...	–	2		–	1	–
NORTHWICH ...	–	–	1	–	1	–
RUNCORN	–	4	1	–	2	–
TARVIN	–	1	–	–	–	–
WIRRAL	1	–	2	–	2	–
CORNWALL ...	–	20		3	3	–
Boroughs and Urban Districts:—						
BODMIN	–	–	–	3	–	–
HAYLE	–	1		–	–	–
LAUNCESTON ...	–	–		–	1	–
NEWQUAY ...	–	3	–		–	
PAUL ...	*	*	*	*	*	*
PHILLACK ...	–	1			–	–
ST. IVES	–	–	–		1	–
TORPOINT ...	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
LISKEARD ...	–	–		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts—*cont.*						
ST. AUSTELL ...		2	–		–	–
ST. GERMANS ...	–	1	–	–	–	–
TRURO	–	10	–	–	–	
CUMBERLAND...	–	10	5	–	12	–
†CARLISLE C.B. ...	–	3	2	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	1	–	–		–
ASPATRIA	–	–	1	–	–	–
EGREMONT ...	–	–	–		1	–
HARRINGTON ...	–	–	–	–	1	–
MILLOM	–	–	–		6	–
PENRITH	–	4		–		–
†WHITEHAVEN ...	–	2	–	–	2	–
Rural Districts:—						
BOOTLE	–	–	–		1	–
LONGTOWN ...	*	*	*	*	*	*
WHITEHAVEN ...	–	–	2	–	–	–
DERBY	7	21	10	–	71	C. 1 D. 4 G. 2 M. 3 N. 2
†DERBY C.B. ...	–	3	3	–	25	D. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	2	–
ALVASTON AND BOULTON	–	–	–	–	2	–
†BELPER	–	–		–	–	D. 1
†BOLSOVER ...		1	–	–	8	–
BRAMPTON AND WALTON	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTERFIELD ...	–	2	1	–	1	–
CLAY CROSS ...		–	1	–	1	–
†GLOSSOP	–	–	–	–	2	–
†HEANOR	–	1	–	–	2	–
†ILKESTON... ...	–	–	–	–	1	–
†LONG EATON ...	–	–	1	–	2	–
NEW MILLS ...	–	–	1		–	–
†RIPLEY	–	–			1	C. 1
SOUTH DARLEY...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	–	1	–	7	G. 1 N. 1
WIRKSWORTH ...	–	–		–	1	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	3	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	7	–		2	D. 2
CHAPEL EN LE FRITH		–	–			M. 1
CHESTERFIELD ...	6	6	2	–	3	–
CLOWNE		–	–	–	2	–
GLOSSOP DALE ...	–	–	–	–	–	G. 1
NORTON	–	–	–	–	1	–
REPTON	1	–	–	–	3	–
SHARDLOW ...	–	–	–	–	1	M. 1 N. 1
DEVON	–	26	22	–	36	M. 1
†EXETER C.B. ...	–	1	4	–	5	M. 1
†PLYMOUTH C.B.	–	17	11	–	6	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–		–	–	1	–
DAWLISH ...		1	–	–	–	–
†EXMOUTH ...	–		2		–	–
†ILFRACOMBE ...	–	–	–	–	3	–
†PAIGNTON ...	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
TAVISTOCK ...	–		–	–	1	–
†TEIGNMOUTH ...	–	–	1	–	1	–
TIVERTON ...	–	1	–		2	–
Rural Districts:—						
BARNSTAPLE ...	–	–	3	–	2	–
HONITON... ...	–	–	1	–	1	–
KINGSBRIDGE ...	–	1	–		–	–
OKEHAMPTON ...	–		–	–	2	–
PLYMPTON ST. MARY	–	1	–		–	–
ST. THOMAS ...	–	–	–	–	6	–
TIVERTON ...	–	4	–		–	–
TOTNES	–	–	–		2	–
DORSET	–	9	4	1	6	N. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	*	*	*	*	*	*
DORCHESTER ...	–	–		–	1	–
†POOLE	–	2	1	1	–	–
PORTLAND ...	–	–	1	–	–	–
SHAFTESBURY ...	–	–	1			–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	3	–
WIMBORNE MINSTER	–	–	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	1	1	–	–	–
BLANDFORD ...	–	2	–	–	–	–
SHAFTESBURY ...		–	–	–	1	–
WEYMOUTH ...	–	2	–			–
WIMBORNE AND CRANBORNE	–	2	–	–	–	N. 1
DURHAM ...	–	51	24	1	94	C. 1 D. 4 M. 7 N. 7
†DARLINGTON C.B.	–	5	4	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†GATESHEAD C.B.	-	7	1	-	8	C. 1 D. 1 N. 1
†SOUTH SHIELDS C.B.	-	3	-	-	15	D. 2 M. 1
†SUNDERLAND C.B.	-	3	4	-	15	-
†WEST HARTLEPOOL C.B.	-	8	1	-	7	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	-	-	1	-	1	-
BENFIELDSIDE ...	-	-	1	-	-	N. 1
BILLINGHAM ...	-	1	-	-	1	N. 1
†BISHOP AUCKLAND	-	1	-	-	-	-
†BLAYDON	-	1	-	-	-	M. 1 N. 1
†BRANDON AND BYSHOTTLES	-	-	-	-	-	N. 1
†CHESTER LE STREET	-	-	-	-	4	M. 1
†CONSETT	-	1	-	-	-	-
†CROOK	-	-	1	-	1	-
†DURHAM	-	-	2	-	1	-
†FELLING	-	6	-	-	2	-
†HARTLEPOOL ...	-	1	-	-	-	-
†HEBBURN ...	-	1	-	-	3	-
†JARROW	-	1	-	-	7	-
LEADGATE ...	-	-	-	-	2	-
†RYTON	-	1	-	-	-	-
†SEAHAM HARBOUR	-	-	-	-	4	-
†SPENNYMOOR ...	-	-	-	1	-	-
†STANLEY	-	1	2	-	-	-
†STOCKTON ON TEES	-	3	-	-	-	M. 1 N. 2
†TANFIELD ...	-	1	1	-	-	-
TOW LAW ...	-	-	-	-	1	-
†WASHINGTON ...	-	1	-	-	-	-
†WHICKHAM ...	-	-	1	-	1	D. 1
WILLINGTON ...	-	1	-	-	-	-
Rural Districts:—						
AUCKLAND ...	-	-	1	-	-	-
CHESTER LE STREET	-	1	1	-	2	-
DURHAM—*cont.*						
Rural Districts—						
DURHAM	-	1	-	-	1	-
EASINGTON ...	-	1	1	-	3	-
HARTLEPOOL ...	-	-	-	-	1	-
HOUGHTON LE SPRING	-	-	-	-	3	-
LANCHESTER ...	-	-	2	-	-	-
SEDGEFIELD ...	-	-	-	-	1	-
SOUTH SHIELDS	-	1	-	-	3	-
SUNDERLAND ...	-	-	-	-	3	M. 2
ELY, ISLE OF ...	-	-	2	-	4	D. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	-	-	-	-	1	-
WHITTLESEY ...	-	-	2	-	-	-
†WISBECH	-	-	-	-	-	D. 1
Rural Districts:—						
ELY	-	-	-	-	3	-
ESSEX	48	77	49	2	70	C. 3 G. 1 M. 3 N. 8
†EAST HAM C.B....	6	2	3	-	7	-
†SOUTHEND ON SEA C.B.	1	5	1	-	8	-
†WEST HAM C.B.	33	2	11	1	8	C. 2 N. 5
Boroughs and Urban Districts:—						
†BARKING TOWN...		4	2	-	2	M. 2
BENFLEET ...		-	1	-	-	-
BRAINTREE ...	-	-	-	-	1	-
BRENTWOOD ...	-	1	-	-	-	-
CANVEY ISLAND		-	-	-	1	-
†CHELMSFORD ...	-	3	1		1	-
CHINGFORD ...		3	1	-	-	N. 1
†COLCHESTER ...	-	2	-	-	5	C. 1
DAGENHAM ...	8	9	2	-	7	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†GRAYS THURROCK	–	2	2	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	7	5		3	–
†LEYTON	–	5	7	–	3	M. 1
MALDON	–	–	–	–	1	–
PURFLEET ...	–	–	1	–		–
†ROMFORD... ...	–	4	2	–	–	–
WALTHAM HOLY CROSS		2	–	–	–	–
†WALTHAMSTOW ...	–	10	3	1	5	N. 1
†WANSTEAD ...	–	1	1	–	2	–
†WOODFORD ...	–	–	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	–	–	2	–
BRAINTREE ...	–	2	1	–	–	N. 1
CHELMSFORD ...	–	1	1	–	–	–
DUNMOW... ...	–	2	–	–	4	–
EPPING	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	2	–	–	1	–
ONGAR		2	–	–	1	–
ORSETT	–	2	1		–	G. 1
ROCHFORD ...	–	1	2	–	1	–
ROMFORD... ...	–	1	–	–	–	–
TENDRING ...	–	1	–		6	–
GLOUCESTER ...	–	23	20	–	57	D. 1 M. 1 N. 2
†BRISTOL C.B. ...	–	9	14	–	33	D. 1 M. 1
†GLOUCESTER C.B.	–	2	–	–	16	N. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	1	–
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	–	1	–		N. 1
†MANGOTSFIELD ...	–	2		–	1	–
STROUD	–	–	1	–	–	–
TEWKESBURY ...	–	2	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	1	1	–	–	–
CIRENCESTER ...	–	2	–	–	–	–
GLOUCESTER ...	–	–	1	–	1	–
LYDNEY	–	–	–	–	3	–
STROUD	–	1	1	–	–	–
TETBURY... ...	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	–	–	–	1	–
WEST DEAN ...	–	1		–	–	–
HEREFORD ...	–	5	1	–	4	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	2	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	1	–	–	–
LEDBURY... ...	–	1			–	
LEOMINSTER AND WIGMORE	–	2		–	2	–
WEOBLEY... ...	–	1		–	–	–
HERTFORD ...	–	22	9	–	13	L. 1 N. 2
Boroughs and Urban Districts:—						
†BARNET		2	1	–	5	N. 1
BISHOP'S STORTFORD	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	1	–
†EAST BARNET VALLEY	–	2	–	–	–	–
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†HITCHIN	–	2	–	–	–	–
†LETCHWORTH ...	–	1	2	–	–	–
†ST. ALBANS ...		2	–	–	1	N. 1
STEVENAGE ...	–	–	1	–	–	–
†WATFORD ...	–	1	–	–	5	–
WELWYN GARDEN CITY	–	2	–	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	–	–	1	–	–	–
HEMEL HEMPSTEAD	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	3	–	–	–	–
ST. ALBANS ...	–	–	–	–	–	L. 1
WARE	–	2	–	–	1	–
WATFORD... ...	–	1	–	–	–	–
WELWYN	–	–	2	–	–	–
HUNTINGDON ...	–	3	4	–	1	–
Boroughs and Urban Districts—						
OLD FLETTON ...	–	3	–	–	–	–
ST. NEOTS ...	–	–	3	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	–	1	–	1	–
KENT	–	55	28	–	36	C. 1 D 2 G. 1 M. 1 N. 3
†CANTERBURY C.B.	–	1	–	–	4	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1	1	–	2	D. 1
†BECKENHAM ...	–	1	–	–	3	–
†BEXLEY	–	3	1		–	C. 1
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	–	N. 1
†BROMLEY... ...	–	3	–	–	1	N. 1
CHISLEHURST ...	–	–	1	–	–	–
†CRAYFORD ...	–	2	–	–	1	–
†DARTFORD ...	–	2	–	–	1	–
†DOVER	–	–	–	–	3	–
†ERITH	–	2	3		–	–
†FAVERSHAM ...	–	–	–	–	1	
†FOLKESTONE ...	–	–	4	–	1	–
†GILLINGHAM ...	–	3	–		1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	5		–	–	–
†HERNE BAY ...	–	1	–	–	–	D. 1 G. 1
LYDD	–	–	–	–	2	–
†MAIDSTONE ...	–	7	4	–	5	–
†MARGATE ...		2	5	–	–	N. 1
†NORTHFLEET ...		2	–	–		–
†PENGE		1	–		–	–
†RAMSGATE ...	–	1		–	–	–
†ROCHESTER ...	–	2	–	–	1	–
†ROYAL TUNBRIDGE WELLS	–	1	–		1	–
SANDWICH ...	–	2	1	–	1	–
SIDCUP	–	1	–	–	1	–
†SITTINGBOURNE AND MILTON	–	1	–	–	1	–
TENTERDEN ...	–	1	–	–		–
†TONBRIDGE ...	–	2	1		3	–
WALMER	*	*	*	*	*	*
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BROMLEY... ...	–	–	1		–	M. 1
DARTFORD ...	–	2	–		–	–
EASTRY	–	3	4		–	–
FAVERSHAM ...	–	–		–	1	–
HOO	–	–	1		–	–
ISLE OF THANET	–	1	1	–	1	–
MALLING	–	1	–	–	–	–
SHEPPEY	–	1	–	–	–	–
LANCASTER ...	–	268	168	4	346	C. 7 D. 3 G. 3 L. 4 M. 18 N. 19
†BARROW IN FURNESS C.B.	–	–	–	–	3	–
†BLACKBURN C.B.	–	1	–	–	11	–
†BLACKPOOL C.B.	–		–		2	–
†BOLTON C.B. ...	–	6	1	–	3	–
†BOOTLE C.B. ...	–	3	6	–	6	–
†BURNLEY C.B. ...	–	5	–	–	10	M. 1
†BURY C.B. ...	–	1		–	6	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†LIVERPOOL C.B....	–	24	70	1	41	C. 1 G. 2 M 10
†MANCHESTER C.B.	–	75	12	–	69	C. 3 M. 3 N. 2
†OLDHAM C.B. ...		6	4	–	7	C. 1
†PRESTON C.B. ...	–	4	1	–	2	N. 6
†ROCHDALE C.B....	–	6	3	–	6	–
†ST. HELENS C.B.		9	4	–	8	–
†SALFORD C.B. ...	–	12	15	–	12	C. 1
†SOUTHPORT C.B.	–	1	9		5	–
†WARRINGTON C.B.		23	1	–	11	–
†WIGAN C.B. ...	–	1	1	–	9	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...		2	–	–	2	D. 1 N. 1
ADLINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	4	D. 1
†ASHTON-UNDER-LYNE	–	6	–	–	3	–
ASPULL		–	–	–	4	–
†ATHERTON ...	–	1	–	–	3	–
†BACUP	–	1	–	–	6	–
BILLINGE AND WINSTANLEY		–	–	–	1	–
†CHADDERTON ...	–	2	–	–	2	–
†CHORLEY	–	4	–	–	–	–
CLAYTON LE MOORS	–	–	–	–	2	–
†COLNE	–	1	1	–	1	–
†CROMPTON ...	–	–	–	–	1	–
†DARWEN	–	3	4	–	–	N. 1
†DENTON	–	2	1	–	–	–
†ECCLES	–	6	2	–	3	C. 1 N. 1
†FAILSWORTH ...		–	–	–	2	–
†FARNWORTH ...	–	–	–	–	3	N. 3
†FLEETWOOD ...		–	–	–	4	–
FORMBY	–	1	–	–	–	–
FULWOOD ...	–	–	1	1	–	–
GOLBORNE ...	–	–	–	–	1	–
†GREAT CROSBY ...	–	–	5	–	–	–
†GREAT HARWOOD	–	–	–	–	3	–
†HASLINGDEN ...	–	–	–	–	2	–
†HAYDOCK... ...	–		–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HEYWOOD ...	–	1		–	–	–
†HINDLEY	–	1	1	–	1	–
†HORWICH... ...	–				2	–
HUYTON WITH ROBY	–	1				–
†INCE IN MAKERFIELD	–	1	3	–	3	N. 1
IRLAM	–	3		–		
†LANCASTER ...	–	4		–	8	–
†LEIGH	–			–	1	N. 1
†LITHERLAND ...	–		5	–	2	D. 1
†LITTLEBOROUGH	–	–		–	1	–
LONGRIDGE ...	–	–	–	–	1	–
†LYTHAM ST. ANNE'S	–	1	1	–	–	–
†MIDDLETON ...	–	7	–	–	2	G. 1
MILNROW... ...	–	–	1	–	–	M. 1
†MORECAMBE AND HEYSHAM	–	2	–	–	4	
†NELSON		1	–	–	3	–
†NEWTON IN MAKERFIELD	–	3	1	–	2	–
ORMSKIRK ...	–				1	–
ORRELL	–	–	–	–	1	–
†OSWALDTWISTLE	–	–		–	1	–
†PADIHAM... ...	–		–	–	1	–
POULTON LE FYLDE	–	–	–	–	2	–
†PRESTWICH ...	–	1	1		1	
†RADCLIFFE ...	–	2	1	–	4	–
†RAMSBOTTOM ...	–	1	1	–	4	M. 1
†RAWTENSTALL ...	–		1		1	M. 1
RISHTON	–	2	–	–		N. 1
†ROYTON	–	1	–	–	5	–
†STRETFORD ...	–	8	2	–	2	N. 1
†SWINTON AND PENDLEBURY	–	4	1	1	2	–
TOTTINGTON ...	–	3	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	–	4	M. 1
†ULVERSTON ...	–	–	1	–	–	–
UPHOLLAND ...				–	1	–
URMSTON... ...	–	1		–	–	–
†WALTON LE DALE	–	1	–		1	–
WARDLE... ...	–	–	1		–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts:— *cont.*						
†WATERLOO WITH SEAFORTH	–	2	2	–	2	–
WHITEFIELD ...	–	–	–	1	2	–
WHITWORTH ...	–	1	–	–	2	–
†WIDNES	–	1	1	–	5	–
†WORSLEY... ...	–	–	–	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	2	1	–	–	–
BLACKBURN ...	–	–	–	–	1	–
BURNLEY ...	–	1	1	–	1	–
CLITHEROE ...	–	1	–	–	–	L. 3
GARSTANG ...	–	2	–	–	1	–
LANCASTER ...	–	–	–	–	2	–
LIMEHURST ...	–	2	–	–	–	–
PRESTON	–	–	–	–	4	–
WARRINGTON ...	–	1	–	–	1	N. 1
WHISTON... ...	–	–	–	–	–	L. 1
LEICESTER ...	74	23	8	–	12	D. 1 L. 2
†LEICESTER C.B....	45	6	5	–	5	D. 1 L. 2
Boroughs and Urban Districts:—						
†COALVILLE ...	2	1	–	–	–	–
†HINCKLEY ...	2	–	–	–	1	–
†LOUGHBOROUGH	8	3	–	–	–	–
QUORNDON ...	–	1	–	–	–	–
SHEPSHED ...	4	–	–	–	1	–
WIGSTON MAGNA	–	2	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BARROW UPON SOAR	2	1	1	–	1	–
BLABY	–	4	1	–	–	–
CASTLE DONINGTON	–	1	–	–	1	–
HINCKLEY ...	5	–	–	–	–	–
LEICESTER— *cont.*						
Rural Districts— *cont.*						
LOUGHBOROUGH	–	1	–	–	–	–
LUTTERWORTH ...	–	1	–		–	–
MARKET BOSWORTH	6	1	–	–	1	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	7	7	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	4	–		–	–
HOLBEACH ...	–	1	–	–	1	
†SPALDING ...	–		6	–	–	–
Rural Districts:—						
BOSTON	–	1	1	–	–	–
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	1	1	–	–	12	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	1	–	–	–	–	–
SLEAFORD ...	–	1	–	–	–	–
Rural Districts —						
BRANSTON ...	–	–	–	–	9	–
GRANTHAM ...	–	–	–	–	2	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	8	4	7	–	35	C. 2 M. 2
†GRIMSBY C.B. ...	6	2	–	–	2	–
†LINCOLN C.B. ...	–	1		–	6	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BRIGG	–	–	–	–	2	–
†CLEETHORPES ...	1	–	2	–	2	M. 1
†GAINSBOROUGH ...	–	–	3	–	7	–
HORNCASTLE ...	–	–	–	–	–	C. 1
LOUTH	–	–	–	–	–	C. 1
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	3	M. 1
WINTERTON ..	–	–	–	–	1	–
WOODHALL SPA...	–	–	–	–	1	–
Rural Districts:—						
CAISTOR	1	–	1	–	–	–
GAINSBOROUGH ...	–	–	–	–	5	–
GLANFORD BRIGG	–	–	–	–	3	–
ISLE OF AXHOLME	–	–	1	–	2	–
SPILSBY	–	1	–	–	1	–
MIDDLESEX ...	–	89	40	–	52	C. 3 D. 2 G. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	4	3	–	–	–
†BRENTFORD AND CHISWICK	–	1	1	–	2	–
†EALING	–	4	6	–	4	–
†EDMONTON ...	–	5	1	–	3	C. 1
†ENFIELD	–	2	3	–	3	–
†FELTHAM... ...	–	1	–	–	–	–
†FINCHLEY ...	–	9	2	–	–	–
†FRIERN BARNET...	–	3	2	–	–	–
†HAMPTON ...	–	1	–	–	1	–
†HARROW ON THE HILL	–	2	–	–	1	–
HAYES AND HARLINGTON	–	1	–	–	–	–
†HENDON	–	7	6	–	3	C. 1 D. 1 G. 1 N. 1
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HESTON AND ISLEWORTH	–	8	–	–	3	N. 1
†HORNSEY	–	7	2	–	2	–
KINGSBURY ...	–	–	–	–	1	D. 1 N. 1
RUISLIP NORTHWOOD	–	2	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	1	2	–	1	–
†STAINES	–	2	–	–	–	–
SUNBURY ON THAMES	–	–	1	–	1	–
†TEDDINGTON ...	–	2	–	–	2	–
†TOTTENHAM ...	–	7	–	–	3	M. 1
†TWICKENHAM ...	–	1	3	–	–	N. 1
†UXBRIDGE ...	–	2	1	–	8	–
†WEALDSTONE ...	–	5	–	–	3	C. 1
†WEMBLEY ...	–	3	2	–	1	–
†WILLESDEN ...	–	7	4	–	10	–
†WOOD GREEN ...	–	1	1	–	–	
†YIEWSLEY AND WEST DRAYTON	*	*	*	*	*	*
NORFOLK ...	–	15	1	–	17	D. 1 M. 2 N. 1
†GREAT YARMOUTH C.B.	–	–	–	–	1	–
†NORWICH C.B. ...	–	2	–	–	6	D. 1
Boroughs and Urban Districts:—						
WELLS	–	–	1	–	1	–
Rural Districts:—						
AYLSHAM... ...	–	4		–	–	–
DEPWADE ...	–	–	–	–	1	–
DOCKING	–	–	–	–	7	M. 1
FREEBRIDGE LYNN	–	2	–	–	–	–
HENSTEAD ...	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
LODDON AND CLAVERING	–	1		–	–	–
MARSHLAND ...	.			–		M. 1
ST. FAITH'S ...	*	*	*	*	*	*
SMALLBURGH ...	–	2	–	–	–	–
WAYLAND ...	–	4		–	1	–
NORTHAMPTON	5	8	11	–	23	M. 1 N. 1
†NORTHAMPTON C.B.	3	2	3	–	6	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	2	–	–	–		–
FINEDON			–		1	–
IRTHLINGBOROUGH	–	1		–	–	–
†KETTERING ...	–	3	1	–	4	–
OUNDLE	–	1	–	–	–	–
†RUSHDEN... ...		1	1	–	2	M. 1
†WELLINGBOROUGH	–	–	1	–	1	–
Rural Districts:—						
DAVENTRY ...	–	–	1		1	–
KETTERING ...	–	–	1	–		–
NORTHAMPTON ...	–	–	2		1	–
POTTERSPURY ...	–	–	–	–	1	–
THRAPSTON (part)	–	–	–	–	5	–
TOWCESTER ...	–	–	1	–	1	–
WELLINGBOROUGH	–	–			–	N. 1
NORTHUMBERLAND.	–	32	10	1	42	C. 1 D. 1 G. 2 L. 2 M. 1 N. 4
†NEWCASTLE UPON TYNE C.B.	–	21	2	–	31	D. 1 G. 1 L. 2 M. 1 N. 2
NORTHUMBERLAND—*cont.*						
†TYNEMOUTH C.B.	–	–	4	–	1	–
Boroughs and Urban Districts:—						
AMBLE	–	–		–	–	C. 1
†ASHINGTON ...	–	2	1	–	–	G. 1
†BEDLINGTONSHIRE	–	–	.		3	–
†BLYTH	–	–	1	1	–	–
†EARSDON	–	2	–	–		–
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	1	–	–	–
†LONGBENTON ...	–	–	–	–	1	–
SEATON DELAVAL	–	1	–	–	1	–
†WALLSEND ...	–	5	–	–	2	N. 1
Rural Districts:—						
BELFORD	–	–	–	–	.	N. 1
BELLINGHAM ...	–	–	–	–	1	–
GLENDALE ...	–	–	–	–	2	–
HEXHAM	–	–	1	–		–
NOTTINGHAM ...	–	26	12	–	36	C. 1 D. 9 L. 3 M. 2 N. 3
†NOTTINGHAM C.B.	–	8	4	–	12	D. 2 M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	–	.	–	1	–
†EAST RETFORD ...	–	1	–	–	4	–
EASTWOOD ...	–	–	–	–	2	–
†HUCKNALL ...	–	–	2	–		–
†KIRKBY IN ASHFIELD	–	2	–	–	1	N. 1
†MANSFIELD ...	–	5	–	–	1	D. 1 M. 1
†MANSFIELD WOODHOUSE	–		–		–	D. 2
†SUTTON IN ASHFIELD	–	1	–	–	–	D. 1
†WEST BRIDGFORD	–	1	–	–	2	–
†WORKSOP... ...	–	–	1	–	4	D. 1 N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
Basford	–	6	3	–	–	–
Bingham... ...	–	1	–	–	–	L. 3
East Retford ...	–	–	–	–	3	C. 1
Southwell ...	–	–	–	–	4	–
Stapleford ...	–	–	2		1	–
Worksop... ...		1	–	–	1	D. 2
OXFORD		10	5	–	6	N. 1
†Oxford C.B. ...		1	2	–	4	N. 1
Boroughs and Urban Districts:—						
Chipping Norton	–	–	–	–	1	–
Thame	–	1		–		–
Wheatley ...	–	1	–	–	–	–
Woodstock ...	–	1	–	–	–	–
Rural Districts:—						
Culham		1	–	–	–	–
Henley		1	–	–	–	–
Thame	–	2	–	–	–	–
Witney	–	1	3	–	–	–
Woodstock ...	–	1	–	–	1	–
PETERBOROUGH (Soke of).	–	2	–	–	3	–
Borough:—						
†Peterborough...	–	2	–	–	3	–
Rural Districts:—						
Barnack... ...	*	*	*	*	*	*
SALOP	–	10	6	–	1	E. 1 N. 2
Boroughs and Urban Districts:—						
Bishop's Castle	–	–	–	–	–	E. 1
Bridgnorth ...	–	1	–	–	–	–
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
Dawley	–	–	2	–	–	–
Ludlow	–	–	1	–	–	–
Market Drayton	–	–	1	–	–	–
†Oakengates ...	–	–	1		–	–
†Shrewsbury ...	–	3	1		–	–
Rural Districts:—						
Cleobury Mortimer	–	4		–	–	N. 1
Ellesmere ...	–	–	–	–	–	N. 1
Wellington ...	–	2	–	–	1	–
SOMERSET ...		18	8	–	31	C. 1 E. 1 G. 1 M. 1 N. 7
†Bath C.B. ...	–	6	2	–	3	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†Bridgwater ...	–	2	–	–	2	E. 1 N. 1
Chard	–	–	–	–	2	–
Crewkerne ...	–	–	–	–	1	–
Ilminster ...	–	–	–	–	2	–
Shepton Mallet	–	1	–	–	3	–
†Taunton... ...	–	5	1	–		N. 4
†Weston super Mare	–	1	2	–	–	–
†Yeovil	–	–	1	–	4	–
Rural Districts:—						
Axbridge ...	–	–	1	–	2	–
Bridgwater ...		2	–	–	1	–
Chard	–	–	–	–	1	–
Dulverton ...	–	–	–	–	1	–
Frome	–	–	–	–	1	–
Keynsham ...	–	–	–	–	2	N. 1
Long Ashton ...	–	–	1	–	–	–
Shepton Mallet	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
TAUNTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	2	–
WILLITON ...	–	–	–	–	–	C. 1
WINCANTON ...		–	–	–	3	–
SOUTHAMPTON	–	49	15	–	24	C. 1 D. 1 G. 2 L. 1 M. 2 N. 3
†BOURNEMOUTH C.B.		4	–	–	3	C. 1 L. 1 N. 1
†PORTSMOUTH C.B.	–	15	8		2	D. 1
†SOUTHAMPTON C.B.	–	13	5	–	5	N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	G. 1
ANDOVER... ...		–	–		1	N. 1
†BASINGSTOKE ...	–	1	–	–	–	M. 1
†EASTLEIGH AND BISHOPSTOKE	–	3	–	–	1	–
†FAREHAM ...	–	–	–	–	1	–
†GOSPORT	–	3	2	–	1	G. 1 M. 1
PETERSFIELD ...	–	1	–	–	–	–
†WINCHESTER ...	–	–	–	–	3	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	1	–
DROXFORD ...	–	–	–		3	–
FAREHAM ...	–	1	–	–	3	–
HAVANT	–	1	–	–	–	–
KINGSCLERE ...	–	1	–			–
NEW FOREST ...	–	1	–	–	–	–
STAFFORD ...	–	50	30	–	136	D. 2 M. 13 N. 4
†BURTON UPON TRENT C.B.	–	–	1	–	9	–
†SMETHWICK C.B.		7	2	–	13	N. 1
†STOKE ON TRENT C.B.	–	6	8	–	38	M. 5 N. 1
†WALSALL C.B. ...	–	2	1	–	8	
†WEST BROMWICH C.B.	–	5	–	–	5	–
†WOLVERHAMPTON C.B.	–	7	2	–	10	M. 5
Boroughs and Urban Districts:—						
†AUDLEY	–	2	1	–	3	–
BIDDULPH ...	–	1	2	–	2	
†BILSTON	–	–	1	–	4	N. 2
†BROWNHILLS ...	–	–	–	–	1	–
†CANNOCK	–	–	1	–	4	D. 1
†COSELEY			1	–	–	D.
†DARLASTON ...	–	–	–	–	1	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	2	–	–	–
QUARRY BANK ...	–	–	–	–	2	–
†ROWLEY REGIS ...		–	1	–	6	–
RUGELEY... ...	–	–	–	–	2	–
†SEDGLEY	–	2	2		3	
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	–	–	–	2	–
TAMWORTH ...	–	–	–	–	1	–
†TIPTON	–	4	–	–	–	M. 2
†WEDNESBURY ...	–	1	1		3	–
WEDNESFIELD ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	–	–	–	2	–
Rural Districts:—						
CANNOCK	–	2	1	–	1	–
CHEADLE... ...	–	2	1	–	3	–
KINGSWINFORD ...	–	1	1	–	–	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	2	1	–	8	–
NEWCASTLE UNDER LYME	–	1	–	–	–	–
STONE	–	–	–	–	1	–
TAMWORTH (part)	–	–	–	–	1	M. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
Tutbury	–	1	–	–	–	–
Uttoxeter ...	–	1	–		–	–
Walsall	–	1			1	–
SUFFOLK, EAST	–	13	4	–	9	C. 2 N. 1
†Ipswich C.B. ...	–	10	2		5	–
Boroughs and Urban Districts:—						
†Lowestoft ...	–	1	–	–	–	C. 2 N. 1
Southwold ...	–	–	–	–	1	–
Woodbridge ...	–	–	1	–	–	–
Rural Districts:—						
Bosmere and Claydon	–	1	–	–	–	–
Mutford and Lothingland	–	–	–		1	–
Plomesgate ...	–	–	–	–	2	–
Samford	–	1	–	–	–	–
Woodbridge ...	–	–	1	–	–	–
SUFFOLK, WEST	–	6	1	–	3	–
Boroughs and Urban Districts:—						
†Bury St. Edmunds	–	4	–	–	1	–
Glemsford ...	–		–		1	–
Hadleigh ...	–	–	–		1	–
Rural Districts:—						
Clare	–		1	–	–	–
Thingoe	–	2	–	–	–	–
SURREY	3	52	48	–	19	C. 1 D. 3 E. 1 G. 2 M. 1 N. 6
†Croydon C.B. ...	3	15	10		1	C. 1 E. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
†Barnes	–	–		–	1	–
†Beddington and Wallington	–	2	1	–	1	–
†Carshalton ...	–	3	1	–		–
†Chertsey ...	–	–	1	–	–	–
†Coulsdon and Purley	–	–	–	–	–	N. 1
East and West Molesey	–	–	–	–	1	–
†Egham	–	–	–	–	1	–
†Epsom	–	–	1	–	1	–
†Esher and the Dittons	–	1	–	–	–	–
†Frimley and Camberley	–	1	–		–	–
†Guildford ...	–	–	3	–	1	G. 1 N. 1
Ham	–	–	–	–	–	N. 1
Haslemere ...	–	–	–	–	1	–
†Kingston on Thames	–	–	4	–	–	–
Leatherhead ...	–	4	–	–	–	–
†Merton and Morden	–	2	–	–	–	D. 1 G. 1
†Mitcham	–	3	–	–	4	D. 1 N. 1
†Reigate	–	6	8	–	–	–
†Richmond ...	–	3	1	–	–	D. 1
†Surbiton ...	–	–	1	–	5	–
†Sutton and Cheam	–	2	–	–	–	–
†The Maldens and Coombe	–	–	–	–	1	–
Weybridge ...	–	–	1	–	–	–
†Wimbledon ...	–	–	3	–	–	–
Windlesham ...	–	1	–	–	–	–
†Woking	–	1	2	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	-	2	-			-
EPSOM	-	2	1	-	-	-
FARNHAM ...	-		2	-	-	-
GODSTONE ...	-	1	7	-	-	-
HAMBLEDON ...	-	1	1	-	1	-
REIGATE	-	2	-	-	-	-
SUSSEX, EAST...	-	12	22	1	33	G. 2 J. 1 M. 2 N. 5
†BRIGHTON C.B.	-	-	6	-	5	M. 1 N. 4
†EASTBOURNE C.B.	-	-	-	-	2	-
†HASTINGS C.B. ...		-	2	-	9	-
Boroughs and Urban Districts:—						
†BEXHILL	-	2		-	-	-
EAST GRINSTEAD	-	-	10	-	-	-
†HOVE	-	-	-	-	9	G. 1 J. 1
†LEWES	-	-	-	-	1	-
NEWHAVEN ...	-	1	-	-	-	N. 1
PORTSLADE BY SEA	-	-	-	-	1	G. 1
Rural Districts:—						
CHAILEY	-	1	2	-	-	-
CUCKFIELD ...	-	3	-		-	M. 1
EAST GRINSTEAD	-	1	-	1	-	-
HAILSHAM ...	-	1		-	5	-
HASTINGS ...	-	-	-	-	1	-
TICEHURST ...	-	1	2	-		-
UCKFIELD ...	-	2	-	-	-	-
SUSSEX, WEST...	-	10	3	-	8	G. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	-	-	1	-	-	-
†CHICHESTER ...		-	2	-	-	-
†HORSHAM ...	-	3	-	-		-
SHOREHAM BY SEA	-	-		-	4	G. 1
†WORTHING ...	-	1	-	-	-	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—						
Rural Districts:—						
HORSHAM ...	-	3	-	-		-
MIDHURST ...	-	-	-	-	1	-
STEYNING WEST...	-	2		-	-	-
THAKEHAM ...	-	1	-		1	-
WESTHAMPNETT	-	-	-	-	2	-
WARWICK ...	-	56	40	-	158	D. 1 M. 12 N. 7
†BIRMINGHAM C.B.	-	53	35	-	113	D. 1 M. 11 N. 6
†COVENTRY C.B. ...	-	1	1	-	11	M. 1
Boroughs and Urban Districts:—						
†BEDWORTH ...	-	1	-	-	1	-
KENILWORTH ...	-	-	1	-	-	-
†NUNEATON ...	-	-	-	-	6	-
†ROYAL LEAMINGTON SPA	-	-	-	-	2	-
†SUTTON COLDFIELD	-	-	-	-	3	-
†WARWICK ...	-	-	-	-	8	-
Rural Districts:—						
ALCESTER ...	-	1	-	-	1	-
ATHERSTONE ...	-	-	1	-	4	-
FOLESHILL ...	-	-	-	-	3	-
MERIDEN... ...	-	-	-	-	3	-
NUNEATON ...	-	-	-	-	2	-
SOLIHULL ...	-	-	2	-	-	N. 1
TAMWORTH (part)	-	-	-	-	1	-
WESTMORLAND	-	2	1	-	-	N. 1
Boroughs and Urban Districts:—						
APPLEBY	-	-	-	-	-	N. 1
SHAP	-	1	-	-	-	-
Rural Districts:—						
SOUTH WESTMORLAND	-	-	1	-	-	-
WEST WARD ...	-	1	-	-	-	-

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	7	4	–	10	M. 2 N. 2
Boroughs and Urban Districts:—						
Chippenham ...	–	1	–	–	–	–
Melksham ...	–		–	–	2	
†Salisbury ...	–	1	–	–	1	N. 2
†Swindon	–	1	2	–	1	–
Rural Districts:—						
Cricklade and Wootton Bassett	–	–	–		1	–
Highworth ...	–	1	2		2	–
Malmesbury ...	–	–		–	–	M. 1
Melksham ...	–	1		–	–	
Pewsey	–	2	–	–	2	M. 1
Warminster ...	–	–		–	1	–
WORCESTER ...	–	24	3	–	25	N. 2
†Dudley C.B. ...		2	–	–	1	N. 1
†Worcester C.B.	–	2	1	–	1	–
Boroughs and Urban Districts:—						
Bewdley ...	–	1	–	–	–	–
Bromsgrove ...	–	–	1	–	1	–
†Halesowen ...	–	3	–	–	1	N. 1
†Lye and Wollescote	–	–		–	2	–
†Malvern ...	–	6	–	–	5	–
North Bromsgrove	–	1	–	–	–	–
†Oldbury	–	3	–	–	2	–
†Redditch ...	–	2	–	–	1	
†Stourbridge ...		1	1	–	1	–
Stourport ...	–	–		–	2	–
Rural Districts:—						
Bromsgrove ...	–	–	–	–	2	–
Martley		1	–	–	2	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts—*cont.*						
Pershore ...	–	–	–	–	1	–
Shipston on Stour	–		–	–	2	–
Tewkesbury (part)	–	–	–	–	1	–
Upton on Severn		2	–	–		–
YORKS ... ... (East Riding).	–	11	15	–	24	D. 1 M. 1
†Kingston upon Hull C.B.	–	9	14	–	13	D. 1 M. 1
Boroughs and Urban Districts:—						
†Beverley ...	–		–	–	4	–
†Bridlington ...	–				2	–
Cottingham ...	–	–	1	–	–	–
Norton		1				–
Withernsea ...		1	–		–	–
Rural Districts:—						
Beverley ...	–	–		–	3	–
Patrington ...	–	–	–	–	2	–
YORKS ... ... (North Riding).	–	15	10	1	38	C. 1 D. 1 G. 1 L. 1
†Middlesbrough C.B.	–	5	2	–	14	D. 1 G. 1
Boroughs and Urban Districts:—						
†Eston	–	–	–	–	6	–
Guisborough ...		–	–	–	–	C. 1
Loftus		–	–	–	1	–
†Redcar	–	2	–	–	2	–
Richmond ...	–	–	–	–	1	–
Saltburn by the Sea	–	1	–	–	–	–
Scalby	–	–	1	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Scarborough ...	–		3	–	1	–
†Skelton and Brotton	–		–	–	3	–
†Thornaby on Tees	–	–	–	–	3	L. 1
†Whitby	–	4	–		–	–
Rural Districts:—						
Easingwold ...	–	1	–	1	3	–
Flaxton	–	–	1	–	–	–
Guisborough ...	–	–		–	1	–
Helmsley ...	–	1	–	–	–	–
Middlesbrough	–	–	1		–	–
Northallerton	–	–	–	–	2	–
Richmond ...	–		1	–		–
Scarborough ...	–	–	1	–	–	–
Thirsk	–	–	–	–	1	–
Whitby	–	1	–		–	–
YORKS ... ... (West Riding).	8	147	60	–	333	C. 11 D. 35 G. 2 M. 8 N. 15
†Barnsley C.B. ...	–	2	1	–	9	D. 2
†Bradford C.B. ...	1	22	3	–	26	C. 2 D. 1 M. 2 N. 1
†Dewsbury C.B....		3	1		–	–
†Doncaster C.B....	–	2	2	–	8	C. 1 D. 1
†Halifax C.B. ...	1	2	1	–	1	–
†Huddersfield C.B.	–	2	2	–	13	M. 2
†Leeds C.B. ...	–	17	16	–	36	M. 1 N. 6
†Rotherham C.B.	–	3	2	–	6	C. 1 N 1
†Sheffield C.B....	1	31	7	–	106	C. 2 D. 3 G. 1 M. 1 N. 7

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†Wakefield C.B.	–	5	4	–	8	–
Boroughs and Urban Districts:—						
†Adwick le Street	–		1	–	4	–
Altofts	–	–	1	–	–	–
Baildon	–	–	1		–	–
†Barnoldswick ...	–	1		–		–
†Batley	–	2	–	–	3	M. 1
†Bentley with Arksey	–	1	–	–	–	D. 1
†Bingley		–	1	–	1	–
Birkenshaw ..	–	1	–	–	–	–
Birstal	–		1	–	1	–
†Bolton upon Dearne	–	–	–	–	3	D. 1
†Castleford ...	–	1	1	–		–
†Conisbrough ...	–	–	–	–	1	D. 5
Cudworth ...	–	3	–		–	D. 1
Darfield ...	–	–	–	–	2	–
†Darton	–	–	2	–	2	–
Denby and Cumberworth	*	*	*	*	*	*
Drighlington ...	–	–	–		1	–
Earby	–	–	–	–	1	–
†Elland	–	1	–		1	–
Emley	–	–	–	–	2	–
Gildersome ...	–	1	–		–	–
†Goole	–	1	–	–	–	–
Greetland ...	–	–	–	–	2	–
Gunthwaite and Ingbirchworth	*	*	*	*	*	*
†Harrogate ...	–	6	1	–	3	–
Hebden Bridge	–	–	–	–	1	–
Heckmondwike	–	–	–	–	3	–
†Hemsworth ...	–	–		–	3	D. 1
Hipperholme ...	–	–	–		1	–
Honley	–	–		–	1	–
Horbury... ...	–	–	–	–	4	–
†Hoyland Nether	–	–	–	–	–	D. 1
Hunsworth ...	–	–	–	–	1	–
†Keighley ...	–	1	–	–	1	–
Lepton	–	–	–	–	2	–
Maltby		–		–	–	D. 2
†Mexborough ...	–	–	–	–	1	–
†Mirfield ...	–	–	–	–	1	–
†Morley	–	–	–	–	6	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Normanton ...	–	3	–	–	3	–
Oakworth ...	–	–	–	2	–	–
†Ossett	–	1	–		–	–
Otley		5		–	1	–
†Pontefract ...		1	–	–	–	–
†Pudsey			1	–	2	–
Queensbury ...	–		1		–	
†Rawmarsh ...	–	–	–		1	D. 3
†Rothwell ...	–	1	–	–		–
Selby	–			–	1	–
Shelley			–	–	1	–
†Shipley	–	1	–	–	–	–
Skelmanthorpe	–	–	–	–	1	–
South Crosland	–	–	–	–	3	–
†Sowerby		1	–	–	–	D. 1
†Spenborough ...	–	1	–	–	5	
†Stanley	–	1	1		2	–
Stocksbridge ...	–	–		–	2	–
†Swinton	–	1	–	–	1	–
Thurnscoe ...	–	3	–	–	3	–
Tickhill... ...	–	–				D. 2
†Todmorden ...	–	1	–		4	–
†Wath upon Dearne	–	–	–	–	1	–
†Wombwell ...	–	–	–		5	–
Rural Districts:—						
Bowland ...	–	–	1	–	–	–
Doncaster ...	–	2	–	–	1	D. 1
Hemsworth ...	–	2	2		3	C. 3 D. 4
Kiveton Park ...	4	1	3		13	–
Knaresborough	–	3	–	–	1	–
Penistone ...		1	–	–	1	–
Pontefract ...	–	1	–	–	5	G. 1
Rotherham ...	1	1	2	–	5	D. 5 M. 1
Settle	–	1	–	–	–	–
Skipton		1	–	–	–	–
Tadcaster ...	–	1	1	–	1	–
Thorne	–		–	–	–	C. 1
Wetherby ...	–	2	–	–	–	–
Wortley... ...	–	3		–	–	C. 1
YORK, CITY OF ..	–	3	–	–	3	–
†York C.B. ...	–	3	–	–	3	–
WALES.						
ANGLESEY ...	–	–	–	–	2	–
Rural Districts:—						
Aethwy	–	–	–	–	1	–
Twrcelyn ...	–		–	–	1	–
BRECKNOCK ...	–	2	3		1	–
Boroughs and Urban Districts:—						
Brecknock ...	–	2	–	–	–	–
Brynmawr ...	–	–			2	–
Hay	–	–	1	–	–	–
Rural Districts:—						
Crickhowell ...	–	–	–	–	1	–
Ystradgynlais	–	–	2	–	1	–
CAERNARVON...	–		3	–	1	–
Boroughs and Urban Districts:—						
Criccieth ...	–	–		–	1	–
Penmaenmawr ...	–	–	2	–	–	–
Rural District:—						
Geirionydd ...	–	–	1	–	–	–
CARDIGAN ...	–	3	2		3	–
Boroughs and Urban Districts:—						
†Aberystwyth ...		2	2	–	2	–
Cardigan ...	–	–	–	–	1	–
Rural Districts:—						
Aberystwyth (North)	–	1	–	–	–	–

† Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN...	–	5	10	–	20	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
KIDWELLY ...	–	1	–		2	–
LLANDILO ...	–	–		–	1	–
†LLANELLY ...	–	1	–	–	5	–
Rural Districts:—						
CARMARTHEN ...	–	3	6	–	2	–
LLANDILO FAWR	–	–		–	3	–
LLANDOVERY ...	–	–	–	–	2	–
LLANELLY ...	–	–	3	–	3	–
LLANYBYTHER ...	–	–		–	2	–
DENBIGH ...	–	14	14	–	5	N. 4
Boroughs and Urban Districts:—						
RUTHIN	–	–	–	–		N. 1
†WREXHAM ...	–	5	1	–	1	–
Rural Districts:—						
RUTHIN	–	–		–	1	
WREXHAM ...	–	9	13	–	3	N. 3
FLINT	–	2	1	–	2	D. 1 M. 1
Borough and Urban Districts:—						
BUCKLEY	–	1	–	–	–	–
HOLYWELL ...	–	–	–	–	1	–
PRESTATYN ...	*	*	*	*	*	*
Rural Districts:—						
HAWARDEN ...	–	1			–	D. 1
HOLYWELL ...	–	–	1	–	1	M. 1
OVERTON	*	*	*	*	*	*
GLAMORGAN ...	10	41	78	–	91	C. 4 D. 1 G. 1 M. 2 N. 4
†CARDIFF C.B. ...	–	13	20	–	11	C. 2 D. 1 N. 1
GLAMORGAN— *cont.*						
†MERTHYR TYDFIL C.B.	–	1	2	–	4	–
†SWANSEA C.B. ...	–	–	7	–	5	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	2	–	10	–
†BARRY	–	3	1	–	2	–
†CAERPHILLY ...	–	1	–	–	3	–
COWBRIDGE ...	–	–	–	–	1	–
†GELLIGAER ...	–	2	–	–	4	–
†GLYNCORWG ...	–	–	–	–	1	–
†LLWCHWR ...	–	1	1	–	2	–
†MAESTEG... ...	–	3	2	–	1	N. 1
†MOUNTAIN ASH...	10	2	3	–	11	–
†NEATH	–	–	1	–	3	–
†OGMORE AND GARW	–	3	1	–	–	–
†PENARTH... ...	–	–	–	–	1	–
†PONTYPRIDD ...	–	–	1	–	3	C. 1 M. 1
†PORT TALBOT ...	–	4	1	–	–	–
†RHONDDA ...	–	5	29	–	25	C. 1 G. 1 M. 1 N. 1
Rural Districts:—						
CARDIFF	–	3	2	–	1	–
COWBRIDGE ...	–	–	–	–	1	
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	–	–
NEATH	–		1	–	2	N. 1
PENYBONT ...	–	–	1	–	–	–
PONTARDAWE ...	–	–	2	–	–	–
MERIONETH ...	–	1	3	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	2	–	–	–
DOLGELLEY ...	–	–	1	–	–	–
EDEIRNION ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	24	8	1	21	M. 1 N. 2
†Newport C.B. ...	–	7	2	–	5	–
Boroughs and Urban Districts:—						
Abergavenny ...	–	–	1	–	–	–
†Abersychan ...	–	4	–	–	–	–
†Abertillery ...	–	1	2	–	–	–
Bedwas and Machen	–	1	1	–	1	–
†Bedwellty ...	–	6	–	–	3	–
Chepstow ...	*	*	*	*	*	*
†Ebbw Vale ...	–	1	1	–	6	–
Llanfrechfa Upper	–	1	–	–	1	–
Monmouth ...	–	1	–	–	–	–
†Nantyglo and Blaina	–	–	–	–	3	–
†Panteg	–	–	–	1	–	–
†Rhymney ...	–	1	–	–	–	–
†Risca	–	–	–	–	1	M. 1
†Tredegar ...	–	–	1	–	–	N. 2
Rural Districts:—						
Chepstow ...	*	*	*	*	*	*
St. Mellons ...	–	1	–	–	1	–
MONTGOMERY...	–	–	–	–	4	N. 2
Boroughs and Urban Districts:—						
Llanfyllin ...	–	–	–	–	1	–
Newtown and Llanllwchaiarn	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY—*cont.*						
Rural Districts:—						
Forden	–	–	–	–	1	–
Llanfyllin ...	–	–	–	–	2	–
Newtown and Llanidloes	–	–	–	–	–	N. 1
PEMBROKE ...	–	3	2	–	2	–
Boroughs and Urban Districts:—						
Milford Haven	–	–	2	–	–	–
Rural Districts:—						
Narberth ...	–	3	–	–	2	–
RADNOR	–	2	–	–	–	C. 1
Rural Districts:—						
Colwyn	*	*	*	*	*	*
New Radnor ...	–	2	–	–	–	C. 1
Total of Part II....	165	1477	879	19	2081	C. 42 D. 76 E. 3 G. 23 J. 1 L. 14 M. 89 N. 130

* Returns not received.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BARRY	–	–	–	–	1	–
PENZANCE	*	*	*	*	*	*
WORKINGTON	–	–	–	–	1	
PORT OF LONDON ...	–	1	–		–	
Total of Part III. ...	–	1	–	–	2	

PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	
Total of Part I.—London	54	222	166	3	151	C. D M N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	165	1477	879	19	2081	C. D E G J L M N
Total of Part III.—Port Sanitary Districts	-	1	–	–	2	
Total (i.e., of returns received), England and Wales ...	219	1700	1045	22	2234	C D E G J L M N

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

). —LONDON and GREAT TOWNS in the EGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

k ended :—	ec. 27.	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14	Mar. 21	Totals from 1st Week of year. * 1930.	1931.
N :—															
RTHS	821	1,589	1,438	1,421	1,422	1,383	1,401	1,397	1,317	1,407	1,384	1,394	1,422	15,829	15,386
THS	21	50	61	50	39	41	33	51	59	47	49	69	51	556	550
(excluding Still- —all ages.	1,185	1,356	1,452	1,467	1,415	1,434	1,496	1,620	1,578	1,457	1,347	1,377	1,433	12,778	16,076
—0 to 1 year ..	89	107	112	116	115	132	125	145	92	108	111	104	102	1,166	1,262
TOWNS, aggre- (including Lon-															
RTHS	3,997	7,120	6,760	6,470	6,502	6,180	6,308	6,349	6,320	6,631	6,562	6,503	6,772	70,865	71,357
THS	216	311	305	282	270	295	244	278	315	282	289	323	303	3,217	3,186
(excluding Still- —all ages.	4,843	5,587	6,451	6,493	6,249	6,052	6,178	6,834	6,826	6,879	6,480	6,713	6,700	56,226	71,855
—0 to 1 year ..	474	557	622	626	633	645	650	748	697	686	629	640	585	5,473	7,161
FEVER—Cases	7	15	10	11	20	9	10	24	22	19	6	8	9	202	148
,, Deaths	—	3	1	1	3	2	4	2	1	2	—	1	5	25	22
POX—Cases ..	105	131	162	154	198	194	147	150	186	189	158	117	154	3,097	1,809
Deaths ..	—	—	—	—	—	—	—	—	1	—	—	—	—	8	1
FEVER—Cases	901	1,064	886	907	960	935	907	925	917	922	826	824	894	16,491	9,903
Deaths	11	16	8	9	8	7	7	9	8	4	7	6	5	136	78
RIA—Cases ..	617	831	775	793	922	894	820	781	735	749	628	626	641	12,280	8,364
Deaths ..	33	43	32	39	53	43	50	29	48	42	42	34	32	578	444
S—Deaths ..	59	62	77	94	73	72	72	80	97	70	73	84	75	1,053	867
NZA—Deaths ..	59	60	101	146	242	309	331	456	509	546	471	417	365	860	3,893

e figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the rs and differ from those published for the towns in the Quarterly Return which are corrected for births g away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 21st March, 1931. (*Supplied by the Meteorological Office.*)

OWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡
	°	°	°	°			°	°	°	°	
N	69	29	57·9	37·6	0·3	HUDDERSFIELD	64	29	52·4	33·4	1
EENWICH).						BRADFORD ..	61	31	50·1	34·7	1
TON ..	62	36	53·0	41·1	1	SHEFFIELD ..	§	§	§	§	§
MOUTH ..	57	33	52·5	40·1	2	YORK (MUSEUM)	65	31	53·9	36·9	0
CH	§	§	§	§	§	HULL (PEARSON PARK).	60	30	50·6	35·6	0
(EATON)											
UTH ..	54	34	52·0	42·4	18	TYNEMOUTH ..	52	30	46·1	36·4	0·2
L	60	29	55·3	37·6	6	CARDIFF	67	29	55·0	38·1	5
HORFIELD)											
NGHAM	62	29	54·0	37·6	3						
GBASTON).						EDINBURGH ..	52·0	27·0	48·0	34·7	1
NGHAM ..	65	28	55·1	37·0	0	GLASGOW ..	54·2	31·2	47·1	35·4	13
NHEAD	60	32	53·0	38·9	2	DUBLIN (PHŒNIX PARK)	56·0	30·9	51·7	33·1	8
(BIDSTON).											
ESTER	66	32	54·9	40·0	3	(FITZWILLIAM SQUARE†).	56·0	35·6	51·4	41·3	9
HITWORTH PARK).											
EY	62	31	50·7	36·4	3	BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 21st March, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	15	..	29·727	55·7	29·0	26·7	42·4	+ 0·7	34·1	8·3	22·3	1·8	72	117·8	17·3	41·4	WSW: Calm.	SE: ESE.	1·5	0·0	0·1	163	- 147	0·00
MONDAY -	16	..	29·720	47·1	35·0	12·1	40·1	- 1·8	31·1	9·0	17·0	2·3	69	95·9	28·0	41·3	E	E	6·3	0·0	1·0	428	+ 115	0·00
TUESDAY -	17	Apogee	29·737	48·7	34·7	14·0	40·8	- 1·2	31·7	9·1	17·3	2·2	69	103·7	25·3	41·4	E	E	3·1	0·0	0·5	345	+ 28	0·00
WEDNESDAY	18	..	29·673	59·7	29·8	29·9	45·0	+ 3·0	37·0	8·0	20·8	1·9	74	114·4	15·2	41·6	E	SE: S.	1·0	0·0	0·1	185	- 135	0·01
THURSDAY -	19	New In Equator	29·672	65·7	43·1	22·6	53·6	+11·7	43·5	10·1	21·8	0·7	69	125·9	28·8	41·9	Calm: SE.	SSE: Calm, E.	1·4	0·0	0·1	189	- 132	0·00
FRIDAY -	20	..	29·568	68·9	43·6	25·3	55·7	+13·8	43·1	12·6	22·0	3·4	63	124·0	33·9	42·0	Calm: SSE	SE: E.	1·8	0·0	0·1	169	- 150	0·00
SATURDAY -	21	..	29·651	57·9	43·6	14·3	51·2	+ 9·3	44·0	7·2	11·2	2·3	77	88·9	31·3	42·0	SSE: SW.	SW	1·3	0·0	0·2	265	- 52	0·00
MEANS -		..	29·678	57·7	37·0	20·7	47·0	+ 5·1	37·8	9·2	18·9	2·1	70	110·1	25·8	41·7	E		..		..	Sum 1744	Sum - 473	Sum 0·01
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	15	mP till 12h.; wP till 17½h.; then mP.	7·4	11·8	Partially cloudy till 15⅝h.; cloudless generally till 22h.; then rapidly becoming overcast. Fog 7½h. till 11h. Hoar frost in morning and at night.
MONDAY ..	16	wP till 8h.; mP till 21h.; then wP.	2·2	11·8	Overcast generally. Solar halo 9h. till 16h. Brisk wind 9h. till 18h.
TUESDAY ..	17	wP til 3h.; then mP	7·1	11·9	Overcast till 7h.; partially cloudy till 15h.; then cloudless. Hoar frost at night.
WEDNESDAY	18	mP	8·3	12·0	Nearly cloudless till 15h.; partially cloudy till 16½h.; then nearly overcast. Haze 6h. till 14½h. Slight rain 19h. till 19½h. Damping at 23h. Hoar frost in morning.
THURSDAY	19	Variably mP and wP till 8½h.; then mP.	5·6	12·0	Partially cloudy till 10½h.; then nearly overcast generally. Damping 6h. till 7h. Fog 5h. till 8¾h. Solar halo about 15h. Hoar frost in morning.
FRIDAY ..	20	mP	6·4	12·1	Variably cloudy. Solar halo about 15¼h. Parhelia between 15¼h. and 17¼h. Slight rain 22¾h. till 23h.
SATURDAY	21	wP till 8h.; then mP.	1·0	12·2	Very cloudy till 8½h.; partially cloudy till 9½h.; overcast till 18½h.; then partially cloudy. Slight rain 6½h. till 7h. Solar halo about 12h. Dew at night.
			Sum 38·0	Sum 83·8	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·65 ins. at the beginning of the week to 29·76 ins. by 10h. on 17th; decreased generally to 29·52 ins. by 3h. on 21st; increased and was 29·73 ins. by midnight on the same day.

THE

CLINICAL RESEARCH ASSOCIATION, LTD.

WATERGATE HOUSE, YORK BUILDINGS, ADELPHI, W.C.2.

All kinds of **LABORATORY INVESTIGATIONS** which may be required by

PUBLIC HEALTH AUTHORITIES

are carried out with accuracy and speed. Special attention is given to Milk Analysis required under recent Regulations. All necessary collecting apparatus is kept in stock and will be forwarded immediately applications are received.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, still-births, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics:—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

TEXT.

This volume contains a commentary (with many Tables and some Diagrams) on the contents of the two Volumes of Tables (Medical and Civil) above mentioned. Many of the subjects—especially causes of death—are dealt with in detail.

The volume is priced at 2s. 6d. instead of 5s. as in previous years. Postage 3d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

THE MEDICAL OFFICER

A Journal for Medical Men in the Government and Municipal Services.

36/38 Whitefriars Street, London, E.C.4.

The recognised weekly journal of Medical Officers of Health, School Medical Officers, Tuberculosis Officers, V.D. Officers, Maternity and Child Welfare Medical Officers, and Medical Officers of Municipal Hospitals, Sanatoria, etc. etc.

42/- PER ANNUM, POST FREE.

(74193) Wt. 87—17 1875 3/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 12.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 28TH MARCH,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 28TH MARCH, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twelfth week of the year numbered 6,421 corresponding to an annual rate of 17·0 per 1,000 living: stillbirths numbered 305 corresponding to a rate of 45 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 5,691 (1,009 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.
107 Great Towns	17·2	17·8	17·8	15·1
London	15 9	16·3	16·9	14·0
Birmingham	17·3	19·1	21·1	15·2
Liverpool	16·8	15·1	16·5	14 3
Manchester	23·7	18·4	16·9	16·7
Sheffield	14·9	17·2	19·7	15 3
Leeds	18·0	22·6	19·5	17·2
Bristol	17·6	19·1	18·7	20·4
West Ham	18·1	15·3	14·2	11·9

The deaths from influenza which had been 471, 417 and 365 in the three preceding weeks further fell to 301 and included 42 in London and 20 in Sheffield.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 80, against 97, 98 and 90, in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,390 live births registered corresponding to an annual rate of 16·4 per 1,000 living: stillbirths numbered 45 corresponding to a rate 31 of per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,184 (249 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 61, against 77, 72 and 71 in the preceding three weeks.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There were no deaths from small-pox in the returns from areas outside Greater London, the County Boroughs and Great Towns, for the month of February last.

ENGLAND AND WALES.

DEATH-RATES FROM TUBERCULOSIS AND CANCER AND MATERNAL MORTALITY—1930.

Provisional death-rates per million population for England and Wales during the year 1930 are as follows:—

	Males.	Females.	Persons.
Respiratory Tuberculosis	863	624	739
Other Tuberculosis	174	145	159
Cancer	1,411	1,494	1,454

The maternal mortality (provisional) per 1,000 live births based on deaths primarily classed to puerperal conditions is as follows:—

Puerperal Sepsis	1·92
Other accidents and diseases of pregnancy and parturition	2·48

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 28th March, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
107 GREAT TOWNS ..	19,661,240*	6,421	305	5,691	521	1	60	9	46	30	72	3
LONDON	4,417,800*	1,390	45	1,184	88	1	1	1	11	6	16	
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	63	4	61	4	-	-	-	1	-	2	
WIMBLEDON ..	59,370	13	-	16	1	-	-	-	-	-	-	
EALING	104,000	40	1	24	2	-	-	-	1	-	1	
ACTON	65,200	11	-	19	2	-	1	-	-	-	-	
BRENTFORD AND CHISWICK ..	59,040	13	-	11	1	-	-	-	-	-	-	
WILLESDEN ..	172,500	42	1	51	3	-	1	1	-	-	1	
HENDON	83,190*	27	1	17	2	-	-	-	-	-	2	
HORNSEY	88,450	19	2	18	3	-	-	-	-	1	-	
WOOD GREEN ..	53,410	10	1	13	1	-	-	-	-	-	-	
TOTTENHAM ..	155,000	35	-	32	4	-	-	-	-	-	-	
EDMONTON	75,000	43	1	15	-	-	-	-	-	-	-	
ENFIELD	65,100	17	-	12	2	-	-	-	-	-	-	
WEST HAM C.B. ..	307,600	116	7	70	2	-	-	-	1	-	-	
EAST HAM C.B. ..	147,600	25	1	27	3	-	-	-	-	-	-	
LEYTON	128,300	25	2	30	3	-	-	-	-	-	-	
WALTHAMSTOW ..	124,800	24	-	29	-	-	-	-	1	-	-	
ILFORD	116,200	37	2	26	2	-	-	-	-	-	-	
GILLINGHAM	56,670*	23	1	13	-	-	-	1	-	-	-	
CANTERBURY C.B. ..	22,850*	6	1	10	-	-	-	-	-	-	-	
HASTINGS C.B.	62,620	13	1	26	-	-	-	-	-	-	-	
EASTBOURNE C.B. ..	58,570	10	-	26	1	-	-	-	-	-	-	
BRIGHTON C.B. ..	146,800*	36	1	63	3	-	-	-	-	-	2	
PORTSMOUTH C.B. ..	242,000*	75	7	81	10	-	-	1	-	-	3	
BOURNEMOUTH C.B. ..	97,360	19	-	28	-	-	-	-	-	-	-	
SOUTHAMPTON C.B. ..	172,300	58	3	35	1	-	-	-	-	-	-	
READING C.B.	96,850*	32	2	35	5	-	2	-	-	-	-	
OXFORD C.B	73,810*	26	2	23	-	-	-	-	-	-	-	
NORTHAMPTON C.B. ..	93,970*	21	-	25	3	-	-	-	-	1	-	
LUTON	65,200	19	-	18	-	-	-	-	-	-	-	
CAMBRIDGE	60,730	23	3	19	1	-	-	-	-	-	-	
SOUTHEND-ON-SEA C.B.	114,600	34	1	20	-	-	-	-	-	-	-	
IPSWICH C.B. ..	85,800	21	1	23	-	-	-	-	-	-	-	
GREAT YARMOUTH C.B	58,110	13	-	22	2	-	-	-	1	-	-	
NORWICH C.B.	124,900*	45	1	38	1	-	-	-	-	-	-	
SWINDON	62,020	11	-	7	-	-	-	-	-	-	-	
EXETER C.B.	61,290*	21	-	19	1	-	-	-	-	-	-	
PLYMOUTH C.B. ..	199,000*	77	1	52	9	-	-	-	-	-	-	
BATH C.B.	69,240	12	2	25	-	-	-	-	-	-	-	
BRISTOL C.B.	391,145*	104	4	153	9	-	2	1	1	1	1	
GLOUCESTER C.B. ..	52,010	23	1	18	1	-	-	-	1	-	-	
STOKE-ON-TRENT C.B.	279,190	104	9	126	34	-	-	-	-	-	5	
BURTON-UPON-TRENT C.B.	48,970	19	1	21	3	-	-	-	-	-	-	
WOLVERHAMPTON C.B.	134,300	57	1	40	5	-	-	-	1	-	-	
WALSALL C.B.	100,100	32	3	22	4	-	-	-	-	-	1	
WEST BROMWICH C.B.	80,840	41	1	27	5	-	1	-	1	-	1	
DUDLEY C.B.	58,870	27	3	27	2	-	1	-	-	-	-	
WORCESTER C.B. ..	52,320	17	-	15	2	-	-	-	-	-	-	
BIRMINGHAM C.B. ..	968,500	363	17	283	23	-	10	-	2	2	6	
SMETHWICK C.B. ..	85,120	21	1	15	1	-	-	-	-	-	-	
COVENTRY C.B. ..	162,100	54	3	56	7	-	-	-	-	-	-	
LEICESTER C.B. ..	245,200	70	5	64	3	-	2	-	-	-	1	
LINCOLN C.B.	65,080*	34	-	32	3	-	1	-	-	2	-	
GRIMSBY C.B.	91,440	26	6	27	2	-	-	-	-	-	-	
NOTTINGHAM C.B. ..	266,800	89	5	94	14	-	1	-	2	-	5	
DERBY C.B.	140,500*	51	1	43	3	-	-	-	-	-	-	
CHESTERFIELD	65,270	26	2	12	3	-	-	-	-	-	-	
STOCKPORT C.B ..	127,800	34	2	30	1	-	-	-	-	-	-	
CHESTER C.B.	40,750	14	-	9	1	-	-	-	-	-	-	
BIRKENHEAD C.B ..	157,600	45	5	31	1	-	1	-	1	2	1	
WALLASEY C.B. ..	101,300	39	-	23	1	-	-	-	-	-	-	
LIVERPOOL C.B. ..	869,500	365	21	239	52	-	15	-	2	2	4	
BOOTLE C.B.	80,400	36	1	27	-	-	-	-	-	-	-	
ST. HELENS C.B. ..	109,200	36	3	29	4	-	-	-	-	1	-	

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
)UTHPORT C.B. ..	80,040	19	–	15	1	–	–	–	–	–	–	2
IGAN C.B.	87,600	22	1	24	2	–	–	–	–	–	–	2
ARRINGTON C.B. ..	79,400*	23	4	25	4	–	–	1	–	1	1	5
)LTON C.B.	181,500	33	3	51	3	–	–	–	–	–	–	2
URY C.B.	56,830*	10	2	16	–	–	–	–	–	–	–	1
ANCHESTER C.B. ..	746,500	270	14	239	25	–	1	1	3	1	5	11
ALFORD C.B.	235,600	62	4	70	8	–	–	–	4	–	2	2
GHTON-UNDER-LYNE	51,750	18	–	20	2	–	–	–	–	–	–	2
LDHAM C.B	142,500	42	2	43	7	–	–	–	–	–	–	3
OCHDALE C.B. ..	90,900	16	–	32	2	–	–	–	–	–	1	5
URNLEY C.B	100,200	26	4	37	2	–	1	–	1	–	–	–
LACKBURN C.B. ..	125,300	28	4	36	3	–	–	–	–	–	–	4
RESTON C.B.	126,100	39	–	33	7	–	1	–	–	–	–	–
LACKPOOL C.B. ..	99,800	14	2	33	2	–	–	–	–	–	–	6
ARROW-IN-FURNESS C.B.	64,850	20	–	14	–	–	–	–	–	–	–	1
UDDERSFIELD C.B. ..	113,100	30	2	47	2	–	1	–	–	–	–	6
ALIFAX C.B.	97,400*	34	2	42	1	–	–	–	–	–	–	5
RADFORD C.B. ..	294,605	87	7	89	2	–	1	–	1	–	–	6
EEDS C.B.	478,500	154	11	158	13	–	–	–	2	5	–	11
EWSBURY C.B. ..	53,020	30	1	21	1	–	–	–	–	–	–	–
AKEFIELD C.B. ..	56,640	25	–	24	3	–	–	1	–	–	1	1
ARNSLEY C.B. ..	71,700	37	3	21	2	–	–	1	–	–	1	–
HEFFIELD C.B. ..	518,000*	182	4	152	15	–	–	–	2	–	–	20
OTHERHAM C.B. ..	70,790	31	–	13	1	–	–	–	–	–	–	1
ONCASTER C.B. ..	59,890	27	1	17	1	–	–	–	–	–	–	2
ORK C.B.	85,290*	20	3	13	1	–	–	–	–	–	–	2
ULL C.B.	307,500	125	6	92	9	–	1	–	–	3	2	1
IDDLESBROUGH C.B.	133,100	64	5	41	9	–	–	–	–	–	–	1
ARLINGTON C.B. ..	74,150	22	1	19	5	–	–	–	–	–	–	1
OCKTON-ON-TEES ..	67,090	28	–	24	3	–	–	–	–	–	1	1
EST HARTLEPOOL C.B.	69,370	27	1	21	4	–	1	–	1	–	–	–
NDERLAND C.B. ..	184,000	89	3	61	6	–	4	–	–	–	1	1
UTH SHIELDS C.B ..	119,600	38	4	37	7	–	–	–	–	–	–	2
ATESHEAD C.B. ..	122,600	36	2	34	8	–	–	–	1	–	–	–
EWCASTLE-ON-TYNE C.B.	283,400*	128	7	81	10	–	4	–	1	–	2	1
NEMOUTH C.B. ..	65,880	33	–	20	2	–	3	–	1	–	–	1
RLISLE C.B.	56,160*	17	2	17	1	–	–	–	–	–	1	–
EWPORT (MON.) C.B.	95,990*	35	1	29	2	–	–	–	–	–	–	5
RDIFF C.B.	224,000*	76	2	66	8	–	2	–	–	–	–	–
IONDDA	153,100	51	1	43	5	–	–	–	2	2	–	–
ERTHYR TYDFIL C.B.	77,790	22	4	22	3	–	–	–	–	–	–	4
ERDARE	53,050	14	–	12	1	–	1	–	–	1	1	1
ANSEA C.B.	162,700	55	1	62	5	–	–	–	–	–	1	7
EATER LONDON ..	7,900,480*	2,458	77	1,994	159	1	5	2	19	9	23	65
TER RING	3,482,580*	1,068	32	810	71	–	4	1	8	3	7	23
GREAT TOWNS IN OUTER RING	2,027,060*	560	23	471	35	–	2	1	4	1	6	11
MAINDER OF OUTER RING	1,455,520*	508	9	339	36	–	2	–	4	2	1	12
INBURGH†	428,800	160	?	141	10	–	–	–	–	–	1	7
ASGOW†	1,088,200	415	?	375	63	–	–	1	17	–	7	7
BLIN (REGISTRATION REA)†	412,400	224	?	141	14	–	6	–	–	3	–	6
LFAST†	415,151	186	?	149	28	–	10	1	–	1	2	3

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931 except that of Belfast which is the 1926 Census ure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally rected by the deduction of deaths of non residents domiciled in Scotland and by the addition of deaths esidents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and fast are corrected by the exclusion of deaths of persons admitted into public institutions from without respective areas

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases.
		1931.											
London‡	4,417,900	Mar. 28	1390	45	1184	14·0	1	-	1	1	11	6	1
Calcutta and Suburbs	1,077,264	Feb. 14	?	?	603‖	29·1	?	24	?	-	?	?	
Bombay§	1,298,708	„ 28	507	30	418	16·7	1	1	-	-	-	-	
Madras	528,791	„ 14	342	16	583‖	57·3	9	-	-	-	1	-	3
Sydney and Suburbs	1,249,170	Feb. 28 (28 days)											
Brisbane (Metropolitan Area).	318,631	Jan. 31 (31 days)											
Perth (Metropolitan Area).	202,888	Jan. 17	98	?	38	9·7	-	-	-	-	1	-	
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Feb. 21	59	5	29	11·0	-	-	-	-	-	-	
Johannesburg	187,326	„ 14	80	2	32	8·9	1	-	-	-	1	-	
Durban	61,667	„ 14	20	1	13	11·0	-	-	-	-	-	-	
Paris	2,871,429	Feb. 20 (10 days)	1252	78	1302	16·6	4	-	11	2	1	4	2
Antwerp	295,138	Mar. 15 (15 days)											
Amsterdam	759,282	Mar. 7	244	13	185	12·7	-	-	3	-	2	-	
Copenhagen	615,700	„ 14	171	3	171	14·5	-	-	-	-	-	2	
Stockholm	502,203	„ 7	118	-	121	12·5	-			-	-	-	
Gothenberg	245,336	Feb. 14											
Oslo	253,568	„ 14	57	2	70	14·4	-	-	-	-	-	-	
Berlin	4,336,000	„ 28	805	27	1059	12·7	-	?	2	2	2	5	
Breslau	616,000	„ 28	168	5	164	13·8	-	?	-	-	-	1	
Cologne	740,000	„ 28	199	10	181	12·7	-	?	1	-	1	1	
Dresden	634,000	„ 28	123	5	124	10·2	-	?	1	-	-	-	
Frankfort-on-Main	541,000	„ 28	132	2	118	11·3	-	?	-	-	-	1	
Hamburg	1,148,000	„ 28	276	5	299	13·5	-	?	-	-	2	2	
Leipzig	700,000	„ 28	168	11	175	13·0	-	?	-	-	-	1	
Munich	730,000	„ 28	154	4	185	13·2	-	?	2	-	-	-	
Budapest	991,518	Mar. 7	317	11	289	15·1	1	-	1	2	3	3	
Warsaw	1,109,478	Feb 28	?	9	309	14·5	1	-	-	3	1	2	
Madrid	825,471	Mar. 7											
Cairo	1,122,800	Dec. 9	1057	23	420	19·5	1	-	4	-	?	11	7
Alexandria	612,200	„ 9	525	7	215	18·3	2	-	-	-	?	4	2
New York	7,090,089	Feb. 28	2136	116	1676	12·3	1	-	1	-	9	4	
Chicago	3,457,375	Mar. 6	1104	27	750	11·3	-	-	1	4	-	5	
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Feb. 14	734	51	521	15·7	1	-	3	-	4	2	6

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 22 deaths from Cholera in Calcutta and 5 in Madras.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 28th March, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
LL CAUSES	13,954	17,260	1184	88	23	15	19	50	45	68	132	180	269	295
nteric fever	5	9	1	-	-	-	-	-	-	-	-	1	-	-
mall-pox	5	-	-	-	-	-	-	-	-	-	-	-	-	-
easles	524	13	1	-	-	1	-	-	-	-	-	-	-	-
carlet fever	43	16	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	41	109	11	3	6	1	1	-	-	-	-	-	-	-
iphtheria	164	92	6	1	1	2	2	-	-	-	-	-	-	-
nfluenza	160	773	42	-	2	-	-	-	2	4	9	5	11	9
rysipelas	41	58	4	-	-	-	-	-	-	-	-	-	2	2
cute Poliomyelitis, Polioencephalitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ncephalitis lethargica	14	13	2	-	-	-	-	1	-	-	-	-	-	1
eningococcal meningitis	25	42	5	-	1	2	-	1	-	1	-	-	-	-
uberculosis :—														
Respiratory system	953	1153	85	-	1	-	1	22	19	14	14	10	3	1
Nervous system	51	52	4	1	-	-	2	-	1	-	-	-	-	-
Intestines and peritoneum	15	15	2	-	-	-	-	-	-	1	-	-	-	1
Other forms	62	70	6	-	-	-	-	4	-	1	-	-	-	1
enereal diseases	55	43	4	-	-	-	-	-	-	1	1	2	-	-
ancer	1549	1661	131	-	-	-	-	1	4	7	32	28	40	19
heumatic fever	46	28	2	-	-	-	-	-	-	2	-	-	-	-
iabetes	144	147	14	-	-	-	-	-	1	-	1	4	5	3
lcoholism	4	4	-	-	-	-	-	-	-	-	-	-	-	-
mple meningitis	28	28	2	-	-	-	2	-	-	-	-	-	-	-
erebral hæmorrhage, &c., Apoplexy	548	591	44	-	-	-	-	-	-	-	2	11	16	15
pilepsy	55	44	1	-	-	-	-	-	-	-	-	-	1	-
Convulsions" (not puerperal) ..	23	20	2	2	-	-	-	-	-	-	-	-	-	-
ther diseases of nervous system ..	313	324	13	-	-	-	-	-	-	1	3	3	4	2
ericarditis	7	6	1	-	-	-	-	-	-	-	-	1	-	-
cute endocarditis	45	46	3	-	-	-	-	1	1	1	-	-	-	-
ther diseases of heart	2985	4053	279	-	-	-	1	5	3	8	16	35	100	111
ther diseases of circulatory system	536	663	42	-	-	-	-	-	-	1	7	3	13	18
ronchitis	760	1368	78	2	1	-	-	-	1	1	3	12	20	38
roncho-pneumonia	715	1263	55	16	5	6	-	-	1	3	4	8	3	9
obar pneumonia	367	481	47	-	-	1	1	4	3	4	8	9	11	6
neumonia (type not distinguished)	141	191	16	1	1	-	1	1	-	-	2	2	5	3
ther diseases of respiratory system	142	242	14	-	-	-	-	1	-	2	2	2	6	1
iarrhœa and enteritis	196	203	17	16	-	-	-	-	-	-	-	-	-	1
ppendicitis, Typhlitis	73	69	3	-	-	1	-	-	-	-	2	-	-	-
ernia, Intestinal obstruction ..	106	140	7	-	-	-	-	-	-	-	2	1	-	4
irrhosis of liver	51	54	6	-	-	-	-	1	-	-	1	3	1	-
ther diseases of digestive system ..	330	335	31	2	-	-	1	-	1	5	4	10	4	4
cute nephritis	32	22	3	-	-	-	1	1	-	-	1	-	-	-
hronic Bright's disease	461	504	33	-	-	-	1	-	1	2	5	10	8	6
ther diseases of genito-urinary system.	192	249	13	-	-	-	-	-	-	-	2	5	1	5
uerperal sepsis	29	28	3	-	-	-	-	-	2	1	-	-	-	-
ther causes incident to childbirth ..	20	26	-	-	-	-	-	-	-	-	-	-	-	
ongenital malformations	87	77	7	7	-	-	-	-	-	-	-	-	-	
remature birth	253	305	25	25	-	-	-	-	-	-	-	-	-	
ebility, atrophy (congenital)	57	44	3	3	-		-		-			-	-	
ld age	321	422	25			-						-	2	23
uicide	132	118	7	-		-	-	1	1	-	4	-	1	-
urns and Scalds	32	51	6	1	2	-	-	-	-	-	-	1	-	2
rowning	22	20	3	1	-	-	-	1	-	-	1		-	-
uffocation in bed	10	8	1	1	-	-	-	-	-	-	-	-	-	-
ehicles and horses	181	150	13	-	-	-	3	2	2	3	1	1	1	-
ther deaths by violence	229	204	13	-	-	-	-	1	1	1	1	3	2	4
ther specified causes	518	611	47	6	3	-	2	2	1	4	4	10	9	6
l-defined causes	1	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 28th March, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	32	214	165	2	220	C. 6 D. 5 F. 1 G. 1 L. 1 M. 12 N. 19
†CITY OF LONDON	–	–	–	–	2	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	4	–	12	-
†BERMONDSEY ...		8	4	–	1	N. 2
†BETHNAL GREEN	–	7	3	–	3	N. 1
†CAMBERWELL ...	6	10	9	–	4	N. 2
†CHELSEA	-	2	2	–	4	–
†DEPTFORD ...	2	7	7	–	5	–
†FINSBURY ...	2	6	4	–	2	M. 1
†FULHAM	-	7	1		6	C. 2 N. 1
†GREENWICH ...	–	7	6	–	5	–
†HACKNEY... ...	1	16	11	–	8	D. 1 N. 1
†HAMMERSMITH ...	–	8	7	–	5	D. 1 M. 1
†HAMPSTEAD ...	–	5	2	–	4	–
†HOLBORN... ...	–	3	–	–	–	–
†ISLINGTON ...	1	21	13	–	14	L. 1 M. 2 N. 1
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	6	7	1	7	M. 1 N. 1
†LAMBETH ...	4	15	4	–	21	C. 1 M. 1
†LEWISHAM ...	–	12	8	–	10	C. 2 N. 1
†PADDINGTON ...	–	3	10	–	4	N 1
†POPLAR	2	11	6	–	21	D. 1 G. 1 M. 1 N. 1
†ST. MARYLEBONE	–	5	2	–	2	N. 3
†ST. PANCRAS ...	1	4	5	–	10	M. 1
†SHOREDITCH ...	1	6	4	1	5	–
†SOUTHWARK ...	–	3	9	–	15	C.
†STEPNEY	12	14	13	–	17	D. 1 M. 1 N. 1
†STOKE NEWINGTON	–	1	–	–	1	M. 1
†WANDSWORTH ...	–	17	13		13	F. 1 M. 2
†WESTMINSTER, CITY OF	–	2	1	–	3	N. 1
†WOOLWICH ...	–	4	10	–	16	D. 1 N. 2

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	–	2	3	–	5	N. 1
Boroughs and Urban Districts:—						
†BEDFORD	–	–	1		–	–
DUNSTABLE ...	–	–	1	–	–	–
†LUTON	–	–	1	–	1	–
Rural Districts:—						
AMPTHILL ...		–		–	1	–
BEDFORD	–	2		–	–	N. 1
BIGGLESWADE ...	–	–	–		3	–
BERKS	–	10	5	–	7	M. 1 N. 1
†READING C.B. ...	–	–	4	–	1	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	1	–	–	–
†NEWBURY ...	–	1	–	–	–	N. 1
†NEW WINDSOR ...	–	1	–	–	1	–
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	3	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	1		–	2	–
EASTHAMPSTEAD	–	1	–		1	–
FARINGDON (part)	–	1	–	–		–
NEWBURY ...	–	–	–	–	1	
WINDSOR	–	–	–	–	–	M. 1
WOKINGHAM ...	–	–	–	–	1	–
BUCKINGHAM...	–	9	5	–	10	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	1	–	–	–
BEACONSFIELD ..	*	*	*	*	*	*
†CHEPPING WYCOMBE	–	1	–		–	–
CHESHAM... ...	–	1	–	–	–	
ETON		1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BUCKINGHAM—*cont.*						
Boroughs and Urban Districts:— *cont.*						
MARLOW	–	–	2		–	–
†SLOUGH	–	–	1	–	4	–
†WOLVERTON ...	–		–	–	1	–
Rural Districts:—						
AMERSHAM ...		–	–	–	1	–
AYLESBURY ...	–	5	1		–	–
ETON	–	–	–		1	–
WYCOMBE ...	–	1	–	–	3	–
CAMBRIDGE ...	–	10	3	–	3	–
Borough:—						
†CAMBRIDGE ...	–	1	1		–	–
Rural Districts:—						
CHESTERTON ...	–	7	2	–		–
LINTON	–	2	–	–	–	–
NEWMARKET ...	–	–	–	–	3	–
CHESTER ...	–	35	35	–	48	E. 1 G. 1 M. 4 N. 6
†BIRKENHEAD C.B.	–	5	5	–	13	M. 3 N. 1
†CHESTER C.B. ...	–	1	4	–	2	–
†STOCKPORT C.B. ...		3	5		3	E. 1 N. 2
†WALLASEY C.B. ...	–	–	1	–	4	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE..	–	1		–	–	–
†ALTRINCHAM ...	–	1	–	–	1	–
†BEBINGTON AND BROMBOROUGH		2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHEADLE AND GATLEY	-	-	-	1	-	
†DUKINFIELD ...	-	5	-	1	-	
HOLLINGWORTH...	-	-	-	1	-	
HOOLE	-	2	-	-	-	
†HOYLAKE AND WEST KIRBY	-	-	7	1	-	
†HYDE	-	2	1	-	4	N. 1
LYMM	-	-	-			G. 1
†MACCLESFIELD ...	-		-	1	-	
MARPLE	-	-	2	-	-	
MOTTRAM IN LONGDENDALE	-	-	-	-	1	-
†RUNCORN... ...	-	1	-		2	-
†SALE	-	1		-	-	-
†STALYBRIDGE ...		1		-	-	
TARPORLEY ...	-	-	1	-	-	N. 1
†WINSFORD ...	-	-	-	-	2	-
Rural Districts:—						
CONGLETON ...	-	1	-	-	1	M. 1
DISLEY	-	-	-	-	1	-
MALPAS			1	-	-	N. 1
NANTWICH ...	-	3			1	-
NORTHWICH ...	-	1	1	-	-	-
RUNCORN		3	2	-	5	-
WIRRAL	-	2	5		3	-
CORNWALL ...	-	8	3	5	5	-
Boroughs and Urban Districts:—						
BODMIN		-	-	5	-	-
PAUL ...	-	-	1	-	-	-
PENRYN		-	1	-	-	-
ST. JUST	-	-		-	1	-
TORPOINT ...	-	3	-	-	-	-
†TRURO		2	-		-	-
Rural Districts:—						
BODMIN	-	1	-	-	-	
CALSTOCK ..	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts—*cont.*						
CAMELFORD ...	-	-	-	-	1	-
EAST KERRIER ...	-	-	-	-	1	-
LISKEARD ...	-	-	-	-	1	-
REDRUTH ...	-	1	-	-	-	-
ST. GERMANS ...	-	-	1	-	1	-
CUMBERLAND...	-	10	-	-	7	-
†CARLISLE C.B. ...	-	4	-	-	2	-
Boroughs and Urban Districts:—						
COCKERMOUTH ...	-	3	-	-	-	-
EGREMONT ...	-	-	-	-	2	-
HARRINGTON ...	-	-	-	-	1	-
†WHITEHAVEN ...	-	1	-	-	2	-
Rural Districts:—						
BOOTLE	-	2	-	-	-	-
DERBY	4	25	14	-	56	D. 2 E. 1 M. 3 N. 4
†DERBY C.B. ...		7	4	-	18	M. 1 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...		1	-	-	-	M. 1
†BOLSOVER ...	-	-	-	-	2	-
BONSALL	*	*	*	*	*	*
†BUXTON ...		-	-		3	-
†CHESTERFIELD ...	3	3	-	-	7	-
†HEANOR	-	-	-	-	1	-
†ILKESTON... ...	-	-	-	-	1	-
NEW MILLS ...	-	-	1	-	1	-
NORTH DARLEY...	-	-	-	-	1	-
†RIPLEY		-	-		-	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWADLINCOTE DISTRICT	–	1	–	–	3	–
†THE MATLOCKS...	–	1	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–		1	–
BELPER	–	1	–	–	1	N. 1
BLACKWELL ...	–	6	–		–	D. 2
CHAPEL EN LE FRITH	–	–	–	–	–	N. 1
CHESTERFIELD ...	1	2	5	–	11	M. 1
HARTSHORN AND SEALS	–	–	1	–	2	E. 1
REPTON	–	2			2	–
SHARDLOW ...	–	–	3	–	1	–
CODNOR PARK AND SHIPLEY(parishes)	–	–	–	–	1	–
DEVON	–	18	17		29	N. 4
†EXETER C.B. ...	–	1	5	–	1	–
†PLYMOUTH C.B.	–	15	6	–	8	N. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	2	–	1	N. 1
BRIXHAM... ...	–		–	–	1	–
†NEWTON ABBOT...	–	1	–	–	–	–
NORTHAM ...	–	–	1		1	–
SIDMOUTH ..			1	–	1	
TAVISTOCK ...	–		–	–	1	–
†TEIGNMOUTH ...	–	–	1	–	1	–
TIVERTON ...	–	–	–	–	3	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
BROADWOOD WIDGER		–	–	–	1	–
HOLSWORTHY (part)	–	–	–	–	1	–
HONITON... ...	–	–	1	–	–	–
NEWTON ABBOT...	–	–	–	–		N. 1
OKEHAMPTON ...	–	–	–	–	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
ST. THOMAS ...		–	–		2	–
SOUTH MOLTON...	–	–	–	–	2	–
TAVISTOCK ...	–	1	–		–	–
TIVERTON ...			–	–	2	–
TOTNES	–	–		–	1	–
DORSET		9	1	–	8	N 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–	–	1	–
†POOLE	–	–	–	–	–	N. 1
†PORTLAND ...			–	–	1	–
SWANAGE ...	–	1		–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–		–	3	–
Rural Districts:—						
BEAMINSTER ...	–	1	1	–		–
CERNE	*	*	*	*	*	*
WAREHAM AND PURBECK	–	1	–	–	2	–
WEYMOUTH ...		5	–	–	1	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM ...	–	36	26	1	93	C. 3 D. 1 M. 3 N. 4
†DARLINGTON C.B.	–	3	3	–	6	C. 1 M. 1
†GATESHEAD C.B.	–	9	2	–	9	D. 1
†SOUTH SHIELDS C.B	–	–	–	–	4	N. 1
†SUNDERLAND C.B.	–	7	9	1	18	C. 1
†WEST HARTLEPOOL C.B.	–	2	–	–	8	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	–	–
BILLINGHAM ...	–	1		–	1	N. 1
†BLAYDON... ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRANDON AND BYSHOTTLES	–	–	–	–	1	–
†CHESTER LE STREET	–	–	–	–	4	–
†CROOK	–	–	–	–	3	–
†DURHAM	–	–	–	–	1	–
†FELLING	–	1	–	–	1	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	3	1	–	–	M. 1
†HETTON	–	–	–	–	5	–
†HOUGHTON LE SPRING	–	–	–	–	–	N. 1
†JARROW	–	–	–	–	1	–
LEADGATE ...	–	–	–	–	1	–
†SEAHAM HARBOUR	–	–	–	–	9	–
†SHILDON	–	–	2	–	–	–
†SPENNYMOOR ...	–	–	1	–	–	–
†STANLEY	–	1	1	–	1	M. 1
†STOCKTON ON TEES	–	2	–	–	3	–
†TANFIELD ...	–	–	1	–	–	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	–	–	–	–
WILLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
AUCKLAND ...	–	–	2	–	–	–
BARNARD CASTLE	–	–	–	–	–	C.
CHESTER LE STREET	–	2	–	–	–	–
DURHAM	–	–	–	–	1	–
EASINGTON ...	–	–	1	–	5	N. 1
HARTLEPOOL ...	–	1	–	–	2	–
HOUGHTON LE SPRING	–	–	–	–	1	–
SEDGEFIELD ...	–	–	–	–	1	–
SOUTH SHIELDS	–	–	–	–	1	–
SUNDERLAND ...	–	1	–	–	5	–
ELY, ISLE OF ...	–	3	–	–	2	–
Boroughs and Urban Districts:—						
†WISBECH	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
ELY	–	–	–	–	1	–
WISBECH	–	1	–	–	–	–
ESSEX	47	64	47	1	50	D. 1 G. 1 M. 4 N. 3
†EAST HAM C.B....	1	4	5	–	2	–
†SOUTHEND ON SEA C.B.	–	1	1	–	8	–
†WEST HAM C.B.	45	8	7	1	11	N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	3	–	–	–
BENFLEET ...	–	1	1	–	–	–
BRENTWOOD ...	–	–	1	–	–	–
BRIGHTLINGSEA...	–	–		–	2	–
BUCKHURST HILL	–	–	–	–	1	–
†CHELMSFORD ...	–	–	1	–	–	–
CHINGFORD ...	–	7	–		–	–
†CLACTON	–	–	–	–	1	–
†COLCHESTER ...	–	5	–		2	–
DAGENHAM ...	–	5	6	–	2	M. 1
†GRAYS THURROCK	–	–	2	–	–	–
†HARWICH ...	–	–	2	–	–	–
†HORNCHURCH ...	–	1	1	–	–	–
†ILFORD	–	4	2	–	6	D. 1
†LEYTON	–	7	4	–	3	M. 1
MALDON	–	–			1	–
PURFLEET ...	–	–	1	–	–	–
†ROMFORD... ...	–	3	3	–	–	M. 1
SHOEBURYNESS ...	–	1	–	–	1	–
†WALTHAMSTOW ...	1	8	6	–	3	N. 1
†WANSTEAD ...		1	–		–	–
WIVENHOE ...	*	*	*	*	*	*
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
CHELMSFORD ...	–	3	–		–	–
EPPING	–			–	–	M. 1
LEXDEN AND WINSTREE	–	–	–	–	1	–
MALDON	–	–	–	–	1	–
ORSETT	–	–	1		–	G. 1
TENDRING ...	–	1	–	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLOUCESTER ...	–	23	24	1	28	D. 2 G. 1 L. 1 N. 2
†BRISTOL C.B. ...	–	13	17	–	17	D. 2 G. 1 N. 1
†GLOUCESTER C.B.	–	–	–		5	–
Boroughs and Urban Districts:—						
AWRE	–	–	–	–	–	L. 1
†CHELTENHAM ...	–	1	3	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	–	1	–	–	–
†MANGOTSFIELD ...	–	1	–	–	–	–
STOW ON THE WOLD	–	1	1	–	–	–
STROUD	–	–	1	–		–
Rural Districts:—						
CHIPPING SODBURY	–	2	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	2	–
GLOUCESTER ...	–	–	–	1	–	–
STROUD	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	N. 1
WARMLEY ...	–	–	–	–	1	
WEST DEAN ...	–	–	1	–		–
WHEATENHURST	–	3	–	–	1	–
HEREFORD ...	–	1	3		5	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	2	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	3	–
HEREFORD ...	–	–	1	–	–	–
LEDBURY... ...	–	1	–	–	–	–
LEOMINSTER AND WIGMORE	–	–	–	–	1	–
HERTFORD ...	–	15	3	–	9	C. 1 N. 2
Boroughs and Urban Districts:—						
†BARNET		1	–	–	–	N. 1
BISHOP'S STORTFORD	–	–	–	–	1	–
BUSHEY	–	2	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	–	1	–		C. 1
GREAT BERKHAMPSTEAD	–	1	–	–		–
†HEMEL HEMPSTEAD	–	1	–		–	–
†HITCHIN	–	1	–	–	–	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...		2	–	–	1	N. 1
†ST. ALBANS ...	–	–	–	–	1	–
TRING	–	1	–	–	1	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	1	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	3	–
BERKHAMPSTEAD	–	1	–	–	–	–
HITCHIN	–	–	1		–	–
ST. ALBANS ...	–	–	1	–	–	–
WARE	–	1	–	–	1	–
HUNTINGDON ...	–	3	–	–	2	–
Boroughs and Urban Districts—						
GODMANCHESTER.	–	1	–	–	–	–
OLD FLETTON ...	–	2	–	–	1	
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	1	
NORMAN CROSS ...	*	*	*	*	*	*
KENT	–	44	23	–	27	C. 1 M. 3 N. 1
†CANTERBURY C.B.	–	2	–	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—						
†ASHFORD	–	1	1	–	1	–
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY	–	6	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY	–	3	1		5	–
†CHATHAM ...	–	2	–	–	–	–
CHISLEHURST ...	–	–	–		1	–
†DARTFORD ...	–	2	1	–	–	–
†DEAL	–	2	–	–	–	–
†DOVER	–	1	1	–	–	M. 1
†ERITH	–	–	–	–	2	M. 1
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	1		–	1	–
†GRAVESEND ...	–	–	–	–	1	–
†MAIDSTONE ...			3	–		C. 1
†MARGATE ...	–	–	1	–	1	–
†NORTHFLEET ...	–		1	–	–	–
†PENGE	–	2	–	–	–	M 1 N. 1
†RAMSGATE ...	–	2	–	–	3	–
†ROCHESTER ...	–	3	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–		1	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	–	–	–	1	–
†SITTINGBOURNE AND MILTON	–	1	2	–	2	–
SWANSCOMBE ...	–	–	1	–	–	–
†TONBRIDGE ...	–	–	–	–	1	–
WALMER		1	–		–	–
WHITSTABLE ...	–			–	1	–
WROTHAM ...	–	2	–		–	–
Rural Districts:—						
BROMLEY... ...	–	–	1	–	–	–
CRANBROOK ...	–	–	–	–	1	–
DARTFORD ...	–	4	–	–	1	–
EAST ASHFORD ...	–	1	–	–	–	–
EASTRY	–	–	9	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MILTON	–	1		–	–	–
SEVENOAKS ...	–	2	–	–	–	–
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
WEST ASHFORD...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	218	155	3	237	C. 5 D. 4 E. 1 G. 1 L. 1 M. 21 N. 20
†BARROW IN FURNESS C.B.	–	–	–	–	2	–
†BLACKBURN C.B.	–	–	1	–	4	M. 1 N. 1
†BLACKPOOL C.B.	–	1	–	–	–	–
†BOLTON C.B. ...	–	6	1	–	8	–
†BOOTLE C.B. ...	–	2	4	–	3	N. 1
†BURNLEY C.B. ...	–	3	4	–	4	N. 1
†BURY C.B. ...	–	4	–	–	3	–
†LIVERPOOL C.B....	–	25	60	1	31	C. 1 D. 3 E. 1 M. 13 N. 5
†MANCHESTER C.B.	–	65	15	–	57	C. 1 G. 1 M. 5 N. 3
†OLDHAM C.B. ...	–	5	8	–	4	D. 1
†PRESTON C.B. ...	–	2	–	2	2	C. 1 N. 1
†ROCHDALE C.B....	–	9	1	–	1	–
†ST. HELENS C.B.	–	2	2	–	5	C. 1 N. 2
†SALFORD C.B. ...	–	5	10	–	2	–
†SOUTHPORT C.B.	–	2	4	–	4	–
†WARRINGTON C.B.	–	18	2	–	8	–
†WIGAN C.B. ...	–	2	1	–	7	–
Boroughs and Urban Districts:—						
ABRAM	–		–	–	1	–
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	–	–	–	2	–
†ASHTON-UNDER-LYNE	–	5	–	–	3	–
†ATHERTON ...	–	1	–	–	3	–
†BACUP	–	–	1	–	3	M. 1
†CHADDERTON ...	–	2	1	–	1	–
†CHORLEY	–	2	1	–	–	–
CHURCH	–	–	1	–	1	–
†COLNE	–	–	1	–	3	–
†CROMPTON ...	–	2	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Darwen	–	3	6	–	–	C. 1
†Denton	–	1	1	–	2	–
†Eccles	–	1	2	–	2	N. 1
†Farnworth ...	–	–			2	
†Fleetwood ...	–	–	–		1	N. 1
Formby	–	1	–	–	–	
Golborne ...		1		–	–	–
†Great Crosby ...	–	5	3	–	–	–
†Haslingden ...	–	–	1	–		
†Haydock... ...		–	–	–	3	–
†Heywood ...	–	3	–	–	1	N. 1
†Hindley			–	–	3	–
†Horwich... ...	–	–	–	–	1	–
Huyton with Roby	–	1	–	–	–	–
†Ince in Makerfield	–	–	1	–	–	–
†Lancaster ...	–	2	–	–	4	
Lathom and Burscough	–	1			–	–
†Leigh	–	–	–	–	4	–
Leyland... ...	–	–	1		–	–
†Litherland ...	–	1	2	–	–	M. 1
Little Crosby...	*	*	*	*	*	*
Longridge ...	–	1	–	–	–	–
†Lytham St. Anne's	–	4	1	–	–	N. 1
†Middleton ...	–	2	–	–	6	–
Milnrow... ...	–	–	–	–	1	–
†Morecambe and Heysham	–	–	–	–	3	N. 1
†Mossley	–	–	–	–	1	–
†Nelson	–	–	–	–	1	–
†Newton in Makerfield	–	2	1	–	1	–
Ormskirk ...	–	1		–		–
†Oswaldtwistle	–	1	–	–	4	–
Preesall ...	–	1	–	–	–	–
Prescot	–	3		–	–	–
†Prestwich ...	–	3	–	–	3	–
†Radcliffe ...	–	1	1	–	–	–
Rainford ...	–	–	1	–	–	–
†Rawtenstall ...	–	–	–	–	2	–
Rishton	–	–	–	–	1	–
†Royton	–	–	1	–		–
Skelmersdale ...	–	–	2	–	3	–
†Stretford ...	–	1	3	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Swinton and Pendlebury	–	1	2	–	3	–
Tottington ...	–	1	–	–	–	–
†Tyldesley with Shakerley				–	1	–
†Ulverston ...	–	1	–	–	–	–
Upholland ...	–	–	–		1	–
Urmston... ...	–	–	1		–	–
†Walton le Dale	–	1	1		–	–
Wardle... ...		–	1		–	–
†Waterloo with Seaforth	–	1	2	–	2	–
Whitefield ...	–	–	1		1	–
†Widnes	–	–	1	–	4	–
Rural Districts:—						
Barton upon Irwell	–	–		–	1	–
Burnley ...	–	1	–		–	–
Chorley... ...	–	1	1	–	2	–
Clitheroe ...		–	–			L. 1
Garstang ...	–	1	–	–	–	–
Leigh	–	–	–	–	1	N. 1
Preston		2	–	–	1	–
Sefton	*	*	*	*	*	*
Warrington ...	–	2	–	–	3	–
West Lancashire	–	–	–	–	2	–
Whiston... ...	–	2	–	–	–	–
Wigan	–	–	–	–	1	–
LEICESTER ...	89	18	6	3	22	D. 1 M. 1 N. 2
†Leicester C.B....	57	10	2	–	10	D. 1 N. 2
Boroughs and Urban Districts:—						
Ashby de la Zouch	–	1	–	1	–	–
Ashby Woulds...	–	–	–	–	3	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COALVILLE ...	4	–	–	–	–	–
†LOUGHBOROUGH	2	2	–	–	–	–
MARKET HARBOROUGH	–	1	–	1	1	–
MELTON MOWBRAY	–	–	1	1	–	–
OADBY	2	–	1	–	–	–
SHEPSHED ...	1	1	–	–	2	–
THURMASTON ...	7	–	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BARROW UPON SOAR	–	1	–	–	1	–
CASTLE DONINGTON	–	1	–	–	–	–
HINCKLEY ...	8	–	–	–	3	–
LUTTERWORTH ...	–	–	1	–	–	–
MARKET BOSWORTH	8	1	1	–	–	M. 1
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	13	2	–	1	N. 2
Boroughs and Urban Districts:—						
†BOSTON	–	10	–	–	–	N 1
HOLBEACH ...	–	1	–	–	1	
†SPALDING ...	–		2	–	–	–
Rural Districts:—						
BOSTON	–	2		–	–	N. 1
LINCOLN (parts of Kesteven).	–	2	–	–	4	N. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	–	N. 1
SLEAFORD ...	–	1	–	–	2	–
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts—						
BRANSTON ...	–	–	–	–	2	–
GRANTHAM ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	17	15	5	–	33	F. 1 M. 1 N. 1
†GRIMSBY C.B. ...	14	3	2	–	2	F. 1 M. 1
†LINCOLN C.B. ...		3	1	–	9	N. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	3	3	–	–	3	–
CROWLE	*	*	*	*	*	*
†GAINSBOROUGH ...	–	–	–		4	
HORNCASTLE ...	–	1	–	–		
LOUTH	–	–	1	–	–	
MARKET RASEN ...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	–		7	–
WINTERTON ..	–	1	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	1	–	–	–
GLANFORD BRIGG	–	4	–	–	1	–
HORNCASTLE ...	–	–	–	–	1	
ISLE OF AXHOLME	–	–	–	–	1	–
LOUTH	–	–	–		1	–
SPILSBY		–	–	–	3	–
WELTON	–	–		–	1	–
MIDDLESEX ...	1	92	37	–	55	C. 1 G. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	1	–
†BRENTFORD AND CHISWICK	–	1	1	–	1	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EALING	-	1	2	-	3	-
†EDMONTON ...	-	2	3	-	2	-
†ENFIELD	-	6	1	-	3	-
†FINCHLEY ...	-	4	1	-	1	-
†HAMPTON ...	-	-	-	-	2	-
†HARROW ON THE HILL	-	2	-		2	-
HAYES AND HARLINGTON	-	2	-		-	-
†HENDON	-	10	2	-	2	M. 1
†HESTON AND ISLEWORTH	-	8	2	-	8	-
†HORNSEY	-	3	4	-	1	-
KINGSBURY ...	-	-	2	-	-	-
RUISLIP NORTHWOOD	-	1	-	-	1	N. 2
†SOUTHALL NORWOOD		4		-	1	-
†SOUTHGATE ...	-	2	2	-	2	-
†STAINES	-	5		-	1	-
SUNBURY ON THAMES	-	2	1	-	-	G. 1
†TEDDINGTON ...	-	3		-	-	-
†TOTTENHAM ...	-	5	1	-	6	-
†TWICKENHAM ...	-	3	1	-	1	-
†UXBRIDGE ...	-	5	3	-	3	-
†WEALDSTONE ...	-	7	-		-	-
†WEMBLEY ...	-	5	-	-		-
†WILLESDEN ...	1	3	8	-	11	C. 1
†WOOD GREEN ...	-	2	1	-	2	-
†YIEWSLEY AND WEST DRAYTON	-	1	2	-	-	-
Rural Districts—						
HENDON	-	3	-	-	1	-
NORFOLK ...	-	13	4	-	22	M. 1 N. 6
†GREAT YARMOUTH C.B.	-	-	1			
†NORWICH C.B. ...	-	1	-	-	10	N. 5

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	1	1	-	2	-
WALSOKEN ...	-	1	-	-	-	-
Rural Districts:—						
AYLSHAM... ...	-	2	-	-	-	-
BLOFIELD ...	-	-	-	-	1	-
DEPWADE ...		-	-	-	-	M. 1
DOWNHAM ...	-	-	1	-	-	-
FOREHOE		-	-	-	2	-
HENSTEAD ...		-	-	-	2	-
LODDON AND CLAVERING	-	-	1	-	-	-
MARSHLAND ...	-	2	-	-	1	-
MITFORD AND LAUNDITCH		-	-	-	2	-
ST. FAITH'S ...	-	2		-	-	-
WALSINGHAM ...		-	-	-	1	N. 1
WAYLAND ...	-	4	-		1	-
NORTHAMPTON	-	13	7	2	18	-
†NORTHAMPTON C.B.	-	3	4	-	9	-
Boroughs and Urban Districts:—						
FINEDON	-	-	1	-	1	-
IRTHLINGBOROUGH	-	1	-	-	-	-
†KETTERING ...	-	3	-	1	2	-
OUNDLE	-	2	-	-		-
ROTHWELL ...	-	3	-	-	-	-
†RUSHDEN... ...	-	-	-	1	1	-
Rural Districts:—						
BRIXWORTH ...	-	-	-	-	2	-
DAVENTRY ...	-	-	-		1	-
KETTERING ...	-	-	-	-	1	-
POTTERSPURY ...	-	-	-	-	1	-
THRAPSTON (part)	-	1	-	-	-	-
TOWCESTER ...	-	-	2			

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J. Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	24	8	–	31	C. 1 D. 3 L. 2 M. 3 N. 5
†NEWCASTLE UPON TYNE C.B.	–	15	5	–	18	C. 1 D. 3 L. 2 M. 2 N. 4
†TYNEMOUTH C.B.		–	2	–	2	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	–	–	–	1	–
†BERWICK UPON TWEED	–	–			–	N. 1
†BLYTH	–	1	–	–	–	–
†EARSDON	–	1	–		1	–
†GOSFORTH ...	–	3	–	–	–	–
HEXHAM	–	–		–	1	–
†NEWBURN ...	–	–	–	–	2	
SEGHILL	–		–	–	2	–
†WALLSEND ...	–	1	–	–	–	–
WEETSLADE ...	–	2	–	–	2	–
†WHITLEY AND MONKSEATON		–	–	–	1	M. 1
Rural Districts:—						
CASTLE WARD ...	–	–	1	–	–	–
NORHAM AND ISLANDSHIRES	–	–	–	–	1	–
NOTTINGHAM ...	–	33	18	–	34	C. 1 D. 8 M. 1
†NOTTINGHAM C.B.	–	9	9	–	13	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEESTON	–	–	–	–	1	–
†CARLTON	–	3	3	–	–	–
†EAST RETFORD ...	–	1	1	–	2	–
†HUCKNALL ...	–	2	1	–	–	–
†MANSFIELD ...	–	4	–	–	–	D. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	D. 2
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	6	–	–	–	–
WARSOP	–			–	1	D. 2
†WEST BRIDGFORD	–	2	–	–	–	–
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	1	3	–	3	–
BINGHAM... ...	–	1	1	–	1	–
EAST RETFORD ...	–	–	–	–	3	–
LEAKE		–	–	–	1	–
SKEGBY		–	–	–	–	D. 2
SOUTHWELL ...	–	2	–	–	3	D. 1
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	–	–	–	–	4	–
OXFORD		3	3	–	6	C. 1 N. 3
†OXFORD C.B. ...		2	2	–	4	N. 2
Boroughs and Urban Districts:—						
†BANBURY... ...		–	1	–	–	–
WITNEY	–	–	–	–	–	N. 1
Rural Districts:—						
BANBURY... ...	–	1	–	–	–	–
HENLEY		–	–	–	2	
WITNEY	–		–	–	–	C. 1
PETERBOROUGH (Soke of).	1	–	–	–	3	M. 1
Borough:—						
†PETERBOROUGH...	1	–	–	–	2	M. 1
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica H, Typhus Fever: I. Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SALOP	–	7	11	–	7	L. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
DAWLEY	–	–	2	–	–	
LUDLOW	–	–	4	–	–	–
MARKET DRAYTON	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	
WELLINGTON ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	–	1	–
Rural Districts:—						
ATCHAM	–		–	–	2	L. 1
CLEOBURY MORTIMER	–	2	1	–	–	–
ELLESMERE ...	–	–	1	–	–	–
LUDLOW	–		1	–	–	
NEWPORT... ...	–		–	–	1	–
OSWESTRY ...	–	1	–	–	–	
TEME	*	*	*	*	*	*
WELLINGTON ...	–	–	2	–	–	–
WEM	–	–	–	–	1	
WHITCHURCH ..	–	1	–	–	1	–
SOMERSET ...		13	6	–	34	D. 1 G. 1 M. 2 N. 2
†BATH C.B. ...	–	1	1	–	1	M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	2	–	–	3	–
CHARD	–	–	–	–	1	–
CREWKERNE ...	–	–	–		1	–
†FROME	–	1	–		–	–
GLASTONBURY ...		–	–	–	1	–
SHEPTON MALLET	–		–		2	G. 1
STREET	–	1	–	–	–	–
†TAUNTON... ...	–	4	2	–	–	–
†WESTON SUPER MARE	–	1	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	2	–
BATH	–	–	1	–	–	–
SOMERSET— *cont.*						
Rural Districts— *cont.*						
BRIDGWATER ...	–	–	–	–	3	–
CHARD	–			–	1	–
CLUTTON	–	–		–	3	–
DULVERTON ...	–	–	–	–	–	N. 1
KEYNSHAM ...	–	1	–		4	M. 1
LANGPORT ...	–	–	2		–	–
LONG ASHTON ...	–	1	–	–	1	–
TAUNTON ...	–	–	–	–	4	–
WELLINGTON ...	–	–	–	–	–	D. 1
WELLS		–		–	3	–
WILLITON ...	–	–	–	–	–	N. 1
WINCANTON ...	–	1	–	–	2	–
YEOVIL	–	–	–	–	1	–
SOUTHAMPTON	–	35	18	–	16	C. 2 N. 4
†BOURNEMOUTH C.B.		2	4	–	2	–
†PORTSMOUTH C.B.	–	11	9		1	C. 1 N. 1
†SOUTHAMPTON C.B.	–	6	4	–	3	C. 1 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	4	–	–	–	–
†BASINGSTOKE ...	–	2	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†GOSPORT		1	–	–	2	–
LYMINGTON ...	–	–	1	–	–	–
†WINCHESTER ...	–	1			2	–
Rural Districts:—						
ALTON	–	–	–		–	N. 1
BASINGSTOKE ...	–	–	–	–	1	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	–	–	–	1	
FORDINGBRIDGE		1	–	–	–	–
HAVANT	–	1	–			–
NEW FOREST ...	–	1	–	–	1	–
SOUTH STONEHAM	–	4	–	–	–	–
STOCKBRIDGE ...	–		–	–	–	N. 1
WINCHESTER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	-	39	22	2	131	C. 3 M. 8 N. 10
†BURTON UPON TRENT C.B.	-	3	-	-	6	N. 1
†SMETHWICK C.B.	-	-	3	1	4	-
†STOKE ON TRENT C.B.	-	4	4	1	48	C. 1 M. 2 N. 3
†WALSALL C.B. ...	-	2	3	-	3	-
†WEST BROMWICH C.B.	-	8	-	-	11	M. 1 N. 1
†WOLVERHAMPTON C.B.	-	2	3	-	12	C. 1 N. 4
Boroughs and Urban Districts:—						
†AUDLEY	-	-	-	-	-	M. 1
BIDDULPH ...	-	1	1	-	2	
†BILSTON	-	-	-		3	-
†BRIERLEY HILL ...	-	-	-	-	2	-
†CANNOCK	-	-	-	-	2	
†COSELEY	-	1		-	1	
†DARLASTON ...	-	1	-	-	2	
KIDSGROVE ...	-	-	1	-	-	-
†LEEK	-	1	-	-	1	M. 1 N. 1
†NEWCASTLE UNDER LYME	-	-	1	-	1	
†ROWLEY REGIS ...	-		-	-	8	M. 1
†SEDGLEY	-	-	1	-	3	-
†TIPTON	-	5		-	4	M. 1
†WEDNESBURY ...	-	-	-		1	-
WEDNESFIELD ...	-	1	-	-		
†WILLENHALL ...	-	1	-	-	2	C. 1
†WOLSTANTON UNITED	-	-	-	-	2	-
Rural Districts:—						
CHEADLE	-	4	-		2	-
KINGSWINFORD ...	-	1	2	-	1	-
LEEK	-	1			1	-
LICHFIELD ...	-	1	2	-	2	-
SEISDON		1			2	-
STAFFORD ...	-	-	-		2	-
TAMWORTH (part)	-	-	-	-	1	-
TUTBURY... ...	-	1		-	1	M. 1
WALSALL... ...	-	-	1	-	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST	-	15	6	-	5	C. 3
†IPSWICH C.B. ...		11	1		1	C. 2
Boroughs and Urban Districts:—						
†LOWESTOFT ...	-	2	1	-	-	-
Rural Districts:—						
BLYTHING ...	*	*	*	*	*	*
BOSMERE AND CLAYDON			2		1	-
HARTISMERE ...	-	1	-	-	-	C. 1
MUTFORD AND LOTHINGLAND		-	1	-		-
PLOMESGATE ...	-	-	-		1	-
SAMFORD		1		-	1	-
WANGFORD ...	-		1	-	-	-
WOODBRIDGE ...			-	-	1	-
SUFFOLK, WEST	-	3	1	-	3	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	3	-	-	1	-
GLEMSFORD ...		-	-	-	1	-
NEWMARKET ...	*	*	*	*	*	*
Rural Districts:—						
THEDWASTRE ...		-	-	-	1	N. 1
THINGOE	-		1		-	-
SURREY	5	44	20	-	20	C. 4 M. 1 N. 3
†CROYDON C.B. ...	5	8	8	-	2	C. 1
Boroughs and Urban Districts:—						
†BARNES	-	2	1	-	1	-
†BEDDINGTON AND WALLINGTON	-	1	1	-	-	-
†CARSHALTON ...	-	1	-	-	-	M. 1 N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COULSDON AND PURLEY	–	1		–	1	–
†FARNHAM ...	–	1	–		–	–
†GUILDFORD ...	–	4		–	1	–
HASLEMERE ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	–	–	–	–	N. 1
†MERTON AND MORDEN	–	–	1	–	1	–
†MITCHAM	–	3			2	N. 1
†REIGATE	–	7	5		3	–
†RICHMOND ...	–	1	–	–	2	–
†SURBITON ...	–	1	–	–	3	–
†SUTTON AND CHEAM	–	2	–			–
†THE MALDENS AND COOMBE	–	1		–	–	–
†WALTON UPON THAMES	–	–	–	–	1	
†WIMBLEDON ...	–	4	–	–	–	C. 3
†WOKING	–	1	3	–	–	–
Rural Districts:—						
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	–	1	–	–	–
HAMBLEDON ...	–	–	–	–	1	–
REIGATE	–	5	–	–	1	–
SUSSEX, EAST...	–	11	9	–	31	C. 1 M. 3 N. 2
†BRIGHTON C.B.	–	8	1	–	4	N. 1
†EASTBOURNE C.B.	–	–			3	–
†HASTINGS C.B. ...	–	1	–	–	15	C. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–		6	–	–	–
†HOVE	–	1	1	–	1	–
Rural Districts:—						
CUCKFIELD ...	–	1	–		–	M. 1
HAILSHAM ...	–	–	–	–	7	–
TICEHURST ...	–	–	1	–	1	–
SUSSEX, WEST...	–	3	1	–	5	M. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	–	–	1	–	–	–
†HORSHAM ...	–	–	–	–	1	–
SHOREHAM BY SEA	–	1			2	M. 1
†WORTHING ...		–	–	–	–	N. 1
Rural Districts:—						
EAST PRESTON ...		–		–	1	–
PETWORTH ...	–	2	–	–	–	–
STEYNING WEST...	–	–		–	1	–
WARWICK ...	5	66	49	–	154	C. 4 G. 1 M. 15 N. 8
†BIRMINGHAM C.B.	–	52	41	–	94	C. 2 G. 1 M. 14 N. 7
†COVENTRY C.B. ...	–	3	1	–	12	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEDWORTH ...	–		–	–	3	–
KENILWORTH ...		2		–	–	–
†NUNEATON ...	1	3	1	–	15	N. 1
†ROYAL LEAMINGTON SPA	–	2	–	–	2	–
†RUGBY		–	2	–	2	–
†STRATFORD ON AVON	–	–	–	–	1	–
†SUTTON COLDFIELD	–	1	–	–	3	
†WARWICK ...	–	–	–	–	5	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	1	–
ATHERSTONE ...	–	–	1	–	4	C. 1
FOLESHILL ...	–		–	–	5	–
MERIDEN... ...	–	–	–	–	1	–
NUNEATON ...	4	–	1	–	–	–
RUGBY	–		–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts—*cont.*						
SOLIHULL ...	-	1	2		1	-
SOUTHAM	-	-	-	-	2	-
STRATFORD ON AVON	-	-			1	-
WARWICK ...		1	-	-	1	-
WESTMORLAND	-		-	-	6	-
Boroughs and Urban Districts:—						
APPLEBY	-			-	1	-
†KENDAL	-	-		-	1	-
Rural Districts:—						
WEST WARD ...	-	-	-		4	-
WIGHT, ISLE OF	-	-	2		1	-
Borough and Urban Districts:—						
†NEWPORT... ...	-		1		1	-
Rural Districts:—						
ISLE OF WIGHT ...		-	1			-
WILTS	-	7	6		18	G. 2
Boroughs and Urban Districts:—						
CALNE	-	-	-		2	-
CHIPPENHAM ...	-	2	-	-	1	-
MARLBOROUGH ...	-	1	-	-	-	-
†SALISBURY ...	-	1	-	-	5	G. 1
†SWINDON	-	-	5		6	-
†TROWBRIDGE ...	-	1	-	-	-	-
Rural Districts:—						
AMESBURY ...	-	1	-	-	-	-
CALNE	-			-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
DEVIZES	-	-	-		-	G. 1
PEWSEY	-	-		-	1	-
SALISBURY ...	-	-	1	-	-	-
TISBURY	-		-	-	1	-
WESTBURY AND WHORWELLSDOWN	-	1		-	-	-
WORCESTER ...		23	4		15	D. 1 M. 1 N. 2
†DUDLEY C.B. ...	-	1	-	-	1	M. 1
†WORCESTER C.B.	-	5		-	2	-
Boroughs and Urban Districts:—						
†HALESOWEN ...		1	-	-	1	D. 1
†KIDDERMINSTER	-	4	2	-	-	N. 1
†LYE AND WOLLESCOTE	-	3	-	-	-	-
†MALVERN ...		2	-	-	-	-
NORTH BROMSGROVE	-	-	1	-		-
†OLDBURY... ...	-	2	1		4	-
†REDDITCH ...	-	2	-		1	-
†STOURBRIDGE ...		1	-	-	2	-
Rural Districts:—						
BROMSGROVE ...		-	-	-	2	-
EVESHAM... ...	-	1	-	-	-	N. 1
PERSHORE ...	-	1		-	-	-
SHIPSTON ON STOUR	-	-	-	-	1	-
UPTON ON SEVERN	-	-	-	-	1	-
YORKS ... ... (East Riding).	-	7	25	-	11	E. 1
†KINGSTON UPON HULL C.B.	-	6	21	-	7	E. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...		1	–		–	–
FILEY	–	–	1	–	–	–
HORNSEA	–	–	1	–	–	–
NORTON	*	*	*	*	*	*
Rural Districts:—						
BRIDLINGTON ...	–	–	1	–		–
HOWDEN	–		–	–	1	–
NORTON	*	*	*	*	*	*
PATRINGTON ...		–	–	–	1	–
POCKLINGTON ...		–		–	1	–
SCULCOATES ...	–	–	1	–	–	–
SKIRLAUGH ...	–	–	–	–	1	–
YORKS ... ... (North Riding).	–	20	6	4	39	C. 1 N. 2
†MIDDLESBROUGH C.B.	–	4	2	–	20	C. 1 N. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	2	–
LOFTUS		3				
MALTON	*	*	*	*	*	*
NORTHALLERTON		1	–	–		–
†REDCAR	–	–	1		1	–
SALTBURN BY THE SEA	–	3	–		–	–
†SCARBOROUGH ...	–	1	2	–	3	–
†SKELTON AND BROTTON	–	2	–	–	8	–
†THORNABY ON TEES	–	–	1	4	1	N. 1
†WHITBY	–	1	–		–	
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
MALTON	*	*	*	*	*	*
NORTHALLERTON	–				2	
RICHMOND ...	–	3	–	–	–	–
STOKESLEY ...	–	–	–	–	1	–
WHITBY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS ... ... (West Riding).	11	122	60	–	319	C. 8 D. 35 E. 2 G. 2 M. 10 N. 16
†BARNSLEY C.B. ...	–	4	1	–	8	C. 1 D. 6
†BRADFORD C.B. ...		17	2	–	16	M. 1
†DEWSBURY C.B....	–	1		–		–
†DONCASTER C.B....	–	4			7	–
†HALIFAX C.B. ...	1	2	3	–	4	N. 1
†HUDDERSFIELD C.B.	–		3	–	10	D. 1 M. 1
†LEEDS C.B. ...	–	18	18	–	38	D. 1 G. 1 M. 3 N. 5
†ROTHERHAM C.B.		1	–	–	8	D. 4
†SHEFFIELD C.B....	6	17	11	–	114	C. 1 E. 2 M. 2 N. 1
†WAKEFIELD C.B.	–	3	2	–	14	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	M. 1 N. 2
ALTOFTS	–	–	1		–	–
ARDSLEY, EAST AND WEST	–	–	–	–	–	C. 1
†BATLEY	–	6	1	–	1	–
†BENTLEY WITH ARKSEY		–	1		2	–
†BINGLEY	–	–	–	–	1	–
BIRKENSHAW ..		4	–		–	–
†BOLTON UPON DEARNE	–	1	–	–	2	–
†BRIGHOUSE ...	–	1	–		–	–
†CASTLEFORD ...		1	–	–	1	–
†CONISBROUGH ...	–	–	–	–	1	D 1
CUDWORTH ...	–	–	–	–	1	N. 1
†DARTON	–	1	–		1	–
DENHOLME ...	–	2	–	–	–	–
DODWORTH ...	–	–	–	–	2	–
DRIGHLINGTON ...	–	–	–		1	–
FARSLEY	–	1	–	–	–	–
†GOLCAR	–	1	–	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOOLE	–	1	–		–	D. 1
						N. 1
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ...	–	–	–	–	1	–
HECKMONDWIKE	–		–	–	2	–
†HEMSWORTH ...	–		1	–	6	–
HIPPERHOLME ...	–	–	1	–		N. 1
HORBURY... ...	–			–	1	
HORSFORTH ...	*	*	*	*	*	*
†HOYLAND NETHER	–	–	–	–	–	C. 2
						M. 1
ILKLEY	–	2	–	–	1	–
†KEIGHLEY ...	–	1	–	–	1	–
KIRKBURTON ...	–	–	–	–	1	–
KNOTTINGLEY ...	–	1	–	–	–	–
LEPTON	–	–	–	–	1	–
LINTHWAITE ...	–	–	–	–	4	
MALTBY	–	1	–	–	–	D. 6
MELTHAM ...	–	–	–	–	1	–
†MEXBOROUGH ...	–	–	–	–	1	D. 1
						G. 1
†MIRFIELD ...	–	1	–	–	2	–
†MORLEY	–	–	–	–	1	–
†NORMANTON ...	–	4	–	–	4	–
†OSSETT	–	–	–	–	–	N. 1
†PONTEFRACT ...	–	2	–	–	1	–
†PUDSEY	–	–	–		5	–
QUEENSBURY ...	–	1	–	–		–
†RAWMARSH ...	–	1	1		1	–
†ROTHWELL ...		–	1	–	1	–
ROYSTON	–	1	–	–	–	C. 1
SELBY	–	–		–	1	–
SHELF	1	–	–	–	–	–
†SHIPLEY	–	2	–		–	–
†SPENBOROUGH ...	–	1	–		4	–
STAINLAND ...	–	–	–	–	2	–
†STANLEY	–	1	–	–	4	–
STOCKSBRIDGE ...	–	–	–	–	3	–
†SWINTON	–	–	–	–	–	D. 1
THURNSCOE ...	–	2	–	–	4	
TICKHILL... ...	–	–	1		1	D. 1
†WATH UPON DEARNE	–	–	–	–		D. 1
†WOMBWELL ...	–	1	1	–	1	–
†WORSBOROUGH ...	–	–	–	–	1	D. 1
YEADON	–	–	–	–	1	
YORKS (West Riding)—*cont.*						
Rural Districts:—						
DONCASTER ...	–	–	–	–	2	D. 2
						N. 1
HEMSWORTH ...	–	2	3		3	D. 4
						N. 1
KIVETON PARK ...	3	1	1	–	11	–
PATELEY BRIDGE	–		–	–		C. 1
PENISTONE ...		1	–	–	–	–
PONTEFRACT ...	–	2		–	2	C. 1
ROTHERHAM ...	–	2	2	–	4	D. 2
TADCASTER ...	–	2	2	–	2	N. 1
THORNE		1	1	–	2	D. 2
						M. 1
WAKEFIELD ...	–	–			2	–
WETHERBY ...	–	1	1		–	–
WHARFEDALE (SOUTH)	–	2	–	–	–	–
WORTLEY... ...	–	–	–	–	1	–
YORK, CITY OF ..		3	–	–	2	M. 1
†YORK C.B. ...	–	3	–	–	2	M. 1
WALES.						
ANGLESEY ...	–	–	2		3	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	2	–	–	–
Rural Districts:—						
TWRCELYN ...	–	–		–	3	–
BRECKNOCK ...	–	–	1	–	4	–
Boroughs and Urban Districts:—						
HAY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK— *cont.*						
Rural Districts:—						
HAY	–	–		–	3	–
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON...	–		–	–	2	–
Rural Districts:—						
GWYRFAI... ...	–	–		–	2	–
CARDIGAN ...	–	2		–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...		1	–		–	–
Rural Districts:—						
ABERYSTWYTH (SOUTH)	–	1	–	–	1	–
CARMARTHEN...	–	3	7	–	10	–
Boroughs and Urban Districts:—						
AMMANFORD ...		–	2	–	4	–
KIDWELLY ...	–	3	1	–	–	–
†LLANELLY ...	–	–		–	1	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	–	–	–	3	–
LLANDOVERY ...	–	–	–	–	2	–
LLANELLY ...	–	–	2	–		–
WHITLAND ...	–	–	1	–	–	–
DENBIGH ...	–	7	23	–	10	C. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	1	–	2	–
†WREXHAM ...	–	–	3	–	2	–
Rural Districts:—						
LLANGOLLEN ...	–	–	–	–	1	–
RUTHIN	–	1	4	–	–	–
ST. ASAPH (DENBIGH)	–	–	–	–		C. 1
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	6	15	–	4	
FLINT	–	3	2	–	3	D. 1
Borough and Urban Districts:—						
CONNAH'S QUAY	–	–			–	D. 1
MOLD	*	*	*	*	*	*
PRESTATYN ...	–	1	–		–	–
Rural Districts:—						
HAWARDEN ...	–		1	–	–	–
HOLYWELL ...	–	2	1	–	2	–
OVERTON				–	1	–
GLAMORGAN ...	14	54	67	–	54	C. 4 D. 1 M. 4 N. 5
†CARDIFF C.B. ...	–	16	23	–	7	N. 3
†MERTHYR TYDFIL C.B.	–	1	1	–	1	–
†SWANSEA C.B. ...	–	3	10	–	4	D. 1 N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	6	–	5	–
†BARRY	–	2	1	–	–	–

† Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CAERPHILLY ...	–	2	2	–	1	–
COWBRIDGE ...	*	*	*	*	*	*
†GELLIGAER ...		1	1	–	3	–
†LLWCHWR ...	–	–	–	–	2	–
†MAESTEG	–	1	1	–	–	C. 1
†MOUNTAIN ASH...	13	–	1	–	9	N. 1
†NEATH	–	–	1	–	1	–
†OGMORE AND GARW	–	5	–	–	2	–
†PENARTH... ...		–	–	–	2	–
†PONTYPRIDD ...	1	6	–		2	C. 1
						M. 1
PORTHCAWL ...	–		1	–	–	
†PORT TALBOT ...	–	3	2	–	–	M. 1
†RHONDDA ...	–	8	14	–	12	C. 2
						M. 1
Rural Districts:—						
CARDIFF		2	1	–	3	–
COWBRIDGE ...	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	–	–	–	M. 1
PONTARDAWE ...	–		2	–		–
MERIONETH ...		–	1	–	5	–
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
TOWYN	–	–	1	–	4	–
Rural Districts:—						
DEUDRAETH ...			–	–	1	–
MONMOUTH ...	–	27	8	–	16	M. 1
						N. 1
†NEWPORT C.B. ...	–	9	3	–	8	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—						
†ABERCARN ...	–	1	–	–	–	–
ABERGAVENNY ...	–	–	1	–	–	
†ABERSYCHAN ...	–	4	–	–	–	–
†ABERTILLERY ...	–	2	1	–	–	–
BEDWAS AND MACHEN	–	1	–		–	–
†BEDWELLTY ...	–	–		–	–	M. 1
†EBBW VALE ...	–	5	–		3	–
LLANTARNAM ...	–	1	–	–	–	–
MONMOUTH ...	–	2	–	–		–
†MYNYDDISLWYN	–	–	2	–		–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†PANTEG	–	–	–	–	1	–
†RHYMNEY ...	–	2	–	–	–	–
†RISCA	–	–	–	–	3	–
†TREDEGAR ...	–	–	1	–	–	–
MONTGOMERY...	–	1	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES		1	–	–	–	–
PEMBROKE ...	–	1		–	5	M. 1
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–		–	2	–
†PEMBROKE ...	–	–	–	–		M. 1
Rural Districts:—						
NARBERTH ...	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
RADNOR	-						**Total of Part II.** ...	194	1285	814	22	1791	C. 45 D. 61 E. 6 F. 1 G. 11 L. 5 M. 96 N.129
Rural Districts:—													
KNIGHTON ...	*	*	*	*	*	*							

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
BARNSTAPLE	*	*	*	*	*	*	TYNE	-	1	-			-
LIVERPOOL	-	-	-	-	1	-	PORT OF LONDON ...	*	*	*	*	*	*
							Total of Part III. ..	-	1	-	-	1	-

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever. E, Acute Poliomyelitis: F, Acute Polio
J, Continued Fever; L, Dysentery. M, Ophthalmia Neonatorum: N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	32	214	165	2	220	C. 6 D. 5 F. 1 G. 1 L. 1 M. 12 N. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	194	1285	814	22	1791	C. 45 D. 61 E. 6 F. 1 G. 11 L. 5 M. 96 N. 129
Total of Part III.—Port Sanitary Districts	-	1	–	–	1	-
Total (i.e., of returns received), England and Wales ...	226	1500	979	24	2012	C. 51 D. 66 E. 6 F. 2 G. 12 L. 6 M. 108 N. 148

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

Week ended :—	Jan. 3.	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Totals from 1st Week of year. * 1930.	1931.
ON :—															
BIRTHS	1,589	1,438	1,421	1,422	1,383	1,401	1,397	1,317	1,407	1,384	1,394	1,422	1,390	17,377	16,776
BIRTHS	50	61	50	39	41	33	51	59	47	49	69	51	45	615	595
HS (excluding Still-hs)—all ages.	1,356	1,452	1,467	1,415	1,434	1,496	1,620	1,578	1,457	1,347	1,377	1,433	1,184	13,954	17,260
HS—0 to 1 year ..	107	112	116	115	132	125	145	92	108	111	104	102	88	1,287	1,350
T TOWNS, aggre- (including Lon- :—															
BIRTHS	7,120	6,760	6,470	6,502	6,180	6,308	6,349	6,320	6,631	6,562	6,503	6,772	6,421	78,016	77,778
BIRTHS	311	305	282	270	295	244	278	315	282	289	323	303	305	3,522	3,491
HS (excluding Still-hs)—all ages.	5,587	6,451	6,493	6,249	6,052	6,178	6,834	6,826	6,879	6,480	6,713	6,700	5,691	61,604	77,546
HS—0 to 1 year ..	557	622	626	633	645	650	748	697	686	629	640	585	521	6,039	7,682
RIC FEVER—Cases	15	10	11	20	9	10	24	22	19	6	8	9	9	227	157
„ Deaths	3	1	1	3	2	4	2	1	2	—	1	5	1	27	23
L POX—Cases ..	131	162	154	198	194	147	150	186	189	158	117	154	166	3,447	1,975
„ Deaths ..	—	—	—	—	—	—	—	1	—	—	—	—	—	9	1
LET FEVER—Cases	1,064	886	907	960	935	907	925	917	922	826	824	894	804	17,863	10,707
„ Deaths	16	8	9	8	7	7	9	8	4	7	6	5	9	151	87
THERIA—Cases ..	831	775	793	922	894	820	781	735	749	628	626	641	627	13,281	8,991
„ Deaths ..	43	32	39	53	43	50	29	48	42	42	34	32	30	635	474
LES—Deaths ..	62	77	94	73	72	72	80	97	70	73	84	75	60	1,212	927
UENZA—Deaths ..	60	101	146	242	309	331	456	509	548	471	417	365	301	936	4,194

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ng been made for changes in boundary. The live births are derived from the weekly returns furnished by the strars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 28th March, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
NDON	62	34	55·7	39·6	4
(GREENWICH).					
IGHTON ..	57	35	52·1	40·0	2
RTSMOUTH ..	60	36	53·7	40·9	11
RWICH	§	§	§	§	§
(EATON)					
YMOUTH ..	58	39	52·6	42·6	4
ISTOL	64	33	54·3	38·7	5
(HORFIELD)					
RMINGHAM	61	32	52·3	37·1	1
(EDGBASTON).					
TTINGHAM ..	61	27	52·0	34·9	0
RKENHEAD	56	32	49·7	37·1	1
(BIDSTON).					
NCHESTER	58	32	52·5	36·7	3
(WHITWORTH PARK).					
RNLEY	58	29	50·3	34·1	0·4

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	§	§	§	§	§
BRADFORD ..	59	30	50·0	35·7	0
SHEFFIELD ..	61	34	51·4	36·3	0
YORK (MUSEUM)	59	29	52·1	35·1	0·3
HULL (PEARSON PARK).	62	29	51·3	35·9	0
TYNEMOUTH ..	64	33	48 6	38·6	4
CARDIFF	62	33	52 7	37 7	1
EDINBURGH ..	61·0	31·0	50·7	36·1	3
GLASGOW ..	55·4	32·1	49·5	36·9	0
DUBLIN (PHŒNIX PARK)	§	§	§	§	§
(FITZWILLIAM SQUARE†).	57·2	35·9	51·2	39·9	8
BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 28th March, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	22	..	29·745	59·9	43·5	16·4	49·7	+ 7·7	42·5	7·2	20·3	1·2	76	120·6	31·1	42·6	WSW: SSW.	SSW: Calm.	1·0	0·0	0·1	183	- 135	0·14
MONDAY -	23	..	29·837	57·2	41·8	15·4	49·1	+ 6·9	42·3	6·8	16·2	1·2	77	89·9	32·1	42·8	Calm	Calm: NE.	0·9	0·0	0·0	104	- 214	0·01
TUESDAY -	24	..	30·136	45·9	39·8	6·1	42·3	- 0·1	38·5	3·8	6·8	0·8	86	58·8	31·9	43·0	NNE	NNE: NE.	3·2	0·0	0·6	427	+ 107	0·00
WEDNESDAY	25	..	30·291	50·8	37·0	13·8	41·6	- 1·1	38·1	3·5	10·4	0·7	87	114·2	29·9	43·2	ENE	ESE: E	2·5	0·0	0·4	355	+ 29	0·00
THURSDAY -	26	Greatest Declination N.	30·281	55·9	35·4	20·5	43·9	+ 0·9	38·0	5·9	15·1	0·0	79	115·2	21·1	43·4	E: ENE	ESE: Calm.	1·3	0·0	0·2	259	- 70	0·00
FRIDAY -	27	First Quarter.	30·105	61·7	33·6	28·1	45·2	+ 1·9	34·8	10·4	38·3	0·0	67	120·1	18·2	43·5	Calm	Calm: SW.	0·1	0·0	0·0	90	- 239	0·00
SATURDAY -	28	..	30·050	58·1	36·6	21·5	45·6	+ 1·9	35·1	10·5	21·2	4·2	66	85·8	25·3	43·7	SW: Calm.	NE: E: ENE.	4·1	0·0	0·4	276	- 50	0·00
MEANS -		..	30 064	55·6	38·2	17·4	45·3	+ 2·6	38·5	6·9	18·3	1·2	77	100·7	27·1	43·2	Variable		..		..	Sum 1694	Sum - 572	Sum 0·15
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	22	wP till 8½h.; variably mP and wP till 22h.; then variably wN and mP.	4·4	12·2	Very cloudy generally. Slight showers at 17h. and 19½h. Rain 21½h. till 23½h. Dew in morning.
MONDAY ..	23	Variably wP and mP till 17¾h.; variably sN and sP till 19h.; then mP.	0·8	12·3	Overcast generally till 19h.; variably cloudy till 22½h.; then overcast. Slight rain 0¾h. till 2½h.; and 17¾h. till 18¼h. Fog 8h. till 10h.
TUESDAY ..	24	wP till 6h.; mP till 15h.; then wP.	0·0	12·4	Overcast. Occasional damping between 9h. and 12h.; from 16¼h. to 16½h.; and from 21h. Brisk wind 12h. till 20h.
WEDNESDAY	25	wP till 8¼h; then mP.	5·7	12·4	Overcast till 11⅜h.; nearly cloudless till 19¾h.; then overcast from 20⅜h. Dew at night.
THURSDAY	26	Variably wP and mP.	7·4	12·5	Overcast till 9¼h; then becoming cloudless by 10½h. Hoar frost at night.
FRIDAY ..	27	Variably wP and mP till 14h.; sP till 18h.; then mP.	4·4	12·6	Cloudless till 20¼h.; then cloudy generally. Fog 2h. till 10h.; mist 10h. till 11h.; then fog till 22h. Gloom 14h. till 14½h. Lunar halo about 22h. Hoar frost in morning. Dew at night.
SATURDAY	28	mP till 9h.; sP till 13½h.; mP till 14h.; then wP.	0·0	12·6	Thin cloud till 10½h.; then overcast. Lunar halo about 1h. Haze 9h. till 13½h. Hoar frost in morning.
			Sum 22 7	Sum 87·0	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon. 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·73 ins. at the beginning of the week to 30·32 ins. by 1h. on 26th; decreased to 29·99 ins by 5h. on 28th; increased and was 30·18 ins. by midnight on the same day.

THE CLINICAL RESEARCH ASSOCIATION, LTD.

WATERGATE HOUSE, ADELPHI, W.C.2. (*Close to Charing Cross Station.*)

A COMPLETE LABORATORY SERVICE.

The Consulting Rooms and Laboratories of this Association (established in 1894) are available for all Medical Practitioners desiring Laboratory assistance in the investigation and diagnosis of cases under their care. All necessary apparatus and full instructions for collecting pathogenic material, or for the personal attendance of Patients at the Consulting Rooms of the Association, will be forwarded immediately on application.

X-RAY EXAMINATIONS AND NURSING HOME ACCOMMODATION ARRANGED.

W. J. CURRY, *Secretary.*

Telephone: TEMPLE BAR 8993 (3 lines). Telegrams: "TUBERCLE, WESTRAND, LONDON."

STATISTICAL REVIEW.

The Registrar-General's Statistical Review of England and Wales for the Year 1929.

TABLES. PART I. MEDICAL.

This volume contains upwards of 500 pages of statistical data comprised in thirty-four tables.

It contains exhaustive information respecting general, infantile and maternal mortality, stillbirths, violent deaths and notified cases of infectious disease in the country as a whole, with comparable figures for earlier periods, and in local administrative areas.

The volume is priced at 7s. 6d. instead of 15s. 0d. as in previous years. Postage 6d. extra.

TABLES. PART II. CIVIL.

This volume contains the following statistics:—Populations of United Kingdom and Ireland, British Dominions, Colonies and Possessions, and Foreign Countries; and for England and Wales, Births by sex and legitimacy, Marriages by age and civil condition, Divorces, Parliamentary and Local Government Electors by sex, and particulars of changes in boundary of poor law and administrative areas.

The volume is priced at 2s. instead of 5s. as in previous years. Postage 2d. extra.

TEXT.

This volume contains a commentary (with many Tables and some Diagrams) on the contents of the two Volumes of Tables (Medical and Civil) above mentioned. Many of the subjects—especially causes of death—are dealt with in detail.

The volume is priced at 2s. 6d. instead of 5s. as in previous years. Postage 3d. extra.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

(74222) Wt. 80—17 1875 4/31 P. St. G. 43

FOR OFFICIAL USE

1931. No. 13.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 4TH APRIL, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 4TH APRIL, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirteenth week of the year numbered 5,509 corresponding to an annual rate of 14·5 per 1,000 living: stillbirths numbered 296 corresponding to a rate of 51 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 5,313 (378 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

	Mar. 14.	Mar. 21.	Mar. 28.	Apl. 4.
107 Great Towns	17·8	17·8	15·1	14·1
London	16·3	16·9	14·0	13·5
Birmingham	19·1	21·1	15·2	14·5
Liverpool	15·1	16·5	14·3	13·9
Manchester	18·4	16·9	16·7	14·7
Sheffield	17·2	19·7	15·3	16·3
Leeds	22·6	19·5	17·2	16·9
Bristol	19·1	18·7	20·4	18·4
West Ham	15·3	14·2	11·9	13·4

The deaths from influenza which had been 417, 365 and 301 in the three preceding weeks further fell to 208 and included 24 in London and 16 in Sheffield.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 71, against 98, 90 and 80, in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,180 live births registered corresponding to an annual rate of 13·9 per 1,000 living: stillbirths numbered 51 corresponding to a rate of 41 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,144 (40 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 44, against 72, 71 and 61 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 4th April, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
107 GREAT TOWNS ..	19,681,040*	5,509	296	5,313	459	-	58	5	33	33	49	2
LONDON	4,417,900*	1,180	51	1,144	63	-	1	3	5	6	7	
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	55	3	65	5	-	-	-	-	-	-	
WIMBLEDON ..	59,370	5	-	17	2	-	-		-	-	-	
EALING	104,000	44	-	33	2	-	-	-	-	-	-	
ACTON	65,200	10	-	7	-	-	-	-	-	-	-	
BRENTFORD AND CHISWICK ..	59,040	4	1	10	2	-	-	-	1	-	-	
WILLESDEN ..	172,500	35	2	38	5	-	-	-	-	-	1	
HENDON§	86,540*	21	1	14	-	-	-	-	-	-	-	
HORNSEY	88,450	22	-	20	1	-	-	-	-	-	-	
WOOD GREEN ..	53,410	13	-	19	-	-	-	-	-	-	-	
TOTTENHAM ..	155,000	30	-	29	4	-	-	-	-	-	-	
EDMONTON	75,000	35	3	21	2	-	-	-	1	-	-	
ENFIELD	65,100	14	-	24	2	-	-	-	-	-	-	
WEST HAM C.B. ..	307,600	103	4	79	13	-	-	-	1	-	3	
EAST HAM C.B. ..	147,600	25	1	28	-	-	-	-	-	1		
LEYTON	128,300	16	-	19	-	-	-	-	-	-	-	
WALTHAMSTOW ..	124,800	25	2	38	3	-	-	-	-	-	-	
ILFORD	116,200	39	2	26	6	-	-	-	1	-	-	
GILLINGHAM	56,670*	11	-	11	1	-	1	-	-	-	-	
CANTERBURY C.B. ..	22,850*	5	-	8	-	-	-	-	-	-	-	
HASTINGS C.B.	62,620	9	1	31	1	-	-	-	-	-	-	
EASTBOURNE C.B. ..	58,570	7	-	16	1	-	1	-	-	-	-	
BRIGHTON C.B. ..	146,800*	35	4	37	3	-	-	-	-	1	-	
PORTSMOUTH C.B. ..	242,000*	70	4	57	4	-	-	-	1	-	-	
BOURNEMOUTH C.B.§ ..	105,780	20	-	35	-	-	-	-	-	1	-	
SOUTHAMPTON C.B. ..	172,300	37	3	37	2	-	-	-	-	-	-	
READING C.B.	96,850*	38	2	24	2	-	-	-	-	2	-	
OXFORD C.B.	73,810*	19	1	21	1	-	-	-	-	-	-	
NORTHAMPTON C.B. ..	93,970*	22	-	17	-	-	-	-	-	1	-	
LUTON	65,200	17	-	10	2	-	-	-	-	-	-	
CAMBRIDGE	60,730	18	-	12	-	-	-	-	-	-	-	
SOUTHEND-ON-SEA C.B.	114,600	23	1	32	1	-	-	-	1	-	-	
IPSWICH C.B.	85,800	19	3	25	2	-	-	-	-	-	-	
GREAT YARMOUTH C.B.	58,110	17	1	19	3	-	-	-	-	-	-	
NORWICH C.B.	124,900*	37	-	55	4	-	-	-	-	-	-	
SWINDON	62,020	15	2	18	2	-	-	-	-	-	-	
EXETER C.B.	61,290*	22	1	29	4	-	-	-	1	-	-	
PLYMOUTH C.B. ..	199,000*	53	2	62	5	-	-	-	-	-	-	
BATH C.B.	69,240	21	2	17	1	-	-	-	-	-	-	
BRISTOL C.B.	391,145*	112	8	138	8	-	-	-	-	1	1	1
GLOUCESTER C.B. ..	52,010	13	2	24	2	-	-	-	-	-	-	
STOKE-ON-TRENT C.B.	279,190	103	9	82	16	-	-	-	1	-	4	
BURTON-UPON-TRENT C.B.	48,970	20	3	15	2	-	-	-	-	-	-	
WOLVERHAMPTON C.B.	134,300	36	6	38	2	-	-	-	-	-	1	
WALSALL C.B.§	100,930	37	1	24	4	-	-	-	-	-	1	
WEST BROMWICH C.B.§	80,970	26	3	22	2	-	3	-	-	-	-	
DUDLEY C.B.	58,870	19	2	13	3	-	1	-	-	-	-	
WORCESTER C.B. ..	52,320	16	1	10	-	-	-	-	-	-	-	
BIRMINGHAM C.B. ..	968,500	285	12	269	34	-	14	-	-	3	7	1
SMETHWICK C.B. ..	85,120	25	-	13	1	-	-	-	-	-	-	
COVENTRY C.B. ..	162,100	49	2	27	4	-	-	-	-	-	-	
LEICESTER C.B. ..	245,200	70	5	71	5	-	-	-	-	-	1	
LINCOLN C.B.	65,080*	22	2	13		-	-	-	-	-	-	
GRIMSBY C.B. ..	91,440	28	3	28	4	-	-	-	-	-	-	
NOTTINGHAM C.B. ..	266,800	83	6	78	8	-	3	-	-	-	1	
DERBY C.B.	140,500*	41	2	34	3	-	-	-	-	-	-	
CHESTERFIELD	65,270	29	-	12	4	-	-	-	-	-	-	
STOCKPORT C.B. ..	127,800	22	-	36	-	-	-	-	-	-	-	1
CHESTER C.B.	40,750	11	2	8	1	-	-	-	-	-	-	
BIRKENHEAD C.B. ..	157,600	44	1	43	3	-	2	-	1	-	-	
WALLASEY C.B. ..	101,300	22	-	16	-	-	-	-	-	-	-	
LIVERPOOL C.B. ..	869,500	276	15	231	33	-	6	-	1	2	4	6
BOOTLE C.B.	80,400	22	-	19	6	-	-	-	-	-	-	1
ST. HELENS C.B. ..	109,200	31	-	31	7	-	2	-	-	1	-	

* Population adjusted by the exclusion of non-civilians.
§ Adjusted for change in boundary, 1st April, 1931.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B. ..	80,040	18	1	17	-	-	-	-	-	-	-	1
WIGAN C.B.	87,600	32	2	22	3	-	-	-	-	-	-	-
BARRINGTON C.B. ..	79,400*	29	3	22	5	-	1	1	-	-	2	2
BOLTON C.B	181,500	36	3	42	4	-	-	-	-	-	-	2
BURY C.B.	56,830*	8	1	17	1	-	-	-	-	-	-	2
MANCHESTER C.B.§ ..	753,570	234	7	212	20	-	1	-	2	-	8	4
SALFORD C.B.	235,600	48	6	68	4	-	1	-	-	-	-	3
STALYBRIDGE, HYDE, MOSSLEY AND DENTON-UNDER-LYNE	51,750	14	1	6	-	-	-	-	-	-	-	-
OLDHAM C.B	142,500	29	3	40	1	-	-	-	-	-	-	3
ROCHDALE C.B. ..	90,900	15	2	30	2	-	-	-	-	1	-	2
BURNLEY C.B	100,200	29	-	26	1	-	1	-	1	-	-	2
BLACKBURN C.B. ..	125,300	26	1	36	1	-	-	-	-	-	-	-
PRESTON C.B.	126,100	39	2	27	3	-	-	-	-	-	-	1
BLACKPOOL C.B. ..	99,800	19	2	24	2	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	64,850	18	2	18	1	-	-	-	-	-	-	1
HUDDERSFIELD C.B. ..	113,100	28	1	38	1	-	-	-	1	-	-	1
HALIFAX C.B.	97,400*	27	3	42	6	-	-	-	-	-	-	2
BRADFORD C.B. ..	294,605	87	4	94	6	-	2	-	-	-	2	3
LEEDS C.B.	478,500	139	5	155	7	-	-	-	2	4	-	6
DEWSBURY C.B. ..	53,020	8	1	19	4	-	1	-	-	-	-	1
WAKEFIELD C.B. ..	56,640	19	-	24	-	-	-	-	-	2	-	3
BARNSLEY C.B. ..	71,700	22	3	18	3	-	-	-	-	-	-	2
SHEFFIELD C.B. ..	518,000*	141	10	162	9	-	-	-	1	-	-	16
ROTHERHAM C.B. ..	70,790	23	2	26	-	-	-	-	-	1	-	-
DONCASTER C.B. ..	59,890	18	2	23	2	-	-	-	-	-	-	1
YORK C.B.	85,290*	17	1	17	1	-	-	-	-	-	-	1
HULL C.B.	307,500	115	6	81	2	-	-	-	2	2	-	1
MIDDLESBROUGH C.B.	133,100	58	4	38	4	-	-	-	-	-	1	3
DARLINGTON C.B. ..	74,150	15	1	18	2	-	-	-	1	-	-	1
STOCKTON-ON-TEES ..	67,090	27	1	22	1	-	-	-	-	-	-	3
WEST HARTLEPOOL C.B.	69,370	30	-	33	6	-	1	-	1	-	-	1
SUNDERLAND C.B. ..	184,000	69	3	63	8	-	6	-	3	-	-	2
SOUTH SHIELDS C.B ..	119,600	42	2	29	5	-	-	-	2	-	-	-
GATESHEAD C.B. ..	122,600	34	3	31	5	-	1	-	1	-	-	1
NEWCASTLE-ON-TYNE C.B.	283,400*	101	4	66	7	-	4	-	1	-	3	1
TYNEMOUTH C.B. ..	65,880	24	4	16	3	-	2	-	-	-	-	1
CARLISLE C.B.	56,160*	15	2	9	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	95,990*	30	2	15	1		-	-	-	-	-	1
CARDIFF C.B.	224,000*	70	3	62	11	-	1	1	-	1	1	1
RHONDDA	153,100	46	3	44	6	-	1	-	-	-	1	1
MERTHYR TYDFIL C.B.	77,790	17	1	24	6	-	-	-	-	2	-	1
ABERDARE	53,050	10	1	14	1	-	1	-	-	-	-	1
SWANSEA C.B.	162,700	50	6	24	2	-	-	-	-	1	-	3
GREATER LONDON ..	7,900,480*	2,081	88	1,976	140	1	1	4	12	11	14	43
OUTER RING	3,482,580*	901	37	832	77	1	-	1	7	5	7	19
7 GREAT TOWNS IN OUTER RING§	2,030,410*	496	19	487	47	-	-	-	4	1	4	10
REMAINDER OF OUTER RING§	1,452,170*	405	18	345	30	1	-	1	3	4	3	9
EDINBURGH†	428,800	135	?	124	11	-	-	-	-	-	1	7
GLASGOW†	1,088,200	399	?	360	60	-	-	-	23	6	4	6
DUBLIN (REGISTRATION AREA)†	412,400	148	?	123	19	1	4	1	2	1	5	3
BELFAST†	415,151	149	?	118	22	-	9	-	1	1	3	3

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Adjusted for change in boundary, 1st April, 1931.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria. *	Diarrhœal Diseases (un-
		1931.											
London‡	4,417,900	Apl. 4	1180	51	1144	13·5	–	–	1	3	5	6	7
Calcutta and Suburbs	1,077,264	Feb. 21	?	?	638‖	30·8	?	41	?	–	?	?	?
Bombay§	1,298,708	Mar. 7	467	36	396	15·9	1	1	–	–	–	–	7
Madras	528,791	Feb. 21	298	12	484‖	47·6	2	1	–	–	2	–	25
Sydney and Suburbs	1,249,170	Feb. 28 (28 days)											
Brisbane (Metropolitan Area).	318,631	Jan. 31 (31 days)											
Perth (Metropolitan Area).	202,888	Jan. 24	70	?	33	8·4	–	–	–	–	1	–	1
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Feb. 28	56	1	35	13·3	–	–	–	–	–	–	5
Johannesburg	187,326	„ 21	111	2	49	13·6	1	–	–	–	–	–	4
Durban	61,667	„ 21	14	2	17	14·3	–	–	–	–	–	–	1
Paris	2,871,429	Feb. 28 (8 days)	990	52	1133	14·4	3	–	8	–	1	1	26
Antwerp	295,138	Mar. 15 (15 days)											
Amsterdam	760,033	Mar. 14	253	5	182	12·5	–	–	2	–	–	–	1
Copenhagen	615,700	„ 21	176	4	156	13·2	–	–	–	–	3	2	1
Stockholm	502,203	„ 14	107	2	130	13·0	–	–	–	–	–	–	–
Gothenberg	245,336	Feb. 14											
Oslo	253,568	Mar. 21	49	5	57	11·7	–	–	–	–	–	–	–
Berlin	4,329,000	„ 7	839	31	998	12·0	–	?	3	1	2	6	6
Breslau	617,000	„ 7	155	5	163	13·7	–	?	–	–	1	–	1
Cologne	740,000	„ 7	198	5	182	12·8	1	?	–	–	2	2	3
Dresden	633,000	„ 7	117	3	139	11·4	–	?	–	–	–	1	–
Frankfort-on-Main	541,000	„ 7	115	7	84	8·1	–	?	–	–	–	–	–
Hamburg	1,147,000	„ 7	287	6	299	13·6	–	?	–	–	–	1	1
Leipzig	719,000	„ 7	172	3	158	11·4	–	?	–	–	–	–	–
Munich	730,000	„ 7	147	10	175	12·5	–	?	–	–	–	1	1
Budapest	991,518	„ 14	352	15	307	16·1	–	–	–	2	1	2	4
Warsaw	1,109,478	„ 7	?	18	211	14·6	1	–	1	1	1	3	10
Madrid	825,471	„ 7											
Cairo	1,122,800	Dec. 16	1110	27	428	19·8	1	–	1	–	?	3	66
Alexandria	612,200	„ 16	580	4	196	16·7	–	–	–	–	?	4	28
New York	7,090,089	Mar. 7	2405	116	1774	13·1	1	–	–	3	1	2	12
Chicago	3,457,375	„ 13	1068	39	745	11·2	–	–	–	3	–	8	–
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Feb. 21	557	41	507	15·3	5	–	4	–	4	4	62

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 25 deaths from Cholera in Calcutta and 4 in Madras.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 4th April, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	15,030	18,404	1144	63	20	17	30	46	53	55	113	203	250	294
Enteric fever	5	9	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	592	14	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	44	19	3	-	-	1	2	-	-	-	-	-	-	-
Whooping cough	48	114	5	3	2	-	-	-	-	-	-	-	-	-
Diphtheria	171	98	6	1	2	2	1	-	-	-	-	-	-	-
Influenza	173	797	24	1	-	-	1	-	1	1	-	5	5	10
Erysipelas	45	60	2	-	-	-	-	-	-	-	-	2	-	-
Acute Poliomyelitis, Polioencephalitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	15	14	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	28	48	6	-	3	-	1	-	-	2	-	-	-	-
Tuberculosis :—														
Respiratory system	1028	1245	92	-	1	1	3	19	21	10	20	12	5	-
Nervous system	60	56	4	-	-	2	1	-	1	-	-	-	-	-
Intestines and peritoneum	16	16	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	64	75	5	-	-	-	3	1	-	-	-	1	-	-
Venereal diseases	58	48	5	1	-	-	1	-	-	1	-	2	-	-
Cancer	1671	1781	120	-	-	-	-	-	3	6	19	35	30	27
Rheumatic fever	55	31	3	-	-	-	3	-	-	-	-	-	-	-
Diabetes	163	163	16	-	-	-	-	-	1	-	2	3	8	2
Alcoholism	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	28	32	4	1	-	-	1	1	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	587	651	60	-	-	-	-	-	-	1	3	17	18	21
Epilepsy	59	48	4	-	-	-	1	1	1	-	-	-	1	-
"Convulsions" (not puerperal)	24	20	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	334	342	18	1	-	1	-	1	1	-	5	3	5	1
Pericarditis	7	7	1	-	-	-	-	-	1	-	-	-	-	-
Acute endocarditis	48	51	5	-	-	-	-	3	2	-	-	-	-	-
Other diseases of heart	3201	4304	251	-	-	-	1	6	6	6	15	42	83	92
Other diseases of circulatory system	629	715	52	-	-	-	-	-	1	-	2	9	19	21
Bronchitis	820	1437	69	3	1	-	-	-	-	3	6	12	11	33
Broncho-pneumonia	765	1318	55	14	6	4	-	-	1	1	1	5	14	9
Lobar pneumonia	401	519	38	2	1	-	-	1	2	9	6	6	4	7
Pneumonia (type not distinguished)	151	199	8	-	1	-	1	-	-	1	-	1	1	3
Other diseases of respiratory system	155	261	19	-	1	-	-	2	-	2	2	2	2	8
Diarrhœa and enteritis	212	212	9	6	1	-	-	-	-	-	-	1	-	1
Appendicitis, Typhlitis	81	76	7	-	-	-	-	-	-	-	2	1	3	1
Hernia, Intestinal obstruction	117	152	12	1	-	-	-	1	-	1	3	1	4	1
Cirrhosis of liver	57	59	5	-	-	-	-	-	-	-	-	2	3	-
Other diseases of digestive system	365	359	24	-	-	-	1	2	-	3	6	7	1	4
Acute nephritis	33	25	3	-	-	-	-	1	-	-	1	1	-	-
Chronic Bright's disease	488	549	45	-	-	-	1	-	3	2	5	15	10	9
Other diseases of genito-urinary system.	203	263	14	-	-	-	-	-	-	1	1	3	5	4
Puerperal sepsis	31	30	2	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to childbirth	22	30	4	-	-	-	-	1	3	-	-	-	-	-
Congenital malformations	91	84	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	273	321	16	16	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	62	44	-	-	-	-	-	-	-	-	-	-	-	-
Old age	337	451	29	-	-	-	-	-	-	-	-	-	4	25
Suicide	139	125	7	-	-	-	-	-	1	1	2	1	1	1
Burns and Scalds	34	52	1	-	-	-	-	-	-	-	-	-	-	1
Drowning	23	21	1	-	-	-	-	-	-	-	-	-	1	-
Suffocation in bed	11	8	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	193	167	17	-	-	2	5	2	1	-	5	2	-	-
Other deaths by violence	241	219	15	-	-	1	1	-	1	1	2	1	1	7
Other specified causes	558	559	48	6	1	2	2	1	1	2	5	11	11	6
Ill-defined causes	2	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 4th April, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	35	201	141	3	163	C. 6 D. 5 G. 1 L. 1 M. 10 N. 15
†CITY OF LONDON	-	1	-	-	1	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	7	5	-	9	M. 1
†BERMONDSEY ...		1	5	-	1	M. 1
†BETHNAL GREEN	2	8	5	-	3	M. 1
†CAMBERWELL ...	2	6	8	-	3	-
†CHELSEA	-	1	1	-	5	-
†DEPTFORD ...	-	4	7	-	4	-
†FINSBURY ...	12	-	4	-	3	N. 1
†FULHAM	-	6	3		5	C. 1
†GREENWICH ...	1	4	7	-		-
†HACKNEY... ...	-	15	5	-	6	N. 3
†HAMMERSMITH ...	-	7	3	-	1	G. 1 M. 1
†HAMPSTEAD ...	-	-	-	-	1	-
†HOLBORN... ...	-	-	-	1	1	-
†ISLINGTON ...	-	29	11	-	14	D. 1 M. 3 N. 3

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	-	9	4		4	N. 1
†LAMBETH ...	3	16	6	-	9	-
†LEWISHAM ...	-	14	14	-	2	C. 3 N. 1
†PADDINGTON ...	-	9	1	-	9	M. 1 N. 1
†POPLAR	-	5	10	-	8	M. 1
†ST. MARYLEBONE	-	5	2	-	1	C. 1
†ST. PANCRAS ...	-	2	4		7	C. 1 N. 1
†SHOREDITCH ...	1	2	2	-	4	L. 1
†SOUTHWARK ...	-	6	5	1	12	M. 1 N. 1
†STEPNEY	14	19	13	-	10	D. 2 N. 1
†STOKE NEWINGTON	-	4	1	-	2	-
†WANDSWORTH ...	-	11	12	-	24	-
†WESTMINSTER, CITY OF	-	5	2	1	3	D. 1
†WOOLWICH ...	-	5	1	-	11	D. 1 N. 2

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera : B. Plague : encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I. Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	3	–	7	–
Boroughs and Urban Districts:—						
†BEDFORD	–	2		–	2	–
DUNSTABLE ...	–	–	1	–	–	–
†LUTON	–	1	2	–	2	–
SANDY	*	*	*	*	*	*
Rural Districts:—						
BEDFORD... ...		–		–	1	–
BIGGLESWADE ...	–	–	–		1	
EATON BRAY ...	–	–		–	1	–
LUTON	*	*	*	*	*	*
BERKS	1	16	5	–	6	M. 1
†READING C.B. ...	1	–	4	–	2	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...		1	–	–	–	–
†NEWBURY ...	–	2	–	–	–	–
†NEW WINDSOR ...		1	–	–		–
WANTAGE ...	–	1	–		–	–
Rural Districts:—						
ABINGDON ...		3		–	1	–
BRADFIELD ...	–	–	1	–	1	–
COOKHAM ...	–	4	–	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	M. 1
FARINGDON (part)	–	2	–	–		–
NEWBURY ...	–	–	–	–	2	–
BUCKINGHAM...	–	6	3	–	10	D. 1 N. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	–	–	–	N. 1
†CHEPPING WYCOMBE	–	1	–	–	–	–
MARLOW		–	–	–	1	–
†SLOUGH	–	–	2		3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–		–	–	1	–
AYLESBURY ...		2	1	–	–	–
BUCKINGHAM ...	–	–	–		1	–
ETON	–	2	–	–	2	D. 1
NEWPORT PAGNELL	–	–	–	–	2	–
WINSLOW... ...		1	–	–	–	–
CAMBRIDGE ...	–	8	4	–	2	N. 1
Borough:—						
†CAMBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	6	2	–	1	–
LINTON	–	1	–	–	–	N. 1
MELBOURN ...	–	1	–	–	–	–
NEWMARKET ...	–	–	–	–	1	–
SWAVESEY ...	–		1	–	–	–
CHESTER ...	–	30	21	–	37	L. 1 M. 2 N. 4
†BIRKENHEAD C.B.	–	1	3	–	10	M. 1 N. 1
†CHESTER C.B. ...	–	2	1	–	2	–
†STOCKPORT C.B. ...		–	3		4	N. 1
†WALLASEY C.B. ...		3	2	–	2	–
Boroughs and Urban Districts:—						
ALSAGER	–		–	–	1	–
†ALTRINCHAM ...	–	–	1	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	1	–	1	N. 1
BOLLINGTON ...	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	1	–	–	1	N. 1
†CONGLETON ...	–		–	–	1	–
†CREWE	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum N, Puerperal Pyrexia

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Dukinfield ...	-	1	-	-	1	-
†Ellesmere Port and Whitby	-	-	1	-	-	-
†Hazel Grove and Bramhall		1	-		-	-
Hoole	-	1		-	-	
†Hyde	-	1	-	-	3	-
Knutsford ...			1		-	-
†Macclesfield ...	-	-	1	-	2	L. 1
Marple		-		-	1	-
†Runcorn	-	1		-	-	M. 1
†Stalybridge ...	-	-	-		1	-
Rural Districts:—						
Bucklow	-	6			-	-
Chester	-	-	1		-	-
Congleton ...		-	-		4	-
Disley		1			-	-
Macclesfield ...	-	-	-		1	-
Nantwich ...		4	1		-	-
Runcorn		3	-		-	-
Wirral	-	-	5			-
CORNWALL ...	-	3	-	1	9	-
Boroughs and Urban Districts:—						
Bodmin		-		1	-	-
Launceston ...	-	-		-	1	-
Looe	-			-	1	-
Lostwithiel ...	*	*	*	*	*	*
St. Just	-	-		-	4	-
Torpoint ...	-	1			1	-
†Truro	-	1		-	-	
Rural Districts:—						
Liskeard ...	-	1	-	-	2	
CUMBERLAND...	-	10	2	-	6	N. 1
†Carlisle C.B. ...		6	-	-	1	N. 1
Boroughs and Urban Districts:—						
Cleator Moor ...	-	-	1	-	-	-
Millom	-	-	-	-	2	-
Penrith		1	-	-	-	-
†Whitehaven ...		1	1	-	1	-
Rural Districts:—						
Alston with Garrigill	-	1	-	-	-	-
Penrith	-	-	-	-	2	-
Wigton		1	-	-	-	-
DERBY	6	19	8	-	25	C. 1 D. 3
†Derby C.B. ...	-	3	2	-	1	-
Boroughs and Urban Districts:—						
†Alfreton ...	-	1	-	-	2	-
Alvaston and Boulton	-	-	-	-	-	C. 1
Bakewell ...	-	-	-	-	1	-
†Belper	-	-	1		-	
†Buxton ...		1	-		-	-
†Chesterfield ...	4	2	-		1	-
Clay Cross ...	-		-		2	-
Dronfield ...	-	1	-	-		-
†Glossop	-	-	-	-	2	-
†Heanor	-	1	-		-	D. 1
†Long Eaton ...	-	1	-	-	-	-
New Mills ...	-	-	1	-		-
North Darley...	-	-	-	-	1	-
South Darley ...	*	*	*	*	*	*
†Swadlincote District	-			-	2	-
Rural Districts:—						
Blackwell ...	-	3	1		2	D. 2
Chesterfield ...	2	2	2	-	1	-
Clowne	-	2			-	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B. Plague; encephalitis; G. Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
HARTSHORN AND SEALS	–	–	–	–	2	–
HAYFIELD ...	–	–	–	–	1	–
REPTON	–	2	–	–	5	
SHARDLOW ...	–	–	1	–	2	–
DEVON	–	14	13	–	13	M. 1
†EXETER C.B. ...	–	–	–	–	1	–
†PLYMOUTH C.B.	–	8	7	–	2	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	–
BIDEFORD ...	–	–	2	–	1	–
BUCKFASTLEIGH	*	*	*	*	*	*
DARTMOUTH ...	–	–	–	–	1	–
†EXMOUTH ...	–	–	–	–	–	M. 1
†NEWTON ABBOT...	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
SIDMOUTH ..	–	–	–	–	2	–
†TEIGNMOUTH ...	–	–	2	–	–	–
†TORQUAY	–	–	–	–	2	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	1	–
BARNSTAPLE ...	–	1	–	–	–	–
OKEHAMPTON ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	2		–	–	–
TAVISTOCK ...	–	–	–	–	1	–
TIVERTON ...	–	1	1	–	–	–
DORSET	–	7	3	–	10	G. 1 N. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	1	–	–	–
†POOLE	–	1	–	–	–	–
SHAFTESBURY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHERBORNE ...	–	–	–	–	–	G. 1
WAREHAM ...	–	–	–	–	2	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	N. 1
Rural Districts:—						
BEAMINSTER ...	*	*	*	*	*	*
SHAFTESBURY ...		–	–	–	2	–
SHERBORNE ...	–	–	–	–	1	–
STURMINSTER ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	–		–	1	–
WEYMOUTH ...	–	5		–	–	–
WIMBORNE AND CRANBORNE	–	–	2	–	2	–
DURHAM ...	–	29	17	2	63	D. 3 M. 4 N. 9
†DARLINGTON C.B.	–	6	1		2	M. 1 N. 5
†GATESHEAD C.B.	–	4	1	–	2	D. 1 M. 2
†SOUTH SHIELDS C.B.	–	3	–	–	7	D. 1
†SUNDERLAND C.B.	–	3	2	2	19	D. 1 N. 1
†WEST HARTLEPOOL C.B.	–	–	2	–	2	–
Boroughs and Urban Districts:—						
BILLINGHAM ...	–		–	–	2	–
†BLAYDON... ...	–	1	1	–	1	N. 1
†BRANDON AND BYSHOTTLES	–	–	–	–	1	–
†CONSETT	–	–	–		–	M. 1
†CROOK	–	–	–	–	1	
†FELLING		2	1	–	–	
†HARTLEPOOL ...			1	–	–	–
†HEBBURN ...	–	3	–		1	–
†HETTON	–	–	–	–	3	–
†JARROW	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SEAHAM HARBOUR	–	–	–	2	–	
†SHILDON	–	–	–	1	–	
†STOCKTON ON TEES	–	1	–	5	–	
†TANFIELD ...	–	–	1	–	–	
†WASHINGTON ...	–	–	–	–	N.	1
†WHICKHAM ...	–	1	–	–	–	
WILLINGTON ...	–	–	1	–	1	–
Rural Districts:—						
AUCKLAND ...	–	2	1	–	–	–
BARNARD CASTLE	–	–	–	–	–	N. 1
CHESTER LE STREET	–	1	2	–	1	–
EASINGTON ...	–	–	–	–	4	–
HOUGHTON LE SPRING	–	–	–	–	2	–
LANCHESTER ...	–	2	–	–	1	–
SOUTH SHIELDS	–	–	1	–	1	–
SUNDERLAND ...	–	–	1	–	–	–
WEARDALE ...	–	–	1	–	–	–
ELY, ISLE OF ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
WISBECH	–	1	–	–	–	–
Rural Districts:—						
ELY	–	–	–	–	1	–
NORTH WITCHFORD	–	–	–	–	1	–
THORNEY... ...	*	*	*	*	*	*
WISBECH... ...	*	*	*	*	*	*
ESSEX	26	76	29	3	43	M. 7 N. 12
†EAST HAM C.B....	–	4	2	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†SOUTHEND ON SEA C.B.	–	2	–	–	7	M. 1 N. 1
†WEST HAM C.B.	25	9	4	–	11	N. 4
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	2	–	3	M. 1
BENFLEET ...	–	–	1	–	–	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	–	1	–	–	–
BUCKHURST HILL	–	–	–	–	1	–
BURNHAM ON CROUCH	*	*	*	*	*	*
CANVEY ISLAND	–	–	1	–	–	
†CHELMSFORD ...	–	1	–		–	–
CHINGFORD ...	–	5	–	–	–	–
†COLCHESTER ...		2	2	–	2	M. 1
DAGENHAM ...	–	7	2	–	4	–
†ILFORD	–	6	4	–	2	M. 1 N. 1
†LEYTON	1	5	1	–	1	M. 2 N. 2
MALDON	–	1	–	1	–	–
†ROMFORD... ...	–	3	1	–	–	–
TILBURY	–	–	3	–	–	–
WALTHAM HOLY CROSS	–	3	–	2	–	–
†WALTHAMSTOW ...	–	8	3		6	M. 1 N. 1
†WANSTEAD ...	–	3		–	–	–
WITHAM	–	1	–	–	–	–
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
BRAINTREE ...	–	4	–	–	–	–
CHELMSFORD ...		1	–	–	–	
DUNMOW... ...	–	–	–		–	N. 2
ONGAR	–	3	–	–	–	
TENDRING ...	–	–	2	–	3	N. 1
GLOUCESTER ...	–	16	17	–	25	C. 1 M. 1 N. 3
†BRISTOL C.B. ...	–	6	11	–	17	C. 1 N. 2
†GLOUCESTER C.B.	–	–	–	–	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	3	2	–	2	–
CIRENCESTER ...	–	3	–	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
†MANGOTSFIELD ...	–	–	–	–	1	–
STOW ON THE WOLD	–	–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	1	–	–	N. 1
EAST DEAN AND UNITED PARISHES	–	1	–	–	1	–
LYDNEY	–	–	–	–	1	–
PEBWORTH ...	*	*	*	*	*	*
STOW ON THE WOLD (part)	–	–	1	–	–	–
TEWKESBURY (part)	–	–	1	–	–	–
THORNBURY ...	–	–	–	–	1	–
HEREFORD ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	1	–	–	–	–
LEOMINSTER ...	–	1	1	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	–	1	–
WEOBLEY... ...	–	1	–	–	–	–
HERTFORD ...	–	6	5	–	6	C. 1 F. 1
Boroughs and Urban Districts:—						
†BARNET	–	3	–	–	–	–
†EAST BARNET VALLEY	–	–	–	–	1	–
HERTFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HITCHIN	–	1	4	–	–	–
†LETCHWORTH ...	–	–	–	–	1	C. 1
†ST. ALBANS ...	–	–	1	–	1	–
STEVENAGE ...	–	1	–	–	–	F. 1
TRING	–	–	–	–	1	–
Rural Districts:—						
ST. ALBANS ...	–	–	–	–	1	–
WATFORD... ...	–	–	–	–	1	–
HUNTINGDON ...	–	2	–	–	1	M. 1
Boroughs and Urban Districts—						
OLD FLETTON ...	–	2	–	–	–	–
ST. NEOTS ...			–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	*	*	*	*	*	*
ST. IVES	–	–	–	–	–	M. 1
KENT	–	43	16	–	28	D. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BECKENHAM ...	–	2	–	–	4	–
†BEXLEY	–	2	–	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	3	1		2	–
†BROMLEY... ...	–	3	–	–	2	–
†CHATHAM ...	–	2	2	–	–	–
CHISLEHURST ...	–	1	–	–		–
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	–	3	–	–	–	–
†DEAL	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ERITH	–	1	1	–	3	–
†FOLKESTONE ...	–	1	1	–	–	–
†GILLINGHAM ...	–	1	–	–	3	D. 1
†GRAVESEND ...	–	1	–	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
†MAIDSTONE ...	–	–	1	–	–	N. 1
NEW ROMNEY ...	–	–	–	–	2	–
†NORTHFLEET ...	–	1	–	–	–	–
†ROCHESTER ...	–	–	5	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
†SITTINGBOURNE AND MILTON	–	1	–	–	–	–
SWANSCOMBE ...	–	2	–	–	–	–
†TONBRIDGE ...	–	–	–	–	1	–
WALMER	–	1	–	–	–	–
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BRIDGE	*	*	*	*	*	*
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	–	2	–	–	–	–
DOVER	*	*	*	*	*	*
EASTRY	*	*	*	*	*	*
ELHAM	–	2	–	–	–	–
FAVERSHAM ...	–	–	–	–	1	–
HOLLINGBOURNE	–	1	1	–	1	–
HOO	–	1	–	–	–	–
ISLE OF THANET	–	–	–	–	2	–
MAIDSTONE ...	–	–	2	–	–	–
MALLING	–	2	1	–	–	–
MILTON	–	3	–	–	–	–
SEVENOAKS ...	–	–	–	–	2	M. 1
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	N. 1
LANCASTER ...	–	220	125	2	228	C. 1
						D. 1
						G. 1
						M. 17
						N. 12
†BARROW IN FURNESS C.B.	–	–	–	–	6	–
†BLACKBURN C.B.	–	–	3	–	8	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BLACKPOOL C.B.	–	–	1	–	3	–
†BOLTON C.B. ...	–	8	1	–	1	M. 1
†BOOTLE C.B. ...	–	4	7	–	10	N. 1
†BURNLEY C.B. ...	–	1	2		4	N. 1
†BURY C.B. ...	–	1	–	–	1	–
†LIVERPOOL C.B....	–	29	57	–	59	M. 12
						N. 2
†MANCHESTER C.B.	–	81	9	1	42	C. 1
						G. 1
						M. 1
						N. 1
†OLDHAM C.B. ...	–	1	2	–	2	–
†PRESTON C.B. ...	–	5	–	–		D. 1
†ROCHDALE C.B....	–	4	4	–	1	–
†ST. HELENS C.B.	–	1	5	–	3	–
†SALFORD C.B. ...	–	8	9	–	6	N. 1
†SOUTHPORT C.B.	–	2	2	–	4	–
†WARRINGTON C.B.	–	11	1	–	7	–
†WIGAN C.B. ...	–	1	–	–	7	–
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	–	–
ADLINGTON ...	–		1	–	–	–
†ASHTON IN MAKERFIELD	–	–	–	–	4	–
†ASHTON-UNDER-LYNE	–	3	–	–	–	–
†ATHERTON ...	–	–	–	–	1	–
†BACUP	–				2	–
BILLINGE AND WINSTANLEY	–	–		–	2	–
BRIERFIELD ...	–	–	–	–	1	–
†CHADDERTON ...	–	–	–	–	–	N. 1
†CHORLEY	–	1	–	–	4	–
CHURCH	–		–	–	1	–
†CLITHEROE ...	–	–	–	–	1	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	1	–	–	2	–
†DARWEN	–	–	2	–	1	–
†DENTON	–	–	–	–	1	–
†ECCLES	–		1	–	1	–
†FAILSWORTH ...	–	–	–	–	1	–
†FARNWORTH ...	–	1	–	–	–	N. 1
†FLEETWOOD ...	–	1	–	–	–	–
FULWOOD ...	–	–	–	–	1	–
†GREAT CROSBY ...	–	1	–	–	–	
†HASLINGDEN ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Haydock	–	1		–		–
†Hindley	–	1	1	–	3	–
†Horwich		–	–	–	–	M. 1
†Ince in Makerfield	–	–	1	–	–	–
Kearsley ...			–	–	–	M. 1
†Lancaster ...	–	7	1	–	2	–
Lathom and Burscough	–	2		–	–	–
Lees	–	–	–	–	1	–
†Leigh	–	–		–	3	–
Leyland	–	–	1		–	–
†Litherland ...	–	–	3	–	1	–
†Lytham St. Anne's	–	2	1		2	N. 1
†Middleton ...	–	2	–	–	4	–
Milnrow		1		–	1	–
†Morecambe and Heysham	–	2	–		–	–
†Newton in Makerfield	–	5	–	–	3	–
†Oswaldtwistle	–	–	–	1	1	–
Poulton le Fylde	–	–	–	–	1	–
Prescot		–	–	–	–	N. 1
†Prestwich ...	–	1	–	–		–
†Radcliffe ...		3	1	–	3	
†Ramsbottom ...	–	–	2		2	–
†Royton	–	–			2	–
Standish with Langtree	–	–	1		1	–
†Stretford ...	–	2	1		1	–
†Swinton and Pendlebury	–	1	–	–		–
Thornton Cleveleys	–	1	–	–	–	–
Tottington ...	–	2	–	–		–
†Ulverston ...	–	1	1		–	–
Urmston	–	2	–	–	–	–
†Waterloo with Seaforth		–	1	–	–	–
Whitefield ...	–	–	1		1	–
Whitworth ...	–	1	–		1	–
†Widnes	–	5	1	–	4	–
Withnell ...	–	–	–	–	–	N. 1
LANCASTER—*cont.*						
Rural Districts:—						
Barton upon Irwell	–	3	–	–		–
Burnley ...	–		–	–	2	–
Bury	–	1	–	–	1	–
Garstang ...	–	1	–	–	–	–
Leigh	–	2	–	–	1	–
Preston	–	–	–	–	–	M. 1
Warrington ...	–	2	–	–	–	–
LEICESTER ...	81	14	5	–	7	C. 1 M. 1 N. 1
†Leicester C.B....	38	2	1	–	5	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†Coalville ...	13	–	2	–	–	–
†Loughborough	1	4	–	–	–	–
Market Harborough	1	–		–	–	–
Shepshed ...	2	–			–	–
Thurmaston ...	9	–		–	–	–
Wigston Magna	–	2	–	–	–	–
Rural Districts:—						
Ashby de la Zouch	1	–	2	–	1	–
Barrow upon Soar	2	2	–	–	–	–
Billesdon ...	1			–		–
Blaby	3	2			–	–
Castle Donington	–	1	–		–	–
Hinckley ...	3	–			1	–
Market Bosworth	7	1	–	–	–	–
LINCOLN (parts of Holland).	–	3	–	–	2	–
Boroughs and Urban Districts:—						
†Boston	–	2	–		–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	-	-	-	-	2	-
SPALDING ...	-	1	-	-	-	-
LINCOLN (parts of Kesteven).	-	1	-	-	3	-
Rural Districts —						
GRANTHAM ...	-	-	-	-	1	-
SLEAFORD ...	-	1	-	-	2	-
LINCOLN (parts of Lindsey).	7	11	4	-	22	-
†GRIMSBY C.B. ...	6	2	-	-	1	-
†LINCOLN C.B. ...		1	-	-	4	
Boroughs and Urban Districts:—						
†GAINSBOROUGH ...	1	1	-	-	2	-
LOUTH		-	-	-	1	-
†SCUNTHORPE AND FRODINGHAM	-	-	-	-	4	-
WINTERTON ..	-	1	-	-	-	-
WOODHALL SPA...	-	-	-	-	1	-
Rural Districts:—						
CAISTOR	-	-	1	-	-	-
GAINSBOROUGH ...		-	-	-	2	-
GLANFORD BRIGG	-	3	-	-	4	-
HORNCASTLE ...	-	3	-	-	-	
ISLE OF AXHOLME	-		3	-	2	-
LOUTH	-	-		-	1	-
MIDDLESEX ...	-	81	30	2	45	D. 2 F. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†ACTON	-	6	1	-	-	-
†BRENTFORD AND CHISWICK	-	1	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EALING	-	2	1	-	7	N. 1
†EDMONTON ...	-	3	2	1	2	-
†ENFIELD	-	5	4	-	1	-
†FINCHLEY ...	-	4	-	-	1	-
†FRIERN BARNET...	-	2	-	-	-	-
†HARROW ON THE HILL	-	1	-	-	-	-
HAYES AND HARLINGTON	-	-	-	-	1	-
†HENDON	-	3	1	-	2	D. 1
†HESTON AND ISLEWORTH	-	9	1	-	2	F. 1
†HORNSEY	-	7	-		-	-
KINGSBURY ...	-	1	1	-	1	D. 1 N. 1
RUISLIP NORTHWOOD	-	-	1	-	-	-
†SOUTHALL NORWOOD	-	1	-	-	-	M. 1
†SOUTHGATE ...	-	1		-	-	-
†STAINES	-	3		-	-	-
SUNBURY ON THAMES	-	-	-	-	1	-
†TEDDINGTON ...	-	2	1	-	2	-
†TOTTENHAM ...	-	10	3	1	4	-
†TWICKENHAM ...	-	4	3	-	1	-
†UXBRIDGE ...	-	2	1	-	5	M. 1
†WEALDSTONE ...		1		-	4	-
†WEMBLEY ...	-	1	-	-	-	-
†WILLESDEN ...	-	8	8	-	9	-
†WOOD GREEN ...	-	1	2	-	1	-
†YIEWSLEY AND WEST DRAYTON	-	1		-	-	-
Rural Districts—						
HENDON	-	2	-	-	-	-
NORFOLK ...	-	9	3	1	13	N 1
†GREAT YARMOUTH C.B.	-	-	1	1	-	-
†NORWICH C.B. ...	-	-	1	-	6	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
†King's Lynn ...	–	1	1	–	.	.
Sheringham ...	–	1	–	–	1	–
Walsoken ...	–	1	–	–	–	–
Rural Districts:—						
Aylsham... ...	–	1	–	–	–	–
Forehoe	–	2	–	–	1	–
Loddon and Clavering	–	–	–	–	1	–
Marshland ...	–	1	–	–	–	–
St. Faith's ...	–	–	–	–	1	–
Swaffham ...	–	–	.	–	1	–
Walsingham ...	–	–	–	–	1	–
Wayland ...	–	2	–	–	1	–
NORTHAMPTON	1	10	8	2	11	C. 2
†Northampton C.B.	–	5	2	–	6	C. 2
Boroughs and Urban Districts:—						
Burton Latimer	–	–	–	1	1	–
Finedon	–	–	1	.	1	–
Higham Ferrers	–	–	.	–	1	–
†Kettering ...	–	2	–	.	1	–
Rothwell ...	1	2	–	–	.	–
†Wellingborough	–	1	–	1	–	–
Rural Districts:—						
Northampton ...	–	.	2	–	.	–
Oxendon... ...	–	–	–	–	1	–
Towcester ...	–	–	3	–	–	–
NORTHUMBERLAND.	–	24	6	–	36	C. 2 L. 2 M. 1 N. 2
†Newcastle upon Tyne C.B.	–	18	2	–	29	C. 1 L. 1 N. 2
†Tynemouth C.B.	–	–	1	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†Bedlingtonshire	–	.	–	–	2	–
†Blyth	–	1	–	.	1	–
Cramlington ...	–	–	–	–	1	–
†Earsdon	–	1	–	–	–	.
†Gosforth ...	*	*	*	*	*	*
Prudhoe... ..	*	*	*	*	*	*
Seaton Delaval	–	1	–	–	–	–
†Wallsend ...	–	1	1	–	1	–
†Whitley and Monkseaton	–	1	–	–	1	C. 1
Rural Districts:—						
Bellingham ...	–	1	.		–	–
Haltwhistle ...	*	*	*	*	*	*
Hexham	.	–	–		–	L. 1
Morpeth... ...	–	–	1	–	–	–
Norham and Islandshires	–	–	1		–	–
NOTTINGHAM ...	–	31	13	1	12	D. 4 L. 1 M. 1 N. 3
†Nottingham C.B.	–	7	7	1	5	L. 1 N. 1
Boroughs and Urban Districts:—						
†Arnold	–	–	1	–	.	–
†Beeston	–	–	–	–	1	–
†Carlton	–	1	1	–	.	.
†East Retford ...	–	6	1	–	.	–
†Hucknall ...	–	1	–	–	–	–
†Kirkby in Ashfield	–	1	–	–	–	–
†Mansfield ...	–	4	–	–	–	D. 3 M. 1 N. 1
†West Bridgford	–	–	1	–	–	–
†Worksop... ...	–	–	1	–	–	–
Rural Districts:—						
Basford	–	7	–	–	2	D. 1
East Retford ...	–	1	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
SKEGBY	–	1	–	–	–	–
STAPLEFORD ...	–	2	–	–	–	N. 1
WORKSOP... ...	–	–	1	–	–	–
OXFORD	–	11	1	–	5	C. 1 M. 1 N. 2
†OXFORD C.B. ...	–	3	1	–	1	M. 1 N. 2
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–	–	–	–
BICESTER... ...	–	–	–	–	1	–
Rural Districts:—						
BANBURY... ...	–	2	–	–	–	–
BICESTER... ...	–	3	–	–	–	C. 1
GORING	–	–	–	–	2	–
THAME	–	–	–	–	1	–
WITNEY	–	2	–	–	–	–
PETERBOROUGH (Soke of).	1	1	–	1	3	–
Borough:—						
†PETERBOROUGH...	1	1	–	1	3	–
Rural Districts:—						
PETERBOROUGH...	*	*	*	*	*	*
SALOP	–	5	6	–	3	C. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	–	N. 1
LUDLOW	–	–	1	–		–
MARKET DRAYTON	–	1	–	–	–	–
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OAKENGATES ...	–		–	–	–	M. 1
OSWESTRY ...	–	–	–	–	1	–
WELLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–		–	–	1	C. 1
CHURCH STRETTON		2	–			–
CLEOBURY MORTIMER	–	1	–	–	–	–
CLUN	–	1	–	–	–	–
DRAYTON	–	–	–	–	–	N. 1
ELLESMERE ...	–	–	1	–	1	–
WELLINGTON ...	–	–	2	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
SOMERSET ...		7	3	–	20	N. 1
†BATH C.B. ...	–	1	–	–	2	N. 1
Boroughs and Urban Districts:—						
†FROME	–	–	1	–	–	–
GLASTONBURY ...	–	–	–	–	1	–
MIDSOMER NORTON	–	1	–	–	1	–
MINEHEAD ...	–	1	–	–	–	–
†TAUNTON... ...	–	1	–	–	–	–
WATCHET ...	*	*	*	*	*	*
WELLINGTON ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	1	–	1	–
†YEOVIL	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	1	–
BATH	–	–	–	–	1	–
CHARD	–	–	–	–	3	–
CLUTTON	–	–	–	–	1	–
KEYNSHAM ...	–	–	–	–	1	–
LANGPORT ...	–	–	1	–	1	–
SHEPTON MALLET	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
WELLS	–	–	–	–	1	–
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	–	–	–	2	–
SOUTHAMPTON	–	28	17	–	13	M. 3
†BOURNEMOUTH C.B.	–	2	1	–	1	–
†PORTSMOUTH C.B.	–	10	7		3	–
†SOUTHAMPTON C.B.	–	5	3	–	3	M. 2
Boroughs and Urban Districts:—						
ALTON	–	2	–	–	–	–
CHRISTCHURCH ...	–	–	–	–	1	–
†FAREHAM ...	–	–	1	–	–	–
†FARNBOROUGH ..	–	1	–	–	–	–
†GOSPORT	–	4	–	–	–	–
LYMINGTON ...		–	2	–	–	–
†WINCHESTER ...	–	2	–	–	–	–
Rural Districts:—						
ALRESFORD ...	–	–	–	–	1	–
CATHERINGTON ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	1	–
FAREHAM ...	–	–	1	–	2	–
RINGWOOD ...	–	1	–	–	–	–
ROMSEY	–	–	1	–	–	
STOCKBRIDGE ...	–	–	1	–	–	M. 1
WINCHESTER ...	–	–	–	–	1	–
STAFFORD ...	–	25	26	–	60	G. 1 M. 6 N. 1
†BURTON UPON TRENT C.B.	–	–	1		1	N. 1
†SMETHWICK C.B.	–	1	3		2	–
†STOKE ON TRENT C.B.	–	3	4	–	15	M. 4
†WALSALL C.B. ...	–	1	5	–	6	M. 2
†WEST BROMWICH C.B.	–	4	–	–	7	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†WOLVERHAMPTON C.B.	–	1	3	–	3	–
Boroughs and Urban Districts:—						
†AUDLEY	–		–	–	2	–
BIDDULPH ...			1	–	–	–
†BILSTON	–	1	–	–	1	–
†BRIERLEY HILL ...	–	–	–	–	1	–
†BROWNHILLS ...	–	1	–	–	–	–
†CANNOCK	–	1	2	–	–	–
†DARLASTON ..		–	1		–	–
KIDSGROVE ...	–	–	–		2	–
†LEEK		–			3	–
LICHFIELD ...	–	1	–	–	–	–
QUARRY BANK ...	–	–			1	G. 1
†ROWLEY REGIS ...		–	–	–	1	–
†SEDGLEY	–	1	–	–	1	–
†STAFFORD ...	–	1	–	–		–
TAMWORTH ...	–	1	–	–		–
TETTENHALL ...			1		4	–
†TIPTON	–	–	1	–	–	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	–	1	–	1	–
Rural Districts:—						
CANNOCK	–	2	–	–	1	–
CHEADLE	–	3	–	–	4	–
GNOSALL		–	–	–	1	–
KINGSWINFORD ...		–	3	–	–	–
SEISDON	–	–	–		1	–
STAFFORD ...	–	1				–
TAMWORTH (part)	–	–	–		1	–
UTTOXETER ...		2			–	–
SUFFOLK, EAST	–	12	5	–	6	M. 1 N. 3
†IPSWICH C.B. ...	–	9	1	–	2	M. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–		3		–	–
BUNGAY		–	–	–	1	–
†LOWESTOFT ...		2	–	–	1	–
SAXMUNDHAM ...	*	*	*	*	*	*
WOODBRIDGE ...		1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST *cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	–	N. 1
HARTISMERE ...	–	–	–	–	–	N. 1
PLOMESGATE ...	–	–	1	–		
WANGFORD ...	–	–	–		1	–
WOODBRIDGE ...	–	–	–		1	N. 1
SUFFOLK, WEST	–	2	2	–	2	N. 2
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	1	–
HADLEIGH ...	–	–	–	–	1	–
NEWMARKET ...	–	–	1			–
Rural Districts:—						
MELFORD... ...	–	–	1	–	–	N. 2
THINGOE	–	1	–	–	–	
SURREY	5	50	26	–	17	C. 3 D. 1 L. 1 N. 3
†CROYDON C.B. ...	4	11	9	–	2	N. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	2	1	–	–	–
†CARSHALTON ...	–	1	1	–	1	–
†CATERHAM AND WARLINGHAM	–	4	–	–	–	L. 1
CHERTSEY ...	–	–	–	–	1	C. 1
†COULSDON AND PURLEY	–	–	–	–	2	–
EAST AND WEST MOLESEY	–	–	–	–	–	N. 1
†EGHAM	–	1	1	–	1	C. 1
†EPSOM	–	1	–	–	–	–
†ESHER AND THE DITTONS	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GODALMING ...		2	–			–
†GUILDFORD ...		1		–	2	–
†KINGSTON ON THAMES	–		2	–	–	–
LEATHERHEAD ...		–	1	–	–	–
†MERTON AND MORDEN	–	1	1	–	1	N. 1
†MITCHAM	1	5	–	–	1	–
†REIGATE	–	3	2	–	–	–
†RICHMOND ...	–	3	1	–	1	–
†SURBITON ...	–	2		–	1	–
†SUTTON AND CHEAM	–	–	1	–	–	–
†WALTON UPON THAMES	–	–	–	–	1	–
WINDLESHAM ...	–	1	–	–	–	–
†WOKING	–	3	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	2	–	–	–	D. 1
EPSOM	–	1	–	–	–	–
GODSTONE ...	–	–	3	–	1	C. 1
GUILDFORD ...	–	3	2	–	1	–
HAMBLEDON ...	–	–	–	–	1	–
REIGATE	–	2	–	–	–	–
SUSSEX, EAST...	–	8	5	–	2	M. 3 N. 2
†BRIGHTON C.B.	–	–	–		–	M. 1
†EASTBOURNE C.B.	–	–	4	–	–	–
†HASTINGS C.B. ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
HAYWARDS HEATH	–	–		–	–	M. 1
†HOVE	–	2	–	–	–	–
†LEWES		–	–	–	–	M. 1 N. 1
Rural Districts:—						
CHAILEY	–	–	–	–		N. 1
CUCKFIELD ...		–	–	–	1	–
TICEHURST ...	–	2	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUSSEX, WEST...	–	3	1	–	5	G. 1
Boroughs and Urban Districts:—						
Arundel... ...	–	–	–	–	1	–
†Horsham ...	–	–	–	–	1	–
Shoreham by Sea	–	1	1	–	1	–
Southwick ...	–	–	–	–	1	–
Rural Districts:—						
Horsham ...	–	2	–	–	–	–
Midhurst ...		–	–	–	–	G. 1
Westhampnett		–		–	1	–
WARWICK ...	–	39	52	1	96	C. 5 D. 1 M. 9 N. 5
†Birmingham C.B.	–	37	38	–	65	C. 5 M. 6 N. 2
†Coventry C.B. ...	–	–	4	–	4	N. 1
Boroughs and Urban Districts:—						
Bulkington ...	–	–	–	–	–	N. 1
†Nuneaton ...	–	1	2	1	–	–
†Royal Leamington Spa	–	–	–	–	1	–
†Rugby	–	–	–	–	2	–
†Stratford on Avon	–	–	–	–	4	–
†Sutton Coldfield	–	–	–	–	2	–
†Warwick ...	–	–	1	–	1	–
Rural Districts:—						
Alcester ...	–	–			5	–
Atherstone ...	–	–	5	–	2	M. 1
Foleshill ...	–	–	–	–	1	–
Meriden... ...	–	–	–	–	2	–
Nuneaton ...	–	1	–	–	–	–
Rugby	–	–	2		1	–
Shipston on Stour	–	–	–	–	2	D. 1
Solihull ...	–	–	–	–	2	N. 1
Southam... ...	–			–	1	
Stratford on Avon	–	–	–	–	–	M. 1
Warwick ...	–	–			1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WESTMORLAND	–	–	–	–	3	N. 1
Boroughs and Urban Districts:—						
Appleby	–	–	–	–	1	–
Rural Districts:—						
East Westmorland	–	–	–	–	2	
West Ward ...	–	–			–	N. 1
WIGHT, ISLE OF	–	–	–	–	–	N. 1
Rural Districts:—						
Isle of Wight ...	–	–	–		–	N. 1
WILTS	–	2	8	–	16	D. 1
Boroughs and Urban Districts:—						
Devizes	–	–	1	–	–	–
Malmesbury ...	–	1	–	–	2	–
Marlborough ...	–		–	–	1	–
Melksham ...	–	–	1	–	1	–
†Salisbury ...		1	2	–	1	D. 1
†Swindon... ...	–	–	1	–	3	–
Rural Districts:—						
Amesbury ...	–	–	1	–	–	–
Calne	–	–	–	–	2	–
Cricklade and Wootton Bassett	–	–	–	–	1	–
Highworth ...	–	–	1	–	–	–
Malmesbury ...	–		–	–	1	–
Melksham ...	–	–	–	–	1	–
Pewsey	–			–	1	–
Warminster ...		–	1	–		–
Wilton	–	–	–	–	2	–

† Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...		16	6		12	–
†DUDLEY C.B. ...	–	2	–			–
†WORCESTER C.B.	–	1	5		2	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	–	–		1	–
†KIDDERMINSTER	–	1	1	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	2	–	–	1	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY	–	2	–	–	2	–
†REDDITCH ...		5		–	2	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–		–	–	1	–
MARTLEY	–	–	–		2	–
ROCK	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	12	16	–	7	D. 1 N. 2
†KINGSTON UPON HULL C.B.	–	9	11	–	2	D. 1 N. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	2	–	2	–
FILEY	–	–	–	–	1	–
HESSLE	*	*	*	*	*	*
POCKLINGTON ...	–	–		–	1	–
Rural Districts:—						
BEVERLEY ...	–	1	1	–	–	–
BRIDLINGTON ...	–	–	1	–	–	
NORTON	*	*	*	*	*	*
PATRINGTON ...	–	–	1	–	–	–
POCKLINGTON ...	–	–	–	–	–	N. 1
RICCALL		1	–		–	–
SCULCOATES ...	*	*	*	*	*	*
SHERBURN ...	–	–	–	–	1	–
SKIRLAUGH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	–	19	3	–	26	D. 1 M. 1 N. 2
†MIDDLESBROUGH C.B.	–	2	–	–	8	M. 1 N. 1
Boroughs and Urban Districts:—						–
†ESTON	–	2	–	–	1	–
GUISBOROUGH ...	–	2	–	–	1	–
KIRKLINGTON CUM UPSLAND	*	*	*	*	*	*
LOFTUS	–	–	2	–	–	N. 1
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	–	–	–	1	–
PICKERING ...	*	*	*	*	*	*
†REDCAR	–	–	–	–	4	–
†SCARBOROUGH ...	–	3	1	–	1	–
†SKELTON AND BROTTON	–	1	–		1	–
†THORNABY ON TEES	–				4	–
†WHITBY	–	2	–	–	1	–
Rural Districts:—						
EASINGWOLD ...		1	–	–	1	–
GUISBOROUGH ...	–	3	–		–	–
KIRKBY MOORSIDE			–		1	–
MALTON	*	*	*	*	*	*
RICHMOND ...	–		–	–	1	D. 1
STARTFORTH ...	–	2	–		–	–
STOKESLEY ...	–		–	–	1	–
WHITBY	–	1	–		–	–
YORKS ... ... (West Riding).	7	115	56	2	216	C. 6 D. 24 E. 2 G. 2 L. 1 M. 4 N. 12
†BARNSLEY C.B. ...	–	4	–	–	7	C. 1 D. 3 N. 1
†BRADFORD C.B. ...	1	10	2	–	19	C. 2 M. 1 N. 7
†DEWSBURY C.B....	–	–	–	–	–	N. 1
†DONCASTER C.B....	–	2	–		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†HALIFAX C.B. ...	-	4	1	-	2	-
†HUDDERSFIELD C.B.	-	1	1	-	3	-
†LEEDS C.B. ...	1	22	12	-	25	M. 2
†ROTHERHAM C.B.	-	1	5	-	8	D. 1
†SHEFFIELD C.B....	1	17	10	-	85	C. 1
						D. 2
						E. 2
						G. 1
						N. 1
†WAKEFIELD C.B.	-	3	3		4	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	1	2	-	-	-
ALTOFTS		-	-	-	1	-
†BENTLEY WITH ARKSEY	-	1	1	-	1	-
†BINGLEY	-	1	-	-	-	-
†BOLTON UPON DEARNE	-	1	-	-	-	-
†BRIGHOUSE ...	-	1	-	-		
†CASTLEFORD ...	-	2			-	-
†CONISBROUGH ...	-	2	-	-	-	D 1
CUDWORTH ...	-	1	-	-		-
†DARTON		4	-		1	-
DENHOLME ...		1	-			-
EARBY		1	-	-	-	-
FARSLEY	-	4	-		-	-
†HARROGATE ...		2	-	-	4	-
HEBDEN BRIDGE		1	-	-		
†HEMSWORTH ...	-	1	3	-	2	D. 1
						L. 1
†HOLMFIRTH ...	-		-	-	1	-
HONLEY	-		-	-	2	-
†HOYLAND NETHER				-	4	D. 1
ILKLEY	-	-			1	-
†KEIGHLEY ...		2	-	-		
KIRKBURTON ...	-				1	-
KNARESBOROUGH	-		-		1	-
LINTHWAITE ...	-	-	-	-	1	-
MALTBY		-	-	-	-	D. 2
MARSDEN... ...		-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
MYTHOLMROYD ...	-	1	-	-	-	N. 1
NEW MILL ...	-		-		1	-
†NORMANTON ...		3			1	-
OAKWORTH ...			1		-	-
†OSSETT	*	*	*	*	*	*
OTLEY	-	-	-	-	1	C. 1
QUEENSBURY ...	-			-	1	-
†RAWMARSH ...	-	-	-	1	2	-
†ROTHWELL ...	-	1	-	-	3	-
ROYSTON	-	1	-	-		-
SHELLEY	-	-	-		1	-
SHEPLEY	-	-		-	1	-
SOUTH CROSLAND	-	1	-		1	-
†SPENBOROUGH ...	-	4	2		3	-
SPRINGHEAD ...		1	-		-	-
†STANLEY	-	1	2		1	-
THURNSCOE ...	-	-	-	-	2	D. 1
TICKHILL... ...	-	-		-	2	-
†TODMORDEN ...	-	1	-	-	1	-
†WATH UPON DEARNE				1		-
†WOMBWELL ...	-	-	-		5	-
Rural Districts:—						
DONCASTER ...	-	-	-	-	2	C. 1
						D. 7
						G. 1
			2			D. 1
GOOLE	-	-	*	*	*	*
HEMSWORTH ...	*	*	-	-		
KEIGHLEY ...	-	2				
KIVETON PARK ...	3	-	1		2	-
KNARESBOROUGH		1			1	-
PONTEFRACT ...		2			2	-
ROTHERHAM ...	1		-	-	2	D. 2
SETTLE	-	-	1		1	-
SKIPTON	-	-	1	-	-	-
TADCASTER ...	-	2	4	-	2	-
THORNE	-	-	-	-	-	D. 2
						N. 1
WAKEFIELD ...		3	1	-	2	-
WETHERBY ...	-	-	1	-	-	-
WORTLEY... ...	-	1	-	-	2	M. 1

* Returns not received. † Population over 10,000.

D, Puerperal Fever ; D, Cerebro-Spinal Fever ; E. Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK, CITY OF ..	–	4	1	1	–	–
†YORK C.B. ...		4	1	1		–
WALES.						
ANGLESEY ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
MENAI BRIDGE ...	*	*	*	*	*	*
BRECKNOCK ...	–	–	1		1	M. 1
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	*	*	*	*	*	*
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CRICKHOWELL ...	–	–	–			M. 1
YSTRADGYNLAIS		–	1		1	–
CAERNARVON ...	–	1	4		2	M. 1
Boroughs and Urban Districts:—						
BETTWS Y COED ...	–	–	1		–	–
CRICCIETH ...	–	–	–	–	1	–
†LLANDUDNO ...		1	–	–	–	–
PWLLHELI ...	–	–	–	–	1	–
Rural Districts:—						
GEIRIONYDD ...	–	–	1	–		M. 1
GWYRFAI	–	–	2		–	–
CARDIGAN ...	–	1	–	–	4	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...		1	–	–	1	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–			–	2	–
YSGUBOR Y COED (parish)	–	–		–	1	–
CARMARTHEN ...	–	4	1	–	16	D. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	2	–
CWMAMMAN ...		1	–		–	–
KIDWELLY ...		1	–	–	1	–
LLANDILO ...	–	–		–	1	–
†LLANELLY ...			–		1	D. 1
Rural Districts:—						
CARMARTHEN ...		1	–	–	–	–
LLANDILO FAWR	–	–	–	–	4	–
LLANDOVERY ...			–	–	4	–
LLANELLY ...	–	1	1		3	–
DENBIGH ...	–	10	19	–	5	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–		1	–
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN		–	1	–	–	–
†WREXHAM ...	–	–	5	–		–
Rural Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN		–	3	–		–
WREXHAM ..	–	10	10	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
FLINT	–	1	–	–	3	C. 1
Borough and Urban Districts:—						
MOLD	*	*	*	*	*	*
Rural Districts:—						
HAWARDEN ...				–		C. 1
HOLYWELL ...	–	–	–	–	3	–
ST. ASAPH (FLINT)	–	1	–	–		–
GLAMORGAN ...	8	38	64	–	41	C. 1 D. 1 M. 3 N. 3
†CARDIFF C.B. ...	–	9	10	–	2	D. 1 M. 1 N. 2
†MERTHYR TYDFIL C.B.	–	2	–	–	4	M. 1 N. 1
†SWANSEA C.B. ...	–	–	13	–	2	–
Boroughs and Urban Districts:—						
†BARRY	–	1	2	–	–	–
†CAERPHILLY ...	–	2	1	–	–	–
†GELLIGAER ...	–	1	–		2	–
†LLWCHWR ...		–	–	–	2	–
†MAESTEG	–	3	1	–	–	–
†MOUNTAIN ASH...	8	3	1	–	3	–
†NEATH	–	1	2	–	2	–
†OGMORE AND GARW	–	3	2			–
†PONTYPRIDD ...	–	–	1	–	3	M. 1
†PORT TALBOT ...		2	3	–	–	–
†RHONDDA ...	–	9	21	–	19	C. 1
Rural Districts:—						
CARDIFF	–	1	1	–	–	–
COWBRIDGE ...	*	*	*	*	*	*
GOWER	–		1	–	1	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	3	–	–	–
NEATH	–	–	–	–	1	–
PONTARDAWE ...	–		2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MERIONETH ...		–	1	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	1	–	–	–
MONMOUTH ...	1	29	10	–	11	N. 1
†NEWPORT C.B. ...	–	5	3	–	2	–
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	1	1	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	3	2	–	–	–
BEDWAS AND MACHEN	–	–	1	–	2	–
†BLAENAVON ...	–	–	–	–	2	–
†EBBW VALE ...	1	17	1	–	1	N. 1
MONMOUTH ...	*	*	*	*	*	*
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA			–	–	2	–
†RISCA	–	–	1	–	1	–
†TREDEGAR ...		–	–	–	1	–
Rural District:—						
ST. MELLONS ...	–	1	1	–	–	–
MONTGOMERY...	–		–	1	6	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	–	–	1	–	–
WELSHPOOL ...			–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	–		–	2	–
NEWTOWN AND LLANIDLOES	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below.)
PEMBROKE ...	-				7	-	**Total of Part II....**	144	1139	675	20	1282	C. 27
													D. 46
Boroughs and Urban Districts:—													E. 2
													F. 2
													G. 6
FISHGUARD ...	*	*	*	*	*								L. 6
GOODWICK ...	*		*	*	*	*							M. 74
†PEMBROKE ...	-		-	-	4								N. 98
Rural Districts:—													
HAVERFORDWEST	-	-	-	-	1	-							
NARBERTH ...	-	-		-	2	-							

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
PENZANCE	*	*	*	*	*	*	SOUTHAMPTON ...	-	2	-	-	-	
							Total of Part III. ..	-	2	-	-	-	

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (*see* ‡ note below).
Total of Part I.—London	35	201	141	3	163	C. 6 D. 5 G. 1 L. 1 M. 10 N. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	144	1139	675	20	1282	C. 27 D. 46 E. 2 F. 2 G. 6 L. 6 M. 74 N. 98
Total of Part III.—Port Sanitary Districts		2	–	–	–	–
Total (i.e., of returns received), England and Wales ...	179	1342	816	23	1445	C. 33 D. 51 E. 2 F. 2 G. 7 L. 7 M. 84 N. 113

‡ C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Acute Primary Pneumonia; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. — Births, Deaths (distinguishing certain C and Deaths of Infants under 1 Ye Age) and Notified Cases of certai fectious Diseases in the last Thi Weeks and in the Current Year to with corresponding figures for previous

Week ended :—	Jan. 10.	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14	Mar. 21	Mar. 28.	Apl. 4.	Totals fro Week of 1930.
LONDON :—														
Live Births	1,438	1,421	1,422	1,383	1,401	1,397	1,317	1,407	1,384	1,394	1,422	1,390	1,180	18,763
Stillbirths	61	50	39	41	33	51	59	47	49	69	51	45	51	668
Deaths (excluding Still-births)—all ages.	1,452	1,467	1,415	1,434	1,496	1,620	1,578	1,457	1,347	1,377	1,433	1,184	1,144	15,030
Deaths—0 to 1 year ..	112	116	115	132	125	145	92	108	111	104	102	88	63	1,389
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,760	6,470	6,502	6,180	6,308	6,349	6,320	6,631	6,562	6,503	6,772	6,421	5,509	84,408
Stillbirths	305	282	270	295	244	278	315	282	289	323	303	305	296	3,797
Deaths (excluding Still-births)—all ages.	6,451	6,493	6,249	6,052	6,178	6,834	6,826	6,879	6,480	6,713	6,700	5,691	5,313	66,491
Deaths—0 to 1 year ..	622	626	633	645	650	748	697	686	629	640	585	521	459	6,527
Enteric Fever—Cases	10	11	20	9	10	24	22	19	6	8	9	9	10	260
„ Deaths	1	1	3	2	4	2	1	2	—	1	5	1	—	30
Small Pox—Cases ..	162	154	198	194	147	150	186	189	158	117	154	166	117	3,779
„ Deaths ..	—	—	—	—	—	—	1	—	—	—	—	—	—	10
Scarlet Fever—Cases	886	907	960	935	907	925	917	922	826	824	894	804	724	19,176
„ Deaths	8	9	8	7	7	9	8	4	7	6	5	9	5	160
Diphtheria—Cases ..	775	793	922	894	820	781	735	749	628	626	641	627	521	14,242
„ Deaths ..	32	39	53	43	50	29	48	42	42	34	32	30	33	687
Measles—Deaths ..	77	94	73	72	72	80	97	70	73	84	75	60	58	1,342
Influenza—Deaths ..	101	146	242	309	331	456	509	546	471	417	365	301	208	997

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correcti having been made for changes in boundary. The live births are derived from the weekly returns furnished by Registrars and differ from those published for the towns in the Quarterly Return which are corrected for bi occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 4th April, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfa in Milli metre
	°	°	°	°			°	°	°	°	
London (Greenwich).	55	31	50·3	37·1	29	Huddersfield ..	51	25	44·3	33·0	28
Brighton ..	55	37	49·6	39·6	13	Bradford ..	49	28	44·1	33·0	23
Portsmouth ..	53	38	47·1	39·9	25	Sheffield ..	51	29	45·9	34·0	21
Norwich (Eaton)	§	§	§	§	§	York (Museum)	53	31	45·6	33·6	22
Plymouth ..	53	40	49·1	41·6	35	Hull (Pearson Park).	56	33	45·0	36·2	16
Bristol (Horfield)	55	35	48·0	38·1	25	Tynemouth ..	53	32	43·0	35·4	19
Birmingham (Edgbaston).	51	30	44·9	35·0	24	Cardiff	52	35	46·6	38·4	35
Nottingham ..	55	31	47·0	34·9	19	Edinburgh ..	48·0	29·0	43·1	32·3	9
Birkenhead (Bidston).	51	34	44·6	35·3	18	Glasgow ..	49·5	31·4	46·2	33·9	12
Manchester (Whitworth Park).	51	33	46·2	36·1	30	Dublin (Phœnix Park)	55·3	32·0	45·7	36·4	23
Burnley	48	29	43·3	33·6	26	(Fitzwilliam Square†).	55·2	34·9	47·3	38·6	31
						Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 4th April, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	29	..	30·180	47·1	36·0	11·1	41·0	- 3·1	19·5	21·5	33·8	7·8	42	79·3	31·0	43·5	E; ESE; SE.	SE: ESE	2·8	0·0	0·4	320	- 1	0·00
MONDAY -	30	..	30·064	51·1	38·1	13·0	43·4	- 1·1	23·9	19·5	36·4	7·6	46	98·2	33·3	43·7	ESE: SE	SE: ESE	4·5	0·0	0·5	318	+ 6	0·00
TUESDAY -	31	..	30·030	49·9	35·3	14·6	41·8	- 3·1	24·7	17·1	26·7	7·9	50	110·2	25·6	43·7	ESE: SE	E: ESE	6·3	0·0	0·8	404	+ 99	0·00
APRIL.																								
WEDNESDAY	1	Perigee.	29·781	48·8	30·9	17·9	40·7	- 4·6	12·0	28·7	43·7	10·8	31	103·9	21·1	43·7	ESE: SE	SE: ESE	6·3	0·0	0·8	377	+ 76	0·01
THURSDAY -	2	Full In Equator	29·381	53·4	39·1	14·3	44·9	- 0·8	43·0	1·9	8·7	1·6	93	89·2	37·0	43·7	ESE	ESE: E; Calm.	0·7	0·0	0·1	184	- 119	0·62
FRIDAY -	3	..	29·492	46·8	39·6	7·2	42·0	- 4·0	40·9	1·1	3·1	0·0	96	50·8	36·0	43·8	NE: NNW.	NNW	1·4	0·0	0·2	230	- 77	0·50
SATURDAY -	4	..	29·792	55·0	36·8	18·2	45·7	- 0·5	31·6	14·1	23·7	2·7	58	105·8	28·3	43·8	NNW	NW: W WSW	1·9	0·0	0·2	260	- 35	0·01
MEANS -		..	29·817	50·3	36·5	13·8	42·8	- 2·5	27·9	14·8	25·2	5·5	59	91·1	30·3	43·7	Easterly		..		..	Sum 2113	Sum - 51	Sum 1·14
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	29	wP.	0·0	12·7	Cloudy till 7h.; then overcast. Solar halo 12h. till 15¼h.
MONDAY ..	30	wP till 13h.; mP till 18h.; then wP.	0·1	12·7	Overcast till 21h.; very cloudy till 23h.; then partially cloudy. Solar halo 14½h. till 15½h.
TUESDAY ..	31	wP till 3½h.; mP till 9h.; wP till 12½h.; then mP.	9·4	12·8	Variably cloudy till 4h.; partially cloudy till 21½h.; then cloudless. Brisk wind 13h. till 19h. Lunar halo about 19½h.; and from 21h. till 21½h. Hoar frost at night.
APRIL.					
WEDNESDAY	1	wP till 12h.; mP till 23h.; then wP.	6·6	12·9	Cloudless till 3h.; partially cloudy till 9h.; then overcast. Solar halo 11h. till 15½h. Slight rain 19½h. till 19⅔h. Rain from 23¼h. Hoar frost in morning.
THURSDAY	2	wP till 1h.; v till 7h.; wP till 15h.; then mP.	0·0	12·9	Overcast. Rain or heavy rain till 7¾h.; and rain or drizzle from 17½h.
FRIDAY ..	3	wP or wN till 7h.; then wP.	0·0	13·0	Overcast. Rain or drizzle generally. Mist during day.
SATURDAY	4	wP till 6h.; tken mP.	9·9	13·1	Overcast till 3h.; little cloud 4½h. till 10½h. then partially cloudy. Thin cloud from 14¼h. Overcast from 23h. Hoar frost in morning. Haze during day. Dew at night. Rain or drizzle till 1½h.
			Sum 26·0	Sum 90·1	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·18 ins. at the beginning of the week to 30·23 ins. by 9½h. on March 29th; decreased to 29·32 ins by 3h. on April 3rd; increased to 29·80 ins. by 11½h. on April 4th; decreased and was 29·76 ins. by midnight of the same day.

FOR OFFICIAL USE

1931. No. 14.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 11TH APRIL, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 11TH APRIL, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the fourteenth week of the year numbered 6,471 corresponding to an annual rate of 17·1 per 1,000 living: stillbirths numbered 318 corresponding to a rate of 47 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 5,423 (110 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Mar. 21.	Mar. 28.	Apl. 4.	April 11.
107 Great Towns	17·8	15·1	14·1	14·4
London	16·9	14·0	13·5	13·7
Birmingham	21·1	15·2	14·5	15·6
Liverpool	16·5	14·3	13·9	15·2
Manchester	16·9	16·7	14·7	12·8
Sheffield	19·7	15·3	16·3	12·8
Leeds	19·5	17·2	16·9	17·1
Bristol	18·7	20·4	18·4	12·9
West Ham	14·2	11·9	13·4	14·4

The deaths from influenza which had been 365, 301 and 208 in the three preceding weeks further fell to 175 and included 20 in London and 15 in Birmingham.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 78, against 90, 80, and 71 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,352 live births registered corresponding to an annual rate of 15·9 per 1,000 living: stillbirths numbered 60 corresponding to a rate of 42 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,165 (21 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 63, against 71, 61 and 44 in the preceding three weeks.

During the week small-pox was mentioned as a cause of death in one case which has been provisionally classified to small-pox and assigned to Stepney (Met. Borough).

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in week ended 11th April, 1931.

Towns.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,681,040*	6,471	318	5,423‡	520	-	64	8	39	27	49
London	4,417,900*	1,352	60	1,165‡	90	-	1	3	7	9	8
Towns in Outer Ring. Croydon C.B. ..	222,300	72	4	41	3	-	-	-	-	-	-
Wimbledon ..	59,370	13	-	15	2	-	-	-	-	-	-
Ealing	104,000	31	3	21	2	-	-	-	1	-	-
Acton	65,200	19	-	20	2	-	-	-	-	-	-
Brentford and Chiswick ..	59,040	18	-	10	-	-	-	-	-	-	-
Willesden ..	172,500	34	1	46	5	-	-	-	-	1	-
Hendon§	86,540*	38	2	13	3	-	-	-	-	-	-
Hornsey	88,450	21	-	28	-	-	-	-	-	1	-
Wood Green ..	53,410	17	-	15	3	-	-	-	-	-	-
Tottenham ..	155,000	28	-	26	2	-	-	-	-	-	-
Edmonton	75,000	38	1	13	2	-	-	-	-	-	-
Enfield	65,100	29	-	11	2	-	-	-	-	-	1
West Ham C.B. ..	307,600	143	5	85	13	-	-	1	1	-	2
East Ham C.B. ..	147,600	29	1	38	3	-	-	-	-	1	-
Leyton	128,300	19	-	38	1	-	-	-	-	-	-
Walthamstow ..	124,800	31	2	42	6	-	-	-	-	-	-
Ilford	116,200	36	1	31	-	-	-	-	-	-	-
Gillingham	56,670*	21	1	23	3	-	-	-	-	-	-
Canterbury C.B. ..	22,850*	6	-	4	-	-	-	-	-	-	-
Hastings C.B.	62,620	23	1	21	1	-	-	-	-	-	-
Eastbourne C.B. ..	58,570	20	-	20	1	-	-	-	-	-	-
Brighton C.B. ..	146,800*	55	1	41	-	-	-	-	-	-	-
Portsmouth C.B. ..	242,000*	97	6	66	5	-	-	1	-	-	-
Bournemouth C.B.§..	105,780	38	1	40	4	-	-	-	-	-	-
Southampton C.B. ..	172,300	58	2	35	3	-	-	-	-	1	1
Reading C.B.	96,850*	29	-	27	1	-	1	-	-	-	-
Oxford C.B.	73,810*	33	2	18	1	-	-	-	-	-	-
Northampton C.B. ..	93,970*	28	1	22	2	-	1	-	-	-	1
Luton	65,200	25	2	13	-	-	-	-	-	-	-
Cambridge	60,730	18	1	18	1	-	-	-	-	-	-
Southend-on-Sea C.B.	114,600	27	1	31	-	-	-	-	-	-	-
Ipswich C.B.	85,800	30	2	25	1	-	-	-	-	-	-
Great Yarmouth C.B.	58,110	16	2	23	2	-	-	-	1	-	1
Norwich C.B.	124,900*	32	4	44	5	-	-	-	-	1	-
Swindon	62,020	22	1	8	1	-	-	-	-	-	-
Exeter C.B.	61,290*	23	3	23	4	-	-	-	1	1	-
Plymouth C.B. ..	199,000*	74	-	68	7	-	-	-	-	1	-
Bath C.B.	69,240	16	1	18	1	-	-	-	-	-	-
Bristol C.B.	391,145*	129	8	97	5	-	1	-	-	-	-
Gloucester C.B. ..	52,010	17	1	12	2	-	-	-	-	-	-
Stoke-on-Trent C.B.	279,190	110	3	77	14	-	-	-	1	-	4
Burton-upon-Trent C.B.	48,970	12	1	23	2	-	-	-	-	-	-
Wolverhampton C.B.	134,300	63	4	34	4	-	-	-	-	-	1
Walsall C.B.§	100,930	39	2	27	2	-	-	-	-	-	-
West Bromwich C.B.§	80,970	40	4	25	8	-	1	-	1	-	1
Dudley C.B.	58,870	23	1	23	3	-	-	-	-	-	-
Worcester C.B. ..	52,320	17	-	15	-	-	-	-	-	-	-
Birmingham C.B. ..	968,500	329	17	290	33	-	16	-	1	-	4
Smethwick C.B. ..	85,120	22	-	22	-	-	-	-	-	1	-
Coventry C.B. ..	162,100	51	1	40	4	-	-	-	1	-	-
Leicester C.B. ..	245,200	76	2	59	5	-	2	-	2	-	-
Lincoln C.B.	65,080*	23	2	25	3	-	-	-	-	1	1
Grimsby C.B.	91,440	32	-	28	2	-	-	-	-	-	-
Nottingham C.B. ..	266,800	92	4	84	8	-	3	-	-	-	2
Derby C.B.	140,500*	53	-	35	2	-	-	-	-	-	1
Chesterfield	65,270	14	3	11	3	-	-	-	-	-	-
Stockport C.B ..	127,800	30	3	42	5	-	-	-	-	-	-
Chester C.B.	40,750	16	1	11	1	-	-	-	-	-	-
Birkenhead C.B ..	157,600	67	2	48	4	-	2	-	-	-	-
Wallasey C.B. ..	101,300	23	-	29	3	-	-	-	-	-	-
Liverpool C.B. ..	889,500	374	18	254	41	-	17	-	2	4	5
Bootle C.B.	80,400	37	1	21	1	-	-	-	-	-	-
St. Helens C.B. ..	109,200	40	4	22	5	-	3	-	-	-	1

* Population adjusted by the exclusion of non-civilians.
‡ Includes one death from small-pox.
§ Adjusted for change in boundary, 1st April, 1931.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
HPORT C.B ..	80,040	24	-	24	3	-	-	-	-	-	-	-
AN C.B.	87,600	29	2	16	2	-	-	-	-	-	-	-
RINGTON C.B. ..	79,400*	29	2	24	1	-	-	1	-	-	-	2
ON C.B	181,500	46	3	46	4	-	-	-	-	-	-	4
Y C.B.	56,830*	18	1	27	1	-	-	-	-	-	-	1
CHESTER C.B.§ ..	753,570	244	12	185	15	-	-	-	5	-	1	1
ORD C.B.	235,600	62	3	67	10	-	-	-	1	-	4	1
ON-UNDER-LYNE	51,750	18	3	12	1	-	-	-	-	-	-	-
HAM C.B	142,500	44	4	39	7	-	-	-	-	-	2	1
IDALE C.B. ..	90,900	18	1	22	1	-	-	-	-	-	-	1
NLEY C.B	100,200	30	3	20	3	-	1	-	-	1	-	-
KBURN C.B ..	125,300	36	3	38	3	-	-	-	-	-	-	1
TON C.B.	126,100	46	1	38	2	-	-	-	-	-	-	2
KPOOL C.B. ..	99,800	24	-	25	1	-	-	-	-	-	-	2
ROW-IN-FURNESS	64,850	24	-	23	4	-	-	-	-	-	-	-
DERSFIELD C.B ..	113,100	26	1	33	4	-	1	-	-	-	-	4
FAX C.B.	97,400*	27	2	35	3	-	-	1	1	-	-	1
OFORD C.B. ..	294,605	70	6	96	3	-	-	-	-	-	-	5
DS C.B.	478,500	152	4	157	15	-	3	-	2	-	1	5
SBURY C.B. ..	53,020	22	3	19	1	-	-	-	-	-	-	1
EFIELD C.B. ..	56,640	23	2	15	-	-	-	-	-	-	1	1
NSLEY C.B. ..	71,700	28	2	38	5	-	1	-	-	-	1	3
FFIELD C.B. ..	518,000*	179	4	127	17	-	1	-	3	-	1	8
IERHAM C.B. ..	70,790	30	2	19	2	-	-	-	1	-	-	-
CASTER C.B. ..	59,890	21	1	20	-	-	-	-	1	-	-	-
K C.B.	85,290*	25	-	11	-	-	-	-	-	-	-	2
L C.B.	307,500	114	5	77	8	-	-	-	-	-	-	-
OLESBROUGH C.B.	133,100	58	3	27	3	-	-	-	-	-	-	-
LINGTON C.B. ..	74,150	31	2	23	-	-	-	-	-	-	-	3
KTON-ON-TEES ..	67,090	34	-	21	4	-	-	-	-	-	-	1
T HARTLEPOOL C.B.	69,370	24	2	19	-	-	-	-	1	-	-	1
DERLAND C.B. ..	184,000	92	5	59	7	-	1	-	2	1	-	3
TH SHIELDS C.B ..	119,600	42	2	40	5	-	-	-	1	-	-	-
SHEAD C.B. ..	122,600	36	4	49	9	-	-	1	-	-	1	-
CASTLE-ON-TYNE	283,400*	113	6	76	13	-	2	-	1	-	2	2
EMOUTH C.B. ..	65,880	20	1	14	1	-	2	-	-	-	-	1
LISLE C.B.	56,160*	12	-	24	-	-	-	-	-	-	-	-
PORT (MON.) C.B.	95,990*	24	5	29	3		2	-	-	1	-	1
DIFF C.B.	224,000*	66	5	55	3	-	1	-	-	1	-	2
NDDA	153,100	42	9	48	7	-	-	-	-	-	1	-
THYR TYDFIL C.B.	77,790	22	1	14	3	-	-	-	-	-	-	-
RDARE	53,050	7	2	20	1	-	1	-	-	-	-	3
NSEA C.B.	162,700	51	7	52	3	-	-	-	1	1	-	3
ATER LONDON ..	7,900,480*	2,481	94	1,978‡	167	-	1	6	10	16	13	38
ER RING	3,482,580*	1,129	34	813	77	-	-	3	3	7	5	18
REAT TOWNS IN TER RING§.. ..	2,030,410*	616	20	493	49	-	-	1	2	3	3	10
AINDER OF OUTER NG§	1,452,170*	513	14	320	28	-	-	2	1	4	2	8
NBURGH†	428,800	178	?	144	7	-	1	-	1	-	-	3
SGOW†	1,088,200	510	?	381	65	-	-	2	17	2	5	11
LIN (REGISTRATION EA)†	412,400	206	?	162	12	-	7	-	-	-	3	3
FAST†	415,151	202	?	149	23	-	12	-	-	-	2	5

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census re, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally ected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths sidents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and ast are corrected by the exclusion of deaths of persons admitted into public institutions from without respective areas

‡ Includes one death from small-pox.

§ Adjusted for change in boundary, 1st April, 1931.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1931.											
London‡	4,417,900	Apl. 11	1352	60	1165	13·7	–	1	1	3	7	9	
Calcutta and Suburbs	1,077,264	Feb. 28	?	?	628‖	30·2	?	66	?	–	?	?	
Bombay§	1,298,708	Mar. 14	439	37	453	18·1	1	–	3	–	–	–	
Madras	528,791	Feb. 28	477	22	529‖	52·0	1	–	–	–	1	–	
Sydney and Suburbs	1,249,170	Feb. 28 (28 days)	1740	?	841	8·1	1	–	2	2	4	2	
Brisbane (Metropolitan Area).	318,631	Jan. 31 (31 days)											
Perth (Metropolitan Area).	202,888	Jan. 31	77	?	31	7·9	–	–	–	–	–	–	
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Mar. 7	72	1	34	12·9	–	–	–	–	–	–	
Johannesburg	187,326	Feb. 28	99	5	41	11·4	–	–	–	–	–	–	
Durban	61,667	„ 28	17	1	16	13·5	–	–	–	–	–	–	
Paris	2,871,429	Mar. 10 (10 days)	1286	68	1267	16·1	6	–	6	1	1	4	
Antwerp	295,138	Mar. 15 (15 days)											
Amsterdam	760,033	Mar. 21	225	10	166	11·4	–	–	1	–	2	–	
Copenhagen	615,700	„ 28	195	1	143	12·1	–	–	–	–	1	–	
Stockholm	502,203	„ 21	104	1	114	11·8	–	–	–	–	–	–	
Gothenberg	245,336	Feb. 14	?	?	68	14·4	–	–	–	–	–	–	
Oslo	253,568	Mar. 28	40	1	56	11·5	–	–	–	–	–	–	
Berlin	4,329,000	„ 14	812	39	1027	12·3	1	?	–	1	2	2	
Breslau	617,000	„ 14	146	7	172	14·5	–	?	1	–	–	4	
Cologne	740,000	„ 14	198	6	174	12·2	–	?	–	–	–	1	
Dresden	633,000	„ 14	137	4	137	11·3	–	?	–	–	–	2	
Frankfort-on-Main	541,000	„ 14	122	3	133	12·8	–	?	–	–	1	–	
Hamburg	1,147,000	„ 14	301	12	250	11·3	–	?	1	–	1	–	
Leipzig	719,000	„ 14	171	8	154	11·1	–	?	–	–	–	–	
Munich	730,000	„ 14	153	5	183	13·0	–	?	–	1	–	2	
Budapest	991,518	„ 21	337	12	282	14·8	–	–	–	1	2	2	
Warsaw	1,109,478	„ 14	?	10	260	12·2	–	–	–	–	1	2	
Madrid	825,471	„ 7	453	26	403	25·5	–	–	3	–	–	1	
Cairo	1,122,800	Dec. 23	1133	31	423	19·6	1	–	2	–	?	11	
Alexandria	612,200	„ 23	551	6	233	19·8	–	–	–	–	?	4	
New York	7,090,089	Mar. 14	2291	107	1680	12·4	1	–	3	4	3	4	
Chicago	3,457,375	„ 20	813	36	729	11·0	–	–	–	7	–	3	
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Feb. 28	841	46	513	15·5	2	–	6	–	3	4	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 yea for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 27 deaths from Cholera in Calcutta and 15 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 11th April, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	16,084	19,569	1165	90	18	14	25	44	45	67	128	185	264	285
Enteric fever	6	9	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	7	1	1	1	-	-	-	-	-	-	-	-	-	-
Measles	655	15	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	49	22	3	-	1	-	2	-	-	-	-	-	-	-
Whooping cough	52	121	7	5	2	-	-	-	-	-	-	-	-	-
Diphtheria	179	107	9	-	-	1	7	1	-	-	-	-	-	-
Influenza	182	817	20	1	-	-	-	-	1	1	5	5	5	2
Erysipelas	48	64	4	1	-	-	-	-	-	-	1	-	1	1
Acute Poliomyelitis, Polioencephalitis	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	16	15	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	32	52	4	-	1	-	-	-	2	1	-	-	-	-
Tuberculosis :—														
Respiratory system	1089	1349	104	-	-	-	1	21	18	22	23	11	7	1
Nervous system	65	62	6	-	-	4	1	1	-	-	-	-	-	-
Intestines and peritoneum	16	17	1	-	-	-	1	-	-	-	-	-	-	-
Other forms	67	77	2	-	-	-	-	-	-	1	1	-	-	-
Venereal diseases	63	52	4	1	-	-	-	-	-	-	3	-	-	-
Cancer	1803	1912	131	-	1	-	-	-	-	10	18	34	53	15
Rheumatic fever	57	34	3	-	-	-	-	1	1	-	-	1	-	-
Diabetes	170	177	14	-	-	-	-	-	-	-	3	4	6	1
Alcoholism	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	32	33	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	628	702	51	-	-	-	-	-	-	1	3	13	17	17
Epilepsy	61	50	2	-	-	-	-	-	-	-	2	-	-	-
"Convulsions" (not puerperal)	26	21	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	357	364	22	-	1	2	-	-	2	2	8	2	4	1
Pericarditis	7	7	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	52	56	5	-	-	-	-	4	-	-	-	1	-	-
Other diseases of heart	3418	4592	288	-	-	-	4	-	5	9	24	42	85	119
Other diseases of circulatory system	667	765	50	-	-	-	-	-	-	-	3	11	9	27
Bronchitis	858	1493	56	3		-	-	1	-	-	6	7	13	26
Broncho-pneumonia	809	1374	56	12	6	2	3	1	1	-	5	9	8	9
Lobar pneumonia	441	554	35	1	-	1	1	4	1	5	3	7	8	4
Pneumonia (type not distinguished)	159	205	6	2	-	-	-	-	-	-	1	-	1	2
Other diseases of respiratory system	173	276	15	3	-	-	1	-	-	-	1	2	2	6
Diarrhœa and enteritis	223	220	8	7	1	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	86	80	4	-	-	2	-	-	1	-	-	-	-	1
Hernia, Intestinal obstruction	123	165	13	3	-	-	1	1	1	2	1	-	1	3
Cirrhosis of liver	62	63	4	-	-	-	-	-	-	-	-	3	1	-
Other diseases of digestive system	388	380	21	1	-	-	-	-	1	1	3	4	7	4
Acute nephritis	36	26	1	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease	518	585	36	-	-	-	-	2	1	3	3	11	11	5
Other diseases of genito-urinary system.	218	272	9	-	-	-	-	-	-	-	1	5	2	1
Puerperal sepsis	32	35	5	-	-	-	-	1	3	1	-	-	-	-
Other causes incident to childbirth	24	30	-	-	-	-	-	-	-	-	-	-	-	
Congenital malformations	98	91	7	7	-	-	-	-	-	-	-	-	-	
Premature birth	299	341	20	20	-	-	-	-	-	-		-		
Debility, atrophy (congenital)	69	49	5	5	-	-	-	-				-	-	
Old age	365	478	27			-					-	-	2	25
Suicide	150	139	14	-		-	-	-	3	2	3	4	2	-
Burns and Scalds	38	54	2	-	2	-	-	-	-	-	-	-	-	-
Drowning	24	22	1	-	-	-	1	-	-	-	-	-	-	-
Suffocation in bed	11	11	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	199	181	14	-	-	2	-	1	1	2	-	3	3	2
Other deaths by violence	263	237	18	3	-	-	-	1	1	-	2	1	2	8
Other specified causes	603	709	50	9	2	-	2	3	2	4	4	5	14	5
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 11th April, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	51	200	142	4	119	C. 3 D. 6 F. 1 G. 1 M. 5 N. 20
Metropolitan Boroughs:—						
†BATTERSEA ...	–	6	4	–	3	–
†BERMONDSEY ...		3	3	–	3	M. 1 N. 2
†BETHNAL GREEN	2	5	5	–	2	N. 1
†CAMBERWELL ...	11	12	16	–	5	
†CHELSEA	–	4	–	–	2	–
†DEPTFORD ...	3	12	8	–	1	N. 1
†FINSBURY ...	9	3	3	–	4	N. 1
†FULHAM	–	2	2		7	N. 1
†GREENWICH ...	–	5	3	–	2	–
†HACKNEY... ...	1	11	9	1	2	N. 3
†HAMMERSMITH ...	–	3	3	–	4	–
†HAMPSTEAD ...	–	3	2	–	2	D. 1
†HOLBORN... ...	1	4	1	–	–	–
†ISLINGTON ...	–	15	9	–	4	C. 1 D. 1 M. 1 N. 1
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	6	5	–	2	N. 1
†LAMBETH ...	7	19	3	1	8	N. 2
†LEWISHAM ...	–	15	8	–	10	C. 1
†PADDINGTON ..	–	6	7	–	9	F. 1
†POPLAR	–	6	6	1	6	C. 1 D. 1 G. 1
†ST. MARYLEBONE	–	3	5	–	1	D. 1
†ST. PANCRAS ...	–	4	5	–	5	D. 1 M. 1
†SHOREDITCH ...	5	4	6	1	–	N. 2 –
†SOUTHWARK ...	–	6	7	–	6	N 1
†STEPNEY	12	16	7	–	14	M. 1 N. 1
†STOKE NEWINGTON	–	3	1	–	1	N. 2
†WANDSWORTH ...	–	8	3	–	8	M. 1
†WESTMINSTER, CITY OF	–	2	3	–	1	D. 1 N. 1
†WOOLWICH ...	–	14	8	–	7	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	2	–	8	–
Boroughs and Urban Districts:—						
†Bedford	–	2	–	–	1	–
†Luton	–	3	–		3	–
Rural Districts:—						
Bedford	–	1	2	–	1	–
Biggleswade ...		–	–	–	3	–
BERKS	–	13	3	–	3	N. 2
†Reading C.B. ...	–	2	1	–	–	N. 1
Boroughs and Urban Districts:—						
†Maidenhead ...	–	4	–	–	2	–
†Newbury ...	–	–	–	–	–	N. 1
Wantage ...	–	1	–		–	–
Rural Districts:—						
Abingdon ...	–	2	–	–	–	–
Cookham ...	–	3	–	–	–	–
Easthampstead	–	–	2	–	–	–
Wokingham ...	–	1	–	–	1	–
BUCKINGHAM ...	–	7	7	1	12	D. 1 G. 1
Boroughs and Urban Districts:—						
†Aylesbury ...	–	1	–	–	–	–
Beaconsfield .	*	*	*	*	*	*
Buckingham ...	–	–	–	–	1	–
†Chepping Wycombe	–	1	1	–	1	D. 1 G. 1
Chesham	–	2	–	–	–	–
Marlow	–	1	–	–	–	–
†Slough	–	–	3	–	1	–
†Wolverton ...	–	–	–	–	2	–
Rural Districts:—						
Amersham ...	–	–	2	–	5	–
Eton	–	2	–	1	1	–
Wycombe ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	8	–	–	–	–
Borough:—						
†Cambridge ...	–	1	–	–	–	–
Rural Districts:—						
Linton	–	4	–	–	–	–
Melbourn ...	–	1	–	–	–	–
Newmarket ...	–	2	–	–	–	–
CHESTER ...	–	41	27	–	37	C. 1 N. 1
†Birkenhead C.B.	–	6	3	–	8	N. 1
†Chester C.B. ...	–	1	3	–	2	–
†Stockport C.B. ...	–	1	4	–	4	–
†Wallasey C.B. ...	–	6	3	–	–	–
Boroughs and Urban Districts:—						
†Altrincham ...	–	–	2	–	–	–
†Bebington and Bromborough	–	3	–	–	–	–
Buglawton ...		–	–	–	1	–
†Cheadle and Gatley	–	–	–	–	1	–
†Congleton ...	–	–	–	–	2	–
†Crewe		2	1		–	–
†Dukinfield ...	–	2	–	–	2	–
Hale	–	1	–	–	–	–
†Hoylake and West Kirby		1	–	–	–	–
†Hyde	–	3	–	–	3	–
Knutsford ...	–	1		–	–	–
†Macclesfield ...	–	–	–	–	2	–
Marple	–	–	1	–	–	–
Nantwich ...	–	–	–	–	–	C. 1
Sandbach ...	–	–	1	–	–	–
†Stalybridge ...	–	3	–	–	1	–
Tarporley ...	–	1	–	–	1	–
†Winsford ...	*	*	*	*	*	*
Rural Districts:—						
Bucklow	–	–	1	–	1	–
Chester	–	1		–	–	–
Congleton ...	–	–	–	–	1	–
Macclesfield ...	–	1	–	–	3	–
Malpas	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NANTWICH ...	–	5	–	–	1	–
NORTHWICH ...	–	–	1		–	–
RUNCORN ...	–	1	4	–	1	–
TARVIN	–	–	1	–	1	
WIRRAL	–	2	2	–	1	–
CORNWALL ...	–	8	–	–	5	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1			–	–
LAUNCESTON ...	–	–	–	–	1	–
MADRON	–	1		–	–	–
TORPOINT ...	–	2	–	–	–	–
Rural Districts:—						
BODMIN	–	1	–	–	–	–
CAMELFORD ...	*	*	*	*	*	*
HELSTON		–	–		1	–
LISKEARD ...	–	1		–	1	–
ST. GERMANS ...	–	–	–	–	2	–
TRURO	–	2	–	–	–	–
CUMBERLAND...	–	9	1	–	9	C. 1 D. 1 M. 1 N. 1
†CARLISLE C.B. ...	–	4	–	–	1	N. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	–	–	–	C. 1
COCKERMOUTH ...	–	–	–	–	–	M. 1
MILLOM	–	–	–	–	3	–
PENRITH	–	–	–	–	2	–
†WHITEHAVEN ...	–	2	–	–	1	
WIGTON	*	*	*	*	*	*
†WORKINGTON ...	–	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
COCKERMOUTH ...	–	–	–		–	D. 1
WHITEHAVEN ...		1	1	–	–	–
DERBY	5	25	16	–	22	D. 4 M. 1 N. 1
†DERBY C.B. ...	–	7	6	–	5	N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...		1	–		–	–
†BOLSOVER ...	–	–		–	1	–
†BUXTON ...	–	1	–	–	–	–
†CHESTERFIELD ...	3	2	1	–	2	–
CLAY CROSS ...	–	1	–	–	–	D. 1
†HEANOR	–	2	–	–	1	
†ILKESTON... ...	–	–	1	–	–	M. 1
NEW MILLS ...	–	–	1	–	–	–
NORTH DARLEY...	–	–	–	–	1	–
Rural Districts:—						
ASHBOURNE ...		–	–	–	2	–
BAKEWELL ...	–	–	–	–	2	–
BELPER	–	2		–	–	–
BLACKWELL ...	–	4	–		2	D. 3
CHESTERFIELD ...	2	4	4	–	1	–
CLOWNE	–	–	–	–	2	–
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALS	–	–	–	–	1	–
SHARDLOW ...	–	1	3	–	1	–
DEVON	–	24	18	1	13	D. 1 G. 1 M. 3 N. 2
†EXETER C.B. ...	–	–	5	1	4	D. 1 N. 1
†PLYMOUTH C.B.	–	19	9	–	5	M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	–	–	–	–	1	–
LYNTON	*	*	*	*	*	*
†NEWTON ABBOT...	–	2	–	–	–	–
OTTERY ST. MARY	*	*	*	*	*	*
†PAIGNTON ...	–		–	–	–	G. 1
SALCOMBE ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	–	1	–	–	–
TIVERTON ...	–	–	–	–	1	–
†TORQUAY	–	–	3	–	–	N. 1
Rural Districts:—						
BARNSTAPLE ...	*	*	*	*	*	*
KINGSBRIDGE ...	–	–	–		–	M. 1
NEWTON ABBOT...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	2		–	–	–
DORSET	–	5	3	–	7	G. 1 N. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	–	–	–	1	–
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	1	2	–	–	–
SHAFTESBURY ...	–	1	–	–	–	–
SHERBORNE ...	–	–	–	–	1	–
WAREHAM ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	–		–	1	–
WIMBORNE MINSTER	–		1	–	–	–
Rural Districts:—						
DORCHESTER ...	–	–	–	–	–	G. 1
SHAFTESBURY ...	–	–	–	–		N. 1
WAREHAM AND PURBECK	–	–	–	–	1	–
WEYMOUTH ...	–	1	–	–	1	–
WIMBORNE AND CRANBORNE	–	1	–		1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM ...	–	37	21	–	83	C. 1 D. 4 M. 2 N. 3
†DARLINGTON C.B.	–		2	–	–	C. 1
†GATESHEAD C.B.	–	4	–		16	–
†SOUTH SHIELDS C.B.	–	1	–	–	9	D. 1
†SUNDERLAND C.B.	–	5	4	–	15	D. 2 M. 1
†WEST HARTLEPOOL C.B.	–	2	1	–	3	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN		2	3	–	–	–
BENFIELDSIDE ...	–		1	–	2	–
BILLINGHAM ...	–	2	–	–	1	D. 1
†BISHOP AUCKLAND	–		1	–	–	–
†BLAYDON... ...	–	1	–	–	4	–
†CHESTER LE STREET	–	1	–	–	1	–
†CONSETT	–	–	1	–	–	–
†CROOK	–	–	–	–	1	–
†DURHAM	–	1	1	–	–	–
†FELLING	–	2	–	–	–	N. 1
†HETTON	–	–	–	–	1	M. 1
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW		1	–	–	5	–
†SEAHAM HARBOUR		2	–	–	–	–
†SHILDON	–	–	1	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	–
STANHOPE ...	–	–		–	1	–
†STANLEY	–	1	1	–	–	–
†STOCKTON ON TEES	–	3		–	2	N. 1
†TANFIELD ...		3	–		1	–
TOW LAW ...	–	–	–	–	1	–
†WHICKHAM ...	–	1			1	–
WILLINGTON ...	–	–	1		1	–
Rural Districts:—						
AUCKLAND ...	–	2	1	–	–	–
CHESTER LE STREET	–	–	–	–	3	–
DURHAM	–	1	1	–	1	–
EASINGTON ...	–	1	1		4	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
HOUGHTON LE SPRING	-	-	-	-	2	-
LANCHESTER ...	-	-	1	-	-	-
SEDGEFIELD ...	-	-	-	-	1	-
SOUTH SHIELDS	-	-	-	-	1	-
STOCKTON ...	-	-			2	-
SUNDERLAND ...	-	-		-	3	-
ELY, ISLE OF ...	-	2	2	1	2	-
Boroughs and Urban Districts:—						
WHITTLESEY ...	-	-	2	-	1	-
†WISBECH	-	2	-	1	-	-
Rural Districts:—						
WISBECH... ...	-		-		1	-
ESSEX	36	65	40	3	37	C. 4 N. 7
†EAST HAM C.B....	1	1	4	-	-	-
†SOUTHEND ON SEA C.B.	-	7	1	-	2	-
†WEST HAM C.B.	29	7	4	-	7	N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	1	2	-	1	-
BENFLEET ...		1	1	-	1	-
BRAINTREE ...		1	-		1	-
BRENTWOOD ...	-	-	1	-	-	-
BUCKHURST HILL	-	1	-		-	-
CANVEY ISLAND	-	-	-	-	1	-
†CHELMSFORD ...	-	1	1	-	-	-
CHINGFORD ...	-	3	-	-	-	
†CLACTON	-	1	-	-	1	-
†COLCHESTER ...	-	1	-	-	1	C. 1
DAGENHAM ...	1	1	4	-	2	C. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
EPPING	-	1	-	-	-	-
†GRAYS THURROCK	-	1	-	-	-	N. 1
†HORNCHURCH ...	-	-	2	-		-
†ILFORD	2	2	4	1		C. 1
†LEYTON	-	7	5	-	4	-
RAYLEIGH ...	-			-	1	-
†ROMFORD... ...	-	-	1	-	1	-
SAFFRON WALDEN	-	-	-	-	-	N. 1
TILBURY	-	1	2	-	-	-
WALTHAM HOLY CROSS	-	1	-	1	-	-
†WALTHAMSTOW ...	2	10	4		6	-
†WANSTEAD ...	-	-	-	1	-	-
WEST MERSEA ...	-	-	-	-	-	N. 1
†WOODFORD ...	-	-		-	1	
Rural Districts:—						
BILLERICAY ...	1	1	1	-	1	N. 1
BRAINTREE ...	-	3			-	-
CHELMSFORD ...	-	3	-	-	1	-
LEXDEN AND WINSTREE	-	3	-	-	-	-
MALDON	-	3	-	-	1	-
ORSETT	-	-	2			C. 1
ROCHFORD ...	-	1	-	-	-	-
ROMFORD... ...	-		-	-	2	-
STANSTED ...	-	-	1	-	-	-
TENDRING ...	-	2	-		2	-
GLOUCESTER ...	-	16	15	1	24	D. 2 M. 1 N. 2
†BRISTOL C.B. ...	-	8	10	-	19	D. 2 M. 1 N. 1
†GLOUCESTER C.B.	-	1	-	-	-	-
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	-	1	-	1	-
CIRENCESTER ...	-	1	-	-	-	-
†KINGSWOOD ...	-	1	1	-	-	-

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER— *cont.*						
Rural Districts:—						
DURSLEY	–	–	–	1	–	–
EAST DEAN AND UNITED PARISHES	–	3	–	–	–	–
LYDNEY	–	1			–	–
STROUD	–	–	1	–	1	–
THORNBURY ...	–	–			1	N. 1
WARMLEY ...	–	1	2	–	2	–
HEREFORD ...	–	–	4	–	4	N. 1
Boroughs and Urban Districts:—						
†HEREFORD ..			–	–	1	–
LEOMINSTER ...	–		2	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	–	1	–
KINGTON	–	–	–	–	1	–
LEOMINSTER AND WIGMORE	–	–	–		1	–
ROSS AND WHITCHURCH	–		2	–	–	–
WEOBLEY... ...	–	–	–	–	–	N. 1
HERTFORD ...	–	13	5	1	5	M. 1 N. 2
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	–	N. 1
GREAT BERKHAMPSTEAD	–	2	–	–	–	–
HODDESDON ...	–	–	–	–	–	M. 1
RICKMANSWORTH	–	1	1		–	–
ROYSTON	–	–	–	–	1	–
†ST. ALBANS ...	–	1	1	–	–	–
†WATFORD ...	–	–	3	–	1	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
BARNET	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD— *cont.*						
Rural Districts— *cont.*						
BERKHAMPSTEAD	–	–	–	–	1	–
HATFIELD ...	–	5	–	–	–	–
HITCHIN	–	1	–	–	–	N. 1
ST. ALBANS ...		–	–	1	–	–
WARE	–	1	–	–	–	–
WATFORD... ...	–	2	–	–	–	–
HUNTINGDON ...	–	4	–	–	1	–
Boroughs and Urban Districts—						
OLD FLETTON ...	–		–	–	1	–
Rural Districts:—						
HUNTINGDON ...		3	–	–	–	–
NORMAN CROSS ...	–	1	–	–	–	–
KENT	–	48	28	1	21	C. 1 G. 1 M. 6 N. 4
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	3	–	–	–
†BECKENHAM ...	–	–	–	–	–	M. 2
†BEXLEY	–	2	–	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	2	–	–	1	–
†BROMLEY... ...		–	–	–	1	–
†CHATHAM ...	–	3		–	–	–
CHISLEHURST ...	–	1		–	–	–
†DARTFORD ...		2	1	–		–
†DOVER	–	–	–	–	–	M. 2
†ERITH	–	2	1		1	–
†FOLKESTONE ...	–	–	–	–	2	–
†GILLINGHAM ...	–	6	1	–	1	–
†HERNE BAY ...	–	2	–	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MAIDSTONE ...	–	2	–	–	1	–
†MARGATE ...	–	1	3	–	–	M. 1
†NORTHFLEET ...	–	1	2	–	–	–
†PENGE	–	5	1		–	–
†RAMSGATE ...	–	–	–		2	G. 1
†ROCHESTER ...	–	2	–	–	2	–
†ROYAL TUNBRIDGE WELLS	–	2	–	–	–	–
SANDWICH ...	–	1	–	–	–	–
SEVENOAKS ...	–	1	–	–	1	–
†SHEERNESS ...	–	–	–		2	N. 1
†SITTINGBOURNE AND MILTON		2	–		–	–
SOUTHBOROUGH	–		–	–	–	N. 1
SWANSCOMBE ...	–	–	1		–	–
WALMER	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
WROTHAM ...	–	–	–	–	–	N. 1
Rural Districts:—						
BLEAN	–			–	1	–
BROMLEY... ...	–	2	6	1	1	–
CRANBROOK ...	–	–	–	–	1	–
DARTFORD ...	–	3	2	–		N. 1
EASTRY	–	–	2		1	–
HOLLINGBOURNE	–	–	3	–	–	–
HOO		–	1	–	–	–
ISLE OF THANET	–	–	–	–	1	–
MAIDSTONE ...	–	–	1	–	–	–
MILTON	–	2		–	–	–
SEVENOAKS ...		1	–	–		M. 1
STROOD	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	–	C. 1
LANCASTER ...	–	224	107	4	251	C. 4 D. 4 E. 1 G. 2 L. 1 M. 22 N. 8
†BARROW IN FURNESS C.B.	–	–	1	–	2	–
†BLACKBURN C.B.	–	–	–		6	–
†BLACKPOOL C.B.	–	5	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BOLTON C.B. ...	–	4	1	–	3	–
†BOOTLE C.B. ...	–	3	4	–	4	–
†BURNLEY C.B. ...	–	1	–	–	8	C. 1
†BURY C.B. ...	–	–	2	–	–	–
†LIVERPOOL C.B....	–	26	43	2	39	C. 1 D. 3 M. 14 N. 3
†MANCHESTER C.B.	–	55	4	1	48	G. 2 M. 5
†OLDHAM C.B. ...	–	3	4	–	5	–
†PRESTON C.B. ...	–	8	2	–	5	M. 1
†ROCHDALE C.B....	–	7	2	–	4	–
†ST. HELENS C.B.		4	4	–	10	C. 1 M. 1
†SALFORD C.B. ...		5	12		14	N. 1
†SOUTHPORT C.B.	–	5	4	–	2	M. 1
†WARRINGTON C.B.	–	17	2	–	5	–
†WIGAN C.B. ...	–	3	–	–	5	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	1	–	–	2	E. 1
†ASHTON-UNDER-LYNE	–	5	–	–		–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	1	–	1	N. 1
†BACUP	–	–			3	–
BARROWFORD ...	–	–			1	–
†CHORLEY	–	–	–	–	4	–
CHURCH	–		1	–	1	–
†COLNE	–	–	–	–	1	–
†DARWEN	–	2	1	–	1	–
†DENTON	–	1		–	2	–
†DROYLSDEN ...	–	1		–	–	–
†ECCLES	–	–	1	–	4	–
†FAILSWORTH ...	–	–		–	2	–
†FARNWORTH ...		–	–	–	4	N. 2
FORMBY	–	1	–	–	2	–
FULWOOD ...	–	–	–	–	1	–
GOLBORNE ...	–	–		–	1	–
†GREAT CROSBY ...	–	6			–	–
†GREAT HARWOOD	–	–	–	–	2	–
†HASLINGDEN ...	–	2		–	3	–
†HAYDOCK... ...	–	–	–	–	1	–
†HEYWOOD ...	–	2	1	–	1	–
†HINDLEY	–	–	–	–	2	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Horwich	–	–	–	–	2	–
†Ince in Makerfield	–	2	3	–	2	–
†Lancaster ...	–	8	–	–	3	–
†Leigh		1	1	1	3	–
†Litherland ...	–	1	–	–	1	–
Little Lever ...	–	–	–	–	1	–
†Lytham St. Anne's	–	–	–	–	–	C. 1
†Middleton ...	–	1	1	–	1	–
†Mossley	–	–	–	–	1	–
†Nelson	–	6	–	–	–	–
†Newton in Makerfield	–	2	1	–	1	D. 1
Norden	–	1	–	–	–	–
Ormskirk ...	–	1	–	–	3	–
Poulton le Fylde		–		–	1	–
Preesall ...	–	1	–	–	–	–
Prescot	–	–	1	–	–	–
†Prestwich ...	–	1	–	–	4	–
†Radcliffe ...	–	3	1	–	1	–
Rishton	–	–	–	–	2	–
†Royton	–	–	–	–	2	–
Skelmersdale ...	–	1	–	–	–	–
Standish with Langtree			–	–	1	–
†Stretford ...	–	7	1	–	4	–
†Swinton and Pendlebury	–	1	–	–	1	–
Thornton Cleveleys	–	–	–	–	1	–
Trawden ...		–	–	–	1	–
†Turton	–	1	–	–	–	–
†Ulverston ...	–	1	–	–	–	–
Urmston	–	–	–	–	1	–
†Waterloo with Seaforth	–	1	1	–	1	–
Whitefield ...	–	–	–	–	1	–
†Widnes	–	4	3		4	–
†Worsley	–	1	–	–	–	–
Rural Districts:—						
Barton upon Irwell	–	2	2	–	–	–
Burnley ...	–	–	1	–	–	N. 1
LANCASTER—*cont.*						
Rural Districts:—*cont.*						
Bury	–	1	–	–	–	–
Chorley	–	–	–	–	2	–
Clitheroe ...	–	–	–	–	2	L. 1
Garstang ...	–	3	–	–		–
Leigh	–	2	–	–	–	–
Warrington ...	–	2	1	–	–	–
West Lancashire	–		–	–	2	–
Wigan	–		–	–	1	–
LEICESTER ...	57	11	4	–	11	C. 1 N. 1
†Leicester C.B....	34	5	3	–	6	N. 1
Boroughs and Urban Districts:—						
†Coalville ...	2		–	–	–	–
†Hinckley ...	4	1	–	–	–	–
†Loughborough	3	1	–	–	1	C. 1
Oadby	–	1	–	–	–	–
Shepshed ...	1	–	–	–	1	–
Rural Districts:—						
Ashby de la Zouch		1	1	–	2	–
Barrow upon Soar	1	–	–	–	–	–
Billesdon ...	1	–	–	–	–	–
Blaby	1	2	–	–	–	–
Hinckley ...	2	–	–	–	–	–
Market Bosworth	8	–	–	–	1	–
LINCOLN (parts of Holland).	–	3	1	–	–	M. 2
Boroughs and Urban Districts:—						
†Boston	–	2	–	–	–	M. 1

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	–	1	–	–	M. 1
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	6	–	–	1	N. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	5	–	–	–	–
Rural Districts:—						
EAST KESTEVEN	–	1	–	–	–	–
NORTH KESTEVEN	–	–	–		–	N. 1
WEST KESTEVEN	–	–		–	1	–
LINCOLN (parts of Lindsey).	12	10	3	–	10	N. 1
†GRIMSBY C.B. ...	11	2	1	–	3	–
†LINCOLN C.B. ...	–	1	1		1	N. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	–	–	1	–
†CLEETHORPES ...	1		–	–	–	–
†GAINSBOROUGH ...	–	3	–	–	–	–
HORNCASTLE ...	–	1	–	–	–	–
LOUTH	–	1	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	2	–
Rural Districts:—						
GRIMSBY	–	1	–	–	–	–
ISLE OF AXHOLME	–		1	–	–	–
LOUTH	–	–	–	–	1	–
SPILSBY	–	–	–	–	1	–
WELTON	–	1	–	–	–	–
MIDDLESEX ...	–	81	39	2	47	G. 1 M. 1 N. 10
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	–	G. 1
†BRENTFORD AND CHISWICK	–	3	–	–	–	–
†EALING	–	3	1	–	4	–
†EDMONTON ...	–	8	1	–	1	–
†ENFIELD	–	5	2	–	2	–
†FELTHAM... ...	–	4	1	–		–
†FINCHLEY ...	–	4	1	1	3	–
†FRIERN BARNET...	–	1	–			–
HAMPTON WICK...	–	–	–	–	1	–
HAYES AND HARLINGTON	–	1		–	–	–
†HENDON	–	3	3	–	2	–
†HESTON AND ISLEWORTH	–	4	2	–	3	N. 1
†HORNSEY	–	3	6	–	2	–
KINGSBURY ...	–	–	1	–	–	N. 2
RUISLIP NORTHWOOD	–	1	–		–	–
†SOUTHALL NORWOOD	–	5	3	–	5	–
†SOUTHGATE ...	–	2			1	N. 1
†STAINES	–	1	1	–	1	–
SUNBURY ON THAMES	–	–	–	–	3	–
†TEDDINGTON ...	–	3	–	–	1	M. 1
†TOTTENHAM ...		5	3	–	4	–
†TWICKENHAM ...	–	4	3	–	2	N. 1
†UXBRIDGE ...	–	3	1	–	1	–
†WEALDSTONE ...	–	2	2	–	2	–
†WEMBLEY ...	–	2	1	–	2	N. 1
†WILLESDEN ...	–	6	6	1	5	N. 2
†WOOD GREEN ...	–	3	–		1	N. 2
Rural Districts—						
HENDON	–	2	1	–	1	–
SOUTH MIMMS ...	–	1	–	–	–	–
NORFOLK ...	–	7	4	1	19	C. 1 G. 1 M. 1 N. 2
†GREAT YARMOUTH C.B.	–	–	1	–	3	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
†NORWICH C.B. ...	-	2	2	-	4	M. 1 N 1
Boroughs and Urban Districts:—						
EAST DEREHAM...	-	-		-	1	-
†KING'S LYNN ...	-	1	-	-	-	-
NORTH WALSHAM		-	-	-	2	-
WALSOKEN ...	-	1	-	-	-	-
Rural Districts:—						
AYLSHAM... ...		1	-	-	-	C. 1
DEPWADE ...	-	-	-	-	-	N. 1
DOWNHAM ...	-	-	1	-	2	-
ERPINGHAM ...		-	-	1	2	-
HENSTEAD ...	*	*	*	*	*	*
KING'S LYNN ...	-	-	-	-	2	-
MARSHLAND ...		1	-		-	-
WALSINGHAM ...		-		-	3	G. 1
WAYLAND ...	-	1	-	-	-	-
NORTHAMPTON	-	11	6	1	7	C. 1
†NORTHAMPTON C.B.	-	5	4	-	6	-
Boroughs and Urban Districts:—						
FINEDON	-	-	1	-	-	-
†KETTERING ...	-	2	-			-
†WELLINGBOROUGH	-	-	1			-
Rural Districts:—						
BRIXWORTH ...	-	2	-			-
HARDINGSTONE ...	-	-	-	-	-	C. 1
NORTHAMPTON ...	-	2	-	-	-	-
OUNDLE (part) ...	-	-		1	-	-
THRAPSTON (part)	-	-	-		1	-
NORTHUMBERLAND.	-	36	1	-	56	C. 1 D. 3 G. 1 N. 1
†NEWCASTLE UPON TYNE C.B.		32	-	-	33	C. 1 D. 2 G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND—*cont.*						
†TYNEMOUTH C.B.		-	-	-	4	N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	-	-	-	-	1	-
†BEDLINGTONSHIRE		-	-		3	-
†BERWICK UPON TWEED		-			-	D. 1
†BLYTH	-	-	-	-	3	-
CRAMLINGTON ...	-	-	-		1	-
†LONGBENTON ...	-	-	-	-	1	-
NEWBIGGIN BY THE SEA	-	-	-	-	1	-
†NEWBURN ...	-	1	-		-	-
PRUDHOE... ...	-	-	-	-	1	-
SEGHILL	-	-	-	-	2	-
†WALLSEND ...	-	-	1	-	1	-
†WHITLEY AND MONKSEATON	-	3	-	-	1	-
Rural Districts:—						
BELLINGHAM ...	-	-	-	-	2	-
GLENDALE ...		-	-	-	1	-
ROTHBURY ...	-	-	-	-	1	-
NOTTINGHAM ...	-	22	10	-	34	C. 2 D. 12 N. 2
†NOTTINGHAM C.B.	-	10	6	-	12	C. 2
Boroughs and Urban Districts:—						
†ARNOLD	-	-	-	-	2	-
†BEESTON	-	-	1	-	1	-
†CARLTON	-	2	1	-	1	-
†EAST RETFORD ...	-	1	-	-	4	-
EASTWOOD ...	-	-	-	-	1	-
†HUCKNALL ...	-	-	1	-	-	-
†KIRKBY IN ASHFIELD	-	1	-	-	3	-
†MANSFIELD ...	-	1	-	-	2	D. 6
†MANSFIELD WOODHOUSE	-	-	-	-	-	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWARK	–	1	–	–	–	
†SUTTON IN ASHFIELD	–	–	–	–	1	D. 1
WARSOP	–	–	–	–		D. 1
†WEST BRIDGFORD	–	–	–	–	1	
Rural Districts:—						
BASFORD		6	1	–	1	–
EAST RETFORD ...	–	–	–	–	1	N. 1
SKEGBY	–	–	–	–	–	D. 2
SOUTHWELL ...	–	–	–	–	–	N. 1
WORKSOP... ...	–	–	–	–	4	D. 1
OXFORD		8	5	1	1	N. 3
†OXFORD C.B. ...	–	–	4	–	–	N. 3
Boroughs and Urban Districts:—						
BICESTER... ...		–	1	1	–	–
Rural Districts:—						
BANBURY... ...		2	–	–		–
CROWMARSH ...	–	1	–	–	–	–
CULHAM	–	1	–	–	1	–
HENLEY	–	4	–	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	3	G. 1
Borough:—						
†PETERBOROUGH...	–	1	–	–	3	–
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	2	10	–	7	M. 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
NEWPORT... ...	–	–	–	–	1	–
†SHREWSBURY ...	–	1	–	–	–	N. 1
WELLINGTON ...	–	–	2	–	–	–
†WENLOCK ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	–		–	1	–
BRIDGNORTH ...	–	–	–	–	1	–
CLEOBURY MORTIMER	–	–	1	–	1	–
ELLESMERE ...	–	1	–	–	–	–
NEWPORT... ...	–			–	1	M. 1
OSWESTRY ...	–	–	1	–	–	–
SHIFNAL	–	–	2	–	–	–
WELLINGTON ...	–	–	2	–	–	–
WEM	–	–	–	–	2	–
SOMERSET ...		11	3	1	7	C. 1 N. 1
†BATH C.B. ...	–	5	–	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	3		–	1	–
STREET	–	–	–	–	1	–
†TAUNTON... ...	–	1	2	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	2	–	–	–	–
CHARD	–			–	1	–
CLUTTON	–	–	1	–	–	–
SHEPTON MALLET	–	–	–		1	–
TAUNTON ...	–	–	–	1	–	–
YEOVIL	–	–	–	–	1	–
SOUTHAMPTON	–	34	14	1	8	G. 1 M. 3 N. 3
†BOURNEMOUTH C.B.	–	1	1	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
†Portsmouth C.B.	-	11	4		1	G. 1
†Southampton C.B.	-	7	5	1	1	M. 2 N. 2
Boroughs and Urban Districts:—						
Christchurch ...	-	1	-			-
†Fareham ...	-	1	2	-	-	-
†Gosport	-	1	1	-	1	-
Lymington ...	-	-	1	-	-	-
Petersfield ...	-	-	-		2	-
†Winchester ...	-	1	-	-	-	-
Rural Districts:—						
Alton	-	1	-	-	-	-
Andover... ...	-	-	-	-	-	N. 1
Fareham ...	-	-	-	-	1	-
Fordingbridge	-	1	-	-	1	-
Havant	-	1	-	-	-	-
Lymington ...	-	1	-	-	-	-
New Forest ...	-	2	-	-	-	-
Ringwood ...	-	1	-		-	-
South Stoneham	-	3	-	-	-	-
Stockbridge ...	-		-	-		M. 1
Winchester ...	-	1		-	1	-
STAFFORD ...	-	25	30	1	70	C. 2 M. 6 N. 3
†Burton upon Trent C.B.	-	1	-	1	3	-
†Smethwick C.B.	-	1	3	-	6	-
†Stoke on Trent C.B.	-	1	3	-	13	M. 3
†Walsall C.B. ...	-	-	3	-	7	-
†West Bromwich C.B.	-	4	1		2	N. 1
Wolverhampton C.B.	-	4	5	-	4	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†Bilston	-	-	-	-	4	-
†Cannock	-	1	-	-	1	-
STAFFORD—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†Darlaston ...	-	1		-	3	-
†Leek	-	1	-	-	1	-
†Newcastle under Lyme		-	3	-	-	-
Quarry Bank ...	-	-	1		-	-
†Rowley Regis ...	-	-	-	-	6	-
Rugeley		-	5	-	-	-
†Sedgley		2	-	-	1	M. 1
†Stafford ...	-	1	2	-	-	-
Tamworth ...	-	-	-	-	1	-
Tettenhall ...		-	2		1	-
†Tipton	-	2	2	-	7	N. 1
†Wednesbury ...	-	2	-	-	1	C. 1
Rural Districts:—						
Cannock	-	1	-		-	-
Cheadle	-	1	-	-	2	-
Kingswinford ...	-	-	-		1	-
Seisdon	*	*	*	*	*	*
Stafford ...		1	-	-	-	-
Stone	-	-	-		1	-
Tamworth (part)	-	-	-	-	2	-
Tutbury... ...		1	-	-	1	-
Uttoxeter ...	-	-	-	-	1	M. 1
Walsall		-	-	-	1	-
SUFFOLK, EAST	-	12	3	-	7	C. 2 G. 1
†Ipswich C.B. ...	-	10	-	-	1	C. 1 G. 1
Boroughs and Urban Districts:—						
Halesworth ...	-	-	-	-	1	-
†Lowestoft ...	-	1	-	-	2	C. 1
Rural Districts:—						
Blything ...	-	-	-	-	2	-
East Stow ...	-	-	-	-	1	-
Hartismere ...	-	-	2	-	-	-
Mutford and Lothingland	-	-	1			-
Samford	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUFFOLK, WEST	–	2	–	–	2	–
Boroughs and Urban Districts:—						
Glemsford ...	–	–	–	–	1	–
Newmarket ...	–	1		–	1	–
Rural Districts:—						
Mildenhall ...	–	1	–	–	–	–
SURREY	4	51	21	1	25	G. 2 L. 1 N. 4
†Croydon C.B. ...	4	11	3		3	N. 1
Boroughs and Urban Districts:—						
†Barnes		–	–	–	4	–
†Beddington and Wallington	–	1	1	–	–	–
†Carshalton ...		1	2	–	2	–
†Caterham and Warlingham	–	–	–	–	–	L. 1
†Coulsdon and Purley	–	2	–		–	–
East and West Molesey	–	–	1	–	–	–
†Epsom			–	–	2	–
†Esher and the Dittons	–	1	1	–	–	–
†Farnham ...	–	1	–	–		
†Godalming ...		3		–	2	–
†Guildford ...	–	1	–	–	3	N. 2
Haslemere ...		1		–	–	–
†Kingston on Thames	–	3	5	–	1	–
Leatherhead ...	–	–	–	–	2	–
†Merton and Morden	–	2	2	–	1	–
†Mitcham	–	6	1		1	–
†Reigate	–	1	–	–	–	–
†Richmond ...	–	4	–	–	–	N. 1
†Surbiton ...	–	1	–	–	–	–
†Sutton and Cheam	–	1	–	–	2	–
†The Maldens and Coombe	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Walton upon Thames	–	1	–	–	–	–
Weybridge ...	–	–	–	–	1	–
†Wimbledon ...		1	–	–	–	G. 2
†Woking	–	3	1	–	–	–
Rural Districts:—						
Epsom	–	1	2	1	–	–
Farnham ...	–	1	–	–	–	–
Godstone ...	–	2	–	–	–	–
Guildford ...	–		1	–	–	–
Reigate	–	2	1	–	–	–
SUSSEX, EAST...		12	17	1	4	D. 1
†Brighton C.B.	–	3	1	1	2	D. 1
†Eastbourne C.B.		2	1			–
†Hastings C.B. ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
Cuckfield ...	–	–	8	–	–	–
Seaford	–	–	3		–	–
Uckfield ...	–	–		–	1	–
Rural Districts:—						
Cuckfield ...		–	1	–	–	–
East Grinstead	–	1	1			–
Hailsham ...		1	1	–		–
Ticehurst ...	–	2	–	–	–	–
SUSSEX, WEST...	–	9	1	1	7	C. 1 N. 3
Boroughs and Urban Districts:—						
†Bognor Regis ...	–	1	–	–	2	–
†Chichester ...	–	–	–	–	1	–
†Horsham ...	–	–	–	–	–	N. 1
Shoreham by Sea	–	3	1	–	1	–
†Worthing ...	–	–	–	–	–	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
HORSHAM ...	–	1	–	1	1	N. 1
MIDHURST ...	–	–			–	C. 1
STEYNING WEST...		4		–	–	–
WESTHAMPNETT	–	–			2	–
WARWICK ...		80	42		95	C. 4 D. 2 M. 9 N. 3
†BIRMINGHAM C.B.	–	53	31	–	72	C. 1 D. 1 M. 9 N. 3
†COVENTRY C.B. ...		12	2	–	6	C. 2
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–		3	–
KENILWORTH ...	–	–	2	–	–	–
†NUNEATON ...	–	–	5	–	2	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	1	–	–	–	–
†STRATFORD ON AVON	–	1	–		–	–
†SUTTON COLDFIELD		2	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	3	–
ATHERSTONE ...	–	1	–	–	1	–
FOLESHILL ...		–	–	–	–	C. 1 D. 1
MERIDEN... ...	–	–	–	–	1	–
NUNEATON ...	–	–	1		1	–
RUGBY	–	4	–	–	1	–
SHIPSTON ON STOUR	–	–	–	–	2	–
SOUTHAM... ...	–	2	–	–	1	–
STRATFORD ON AVON	–	2	1	–	–	–
TAMWORTH (part)	–	1	–		–	
WARWICK ...	–	–	–	–	1	–
WESTMORLAND	–	1	1	–	2	N. 1
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	–	N. 1
Rural Districts:—						
EAST WESTMORLAND		1	–	–	–	–
SOUTH WESTMORLAND		–	1	–	1	–
WEST WARD ...		–	–	–	1	–
WIGHT, ISLE OF	–	–	–	–	1	–
Borough and Urban Districts:—						
SANDOWN ...	–	–	–	–	1	–
WILTS		4	3		13	–
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
MARLBOROUGH ...	–	–	–		1	–
†SWINDON... ...	–	1	2		8	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	2	–
MELKSHAM ...	–	1	–	–	–	–
PEWSEY	–		–	–	1	–
WARMINSTER ...	–	1	1	–	–	–
WILTON	–			–	1	–
WORCESTER ...		20	5	1	16	M 1
†WORCESTER C.B.		4	1	–	3	–
Boroughs and Urban Districts:—						
BROMSGROVE ...		1	–	–	–	–
DROITWICH ...	*	*	*	*	*	*
†HALESOWEN ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Kidderminster	–	3	1	–	1	–
†Malvern ...	–	2	–	–	1	–
North Bromsgrove	–	–	1	–	1	–
†Oldbury		–	1	–	3	M. 1
†Redditch ...	–	7	–	–	1	–
†Stourbridge ...	–	–	–	–	4	–
Rural Districts:—						
Bromsgrove ...	–	1	–	–	–	–
Feckenham ...	–	–	–	1	–	–
YORKS ... ... (East Riding).	–	9	18	–	9	C. 3 D. 2 M. 1
†Kingston upon Hull C.B.	–	7	14	–	7	C. 2 D. 2 M. 1
Boroughs and Urban Districts:—						
†Bridlington ...	–	–	1	–	–	–
Filey	–	–	1	–	–	
Hornsea	–	–	1	–	–	–
Rural Districts:—						
Beverley ...	–		–		1	C. 1
Bridlington ...			1		–	
Howden	–		–	–	1	–
Skirlaugh ...	–	2	–		–	–
YORKS ... ... (North Riding).	–	24	3		23	M. 1 N. 2
†Middlesbrough C.B.	–	4	1	–	10	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†Eston	–	2	–	–	3	–
Loftus	–	–	–	–	1	–
Masham	–		–	–	1	–
Pickering ...	*	*	*	*	*	*
†Redcar	–	–		–	1	–
Saltburn by the Sea	–	5	–	–	–	–
†Scarborough ...	–		1	–	1	–
†Skelton and Brotton	–	2	–	–	2	N. 1
Rural Districts:—						
Croft		1	–		–	–
Easingwold ...	–	1	–		1	–
Flaxton		1	–	–	–	–
Kirkby Moorside	–	–	1	–	–	–
Leyburn	–	1	–		–	–
Northallerton	–	–	–	–	1	–
Richmond ...	–	1	–	–	1	–
Stokesley ...	–	–	–		1	–
Thirsk	–	1	–		–	M. 1
Whitby	–	5	–	–	–	–
YORKS ... ... (West Riding).	6	131	66	5	190	C. 7 D. 29 M. 8 N. 6
†Barnsley C.B. ...	–	4	–	–	4	D. 4
†Bradford C.B. ...	1	14	2	2	10	C. 1 D. 1 M. 1
†Dewsbury C.B....	–	2	–		–	–
†Doncaster C.B....	–	2	1	1	2	D. 2
†Halifax C.B. ...	–	4		–	4	–
†Huddersfield C.B.	–	3	4		9	–
†Leeds C.B. ...	–	21	13	1	26	–
†Rotherham C.B.	–	1	2		5	D. 3
†Sheffield C.B....	4	18	7	–	58	C. 3 M. 2 N. 3
†Wakefield C.B.	–	2	4	–	3	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†Adwick le Street		–	1	–	1	–
Ardsley, East and West	–	1	–	–	–	–
†Batley	–	2			–	–
†Bentley with Arksey	–	–	–	–	–	D. 2 M. 3 N. 1
†Bingley	–	1	1	–	1	–
Birkenshaw ...		2			–	–
†Bolton upon Dearne	–	–			3	–
†Castleford ...		4	–	–	1	–
†Conisbrough ...	–		–	–	–	D 1
Cudworth ...	–	–			–	C. 1 N. 1
†Darton		1	–		1	–
Dodworth ...	–		–		1	D. 1
Drighlington ...	–			–	1	–
Earby	–				1	–
†Elland	–	–	–	–	1	–
Guiseley ...	–		–	–	1	–
†Harrogate ...	–	1	–	–	4	–
Heckmondwike	–	1	–	–	1	
†Hemsworth ...	–	1	1	–	2	D. 1
Hipperholme ...	–		–	–	1	
†Holmfirth ...	–		1	–		–
Honley	–	–	–		2	–
†Hoyland Nether		–	1	–	3	D. 1
Ilkley	–	3	1		–	–
†Keighley ...	–	1	–	–	2	
Knottingley ...		–	–	–	3	–
Maltby	–	–	–	–	1	D. 3
Marsden... ...	–	–	–	–	1	
†Mexborough ...		–	–	–	–	D. 1
†Mirfield ...	–	1	–	–		–
†Morley			1	–	1	–
†Normanton ...		3	3		2	–
†Ossett	–	1	–	–	2	–
Otley	–	–		–	3	
†Pontefract ...	–	1	–	–	–	C. 1
†Pudsey		1	–		–	–
†Rawmarsh ...	–	3	2		1	
†Rothwell ...	–	1	1		–	
†Shipley		3		–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Sowerby... ...	–	–	–	–	1	–
†Spenborough ...	–	1	1	–	2	N. 1
Stainland ...			–	–	1	–
†Stanley	–		1	–	–	–
Stocksbridge ...	–	1	–	–	–	–
Thurnscoe ...		3	1	–	–	D. 1
Tickhill... ...	–	–	–	–	–	D. 1
†Todmorden ...	–	2	–	–	2	–
†Wath upon Dearne		2		–	1	–
†Wombwell ...	–	–	–		4	M. 1
†Worsborough ...		1	–	–	–	D. 1
Rural Districts:—						
Doncaster ...		–	1	1	3	D. 4
Halifax	–	–	–	–	1	–
Hemsworth ...	–	1	1	–	2	D. 2
Hunslet		1	–	–	–	–
Keighley ...		2	–	–	–	–
Kiveton Park ...	1	1		–		–
Knaresborough		1	–	–	–	M. 1
Pontefract ...	–	3	–	–	2	–
Rotherham ...	–	2	3	–	2	–
Settle		–	1	–	1	–
Skipton		1	–	–	–	–
Tadcaster ...		4	2		1	–
Thorne	–	–	1	–	1	–
Wakefield ...			8	–	–	–
Wetherby ...		1	–	–	–	–
Wharfedale (North)	–	–	–	–	1	–
Wharfedale (South)	–		–	–	1	–
Wortley... ...	–	1	–	–	2	–
YORK, CITY OF ..	–	1	–	–	–	–
†York C.B. ...		1	–	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	–	3	–	2	–
Rural Districts:—						
Aethwy	–	–	3		1	–
Valley	–	–	–	–	1	–
BRECKNOCK ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
Brynmawr ...	*	*	*	*	*	*
Rural Districts:—						
Vaynor and Penderyn	–	–	1	–	–	–
CAERNARVON ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
†Llandudno ...	–	–	–	–	1	–
Penmaenmawr ...	–		–	–	1	–
Rural Districts:—						
Conway	–	–	1	–	–	–
CARDIGAN ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
†Aberystwyth ...	–	2	1	–	1	–
Rural Districts:—						
Llandyssil ...	–	–		–	1	–
CARMARTHEN ...	–	8	6	–	3	G. 1
Boroughs and Urban Districts:—						
Ammanford ...	–	–	2	–	–	–
Kidwelly ..	–	6	1	–	2	–
†Llanelly ...	–	–	–	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts:—						
Carmarthen ...	–	–	1	–	–	–
Llandilo Fawr		1	1	–	–	–
Llanelly ...	–	1	1		–	–
DENBIGH ...	–	4	15	–	2	C. 1
Boroughs and Urban Districts:—						
Denbigh .	*	*	*	*	*	*
†Wrexham ...		1	4	–	2	–
Rural Districts:—						
Llanrwst ...	–	–	1	–	–	–
Ruthin	–	–	1	–		–
Wrexham ..		3	9	–	–	C. 1
FLINT	–	–	2	–	4	C. 2
Borough and Urban Districts:—						
Flint	–	–	–	–	1	–
Rural Districts:—						
Hawarden ...	–	–	–	–	–	C. 2
Holywell ...	–	–	1	–	3	–
Overton	–	–	1	–	–	–
GLAMORGAN ...	6	60	49	1	40	C. 4 D. 1 M. 3 N. 3
†Cardiff C.B. ...	–	25	11	–	5	C. 1 D. 1
†Merthyr Tydfil C.B.	–	1	3	–	1	–
†Swansea C.B. ...	–	2	8	–	–	N. 1
Boroughs and Urban Districts:—						
†Aberdare ...	–	–	1	–	4	–
†Barry	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the followingdiseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Caerphilly ...	-	-	1	-	2	C. 1 M. 1
†Gelligaer ...		-	1	-	1	-
†Glyncorwg ...	-	-	1	-	-	-
†Llwchwr ...	-	-	1	-		-
†Maesteg	-		2	-	-	-
†Mountain Ash ...	6	2	2	-	6	-
†Neath	-	-	1	-	-	-
†Ogmore and Garw	-	6	1	-	5	-
†Penarth	-	-	1	-	1	-
†Pontypridd ...	-	4		-	3	C. 1
Porthcawl ...	-	1	-	-	-	-
†Port Talbot ...	-	-	-	-	-	M. 1
†Rhondda ...	-	16	12	1	9	C. 1 M. 1 N. 2
Rural Districts:—						
Cardiff	-	-	-	-	1	-
Cowbridge ...	*	*	*	*	*	*
Llantrisant and Llantwitfardre		-	2	-	-	-
Neath	-	3	-		-	-
Penybont ...	-	-	1	-		-
Pontardawe ...	*	*	*	*	*	*
MERIONETH ...	-	-	2	-	-	-
Urban Districts:—						
Barmouth ...	*	*	*	*	*	*
Ffestiniog ...	*	*	*	*	*	*
Rural Districts:—						
Edeirnion ...	-	-	2	-	-	-
MONMOUTH ...	-	24	12	-	14	M. 2 N. 2
†Newport C.B. ...	-	8	1		11	-
Boroughs and Urban Districts—						
†Abersychan ...	-	-	1	-	-	-
†Abertillery ...	-	6	3	-	-	-
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bedwellty ...	-	2	2	-	1	M. 1
†Ebbw Vale ...	-	7	3	-	1	N. 1
†Mynyddislwyn	-	-	-	-	-	N. 1
†Nantyglo and Blaina	-	-	-	-	-	M. 1
†Rhymney ...		-	1	-	-	-
†Tredegar ...	-	1	1	-	-	-
Rural District:—						
Magor	-	-	-	-	1	-
MONTGOMERY...	-	-	-	-	-	N. 1
Boroughs and Urban Districts:—						
Newtown and Llanllwchaiarn	-	-	-	-	-	N. 1
Welshpool ...	*	*	*	*	*	*
PEMBROKE ...	-	-	-	-	3	-
Rural Districts:—						
Narberth ...	-	-	-	-	2	-
St. Dogmells ...	-	-	-	-	1	-
RADNOR		-	-	-	-	-
Rural Districts:—						
New Radnor ...	*	*	*	*	*	*
Total of Part II....	126	1277	701	31	1291	C. 45 D. 67 E. 1 G. 15 L. 2 M. 76 N. 89

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barnstaple	*	*	*	*	*	*
Manchester	–	–	1	–		–
Penzance	*	*	*	*	*	*

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Southampton ...	–	2	–		–	–
Port of London ...	–	1	–	–	–	–
Total of Part III. ...	–	3	1	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
Total of Part I.—London	51	200	142	4	119	C. 3 D. 6 F. 1 G. 1 M. 5 N. 20
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	126	1277	701	31	1291	C. 45 D. 67 E. 1 G. 15 L. 2 M. 76 N. 89
Total of Part III.—Port Sanitary Districts		3	1	–	–	–
Total (i.e., of returns received), England and Wales ...	177	1480	844	35	1410	C. 48 D. 73 E. 1 F. 1 G. 16 L. 2 M. 81 N. 109

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS and in the CURRENT YEAR to with corresponding figures for previous ye

Week ended :—	Jan. 17.	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14	Mar. 21.	Mar. 28	Apl. 4.	Apl. 11.	Totals from Week of ye 1930.	19
LONDON :—															
LIVE BIRTHS	1,421	1,422	1,383	1,401	1,397	1,317	1,407	1,384	1,394	1,422	1,390	1,189	1,352	20,311	19
STILLBIRTHS	50	39	41	33	51	59	47	49	69	51	45	51	60	738	
DEATHS (excluding Still-births)—all ages.	1,467	1,415	1,434	1,496	1,620	1,578	1,457	1,347	1,377	1,433	1,184	1,144	1,165	16,084	19
DEATHS—0 to 1 year ..	116	115	132	125	145	92	108	111	104	102	88	63	90	1,496	1
GREAT TOWNS, aggregate (including London) :—															
LIVE BIRTHS	6,470	6,502	6,180	6,308	6,349	6,320	6,631	6,562	6,503	6,772	6,421	5,509	6,471	91,397	89
STILLBIRTHS	282	270	295	244	278	315	282	289	323	303	305	296	318	4,098	4
DEATHS (excluding Still-births)—all ages.	6,493	6,249	6,052	6,178	6,834	6,826	6,879	6,480	6,713	6,700	5,691	5,313	5,423	71,188	88
DEATHS—0 to 1 year ..	626	633	645	650	748	697	686	629	640	585	521	459	520	7,025	8
ENTERIC FEVER—Cases	11	20	9	10	24	22	19	6	8	9	9	10	18	299	
„ Deaths	1	3	2	4	2	1	2	—	1	5	1	—	—	34	
SMALL POX—Cases ..	154	198	194	147	150	186	189	158	117	154	166	117	142	4,087	2
„ Deaths ..	—	—	—	—	—	1	—	—	—	—	—	—	1	12	
SCARLET FEVER—Cases	907	960	935	907	925	917	922	826	824	894	804	724	836	20,438	12
„ Deaths	9	8	7	7	9	8	4	7	6	5	9	5	8	170	
DIPHTHERIA—Cases ..	793	922	894	820	781	735	749	628	626	641	627	521	497	15,161	10
„ Deaths ..	39	53	43	50	29	48	42	42	34	32	30	33	27	730	
MEASLES—Deaths ..	94	73	72	72	80	97	70	73	84	75	60	58	64	1,464	1
INFLUENZA—Deaths ..	146	242	309	331	456	509	546	471	417	365	301	208	175	1,057	4

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correctio having been made for changes in boundary. The live births are derived from the weekly returns furnished by t Registrars and differ from those published for the towns in the Quarterly Return which are corrected for birt occurring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 11th April, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	66	37	59·9	41·9	8	HUDDERSFIELD	65	33	56·6	39·4	7
						BRADFORD ..	62	34	53·7	40·7	9
BRIGHTON ..	58	36	52·1	42·6	9	SHEFFIELD ..	§	§	§	§	§
PORTSMOUTH ..	61	39	55·7	43·9	10	YORK (MUSEUM)	64	32	56·3	40·4	8
NORWICH (EATON)	§	§	§	§	§	HULL (PEARSON PARK).	66	30	55·2	40·0	5
PLYMOUTH ..	61	38	55·7	44·6	10	TYNEMOUTH ..	58	33	52·7	39·7	2
BRISTOL (HORFIELD)	65	41	56·1	44·6	8	CARDIFF	64	44	54·9	46·1	7
BIRMINGHAM (EDGBASTON).	65	40	53 7	43·0	8	EDINBURGH ..	64·0	33·0	55·6	40·0	1
NOTTINGHAM ..	66	40	57·0	43·6	4	GLASGOW ..	61·5	31·2	55·2	38·8	2
BIRKENHEAD (BIDSTON).	63	40	53·9	43·7	4	DUBLIN (PHŒNIX PARK)	64·4	33·0	57·4	41·0	9
MANCHESTER (WHITWORTH PARK).	65	40	56·7	44·7	10	(FITZWILLIAM SQUARE†).	65·1	41·0	57·4	45·2	8
BURNLEY	61	34	51·1	40·7	11	BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 11th April, 1931.

[Under the Superintendence of the Astronomer Royal.]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	5	..	29·621	50·6	41·2	9·4	44·6	− 1·7	41·7	2·9	6·7	1·9	89	72·0	30·1	43·9	SW: NNW.	WSW: SW.	2·2	0·0	0·2	289	− 33	0·08
MONDAY -	6	..	29·623	53·7	41·9	11·8	45·7	− 0·6	40·5	5·2	11·3	0·8	82	98·3	33·1	43·9	WSW: Calm: NE.	E: SE	0·3	0·0	0·0	148	− 179	0·23
TUESDAY -	7	..	29·659	53·2	41·0	12·2	46·6	+ 0·3	43·9	2·7	6·7	1·2	91	82·0	39·2	44·0	E	SE	0·3	0·0	0·0	149	− 178	0·00
WEDNESDAY	8	Greatest Declination S. Last Quarter.	29·776	64·1	39·8	24·3	51·5	+ 5·4	45·3	6·2	15·1	0·0	79	122·3	27·2	44·2	Calm: SSE.	SSW: S	2·2	0·0	0·1	205	− 117	0·00
THURSDAY -	9		29·915	63·9	41·9	22·0	53·0	+ 7·0	46·6	6·4	11·3	2·8	79	103·9	31·7	44·4	Calm: SW.	WSW: WNW.	0·9	0·0	0·1	208	− 107	0·01
FRIDAY -	10	..	30·111	63·0	40·8	22·2	50·3	+ 4·4	41·1	9·2	25·4	0·5	70	122·8	35·0	44·7	NNW: NE.	NE: E	0·7	0·0	0·1	205	− 101	0·00
SATURDAY -	11	..	30·021	66·3	37·1	29·2	51·4	+ 5·6	42·1	9·3	18·9	0·2	70	122·9	31·4	44·9	Calm: SW.	SSW	0·6	0·0	0·1	159	− 138	0·00
MEANS -		..	29·818	59·3	40·5	18·7	49·0	+ 2·9	43·0	6·0	13·6	1·1	80	103·5	32·5	44·3	Variable		..		..	Sum 1363	Sum − 853	Sum 0·32
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	5	mP till 3h.; wP till 10½h.; wN till 12h.; then wP.	0·0	13·2	Overcast. Slight rain 5⅔h. till 8h.: 9h. till 14¼h.; then damping till 15½h. Mist 10½h. till 14h.
MONDAY ..	6	wP till 16h.; then variably mN and wN.	0·1	13·2	Overcast. Damping 0h. till 2h.; 14½h. till 17h.; 19h. till 19⅔h.; and from 21½h. Rain 2h. till 7½h.; 15h. till 16h.; and 17h. till 19h.
TUESDAY ..	7	wN till 1h. then wP..	0·0	13·3	Overcast till 22½h.; becoming partially cloudy by 23½h. Damping till 1h.
WEDNESDAY	8	wP till 8h.; then mP.	3·5	13·3	Partially cloudy till 2h.; overcast generally till 13h.; then very cloudy generally. Damping 4h. till 6h. Hoar frost in morning. Dew at night.
THURSDAY	9	mP till 19h.; then wP.	0·1	13·4	Partially cloudy till 8h.; then overcast. Damping 10⅔h. till 14½h.; and 21h. till 21½h. Solar halo 9¼h.
FRIDAY ..	10	mP.	7·5	13·5	Overcast till 8h.; partially cloudy till 19¼h.; cloudless till 21h.; then becoming overcast by 21½h. Solar halo 15½h. till 17h. Mist and dew at night.
SATURDAY	11	mP.	10·2	13·5	Overcast till 8h.; cloudless till 11h.; partially cloudy till 14h.; then cloudless. Fog till 8h. Damping 2h. till 7h. Haze 9h. till 15h.
			Sum 21·4	Sum 93·4	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·76 ins. at the beginning of the week to 29·52 ins. by 5h. on 6th.; increased generally to 30·16 ins. by 23h. on 10th; decreased and was 29·95 ins. by midnight on the 11th.

FOR OFFICIAL USE

1931. No. 15.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 18TH APRIL,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 18TH APRIL, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the fifteenth week of the year numbered 7,028 corresponding to an annual rate of 18·6 per 1,000 living: stillbirths numbered 305 corresponding to a rate of 42 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,674 (749 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Mar. 28.	Apl. 4.	April 11.	April 18.
107 Great Towns	15·1	14·1	14·4	12·4
London	14·0	13·5	13·7	11·6
Birmingham	15·2	14·5	15·6	12·7
Liverpool	14·3	13·9	15·2	12·9
Manchester	16·7	14·7	12·8	13·4
Sheffield	15·3	16·3	12·8	12·3
Leeds	17·2	16·9	17·1	15·5
Bristol	20·4	18·4	12·9	11·1
West Ham	11·9	13·4	14·4	8·8

The deaths from influenza which had been 301, 208 and 175 in the three preceding weeks further fell to 110 and included 11 in London and 9 in Birmingham.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 62, against 80, 71, and 78 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,471 live births registered corresponding to an annual rate of 17·3 per 1,000 living: stillbirths numbered 44 corresponding to a rate of 29 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 981 (184 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 55, against 61, 44 and 63 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 18th April, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,681,040*	7,028	305	4,674	416	4	55	4	34	35	36	110
LONDON	4,417,990*	1,471	44	981	78	1	-	1	4	10	7	11
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	71	3	66	7	-	-	-	1	-	-	4
WIMBLEDON ..	59,370	15	-	12	-	-	-	-	-	-	-	1
EALING	104,000	47	4	14	2	-	-	-	-	-	-	-
ACTON	65,200	17	-	15	-	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	59,040	13	-	16	1	-	-	-	-	-	1	-
WILLESDEN ..	172,500	52	-	33	3	-	1	-	-	-	-	-
HENDON§	86,540*	39	3	22	3	-	-	-	-	-	-	-
HORNSEY	88,450	21	1	20	2	-	-	-	-	-	-	-
WOOD GREEN ..	53,410	16	-	8	-	-	-	-	-	-	-	-
TOTTENHAM ..	155,000	33	4	20	-	-	-	-	-	-	-	-
EDMONTON	75,000	36	2	7	-	-	-	-	-	-	-	-
ENFIELD	65,100	7	2	15	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	307,600	110	10	52	6	-	-	-	2	-	-	2
EAST HAM C.B. ..	147,600	29	1	28	1	-	-	-	-	2	-	-
LEYTON	128,300	25	1	25	1	-	-	-	-	-	-	-
WALTHAMSTOW ..	124,800	42	2	20	1	-	-	-	-	-	-	1
ILFORD	116,200	40	1	22	1	-	-	-	-	-	-	1
GILLINGHAM	56,670*	23	1	14	1	-	1	-	-	-	-	-
CANTERBURY C.B. ..	22,850*	13	-	4	2	-	-	-	-	-	-	-
HASTINGS C.B. ..	62,620	17	2	15	-	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	58,570	17	-	15	-	-	-	-	-	-	-	-
BRIGHTON C.B. ..	146,800*	49	1	43	1	-	-	-	-	-	1	-
PORTSMOUTH C.B. ..	242,000*	83	5	59	5	-	-	-	1	2	1	2
BOURNEMOUTH C.B.§..	105,780	27	3	30	3	-	-	-	1	-	1	-
SOUTHAMPTON C.B. ..	172,300	67	4	31	-	-	-	-	-	-	-	3
READING C.B.	96,850*	19	-	21	-	-	-	-	-	-	-	2
OXFORD C.B.	73,810*	36	3	18	1	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,970*	25	2	14	1	-	-	-	-	-	-	1
LUTON	65,200	24	2	9	-	-	-	-	-	-	-	1
CAMBRIDGE	60,730	17	-	18	-	-	-	-	-	-	-	1
SOUTHEND-ON-SEA C.B.	114,600	33	1	24	2	-	-	-	-	-	-	2
IPSWICH C.B.	85,800	35	1	23	2	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	58,110	14	-	13	2	-	-	-	-	-	-	-
NORWICH C.B.	124,900*	47	2	31	3	-	-	-	-	-	-	-
SWINDON	62,020	22	3	11	2	-	-	-	-	-	-	-
EXETER C.B.	61,290*	32	-	13	1	1	-	-	-	-	-	-
PLYMOUTH C.B. ..	199,000*	58	3	43	3	-	-	-	-	-	-	1
BATH C.B.	69,240	13	1	29	-	-	-	-	-	-	-	1
BRISTOL C.B.	391,145*	132	5	83	5	-	-	-	-	-	-	4
GLOUCESTER C.B. ..	52,010	19	2	11	-	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	279,190	115	7	66	8	-	-	-	1	-	1	1
BURTON-UPON-TRENT C.B.	48,970	11	1	14	2	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,300	69	3	28	5	-	-	-	-	-	-	1
WALSALL C.B.§	100,930	52	2	22	3	-	-	-	-	-	-	1
WEST BROMWICH C.B.§	80,970	41	5	18	3	-	-	-	-	-	-	-
DUDLEY C.B.	58,870	26	-	16	1	-	-	-	-	-	-	1
WORCESTER C.B. ..	52,320	16	1	13	1	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	968,500	391	14	236	28	-	12	-	2	4	2	9
SMETHWICK C.B. ..	85,120	24	3	15	-	-	-	-	1	1	-	-
COVENTRY C.B. ..	162,100	67	-	33	5	-	-	-	1	-	1	3
LEICESTER C.B. ..	245,200	73	1	64	6	-	1	-	-	-	1	1
LINCOLN C.B.	65,080*	18	1	16	2	-	1	-	-	-	-	2
GRIMSBY C.B.	91,440	32	1	23	2	-	-	-	-	-	-	1
NOTTINGHAM C.B. ..	266,800	115	7	84	9	1	3	-	-	-	1	3
DERBY C.B.	140,500*	58	3	34	5	-	-	-	-	-	-	1
CHESTERFIELD	65,270	14	3	13	-	-	-	-	-	-	-	-
STOCKPORT C.B ..	127,800	34	1	30	2	-	-	-	-	-	-	1
CHESTER C.B.	40,750	15	2	12	2	-	-	-	-	-	1	-
BIRKENHEAD C.B ..	157,600	63	-	31	4	-	2	-	1	-	-	-
WALLASEY C.B. ..	101,300	34	1	15	1	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	869,500	397	18	215	29	-	6	-	1	9	4	3
BOOTLE C.B.	80,400	34	-	12	2	-	-	-	-	-	-	1
ST. HELENS C.B. ..	109,200	43	2	24	2	-	-	-	-	-	1	1

* Population adjusted by the exclusion of non-civilians.
§ Adjusted for change in boundary, 1st April, 1931.

TOWNS.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B ..	80,040	16	-	16	-	-	-	-	-	-	-	-
Wigan C.B.	87,600	40	1	18	2	-	-	-	-	-	-	1
Warrington C.B. ..	79,400*	41	1	23	4	-	-	-	-	-	1	1
Bolton C.B	181,500	42	2	43	4	-	-	1	-	-	-	1
Bury C.B.	56,830*	19	-	17	3	-	-	-	-	-	1	1
Manchester C.B.§ ..	753,570	302	15	193	14	-	2	-	2	-	4	2
Salford C.B.	235,600	90	3	65	1	-	-	1	-	-	1	1
Ashton-under-Lyne	51,750	22	2	10	1	-	-	-	-	-	-	-
Oldham C.B	142,500	33	-	34	2	-	-	-	1	-	-	-
Rochdale C.B. ..	90,900	19	2	29	2	-	-	-	-	-	1	3
Burnley C.B	100,200	27	1	26	-	-	-	-	-	-	-	-
Blackburn C.B ..	125,300	36	3	27	2	-	-	-	-	-	-	1
Preston C.B.	126,100	38	2	30	4	-	-	-	-	-	-	-
Blackpool C.B. ..	99,800	15	-	25	1	-	-	-	-	-	-	2
Barrow-in-Furness C.B.	64,850	20	-	15	1	-	-	-	-	-	-	-
Huddersfield C.B ..	113,100	32	2	36	2	-	1	-	-	-	-	2
Halifax C.B.	97,400*	35	-	23	6	-	-	-	-	-	-	-
Bradford C.B. ..	294,605	91	4	78	8	1	3	-	-	-	-	3
Leeds C.B.	478,500	161	6	142	12	-	-	-	4	1	-	5
Dewsbury C.B. ..	53,020	15	1	21	1	-	-	-	-	-	-	1
Wakefield C.B. ..	56,640	15	5	14	1	-	-	-	1	-	-	1
Barnsley C.B. ..	71,700	44	2	23	2	-	-	-	-	-	-	2
Sheffield C.B. ..	518,000*	182	10	122	13	-	-	-	3	-	1	3
Rotherham C.B. ..	70,790	27	1	18	4	-	-	-	-	-	-	-
Doncaster C.B. ..	59,890	31	1	16	-	-	-	-	-	1	-	-
York C.B.	85,290*	26	1	22	2	-	-	-	-	-	-	-
Hull C.B.	307,500	128	5	71	6	-	-	-	-	1	-	2
Middlesbrough C.B.	133,100	70	5	42	4	-	2	-	-	-	-	-
Darlington C.B. ..	74,150	23	2	16	1	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,090	41	4	16	2	-	-	-	2	-	-	-
West Hartlepool C.B.	69,370	30	1	28	2	-	3	-	2	-	-	2
Sunderland C.B. ..	184,000	80	6	75	11	-	7	-	-	2	1	1
South Shields C.B ..	119,600	54	-	54	4	-	2	-	1	-	1	3
Gateshead C.B. ..	122,600	72	-	32	1	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	283,400*	126	6	73	13	-	2	-	1	-	-	1
Tynemouth C.B. ..	65,880	24	2	14	1	-	1	-	-	-	-	-
Carlisle C.B.	56,160*	19	-	14	1	-	-	-	-	-	-	1
Newport (Mon.) C.B.	95,990*	34	1	18	-	-	2	-	-	-	-	-
Cardiff C.B.	224,000*	91	4	53	2	-	1	-	-	1	1	-
Rhondda	153,100	50	3	41	4	-	1	1	-	-	-	1
Merthyr Tydfil C.B.	77,790	41	3	13	2	-	-	-	-	1	1	-
Aberdare	53,050	18	-	15	-	-	1	-	-	-	-	1
Swansea C.B.	162,700	60	3	31	5	-	-	-	1	-	-	-
Greater London ..	7,900,480*	2,647	95	1,688	135	1	1	2	8	16	10	27
Outer Ring	3,482,580*	1,176	51	707	57	-	1	1	4	6	3	16
17 Great Towns in Outer Ring§.. ..	2,030,410*	613	34	395	28	-	1	-	3	2	1	9
Remainder of Outer Ring§	1,452,170*	563	17	312	29	-	-	1	1	4	2	7
Edinburgh†	428,800	146	?	112	9	-	-	-	-	-	-	7
Glasgow†	1,088,200	501	?	298	49	-	-	-	16	-	7	7
Dublin (Registration Area)†	412,400	253	?	140	29	-	3	1	-	3	3	2
Belfast†	415,151	229	?	120	15	-	5	-	-	-	4	1

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Adjusted for change in boundary, 1st April, 1931.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. Births and Deaths for last available period

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1931.											
London‡	4,417,900	Apl. 18	1471	44	981	11·6	1	–	–	1	4	10	7
Calcutta and Suburbs	1,077,264	Mar. 7	?	?	577‖	27·9	?	55	?	–	?	?	?
Bombay§	1,298,708	„ 21	442	35	384‖	15·4	1	1	1	–	1	–	6
Madras	528,791	„ 7	522	23	508‖	49·9	5	–	–	–	1	–	24
Sydney and Suburbs	1,249,170	Mar. 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Jan. 31 (31 days)	438	?	223	8·5	1	–	–	–	–	1	1
Perth (Metropolitan Area).	202,888	Feb. 7	96	?	41	10·4	–	–	–	–	–	–	1
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Mar. 14	55	5	21	8·0	–	–	–	–	–	–	1
Johannesburg	187,326	„ 7	89	4	38	10·6	–	–	–	–	1	–	1
Durban	61,667	„ 7	15	–	9	7·6	1	–	–	–	–	–	–
Paris	2,871,429	Mar. 20 (10 days)	1143	71	1474	18·6	9	–	8	1	–	8	27
Antwerp	295,146	Mar. 15 (15 days)	209	9	140	11·2	–	–	1	–	–	1	4
Amsterdam	760,564	Mar. 28	241	10	164	11·2	–	–	5	–	1	–	–
Copenhagen	615,564	Apr. 4	169	1	146	12·4	–	–	–	–	–	–	1
Stockholm	502,203	Mar. 28	101	1	113	11·7	–	–	–	–	–	1	–
Gothenberg	245,336	Feb. 21	?	?	49	10·3	–	–	–	–	–	–	–
Oslo	253,568	Apr. 4	47	–	47	9·6	–	–	–	–	–	–	–
Berlin	4,329,000	Mar. 21	813	29	1078	12·9	–	?	3	–	3	1	6
Breslau	617,000	„ 21	159	3	143	12·1	–	?	–	–	3	2	2
Cologne	740,000	„ 21	186	5	193	13·6	–	?	1	–	–	2	2
Dresden	633,000	„ 21	129	3	144	11·8	–	?	1	–	–	1	2
Frankfort-on-Main	541,000	„ 21	119	4	130	12·5	–	?	–	–	–	–	–
Hamburg	1,147,000	„ 21	244	8	296	13·4	–	?	–	–	1	1	1
Leipzig	719,000	„ 21	139	7	151	10·9	–	?	–	–	–	–	1
Munich	730,000	„ 21	147	3	180	12·8	–	?	–	–	1	–	–
Budapest	991,518	„ 22	316	10	278	14·6	–	–	2	1	3	1	6
Warsaw	1,115,651	„ 21	?	8	301	14·1	2	–	–	1	–	5	2
Madrid	825,471	„ 14	402	28	367	23·2	1	–	5	–	1	1	3
Cairo	1,122,800	Dec. 31 (8 days)	1303	37	421	19·6	3	–	1	–	?	3	65
Alexandria	612,200	Dec. 31 (8 days)	599	14	244	20·8	1	–	–	–	?	5	32
New York	7,090,089	Mar. 21	2255	124	1717	12·6	–	–	5	6	3	5	9
Chicago	3,457,375	„ 27	1046	32	741	11·2	–	–	–	8	1	7	4
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Mar. 7	1022	53	442	13·3	7	–	7	–	3	–	59

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of* for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 39 deaths from Cholera in Calcutta, 6 in Madras and 2 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 18th April, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	17,071	20,550	981	78	17	20	23	51	34	60	96	160	194	248
Enteric fever	7	10	1	-	-	-	-	-	-	-	-	1	-	-
Small-pox	8	1	-	-	-	-	-	-	-	-	-	-	-	-
Measles	712	15	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	50	23	1	1	-	-	-	-	-	-	-	-	-	-
Whooping cough	57	125	4	1	2	1	-	-	-	-	-	-	-	-
Diphtheria	184	117	10	-	1	6	1	1	-	-	-	1	-	-
Influenza	188	828	11	1	1	-	-	-	-	-	2	2	1	1	3
Erysipelas	56	69	5	2	-	1	-	-	-	-	-	2	-	-	-
Acute Poliomyelitis, Polioencephalitis	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	16	13	1	-	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	33	60	8	4	1	-	1	1	1	-	-	-	-	-	-
Tuberculosis :—															
Respiratory system	1167	1427	78	-	-	1	-	22	12	12	16	11	3	1
Nervous system	71	67	5	-	1	2	2	-	-	-	-	-	-	-
Intestines and peritoneum ..	19	18	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	67	82	5	-	-	-	2	2	-	-	-	1	-	-
Venereal diseases	67	56	4	1	-	-	-	-	-	-	2	-	1	-
Cancer	1928	2040	128	-	-	-	1	-	2	9	18	34	37	27
Rheumatic fever	61	36	2	-	-	-	1	1	-	-	-	-	-	-
Diabetes	178	190	13	-	-	-	-	-	-	2	1	2	5	3
Alcoholism	5	5	1	-	-	-	-	-	-	-	-	1	-	-
Simple meningitis	35	35	2	1	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	675	744	42	-	-	-	-	-	-	1	5	9	11	16
Epilepsy	63	56	5	-	-	-	-	1	-	2	2	-	-	-
"Convulsions" (not puerperal) ..	27	21	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	373	385	21	2	2	1	-	2	2	2	1	5	4	-
Pericarditis	7	7	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	54	61	5	-	-	-	-	3	-	-	-	2	-	-
Other diseases of heart	3607	4809	217	-	-	-	-	4	2	7	12	35	65	92
Other diseases of circulatory system	700	796	31	-	-	-	-	-	-	-	2	7	11	11
Bronchitis	893	1533	40	1	2	-	-	-	-	-	1	5	3	28
Broncho-pneumonia	850	1425	51	9	4	4	3	2	1	4	2	7	4	11
Lobar pneumonia	466	580	26	1	1	-	-	1	2	4	3	6	3	5
Pneumonia (type not distinguished)	165	212	7	2	-	-	-	-	-	2	-	1	2	-
Other diseases of respiratory system	178	287	11	-	1	1	-	-	2	-	1	2	2	2
Diarrhœa and enteritis	237	228	8	6	1	-	-	-	-	-	-	-	1	-
Appendicitis, Typhlitis	93	86	6	-	-	-	1	-	-	1	1	1	2	-
Hernia, Intestinal obstruction	134	178	13	1	-	-	-	-	-	-	1	2	5	4
Cirrhosis of liver	64	70	7	-	-	-	-	-	-	1	1	4	1	-
Other diseases of digestive system ..	408	400	20	-	-	-	2	1	1	3	5	1	6	1
Acute nephritis	36	27	1	-	-	-	1	-	-	-	-	-	-	-
Chronic Bright's disease	546	618	33	-	-	-	1	-	2	2	4	6	9	9
Other diseases of genito-urinary system.	242	284	12	-	-	-	-	-	-	-	-	3	5	4
Puerperal sepsis	34	36	1	-	-	-	-	1	-	-	-	-	-	-
Other causes incident to childbirth ..	25	33	3	-	-	-	-	2	1	-	-	-	-	-
Congenital malformations	106	98	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	316	360	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	73	54	5	5	-	-	-	-	-	-	-	-	-	-
Old age	401	504	26	-	-	-	-	-	-	-	-	-	2	24
Suicide	167	152	13	-	-	-	-	-	-	3	3	4	3	-
Burns and Scalds	39	59	5	-	-	1	-	-	1	1	-	-	-	2
Drowning	27	24	2	-	-	-	1	-	-	-	1	-	-	-	-
Suffocation in bed	11	12	1	1	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	213	195	14	-	-	1	2	-	2	-	2	3	3	1
Other deaths by violence	277	251	14	1	-	1	1	2	1	1	2	1	1	3
Other specified causes	647	744	35	12	-	-	2	4	2	1	5	4	4	1
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 18th April, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	39	198	165	4	124	C. 4 D. 9 G. 2 M. 18 N. 16
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	6	–	8	M. 1
†BERMONDSEY ...	–	9	6	–	3	D. 1 M. 2
†BETHNAL GREEN	1	4	1	–	2	M. 1 N. 1
†CAMBERWELL ...	4	6	11	–	5	D. 1
†CHELSEA	–	1	–	–	–	–
†DEPTFORD ...	3	11	7	–	3	–
†FINSBURY ...	3	4	2	–	–	M. 1
†FULHAM	–	5	2		6	C. 1 D. 1 M. 1 N. 1
†GREENWICH ...	1	3	2	–	4	–
†HACKNEY... ...	–	16	5	–	3	D. 1 M. 1 N. 1
†HAMMERSMITH ...	–	4	11	–	5	N. 1
†HAMPSTEAD ...	–	–	–	1	3	D. 1
†HOLBORN... ...	–	1	3	–	–	M. 1
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	22	11	3	8	M. 2 N. 4
†KENSINGTON ...	–	6	6		10	–
†LAMBETH ...	1	19	7	–	3	C. 1 D. 1 N. 1
†LEWISHAM ...	–	11	13	–	8	G. 1 N. 2
†PADDINGTON ...	–	5	9	–	2	D. 1 N. 2
†POPLAR	5	4	6	–	7	D. 1
†ST. MARYLEBONE	–	1	11	–	–	M. 1
†ST. PANCRAS ...	–	5	2	–	4	M. 2 N. 1
†SHOREDITCH ...	4	6	6	–	2	N. 1
†SOUTHWARK ...	–	5	4	–	10	M. 1
†STEPNEY	17	20	13	–	7	M. 2 N. 1
†STOKE NEWINGTON	–	1	2	–	1	–
†WANDSWORTH ...	–	10	11		8	C. 2 M. 1
†WESTMINSTER, CITY OF	–	3	1	–	2	–
†WOOLWICH ...	–	8	6	–	10	D. 1 G. 1 M. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	6	1	-	5	C. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD	-	1	-		-	N. 1
DUNSTABLE ...	*	*	*	*	*	*
Rural Districts:—						
AMPTHILL ...	-	2		-	3	-
BEDFORD	-	1	1	-	-	-
BIGGLESWADE ...	-	-	-	-	2	-
EATON SOCON ...	-	1	-	-	-	-
LUTON	-	1	-	-	-	C. 1
BERKS	-	22	3	-	1	M. 1
†READING C.B. ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	-	2	-	-	-	-
†NEW WINDSOR ...	-	3	-	-	-	-
WANTAGE ...	-	3	-		-	-
Rural Districts:—						
ABINGDON ...	-	-	1	-	-	-
COOKHAM ...	-	2	-	-	-	-
EASTHAMPSTEAD	-	8	-	-	-	-
FARINGDON (part)	-	-	1		-	-
NEWBURY ...	-	-	-	-	1	-
WALLINGFORD ...	-	-	-	-	-	M. 1
WANTAGE ...	-	2	-	-	-	-
WINDSOR	-	-	1	-	-	-
BUCKINGHAM ...	-	4	5	-	8	-
Boroughs and Urban Districts:—						
BEACONSFIELD ..	*	*	*	*	*	*
BUCKINGHAM ...	-	1	-	-	-	-
†CHEPPING WYCOMBE	-	2	-	-	-	-
†SLOUGH	-	-	4	-	2	-
†WOLVERTON ...		-	-	-	4	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...		-	-	-	1	-
AYLESBURY ...	-	-	1	-	-	-
ETON	-	1	-	-	-	-
WYCOMBE ...	-	-	-		1	-
CAMBRIDGE ...	-	5	4		-	-
Borough:—						
†CAMBRIDGE ...		2	-	-		-
Rural Districts:—						
CHESTERTON ...	-	1	1	-	-	-
LINTON		2	-	-		-
MELBOURN ...	-	-	3	-		-
CHESTER ...	-	32	35	-	17	C. 2 F. 1 G. 1 M. 2 N. 7
†BIRKENHEAD C.B.	-	1	3	-	4	-
†CHESTER C.B. ...	-	2	3		-	-
†STOCKPORT C.B. ...	-	4	1		3	C. 2 M. 1 N. 4
†WALLASEY C.B. ...	-	1	3	-	2	F. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-		1	-	-	-
†BEBINGTON AND BROMBOROUGH	-	4	3	-	1	-
BUGLAWTON ...	-		-	-	1	-
†CONGLETON ...	-	-	-	-	1	-
†CREWE	-	2	2		-	-
†DUKINFIELD ...	-	4			-	-
†HOYLAKE AND WEST KIRBY	-	1	3	-	1	-
†HYDE	-	6	-	-	1	-
MIDDLEWICH ...	-	-	-	-	1	N. 1
†RUNCORN	-	-	1		-	-
†SALE	-	-	1	-	-	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
Bucklow... ...	–	2		–	1	–
Chester	–	1	–	–	–	G. 1
Macclesfield ...	–	–	–		–	N. 1
Nantwich ...	–	2	1	–	–	–
Northwich ...		–	2	–	–	–
Runcorn	–	–	1	–	1	N. 1
Tarvin	–	–	4	–	–	–
Wirral		2	6	–	–	–
CORNWALL ...	–	8	–	–	10	–
Boroughs and Urban Districts:—						
Fowey		1	–	–	–	–
Looe	*	*	*	*	*	*
Lostwithiel ...	–	1	–	–	–	–
Padstow ...		1	–	–	–	–
Phillack ...	–	1	–	–	–	–
Redruth ...	*	*	*	*	*	*
St. Austell ...		–	–		1	–
St. Just	–	–	–	–	2	–
Saltash	–	–	–	–	1	–
†Truro		1	–		–	–
Wadebridge ...	–	–	–	–	3	–
Rural Districts:—						
Camelford ...	*	*	*	*	*	*
Launceston ...	–	–	–	–	1	–
Liskeard ...	–	1	–	–	–	–
Redruth ...	–	1	–	–	–	–
St. Austell ...	–	–		–	1	–
St. Columb Major	–	–			1	–
West Penwith...	–	1	–	–	–	–
CUMBERLAND...	–	7	3	–	6	D. 1 M. 1
†Carlisle C.B. ...	–	1	–	–	–	D. 1
Boroughs and Urban Districts:—						
Cockermouth ...	–	1	–	–	–	–
Millom	–	–		–	2	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
Penrith	–	–	–	–	1	–
Wigton	*	*	*	*	*	*
†Workington ...	–	1	–	–		–
Rural Districts:—						
Brampton ...	–	1		–	1	–
Cockermouth ...	–	–	–	–	1	–
Longtown ...	–	1	3	–	–	–
Penrith	–	–			1	–
Whitehaven ...	–	2	–	–	–	M. 1
DERBY	15	20	11	–	26	D. 3 M. 4 N. 1
†Derby C.B. ...	–	1	1	–	7	M. 1 N. 1
Boroughs and Urban Districts:—						
†Alfreton ...	–	–	–	–	1	–
Alvaston and Boulton	–	2	–	–	–	–
†Bolsover ...	–	–	–	–	4	–
†Buxton ...	*	*	*	*	*	*
†Chesterfield ...	12	2	–	–	1	–
†Glossop	–	1	1	–	–	M. 1
†Ilkeston... ...	–		–	–	1	–
†Long Eaton ...	–		–	–	2	–
†Ripley	–	1	–	–	–	–
†Swadlincote District	–	–	–	–	1	–
Rural Districts:—						
Bakewell ...	–	2		–	2	–
Belper	–	–	–	–	1	M. 1
Blackwell ...		6	1	–	1	D. 1
Chesterfield ...	3	2	5	–	1	M. 1
Clowne	–	1	–		2	D. 1
Hartshorn and Seals	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
REPTON	–	1	1	–	2	–
SHARDLOW ...	–	1	1	–	–	D. 1
CODNOR PARK AND SHIPLEY (parishes)	–	–	1	–	–	–
DEVON	–	22	19	2	17	D. 1 G. 1 M. 1 N. 2
†EXETER C.B. ...	–	–	3	–	2	–
†PLYMOUTH C.B.	–	15	12	2	2	D. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
BRIXHAM	–	–	–	–	1	–
†EXMOUTH ...	–	–	1	–	–	–
IVYBRIDGE ...	–	–	–	–	–	N. 1
†NEWTON ABBOT ...	–	1	–	–	–	–
TAVISTOCK ...	–	1	–	–		–
TIVERTON ...	–	–	–	–	3	–
†TORQUAY	–	–	1	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	3	–
CREDITON ...	–	–	–	–	1	–
HONITON	–	–	1	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
SOUTH MOLTON ...	–	–	1	–	1	M. 1
TIVERTON ...	–	4	–	–	4	–
DORSET	–	5	2	–	6	M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	3	–
†POOLE	–	2	2	–	–	–
WAREHAM ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts:—						
CERNE	–	–	–	–	–	M. 1
WEYMOUTH ...	–	1	–	–	1	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM ...	–	49	24	1	86	C. 1 D. 5 L. 1 M. 4 N. 5
†DARLINGTON C.B.	–	5	2	–	9	M. 1
†GATESHEAD C.B.	–	5	–	–	11	D. 1 N. 1
†SOUTH SHIELDS C.B.	–	4	–	–	6	D. 1
†SUNDERLAND C.B.	–	6	4	–	20	C. 1 D. 2
†WEST HARTLEPOOL C.B.	–	3	–	–	5	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	4	–	1	–
BENFIELDSIDE ...	–		2	–	1	–
BILLINGHAM ...	–	3	–	–	–	–
†BISHOP AUCKLAND	–	–	–	–	–	N. 1
†BLAYDON	–	3	–	–	–	–
†CHESTER LE STREET	–	–	1	–	–	–
†CONSETT	–	–	1	–	–	–
†CROOK	–	–	–	1	–	–
†DURHAM	–	–	1	–	2	–
†FELLING	–	1	–	–	1	N. 1
†HARTLEPOOL ...	–	2	–	–	–	–
†HEBBURN ...	–	2	–	–	–	–
†HETTON	–	–	–	–	1	–
†JARROW	–	1	1	–	6	L. 1
†SEAHAM HARBOUR	–	–	–	–	6	–
†SHILDON	–	–	–	–	1	–
†SPENNYMOOR ...	–	3	–	–	1	–
†STANLEY	–	2	–	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†STOCKTON ON TEES	–	1	–	–	1	D. 1
†TANFIELD ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	–	–	–	–
WILLINGTON ...	–	1			–	–
Rural Districts:—						
AUCKLAND ...	–	1	4	–	–	–
CHESTER LE STREET	–	1	–	–	1	M. 1
DARLINGTON ...	–	–	–	–	–	N. 1
DURHAM	–	–	–	–	1	–
EASINGTON ...	–	1	2	–	8	–
HOUGHTON LE SPRING	–	–	–	–	1	N. 1
LANCHESTER ...	–	2	–	–	–	–
SEDGEFIELD ...	–	–	1	–	1	–
SUNDERLAND ...	–	–	1	–	2	M. 2
ELY, ISLE OF ...	–	3	2	–	2	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	1	–	–	–
†WISBECH	–	2	–	–	–	–
Rural Districts:—						
WISBECH... ...	–	1	1	–	2	–
ESSEX	32	87	52	5	20	C. 4 D. 1 G. 1 L. 1 M. 3 N. 7
†EAST HAM C.B....	–	8	6	–	–	D. 1
†SOUTHEND ON SEA C.B.	–	3	1		1	C. 1 M. 1
†WEST HAM C.B.	28	6	7	–	5	C. 1 M. 1 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	1	2	3	–	2	–
BRAINTREE ...	–	1	1	–	–	–
BRENTWOOD ...	–	–	1	–	–	–
BUCKHURST HILL	–	–	1	–	–	–
†CHELMSFORD ...	–	–	1	–	–	–
CHINGFORD ...	–	1	1	–	–	–
†COLCHESTER ...	–	2	1		2	L. 1
DAGENHAM ...	–	19	2	4	–	–
†GRAYS THURROCK	–	2	1	–	–	N. 1
†HARWICH ...	–	–	2	–	–	–
†HORNCHURCH ...	–	–	–	–	1	–
†ILFORD	–	4	2	–	2	G. 1 N. 3
†LEYTON	2	3	3	–	2	–
MALDON	–	–	–	1	–	–
†ROMFORD... ...	–	4	1	–	–	–
TILBURY	–	1	1	–	–	–
WALTHAM HOLY CROSS	–	4	2	–	–	–
†WALTHAMSTOW ...	1	3	10		2	C. 1 M. 1
†WOODFORD ...	–	4	–	–	1	–
Rural Districts:—						
BELCHAMP ...	–	–	1	–	–	–
BILLERICAY ...	–	6	1	–	1	–
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	2	–	–	–	–
DUNMOW... ...						C. 1
LEXDEN AND WINSTREE	–	3		–	1	N. 1
MALDON	–	1	–	–	–	–
ONGAR	–	3	–	–	–	–
ORSETT	–	1		–	–	–
ROCHFORD ...	–	–	3	–	–	–
TENDRING ...	–	3	–	–	–	–
GLOUCESTER ...	–	17	12	–	20	C. 1 D. 2 M. 1
†BRISTOL C.B. ...	–	5	8	–	14	C. 1 D. 2
†GLOUCESTER C.B.	–	4	–	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	1	–	–	–
COLEFORD ...	–	1	–	–	–	–
†MANGOTSFIELD ...	–	–	–	–	1	–
Rural Districts:—						
NEWENT	–	–	–	–	1	–
NORTHLEACH ...	–	1	–	–	–	–
STOW ON THE WOLD	–	1	–	–	–	–
STROUD	–	–	3	–	–	–
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–	–	–	–	1	–
WEST DEAN ...	–	3	–	–	–	–
WINCHCOMB (part)	–	2	–	–	–	M. 1
HEREFORD ...	–	1	1	–	8	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	4	–
HEREFORD ...	–	–	–	–	2	–
LEDBURY... ...	–	–	–	–	1	–
LEOMINSTER AND WIGMORE	–	–	1	–	–	–
HERTFORD ...	–	21	8	–	10	G. 1 N. 3
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	1	N. 1
†CHESHUNT ...	–	1	–	–		–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
HARPENDEN ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEMEL HEMPSTEAD	–	1	–	–	–	–
HERTFORD ...	–	3				–
†HITCHIN	–	1		–	–	–
†LETCHWORTH ...	–	8	2		1	N. 1
†ST. ALBANS ...	–	1	–	–	3	G. 1
TRING	–		–	–	3	–
†WATFORD ...	–	–	3	–	1	N. 1
Rural Districts:—						
BERKHAMPSTEAD	–	1	–	–	1	–
HEMEL HEMPSTEAD	–	–	1	–	–	–
ST. ALBANS ...	–	–	1	–		–
WARE	–	2	–	–	–	–
WATFORD... ...	–	1	–	–	–	–
HUNTINGDON ...	–	3	–	–	–	M. 1
Boroughs and Urban Districts—						
OLD FLETTON ...		2	–	–		–
ST. IVES	–	–	–	–	–	M. 1
Rural Districts:—						
NORMAN CROSS ...	–	1		–	–	–
KENT	–	39	23	–	22	C. 1 D. 1 M. 1 N. 3
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	3	–		–	–
†BECKENHAM ...	–		–	–	2	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bexley	–	1	–	–	–	–
†Broadstairs and St. Peter's	–	1	1	–	–	–
†Bromley... ...	–	2	2	–	2	–
†Chatham ...	–	1	3	–	–	–
†Crayford ...	–	–	–	–	–	N. 1
†Dartford ...	–	1	–	–	1	C. 1
†Deal	–	2	–	–	–	–
†Dover	–	–	1	–	–	–
†Erith	–	3	2	–	2	–
†Folkestone ...	–	1	–	–	–	M. 1
†Gillingham ...	–	–	–	–	2	D. 1
†Gravesend ...	–	2	–	–	–	–
†Herne Bay ...	–	2	–	–	–	–
Hythe	–	1	–	–	–	–
†Maidstone ...	–	–	1	–	2	–
†Northfleet ...	–	–	–	–	1	–
†Penge	–	3	–	–	1	–
†Ramsgate ...	–	–	–	–	1	–
†Royal Tunbridge Wells	–	1	2	–	1	N. 1
Sevenoaks ...	–	1	–	–	1	–
†Sheerness ...	–	–	–	–	1	–
Sidcup	–	–	–	–	1	–
†Sittingbourne and Milton	–	1	–	–	–	–
†Tonbridge ...	–	2	–	–	–	–
Rural Districts:—						
Bridge	–	–	1	–	–	–
Bromley... ...	–	1	6	–	1	–
Cranbrook ...	–	1	–	–	–	–
Dartford ...	–	–	1	–	–	–
Dover	–	–	3	–	–	–
Eastry	–	–	–	–	1	N. 1
Elham	–	–	–	–	1	–
Faversham ...	–	1	–	–	1	–
Malling ...	–	1	–	–	–	–
Milton	–	1	–	–	–	–
Sevenoaks ...	–	2	–	–	–	–
Strood	–	1	–	–	–	–
Tonbridge ...	–	2	–	–	–	–
LANCASTER ...	–	195	105	9	212	C. 3 D. 4 G. 5 L. 1 M. 19 N. 15
†Barrow in Furness C.B.	–	2	–	–	4	–
†Blackburn C.B.	–	2	1	–	1	C. 1 G. 1
†Blackpool C.B.	–	2	–	–	2	–
†Bolton C.B. ...	–	3	–	–	4	G. 1
†Bootle C.B. ...	–	7	3	–	3	N. 1
†Burnley C.B. ...	–	1	3	–	9	N. 1
†Liverpool C.B....	–	17	42	2	50	G. 1 M. 11 N. 2
†Manchester C.B.	–	53	14		43	D. 3 G. 1 M. 2 N. 1
†Oldham C.B. ...	–	5	2	1	2	N. 1
†Preston C.B. ...	–	2	–	–	4	M. 1
†Rochdale C.B....	–	9	–	1	1	M. 1 N. 1
†St. Helens C.B.	–	2	2	–	7	C. 1
†Salford C.B. ...	–	4	4	–	10	G. 1 N. 2
†Southport C.B.	–		2	–	5	–
†Warrington C.B.	–	16	2	–	6	–
†Wigan C.B. ...	–	4	3	–	8	–
Boroughs and Urban Districts:—						
Abram	–	1	–	–	–	–
†Ashton in Makerfield	–	–	–	1	4	D. 1
†Ashton-under-Lyne	–	4	–	–	–	–
Aspull	–	–	–	–	1	–
†Bacup	–	1	1	–	–	–
†Chadderton ...	–	–	–	–	1	–
†Chorley	–	–	–	–	2	–
†Clitheroe ...	–	–	–	–	–	N. 1
†Colne	–	–	–	–	–	N. 1
†Crompton ...	–	1	–	–	1	–
†Darwen	–	1	–	–	2	N. 1
†Denton	–	–	–	–	1	–
†Eccles	–	–	2	–	1	–
†Farnworth ...	–	–	–	–	2	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts:— *cont.*						
†Fleetwood ...	–	–	–	–	1	–
Formby	–	–	–	–	–	M. 1
Fulwood ...	–	–	–		–	N. 1
Grange	*	*	*	*	*	*
†Great Crosby ...	–	3		–		
†Haydock... ...	–	–	–	–	–	N. 1
†Heywood ...	–	–	–	–	3	
†Hindley	–	–	1		–	–
†Horwich... ...	–	3	–		–	–
Huyton with Roby	–	–	1	–	–	–
†Lancaster ...	–	6	1	–	–	–
†Leigh	–	1	–	–	2	–
†Lytham St. Anne's	–	–	1	–	1	–
†Middleton ...	–	4	1	–	4	–
Milnrow... ...		–		–	1	–
†Morecambe and Heysham			–	–	1	–
†Nelson	–	5	1		–	M. 1
†Newton in Makerfield	–	5	2	–	1	–
Ormskirk ...	–	–	–	–	–	N. 1
Orrell			–	–	1	–
†Oswaldtwistle		1	–	–	1	–
†Padiham... ...	–	–		–	1	–
Prescot	–	–	2		–	–
†Prestwich ...	–		1	–	–	–
†Radcliffe ...	–	–	–	–	1	–
†Rawtenstall ...	–	2		–	1	–
Rishton	–	–	–	1	–	–
Standish-with Langtree	–	–	–	–	1	–
†Stretford ...	–	2	2	1	3	–
†Swinton and Pendlebury	–	1	–	–	–	–
†Tyldesley with Shakerley	–	1	–		2	–
Urmston... ...	–	–	1	–	–	
Wardle... ...		–	–	–	–	M. 1
†Waterloo with Seaforth	–	1	3	–	1	–
Whitefield ...		–	–	–	1	–
†Widnes	–	5	2	2	1	C. 1
LANCASTER— *cont.*						
Rural Districts:—						
Barton upon Irwell	–	4	–	–	–	–
Blackburn ...	–	1	–	–	2	–
Burnley ...	–	–	–	–	1	–
Bury	–	2	–	–	–	–
Chorley	–	–	–	–	1	–
Clitheroe ...	–	–	–	–	2	–
Garstang ...	–	2	–	–	–	–
Lancaster ...	–	1	–	–	–	–
Leigh	–	–	1	–	–	–
Limehurst ...	–	–		–	–	M. 1
Preston	–	1	–	–	1	–
Sefton	–	–	2	–	–	–
Warrington ...	–	5	2	–	–	–
West Lancashire	–	–	–	–	2	–
Whiston... ...	–	2	–	–	–	L. 1
Wigan	–		–	–	1	–
LEICESTER ...	53	12	7	–	18	D. 2 N. 1
†Leicester C.B....	28	4	1	–	7	D. 2 N. 1
Boroughs and Urban Districts:—						
Ashby Woulds...	*	*	*	*	*	*
†Coalville ...	3		–	–		–
†Hinckley ...	–	–	–	–	3	–
†Loughborough	1	4	–	–	–	–
Melton Mowbray	–	–	–	–	2	–
Oadby	–	–	2	–	–	–
Shepshed ...	2	–	–	–	–	–
Thurmaston ...	10	–	–	–	–	–
Wigston Magna	1		–	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	–	–	–	3	–
Barrow upon Soar	2	1	4	–	2	–
Billesdon ...	1	2	–	–	–	–
Blaby	2	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts:— *cont.*						
HINCKLEY ...	1	–	–	–	1	–
MARKET BOSWORTH	2	–	–	–	–	–
LINCOLN (parts of Holland).	–	3	–	–	5	G. 1 N. 1
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
SUTTON BRIDGE	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	2	–	–	3	G. 1 N. 1
SPALDING ...	–	–	–	–	2	
LINCOLN (parts of Kesteven).	–	–	–	–	3	–
Rural Districts:—						
EAST KESTEVEN	–	–	–	–	1	–
SOUTH KESTEVEN	–	–	–	–	1	–
WEST KESTEVEN	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	8	5	5	–	8	G. 2 M. 1 N. 2
†GRIMSBY C.B. ...	7	1	1		1	N. 1
†LINCOLN C.B. ...	–	–	2	–	3	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...		1	–	–	–	–
†GAINSBOROUGH ...	–	2	–	–	2	G. 1 M. 1
†SCUNTHORPE AND FRODINGHAM	1	–	1	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)— *cont.*						
Rural Districts:—						
CAISTOR	–	–	–	–	–	N. 1
GAINSBOROUGH ...	–		–	–	1	
LOUTH	*	*	*	*	*	*
SPILSBY	–	1	1	–	1	–
MIDDLESEX ...	–	75	42	–	42	C. 5 D. 2 E. 1 M. 6 N. 7
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	–	C. 1
†BRENTFORD AND CHISWICK	–	–	1	–	1	–
†EALING	–	3	2	–	4	M. 1
†EDMONTON ...	–	3	3	–	2	C. 2 N. 1
†ENFIELD	–	3	2	–	1	C. 1
†FELTHAM... ...	–	–	1	–	–	–
†FINCHLEY ...	–	12	1	–	–	–
†FRIERN BARNET...	–	3		–	–	–
†HAMPTON ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	–		–	2	N. 1
HAYES AND HARLINGTON	–	–	–	–		E. 1
†HENDON	–	7	3	–	3	D. 1 M. 1 N. 3
†HESTON AND ISLEWORTH	–	2		–	7	–
†HORNSEY	–	4	1	–	3	–
KINGSBURY ...	–	2	5		–	–
RUISLIP NORTHWOOD	–	–	–	–	–	N. 1
†SOUTHALL NORWOOD	–	6	3	–	3	–
†SOUTHGATE ...	–	1	–		–	–
SUNBURY ON THAMES	–	3	2	–	1	
†TEDDINGTON ...	–	2	–	–	–	D. 1
†TOTTENHAM ...	–	2	5	–	3	C. 1
†TWICKENHAM ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Uxbridge ...	-	2	1	-	-	-
†Wealdstone ...	-	-	-	-	2	-
†Wembley ...	-	4	-	-	1	-
†Willesden ...	-	9	5	-	5	M. 4 N. 1
†Wood Green ...	-	2	-	-	1	-
Rural Districts—						
Hendon	-	2	5	-	2	-
NORFOLK ...	-	9	2	1	9	C. 1 E. 1 M. 1
†Great Yarmouth C.B.	-	-	-	-	1	-
†Norwich C.B. ...	-	-	-	-	2	-
Boroughs and Urban Districts:—						
†King's Lynn ...	-	-	1	-	2	-
Walsoken ...	-	3	-	-	-	-
Rural Districts:—						
Aylsham... ...	-	2	-	-	-	-
Blofield ...	-	1	-	-	2	C. 1
Docking	-	-	-	1	-	-
East and West Flegg	-	-	1		-	-
Forehoe... ...	-	-	-	-	-	M. 1
Loddon and Clavering	-	-	-	-	1	-
Marshland ...	-	1	-	-	-	-
St. Faith's ...	-	1	-	-	-	-
Smallburgh ...	-	1	-	-	-	-
Walsingham ...	-	-	-	-	-	E. 1
Wayland ...	-	-		-	1	-
NORTHAMPTON	-	15	4	2	16	C. 1
†Northampton C.B	-	6	2	-	12	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
Burton Latimer	-	-	-	1	-	-
Finedon	-	-	-	-	1	-
†Kettering ...	-	3				-
Rothwell ...	-	3	1	-	-	-
†Rushden... ...	-	1	-		2	-
†Wellingborough	-	-			1	-
Rural Districts:—						
Brackley ...	-	-	-	-	-	C. 1
Brixworth ...	-	1	-	-	-	-
Northampton ...	-	-	1	-		-
Oundle (part) ...	-	-		1	-	-
Towcester ...	-	1			-	-
NORTHUMBERLAND.	-	14	6	-	41	C. 1 D. 6 L. 1 M. 3 N. 1
†Newcastle upon Tyne C.B.	-	10	2	-	21	D. 2 L. 1 M. 1 N. 1
†Tynemouth C.B.		-	1	-	5	C. 1 D. 1
Boroughs and Urban Districts:—						
†Bedlingtonshire	-	-			2	D. 1
†Blyth	-	-	2	-	4	
†Earsdon	-	1	-	-	-	-
†Longbenton ...	-	-	-	-	1	-
†Newburn ...	-	1	-	-	2	-
Seghill	-	-	-	-	4	
†Wallsend ...	-	1	1	-	1	D. 1 M. 2
Weetslade ...	-	1	-	-	-	-
†Whitley and Monkseaton	-	-	-	-	1	-

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
CASTLE WARD ...	–	–	–	–	–	D. 1
NOTTINGHAM ...	–	25	6	–	29	C. 1 D. 4 M. 1 N. 2
†NOTTINGHAM C.B.	–	9	3	–	12	–
Boroughs and Urban Districts:—						
†BEESTON	–	–	1	–	–	–
†CARLTON	–	1	1	–	2	–
†EAST RETFORD ...		3	–	–	3	–
EASTWOOD ...	–	–	–	–	1	–
†HUCKNALL ...	–	2	–	–	3	–
HUTHWAITE ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	–	–	3	–
†MANSFIELD ...	–	1	–	–	–	D. 3
†MANSFIELD WOODHOUSE	–	–	–	–	–	D. 1
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	N. 1
†WEST BRIDGFORD	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	5	1	–	1	N. 1
BINGHAM... ...	–	–	–	–	–	C. 1 M. 1
SKEGBY	–	–	–	–	1	–
SOUTHWELL ...	–	1	–	–	1	–
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	7	3	–	2	M. 2 N. 1
†OXFORD C.B. ...	–	5	3	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–		–	–	M. 1
OXFORD—*cont.*						
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
CROWMARSH ...	–	–	–	–	1	–
HENLEY	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	4	–	–	4	–
Borough:—						
†PETERBOROUGH...	–	4	–	–	4	–
RUTLAND ...	–	1	–	1	1	–
Rural Districts:—						
KETTON	–	1	–	–	–	–
OAKHAM	–		–	1	–	–
UPPINGHAM ...		–	–	–	1	–
SALOP	–	7	4	1	9	N. 2
Boroughs and Urban Districts:—						
LUDLOW	–	–	1	–	–	–
OSWESTRY ...	–	–	–	1	–	–
†SHREWSBURY ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	2	N. 1
BRIDGNORTH ...	–	–	–	–	1	–
CHIRBURY ...		–	–	–	1	–
CHURCH STRETTON	–	1	–	–	–	–
CLEOBURY MORTIMER	–	2	1	–	1	N. 1
DRAYTON	–	1	–	–	–	–
ELLESMERE ...	–	1	–	–	–	–
LUDLOW	–	–		–	1	–
NEWPORT... ...	–	–		–	1	–
SHIFNAL	–	–	–	–	1	–
WELLINGTON ...	–	–	1	–	1	–
WEM	–	1	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	-	10	4	-	13	G. 1 N. 1
†BATH C.B. ...	-	2	1	-	1	-
Boroughs and Urban Districts:—						
†TAUNTON		1		-	2	G. 1
WELLINGTON ...	-	1	-	-	-	-
†WESTON SUPER MARE	-	1	1	-	3	-
†YEOVIL	-	-	1	-	2	N. 1
Rural Districts:—						
AXBRIDGE ...	-	2		-	2	-
CHARD	-	-	-	-	1	-
CLUTTON	-	1	-	-	-	-
†FROME	-	1		-	-	-
KEYNSHAM ...	-	-	-	-	1	-
LANGPORT ...	-	-	1	-	-	-
LONG ASHTON ...	-	1	-	-	-	-
TAUNTON ...	-	-	-	-	1	-
SOUTHAMPTON	-	34	15	-	12	G. 2 M. 4 N. 2
†BOURNEMOUTH C.B.	-	5	3		4	G. 1
†PORTSMOUTH C.B.		14	5	-	-	M. 1
†SOUTHAMPTON C.B.	-	1	6	-	-	M. 3 N. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	-	1	-			-
†EASTLEIGH AND BISHOPSTOKE	-	-	-	-	1	-
†FAREHAM ...	-	1	-	-	-	-
†GOSPORT	-	2	-		3	-
MILTON	-	1		-	-	-
PETERSFIELD ...	-	-	-	-	-	G. 1
†WINCHESTER ...	-	-	-	-	1	-
Rural Districts:—						
ALRESFORD ...	-	-	1	-	-	-
BASINGSTOKE ...	-	1	-	-	-	N. 1
DROXFORD ...	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts—*cont.*						
FORDINGBRIDGE	-	1	-	-	-	-
NEW FOREST ...	-	-	-	-	1	-
RINGWOOD ...	-	4	-	-	-	-
WHITCHURCH ...	-	3	-	-	-	-
WINCHESTER ...	-	-	-	-	1	-
STAFFORD ...	-	33	23	-	57	G. 1 M. 9 N. 3
†BURTON UPON TRENT C.B.	-	2	-	-	-	-
†SMETHWICK C.B.	-	2	3	-	3	-
†STOKE ON TRENT C.B.	-	3	3	-	20	M. 4
†WALSALL C.B. ...	-	3	7	-	4	-
†WEST BROMWICH C.B.	-	2	1	-	5	-
†WOLVERHAMPTON C.B.	-	3	3	-	3	M. 3 N. 2
Boroughs and Urban Districts:—						
†AUDLEY	-	-	-	-	3	M. 1
†BILSTON	-	-	-	-	1	-
†BRIERLEY HILL...	-	-	1	-	-	-
†BROWNHILLS ...	-	1	1	-	1	-
†COSELEY		2		-	1	-
†DARLASTON ...	-	-	-	-	1	-
KIDSGROVE ...		1	-	-	2	-
LICHFIELD ...	-		-	-	-	M. 1
†NEWCASTLE UNDER LYME		-	1	-	-	-
QUARRY BANK ...		1	-	-	-	-
†ROWLEY REGIS ...		-	1	-	1	G. 1 N. 1
†SEDGLEY		1	-	-	1	-
†STAFFORD ...	-	1	2	-	-	-
†TIPTON	-	-	-	-	4	-
†WEDNESBURY ...		1	-	-	1	-
WEDNESFIELD ...	-	1	-	-	-	-
†WILLENHALL ...	-	1	-		-	-

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
Cheadle	–	3	–	–	5	–
Leek	–	1	–	–	–	–
Lichfield ...	–	1	–	–	–	–
Newcastle under Lyme	–	–	–	–	1	–
Stafford ...	–	1			–	–
Tutbury... ...	–	1	–	–	–	–
Uttoxeter ...		1			–	–
SUFFOLK, EAST		13	6	–	2	M. 1
†Ipswich C.B. ...		4	–	–	–	–
Boroughs and Urban Districts:—						
Beccles	–	–	1	–	–	–
Bungay	–	–	–		1	–
Leiston cum Sizewell	–	1		–	–	–
†Lowestoft ...	–	3	–	–		–
Rural Districts:—						
Bosmere and Claydon	–	2	3	–	–	–
Hartismere ...		–	2		–	–
Mutford and Lothingland	–	1	–	–	–	M. 1
Plomesgate ...	–	1		–	–	–
Wangford ...	–	–	–	–	1	–
Woodbridge ...	–	1	–	–	–	–
SUFFOLK, WEST	–	1	–	–	–	–
Rural Districts:—						
Mildenhall ...	–	1	–		–	–
SURREY	3	38	25	1	20	E. 1 M. 1 N. 5
†Croydon C.B. ...	3	8	6	–	3	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—						
†Barnes	–	–	1	–	1	–
†Beddington and Wallington	–	–	–	–	1	–
†Carshalton ...	–	1	1	–	2	–
†Caterham and Warlingham	–	2	–		–	–
†Chertsey ...	–	–	–	–	1	–
†Coulsdon and Purley	–	1	–	–	–	–
East and West Molesey	–	–	–	–	2	N. 1
†Egham		2		–	1	
†Epsom	–		1	–	–	–
†Farnham ...	–	2	–	–	–	–
Haslemere ...	–	2	–	–	–	–
†Kingston on Thames	–	–	2	–	2	–
†Merton and Morden	–	–	3	–	1	–
†Mitcham... ...	–	4	3	–	1	N. 1
†Reigate	–	1	–	–	2	–
†Richmond ...	–	3	2	–		–
†Surbiton ...	–	–	–		1	–
†Sutton and Cheam	–	1	1		1	–
†The Maldens and Coombe		1		–	–	–
Weybridge ...	–		–	–		M. 1 N. 1
†Wimbledon ...	–	1	–	–		
Windlesham ...	–	–		–	–	N. 1
†Woking	–	2	3	–		N. 1
Rural Districts:—						
Chertsey ...	–	1	–	–	–	–
Epsom	–	–			1	
Farnham ...		1	–	–	–	–
Godstone ...	–	3			–	–
Guildford ...	–	1		1	–	–
Hambledon ...	–	1	–	–	–	
Reigate	–	–	2		–	–
SUSSEX, EAST...	–	7	16	–	12	D. 1 M. 2 N. 2
†Brighton C.B. ...	–	–	2	–	2	M. 1 N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
†HASTINGS C.B. ...	–	5	1	–	6	–
Boroughs and Urban Districts:—						
†BEXHILL	–	–	–	–	1	–
EAST GRINSTEAD		–	2	–	–	M. 1
†LEWES	–	–	1	–	–	–
NEWHAVEN ...		–	2			
RYE	*	*	*	*	*	*
SEAFORD	–	1		–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1			1	–
EAST GRINSTEAD		–	7	–	–	N. 1
HAILSHAM ...	–	–	–	–	1	–
RYE	–	–	–	–	–	D. 1
TICEHURST ...			1	–	1	–
SUSSEX, WEST...	–	8	2	–	2	C. 2 D. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–			1	C. 1
†LITTLEHAMPTON		–	–	–	–	D. 1
SHOREHAM BY SEA		2	–	–	–	C. 1 N. 1
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	1	1	–	–	M. 1
Rural Districts:—						
STEYNING WEST...	–	2	–	–	–	–
WESTBOURNE ...	–	–	1	–	–	–
WESTHAMPNETT	–	2	–	–	1	M. 1
WARWICK ...	1	55	42	1	76	C. 3 F. 1 M. 24 N. 6
†BIRMINGHAM C.B.	–	42	34	1	54	C. 3 M. 23 N. 5
†COVENTRY C.B. ...	–	4	4	–	6	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	1	3	–	1	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	–	1	–	–	–
†STRATFORD ON AVON	–	–	–	–	2	–
†SUTTON COLDFIELD	–	–	–	–	2	F. 1
Rural Districts:—						
ALCESTER ...	–	1	–	–	2	–
ATHERSTONE ...	–	–	–	–	1	M. 1
NUNEATON ...	1	–	–	–	–	–
RUGBY	–	5		–	–	–
SOUTHAM... ...	–	1	–	–	4	–
TAMWORTH (part)	–	–	–	–	1	–
WARWICK ...	–	–	–	–	2	–
WESTMORLAND	–	2	–	1	5	N. 1
Boroughs and Urban Districts:—						
†KENDAL		–		–	1	–
SHAP	–	1	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	1	2	–
SOUTH WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	1	–	–	–	N. 1
WIGHT, ISLE OF	–	1	2	–	–	N. 1
Borough and Urban Districts:—						
†COWES	–	–	1	–	–	–
†NEWPORT... ...	–	–	1	–	–	–
Rural Districts:—						
ISLE OF WIGHT ...	–	1	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS		4	1	–	8	M. 1
Boroughs and Urban Districts:—						
Chippenham ...	–	1	–	–	–	–
Melksham ...	–	1	–	–	–	–
Salisbury ...	–	–	–	–	1	–
†Swindon ...	–	1	1	–	5	–
Rural Districts:—						
Highworth ...	*	*	*	*	*	*
Pewsey	–	1	–		–	M. 1
Tisbury	–			–	1	–
Wilton	–			–	1	–
WORCESTER ...		12	1	–	13	M 5 N. 1
†Dudley C.B. ...	–	–	–	–	1	–
†Worcester C.B.	–	1	–	–	3	M. 3
Boroughs and Urban Districts:—						
Bewdley ...	–	–	–	–	1	–
Evesham	–	1	–	–	–	
†Halesowen ...	–	1	–	–	–	M. 1
†Kidderminster	–	4	–		–	N. 1
†Malvern ...	–		–	–	2	
†Oldbury		1	1	–	4	M. 1
†Redditch ...	–	1	–	–	–	–
†Stourbridge ...	–	–	–	–	1	–
Rural Districts:—						
Evesham	–	1		–	–	–
Kidderminster	–	1	–	–	–	–
Tenbury	–	1	–	–	–	–
Upton on Severn		–	–	–	1	–
YORKS ... ... (East Riding).	–	12	9	–	15	C. 2 D. 1 G. 1 M. 1 N. 1
†Kingston upon Hull C.B.	–	7	4	–	7	C. 1 D. 1 M. 1 N. 1
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†Beverley ...	–	–	–	–	3	–
†Bridlington ...	–	–	1	–	–	–
Filey	–	–	1		–	
Hornsea	–	–	–		–	G. 1
Norton	–	2	–		–	–
Withernsea ...	–		–	–	1	–
Rural Districts:—						
Beverley ...	–	–	–	–	–	C. 1
Patrington ...	–	–	–	–	2	–
Pocklington ...	–	1	–		1	–
Sculcoates ...	–	1	3	–	1	–
Skirlaugh ...		1	–		–	–
YORKS ... ... (North Riding).	–	16	4	–	28	C. 1 D. 2 N. 3
†Middlesbrough C.B.	–	5	–	–	12	C. 1 D. 2 N. 2
Boroughs and Urban Districts:—						
†Eston	–	3	–	–	2	–
Guisborough ...	–	–	–	–	4	–
Kirklington cum Upsland	*	*	*	*	*	*
Pickering ...	*	*	*	*	*	*
†Redcar	–	–	–	–	1	–
Richmond ...	–	–	1	–	–	–
†Scarborough ...	–		1	–	–	–
†Skelton and Brotton	–	2	–	–	5	N. 1
†Thornaby on Tees	–	–	–	–	1	–
†Whitby	–	1	–	–	–	–
Rural Districts:—						
Easingwold ...	–	–	–	–	1	–
Flaxton	–	2	–	–	–	–
Guisborough ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts—*cont.*						
Middlesbrough	–	–	1	–	–	–
Stokesley ...	–	–	–	–	1	–
Whitby	–	3	–	–	–	–
YORKS ... ... (West Riding).	5	104	75	4	188	C. 6 D. 34 E. 1 G. 1 L. 1 M. 6 N. 6
†Barnsley C.B. ...	–	1	–	1	7	D. 8
†Bradford C.B. ...	–	9	–		13	C. 2 D. 1 N. 1
†Dewsbury C.B....	–	–	1	–		M. 1
†Doncaster C.B....	–	2	1		–	–
†Halifax C.B. ...	1	2	3		6	–
†Huddersfield C.B.	–	–	4	–	5	M. 1
†Leeds C.B. ...	1	14	14	–	20	C. 2 M. 1 N. 2
†Rotherham C.B.	–	–	4	–	4	D. 4
†Sheffield C.B....	2	17	9	1	55	C. 1 E. 1 G. 1 L. 1 M. 2
†Wakefield C.B.	–	3	–	–	9	–
Boroughs and Urban Districts:—						
†Adwick le Street	–	–	5	–	–	–
†Bentley with Arksey	–	–	1	1	–	–
†Bingley	1	1	–	–	1	–
Birkenshaw ..	–	1	–	–	–	–
Birstal	–	–	–	–	3	–
†Bolton upon Dearne	–	–	–	–	–	D 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Brighouse ...	–	2	–		–	–
Burley in Wharfedale	–	–	1	–	–	–
†Castleford ...	–	3		–	1	–
†Conisbrough ...	–	–	1	–	1	–
Cudworth ...	–	2	–	–	1	–
Darfield ...	–	–	1		–	–
†Darton	–	3	–	–	2	–
Dodworth ...	–	–	–	–	1	–
Farsley	–	1	–	–	–	–
†Featherstone ...	–		1	–	–	–
†Golcar	–	1		–	–	–
†Goole	–	–	–	–	1	–
Greasbrough ...	–	1	–	–		–
Greetland ...	–	–	4		–	–
†Harrogate ...	–	2	–	–	2	C. 1 M. 1
Hebden Bridge	–	1	–	–	–	–
Heckmondwike	–	1	–	–	–	–
†Hemsworth ...	–	–	–		2	D. 1
Hipperholme ...	–	–	–	–	1	–
Honley	–	–	–	–	5	–
Horbury... ...	–	–	–	–	1	–
†Hoyland Nether	–	–		–	–	D. 1
†Keighley ...	–	2	–	–	2	–
Kirkburton ...	–	–			1	–
Lepton	–	–	–	–	1	–
Linthwaite ...	–	–	–	–	1	–
Maltby	–	–	–	–	–	D. 3
Meltham ...	–	2	–	–	–	–
†Mexborough ...		–	1	–	1	–
†Morley		–	–	–	5	–
Mytholmroyd ...		1	–		–	–
New Mill ...	–	–	–	–	1	–
†Normanton ...	–	1		–	1	–
†Ossett	–		–	1	–	–
Otley	–	1	–		3	–
†Pontefract ...		1		–	–	–
†Pudsey	–	1	–	–	1	–
†Rawmarsh ...	–	–	1	–	5	–
Rishworth ...	–	–	–	–	1	–
†Rothwell ...	–		1	–	–	–
Royston	–	–	1		–	–
Shelley	–	–	–	–	1	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†SHIPLEY	–	2	–	–		–
†SKIPTON	–	1	–	–		–
SOUTH CROSLAND	–	–	–	–	1	–
†SOWERBY	–			–	1	–
†SPENBOROUGH ...	–	3	–	–	4	–
†STANLEY	–	1	1	–	–	–
†SWINTON	–	–	–	–	–	D. 1
THURNSCOE ...	–	–	1	–	1	D. 1
†WATH UPON DEARNE	–	1	–		–	
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	–	1	–	1	–
†WORSBOROUGH ...	–	2	2	–	2	–
YEADON	–	–	–	–	1	–
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...		–	1	–	2	D. 1
GOOLE	–	–	–		2	–
GREAT OUSEBURN		1	–	–		N. 1
HEMSWORTH ...	–	2	1	–	3	D. 6
HUNSLET	–	–	1			–
KIVETON PARK ...	–	1	–	–	1	D. 2
PONTEFRACT ...	–	–	–	–	1	–
ROTHERHAM ...	–	2	2		1	D. 1
SELBY		1	–	–	–	
SETTLE	–	–	2	–		–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	5	4	–	–	–
THORNE	–		–	–	1	D. 3 N. 1
WAKEFIELD ...	–	2	4	–		–
WHARFEDALE (SOUTH)	–	1	–	–	–	
WORTLEY... ...	–	–	1	–	1	N. 1
YORK, CITY OF ..		1	1	–	–	L. 1
†YORK C.B. ...	–	1	1	–	–	L. 1
WALES.						
ANGLESEY ...	–	–	2		1	–
ANGLESEY—*cont.*						
Boroughs and Urban Districts:—						
AMLWCH	*	*	*	*	*	*
†HOLYHEAD ...		–	1		–	–
Rural Districts:—						
AETHWY	–	–	1	–	1	–
TWRCELYN ...	*	*	*	*	*	*
BRECKNOCK ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	*	*	*	*	*	*
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CRICKHOWELL ...	–	–	–	–	1	–
HAY	–		–	–	2	–
CAERNARVON...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
CAERNARVON ...	–	–	1	–	–	–
CARDIGAN ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...		2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the followingdiseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CARMARTHEN...	-	4	2	-	1	C. 1
Boroughs and Urban Districts:—						
Ammanford ...	-	-	1	-	-	-
Kidwelly ...	-	1	1	-	-	-
Rural Districts:—						
Carmarthen ...	-	2	-	-	-	-
Llandilo Fawr	-	-	-	-	1	-
Llandovery ...	-	1	-	-	-	-
Llanelly ...	-	-	-	-	-	C. 1
DENBIGH ...	-	13	21	-	4	C. 1 D. 1 N. 2
Boroughs and Urban Districts:—						
†Colwyn Bay ...	-	-	1	-	-	D. 1
†Wrexham ...	-	2	2	-	1	-
Rural Districts:—						
Llanrwst ...	-	-	-	-	-	C. 1
Ruthin	-	-	-	-	1	-
Wrexham ...	-	11	18	-	2	N. 2
FLINT	-	-	-	-	2	-
Borough and Urban Districts:—						
Connah's Quay	-	-	-	-	1	-
Rural Districts:—						
Holywell ...	-	-	-	-	1	-
GLAMORGAN ...	7	55	51	1	46	C. 3 D. 1 E. 1 G. 1 M. 3 N. 6
†Cardiff C.B. ...	-	25	11	1	3	C. 2 M. 2
GLAMORGAN— *cont.*						
†Merthyr Tydfil C.B.	-	2	1	-	-	-
†Swansea C.B. ...	-	5	9	-	2	E. 1 N. 3
Boroughs and Urban Districts:—						
†Aberdare ...	1	3	-	-	7	-
†Barry	-	1	-	-	-	-
†Caerphilly ...	-	2	-	-	2	N. 1
†Gelligaer ...	-	1	3	-	5	M. 1
†Glyncorwg ...		-	1	-	1	-
†Maesteg	-	1	-	-	3	-
†Mountain Ash...	6	1	-	-	5	-
†Neath	-	-	2	-	1	-
†Ogmore and Garw	-	2	1	-	2	D. 1
†Pontypridd ...		1	1		5	-
Porthcawl ...	-	-	1	-	-	-
†Port Talbot ...		2	2	-	-	G. 1
†Rhondda ...	-	4	16	-	10	C. 1 N. 2
Rural Districts:—						
Cardiff	-	3	-	-	-	-
Llantrisant and Llantwitfardre	-	-	1	-	-	-
Penybont ...	-	2	-	-	-	-
Pontardawe ...	-	-	2	-	-	-
MERIONETH ...	-	-	1	-	1	M. 1 N. 1
Urban Districts:—						
Dolgelley ...	-	-	-	-	-	N. 1
Ffestiniog ...	-	-	1	-	-	M. 1
Rural Districts:—						
Dolgelley ...	-	-	-	-	1	-
MONMOUTH ...	-	29	20	-	10	D. 1 N. 2
†Newport C.B. ...	-	8	7	-	4	D. 1 N. 2

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH— *cont.*						
Boroughs and Urban Districts—						
Abergavenny ...	–	–	1	–	–	–
†Abersychan ...	–	2	–	–	–	–
†Abertillery ...	–	5	7	–	–	–
Bedwas and Machen	–	1	–	–	–	–
†Bedwellty ...	–	–	1	–	–	–
†Blaenavon ...	–	–	–	–	1	–
†Ebbw Vale ...	–	11	1	–	–	–
†Mynyddislwyn	–	–	1	–	–	–
†Nantyglo and Blaina	–	–	–	–	2	–
†Risca	–	–	–	–	1	–
†Tredegar ...	–	–	–	–	1	–
Rural District:—						
Abergavenny ...	–	1	–	–	–	–
Monmouth ...	–	–	1	–	–	–
St. Mellons ...	–	1	1	–	1	–
MONTGOMERY...	–	–	1	–	7	–
Rural Districts:—						
Forden	–	–	–	–	1	–
Llanfyllin ...	–	–	–	–	3	–
Newtown and Llanidloes	–	–	1	–	3	–
PEMBROKE ...	–	–	1	1	–	N. 1
Boroughs and Urban Districts:—						
Milford Haven	–	–	–	1	–	–
Pembroke ...	*	*	*	*	*	*
Rural Districts:—						
Haverfordwest	–	–	1	–	–	N. 1
Narberth ...	*	*	*	*	*	*
RADNOR	–	1	–	–	–	–
Rural Districts:—						
Colwyn	–	1	–	–	–	–
Total of Part II....	124	1178	715	31	1189	C. 41 D. 74 E. 5 F. 2 G. 19 L. 6 M.113 N.106

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Penzance	*	*	*	*	*	*
Southampton ...	–	–	–	1	–	–
Wisbech	*	*	*	*	*	*
Total of Part III. ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
Total of Part I.—London	39	198	165	4	124	C. 4 D. 9 G. 2 M. 18 N. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	124	1178	715	31	1189	C. 41 D. 74 E. 5 F. 2 G. 19 L. 6 M. 113 N. 106
Total of Part III.—Port Sanitary Districts	-	-	-	1	-	-
Total (i.e., of returns received), England and Wales ...	163	1376	880	36	1313	C. 45 D. 83 E. 5 F. 2 G. 21 L. 6 M. 131 N. 122

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Ca and Deaths of Infants under 1 Yea Age) and Notified Cases of certain fectious Diseases in the last Thir Weeks and in the Current Year to with corresponding figures for previous y

Week ended :—	Jan. 24.	Jan. 31.	Feb. 7.	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apl. 4.	Apl. 11.	Apl. 18.	Totals from Week of y 1930.
LONDON :—														
Live Births	1,422	1,383	1,401	1,397	1,317	1,407	1,384	1,394	1,422	1,390	1,180	1,352	1,471	21,566
Stillbirths	39	41	33	51	59	47	49	69	51	45	51	60	44	788
Deaths (excluding Still-births)—all ages.	1,415	1,434	1,496	1,620	1,578	1,457	1,347	1,377	1,433	1,184	1,144	1,165	981	17,071
Deaths—0 to 1 year ..	115	132	125	145	92	108	111	104	102	88	63	90	78	1,565
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,502	6,180	6,308	6,349	6,320	6,631	6,562	6,503	6,772	6,421	5,509	6,471	7,028	97,276
Stillbirths	270	295	244	278	315	282	289	323	303	305	296	318	305	4,358
Deaths (excluding Still-births)—all ages.	6,249	6,052	6,178	6,834	6,826	6,879	6,480	6,713	6,700	5,691	5,313	5,423	4,674	75,646
Deaths—0 to 1 year ..	633	645	650	748	697	686	629	640	585	521	459	520	416	7,409
Enteric Fever—Cases	20	9	10	24	22	19	6	8	9	9	10	18	14	345
„ Deaths	3	2	4	2	1	2	—	1	5	1	—	—	4	39
Small Pox—Cases ..	198	194	147	150	186	189	158	117	154	166	117	142	126	4,351
„ Deaths ..	—	—	—	—	1	—	—	—	—	—	—	1	—	13
Scarlet Fever—Cases	960	935	907	925	917	922	826	824	894	804	724	836	687	21,595
„ Deaths	8	7	7	9	8	4	7	6	5	9	5	8	4	177
Diphtheria—Cases ..	922	894	820	781	735	749	623	626	641	627	521	497	513	15,948
„ Deaths ..	53	43	50	29	48	42	42	34	32	30	33	27	35	774
Measles—Deaths ..	73	72	72	80	97	70	73	84	75	60	58	64	55	1,580
Influenza—Deaths ..	242	309	331	456	509	546	471	417	365	301	208	175	110	1,099

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correcti having been made for changes in boundary. The live births are derived from the weekly returns furnished by t Registrars and differ from those published for the towns in the Quarterly Return which are corrected for birt occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 18th April, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°			°	°	°	°	
London (Greenwich).	69	33	55·7	41·1	18	Huddersfield	55	34	49·3	38·3	25
Brighton ..	57	35	53·6	40·9	14	Bradford ..	54	34	48·9	39·7	20
Portsmouth ..	61	36	54·5	41·5	8	Sheffield ..	§	§	§	§	§
Norwich (Eaton)	62	32	53·4	40·9	31	York (Museum)	59	34	52·6	40·1	26
Plymouth ..	55	40	53·1	42·1	4	Hull (Pearson Park).	59	35	53·8	41·7	29
Bristol (Horfield)	58	38	54·0	41·7	6	Tynemouth ..	56	35	50·9	40·1	20
Birmingham (Edgbaston).	53	35	49·6	40·7	23	Cardiff	57	38	52·7	41·6	9
Nottingham ..	57	34	51·7	41·4	21	Edinburgh ..	54·0	35·0	49·4	38·4	7
Birkenhead (Bidston).	49	40	47·3	42·6	10	Glasgow ..	52·0	37·0	49·9	40·7	6
Manchester (Whitworth Park).	57	38	50·0	42·6	13	Dublin (Phœnix Park) (Fitzwilliam Square†).	56·8	32·0	53·1	39·0	7
Burnley	53	34	48·1	39·4	23	Belfast	56·0	36·7	53·4	42·4	5
							§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 18th April, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	12	..	29·844	69·4	39·1	30·3	53·6	+ 7·7	37·6	16·0	31·2	2·4	54	135·9	26·3	45·2	SW	W : NW : NNW.	2·1	0·0	0·2	284	− 7	0·01
MONDAY -	13	..	30·073	56·0	40·1	15·9	47·0	+ 0·9	30·6	16·4	27·8	5·3	52	114·1	30·0	45·1	NNW : N.	NNW	2·2	0·0	0·5	369	+ 80	0·00
TUESDAY -	14	Apogee	30·078	55·1	41·1	14·0	48·9	+ 2·5	39·4	9·5	13·2	7·5	69	75·6	28·8	45·3	WSW : W : NW.	NW	1·7	0·0	0·3	345	+ 57	0·00
WEDNESDAY	15	..	29·931	53·7	45·0	8·7	48·6	+ 1·8	41·0	7·6	13·9	1·1	75	69·0	43·4	45·7	WNW : WSW.	WSW : NW.	2·0	0·0	0·2	271	− 18	0·13
THURSDAY -	16	In Equator	29·959	53·2	43·9	9·3	46·8	− 0·4	39·6	7·2	20·6	0·9	75	101·7	38·9	45·7	NNW	NNW : NW : WSW.	2·2	0·0	0·4	342	+ 51	0·03
FRIDAY -	17	..	29·446	52·9	37·7	15·2	44·2	− 3·4	30·8	13·4	23·2	1·2	59	113·9	30·1	45·9	WSW : NW.	NW : W	8·3	0·0	1·0	501	+ 209	0·16
SATURDAY -	18	New	29·417	50·1	33·0	17·1	40·4	− 7·6	35·1	5·3	15·7	1·6	81	118·5	29·0	45·8	NW ; NE.	N : NNW.	8·0	0·0	0·6	402	+ 110	0·29
MEANS -		..	29·821	55·8	40·0	15·8	47·1	+ 0·2	36·3	10·8	20·8	2·9	66	104·1	32·4	45·5	NNW		..		..	Sum 2514	Sum + 482	Sum 0·62
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	12	mP.	9·4	13·6	Nearly cloudless till 12⅔h.; then becoming overcast by 15h. till 21½h.; then cloudless. Hoar frost in morning. Damping 18½h. till 19½h.
MONDAY ..	13	mP till 7½h.; then variably sP and mP.	9·2	13·7	Partially cloudy till 14h.; very cloudy till 17½h.; then clearing to nearly cloudless by 18½h. Solar halo 16¾h.
TUESDAY ..	14	mP till 13h.; then variably sP and mP.	0·0	13·7	Very cloudy till 4h.; then overcast generally.
WEDNESDAY	15	Variably mP and wP till 18h.; then wP.	0·0	13·8	Overcast. Rain 17½h till 21½h.; and slight rain from 20¾h.
THURSDAY	16	wP till 10h.; sP till 22h.; then variably mP and wP.	0·6	13·9	Overcast generally. Slight rain 4h. till 7h.; and rain from 23¾h. Solar halo about 17h.
FRIDAY ..	17	Loss of register	7·8	13·9	Overcast till 7½h.; then variably cloudy. Rain till 2½h.; and from 4h. till 7½h. Showers at 13½h.; 15⅜h.; 16½h. and 18½h. Hail at 18½h. Brisk wind generally 2h. till 20h.
SATURDAY	18	Loss of register	3·8	14·0	Overcast till 10½h.; variably cloudy till 15h.; then overcast. Slight rain 4⅜h. till 9h.; with snow 5½h. till 6½h. Showers between 13½h and 14½h. Rain from 17h. Solar halo 15½h. till 15⅔h.
			Sum 30·8	Sum 96·6	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·95 ins. at the beginning of the week to 29·79 ins. by 16h. on 12th.; increased to 30·10 ins. by 21h. on 13th; decreased to 29·81 ins. by 23h. on 15th; increased to 29·99 ins. by 13h. on 16th; decreased to 29·30 ins. by 8h. on 18th; increased and was 29·44 ins. by midnight on the same day.

FOR OFFICIAL USE

1931. No. 16.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 25TH APRIL,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 25TH APRIL, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the sixteenth week of the year numbered 6,789 corresponding to an annual rate of 17·9 per 1,000 living: stillbirths numbered 270 corresponding to a rate of 38 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,590 (84 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Apl. 4.	April 11.	April 18.	April 25.
107 Great Towns	14·1	14·4	12·4	12·2
London	13·5	13·7	11·6	11·3
Birmingham	14·4	15·6	12·7	12·6
Liverpool	13·9	15·2	12·9	13·7
Manchester	14·7	12·8	13·4	12·4
Sheffield	16·3	12·8	12·3	12·4
Leeds	16·9	17·1	15·5	13·8
Bristol	18·4	12·9	11·1	12·8
West Ham	13·4	14·4	8·8	9·5

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 60, against 71, 78, and 62 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,389 live births registered corresponding to an annual rate of 16·3 per 1,000 living: stillbirths numbered 31 corresponding to a rate of 22 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 954 (27 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 48, against 44, 63 and 55 in the preceding three weeks.

During the week small-pox was mentioned as a cause of death in one case which has been provisionally classified to small-pox and assigned to Lambeth (Met. Borough).

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There was one death from small-pox in the returns received from areas outside Greater London, the County Boroughs and Great Towns, for the month of March last which has been provisionally assigned to Guildford R.D.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in th week ended 25th April, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 GREAT TOWNS ..	19,685,050*	6,789	270	4,590‡	397	3	42	5	30	21	34
LONDON	4,417,900*	1,389	31	954‡	68	-	3	2	5	4	7
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	67	2	41	1	-	-	-	-	1	-
WIMBLEDON ..	59,370	14	1	9	1	-	-	-	-	-	-
EALING	104,000	27	1	27	2	-	-	-	-	1	-
ACTON	65,200	15	-	17	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	59,040	11	1	11	2	-	-	-	-	-	-
WILLESDEN ..	172,500	38	1	35	5	-	-	-	1	-	-
HENDON§	86,540*	27	1	14	-	-	-	-	-	-	-
HORNSEY	88,450	17	-	25	2	-	-	-	-	-	-
WOOD GREEN ..	53,410	21	-	10	-	-	-	-	-	-	-
TOTTENHAM ..	155,000	28	-	40	1	-	-	-	-	-	-
EDMONTON	75,000	52	-	18	2	-	-	-	-	-	-
ENFIELD	65,100	19	2	11	-	-	-	1	-	-	-
WEST HAM C.B. ..	307,600	126	2	56	3	-	-	-	1	-	-
EAST HAM C.B. ..	147,600	47	2	25	3	-	-	-	-	-	-
LEYTON	128,300	28	-	27	-	-	-	-	-	-	-
WALTHAMSTOW ..	124,800	32	1	25	3	-	-	-	2	-	-
ILFORD	116,200	39	-	19	1	-	-	-	-	-	-
GILLINGHAM	56,670*	16	-	17	-	-	-	-	-	-	-
CANTERBURY C.B. ..	22,850*	3	-	6	-	-	-	-	-	-	-
HASTINGS C.B.	62,620	20	-	23	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	58,570	16	-	14	1	-	-	-	-	1	-
BRIGHTON C.B. ..	146,800*	54	4	38	3	-	-	-	1	-	1
PORTSMOUTH C.B. ..	242,000*	84	3	69	8	-	-	-	-	-	-
BOURNEMOUTH C.B.§..	105,780	27	-	32	-	-	-	1	-	2	1
SOUTHAMPTON C.B. ..	172,300	55	3	40	5	-	-	-	-	-	-
READING C.B.	96,850*	27	2	24	2	-	-	-	-	-	-
OXFORD C.B.	73,810*	32	-	15	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,970*	27	-	29	4	-	1	-	-	-	-
LUTON	65,200	25	-	14	-	-	-	-	-	-	-
CAMBRIDGE	60,730	13	2	9	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	114,600	21	-	25	2	-	-	-	1	-	-
IPSWICH C.B.	85,800	33	1	12	2	-	-	-	-	-	-
GREAT YARMOUTH C.B.	58,110	18	-	11	-	-	-	-	-	-	-
NORWICH C.B.	124,900*	38	1	27	6	-	-	-	1	-	1
SWINDON	62,020	23	-	11	3	-	-	-	-	-	-
EXETER C.B.	61,290*	19	1	10	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	199,000*	69	5	52	4	-	-	-	-	-	-
BATH C.B	69,240	21	-	19	-	-	-	-	-	-	-
BRISTOL C.B.	391,145*	143	5	96	8	-	-	-	-	-	1
GLOUCESTER C.B. ..	52,010	20	1	15	1	-	-	-	1	-	-
STOKE-ON-TRENT C.B.	279,190	118	3	82	13	-	-	-	1	-	1
BURTON-UPON-TRENT C.B.	48,970	21	1	11	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,300	55	5	22	1	-	-	-	-	-	-
WALSALL C.B.§	100,930	43	4	20	3	-	-	-	1	-	-
WEST BROMWICH C.B.§	80,970	43	3	19	2	-	-	-	-	-	-
DUDLEY C.B.	58,870	28	-	12	2	-	-	-	-	-	-
WORCESTER C.B. ..	52,320	14	-	21	1	-	-	-	-	-	-
BIRMINGHAM C.B.§ ..	972,510	377	17	235	22	-	6	-	2	2	-
SMETHWICK C.B. ..	85,120	15	-	12	1	-	-	-	-	-	-
COVENTRY C.B. ..	162,100	61	3	32	4	-	-	-	-	1	-
LEICESTER C.B. ..	245,200	91	3	45	7	-	1	-	-	-	-
LINCOLN C.B.	65,080*	21	3	14	-	-	-	-	-	-	-
GRIMSBY C.B.	91,440	40	4	17	-	-	-	-	-	1	-
NOTTINGHAM C.B. ..	266,800	94	4	69	3	-	1	-	1	-	-
DERBY C.B.	140,500*	50	4	35	5	-	-	-	1	-	2
CHESTERFIELD	65,270	39	3	17	2	-	-	-	-	-	-
STOCKPORT C.B ..	127,800	38	1	20	1	-	-	-	-	-	-
CHESTER C.B.	40,750	15	-	4	-	-	-	-	-	-	-
BIRKENHEAD C.B ..	157,600	50	4	38	-	-	-	-	-	-	1
WALLASEY C.B. ..	101,300	22	1	19	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	869,500	409	14	229	37	-	5	-	5	2	5
BOOTLE C.B.	80,400	42	-	17	1	-	-	-	-	-	-
ST. HELENS C.B. ..	109,200	49	1	25	4	-	1	-	-	-	2

* Population adjusted by the exclusion of non-civilians.
§ Adjusted for change in boundary, 1st April, 1931.
‡ Includes one death from small-pox.

TOWNS.	ESTIMATED POPULATION, Mid. 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B ..	80,040	25	1	25	2	-	-	-	1	-	-	1
WIGAN C.B.	87,600	32	1	23	1	-	-	-	-	-	1	1
WARRINGTON C.B. ..	79,400*	49	2	18	5	-	-	-	-	-	-	1
WOLTON C.B	181,500	38	1	51	1	-	-	-	-	-	-	2
WURY C.B.	56,830*	13	1	16	-	-	-	-	-	-	-	-
MANCHESTER C.B.§ ..	753,570	270	18	179	16	-	1	-	-	-	2	3
SALFORD C.B.	235,600	68	3	64	5	-	-	-	1	-	1	-
STALYBRIDGE	51,750	24	-	15	1	-	-	-	-	-	-	-
STALYBRIDGE	142,500	37	2	35	4	-	-	-	-	-	1	-
STOCKPORT C.B	90,900	14	-	25	1	-	-	-	-	-	-	-
STOCKPORT C.B	100,200	34	3	28	2	-	-	-	-	-	-	-
STOCKTON C.B	125,300	47	2	32	3	1	-	-	-	-	-	-
STRESTON C.B.	126,100	40	3	30	2	-	-	-	-	-	-	-
STOCKPOOL C.B. ..	99,800	21	1	35	5	-	-	-	-	-	1	-
STARROW-IN-FURNESS C.B.	64,850	29	2	9	1	-	-	-	-	-	-	-
STUDDERSFIELD C.B. ..	113,100	31	2	33	2	-	-	-	-	-	-	-
STALIFAX C.B.	97,400*	26	1	24	1	-	-	-	-	-	-	1
STRADFORD C.B. ..	294,605	111	2	93	4	-	2	-	-	-	-	2
STEEDS C.B	478,500	170	10	127	10	-	-	1	1	2	-	4
STEWSBURY C.B. ..	53,020	16	1	14	1	-	-	-	-	-	-	-
STAKEFIELD C.B ..	56,640	22	1	18	-	-	1	-	-	-	-	-
STARNSLEY C.B. ..	71,700	36	3	11	3	-	-	-	-	-	-	1
SHEFFIELD C.B. ..	518,000*	176	13	123	10	-	-	-	2	-	-	3
SOTHERHAM C.B. ..	70,790	27	-	16	2	-	-	-	-	-	-	-
SONCASTER C.B. ..	59,890	26	1	12	1	-	-	-	-	-	-	-
SORE C.B.	85,290*	19	1	25	-	1	-	-	-	-	-	-
SULL C.B.	307,500	133	4	72	6	-	-	-	1	-	1	1
SIDDLESBROUGH C.B.	133,100	65	3	34	3	-	-	-	-	-	-	-
SARLINGTON C.B. ..	74,150	35	2	11	1	-	-	-	-	-	1	-
STOCKTON-ON-TEES ..	67,090	31	1	11	1	-	-	-	-	-	-	-
SWEST HARTLEPOOL C.B.	69,370	27	-	15	3	-	2	-	-	-	-	1
SUNDERLAND C.B. ..	184,000	79	3	44	6	1	4	-	-	1	-	-
SOUTH SHIELDS C.B ..	119,600	57	3	30	5	-	1	-	-	-	-	-
SGATESHEAD C.B. ..	122,600	38	-	33	5	-	1	-	-	-	2	1
SNEWCASTLE-ON-TYNE C.B.	283,400*	109	10	55	8	-	3	-	-	1	-	1
STYNEMOUTH C.B. ..	65,880	23	4	22	5	-	-	-	-	-	-	-
SCARLISLE C.B.	56,160*	23	-	18	-	-	-	-	-	-	-	1
SNEWPORT (MON.) C.B.	95,990*	33	1	25	8		2	-	-	-	-	-
SCARDIFF C.B.	224,000*	74	3	51	4	-	1	-	-	-	1	1
SRHONDDA	153,100	47	2	40	3	-	3	-	-	2	-	1
SPERTHYR TYDFIL C.B.	77,790	18	4	14	-	-	-	-	-	-	-	-
SABERDARE	53,050	11	-	16	3	-	3		-	-	-	-
SWANSEA C.B.	162,700	44	4	31	1	-	-	-	-	-	1	2
GREATER LONDON ..	7,900,480*	2,546	65	1,669‡	126	-	3	6	12	8	8	31
OUTER RING	3,482,580*	1,157	34	715	58	-	-	4	7	4	1	11
GREAT TOWNS IN OUTER RING§	2,030,410*	608	14	410	26	-	-	1	4	2	-	7
REMAINDER OF OUTER RING§	1,452,170*	549	20	305	32	-	-	3	3	2	1	4
EDINBURGH†	428,800	164	?	120	11	-	-	1	-	2	1	2
GLASGOW†	1,088,200	528	?	321	53	-	-	4	22	2	3	6
DUBLIN (REGISTRATION AREA)†	412,400	225	?	150	23	-	6	-	1	2	3	3
BELFAST†	415,151	219	?	127	23	-	3	-	-	-	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Adjusted for change in boundary, 1st April, 1931.

‡ Includes one death from Small Pox.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases(un-
		1931.											
London‡	4,417,900	Apl. 25	1389	31	954	11·3	–	1	3	2	5	4	7
Calcutta and Suburbs	1,077,264	Mar. 14	?	?	606‖	29·3	?	36	?	–	?	?	?
Bombay§	1,298,708	„ 28	455	42	381‖	15·3	2	2	3	–	–	–	10
Madras	528,791	„ 14	539	41	460‖	45·2	2	–	–	–	3	1	18
Sydney and Suburbs	1,249,170	Mar. 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Feb. 28 (28 days)											
Perth (Metropolitan Area).	202,888	Feb. 14	77	?	45	11·4	–	–	–	–	–	–	1
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Mar. 21	72	2	27	10·3	1	–	–	–	–	–	1
Johannesburg	187,326	„ 14	102	1	39	10·8	–	–	–	–	1	–	1
Durban	61,667	„ 14	14	–	13	11·0	–	–	–	–	–	–	
Paris	2,871,429	Mar. 31 (11 days)											
Antwerp	295,146	Mar. 31 (16 days)	192	10	147	12·0	–	–	1	–	2	1	
Amsterdam	753,262	Apr. 4	244	8	156	10·8	–	–	2	–	4	–	
Copenhagen	615,700	„ 11	208	7	172	14·6	–	–	–	–	–	1	
Stockholm	502,203	„ 4	99	2	104	10·8	–	–	–	–	–	–	
Gothenberg	245,336	Feb. 28	?	?	48	10·1	–	–	–	–	–	–	
Oslo	253,568	Apr. 11	42	–	71	14·6	–	–	–	–	–	–	
Berlin	4,329,000	Mar. 28	796	37	997	12·0	–	?	1	1	–	6	
Breslau	617,000	„ 28	158	3	161	13·6	–	?	–	–	–	–	
Cologne	740,000	„ 28	211	1	174	12·2	–	?	1	1	1	–	
Dresden	633,000	„ 28	109	4	154	12·7	–	?	–	–	–	–	
Frankfort-on-Main	541,000	„ 28	104	4	114	11·0	–	?	–	–	–	–	
Hamburg	1,147,000	„ 28	205	4	267	12·1	–	?	–	–	1	2	
Leipzig	719,000	„ 28	160	10	148	10·7	–	?	1	–	1	–	
Munich	730,000	„ 28	156	–	197	14·0	–	?	–	–	–	–	
Budapest	991,518	Apr. 4	296	6	262	13·7	–	–	1	1	3	–	
Warsaw	1,115,651	Mar. 28	?	12	303	14·2	2	–	–	1	1	3	
Madrid	825,471	„ 21	427	59	328	20·7	–	–	4	–	1	1	
Cairo	1,160,700	Jan. 7	996	24	440	19·8	5	–	3	–	?	8	5
Alexandria	629,900	„ 7	558	10	229	19·0	1	–	–	–	?	3	2
New York	7,090,089	Mar. 28	2285	105	1685	12·4	–	–	2	–	6	6	1
Chicago	3,457,375	Apr. 3	1088	35	729	11·0	–	–	1	3	1	6	
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Mar. 14	794	56	521	15·7	1	–	4	–	3	2	6

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 year for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 49 deaths from Cholera in Calcutta, 5 in Madras and 1 from Plague in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 25th April, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	18,151	21,504	954	68	17	18	25	50	39	48	92	174	210	213
Enteric fever	7	10	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	1	-	-	-	1	-	-	-	-	-	-	-
Measles	770	18	3	-	2	1	-	-	-	-	-	-	-	-
Scarlet fever	56	25	2	-	-	-	2	-	-	-	-	-	-	-
Whooping cough	62	130	5	2	1	2	-	-	-	-	-	-	-	-
Diphtheria	188	121	4	1	-	1	2	-	-	-	-	-	-	-
Influenza	192	848	20	1	-	1	-	-	1	1	1	2	6	7
Erysipelas	62	75	6	2	1	-	-	-	-	-	1	1	1	-
Acute Poliomyelitis, Polioencephalitis	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	16	17	1	-	-	-	-	-	-	-	-	1	-	-
Meningococcal meningitis	35	65	5	2	-	1	-	1	-	-	-	1	-	-
Tuberculosis :—														
Respiratory system	1243	1509	82	-	-	1	2	24	17	10	13	14	1	-
Nervous system	77	75	8	-	2	1	4	1	-	-	-	-	-	-
Intestines and peritoneum	20	19	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	74	87	6	-	-	1	-	-	2	-	2	-	-	-
Venereal diseases	75	59	3	-	-	-	-	-	-	-	2	1	-	-
Cancer	2066	2162	122	-	-	-	1	2	1	8	17	39	41	13
Rheumatic fever	66	38	2	-	-	-	1	-	-	1	-	-	-	-
Diabetes	188	201	11				-		-	2	2	3	1	3
Alcoholism	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	36	36	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	704	793	49	-	-	-	-	-	-	1	3	12	20	13
Epilepsy	77	59	4	-	-	1	1	1	-	-	1	-	-	-
"Convulsions" (not puerperal) ..	27	22	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	402	400	15	-	1	-	1	3	-	3	1	1	4	1
Pericarditis	7	7	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	60	65	4	-	-	-	-	-	1	2	1	-	-	-
Other diseases of heart	3831	5036	227	-	-	1	2	2	1	2	14	49	73	83
Other diseases of circulatory system	737	824	28	-	-	-	-	-	-	1	1	5	10	11
Bronchitis	943	1557	24	3	-	-	-	-	-	1	3	1	5	11
Broncho-pneumonia	881	1457	32	10	5	-	-	-	-	-	2	4	5	6
Lobar pneumonia	494	596	18	-	2	2		1	-	3	2	3	2	3
Pneumonia (type not distinguished)	174	222	10	-	-	1	-	2	-	-	2	2	2	1
Other diseases of respiratory system	184	300	13	-	1	-	-	1	-	-	-	1	2	8
Diarrhœa and enteritis	255	236	8	7	-	-	1	-	-	-	-	-	-	-
Appendicitis, Typhlitis	97	90	4	-	-	-	1	-	-	-	-	2	-	1
Hernia, Intestinal obstruction	148	184	6	-	-	-	-	-	-	-	3	1	2	-
Cirrhosis of liver	68	72	2	-	-	-	-	-	-	1	-	-	1	-
Other diseases of digestive system ..	439	420	20	-	1	1	-	1	1	3	2	4	4	3
Acute nephritis	38	29	2	-	-	-	1	-	-	-	-	-	-	1
Chronic Bright's disease	583	648	30	-	-	-	-	-	-	1	3	4	10	12
Other diseases of genito-urinary system.	256	295	11	-	-	-	-	-	1	-	1	5	2	2
Puerperal sepsis	38	41	5	-	-	-	-	-	4	1	-	-	-	-
Other causes incident to childbirth ..	27	35	2	-	-	-		1	-	-	1	-	-	
Congenital malformations	111	103	5	5	-	-	-	-	-	-	-	-	-	
Premature birth	340	380	20	20	-	-		-	-	-	-	-	-	
Debility, atrophy (congenital)	76	55	1	1	-				-		-	-	-	
Old age	417	522	18				-				-	-	1	17
Suicide	182	162	10	-		-	-	-	-	2	3	1	4	-
Burns and Scalds	41	61	2	-	-	-	-	1	-	-	-	-	1	-
Drowning	32	26	2	-	-	-	-	-	-	-	1	1	-	-
Suffocation in bed	11	12	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	231	221	26	-	-	2	3	3	3	-	2	6	5	2
Other deaths by violence	297	267	16	1	-	1	1	-	1	1	1	1	2	7
Other specified causes	687	801	57	12	1	-	1	5	6	4	6	9	5	8
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 25th April, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	84	210	154	2	83	C. 6 D. 7 E. 1 M. 8 N. 18
Metropolitan Boroughs:—						
†BATTERSEA ...	-	10	7	-	7	-
†BERMONDSEY ...	-	1	4	-	1	C. 1 M. 1
†BETHNAL GREEN	-	5	4	-	1	D. 1
†CAMBERWELL ...	9	18	3	1	2	-
†CHELSEA	-	1	2	-	-	-
†DEPTFORD ...	-	8	3	-	-	-
†FINSBURY ...	10	2	1	-	2	-
†FULHAM	-	3	6		1	D. 1 N. 2
†GREENWICH ...	-	5	3	-	-	N. 1
†HACKNEY... ...	1	12	5	-	5	C. 1 N. 2
†HAMMERSMITH ...	-	3	4	-	-	C. 1 D. 1 M. 1 N. 1
†HAMPSTEAD ...	-	3	1	-	-	N. 1
†HOLBORN... ...	-	-	1	-	1	-
†ISLINGTON ...	-	20	17	-	6	C. 1 M. 2
†KENSINGTON ...	-	5	2		1	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†LAMBETH ...	8	11	19	-	1	N. 1
†LEWISHAM ...	-	13	12	-	8	N. 2
†PADDINGTON ...	-	7	10	-	4	D. 1 E. 1 N. 4
†POPLAR	9	10	4	-	10	M. 1
†ST. MARYLEBONE	-	9	2	-	-	N. 2
†ST. PANCRAS ...	-	4	2	-	3	M. 2
†SHOREDITCH ...	7	3	5	-	-	N. 1
†SOUTHWARK ...	-	8	9	-	8	D. 2
†STEPNEY	40	17	12	-	3	C. 1 N. 1
†STOKE NEWINGTON	-	3	1	-	2	-
†WANDSWORTH ...	-	18	7		7	C. 1
†WESTMINSTER, CITY OF	-	1	3	1	-	-
†WOOLWICH ...	-	10	5	-	10	D. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	2	1	–	4	–
Boroughs and Urban Districts:—						
†BEDFORD	–	1	–	–	3	–
†LUTON	–	–	1	–	–	–
Rural Districts:—						
BIGGLESWADE ...	–	–	–	–	1	–
LUTON	–	1	–	–	–	–
BERKS	–	12	4	–	1	N. 1
†READING C.B. ...	–	6	–	–	–	–
Boroughs and Urban Districts:—						
†NEWBURY ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	1	–	–	–	–
WALLINGFORD ...	–	–	–	–	–	N. 1
WANTAGE ...	–	2	–	–	–	–
Rural Districts:—						
COOKHAM ...	–	–	3	–	–	–
EASTHAMPSTEAD	–	–	1	–	–	–
NEWBURY ...	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
WINDSOR	–	–	–		1	–
BUCKINGHAM ...	–	7	3	1	1	–
Boroughs and Urban Districts:—						
BEACONSFIELD ..	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	–	–
MARLOW	–	–	1	–	–	–
†SLOUGH	–	–	1	1	1	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	–	1	–	–	
ETON	–	3	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	6	3		–	G. 1
Borough:—						
†CAMBRIDGE ...	–	4	1	–		–
Rural Districts:—						
CHESTERTON ...	–	–	1	–	–	–
LINTON	–	1	–	–	–	–
NEWMARKET ...	–	1	1	–	–	G. 1
CHESTER ...	–	31	32	1	19	C. 1 M. 2 N. 1
†BIRKENHEAD C.B.	–	3	5	–	4	–
†CHESTER C.B. ...	–	1	4	–	3	–
†STOCKPORT C.B. ...	–	2	–	–	–	N. 1
†WALLASEY C.B. ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	1	–	–	M. 1
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BOWDON	–	–	1	–	–	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	1	1	–	–	–
†DUKINFIELD ...	–	1	–	–	1	–
†ELLESMERE PORT AND WHITBY	–		1	–	–	–
HALE	–	2	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	2	–	–	1	–
HOLLINGWORTH...	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	3	–	–	–
†HYDE	–	1	–	–	3	–
†MACCLESFIELD ...	–	–	–	–	1	–
MOTTRAM IN LONGDENDALE	–	–	–	–	1	–
†NORTHWICH ...	–	1		–	–	–
†SALE	–	–	2	–	–	–
†STALYBRIDGE ...	–	3	1	–	1	–
Rural Districts:—						
CHESTER	–	–	1	–	–	–
CONGLETON ...	–	–	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
MACCLESFIELD ...	–	–	–	1	1	–
NANTWICH ...	–	1	3	–	–	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN	–	–	3	–	–	–
TARVIN	–	2	–	–	–	M. 1
WIRRAL	–	4	4	–	1	C. 1
CORNWALL ...	–	18	4	–	7	D. 1 M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	2	–	–	–	–
MADRON	–	–	1	–	–	–
ST. IVES	–	–	–	–	1	–
ST. JUST	–	–	–	–	1	–
TORPOINT ...	–	1	–	–	–	–
†TRURO	–	1	–	–	–	–
Rural Districts:—						
BODMIN	–	–	1	–	1	–
CAMELFORD ...	–	–	1	–	–	–
LAUNCESTON ...	–	1	–	–	–	D. 1
LISKEARD ...	–	–	1	–	1	–
REDRUTH ...	–	3	–	–	–	–
ST. AUSTELL ...	–	4	–	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
TRURO	–	3	–	–	1	–
WEST PENWITH...	–	3	–	–	1	M. 1
CUMBERLAND...	–	5	2	–	4	–
†CARLISLE C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
MILLOM	–	–	–	–	2	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
CARLISLE... ...	–	2	–	–	–	–
LONGTOWN ...	*	*	*	*	*	*
WHITEHAVEN ...	–	1	1	–		–
WIGTON	–	–	–	–	1	–
DERBY	13	24	12	1	32	D. 3 M. 2
†DERBY C.B. ...	–	7	1	–	4	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	–
ALVASTON AND BOULTON	–	1	–	–	1	–
†BOLSOVER ...	–	–	–	–	2	–
†CHESTERFIELD ...	11	3	2	–	4	–
CLAY CROSS ...	–	–	–	–	1	–
†HEANOR	–	1	–	–	2	–
†ILKESTON... ...	–	1	–	–	–	–
†LONG EATON ...	–	1	–	–	–	–
NEW MILLS ...	–	1	–	–	1	–
SOUTH DARLEY ...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	–	–	–	5	–
Rural Districts:—						
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	1	1	–	3	D. 1
CHAPEL EN LE FRITH	–	1	2	–	2	–
CHESTERFIELD ...	2	4	5	1	3	–
CLOWNE	–	1	–	–	–	D. 2
HARTSHORN AND SEALS	–	1	–	–	1	–
HAYFIELD ...	–	–	–	–	2	–
SHARDLOW ...	–	–	–	–	1	–
DEVON	–	22	14	1	10	C. 1 M. 2
†EXETER C.B. ...	–	2	2	1	–	–
†PLYMOUTH C.B.	–	15	3	–	4	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts:—						
BIDEFORD ...	–	–	2	–	–	–
CREDITON ...	–	–	1	–	–	–
DARTMOUTH ...	–	1	–	–	1	–
DAWLISH ...	–	–	–	–	3	–
†EXMOUTH ...	–	–	–	–	–	M. 1
†PAIGNTON ...	–	–	–	–	1	–
†TORQUAY	–	–	2	–	–	M. 1
Rural Districts:—						
BARNSTAPLE ...	–	2	1	–	–	–
CULMSTOCK ...	–	–	2	–	–	–
PLYMPTON ST. MARY	–	2	–	–	–	–
ST. THOMAS ...	–	–	1	–	–	–
SOUTH MOLTON...	–	–	–	–	1	–
DORSET		2	3	–	3	–
Boroughs and Urban Districts:—						
†POOLE	–	1	1	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
STURMINSTER ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	1	2	–	–	–
WIMBORNE AND CRANBORNE	–	–		–	1	–
DURHAM ...	–	43	31	2	64	C. 3 D. 3 M. 5 N. 5
†DARLINGTON C.B.	–	3	1	–	3	M. 1 N. 1
†GATESHEAD C.B.	–	10	4	–	6	–
†SOUTH SHIELDS C.B.	–	1	1	–	3	D. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	8	4	2	15	C. 1 D. 1
†WEST HARTLEPOOL C.B.	–	5	4	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	1	–	–	–
BILLINGHAM ...	–	1	–	–	1	–
†BLAYDON... ...	–	–	–	–	3	–
†CHESTER LE STREET	–	1	–	–	1	–
†CONSETT	–	1	–	–	–	–
†CROOK	–	–	–	–	–	M. 1
†DURHAM	–	–	1	–	–	M. 1
†FELLING	–	2	–	–	2	–
†HEBBURN ...	–	1	1	–	2	M. 1
†JARROW	–	–	–	–	7	C. 1
†RYTON	–	–	–	–	1	–
†SEAHAM HARBOUR	–	1	–	–	2	N. 1
†SHILDON	–	–	1	–	–	N. 1
†STANLEY	–	–	3	–	–	–
†STOCKTON ON TEES	–	1	–	–	1	–
†TANFIELD ...	–	1	–	–	–	M. 1 N. 1
TOW LAW ...	–	–	–	–	1	–
†WHICKHAM ...	–	1	–	–	1	D. 1
Rural Districts:—						
AUCKLAND ...	–	–	4	–	–	–
CHESTER LE STREET	–	1	–	–	4	–
DARLINGTON ...	–	–	1	–	–	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	–	4	–	3	–
HARTLEPOOL ...	–	–	1	–	–	–
HOUGHTON LE SPRING	–	–	–	–	1	–
SEDGEFIELD ...	–	–	–	–	1	–
SOUTH SHIELDS	–	–	–	–	1	–
STOCKTON ...	–	2	–	–	–	–
SUNDERLAND ...	–	–	–	–	3	–
WEARDALE ...	–	–	–	–	–	C. 1

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	2	4		–	–
Boroughs and Urban Districts:—						
CHATTERIS ...		–	1	–	–	–
WHITTLESEY ...	–		3		–	–
†WISBECH	–	1	–	–	–	–
Rural Districts:—						
WISBECH... ...	–	1	–	–	–	–
ESSEX	17	98	51	5	30	C. 5 D. 1 N. 3
†EAST HAM C.B....	–	2	4	–	1	–
†SOUTHEND ON SEA C.B.	–	6	1	–	–	–
†WEST HAM C.B.	16	7	3	1	9	C. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	9	–	2	–
BENFLEET ...	–	1	–		–	–
BRENTWOOD ...	–	–	3	–	–	–
BRIGHTLINGSEA...	–	1	–	–	–	–
†CHELMSFORD ...	–	–	1	–	–	D. 1
CHINGFORD ...	–	3	–	–	1	
†CLACTON	–	–	–	–	1	–
†COLCHESTER ...	–	2	1	–	2	–
DAGENHAM ...	–	16	3	–	1	–
†GRAYS THURROCK	–	1	2		–	–
†HARWICH ...	–	–	1	–	–	–
†HORNCHURCH ...		1	–	–	–	–
†ILFORD	–	2	3	–	1	C. 1 N. 1
†LEYTON	–	6	3	–	–	C. 1 N. 1
PURFLEET ...	–	–	1	–	–	–
†ROMFORD... ...	–	3	3	–	–	–
TILBURY	–	–	2	–	1	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
†WALTHAMSTOW ...	1	10	6	–	4	–
†WANSTEAD ...	–	2	–	–	–	
†WOODFORD ...	–	3	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BELCHAMP ...	–	–			–	C. 1
BILLERICAY ...	–	7	2	–	1	–
BRAINTREE ...	–	4	–	–	1	–
DUNMOW... ...	–	–	–		1	–
LEXDEN AND WINSTREE	–	1	–	–	1	–
MALDON	–	4	–	–	–	–
ORSETT	–	–	1	–	1	–
ROCHFORD ...	–	–	–	4	–	–
ROMFORD... ...	–	2	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
TENDRING ...	–	8	–	–	2	–
GLOUCESTER ...	–	13	17	–	17	C. 1 F. 1 G. 1 M. 2 N. 2
†BRISTOL C.B. ...	–	9	9	–	9	C. 1 F. 1 G. 1 N. 1
†GLOUCESTER C.B.	–	3	1	–	3	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	1	–	1	–
†KINGSWOOD ...	–	–	1	–	–	–
†MANGOTSFIELD ...	–	–	–	–	2	–
Rural Districts:—						
CHELTENHAM ...	–	–	–	–	1	–
CHIPPING SODBURY	–	–	–	–	–	N. 1
EAST DEAN AND UNITED PARISHES	–	–	–	–	–	M. 1
LYDNEY	–	–	1	–	–	–
NORTHLEACH ...	–	–	–	–	–	M. 1
STROUD	–	–	2	–	–	–
WEST DEAN ...	–	1	2	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	-	2	1	-	6	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	1	-	-	1	-
Rural Districts:—						
BROMYARD ...	-	-	-	-	2	-
HEREFORD ...	-	-	-	-	2	-
LEOMINSTER AND WIGMORE	-	-	1	-	-	-
WEOBLEY... ...	-	1	-	-	1	-
HERTFORD ...	-	16	5	1	1	C. 1
Boroughs and Urban Districts:—						
†BARNET	-	4	-	-	-	-
BUSHEY	-	1	-	-	-	-
†CHESHUNT ...	-	-	1	-	-	-
†EAST BARNET VALLEY	-	2	1	-	-	-
GREAT BERKHAMPSTEAD	-	2	-	-	-	-
†HERTFORD ...	-	2	1	-	-	-
HODDESDON ...	-	-	2	-	-	-
†LETCHWORTH ...	-	2	-	-	1	-
RICKMANSWORTH	-	1	-	-	-	-
TRING	-	-	-	1	-	-
Rural Districts:—						
BERKHAMPSTEAD	-	1	-	-	-	-
HADHAM	-	-	-	-	-	C. 1
WARE	-	1	-	-	-	-
HUNTINGDON ...	-	2	-	-	-	-
Boroughs and Urban Districts—						
OLD FLETTON ...	-	2	-	-	-	-
Rural Districts:—						
SIBSON CUM STIBBINGTON (parish)	*	*	*	*	*	*
KENT	1	47	21	-	17	C. 2 D. 1 M. 3 N. 2
†CANTERBURY C.B.	-	2	-	-	1	-
Boroughs and Urban Districts:—						
†BECKENHAM ...	-	-	-	-	2	N. 1
†BEXLEY	-	1	1	-	-	-
†BROADSTAIRS AND ST. PETER'S	-	1	2	-	2	-
†BROMLEY... ...	-	6	2	-	1	C. 1
†CHATHAM ...	-	1	-	-	1	M. 1
†DARTFORD ...	-	4		-	-	M. 1
†DEAL	-	1	-	-	-	-
†DOVER	-	-	1	-	-	-
†ERITH	-	-	1	-	1	-
†GILLINGHAM ...	-	4	-	-	1	-
†GRAVESEND ...	-	1	-	-	-	M. 1
†HERNE BAY ...	-	1	-	-	-	-
†MAIDSTONE ...	-	1	1		-	-
†MARGATE ...	-	-		-	1	-
†NORTHFLEET ...	-	-	1	-	-	-
†PENGE	1	2	1	-	-	
†RAMSGATE ...	-	1	-	-	-	-
†ROCHESTER ...	-	3	1	-	-	-
†ROYAL TUNBRIDGE WELLS	-	-	-	-	2	-
†SITTINGBOURNE AND MILTON	-	2	1	-	-	-
SWANSCOMBE ...	-	-	1	-	-	-
WALMER	-	1	-	-	-	-
WROTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BLEAN	-	-	-	-	2	-
BROMLEY... ...	-	-	2	-	-	C. 1
DARTFORD ...	-	4	1	-	1	-
EAST ASHFORD ...	-		2	-	-	-
EASTRY	-	1	-	-	-	-
FAVERSHAM ...	-	-	1	-	-	-
HOLLINGBOURNE	-	3	2		1	-
MAIDSTONE ...	-	-	-	-	-	N. 1
MALLING	-	2	-	-	-	-
SEVENOAKS ...	-	1	-	-	1	-
SHEPPEY	-	-	-	-	-	D. 1
STROOD	-	1	-	-		-
TONBRIDGE ...	-	3	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	236	124	8	152	C. 2 D. 1 G. 4 L. 1 M. 22 N. 19
†BLACKBURN C.B.	–	1	1	1	4	–
†BLACKPOOL C.B.	–	–	–	1	–	N. 1
†BOLTON C.B. ...	–	4	1	–	–	
†BOOTLE C.B. ...	–	4	5	–	2	–
†BURNLEY C.B. ...	–	4	6	–	4	N. 1
†BURY C.B. ...	–	3	1	–	–	
†LIVERPOOL C.B....	–	25	65	1	26	C. 1 G. 1 L. 1 M. 12 N. 3
†MANCHESTER C.B.	–	65	9	3	40	C. 1 G. 3 M. 2 N. 3
†OLDHAM C.B. ...	–	4	–	–	5	–
†PRESTON C.B. ...	–	2	1	–	5	N. 1
†ROCHDALE C.B....	–	8	–	–	–	–
†ST. HELENS C.B.	–	7	–	–	2	M. 1
†SALFORD C.B. ...	–	7	6	–	3	N. 3
†SOUTHPORT C.B.	–	7	2	–	2	
†WARRINGTON C.B.	–	14	1	–	6	N. 1
†WIGAN C.B. ...	–	3	–	–	3	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	–	1	–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	1	–
†ASHTON-UNDER-LYNE	–	3	–	–	3	M. 1
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	1	–	–	–	N. 1
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	–	–	–	M. 1
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY	–	1	–	–	1	–
†CLITHEROE ...	–	–	–	–	1	–
†CROMPTON ...	–	1	–	–	–	–
†DARWEN	–	–	1	–	1	–
†DENTON	–	3	1	–	–	–
†DROYLSDEN ...	–	2	–	–	1	–
†ECCLES	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†FAILSWORTH ...	–	–	1	–	1	–
†FARNWORTH ...	–	–	–	–	3	N. 1
GOLBORNE ...	–	1	–	–	–	–
†GREAT CROSBY ...	–	1	1	–	1	–
†GREAT HARWOOD	–	2	–	–	3	–
†HASLINGDEN ...	–	1	–		–	–
†HAYDOCK... ...	–	–		–	1	–
†HEYWOOD ...	–		1	–	–	–
†HINDLEY	–	–		–	4	–
†HORWICH... ...	–	2	–	–	1	–
†INCE IN MAKERFIELD		–	1		1	N. 1
IRLAM	–	–	–	–	–	M. 2
KIRKHAM ...	–	–	1	–	–	D. 1
†LANCASTER ...	–	3	–	–	2	
†LEIGH	–	–	–	–	2	M. 1
LEYLAND... ...	–	1	–	–	–	–
†LITTLEBOROUGH	–		1	–	–	–
LITTLE HULTON	–	1	–	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	3	–		–	–
†MIDDLETON ...	–	4	–	–	2	–
MILNROW... ...	–	–	1	–	1	–
†MORECAMBE AND HEYSHAM	–	1	1	1	1	–
†NELSON	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	7	–	–	1	N. 1
†OSWALDTWISTLE	–	1	–	–	1	–
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	1	–	–	1	–
†ROYTON	–	2	–	–	1	–
†STRETFORD ...	–	6	2	–	2	M. 2
†SWINTON AND PENDLEBURY	–	2	–	–	–	–
TOTTINGTON ...	–	1	–	–	–	–
†TURTON	–	2	–	1	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	–	–	–
†ULVERSTON ...	–	1	–	–	–	–
†WALTON LE DALE	–	1	1	–	–	–
†WATERLOO WITH SEAFORTH	–	–	3	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
WHITEFIELD ...	–	2	1	–	–	–
†WIDNES	–	4	1	–	5	–
†WORSLEY	–	–	1	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	*	*	*	*	*	*
BLACKBURN ...		2	1	–	–	–
BURNLEY ...		3	–	–	–	–
CLITHEROE ...	–	–	–	–	2	–
FYLDE	–	1	–	–		–
GARSTANG ...	–	1	–	–	–	–
LEIGH	–	–	–	–	–	N. 1
WARRINGTON ...	–	2	–	–	–	N. 1
WHISTON	–		3	–	–	–
LEICESTER ...	62	15	1	–	10	C. 1 L. 1
†LEICESTER C.B....	26	7	–	–	3	L. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–		–	–	1	–
†COALVILLE ...	8	1	–	–	–	–
†HINCKLEY ...	3	–	–	–	–	–
†LOUGHBOROUGH	1	2		–	–	–
MARKET HARBOROUGH	–	1	–	–	1	–
SHEPSHED ...	1	–	–	–	–	–
THURMASTON ...	6	–	–	–	2	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BARROW UPON SOAR	3	1	–		–	–
BILLESDON ...	1	–	–	–	–	–
BLABY	1	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LEICESTER— *cont.*						
Rural Districts:— *cont.*						
CASTLE DONINGTON	–	–	–	–	–	C. 1
HINCKLEY ...	2	–	–	–	2	–
MARKET BOSWORTH	10	1	–	–	–	–
MELTON MOWBRAY	–	–	1		–	–
LINCOLN (parts of Holland).		5	–	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
SPALDING ...	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	1	–
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).		3	1	–	1	–
Boroughs and Urban Districts:—						
GRANTHAM ...	–	1	–	–	1	–
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
NORTH KESTEVEN	–	2	1	–	–	–
LINCOLN (parts of Lindsey).	7	5	4	1	19	C. 1 M. 1 N. 2
†GRIMSBY C.B. ...	7	–	4	–	1	C. 1 N. 1
†LINCOLN C.B. ...	–	2	–	–	11	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	–	–	1	–
CROWLE	–	–	–	–	1	–
†GAINSBOROUGH ...	–	2	–	–	2	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	1	1	N. 1
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	–	1	–
MIDDLESEX ...	1	84	45	1	23	C. 3 D. 1 G. 1 M. 1 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	2	3	–	–	–
†BRENTFORD AND CHISWICK	–	–	5	–	1	–
†EALING	–	3	6	–	1	N. 3
†EDMONTON ...	–	5	1	–	–	–
†ENFIELD	–	5	5	–	3	–
†FINCHLEY ...	–	10	–	–	–	D. 1
†FRIERN BARNET...	–	2	–	–	–	–
†HAMPTON ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
HAYES AND HARLINGTON	–	2	–	–	–	–
†HENDON	–	3	3	1	–	N. 1
†HESTON AND ISLEWORTH	–	3	3	–	3	–
†HORNSEY	–	5	1	–	1	
KINGSBURY ...	–	1	–	–	–	–
RUISLIP NORTHWOOD	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHALL NORWOOD	–	4	1	–	1	–
†SOUTHGATE ...	–	1	1	–	2	–
†STAINES	–	2	–	–	–	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	9	6	–		N. 2
†TWICKENHAM ...	–	4	1	–	–	–
†UXBRIDGE ...	–	1	2	–	1	–
†WEALDSTONE ...	–	2	1	–	1	–
†WEMBLEY ...	–	3		–	1	–
†WILLESDEN ...	1	8	1	–	7	C. 3 M. 1
†WOOD GREEN ...	–	1	3	–	1	G. 1
†YIEWSLEY AND WEST DRAYTON	–	1	–	–	–	–
Rural Districts—						
HENDON	–	3	–	–	–	–
SOUTH MIMMS ...	–	1	–	–	–	–
NORFOLK ...	–	10	2	–	9	M. 1 N. 4
†GREAT YARMOUTH C.B.	–	–	–	–	4	–
†NORWICH C.B. ...	–	4	1	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	2		–	1	
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	–
BLOFIELD ...	–	3	–	–	–	–
DOWNHAM ...	–	–	1	–	–	–
LODDON AND CLAVERING	–	–	–	–	3	N. 1
MITFORD AND LAUNDITCH	–	–	–	–	–	N. 1
WAYLAND ...	–	–	–	–	1	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHAMPTON	1	14	4	–	6	–
†NORTHAMPTON C.B.	–	5	2	–	2	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	1	–	–	–
DESBOROUGH ...	–	1	–	–	–	–
FINEDON	–	–	1	–	–	–
†KETTERING ...	–	5	–	–		–
ROTHWELL ...	1	3	–	–	–	–
†RUSHDEN... ...	–	–	–	–	2	–
Rural Districts:—						
DAVENTRY ...	–	–	–	–	2	–
EASTON ON THE HILL	*	*	*	*	*	*
NORTHUMBERLAND.	–	25	5	–	25	D. 3 L. 3 M. 2 N. 3
†NEWCASTLE UPON TYNE C.B.	–	18	2	–	10	D. 3 L. 3 M. 2 N. 2
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	N. 1
†BEDLINGTONSHIRE	–	–	–	–	1	–
†BLYTH	–	–	1	–	2	–
†EARSDON	–	–	–	–	2	–
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	–	–	1	
†LONGBENTON ...	–	–	–	–	1	–
†NEWBURN ...	–	–	–	–	1	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	1	2	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	2	–
Rural Districts:—						
ALNWICK... ...	–	3	–	–	–	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM ...	–	27	13	–	16	D. 15 M. 1
†NOTTINGHAM C.B.	–	11	6	–	6	
Boroughs and Urban Districts:—						
†BEESTON	–	1	–	–	–	–
†CARLTON	–	1	3	–	–	–
†EAST RETFORD ...	–	–	–	–	1	–
EASTWOOD ...	–	–	–	–	1	–
†HUCKNALL ...	–	–	–	–	–	D. 1
HUTHWAITE ...		–			1	–
†MANSFIELD ...	–		1	–	1	D. 6
†MANSFIELD WOODHOUSE	–	–	–	–	–	D. 1
†NEWARK	–	4	1	–	–	
†SUTTON IN ASHFIELD	–	3	–	–	–	D. 1
WARSOP	–	–	–	–	1	
†WEST BRIDGFORD	–	1	–	–	1	–
†WORKSOP... ...	–	–	–	–	–	D. 1
Rural Districts:—						
BASFORD	–	–	2	–	2	D. 1
BINGHAM... ...		–	–	–	1	
EAST RETFORD ...	–	2		–	–	M. 1
NEWARK	–	1	–	–	–	–
SOUTHWELL ...	–	2	–	–	1	D. 1
STAPLEFORD ...	–	1	–	–	–	
WORKSOP... ...	–	–	–	–	–	D. 3
OXFORD	–	4	6	–	5	N. 2
†OXFORD C.B. ...	–	2	4	–	4	N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	1	–	–	–
WOODSTOCK ...	–	1	1	–	–	–
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
WITNEY	–	–	–	–	1	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	–	3	1	–	1	–
Borough:—						
†PETERBOROUGH...	–	3	1	–	1	–
Rural Districts:—						
BARNACK	*	*	*	*	*	*
RUTLAND ...	–	–	–	–	–	–
Rural Districts:—						
KETTON	*	*	*	*	*	*
SALOP	–	3	7	–	6	M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	2	–
DAWLEY	–	–	3	–	1	–
MARKET DRAYTON	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WELLINGTON ...	–	1	1	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	2	M. 1
CHIRBURY ...	–	–	–	–	1	
DRAYTON	–	–	1	–	–	–
WELLINGTON ...	–	–	1	–	–	–
SOMERSET ...	–	12	1	–	10	C. 2 D. 1 N. 1
†BATH C.B. ...	–	–	–	–	1	N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
MINEHEAD ...	–	3	–	–	–	–
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
STREET	–	–	–	–	1	C. 1
WATCHET ...	–	–	–	–	–	C. 1
WELLINGTON ...	–	3	–	–	–	–
†WESTON SUPER MARE	–	–	–	–	–	D. 1
†YEOVIL	–	–	1	–	–	–
Rural Districts:—						
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON	–	1	–	–	4	–
DULVERTON ...	–	–	–	–	1	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON ...	–	–	–	–	3	–
SOUTHAMPTON	–	31	18	–	7	M. 3 N. 2
†BOURNEMOUTH C.B.	–	4	2	–	–	–
†PORTSMOUTH C.B.		20	6	–	–	M. 1
†SOUTHAMPTON C.B.	–	3	2	–	1	N. 2
Boroughs and Urban Districts:—						
†EASTLEIGH AND BISHOPSTOKE	–	–	2	–	–	–
†FAREHAM ...	–	1	1	–	–	–
†GOSPORT	–	1	–	–	–	M. 1
LYMINGTON ...	–	–	4	–	–	–
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ALRESFORD ...	–	–	–	–	2	–
DROXFORD ...	–	–	–	–	1	–
HURSLEY	–	–	–	–	1	–
NEW FOREST ..	–	–	–	–	1	–
RINGWOOD ...	–	–	1	–	–	–
ROMSEY	–	–	–	–		M. 1
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	-	33	26	-	56	C. 4 D. 1 M. 7 N. 4
†BURTON UPON TRENT C.B.	-	1	-	-	2	-
†SMETHWICK C.B.	-	3	3	-	2	M. 2
†STOKE ON TRENT C.B.	-	-	5	-	21	C. 1 M. 2 N. 1
†WALSALL C.B. ...	-	3	6	-	3	-
†WEST BROMWICH C.B.	-	2	2	-	5	D. 1 N. 1
†WOLVERHAMPTON C.B.	-	5	1	-	3	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	-	1	-	-	1	-
BIDDULPH ...	-	-	-	-	-	N. 1
†BRIERLEY HILL...	-	-	-	-	2	-
†BROWNHILLS ...	-	1	1	-	-	-
†DARLASTON ...	-	-	-	-	2	M. 1
†LEEK	-	1	-	-	1	-
LICHFIELD ...	-	1	-	-	-	-
†NEWCASTLE UNDER LYME	-	-	2	-	-	-
†ROWLEY REGIS ...	-	2	1	-	-	-
†SEDGLEY	-	1	-	-	1	-
†STAFFORD ...	-	1	-	-	3	N. 1
†TIPTON	-	1	-	-	1	-
†WEDNESBURY ...	-	-	-	-	2	-
†WOLSTANTON UNITED	-	2	-	-	-	-
Rural Districts:—						
CANNOCK		1	1	-	-	C. 2
CHEADLE... ...	-	4	-	-	6	-
GNOSALL	-	2	-	-	1	-
KINGSWINFORD ...	-	-	1	-	-	-
LICHFIELD ...	-	-	2	-	-	C. 1
TAMWORTH (part)	-	1	-	-	-	-
WALSALL... ...	-	-	1	-		-
SUFFOLK, EAST	-	12	5	-	2	C. 1 G. 1 M. 2
†IPSWICH C.B. ...	-	8	2	-	1	C. 1 G. 1 M. 1
SUFFOLK, EAST *cont.*						
Boroughs and Urban Districts:—						
†LOWESTOFT ...	-	-	1	-	1	-
Rural Districts:—						
BLYTHING ...	-	-	1	-	-	M. 1
BOSMERE AND CLAYDON	-	3	1	-	-	-
PLOMESGATE ...	-	1	-	-	-	-
SUFFOLK, WEST	-	2	1	-	2	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	2	-	-	1	-
SUDBURY... ...	-	-	-	-	1	-
Rural Districts:—						
THINGOE	-	-	1	-	-	-
SURREY	10	50	23	2	8	C. 1 M. 1 N. 3
†CROYDON C.B. ...	9	5	2	-	1	C. 1 N. 2
Boroughs and Urban Districts:—						
†BARNES	-	-	1	-	-	-
†BEDDINGTON AND WALLINGTON	-	1	-	-	-	-
†CARSHALTON ...	-	4	-	1	1	-
†CATERHAM AND WARLINGHAM	-	2	-	-	-	-
†CHERTSEY ...	-	1	-	-	-	-
†COULSDON AND PURLEY	-	3	-	-	-	-
†EPSOM	-	1	-	-	-	-
†FARNHAM ...	-	5	-	-	-	-

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FRIMLEY AND CAMBERLEY	-	1	-	-	-	-
†GUILDFORD ...	-	4	-	-	-	-
†KINGSTON ON THAMES	-	1	2	-	-	-
LEATHERHEAD ...	-	1	-	-	-	-
†MERTON AND MORDEN	-	6	5	-	-	-
†MITCHAM	-	3	2	-	1	-
†REIGATE	-	2	3	-	-	-
†RICHMOND ...		1	1	-	-	M. 1
†SURBITON ...	-	1	-	-	1	-
†SUTTON AND CHEAM	1	2	3	1	-	-
†WOKING	-	1	2	-	-	-
Rural Districts:—						
CHERTSEY ...	-	2		-	-	-
DORKING	-	-		-	2	
EPSOM	-	2		-	2	-
FARNHAM ...	-	-		-	-	N. 1
GUILDFORD ...	-	1	-	-	-	-
REIGATE	-	-	2			-
SUSSEX, EAST...	-	5	4	-	9	G. 1
†BRIGHTON C.B. ...	-	-	2	-	3	G. 1
†EASTBOURNE C.B.	-	-	-	-	1	-
†HASTINGS C.B. ...	-	1	-	-	1	-
Boroughs and Urban Districts:—						
BURGESS HILL ...	-	-	-		2	-
†HOVE	-	2	-	-	2	-
†LEWES	-		1	-	-	-
Rural Districts:—						
EAST GRINSTEAD	-	1		-	-	-
TICEHURST ...		1	1	-		-
SUSSEX, WEST...	-	3	3	-	6	N. 3
Boroughs and Urban Districts:—						
SHOREHAM BY SEA	-	1	3	-	2	N. 3
SOUTHWICK ...	-	-	-	-	1	-
†WORTHING ...	-	-	-	-	1	-
Rural Districts:—						
HORSHAM ...	-	1	-	-	1	-
THAKEHAM ...	-	1	-	-	1	-
WARWICK ...	-	65	56	-	63	C. 4 G. 1 L. 1 M. 10 N. 6
†BIRMINGHAM C.B.	-	56	37		40	C. 2 G. 1 L. 1 M. 9 N. 2
†COVENTRY C.B. ...	-	3	7	-	7	N. 2
Boroughs and Urban Districts:—						
†BEDWORTH ...	-	1	-	-		-
BULKINGTON ...	*	*	*	*	*	*
†NUNEATON ...	-	-	2	-	2	-
†ROYAL LEAMINGTON SPA	-	-		-	1	-
†RUGBY	-	-	2	-	-	-
†STRATFORD ON AVON	-	-			1	C. 1
Rural Districts:—						
ALCESTER ...	-	-	1	-	4	-
ATHERSTONE ...	-	-	-	-	4	-
FOLESHILL ...	-	-	1	-	-	M. 1 N. 1
MERIDEN... ...	-	1	6	-	1	-
NUNEATON ...	-	1	-	-	-	-
RUGBY		1	-		1	-
SOLIHULL ...	-	1	-	-		C. 1
SOUTHAM... ...	-	-	-	-	1	-
STRATFORD ON AVON	-	1	-		1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WESTMORLAND		2	–	–	–	N. 1
Boroughs and Urban Districts:—						
WINDERMERE ...	–	–	–	–	–	N. 1
Rural Districts:—						
SOUTH WESTMORLAND	–	2	–	–	–	–
WIGHT, ISLE OF	–	3	–	–	–	–
Borough and Urban Districts:—						
†COWES	–	3	–	–	–	–
WILTS	–	6	3	–	3	G. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
DEVIZES	–	–	–	–	–	N. 2
SALISBURY ...	–	1	–	–	–	–
†SWINDON	–	2	1	–	2	–
†TROWBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	–	G. 1
DEVIZES	–	–	1	–	–	–
HIGHWORTH ...	–	1	–	–	1	–
MERE	–	–	–	–	–	M. 1
PEWSEY	–	1	–	–	–	M. 1
WORCESTER ...	1	14	–	–	10	–
†DUDLEY C.B. ...	–	–	–	–	1	–
†WORCESTER C.B.	–	4	–	–	2	–
WORCESTER— *cont.*						
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	–	–	1	–
†KIDDERMINSTER	–	3	–	–	–	–
†LYE AND WOLLESCOTE	–	2	–	–	1	–
†MALVERN ...	–			–	1	–
†OLDBURY	–	1	–	–	3	
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	1	–	–	–	–	–
Rural Districts:—						
PERSHORE ...	–	–	–	–	1	–
UPTON ON SEVERN	–	1	–	–	–	–
YORKS ... ... **(East Riding).**	–	12	22	–	6	C. 1 G. 1 M. 1 N. 3
†KINGSTON UPON HULL C.B.	–	8	20	–	4	C. 1 G. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
FILEY	–	–	–	–	1	–
HORNSEA	–	–	1	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	2	1		–	–
NORTON	*	*	*	*	*	*
PATRINGTON ...	–	–	–	–	1	–
POCKLINGTON ...		1	–	–	–	–
SCULCOATES ...	–	1	–	–	–	–
YORKS ... ... **(North Riding).**	–	28	6	–	18	D. 2 G. 2 M. 1 N. 1
†MIDDLESBROUGH C.B.	–	13	2	–	9	D. 1 G. 2 M. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	4	–
MASHAM	–	1	–	–	–	–
SALTBURN BY THE SEA		6		–	–	–
†SCARBOROUGH ...	–	1	3	–	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	–	–	–	–	D. 1
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
FLAXTON	–	1	–	–	–	–
LEYBURN	–	1	–	–	–	–
MIDDLESBROUGH	–		1	–	1	–
NORTHALLERTON		1	–	–	–	–
RICHMOND ...	–	1	–	–	3	–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding).	3	130	66	3	113	C. 5 D. 33 M. 8 N. 6
†BARNSLEY C.B. ...	–	3	–	–	4	D. 6 N. 1
†BRADFORD C.B. ...	–	18	7	–	6	C. 2 M. 1
†DEWSBURY C.B....	–	3	–	–		D. 1
†DONCASTER C.B....	–	4	–	–	1	–
†HALIFAX C.B. ...	–	4	3	–	3	–
†HUDDERSFIELD C.B.	–	–	–	–	5	D. 2 N. 1
†LEEDS C.B. ...	1	24	18	1	17	C. 2 M. 1 N. 1
†ROTHERHAM C.B.	–	2	4	–	2	D 1
†SHEFFIELD C.B....	1	18	7	–	31	D. 2 M. 2 N. 1
†WAKEFIELD C.B.	–	3	6	1	3	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	1	M 1
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	–	–	1	–	–	D. 2 M. 1
†BINGLEY	–		1	–	–	–
BIRKENSHAW ...	–	4	–		–	–
†BOLTON UPON DEARNE	–	1	–	–	1	D. 1
†BRIGHOUSE ...	–	2	–	–	–	–
BURLEY IN WHARFEDALE	*	*	*	*	*	*
†CASTLEFORD ...		1	–	–	–	–
†CONISBROUGH ...	–	–	–	–	–	D. 2
CUDWORTH ...	–	–	–	–	–	N. 1
DARFIELD ...	–	–	–		–	D. 1
†DARTON	–	1	1	–	3	–
DENHOLME ...	–	1	–	–	–	–
DODWORTH ...	–	–			1	–
DRIGHLINGTON ...	–	–	–	–	1	–
†FEATHERSTONE ...	–	–	–	–	1	–
†GOOLE	–	1	–	–	1	–
GREETLAND ...	–	–	1		–	–
†HARROGATE ...		1	–	–	1	–
HECKMONDWIKE	–	1	–	–	–	–
HIPPERHOLME ...	–	–	–	–	2	–
†HOLMFIRTH ...	–	–	–	–	1	–
HUNSWORTH ...	–	–	–	–	1	–
ILKLEY	*	*	*	*	*	*
†KEIGHLEY ...	–	2	1	–	2	–
†MEXBOROUGH ...	–	–	–	–	1	D. 1
†MORLEY	–	2	–	–	3	–
OAKWORTH ...	–	–	–	–	1	–
†OSSETT	–	3	1	–	–	–
OTLEY	–	2		–	1	–
†PONTEFRACT ...	–	–	–	–	1	–
†PUDSEY	–	–	–	–	1	–
QUEENSBURY ...	–	1		–	–	–
†RAWMARSH ...	–	1	–	–		M. 1
RIPON	–	–	–	–	1	–
†ROTHWELL ...	–	–	2		–	–
SHELLEY	–			–	1	–
†SHIPLEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
SILSDEN	-	2	-	-	-	-
†SKIPTON	-	1	-	-	-	
†SPENBOROUGH ...	-	2	-	-	-	-
†STANLEY	-	2	-	-	-	
THURNSCOE ...	-	1	-	-	1	D. 1
THURSTONLAND AND FARNLEY TYAS	-	-	-	-	1	-
†WOMBWELL ...	-	-	1	-	1	-
†WORSBOROUGH ...	-	1	-	-	1	-
Rural Districts:—						
DONCASTER ...	-	1	2	-	-	D. 3
GREAT OUSEBURN	-	2	-	-	3	
HALIFAX	-	-	-	-	1	-
HEMSWORTH ...	-	3	1	-	1	D. 3
KIVETON PARK ...	1	-	2	-	-	-
PATELEY BRIDGE	-	-	2	-		-
PONTEFRACT ...	-	-	1	-	-	-
ROTHERHAM ...	-	2	1	-	2	D. 6
TADCASTER ...	-	2	2	-		
THORNE	-	-	-	-	-	C. 1 D. 1
WAKEFIELD ...	-	1	-	-	3	-
WETHERBY ...	-	3	-	-	-	-
WHARFEDALE (SOUTH)	-	-	-	-	1	-
WORTLEY... ...	-	1	-	1	-	N. 1
YORK, CITY OF ..		7	3	-	2	-
†YORK C.B. ...	-	7	3	-	2	-
WALES.						
BRECKNOCK ...	-	2	-		4	-
Boroughs and Urban Districts:—						
BRYNMAWR ...	-	-	-	-	2	
BUILTH WELLS ...	*	*	*	*	*	*
BRECKNOCK—*cont.*						
Rural Districts:—						
BUILTH	*	*	*	*	*	*
CRICKHOWELL ...	-	2	-	-	1	-
YSTRADGYNLAIS	-	-	-	-	1	-
CAERNARVON...	-	1	1	-	-	-
Rural Districts:—						
GLASLYN	-	-	1	-	-	-
GWYRFAI... ...	-	1	-		-	-
CARDIGAN ...	-	1	-	-	1	M. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	-	1	-	-	-	-
Rural Districts:—						
ABERYSTWYTH (NORTH)	-	-	-	-	1	-
LLANDYSSIL ...	-	-	-	-	-	M. 1
CARMARTHEN...	-	1	5	1	3	-
Boroughs and Urban Districts:—						
BURRY PORT ...	-	-	1	-	-	-
†CARMARTHEN ...	-	-	-	1	-	-
KIDWELLY ...	-	-	1	-	-	-
†LLANELLY ...	-	-	-	-	1	-
Rural Districts:—						
LLANDILO FAWR	-	-	-	-	1	-
LLANELLY ...	-	1	2	-	1	-
NEWCASTLE IN EMLYN	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...		12	12	–	3	D. 1 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...		–	–	–	1	–
RUTHIN		–	1	–	–	N. 1
†WREXHAM ...	–	3	3	–	–	D. 1
Rural Districts:—						
LLANSILIN ...	–	–	–	–	1	–
RUTHIN	–	3	–	–	1	–
WREXHAM ...	–	6	8	–	–	–
FLINT		1	–	–	1	D. 1 G. 1
Borough and Urban Districts:—						
HOLYWELL ...	–	1	–	–	–	–
PRESTATYN ...	*	*	*	*	*	*
Rural Districts:—						
HAWARDEN ...	–	–	–	–	–	D. 1
HOLYWELL ...	–				1	–
ST. ASAPH (FLINT)	–	–		–	–	G. 1
GLAMORGAN ...	12	46	46	–	25	C. 3 D. 1 M. 5 N. 3
†CARDIFF C.B. ...	–	15	6	–	4	C. 1 D. 1 M. 1 N. 1
†MERTHYR TYDFIL C.B.	–	2	1	–	–	–
†SWANSEA C.B. ...	–	2	12	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	5	–	1	–	4	–
†BARRY	–	–	2	–	3	–
BRIDGEND ...	–	1	–	–	–	
†CAERPHILLY ...	–	2	2	–	1	M. 1
†GELLIGAER ...	–	1	1	–	1	N. 1
†MAESTEG	–	2	1	–	–	–
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MOUNTAIN ASH...	7	4	–	–	1	M. 1
†NEATH	*	*	*	*	*	*
†OGMORE AND GARW	–	–	–	–	1	–
†PENARTH	–	–	3	–	–	–
†PONTYPRIDD ...		1	1	–	–	C. 1
PORTHCAWL ...	–	1	1	–	1	–
†PORT TALBOT ...	–	–	1	–	–	–
†RHONDDA ...	–	14	10	–	8	C. 1 M. 1 N. 1
Rural Districts:—						
LLANTRISANT AND LLANTWIT-FARDRE	–	–	1	–	–	–
NEATH	–	1	–	–	–	–
PONTARDAWE ...	–	–	3	–	–	–
MERIONETH ...	–	2	1	1	–	–
Urban Districts:—						
BALA	–	1	–	1		–
FFESTINIOG ...	–	–	1	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
MONMOUTH ...	–	22	9	–	5	M. 1
†NEWPORT C.B. ...	–	8	3	–	5	–
Boroughs and Urban Districts—						
†ABERCARN ...	–	–	–	–	–	M. 1
†ABERSYCHAN ...	–	2	–	–	–	–
†ABERTILLERY ...		1	2	–	–	–
CHEPSTOW ...	*	*	*	*	*	*
†EBBW VALE ...	–	5	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the followingdiseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
LLANFRECHFA UPPER	–	–	1	–	–	–
MONMOUTH ...	–	1		–	–	–
†MYNYDDISLWYN	–	–	1	–	–	–
†RHYMNEY ...	–	2	–	–	–	–
†RISCA	–	1	1	–	–	–
Rural District:—						
CHEPSTOW ...	*	*	*	*	*	*
ST. MELLONS ...	–	2			–	–
MONTGOMERY...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
PEMBROKE ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST		–	1	–	–	–
RADNOR	–	–	–	–	–	–
Rural Districts:—						
COLWYN	*	*	*	*	*	*
Total of Part II....	128	1289	733	29	849	C. 42 D. 69 F. 1 G. 15 L. 6 M. 88 N. 86

* Returns not received. † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*se*
BARNSTAPLE	*	*	*	*	*	*	SOUTHAMPTON ...	–	–	1	–		
CHEPSTOW	*	*	*	*	*	*	PORT OF LONDON ...	–	–		–	1	
PENZANCE	*	*	*	*	*	*	**Total of Part III.** ...		–	1	–	1	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :— A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
Total of Part I.—London	84	210	154	2	83	C. 6 D. 7 E. 1 M. 8 N. 18
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	128	1289	733	29	849	C. 42 D. 69 F. 1 G. 15 L. 6 M. 88 N. 86
Total of Part III.—Port Sanitary Districts		-	1	-	1	-
Total (i.e., of returns received), England and Wales ...	212	1499	888	31	933	C. 48 D. 76 E. 1 F. 1 G. 15 L. 6 M. 96 N. 104

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

able 5.—LONDON and GREAT TOWNS in the AGGREGATE.

BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS and in the CURRENT YEAR to d with corresponding figures for previous yea

Week ended :—	Jan. 31.	Feb. 7	Feb. 14	Feb. 21.	Feb. 28	Mar. 7.	Mar. 14	Mar. 21.	Mar. 28	Apl. 4.	Apl. 11.	Apl. 18.	Apl. 25	Totals from 1 Week of year 1930.	193
LONDON :—															
LIVE BIRTHS	1,383	1,401	1,397	1,317	1,407	1,384	1,394	1,422	1,390	1,180	1,352	1,471	1,383	23,022	22,1
STILLBIRTHS	41	33	51	59	47	49	69	51	45	51	60	44	31	842	7
DEATHS (excluding Still-births)—all ages.	1,434	1,496	1,620	1,578	1,457	1,347	1,377	1,433	1,184	1,144	1,165	981	954	18,151	21,5
DEATHS—0 to 1 year ..	132	125	145	92	108	111	104	102	88	63	90	78	68	1,652	1,6
GREAT TOWNS, aggregate (including London) :—															
LIVE BIRTHS	6,180	6,308	6,349	6,320	6,631	6,562	6,503	6,772	6,421	5,509	6,471	7,028	6,789	103,944	103,5
STILLBIRTHS	295	244	278	315	282	289	323	303	305	296	318	305	270	4,679	4,6
DEATHS (excluding Still-births)—all ages.	6,052	6,178	6,834	6,826	6,879	6,480	6,713	6,700	5,691	5,313	5,423	4,674	4,590	80,358	97,5
DEATHS—0 to 1 year ..	645	650	748	697	686	629	640	585	521	459	520	416	397	7,869	9,4
ENTERIC FEVER—Cases	9	10	24	22	19	6	8	9	9	10	18	14	15	379	3
„ Deaths	2	4	2	1	2	—	1	5	1	—	—	4	3	42	
SMALL POX—Cases ..	194	147	150	186	189	158	117	154	166	117	142	126	162	4,616	2,1
„ Deaths ..	—	—	—	1	—	—	—	—	—	—	1	—	1	14	
SCARLET FEVER—Cases	935	907	925	917	922	826	824	894	804	724	836	687	854	22,680	13,7
„ Deaths	7	7	9	8	4	7	6	5	9	5	8	4	5	194	
DIPHTHERIA—Cases ..	894	820	781	735	749	628	626	641	627	521	497	513	552	16,656	11,4
„ Deaths ..	43	50	29	48	42	42	34	32	30	33	27	35	21	801	
MEASLES—Deaths ..	72	72	80	97	70	73	84	75	60	58	64	55	42	1,706	1,
INFLUENZA—Deaths ..	309	331	456	509	546	471	417	365	301	208	175	110	98	1,146	4,7

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correctio having been made for changes in boundary. The live births are derived from the weekly returns furnished by t Registrars and differ from those published for the towns in the Quarterly Return which are corrected for birt occurring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 25th April, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	62	36	53·1	39·7	31	HUDDERSFIELD	57	34	49·7	37·9	24
BRIGHTON ..	54	37	50·1	41·6	21	BRADFORD ..	54	35	48·4	39·1	28
PORTSMOUTH ..	56	38	52·1	42·1	30	SHEFFIELD ..	55	36	48·6	39·6	28
NORWICH(SOUTHWELL LODGE)	58	34	50·7	39·4	25	YORK (MUSEUM)	59	37	51·7	41·0	15
PLYMOUTH ..	54	38	52·1	41·7	34	HULL (PEARSON PARK).	58	37	50·8	40·3	13
BRISTOL (HORFIELD)	54	37	50·1	40·1	21	TYNEMOUTH ..	52	36	47·6	40·3	25
BIRMINGHAM (EDGBASTON).	53	33	47·0	38·4	37	CARDIFF	54	37	49·1	40·6	25
NOTTINGHAM ..	55	35	49·6	39·3	22	EDINBURGH ..	54·0	34·0	48·7	38·4	25
BIRKENHEAD (BIDSTON).	55	38	48·9	40·7	18	GLASGOW ..	54·3	37·1	51·1	40·7	16
MANCHESTER (WHITWORTH PARK).	56	38	49·6	40·9	12	DUBLIN (PHŒNIX PARK)	§	§	§	§	§
BURNLEY	55	36	48·4	39·6	18	(FITZWILLIAM SQUARE†).	53·2	39·2	52·0	41·6	24
						BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 25th April, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 6 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	19	..	29·564	43·4	37·3	6·1	39·7	− 8·6	37·2	2·5	8·1	1·8	91	58·3	36·2	45·8	NNW: NE: NNE.	NNE	4·2	0·0	0·9	480	+ 187	0·35
MONDAY -	20	..	29·619	47·3	40·2	7·1	42·2	− 6·3	38·4	3·8	7·9	2·8	86	78·3	35·0	45·7	NNE	NE: NNE.	5·0	0·0	0·8	432	+ 140	0·12
TUESDAY -	21	..	29·746	50·9	39·2	11·7	44·2	− 4·5	36·7	7·5	14·5	2·5	75	111·5	34·2	45·8	NNE	N: Calm.	1·8	0·0	0·2	242	− 49	0·00
WEDNESDAY	22	..	29·667	58·3	36·0	22·3	46·2	− 2·5	35·9	10·3	20·2	2·8	67	113·0	25·2	45·8	WSW: W.	W.: SW	2·6	0·0	0·1	242	− 47	0·02
THURSDAY -	23	Greatest Declination N.	29·592	57·0	40·3	16·7	49·0	+ 0·4	39·3	9·7	17·9	3·3	69	123·1	28·9	45·8	SW.: SSW.	SSW: S.	3·2	0·0	0·4	331	+ 44	0·01
FRIDAY -	24	..	29·381	62·1	43·3	18·8	51·2	+ 2·6	43·0	8·2	16·4	1·6	74	134·8	34·9	45·8	SSE: S	S: SE	6·8	0·0	0·5	377	+ 91	0·24
SATURDAY -	25	First Quarter.	28·997	53·6	44·0	9·6	46·2	− 2·4	43·5	2·7	10·1	2·4	91	111·1	37·4	45·9	SSE: SE: S.	SSW: SW.	8·4	0·0	0·9	433	+ 147	0·53
MEANS -		..	29·509	53·2	40·1	13·2	45·5	− 3·0	39·1	6·4	13·6	2·5	79	104·3	33·1	45·8	Variable		..		..	Sum 2537	Sum + 513	Sum 1·27
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	19	Loss of register till 12h.; then very variable negative.	0·0	14·1	Overcast. Rain generally till 5h.; and from 10h. Showers 8h. till 8½h.; and about 8¾h. Hail at 8⅝h. Brisk wind generally from 9h.
MONDAY ..	20	Variably wP and wN till 9h.; then mP.	0·4	14·1	Overcast, with cloudy periods between 16½h. and 17⅞h.; and 18h. till 20h. Slight rain till 9½h.; and 11h. till 13h. Brisk wind till 13h. Dew at night.
TUESDAY ..	21	mP till 11h.; then variably sP and mP.	1·9	14·2	Overcast till 16½h.; cloudy till 18h.; then overcast.
WEDNESDAY	22	mP till 15h.; variably sP and sN till 21h.; then mP.	5·8	14·2	Variably cloudy till 10h.; nearly overcast till 21h.; then cloudy. Shower 15h. till 15½h.
THURSDAY	23	mP till 9h.; variably mP and mN till 10h.; then mP.	6·7	14·3	Variably cloudy till 17½h.; then nearly overcast. Showers at 3⅝h.; 9½h.; and 20½h. till 20⅝h. Solar halo 17½h. till 17⅓h.; and 18h. till 18⅜h.
FRIDAY ..	24	wP till 11h.; then variably mP and wN.	3·6	14·4	Thin cloud till 3h.; overcast till 14⅜h.; cloudy period from 13h. till 14h.; then overcast. Showers at 4½h.; and at 15½h. Rain 14⅜h. till 15h.; 16½h. till 18½h.; 19½h. till 19⅜h.; and from 20⅜h. Solar halo 9h. till 9½h. Brisk wind 11h. till 15h.
SATURDAY	25	Variably wP and wN till 16h.; then loss of register.	1·9	14·4	Overcast till 11½h.; very cloudy till 14h.; overcast till 17⅜h.; then cloudy. Rain till 5½h.; and intermittently from 10¼h. till 17⅜h.; and from 21h. till 21¼h. Hail at 16½h. Brisk wind 11h. till 16h.
			Sum 20·3	Sum 99·7	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 8 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·44 ins. at the beginning of the week to 29·76 ins. by 11h. on 21st.; decreased to 28·94 ins. by 10h. on 25th; increased and was 29·10 ins. by midnight on the same day.

FOR OFFICIAL USE

1931. No. 17.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 2ND MAY,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 2ND MAY, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the seventeenth week of the year numbered 6,646 corresponding to an annual rate of 17·5 per 1,000 living: stillbirths numbered 286 corresponding to a rate of 41 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,623 (33 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

	April 11.	April 18.	April 25.	May 2.
107 Great Towns	14·4	12·4	12·2	12·2
London	13·7	11·6	11·3	11·8
Birmingham	15·6	12·7	12·6	11·9
Liverpool	15·2	12·9	13·7	13·9
Manchester	12·8	13·4	12·4	11·4
Sheffield	12·8	12·3	12·4	16·0
Leeds	17·1	15·5	13·8	15·6
Bristol	12·9	11·1	12·8	11·2
West Ham	14·4	8·8	9·5	11·7

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 61, against 78, 62, and 60 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,424 live births registered corresponding to an annual rate of 16·8 per 1,000 living: stillbirths numbered 38 corresponding to a rate of 26 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,002 (48 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 55, against 63, 55 and 48 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 2nd May, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,685,050*	6,646	286	4,623	409	1	46	4	24	22	55	7
LONDON	4,417,900*	1,424	38	1,002	79	-	2	-	8	1	13	1
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	82	4	45	5	-	-	-	-	-	-	
WIMBLEDON ..	59,370	10	-	19	1	-	-	-	-	-	-	
EALING	104,000	48	-	23	1	-	-	-	-	-	-	
ACTON	65,200	16	2	12	1	-	-	-	-	-	-	
BRENTFORD AND CHISWICK ..	59,040	10	1	13	-	-	-	-	-	-	-	
WILLESDEN ..	172,500	43	1	38	3	-	-	-	-	-	-	
HENDON§	86,540*	31	-	20	1	-	-	-	-	-	-	
HORNSEY	88,450	23	-	20	3	-	-	-	-	-	1	
WOOD GREEN ..	53,410	8	2	9	1	-	-	-	-	-	-	
TOTTENHAM ..	155,000	30	-	25	3	-	-	-	-	-	1	
EDMONTON	75,000	27	3	11	2	-	-	-	-	-	-	
ENFIELD	65,100	19	-	15	2	-	-	-	-	-	-	
WEST HAM C.B. ..	307,600	133	16	69	8	-	-	-	2	1	2	
EAST HAM C.B. ..	147,600	23	1	25	1	-	-	-	-	1		
LEYTON	128,300	28	1	20	2	-	-	-	-	-	-	
WALTHAMSTOW ..	124,800	33	-	19	1	-	-	-	-	-	-	
ILFORD	116,200	26	2	14	-	-	-	-	-	-	-	
GILLINGHAM	56,670*	15	3	7	-	-	-	-	-	-	-	
CANTERBURY C.B. ..	22,850*	9	1	4	-	-	-	-	-	-	-	
HASTINGS C.B.	62,620	19	-	18	-	-	-	-	-	-	-	
EASTBOURNE C.B. ..	58,570	14	-	17	1	-	-	-	-	-	-	
BRIGHTON C.B. ..	146,800*	48	5	31	-	-	-	-	-	-	-	
PORTSMOUTH C.B. ..	242,000*	92	4	61	5	-	-	-	1	-	1	
BOURNEMOUTH C.B.§ ..	105,780	24	1	30	3	-	-	-	-	-	-	
SOUTHAMPTON C.B. ..	172,300	56	1	34	5	-	-	-	-	-	1	
READING C.B.	96,850*	35	3	23	-	-	1	1	-	-	-	
OXFORD C.B	73,810*	20	1	16	1	-	-	-	-	-	-	
NORTHAMPTON C.B. ..	93,970*	28	2	19	-	-	2	-	-	-	-	
LUTON	65,200	18	-	15	1	-	-	-	-	-	-	
CAMBRIDGE	60,730	16	1	11	-	-	-	-	-	-	-	
SOUTHEND-ON-SEA C.B.	114,600	27	-	27	-	-	1	-	-	-	-	
IPSWICH C.B.	85,800	30	1	21	1	-	-	-	-	-	-	
GREAT YARMOUTH C.B	58,110	16	1	16	2	-	-	-	1	-	-	
NORWICH C.B.	124,900*	56	4	19	1	-	-	-	-	-	1	
SWINDON	62,020	18	1	13	-	-	-	-	-	-	-	
EXETER C.B.	61,290*	13	1	19	-	-	-	-	-	-	-	
PLYMOUTH C.B. ..	199,000*	83	1	52	2	-	-	-	-	-	-	
BATH C.B	69,240	17	1	18	2	-	-	-	-	-	-	
BRISTOL C.B.	391,145*	142	5	84	4	-	-	-	-	1	-	
GLOUCESTER C.B. ..	52,010	16	2	18	2	-	-	-	-	-	-	
STOKE-ON-TRENT C.B.	279,190	99	7	76	8	-	-	-	-	-	1	
BURTON-UPON-TRENT C.B.	48,970	13	1	5	-	-	-	-	-	-	-	
WOLVERHAMPTON C.B.	134,300	56	1	28	2	-	-	-	1	-	-	
WALSALL C.B.§	100,930	34	1	16	-	-	-	-	-	-	-	
WEST BROMWICH C.B.§	80,970	36	-	17	3	-	-	-	-	-	-	
DUDLEY C.B.	58,870	23	1	21	2	-	-	-	-	-	1	
WORCESTER C.B. ..	52,320	20	-	13	1	-	-	-	-	-	-	
BIRMINGHAM C.B.§ ..	972,510	360	8	222	24	-	7	1	1	4	2	
SMETHWICK C.B. ..	85,120	25	-	16	3	-	-	-	-	1	-	
COVENTRY C.B. ..	162,100	51	2	42	3	-	-	-	-	-	1	
LEICESTER C.B. ..	245,200	83	4	60	5	-	1	-	-	-	1	
LINCOLN C.B.	65,080*	24	1	20	2	-	-	-	-	-	-	
GRIMSBY C.B.	91,440	31	-	24	2	-	-	-	-	-	1	
NOTTINGHAM C.B. ..	266,800	101	6	65	10	-	1	-	-	-	2	
DERBY C.B.	140,500*	63	2	23	1	-	-	-	-	-	-	
CHESTERFIELD	65,270	27	2	21	-	-	-	-	-	1	-	
STOCKPORT C.B ..	127,800	30	5	26	2	-	-	-	-	-	-	
CHESTER C.B.	40,750	15	2	7	-	-	-	-	-	-	-	
BIRKENHEAD C.B ..	157,600	49	3	24	3	-	-	-	-	-	1	
WALLASEY C.B. ..	101,300	15	1	24	1	-	-	-	-	-	-	
LIVERPOOL C.B. ..	869,500	423	21	231	34	-	10	-	2	3	3	
BOOTLE C.B.	80,400	33	-	12	1	-	1	-	-	-	-	
ST. HELENS C.B. ..	109,200	53	-	22	1	-	2	-	-	-	-	

* Population adjusted by the exclusion of non-civilians.
§ Adjusted for change in boundary, 1st April, 1931.

TOWNS.	Estimated Population, Mid. 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	15	1	14	1	-	-	-	-	-	1	-
Wigan C.B.	87,600	27	1	18	3	-	-	-	-	-	-	-
Warrington C.B. ..	79,400*	43	-	12	1	-	-	-	1	-	-	1
Bolton C.B.	181,500	42	3	45	1	-	-	-	-	-	-	2
Bury C.B.	56,830*	4	1	14	1	-	1	-	-	-	-	-
Manchester C.B.§ ..	753,570	257	17	165	12	-	1	-	-	2	7	4
Salford C.B.	235,600	71	1	51	5	-	1	-	-	-	1	2
Ashton-under-Lyne	51,750	17	-	13	1	-	-	-	-	-	1	-
Oldham C.B	142,500	33	1	36	1	-	-	-	-	-	-	-
Rochdale C.B. ..	90,900	19	-	30	1	-	-	-	-	2	-	-
Burnley C.B	100,200	19	1	25	2	-	-	-	-	-	-	1
Blackburn C.B. ..	125,300	40	1	44	5	-	-	-	1	-	-	-
Preston C.B.	126,100	42	1	29	1	-	-	-	-	-	1	1
Blackpool C.B. ..	99,800	20	1	32	-	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	64,850	20	1	17	-	-	-	-	-	-	-	1
Huddersfield C.B. ..	113,100	27	2	32	-	-	-	-	-	-	-	1
Halifax C.B. ..	97,400*	32	1	26	2	-	-	-	1	-	-	-
Bradford C.B. ..	294,605	81	5	95	9	-	2	-	-	1	-	6
Leeds C.B	478,500	185	9	143	13	-	3	1	-	1	-	6
Dewsbury C.B. ..	53,020	17	-	20	2	-	-	-	1	-	-	-
Wakefield C.B ..	56,640	20	1	8	-	-	-	-	-	-	-	1
Barnsley C.B. ..	71,700	30	-	26	1	-	-	-	1	-	-	1
Sheffield C.B. ..	518,000*	174	13	159	12	1	-	-	-	1	1	2
Rotherham C.B. ..	70,790	25	1	18	1	-	-	-	-	-	1	-
Doncaster C.B. ..	59,890	24	3	7	1	-	-	-	-	-	-	1
York C.B.	85,290*	23	-	14	-	-	-	-	-	-	-	1
Hull C.B.	307,500	114	6	77	9	-	-	-	1	1	1	1
Middlesbrough C.B.	133,100	60	2	30	4	-	-	-	-	-	-	-
Darlington C.B. ..	74,150	25	1	14	-	-	-	1	1	-	-	-
Stockton-on-Tees ..	67,090	29	-	16	3	-	-	-	-	-	-	-
West Hartlepool C.B.	69,370	29	1	20	4	-	1	-	-	-	-	-
Sunderland C.B. ..	184,000	73	3	47	9	-	2	-	1	-	2	-
South Shields C.B ..	119,600	56	1	29	7	-	3	-	-	-	1	-
Gateshead C.B. ..	122,600	40	1	27	5	-	-	-	-	-	1	-
Newcastle-on-Tyne C.B.	283,400*	124	12	76	9	-	1	-	-	1	-	-
Tynemouth C.B. ..	65,880	21	1	15	3	-	1	-	-	-	-	-
Carlisle C.B.	56,160*	23	-	14	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	95,990*	32	2	21	7	-	-	-	-	-	-	-
Cardiff C.B.	224,000*	86	3	55	8	-	-	-	-	-	1	-
Rhondda	153,100	48	2	35	5	-	1	-	-	-	1	-
Merthyr Tydfil C.B.	77,790	21	2	18	2	-	-	-	-	-	1	-
Aberdare	53,050	17	2	8	1	-	1	-	-	-	-	-
Swansea C.B.	162,700	57	4	41	4	-	-	-	-	-	1	1
Greater London ..	7,900,480*	2,521	77	1,704	144	-	2	-	12	9	21	21
Outer Ring	3,482,580*	1,097	39	702	65	-	-	-	4	8	8	11
17 Great Towns in Outer Ring§.. ..	2,030,410*	590	33	397	35	-	-	-	2	2	4	5
Remainder of Outer Ring§	1,452,170*	507	6	305	30	-	-	-	2	6	4	6
Edinburgh†	428,800	160	?	113	10	-	-	-		2	1	-
Glasgow†	1,088,200	410	?	295	55	-	4	4	12	1	4	2
Dublin†	412,400	247	?	117	21	-	4	-	1	2	-	-
Belfast†	415,151	197	?	109	21	-	5	-	-	1	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Adjusted for change in boundary, 1st April, 1931.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa
		1931.											
London‡	4,417,900	May 2	1424	38	1002	11·8	–	–	2	–	8	1	
Calcutta and Suburbs	1,077,264	Mar. 21	?	?	648‖	31·3	?	54	?	–	?	?	
Bombay§	1,298,708	Apr. 4	451	24	406‖	16·2	5	1	2	–	–	1	
Madras	528,791	Mar. 21	466	16	382‖	37·6	2	2	–	–	1	–	
Sydney and Suburbs	1,249,170	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Feb. 28 (28 days)											
Perth (Metropolitan Area).	202,888	Feb. 21	106	?	52	8·1	–	–	–	–	–	–	
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Mar. 28	62	1	21	8·0	–	–	–	–	–	–	
Johannesburg	187,326	„ 21	74	5	33	9·2	–	–	–	–	–	–	
Durban	61,667	„ 21	29	3	11	9·3	–	–	–	–	–	–	
Paris	2,871,429	Mar. 31 (11 days)											
Antwerp	295,146	Apr. 15 (15 days)											
Amsterdam	753,282	Apr. 11	258	10	181	12·5	–	–	5	1	4	3	
Copenhagen	615,700	„ 18	204	2	186	15·8	–	–	2	–	–	3	
Stockholm	502,203	„ 11	83	3	109	11·3			–	–	–	1	
Gothenberg	245,336	Mar. 7	?	?	56	11·8	–	–	–	–	1	–	
		„ 14	?	?	48	10·1	–	–	–	–	–	–	
Oslo	253,568	Apr. 18	37	2	65	13·7	–	–	–	–	–	–	
Berlin	4,329,000	„ 4	708	31	1047	12·6	1	?	2	3	1	3	
Breslau	617,000	„ 4	165	5	138	11·6	–	?	–	–	–	2	
Cologne	740,000	„ 4	197	9	170	11·9	–	?	1	–	1	–	
Dresden	633,000	„ 4	133	7	126	10·4	–	?	1	–	–	–	
Frankfort-on-Main	541,000	„ 4	116	4	109	10·5	–	?	–	–	–	–	
Hamburg	1,147,000	„ 4	232	6	229	10·4	–	?	–	–	1	1	
Leipzig	719,000	„ 4	156	12	151	10·9	–	?	–	–	1	–	
Munich	730,000	„ 4	160	3	203	14·5	–	?	–	–	1	–	
Budapest	991,518	Apr. 11	330	12	279	14·6	–	–	–	2	8	2	
Warsaw	1,115,651	„ 4	?	18	289	13·5	–	–	–	1	–	2	
Madrid	825,471	Mar. 28	377	24	302	19·1	–	–	5	–	2	1	
Cairo	1,160,700	Jan. 14	1201	26	442	19·9	5	–	6	–	?	3	4
Alexandria	629,900	„ 14	541	9	242	20·0	3	–	–	–	?	2	3
New York	7,090,089	Apr. 4	2214	99	1737	12·8	–	–	4	2	3	5	
Chicago	3,457,375	Apr. 10	894	41	763	11·5	–	–	1	3	–	3	
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Mar. 21	827	64	438	13·2	4	–	3	–	1	1	6

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 68 deaths from Cholera in Calcutta, 3 in Madras and 1 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 2nd May, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
			ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
	1930.	1931.												
ALL CAUSES	19,168	22,506	1002	79	14	12	14	36	38	53	105	170	230	251
Enteric fever	7	10	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	823	20	2	2	-	-	-	-	-	-	-	-	-	-
Scarlet fever	56	25	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	64	138	8	6	2	-	-	-	-	-	-	-	-	-
Diphtheria	201	122	1	1	-	-	-	-	-	-	-	-	-	-
Influenza	197	858	10	-	1	-	-	1	1	-	1	2	1	3
Erysipelas	64	77	2	1	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	19	18	1	-	-	-	-	-	-	-	-	-	1	-
Meningococcal meningitis	38	67	2	1	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	1324	1582	73	-	-	-	1	19	15	13	7	12	6	-
Nervous system	82	83	8	1	-	2	3	2	-	-	-	-	-	-
Intestines and peritoneum	24	20	1	-	-	-	-	-	-	-	1	-	-	-
Other forms	77	95	8	-	-	-	-	1	1	1	3	-	1	1
Venereal diseases	78	63	4	-	-	-	-	-	1	-	-	2	1	-
Cancer	2199	2313	151	-	-	-	1	1	1	7	24	42	46	29
Rheumatic fever	71	41	3	-	-	-	1	-	-	1	-	-	1	-
Diabetes	200	206	5	-	-	-	-	-	-	-	2	1	1	1
Alcoholism	5	5	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	39	36	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	736	835	42	-	-	-	-	-	-	-	5	6	13	18
Epilepsy	83	60	1	-	-	-	-	-	1	-	-	-	-	-
"Convulsions" (not puerperal) ..	28	22	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	439	418	18	1	-	-	-	2	1	1	4	2	5	2
Pericarditis	8	7	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	64	67	2	-	-	-	-	2	-	-	-	-	-	-
Other diseases of heart	4031	5269	233	-	-	-	1	1	3	6	17	42	70	93
Other diseases of circulatory system	774	866	42	-	-	-	-	-	-	-	5	13	7	17
Bronchitis	975	1596	39	2	-	-	-	1	-	-	2	6	13	15
Broncho-pneumonia	930	1497	40	6	3	3	1	-	-	3	2	5	13	4
Lobar pneumonia	516	615	17	1	-	-	-	1	-	2	7	2	2	2
Pneumonia (type not distinguished)	182	229	7	1	1	1	-	-	-	-	-	1	2	1
Other diseases of respiratory system	195	307	7	-	-	-	-	-	-	2	1	1	2	1
Diarrhœa and enteritis	266	250	14	13	-	-	-	-	-	-	-	-	1	-
Appendicitis, Typhlitis	105	97	7	-	-	1	1	1	1	1	1	-	1	-
Hernia, Intestinal obstruction	159	197	13	3	2	-	-	1	-	-	1	1	4	1
Cirrhosis of liver	70	80	8	-	-	-	-	-	-	2	-	2	3	1
Other diseases of digestive system ..	470	442	22	-	-	2	1	-	-	2	4	7	4	2
Acute nephritis	39	32	3	-	-	-	-	1	-	-	1	1	-	-
Chronic Bright's disease	611	689	41	-	-	-	-	1	3	2	6	9	9	11
Other diseases of genito-urinary system.	268	314	19	-	-	-	-	-	-	-		4	6	9
Puerperal sepsis	41	43	2	-	-	-	-	-	1	1	-	-	-	-
Other causes incident to childbirth ..	30	41	6	-	-	-	-	-	3	3	-	-	-	-
Congenital malformations	116	113	10	7	1	1	1	-	-	-	-	-	-	-
Premature birth	356	405	25	25	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	78	58	3	3	-		-	-	-			-	-	-
Old age	442	550	28	-	-	-						-	3	25
Suicide	197	169	7	-	-	-	-	-	2	-	4	-	1	-
Burns and Scalds	43	63	2	-	-	1	-	-	-	-	-	-	1	-
Drowning	38	30	4	-	1	-	1	-	-	-	2	-	-	-
Suffocation in bed	12	12	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	247	229	8	-	-	-	1	1	-	-	1	2	2	1
Other deaths by violence	307	282	15	1	1	-	-	-	1	2	-	2	2	6
Other specified causes	727	839	38	4	1	1	1	1	2	4	4	4	8	8
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 2nd May, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	53	201	130	4	72	C. 5 D. 2 J. 1 M. 13 N. 19
Metropolitan Boroughs:—						
†BATTERSEA ...	–	17	2	–	5	M. 2
†BERMONDSEY ...	–	6	6	–	2	N. 3
†BETHNAL GREEN	3	2	5	–	1	–
†CAMBERWELL ...	5	18	8	–	1	M. 1 N. 1
†CHELSEA	–	1	2	–	3	–
†DEPTFORD ...	6	7	4	–	–	N. 1
†FINSBURY ...	5	4	3	–	–	D. 1 M. 1
†FULHAM	–	15	4		–	–
†GREENWICH ...	–	4	3	–	4	D. 1
†HACKNEY... ...	1	10	3	–	–	–
†HAMMERSMITH ...	–	6	3	–	2	M. 2 N. 1
†HAMPSTEAD ...	–	3	–	–	1	–
†HOLBORN... ...	–	3	3	–	1	–
†ISLINGTON ...	–	10	12	1	2	C. 2 M. 1 N. 2
†KENSINGTON ...	–	6	4	1	3	C. 1 N. 4

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†LAMBETH ...	9	13	9	–	6	M. 1 N. 2
†LEWISHAM ...	–	13	9	–	5	C. 1 M. 1
†PADDINGTON ...	–	6	7	–	1	J. 1
†POPLAR	7	6	4	–	8	M. 1
†ST. MARYLEBONE	–	6	2	1	1	M. 1
†ST. PANCRAS ...	–	4	4	–	2	M. 1
†SHOREDITCH ...	2	–	2		1	–
†SOUTHWARK ...	1	7	10	–	5	–
†STEPNEY	14	11	11	–	2	N. 2
†STOKE NEWINGTON	–	1	–	–	–	–
†WANDSWORTH ...	–	12	8	1	11	M. 1
†WESTMINSTER, CITY OF	–	5	1	–	2	N. 1
†WOOLWICH ...	–	5	1	–	3	C. 1 N. 2

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	6	1	-	7	M. 1
Boroughs and Urban Districts:—						
†BEDFORD	-	2	-	-	3	M. 1
DUNSTABLE ...	-	1	-	-	-	-
†LUTON	-	1	1	-	2	-
Rural Districts:—						
BEDFORD	-	1	-	-	-	-
BIGGLESWADE ...	-	-	-	-	1	-
EATON BRAY ...	-	1	-	-	1	-
BERKS	-	5	3	-	3	M. 2 N. 2
†READING C.B. ...	-	-	1	-	-	M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	-	-	-	-	-	M. 1
†MAIDENHEAD ...	-	-	1	-	-	-
Rural Districts:—						
ABINGDON ...	-	2	-	-	-	-
COOKHAM ...	-	1	-	-	1	-
FARINGDON (part)	-	1	-	-	-	N. 1
NEWBURY ...	-	-	-	-	2	-
WANTAGE ...	-	-	-	-	-	N. 1
WOKINGHAM ...	-	1	1	-	-	-
BUCKINGHAM ...	-	9	5	-	1	-
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	-	3	-	-	-	-
†SLOUGH	-	1	-	-	-	-
Rural Districts:—						
AYLESBURY ...	-	2	1	-	-	-
ETON	-	1	2	-	-	-
WING	-	-	-	-	1	-
WYCOMBE ...	-	2	2	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	-	5	1	-	-	-
Borough:—						
†CAMBRIDGE ...	-	4	-	-	-	-
Rural Districts:—						
CHESTERTON ...	-	-	1	-	-	-
MELBOURN ...	-	1	-	-	-	-
CHESTER ...	-	26	20	-	17	C. 1 D. 1 E. 1 M. 3 N. 2
†BIRKENHEAD C.B.	-	2	2	-	1	N. 1
†CHESTER C.B. ...	-	-	2	-	1	-
†STOCKPORT C.B. ...	-	4	2	-	4	D. 1
†WALLASEY C.B. ...	-	2	-	-	-	M. 2
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	-	2	-	1	-
†BEBINGTON AND BROMBOROUGH	-	4	1	-	-	-
BOLLINGTON ...	-	-	1	-	-	-
†CONGLETON ...	-	-	-	-	1	-
†CREWE	-	1	2	-	1	-
†DUKINFIELD ...	-	1	-	-	-	-
†ELLESMERE PORT AND WHITBY	-	-	-	-	-	E. 1
HALE	-	1	-	-	-	-
†HAZEL GROVE AND BRAMHALL	-	1	-	-	-	-
†HOYLAKE AND WEST KIRBY	-	1	1	-	-	-
†HYDE	-	2	2	-	2	-
KNUTSFORD ...	-	1	-	-	-	-
†MACCLESFIELD ...	-	1	1	-	-	-
†NORTHWICH ...	-	1	-	-	-	-
†RUNCORN	-	-	-	-	1	N. 1
†SALE	-	1	-	-	-	M. 1
†WINSFORD ...	-	-	-	-	1	-
Rural Districts:—						
CONGLETON ...	-	-	-	-	1	-
DISLEY	-	-	-	-	1	-
MACCLESFIELD ...	-	1	-	-	-	-

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	–	–	–	C. 1
RUNCORN	–	–	1	–	2	–
WIRRAL	–	–	3	–	–	–
CORNWALL ...	–	3	2	–	4	M. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	–	–
SALTASH	–	–	–	–	3	–
STRATTON AND BUDE	*	*	*	*	*	*
Rural Districts:—						
BODMIN	–	–	–	–	–	M. 1
REDRUTH ...	–	–	–	–	–	M. 1
ST. AUSTELL ...	–	–	1	–	1	–
ST. COLUMB MAJOR	–	–	1	–	–	–
ST. GERMANS ...	–	1	–	–	–	–
STRATTON ...	*	*	*	*	*	*
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND...	–	9	3	–	8	D. 2 M. 1 N. 1
†CARLISLE C.B. ...	–	3	1	–	–	N. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	*	*	*	*	*	*
CLEATOR MOOR ...	–	–	2	–	–	–
COCKERMOUTH ...	–	3	–	–	–	–
KESWICK	–	–	–	–	1	–
MILLOM	–	–	–	–	3	–
PENRITH	–	2	–	–	–	
†WHITEHAVEN ...	–	1	–	–	1	D. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
CARLISLE... ...	–	–	–	–	–	M. 1
WHITEHAVEN ...	–	–	–	–	3	–
WIGTON	*	*	*	*	*	*
DERBY	19	20	4	1	20	C. 1 D. 5 E. 1 M. 1 N. 2
†DERBY C.B. ...	–	4	1	–	6	M. 1 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	–
†BOLSOVER ...	–	–	–	–	1	D. 1
BONSALL	–	–	–	–	1	–
†BUXTON ...	–	1	–	–	–	–
†CHESTERFIELD ...	10	4	–	–	3	–
CLAY CROSS ...	–	1	–	–	–	–
†GLOSSOP	–	3	–	–	–	–
†HEANOR	–	1	–	–	2	–
†ILKESTON... ...	–	–	–	–	–	E. 1
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY	–	–	–	–	–	C. 1
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
BELPER	–	–	–	–	1	N. 1
BLACKWELL ...	–	–	1	–	–	D. 3
CHAPEL EN LE FRITH	–	–	–	–	1	–
CHESTERFIELD ...	9	3	2	1	1	–
CLOWNE	–	1	–	–	–	D. 1
HARTSHORN AND SEALS	–	–	–	–	1	–
SHARDLOW ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	23	17	1	5	C. 1 G. 1 M. 2 N. 1
†EXETER C.B. ...	–	3	4	–	1	–
†PLYMOUTH C.B.	–	12	8	–	2	C. 1 M. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	–	–	–	–
GREAT TORRINGTON	–	–	–	1	–	–
†NEWTON ABBOT...	–	–	–	–	–	G. 1
OTTERY ST. MARY	–	–	1	–	–	–
†TORQUAY	–	1	4	–	–	–
Rural Districts:—						
BIDEFORD ...	–	–	–	–	1	–
KINGSBRIDGE ...	–		–	–	1	–
OKEHAMPTON ...	–	4	–	–	–	–
PLYMPTON ST. MARY	–	2		–	–	N. 1
DORSET		4	6	–	6	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1		–	–	–
†POOLE	–	2	3	–	3	–
SWANAGE ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	–		–	1	–
Rural Districts:—						
BEAMINSTER ...	–	–	1	–	–	–
WAREHAM AND PURBECK	–	1	2	–	–	–
WEYMOUTH ...	–	–	–	–	1	–
DURHAM ...	–	55	30	–	59	D. 5 M. 1 N. 5
†DARLINGTON C.B.	–	7	2	–	2	N. 1
DURHAM—*cont.*						
†GATESHEAD C.B.	–	8	–	–	3	D. 3 N. 1
†SOUTH SHIELDS C.B.	–	3	1	–	14	D. 1
†SUNDERLAND C.B.	–	7	1	–	17	N. 1
†WEST HARTLEPOOL C.B.	–	5	2	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	3	–	1	–
BENFIELDSIDE ...	–	–	2	–	1	–
BILLINGHAM ...	–	–	–	–	1	–
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON... ...		1	–	–	–	N. 1
†BRANDON AND BYSHOTTLES	–	–	1			–
†CHESTER LE STREET	–	–	1	–		–
†CONSETT	–	–	1	–	–	–
†FELLING	–	1	–	–	–	–
†HARTLEPOOL ...	–	–	–	–	1	–
†HEBBURN ...	–	–		–	–	M. 1
†HETTON	–		1	–	–	–
†JARROW	–	–	2	–	4	–
†RYTON	–	2		–		–
†SHILDON	–	–	1		–	–
†STANLEY	–	2	1	–	–	–
†STOCKTON ON TEES	–	4	–	–	–	–
†TANFIELD ...		–	1	–	–	D. 1
†WHICKHAM ...	–	2		–	–	–
Rural Districts:—						
AUCKLAND ...	–	1	3		–	–
CHESTER LE STREET	–	2	1	–	2	–
DARLINGTON ...	–	–	1	–	–	–
DURHAM	–	2	–		1	–
EASINGTON ...	–	–	2	–	4	N. 1
HOUGHTON LE SPRING	–	1	–	–	2	–
LANCHESTER ...	–	2	1	–	1	–
SEDGEFIELD ...		–	–		1	–
SOUTH SHIELDS	–	2	–	–	1	
SUNDERLAND ...	–	2	1	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
ELY	–	2	–	–	–	–
WHITTLESEY ...	–	1	–	–	–	–
Rural Districts:—						
ELY	–	1	–	–	1	–
WISBECH... ...	–	1	–	–	–	–
ESSEX	25	82	58	2	21	C. 2 M. 1 N. 8
†EAST HAM C.B....	3	2	4	–	–	–
†SOUTHEND ON SEA C.B.	–	6	1	–	1	–
†WEST HAM C.B.	20	8	6	–	6	N. 4
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	6	–	2	–
BENFLEET ...	–	–	1	–	–	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	–	1	2	–	–
CANVEY ISLAND	–	–	1	–	1	–
†CHELMSFORD ...	–	1	–		–	–
CHINGFORD ...	–	–	–	–	1	C. 1
†COLCHESTER ...	–	1	3	–	–	–
DAGENHAM ...	–	9	5	–	–	N. 1
EPPING	–	–	1	–	1	–
†GRAYS THURROCK	–	1	–	–	–	–
†HARWICH ...	–	–	1	–	1	–
†HORNCHURCH ...	–	1	–	–	–	
†ILFORD	–	4	8		–	–
†LEYTON	–	10	2	–	–	N. 1
LOUGHTON ...	–	–	1	–	–	
PURFLEET ...	–	–		–	–	N. 1
†ROMFORD... ...	–	1	2	–	–	–
TILBURY	–	–	4	–	–	–
WALTHAM HOLY CROSS	–	2	1	–	–	
†WALTHAMSTOW ...	2	11	4	–	4	N. 1
WALTON ON THE NAZE	–	1	–	–	–	–
WITHAM	*	*	*	*	*	*
†WOODFORD ...	–	6	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
BRAINTREE ...	–	3	1	–	–	–
CHELMSFORD ...	–	4	–	–	–	–
DUNMOW... ...	–	–	–	–	1	C. 1
LEXDEN AND WINSTREE	–	2	–	–	–	–
ROCHFORD ...	–	1	5	–	–	–
TENDRING ...	–	3	–	–	3	M. 1
GLOUCESTER ...	–	19	18	–	7	C. 1 G. 1 M. 1
†BRISTOL C.B. ...	–	7	11	–	3	C. 1 G. 1
†GLOUCESTER C.B.	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	2	–	–	–
†KINGSWOOD ...	–	–	1	–	–	–
†MANGOTSFIELD ...	–	1	–	–	–	–
NAILSWORTH ...	–	–	1	–	–	–
STOW ON THE WOLD	–	1	–	–	–	–
STROUD	–	3		–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
GLOUCESTER ...	–	–	–	–	–	M. 1
NORTHLEACH ...	–	–	–	–	1	–
STROUD	–	–	1	–	–	–
TEWKESBURY (part)	–	2	–	–	–	–
WARMLEY ...	–	–	1	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WHEATENHURST	–	–	–	–	2	–
HEREFORD ...	–	5	1	–	2	N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD— *cont.*						
Rural Districts:—						
Bromyard ...	–	–	–	–	1	–
Hereford ...	–	–	–	–	–	N. 1
Leominster and Wigmore	–	1	–	–	–	–
Weobley... ...	–	2	–	–	–	–
HERTFORD ...	–	15	6	–	4	N. 2
Boroughs and Urban Districts:—						
†Barnet	–	4	1	–	1	N. 1
†Cheshunt ...	–	–	1	–	1	–
†East Barnet Valley	–	2	1	–	1	–
Great Berkhampstead	–	2	–	–	–	–
†Hemel Hempstead	–	–	–	–	–	N. 1
†Hertford ...	–	2	–	–	–	–
†Letchworth ...		2	1	–	–	–
†St. Albans ...	–	–	1	–	–	–
†Watford ...	–	1	1	–	1	–
Rural Districts:—						
Hatfield ...	–	1	–	–	–	–
Hitchin	–	1	–	–	–	–
HUNTINGDON ...	–	5	3	–	1	–
Boroughs and Urban Districts—						
Huntingdon ...	–	1	2	–	–	–
Old Fletton ...	–	3	–	–	–	–
Rural Districts:—						
Huntingdon ...	–	1	1	–	–	–
St. Ives	–	–	–	–	1	–
KENT	–	48	13	–	13	M. 5 N. 4
†Canterbury C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†Ashford	–	–	1	–	–	–
†Beckenham ...	–	–	–	–	1	–
†Bexley	–	1	–	–	1	–
†Bromley... ...	–	8	–	–	–	–
†Chatham ...	–	3	–	–	–	–
Cheriton ...	–	1	–	–	–	
†Dartford ...	–	2		–	–	M. 1
†Deal	–	3	–	–	–	–
†Dover	–	2	1	–	–	N. 1
†Erith	–	1	–	–	–	N. 1
†Gillingham ...	–	1	1	–	–	–
†Gravesend ...	–	1	–	–	–	–
†Maidstone ...	–	2	1	–	–	N. 1
†Margate ...	–	1	–	–	–	–
†Northfleet ...	–	1	–	–	–	M. 1
†Penge	–	1	–	–	–	–
†Ramsgate ...	–	–	–	–	1	–
†Rochester ...	–	5	1	–	–	–
†Royal Tunbridge Wells	–	–	1	–	–	–
Sandwich ...	–	1	–	–	1	–
Sevenoaks ...	–	2	–	–	–	–
†Sheerness ...	–	–	–	–	1	–
Sidcup	–	1	–	–	1	–
†Sittingbourne and Milton	–	1	–	–	–	–
Rural Districts:—						
Bromley... ...	–	–	–	–	1	–
Cranbrook ...	–	–	–	–	1	M. 1
Dartford ...	–	1	2	–	–	N. 1
East Ashford ...	–	–	1	–	–	–
Eastry	–	2	2	–	1	–
Faversham ...	–	–	1	–	–	–
Hollingbourne	–	1	1	–	1	–
Isle of Thanet	–	–	–	–	1	–
Malling... ...	–	2	–	–	–	–
Sevenoaks ...	–	1	–	–	–	–
Strood	–	1	–	–	1	M. 1
Tonbridge ...	–	1	–	–	–	M. 1
West Ashford...	–	–	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	239	159	3	181	C. 2 D. 4 G. 4 M. 23 N. 12
†BARROW IN FURNESS C.B.	–	5	–	–	4	M. 1
†BLACKBURN C.B.	–	–	2	–	1	M. 2
†BLACKPOOL C.B.	–	1	2	–	1	–
†BOLTON C.B. ...	–	9	1	–	–	–
†BOOTLE C.B. ...	–	3	6	–	7	M. 1 N. 2
†BURNLEY C.B. ...	–	5	4	–	3	–
†BURY C.B. ...	–	2	2	–	1	–
†LIVERPOOL C.B....	–	23	80	2	56	D. 3 G. 1 M. 13 N. 3
†MANCHESTER C.B.	–	55	15		30	C. 1 G. 2 M. 3 N. 4
†OLDHAM C.B. ...	–	3	–		2	–
†PRESTON C.B. ...		1	1	–	5	D. 1
†ROCHDALE C.B....	–	10	3	–	4	
†ST. HELENS C.B.	–	3	1		4	N. 1
†SALFORD C.B. ...	–	9	11	–	7	
†SOUTHPORT C.B.	–	3	2	–	1	–
†WARRINGTON C.B.	–	25	1		2	M. 1
†WIGAN C.B. ...	–	2	1	–	5	–
Boroughs and Urban Districts:—						
ABRAM		1	–		1	–
†ACCRINGTON ...		1	–		1	–
ADLINGTON ...	–	1		–	–	–
†ASHTON IN MAKERFIELD	–	1	–	–	1	–
†ASHTON-UNDER-LYNE	–	1	1	–	–	–
ASPULL	–	–		–	1	–
†ATHERTON ...	–	–	1	–		–
BLACKROD ...	–				1	–
†CHADDERTON ...	–	1		–	1	–
†CHORLEY	–	13	1		1	–
†COLNE	–	–	1		1	–
†CROMPTON ...	–	1	–	–	–	–
CROSTON	–		–	–	–	C. 1
†DARWEN	–	2	–	–	1	–
†DENTON	–	–	–	–	1	–
†ECCLES	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†FAILSWORTH ...	–	3	–	–	–	–
†FLEETWOOD ...	–	1		–	1	–
FULWOOD ...	–	–	–	–	–	N. 1
†GREAT CROSBY ...	–	3	1	–	1	–
†HASLINGDEN ...	–	1	–	–	–	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY	–	–		–	1	–
†INCE IN MAKERFIELD	–	2	–	–	1	–
IRLAM			1	–	–	–
†LANCASTER ...	–	4			3	–
†LEIGH		2	1	–	2	M. 1
LEYLAND... ...	–		3		–	–
†LITHERLAND ...	–	–	1	–	1	–
LITTLE LEVER ...	–	–		–	–	M. 1
†LYTHAM ST. ANNE'S	–	–	1	–		–
†MIDDLETON ...		3	2		1	–
†MORECAMBE AND HEYSHAM	–	1		–		–
†MOSSLEY		1	–	–	1	–
†NELSON	–	6	–	1		–
†NEWTON IN MAKERFIELD	–	2	1	–	1	–
PRESCOT		–	3	–	–	–
†PRESTWICH ...	–	–	1	–	–	–
†RAMSBOTTOM ...		–		–	1	–
†RAWTENSTALL ...		3	–	–	1	–
†ROYTON		–	–	–	1	–
SKELMERSDALE ...	–	1		–	–	–
†STRETFORD ...	–	5	1	–	–	–
†SWINTON AND PENDLEBURY	–	4	1	–	3	–
†TURTON	–	1	–	–		–
†TYLDESLEY WITH SHAKERLEY	–		–	–	1	–
URMSTON	–	1	1	–	–	–
†WALTON LE DALE	–	1	–	–		–
†WATERLOO WITH SEAFORTH	–	–	3	–	1	–
†WESTHOUGHTON					1	–
†WIDNES	–	4	–	–	7	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
Burnley ...	–	–	1	–	1	–
Bury	–	–		–	–	G. 1
Clitheroe ...	–	1	–	–	2	–
Fylde	–	1	–	–	–	–
Preston		1	1	–	1	–
Warrington ...	–	2	–	–	3	–
Whiston	–	1	–	–	–	–
LEICESTER ...	73	13	–	–	9	L. 1 N. 1
†Leicester C.B....	31	5	–	–	4	L. 1 N. 1
Boroughs and Urban Districts:—						
Ashby de la Zouch		1	–	–	–	–
†Coalville ...	3	1		–	1	–
†Hinckley ...	1		–	–	–	–
†Loughborough	2	2	–	–	1	–
Market Harborough	–	–	–	–	1	–
Shepshed ...	10	–	–	–	–	–
Thurmaston ...	4	–	–	–	–	–
Rural Districts:—						
Ashby de la Zouch	2	–	–	–	2	–
Barrow upon Soar	3	3	–	–	–	–
Billesdon ...	1	–	–	–	–	–
Blaby	5	1	–	–	–	–
Hinckley ...	2	–	–	–	–	–
Lutterworth ...	1	–	–	–	–	–
Market Bosworth	8	–	–	–	–	–
LINCOLN (parts of Holland).	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
†Boston	–	1	–	–	1	M. 1
†Spalding ...	–	1	–	–	–	–
Rural Districts:—						
Boston	–	1	–	–	–	–
LINCOLN (parts of Kesteven).		2	2	–	1	N. 1
Boroughs and Urban Districts:—						
Bourne	–	–	2	–	–	–
†Grantham ...	–	–	–			N. 1
Rural Districts:—						
East Kesteven	–	–	–		1	–
North Kesteven		2	–	–	–	–
LINCOLN (parts of Lindsey).	4	14	3	1	10	C. 3 G. 1 M. 1 N. 2
†Grimsby C.B. ...	1	2	1	–	3	C. 1
†Lincoln C.B. ...	–	5	–	–	4	N. 2
Boroughs and Urban Districts:—						
†Cleethorpes ...	2	–	–		–	C. 1 M. 1
†Gainsborough ...	–	3	–	–	–	–
†Scunthorpe and Frodingham	1	–	1	–	1	–
Rural Districts:—						
Caistor	–	–		–	–	C. 1
Gainsborough ...	–	1	–	–	1	–
Glanford Brigg	–	2	–	1	–	G. 1

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts—*cont.*						
ISLE OF AXHOLME	–	–	1	–	–	–
LOUTH	–	–	–	–	1	–
SPILSBY	–	1	–	–	–	–
MIDDLESEX ...	–	90	38	2	27	C. 1 E. 1 M. 5 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	–	–
†BRENTFORD AND CHISWICK	–	3	1	–	1	–
†EALING	–	8	1	–	1	E. 1 N. 1
†EDMONTON ...	–	5	2	–	1	M. 1
†ENFIELD	–	3	4	–	–	–
†FELTHAM... ...	–	–	–	–	1	–
†FINCHLEY ...	–	10	1	–	1	–
†FRIERN BARNET...	–	–	1	–	–	–
†HAMPTON ...	–	–	1	–	–	–
HAMPTON WICK...	–	1	–	–	–	–
†HARROW ON THE HILL	–	–	1	–	1	–
HAYES AND HARLINGTON	–	2	–	–	–	–
†HENDON	–	2	3	–	2	C. 1
†HESTON AND ISLEWORTH	–	5	3	–	3	–
†HORNSEY	–	2	2	–	1	–
KINGSBURY ...	–	–	2	–	–	N. 1
†SOUTHALL NORWOOD	–	5	1	–	–	–
†SOUTHGATE ...	–	–	1	–	1	–
†STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	1	1	–	–	–
†TEDDINGTON ...	–	2	1	–	1	–
†TOTTENHAM ...	–	11	2	–	2	M. 1
†TWICKENHAM ...	–	3	–	–	–	–
†UXBRIDGE ...	–	1	–	1	–	M 1 N. 1
†WEALDSTONE ...	–	4	–	–	–	–
MIDDLESEX— *cont.*						
Boroughs and Urban Districts—*cont.*						
†WEMBLEY ...	–	2	–	–	–	–
†WILLESDEN ...	–	12	7	1	6	M. 2 N. 3
†WOOD GREEN ...	–	2	1	–	2	–
†YIEWSLEY AND WEST DRAYTON	–	2	2	–	–	–
Rural Districts—						
HENDON	–	1	–	–	3	–
NORFOLK ...	–	9	–	–	6	D. 1 G. 1 M. 2 N. 2
†NORWICH C.B. ...	–	1	–	–	4	D. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
EAST DEREHAM...	–	–	–	–	1	–
†KING'S LYNN ...	–	1	–	–	–	–
Rural Districts:—						
AYLSHAM... ...		1	–	–	–	–
BLOFIELD ...	–	4	–	–	–	N. 1
DOWNHAM ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	1	–	–	–	–
MARSHLAND ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	–	G. 1
NORTHAMPTON	–	8	1	1	12	C. 1 E. 1 M. 1 N. 1
†NORTHAMPTON C.B.	–	2	1	–	6	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
Burton Latimer	–	1	–	–	–	–
†Kettering ...	–	3	–	1	–	–
†Rushden... ...	–	–	–	–	1	–
†Welling-borough	–	–	–	–	–	M. 1
Rural Districts:—						
Brackley ...	–	–	–	–	–	C. 1
Middleton Cheney	–	–	–	–	–	N. 1
Oundle (part) ...	–	–	–	–	–	E. 1
Potterspury ...	–	–			1	–
Towcester ...	–	–	–	–	1	–
Welling-borough	–	2	–	–	–	–
NORTHUMBERLAND.	–	38	8	–	35	C. 2 D. 4 L. 1 M. 1 N. 2
†Newcastle upon Tyne C.B.	–	24	2	–	17	C. 2 D. 2 N. 1
†Tynemouth C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
Alnwick... ...	*	*	*	*	*	*
†Ashington ...	–	1	1	–	–	–
†Bedlington-shire		–	–	–	5	N. 1
†Blyth	–	–	–	–	4	M. 1
Cramlington ...	–	1	–	–	1	–
†Earsdon	–	–	–		1	–
†Gosforth ...	–	3	–	–	–	–
Hexham	–	–	1	–	–	–
†Longbenton ...		–	–	–	2	D. 1
Newbiggin by the Sea	–	–	–	–	1	–
†Newburn ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†Wallsend ...	–	3	–	–	1	L. 1
†Whitley and Monkseaton	–	–	–	–	1	–
Rural Districts:—						
Bellingham ...	–	–	1	–	1	–
Castle Ward ...	–	3	1	–		D. 1
Haltwhistle ...	–	–	2	–	–	–
Morpeth... ...	–	1	–	–	–	–
NOTTINGHAM ...	–	27	9	–	9	C. 1 D. 4 M. 3 N. 1
†Nottingham C.B.	–	10	8	–	2	M. 1
Boroughs and Urban Districts:—						
†Carlton	–	–	1	–	2	–
†Hucknall ...	–	–	–	–	1	–
†Kirkby in Ashfield	–	1	–	–	2	–
†Mansfield ...	–	2	–	–	–	–
†Mansfield Woodhouse	–	–	–	–	–	D. 2
†Newark	–	2	–	–	–	–
†Sutton in Ashfield		2	–	–	–	M. 2
†West Bridgford	–	1	–	–	–	–
†Worksop... ...	–	–	–	–	1	–
Rural Districts:—						
Basford	–	2		–	–	C. 1 N. 1
Bingham... ...	–	3	–	–	–	–
Leake	–	3	–	–	–	–
Skegby		–	–	–	1	–
Worksop... ...	–	1	–	–	–	D. 2
OXFORD	–	8	2	–	3	C. 3
†Oxford C.B. ...	–	3	2	–	–	C. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Boroughs and Urban Districts:—						
†BANBURY		1	-	-	1	-
THAME	-	-	-	-	-	C. 1
Rural Districts:—						
GORING	-	1	-	-	-	-
HEADINGTON ...		-	-	-	2	-
HENLEY	-	3	-		-	-
PETERBOROUGH (Soke of).	-	1		-	3	-
Borough:—						
†PETERBOROUGH...		1	-	-	3	-
RUTLAND ...		-	-		1	-
Rural Districts:—						
UPPINGHAM ...	-	-		-	1	-
SALOP	-	11	3	-	3	C. 1 L. 1 N. 2
Boroughs and Urban Districts:—						
DAWLEY		-	-	-	-	C. 1
MARKET DRAYTON	-	3	-		-	-
†SHREWSBURY ...	-	3	-	-		-
Rural Districts:—						
ATCHAM	-	-		-	-	L. 1
CHURCH STRETTON	-	1			-	-
CLEOBURY MORTIMER	-	2		-	-	-
DRAYTON			1	-		-
ELLESMERE ...	-	1		-	-	
LUDLOW	-	1	-	-	1	N. 1
OSWESTRY ...	-	-	1	-	1	N. 1
WELLINGTON ...	-		1		-	
WEM	-	-		-	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...		8	5	-	12	G. 1 N. 1
†BATH C.B. ...	-	1			2	N. 1
Boroughs and Urban Districts:—						
CREWKERNE ...	-	-	-	-	2	-
GLASTONBURY ...	-	1		-		-
MINEHEAD ...		1		-	-	-
PORTISHEAD ...	-				1	-
SHEPTON MALLET	-	-	2	-	-	-
WATCHET ...	*	*	*	*	*	*
†WESTON SUPER MARE	-	-	1	-	-	-
Rural Districts:—						
AXBRIDGE ...	-	-	1	-	2	-
BATH	-	-	-	-	-	G. 1
BRIDGWATER ...		1	-		-	-
CLUTTON		3		-	1	-
LANGPORT ...	-	-	-		1	-
TAUNTON ...		-	-		1	-
WILLITON ...		1		-	-	-
WINCANTON ...	-		-	-	1	-
YEOVIL		-	1	-	1	-
SOUTHAMPTON	-	38	17	-	5	D. 4 M. 3 N. 5
†BOURNEMOUTH C.B.	-	6		-	-	N. 1
†PORTSMOUTH C.B		10	4	-	1	M. 2 N. 2
†SOUTHAMPTON C.B.		4	4	-	1	D. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-		3		-	D. 2
ALTON	-	1	-		-	-
BASINGSTOKE ...	-	-	-	-	2	-
CHRISTCHURCH ...	-	1	-	-	-	-
†EASTLEIGH AND BISHOPSTOKE		1	1		-	-
†FAREHAM ...		2		-		-
†FARNBOROUGH ..	-	1		-	-	-
†GOSPORT	-	1	1	-	-	-
MILTON	-	-	-	-	-	N. 1

* Return not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts:—						
ANDOVER	–	2	–	–		–
†BASINGSTOKE ...	–	2	–	–	1	–
DROXFORD ...	–	4	–	–	–	N. 1
FAREHAM ...	–	1	–	–	–	–
FORDINGBRIDGE	–	–	1	–	–	–
HARTLEY WINTNEY	–	–	–	–		D. 1
NEW FOREST ...	–	2	–	–	–	–
RINGWOOD ...	–	–	3	–	–	–
STAFFORD ...	–	31	30	1	39	C. 2 D. 2 M. 8 N. 3
†BURTON UPON TRENT C.B.	–	1	–	–	–	M. 1
†SMETHWICK C.B.	–	2	5	–	3	–
†STOKE ON TRENT C.B.	–	3	4	1	7	C. 1 D. 2 M. 5
†WALSALL C.B. ...	–	1	2	–	4	
†WEST BROMWICH C.B.	–	2	2		1	–
†WOLVERHAMPTON C.B.	–	5	5	–	4	–
Boroughs and Urban Districts:—						
†AUDLEY	–	–	1	–		N. 1
†BILSTON	–	–		–	1	–
†BRIERLEY HILL...	–	–	1	–	–	–
†DARLASTON ...	–	1	1	–	–	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	2	–		
†ROWLEY REGIS ...	–	5	–	–	1	N. 1
†SEDGLEY	–	–	–	–	2	N. 1
†STAFFORD ...	–	–	–	–	1	–
TETTENHALL ...	–	–	1	–	–	M. 1
†TIPTON	–	2	1	–	2	–
†WEDNESBURY ...	–	2	–	–	3	–
†WOLSTANTON UNITED	–	–	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	–	–	–	–	1	–
CHEADLE	–	4	–	–	4	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	–	1		1	M. 1
SEISDON	–	–	–		–	C. 1
STONE	–	2			1	–
TAMWORTH (part)	–	–	1	–	–	–
WALSALL	–	–	1		–	–
SUFFOLK, EAST	–	11	3	–	5	M. 5
†IPSWICH C.B. ...	–	7	2	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	–	1	–	2	M. 2
Rural Districts:—						
BOSMERE AND CLAYDON	–	1		–	–	–
FAST STOW ...	–	–	–	–	1	M. 1
HARTISMERE ...	–	1	–	–	–	–
HOXNE	–	–			1	–
PLOMESGATE ...	–	1	–	–	–	–
SAMFORD	–	1	–	–	–	–
WANGFORD ...	–	–	–	–	–	M. 1
WOODBRIDGE ...	–	–	–	–	–	M. 1
SUFFOLK, WEST		2	3		–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	1			–
NEWMARKET ...	–	–		–	–	N. 1
Rural Districts:—						
MELFORD... ...	–	1	–	–	–	–
MILDENHALL ...	–	1			–	–
THINGOE	–	–	2	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	3	64	21	2	9	G. 1 M. 1 N. 3
†CROYDON C.B. ...	3	17	3	-	-	G. 1 N. 2
Boroughs and Urban Districts:—						
†BARNES	-	4	1	1	-	-
†BEDDINGTON AND WALLINGTON	-	1	-	1	2	-
†CARSHALTON ...	-	1	-		1	-
†CATERHAM AND WARLINGHAM	-	1	-	-	-	-
†CHERTSEY ...	-	-	-	-	1	-
†COULSDON AND PURLEY	-	2	1	-	-	-
DORKING		1		-	-	-
†EGHAM	-	1	-	-	-	-
†FARNHAM ...	-		-	-	1	-
HASLEMERE ...	-	3		-	-	-
†KINGSTON ON THAMES	-	1	3		-	-
LEATHERHEAD ...	-	4	-	-	-	-
†MERTON AND MORDEN	-	4	5	-	1	-
†MITCHAM	-	1	-	-	1	-
†REIGATE		4	-	-	-	-
†RICHMOND ...	-	5	-	-	-	-
†SUTTON AND CHEAM	-	1	6	-	-	-
†THE MALDENS AND COOMBE		1	-	-	1	-
WEYBRIDGE ...		-	-	-	-	M. 1
†WIMBLEDON ...	-	1	-	-	-	-
†WOKING	-	5	-	-	-	-
Rural Districts:—						
CHERTSEY ...	-	1		-	-	-
DORKING	-	1	-	-	-	-
EPSOM	-	-	-	-	-	N. 1
FARNHAM ...	-	1	-	-	-	-
GUILDFORD ...	-	1	-		-	
HAMBLEDON ...	-	2	2	-	-	-
REIGATE	-	-	-	-	1	-
SUSSEX, EAST...	-	14	5	-	10	C. 2 M. 1 N. 1
†BRIGHTON C.B. ...	-	1	1	-	2	M. 1
†EASTBOURNE C.B.	-	-		-	2	
†HASTINGS C.B. ...	-	1	1	-	2	-
SUSSEX, EAST— *cont.*						
Boroughs and Urban Districts:—						
†BEXHILL ...	-	1	-	-	-	-
BURGESS HILL ...	-	2	-	-	1	-
EAST GRINSTEAD	-	-	-	-	1	-
†HOVE	-	4	-		-	-
PORTSLADE BY SEA	-	-	-	-	-	C. 1
Rural Districts:—						
BATTLE	-	-	1	-	-	-
CHAILEY	-	1		-	-	-
CUCKFIELD ...	-	-	2	-	-	-
HAILSHAM ...	-	1	-	-	1	-
NEWHAVEN ...	-	1	-	-	-	C. 1
RYE	-		-	-	-	N. 1
TICEHURST ...	-	1	-	-	1	-
UCKFIELD ...	-	1	-	-	-	-
SUSSEX, WEST...	-	5	-	-	3	N. 1
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	-	2	-	-	-	-
†CHICHESTER ...	-	1	-	-	-	-
†HORSHAM ...	-	-	-	-	1	-
†LITTLEHAMPTON	-	-	-	-	1	-
SHOREHAM BY SEA	-		-	-	-	N. 1
†WORTHING ...	-	-	-	-	1	-
Rural Districts:—						
HORSHAM ...	-	1	-	-		-
THAKEHAM ...	-	1	-	-	-	-
WARWICK ...	-	71	28	1	72	G. 1 M. 8 N. 4
†BIRMINGHAM C.B.	-	60	22		54	G. 1 M. 7 N. 1
†COVENTRY C.B. ...	-	2	1	-	2	M. 1 N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†Bedworth ...	–	–	–	–	2	–
Kenilworth ...	–	1	–	–	–	–
†Nuneaton ...	–	–	1	–	1	–
†Royal Leamington Spa	–	–	–	–	2	–
†Rugby	–	–	1	1	2	N. 2
†Sutton Coldfield	–	1	–	–	–	–
†Warwick ...	–	2	–	–	2	–
Rural Districts:—						
Alcester ...	–	–	–	–	2	–
Atherstone ...	–	2	–	–	3	–
Foleshill ...	–	1	–	–	–	–
Meriden	–	–	1	–	–	–
Nuneaton ...	–	–	2	–	–	–
Rugby	–	1	–	–	–	–
Solihull ...	–	1	–	–	–	–
Southam	–	–	–	–	2	–
WESTMORLAND	–	2	–	–	–	C. 1
Boroughs and Urban Districts:—						
Windermere ...	–	1	–	–	–	–
Rural Districts:—						
East Westmorland	–	1	–	–	–	–
West Ward ...	–	–	–		–	C. 1
WILTS	–	10	3	–	3	N. 2
Boroughs and Urban Districts:—						
Devizes	–	1	–	–	–	–
Marlborough ...	–	1	–	–	–	–
Melksham ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Salisbury ...	–	2	1	–	–	–
†Swindon	–	1	2	–	2	N. 1
†Trowbridge ...	–	1	–	–	–	–
Warminster ...	–	–		–	–	N. 1
Rural Districts:—						
Malmesbury ...	–	1	–	–		–
Melksham ...	*	*	*	*	*	*
Pewsey	–	1	–	–	–	–
†Salisbury ...	–	1	–	–	–	–
Westbury and Whorwellsdown	–	1	–	–	–	–
Wilton	–	–	–	–	1	–
WORCESTER ...	–	19	3	–	8	C. 1 M. 3 N. 2
†Dudley C.B. ...	–	–	–	–	–	C. 1
†Worcester C.B.	–	10	2	–	1	–
Boroughs and Urban Districts:—						
Bromsgrove ...	*	*	*	*	*	*
†Halesowen ...	–	2	1	–	1	–
†Kidderminster	–	2	–	–	–	N. 1
†Lye and Wollescote	–	1	–	–	–	M. 1
North Bromsgrove	*	*	*	*	*	*
†Oldbury	–	–	–	–	3	M. 2
†Redditch ...	–	1	–	–	–	–
†Stourbridge ...	–	1	–	–	3	–
Rural Districts:—						
Bromsgrove ...	–	1	–	–	–	–
Pershore ...	–		–	–	–	N. 1
Upton on Severn	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	7	18	–	10	C. 2 D. 2 M. 1
†KINGSTON UPON HULL C.B.	–	5	16	–	6	C. 2 D. 2 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	4	–
†BRIDLINGTON ...	–	–	1	–	–	–
FILEY	–	–	1			–
Rural Districts:—						
POCKLINGTON ...	–	2	–		–	–
YORKS ... ... (North Riding).	–	20	7		14	G. 1 M. 1
†MIDDLESBROUGH C.B.	–	8	1	–	6	–
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	3	–
LOFTUS	–	–	–	–	–	M. 1
PICKERING ...	–	1	–	–	–	
†REDCAR	–	–	–	–	1	G. 1
†SCARBOROUGH ...	–		5	–	1	–
†SKELTON AND BROTTON	–	2	–	–	–	–
†THORNABY ON TEES	–	–	–	–	1	–
Rural Districts:—						
EASINGWOLD ...		–	–		1	–
FLAXTON	–	–	1	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	1	–
WHITBY		6			–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	7	141	102	3	111	C. 5 D. 25 E. 1 J. 1 M. 4 N. 10
†BARNSLEY C.B. ...	–	1	–	–	3	D. 1
†BRADFORD C.B. ...	4	20	7		14	C. 2 D. 1 M. 1
†DONCASTER C.B....	–	4	1	–	1	D. 2 N. 1
†HALIFAX C.B. ...	1	2	2	–	1	C. 1
†HUDDERSFIELD C.B.	–	4	3	–	1	N. 1
†LEEDS C.B. ...	–	25	23	2	20	C. 1 M. 2 N. 1
†ROTHERHAM C.B.	–	2	10		2	D 2 N. 1
†SHEFFIELD C.B....	–	27	7	–	30	C. 1 D. 2 E. 1 J. 1 M. 1 N. 2
†WAKEFIELD C.B.	–	4	7		1	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	2	–	1	–
ALTOFTS	–	–	1		–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	1	2	–	–	–
†BINGLEY	2	–	2		2	–
BIRKENSHAW ..	–	1	–	–	–	–
BIRSTAL		1		–	–	–
†BOLTON UPON DEARNE	–	–	–	–	–	D. 1
†CASTLEFORD ...	–	1		–		–
CLAYTON WEST ...	*	*	*	*	*	*
CUDWORTH ...	–		1	–	–	–
DARFIELD ...	–	–	–	–	–	D. 1
DODWORTH ...	–	–	–	–	2	N. 1
DRIGHLINGTON ...	–	1	–	–		–
†ELLAND	–	–		–	1	–
FARSLEY	–	–	1	–	–	–
†GOOLE	–	–	–	–	1	–
†HARROGATE ...	–	1	–	–	4	–
†HEMSWORTH ...	–	2	1	–	1	D. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Honley	–	–	1	–	–	–
†Hoyland Nether	–	–	–	–	1	–
Ilkley		1	–		1	–
Kirkburton ...	–	–		–	1	–
Knaresborough	–	1	–			–
Maltby	–	–	–	–	–	D. 1
Meltham ...	–	–	1		–	–
†Mexborough ...	–	–	–	–	1	–
†Morley	–	1	1	–	1	–
Mytholmroyd ...	–	1	–			–
†Normanton ...	–	2	2	–		–
†Ossett	–	–	3			–
Otley	–	–	–	–	1	–
†Pudsey	–	1		–	2	–
Rawdon	–	–	–	–	1	–
†Rawmarsh ...	–	2	–	–	1	D. 2
†Rothwell ...			1	–	–	–
Royston		–	1	–		D. 1
Slaithwaite ...		2	–	–	–	–
†Spenborough ...	–	6	4		2	–
Springhead ...	–	–	–	–	1	–
†Stanley	–	2	1	–	–	–
Stocksbridge ...		1		–	–	–
Thurnscoe ...	–	1	–	–	1	–
Thurstonland and Farnley Tyas	–	–	–	1	–	–
†Wath upon Dearne	–	1	–		–	–
†Wombwell ...	–	–	–	–	1	–
†Worsborough ...	–	1	1	–	1	–
Yeadon	–	–	–		1	–
Rural Districts:—						
Doncaster ...	–	–	2	–	1	D. 3
Great Ouseburn	–	2	–	–		N. 1
Hemsworth ...	–	1	5	–	3	D. 2
Hunslet	–	1	–		–	
Keighley ...	–	2	–	–	–	–
Kiveton Park ...		3	–	–		–
Pateley Bridge	–	–	–	–	1	–
Penistone ...	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
Pontefract ...	–	1	1	–		–
Rotherham ...		2	1	–	2	D. 3
Selby	–	1	–	–	–	–
Skipton	–	1	–	–	–	–
Tadcaster ...	–	3	3	–	–	–
Thorne	–	1	1	–	–	D. 1
Todmorden ...	–	–	–	–	1	–
Wakefield ...	–	1	3	–	1	–
Wetherby ...	–		–	–	–	N. 1
Wharfedale (North)	*	*	*	*	*	*
Wortley... ...	–		–	–	–	D. 1
YORK, CITY OF ..	–	2	3		1	–
†York C.B. ...	–	2	3	–	1	–
WALES.						
ANGLESEY ...	–	–	1	–	2	–
Rural Districts:—						
Aethwy	–	–	1	–		–
Twrcelyn ...	–	–	–	–	2	–
BRECKNOCK ...	–	–	–	–	3	G. 1
Boroughs and Urban Districts:—						
Brynmawr ...	–	–	–	–	1	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
HAY	–	–	–	–	1	–
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
PORTMADOC ...	–	–	–	–	1	–
CARDIGAN ...	–	1	2	–	2	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	2	–	–	–
Rural Districts:—						
ABERYSTWYTH (SOUTH)	–	–	–	–	1	–
TREGARON ...	–	–	–	–	1	–
CARMARTHEN...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
KIDWELLY ...	–	1	2	–	–	–
Rural Districts:—						
LLANDILO FAWR	–	1	1	–	–	–
LLANELLY ...	–	–	1	–	–	–
DENBIGH ...	–	11	19	–	2	–
Boroughs and Urban Districts:—						
†WREXHAM ...	–	3	2	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts:—						
LLANGOLLEN ...	–	–	1	–		–
RUTHIN	–	–	1	–	–	–
WREXHAM ...	–	8	15	–	1	–
FLINT	–		3		1	–
Borough and Urban Districts:—						
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL ...	–	–	1	–	1	–
GLAMORGAN ...	8	50	65	1	23	C. 2 M. 5 N. 4
†CARDIFF C.B.	–	18	9	–	4	C. 1 M. 2
†SWANSEA C.B. ...	–	1	11	–	2	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	3	–	5	–
†CAERPHILLY ...	–	4	2	–	1	–
†GELLIGAER ...	1	3	2	–	–	–
†LLWCHWR ...	–	–	1	–	–	–
†MAESTEG... ...	–	1	5	–		–
†MOUNTAIN ASH...	3	3	3		3	–
†NEATH	–	–	7	–	1	–
†OGMORE AND GARW	–	2	1	1	–	M. 1 N. 1
†PENARTH... ...	–	–	4	–	–	–
†PONTYPRIDD ...	4	5	3	–	3	–
PORTHCAWL ...	–	–	2	–	–	–
†PORT TALBOT ...	–	2	–	–	–	–
†RHONDDA ...	–	10	8		4	C. 1 M. 2 N. 2

† Population over 10,000.

‡ The letters in this column denote the followingdiseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Rural Districts:—						
COWBRIDGE ...	-	1	-		-	-
LLANTRISANT AND LLANTWIT-FARDRE		-	2	-		-
NEATH			2	-	-	
MERIONETH ...			-	-	1	C. 1
Urban Districts:—						
TOWYN	-	-	-		1	
Rural Districts:—						
PENLLYN	-	-	-	-	-	C. 1
MONMOUTH ...		52	11	-	10	C. 1 M. 1 N. 1
†NEWPORT C.B. ...	-	11	3	-	6	N. 1
Boroughs and Urban Districts—						
†ABERCARN ...	-	1	-	-	-	-
ABERGAVENNY ...	-	-	3	-	-	-
†ABERSYCHAN ...	-	8	-		-	
†ABERTILLERY ...		6	1	-	-	C. 1 M. 1
†BEDWELLTY ...	-	1			1	
†EBBW VALE ...		10	1	-	-	-
†NANTYGLO AND BLAINA	-	-	-		1	-
†RHYMNEY ...		4	2		1	-
†RISCA	-	1		-		
†TREDEGAR ...	-	2			-	-
Rural Districts:—						
ABERGAVENNY ...	-	4	1	-	-	-
CHEPSTOW ...	-	2	-		-	-
ST. MELLONS ...	-	2	-	-	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONTGOMERY...	-	-	-	-	1	M. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	-	-	-	-	-	M. 1
Rural Districts:—						
NEWTOWN AND LLANIDLOES	-	-	-	-	1	-
PEMBROKE ...	-	-	2	-	4	-
Boroughs and Urban Districts:—						
MILFORD HAVEN			1	-	-	-
NEYLAND... ...	-	-	1	-	-	-
†PEMBROKE ...	-	-	-		1	-
Rural Districts:—						
ST. DOGMELLS ...	-	-	-	-	3	-
RADNOR	-	-		1	-	-
Rural Districts:—						
KNIGHTON ...	-	-	-	1	-	-
Total of Part II....	139	1368	771	20	832	C. 37 D. 59 E. 5 G. 13 J. 1 L. 3 M. 99 N. 96

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 *continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
BARRY	-	-	-	-	1	-	SOUTHAMPTON ...		-		1	-	
PLYMOUTH	-	-	-	1	-	-	PORT OF LONDON ...	-	1	-	1	-	
							Total of Part III. ...		1	-	3	1	

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	53	201	130	4	72	C. 5 D. 2 J. 1 M. 13 N. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	139	1368	771	20	832	C. 37 D. 59 E. 5 G. 13 J. 1 L. 3 M. 99 N. 96
Total of Part III.—Port Sanitary Districts		1	–	3	1	–
Total (i.e., of returns received), England and Wales ...	192	1570	901	27	905	C. 42 D. 61 E. 5 G. 13 J. 2 L. 3 M. 112 N. 115

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain C… and Deaths of Infants under 1 Yea… Age) and Notified Cases of certain… fectious Diseases in the last Thir… Weeks and in the Current Year to… with corresponding figures for previous y…

Week ended :—	Feb. 7	Feb. 14.	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14	Mar. 21.	Mar. 28.	Apl. 4.	Apl. 11.	Apl. 18.	Apl. 25.	May 2.	Totals fro… Week of … 1930.
LONDON :—														
Live Births	1,401	1,397	1,317	1,407	1,384	1,394	1,422	1,390	1,180	1,352	1,471	1,389	1,424	24,598
Stillbirths	33	51	59	47	49	69	51	45	51	60	44	31	38	912
Deaths (excluding Still-births)—all ages.	1,496	1,620	1,578	1,457	1,347	1,377	1,433	1,184	1,144	1,165	981	954	1,002	19,168
Deaths—0 to 1 year ..	125	145	92	108	111	104	102	88	63	90	78	68	79	1,732
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,308	6,349	6,320	6,631	6,562	6,503	6,772	6,421	5,509	6,471	7,028	6,789	6,646	111,606
Stillbirths	244	278	315	282	289	323	303	305	296	318	305	270	286	5,000
Deaths (excluding Still-births)—all ages.	6,178	6,834	6,826	6,879	6,480	6,713	6,700	5,691	5,313	5,423	4,674	4,590	4,623	84,930
Deaths—0 to 1 year ..	650	748	697	686	629	640	585	521	459	520	416	397	409	8,304
Enteric Fever—Cases	10	24	22	19	6	8	9	9	10	18	14	15	10	419
„ Deaths	4	2	1	2	—	1	5	1	—	—	4	3	1	45
Small Pox—Cases ..	147	150	186	189	158	117	154	166	117	142	126	162	128	4,845
„ Deaths ..	—	—	1	—	—	—	—	—	—	1	—	1	—	15
Scarlet Fever—Cases	907	925	917	922	826	824	894	804	724	836	687	854	869	23,687
„ Deaths	7	9	8	4	7	6	5	9	5	8	4	5	4	201
Diphtheria—Cases ..	820	781	735	749	628	626	641	627	521	497	513	552	540	17,409
„ Deaths ..	50	29	48	42	42	34	32	30	33	27	35	21	22	843
Measles—Deaths ..	72	80	97	70	73	84	75	60	58	64	55	42	46	1,818
Influenza—Deaths ..	331	456	509	546	471	417	365	301	208	175	110	98	74	1,186

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correct… having been made for changes in boundary. The live births are derived from the weekly returns furnished by … Registrars and differ from those published for the towns in the Quarterly Return which are corrected for bi… occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 2nd May, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfa… in Milli… metre…
	°	°	°	°			°	°	°	°	
London (Greenwich).	65	38	59·7	41·6	13	Huddersfield	58	40	53·9	40·6	10
						Bradford ..	56	36	52·1	38·9	13
Brighton ..	60	38	54·6	42·1	7	Sheffield ..	59	40	53·7	41·7	9
Portsmouth ..	63	38	57·0	42·1	5	York (Museum)	59	38	54·0	41·1	9
Norwich(South-well Lodge)	60	37	55·9	41·7	13	Hull (Pearson Park).	61	38	55·6	41·3	16
Plymouth ..	59	38	55·6	44·6	1	Tynemouth ..	56	37	51·7	40·4	14
Bristol (Horfield)	60	36	55·3	40·9	10	Cardiff	60	39	54·3	41·4	10
Birmingham (Edgbaston).	59	38	52·9	40·7	12						
						Edinburgh ..	56·0	36·0	50·3	39·0	11
Nottingham ..	62	38	55·0	41·6	12	Glasgow ..	57·9	36·9	53·4	40·3	4
Birkenhead (Bidston).	54	40	50·0	41·6	3	Dublin (Phœnix Park)	61·0	28·9	54·7	35·3	9
Manchester (Whitworth Park).	58	38	52·0	41·6	19	(Fitzwilliam Square†).	60·2	35·3	54·6	40·6	8
Burnley	55	33	51·3	38·3	9	Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 2nd May, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	26	..	29·188	54·9	44·1	10·8	48·4	− 0·2	43·3	5·1	10·6	2·9	82	101·5	38·2	46·0	SSW: SW.	SW: WSW.	4·0	0·0	0·5	415	+ 129	0·36
MONDAY -	27	..	29·553	55·9	44·2	11·7	45·7	− 0·0	38·1	10·6	18·8	2·9	67	105·2	33·6	46·0	WSW: NW.	NW: WNW.	6·1	0·0	0·9	522	+ 236	0·07
TUESDAY -	28	..	29·787	56·6	42·0	14·6	47·2	− 1·6	39·0	8·2	17·3	2·9	73	105·1	32·6	46·1	NW: WNW.	W: NW.	3·5	0·0	0·5	407	+ 120	0·09
WEDNESDAY	29	In Equator	29·869	59·0	40·8	18·2	47·4	− 1·6	43·3	4·1	16·3	1·1	85	117·8	34·1	46·2	NW: NNW.	NNW: ENE: Calm.	1·3	0·0	0·1	204	− 82	0·00
THURSDAY -	30	Perigee	29·841	64·7	39·2	25·5	51·2	+ 2·1	39·2	12·0	26·0	1·1	64	124·6	28·4	46·4	Calm: SSW: SW.	SW: SSW.	1·5	0·0	0·1	221	− 64	0·00
MAY. FRIDAY -	1	..	29·675	64·2	37·7	26·5	50·1	+ 0·8	38·9	11·2	23·3	3·6	65	129·3	24·6	46·6	SW.	SW: Calm.	1·1	0·0	0·1	183	− 101	0·00
SATURDAY -	2	Full.	29·496	62·1	43·0	19·1	52·0	+ 2·5	42·1	9·9	18·5	2·1	69	121·3	30·7	46·7	Calm: NE.	NE: ENE.	0·7	0·0	0·1	163	− 119	0·00
MEANS -		..	29·670	59·6	41·6	18·1	49·3	+ 0·3	40·6	8·7	18·7	2·4	72	115·0	31·5	46·3	Variable		..		..	Sum 2115	Sum + 119	Sum 0·52
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	26	wP till 12h.; then variably sP and mN.	1·2	14·5	Overcast generally. Occasional rain between 3h. and 6¾h.; between 9½h. and 13¾h.; from 18½h. till 19h.; and from 20½h. till 22¼h. Thunder 13¼h. Brisk wind 13h. till 19h.
MONDAY ..	27	Variably mP and mN till 6h.; then variably sP and mP.	2·1	14·6	Overcast generally. Slight rain 0½h. till 6½h. Damping 12h. till 13½h. Brisk wind from 8h.
TUESDAY ..	28	mP till 7h.; variably sP and sN till 22h. then mP.	0·2	14·6	Cloudy till 7½h.: overcast till 21h.; then very cloudy. Solar halo about 8h. Brisk wind till 2h.
WEDNESDAY	29	Variably sP and mP.	2·2	14·7	Cloudy till 4h.; overcast till 11¾h.; variably cloudy till 16¾h.; then overcast. Damping about 9¾h. Haze 12h. till 15h.
THURSDAY	30	mP	7·9	14·7	Overcast till 4h.; cloudy till 8½h.; partially cloudy till 13h.; nearly overcast till 15½h.; then becoming nearly cloudless by 16½h. Damping 1h. till 3h. Haze 9h. till 15h. Dew at night.
MAY. FRIDAY ..	1	mP	2·8	14·8	Nearly cloudless till 6h.; becoming nearly overcast by 6½h. Hoar frost in morning. Damping from 23¾h.
SATURDAY	2	Variably wP and mP till 6h.; then mP.	3·2	14·8	Variably cloudy till 12h.; overcast till 17½h.; cloudy generally till 20h.; nearly overcast till 22½h.; then partially cloudy. Damping till 1h.
			Sum 19·6	Sum 102·7	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·10 ins. at the beginning of the week to 29·91 ins. by 22h. on April 29th.; decreased and was 29·44 ins. by midnight on May 2nd.

FOR OFFICIAL USE

1931. No. 18.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 9TH MAY,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 9TH MAY, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the eighteenth week of the year numbered 6,447 corresponding to an annual rate of 17·0 per 1,000 living: stillbirths numbered 320 corresponding to a rate of 47 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,351 (272 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	April 18.	April 25.	May 2.	May 9.
107 Great Towns	12·4	12·2	12·2	11·5
London	11·6	11·3	11·8	11·3
Birmingham	12·7	12·6	11·9	11·5
Liverpool	12·9	13·7	13·9	12·5
Manchester	13·4	12·4	11·4	11·1
Sheffield	12·3	12·4	16·0	10·6
Leeds	15·5	13·8	15·6	13·8
Bristol	11·1	12·8	11·2	9·6
West Ham	8·8	9·5	11·7	10·2

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 61, against 62, 60, and 61 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,369 live births registered corresponding to an annual rate of 16·1 per 1,000 living: stillbirths numbered 55 corresponding to a rate of 39 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 955 (47 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 50, against 55, 48, and 55 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 9th May, 1931.**

Towns.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 Great Towns ..	19,685,050*	6,447	320	4,351	404	1	36	9	25	21	42	40
London	4,417,900*	1,369	55	955	71	-	3	-	6	6	10	5
Towns in Outer Ring.												
Croydon C.B. ..	222,300	75	1	48	4	-	-	1	-	-	-	-
Wimbledon ..	59,370	20	1	9	-	-	-	-	-	-	-	-
Ealing	104,000	36	2	28	2	-	-	-	-	-	-	1
Acton	65,200	14	1	8	3	-	-	-	-	-	-	-
Brentford and Chiswick ..	59,040	12	-	16	-	-	-	-	-	-	-	-
Willesden ..	172,500	26	2	23	2	-	-	-	-	-	-	-
Hendon§	86,540*	30	1	18	-	-	-	-	1	-	-	-
Hornsey	88,450	17	-	16	3	-	-	-	-	-	-	-
Wood Green ..	53,410	9	1	9	1	-	-	-	-	-	-	-
Tottenham ..	155,000	38	1	26	2	-	-	-	-	-	1	2
Edmonton	75,000	40	3	19	2	-	-	-	-	-	-	1
Enfield	65,100	14	1	11	-	-	-	1	-	-	-	-
West Ham C.B. ..	307,600	125	10	60	2	-	-	-	2	-	1	-
East Ham C.B. ..	147,600	24	3	30	5	-	-	-	-	-	-	-
Leyton	128,300	35	-	15	1	-	-	-	-	-	-	-
Walthamstow ..	124,800	32	1	24	2	-	-	-	-	1	-	-
Ilford	116,200	33	-	12	2	-	-	-	-	-	-	-
Gillingham	56,670*	20	-	7	-	-	-	-	-	-	-	-
Canterbury C.B. ..	22,850*	6	-	4	-	-	-	-	-	-	-	-
Hastings C.B.	62,620	17	1	22	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	58,570	12	-	12	-	-	-	-	-	-	-	-
Brighton C.B. ..	146,800*	35	-	29	2	-	-	-	-	-	-	-
Portsmouth C.B. ..	242,000*	92	2	53	4	-	-	4	1	-	1	-
Bournemouth C.B.§..	105,780	30	1	27	2	-	-	-	-	-	-	-
Southampton C.B. ..	172,300	56	2	38	2	-	-	-	-	-	-	-
Reading C.B.	96,850*	26	-	23	2	-	-	-	-	-	-	2
Oxford C.B.	73,810*	25	1	18	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,970*	20	1	19	2	-	-	-	-	-	-	-
Luton	65,200	25	3	13	1	-	-	-	-	-	-	-
Cambridge	60,730	19	2	11	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	114,800	40	2	24	3	-	-	-	-	-	-	-
Ipswich C.B.	85,800	39	2	15	1	-	-	-	-	-	-	-
Great Yarmouth C.B	58,110	11	1	12	2	-	-	-	2	-	-	-
Norwich C.B. ..	124,900*	46	4	30	1	-	-	-	-	-	-	-
Swindon	62,020	17	1	13	1	-	-	-	-	-	-	-
Exeter C.B.	61,290*	26	2	8	1	-	-	-	-	-	-	-
Plymouth C.B. ..	199,000*	57	3	55	2	-	-	-	-	1	-	1
Bath C.B	69,240	13	1	11	2	-	-	-	-	-	-	-
Bristol C.B.	391,145*	146	3	72	6	-	-	-	-	-	-	-
Gloucester C.B. ..	52,010	17	2	18	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	279,190	101	4	72	7	-	-	-	-	1	1	-
Burton-upon-Trent C.B.	48,970	17	-	9	1	-	-	-	-	-	-	-
Wolverhampton C.B.	134,300	52	2	26	4	-	-	-	1	-	1	-
Walsall C.B.§	100,930	33	2	21	5	-	1	-	-	-	2	-
West Bromwich C.B.§	80,970	38	3	19	2	-	1	-	-	-	1	-
Dudley C.B.	58,870	21	1	19	5	-	-	-	-	-	-	-
Worcester C.B. ..	52,320	14	-	11	-	-	-	-	-	-	-	-
Birmingham C.B.§ ..	972,510	358	22	214	17	-	7	1	1	-	3	-
Smethwick C.B. ..	85,120	18	1	9	1	-	-	-	-	-	-	-
Coventry C.B. ..	162,100	48	3	29	3	-	-	-	-	-	1	-
Leicester C.B. ..	245,200	53	1	58	5	-	-	-	2	1	1	-
Lincoln C.B.	65,080*	22	-	21	2	-	-	-	-	-	-	-
Grimsby C.B.	91,440	32	-	24	2	-	-	-	-	-	-	-
Nottingham C.B. ..	266,800	80	4	66	7	-	1	-	-	-	1	-
Derby C.B.	140,500*	47	2	16	2	-	-	-	-	-	1	-
Chesterfield	65,270	37	2	17	3	1	-	-	-	-	-	-
Stockport C.B ..	127,800	33	-	20	1	-	-	-	-	-	1	-
Chester C.B.	40,750	10	3	8	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	157,600	63	5	37	3	-	1	-	1	-	-	-
Wallasey C.B. ..	101,300	24	1	16	-	-	-	-	-	-	-	-
Liverpool C.B. ..	869,500	356	15	208	33	-	6	-	3	3	3	-
Bootle C.B.	80,400	32	-	16	3	-	-	-	-	-	1	-
St. Helens C.B. ..	109,200	35	2	31	3	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
§ Adjusted for change in boundary, 1st April, 1931.

TOWNS.	Estimated Population, Mid. 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	16	1	23	1	-	-	-	-	-	-	1
Wigan C.B.	87,600	25	2	16	1	-	-	-	-	-	-	-
Warrington C.B. ..	79,400*	28	1	21	1	-	-	1	-	-	-	1
Bolton C.B	181,500	41	3	41	4	-	-	-	-	-	-	-
Bury C.B.	56,830*	21	-	6	-	-	-	-	-	-	-	-
Manchester C.B.§ ..	753,570	280	13	161	21	-	-	-	-	-	5	4
Salford C.B.	235,600	71	5	56	4	-	-	-	-	1	-	-
Ashton-under-Lyne	51,750	19	2	13	1	-	-	-	-	-	-	1
Oldham C.B	142,500	32	7	32	7	-	-	-	-	-	-	1
Rochdale C.B. ..	90,900	12	-	25	-	-	-	-	-	-	-	-
Burnley C.B	100,200	27	-	39	4	-	-	-	-	-	-	-
Blackburn C.B. ..	125,300	30	1	40	4	-	-	-	1	-	-	-
Preston C.B.	126,100	30	2	30	1	-	-	-	-	-	-	-
Blackpool C.B. ..	99,800	18	2	23	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	64,850	16	3	20	1	-	-	-	-	-	1	-
Huddersfield C.B. ..	113,100	28	2	29	2	-	1	-	-	-	-	-
Halifax C.B.	97,400*	27	1	27	2	-	-	-	-	-	2	-
Bradford C.B. ..	294,605	95	4	67	2	-	-	-	-	-	-	1
Leeds C.B	478,500	170	15	127	11	-	1	-	2	4	-	-
Dewsbury C.B. ..	53,020	11	2	5	1	-	-	-	-	-	-	-
Wakefield C.B ..	56,640	21	-	16	-	-	-	-	-	-	-	-
Barnsley C.B. ..	71,700	24	2	17	3	-	-	-	-	-	-	-
Sheffield C.B. ..	518,000*	150	8	105	5	-	-	-	-	-	-	1
Rotherham C.B. ..	70,790	26	-	19	1	-	-	-	-	1	-	-
Doncaster C.B. ..	59,890	21	2	12	-	-	-	-	-	-	-	-
York C.B.	85,290*	35	1	19	3	-	-	-	-	-	-	-
Hull C.B.	307,500	122	5	81	12	-	-	-	-	1	1	1
Middlesbrough C.B.	133,100	74	4	31	3	-	-	-	-	1	-	-
Darlington C.B. ..	74,150	32	5	14	1	-	-	-	-	-	1	1
Stockton-on-Tees ..	67,090	36	2	15	4	-	-	-	-	-	-	1
West Hartlepool C.B.	69,370	20	-	16	3	-	3	-	-	-	-	-
Sunderland C.B. ..	184,000	85	4	43	8	-	6	-	2	-	1	-
South Shields C.B ..	119,600	62	-	35	7	-	1	-	-	-	1	1
Gateshead C.B. ..	122,600	47	1	35	3	-	1	-	-	-	-	-
Newcastle-on-Tyne C.B.	283,400*	137	10	70	11	-	1	-	-	-	-	-
Tynemouth C.B. ..	65,880	30	2	18	4	-	-	-	-	-	-	-
Carlisle C.B.	56,160*	24	3	11	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	95,990*	31	1	18	4	-	2	-	-	-	-	1
Cardiff C.B.	224,000*	80	7	52	5	-	-	-	-	-	-	1
Rhondda	153,100	44	4	29	2	-	-	1	-	-	-	-
Merthyr Tydfil C.B.	77,790	14	-	20	2	-	-	-	-	-	-	-
Aberdare	53,050	18	-	10	1	-	-	-	-	-	-	-
Swansea C.B.	162,700	55	3	36	4	-	-	-	-	-	-	1
Greater London ..	7,900,480*	2,424	99	1,638	124	-	3	2	10	8	12	11
Outer Ring	3,452,580*	1,055	44	683	53	-	-	2	4	2	2	6
17 Great Towns in Outer Ring§	2,030,410*	580	28	372	31	-	-	2	3	1	2	4
Remainder of Outer Ring§	1,452,170*	475	16	311	22	-	-	-	1	1	-	2
Edinburgh†	428,800	152	?	105	10	-	-	-	2	1	-	-
Glasgow†	1,088,200	417	?	318	58	-	2	2	13	4	6	3
Dublin†	412,400	213	?	129	27	-	8	1	1	1	4	4
Belfast†	415,151	204	?	131	12	-	8	1	2	-	1	-

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Adjusted for change in boundary, 1st April, 1931.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Disease (under 2 years)
London‡	4,417,900	1931. May 9	1369	55	955	11·3	-	-	3	-	6	6	10
Calcutta and Suburbs	1,077,264	Mar. 28	?	?	686‖	33·1	?	50	?	-	?	?	?
Bombay§	1,298,708	Apr. 11	391	34	451‖	18·0	2	1	1	-	-	1	11
Madras	528,791	Mar. 28	481	27	438‖	43·0	7	1	-	-	1	-	21
Sydney and Suburbs	1,253,560	" 31 (31 days)	1851	?	857	8·2	-	-	1	1	-	6	14
Brisbane (Metropolitan Area).	313,251	Feb. 28 (28 days)											
Perth (Metropolitan Area).	202,888	Feb. 28	75	?	36	9·1	-	-	-	-	-	-	-
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Apr. 4	38	1	24	9·1	1	-	-	-	-	-	3
Johannesburg	187,326	Mar. 28	101	2	37	10·3	1	-	-	-	-	-	2
Durban	61,667	" 28	20	2	15	12·7	-	-	-	-	-	-	1
Paris	2,871,429	Mar. 31 (11 days)	1371	64	1454	18·5	4	-	14	-	2	10	37
Antwerp	295,146	Apr. 15 (15 days)											
Amsterdam	753,282	Apr. 18	207	8	167	11·6	-	-	8	-	2	-	-
Copenhagen	615,700	" 25	194	1	155	13·1	-	-	-	1	1	1	-
Stockholm	502,203	" 18	112	1	117	12·1	-	-	-	-	-	-	-
Gothenberg	245,336	Mar. 21	?	?	51	10·7	-	-	-	-	-	2	1
		" 28	?	?	54	11·4	-	-	1	-	-	-	-
Oslo	253,568	Apr. 25	50	2	54	11·1	-	-	-	-	-	-	-
Berlin	4,326,000	" 11	738	16	1106	13·3	-	?	5	2	2	2	4
Breslau	617,000	" 11	156	6	171	14·4	-	?	1	-	1	-	-
Cologne	740,000	" 11	189	5	175	12·3	-	?	-	-	-	1	1
Dresden	633,000	" 11	118	10	146	12·0	-	?	-	1	-	-	-
Frankfort-on-Main	541,000	" 11	85	5	93	8·9	-	?	-	-	-	1	-
Hamburg	1,146,000	" 11	273	6	274	12·4	-	?	-	-	-	3	1
Leipzig	719,000	" 11	129	10	188	13·6	-		-	-	-	2	-
Munich	730,000	" 11	191	2	182	13·0	-	?	-	-	-	-	-
Budapest	1,009,089	Apr. 18	392	11	288	14·8	-	-	2	-	2	3	4
Warsaw	1,115,651	" 11	?	10	234	10·9	1	-	-	3	4	1	5
Madrid	825,471	" 4	535	26	266	16·8	-	-	6	-	1	-	4
Cairo	1,160,700	Jan. 21											
Alexandria	629,900	" 21											
New York	7,090,089	Apr. 11	2218	134	1616	11·9	-	-	6	2	3	4	6
Chicago	3,457,375	Apr. 17	1102	43	749	11·3	1	-	3	4	1	3	7
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Mar. 28	687	43	450	13·6	6	-	8	-	3	2	71

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 69 deaths from Cholera in Calcutta, 2 in Madras and 4 from Plague in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 9th May, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	20,085	23,461	955	71	19	15	20	31	48	67	119	154	193	218
Enteric fever	7	10	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	865	23	3	-	2	1	-	-	-	-	-	-	-	-
Scarlet fever	59	25	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	67	144	6	1	5	-	-	-	-	-	-	-	-	-
Diphtheria	217	128	6	2	1	3	-	-	-	-	-	-	-	-
Influenza	202	863	5	1	-	1	-	-	-	-	-	1	-	2
Erysipelas	67	87	10	3	1	-	-	-	1	-	-	2	2	1
Acute Poliomyelitis, Polioencephalitis	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	20	18	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	40	70	3	-	1	1	-	-	-	1	-	-	-	-
Tuberculosis :—														
Respiratory system	1393	1648	66	-	-	-	2	15	11	9	15	10	4	-
Nervous system	88	88	5	-	1	-	2	-	1	-	1	-	-	-
Intestines and peritoneum	25	23	3	-	-	1	-	1	-	1	-	-	-	-
Other forms	81	99	4	-	-	1	-	-	2	-	1	-	-	-
Venereal diseases	83	66	3	1	-	-	-	-	-	-	2	-	-	-
Cancer	2336	2451	138	-	-	-	1	-	6	8	25	33	45	20
Rheumatic fever	75	44	3	-	-	-	2	-	-	1	-	-	-	-
Diabetes	207	215	9	-	-	-	-	-	-	1	2	1	4	1
Alcoholism	5	6	1	-	-	-	-	-	-	1	-	-	-	-
Simple meningitis	39	36	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	768	876	41	-	-	-	-	-	-	2	6	8	12	13
Epilepsy	84	66	6	-	-	1	-	1	2	1	-	1	-	-
"Convulsions" (not puerperal) ..	28	23	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	464	444	26	1	-	-	3	-	2	4	3	7	3	3
Pericarditis	8	8	1	-	-	-	-	-	-	-	1	-	-	-
Acute endocarditis	67	73	6	-	-	-	-	-	3	2	1	-	-	-
Other diseases of heart	4210	5492	223	-	-	-	1	6	5	8	21	37	60	85
Other diseases of circulatory system	814	907	41	-	-	-	-	1	-	1	5	6	13	17
Bronchitis	1005	1627	31	5	-	-	-	-	-	-	1	2	7	16
Broncho-pneumonia	959	1524	27	8	4	1	-	-	1	1	3	4	3	2
Lobar pneumonia	531	637	22	-	-	-	1	1	1	2	3	9	5	-
Pneumonia (type not distinguished)	189	235	6	1	-	-	-	-	-	1	3	-	-	1
Other diseases of respiratory system	202	313	6	-	-	-	-	-	1	-	-	-	3	2
Diarrhœa and enteritis	275	261	11	9	1	-	-	-	-	-	-	-	-	1
Appendicitis, Typhlitis	114	106	9	-	-	2	-	2	-	2	2	-	1	-
Hernia, Intestinal obstruction	175	205	8	1	-	-	-	-	1	-	2	1	2	1
Cirrhosis of liver	72	84	4	-	-	-	-	-	-	-	1	1	2	-
Other diseases of digestive system ..	487	460	18	-	-	1	1	-	-	3	3	7	2	1
Acute nephritis	42	33	1	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease	650	721	32	-	-	-	-	-	-	-	5	10	6	11
Other diseases of genito-urinary system.	276	327	13	-	-	-	-	-	1	1	1	2	5	3
Puerperal sepsis	43	46	3	-	-	-	-	-	2	1	-	-	-	-
Other causes incident to childbirth ..	33	46	5	-	-	-	-	-	2	3	-	-	-	-
Congenital malformations	126	123	10	10	-	-	-	-	-	-	-	-	-	-
Premature birth	370	417	12	12	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	80	63	5	5	-	-	-	-	-	-	-	-	-	-
Old age	463	574	24	-	-	-	-	-	-	-	-	-	3	21
Suicide	208	187	18	-	-	-	-	2	1	4	3	4	3	1
Burns and Scalds	43	64	1	-	1	-	-	-	-	-	-	-	-	-
Drowning	42	33	3	-	-	-	-	-	-	1	-	1	1	-
Suffocation in bed	13	13	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	258	242	13	-	-	-	4	-	1	3	2	1	1	1
Other deaths by violence	326	300	18	1	-	-	-	1	1	-	2	2	3	8
Other specified causes	766	883	44	8	2	2	3	1	3	5	6	4	3	7
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 9th May, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	66	223	173	7	96	C. 9 D. 5 G. 1 M. 10 N. 17
†CITY OF LONDON	–	–	2	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	8	–	4	M. 1
†BERMONDSEY ...	–	8	2	–	3	C. 1 D. 2 N. 1
†BETHNAL GREEN	1	4	5	1	2	M. 2
†CAMBERWELL ...	6	11	10	–	2	N. 1
†CHELSEA	–	2	3	–	1	–
†DEPTFORD ...	4	11	2	–	5	N. 2
†FINSBURY ...	–	7	1	–	1	–
†FULHAM	–	13	5	–	5	N. 1
†GREENWICH ...	–	7	6	–	–	N. 1
†HACKNEY... ...	1	8	11	1	2	M. 1 N. 2
†HAMMERSMITH ...	–	2	8	–	1	C. 1 N. 1
†HOLBORN... ...	–	1	6	–	–	C. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	17	17	1	4	C. 2 D. 1 M. 1 N. 1
†KENSINGTON ...	1	5	4	3	4	D. 1 N. 1
†LAMBETH ...	3	11	15	–	4	D. 1 M. 2 N. 2
†LEWISHAM ...	1	16	3	–	7	M. 1
†PADDINGTON ...	–	3	8	1	6	C. 1 N. 1
†POPLAR	10	9	7	–	9	–
†ST. MARYLEBONE	–	8	–	–	2	M. 1 N. 2
†ST. PANCRAS ...	–	12	3	–	3	M. 1
†SHOREDITCH ...	15	4	5	–	1	G. 1
†SOUTHWARK ...	–	8	9	–	9	–
†STEPNEY	24	24	9	–	4	–
†STOKE NEWINGTON	–	1	–	–	–	N. 1
†WANDSWORTH ...	–	10	8	–	13	C. 1
†WESTMINSTER, CITY OF	–	6	8	–	1	C. 1
†WOOLWICH ...	–	11	8	–	3	C. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	1	1	–	1	N. 1
Boroughs and Urban Districts:—						
†Bedford	–	1	–	–	1	–
Biggleswade ...	–	–	–	–	–	N. 1
Rural Districts:—						
Ampthill ...	–	–	1	–	–	–
BERKS	–	13	6	1	–	D. 1 M. 2
†Reading C.B. ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
Abingdon ...	–	–	1	–	–	M. 1
†Maidenhead ...	–	–	3	–	–	–
†New Windsor ...	–	2	–	1	–	D. 1
Rural Districts:—						
Cookham ...	–	2	–	–	–	–
Faringdon (part)	–	1	–	–	–	M. 1
Newbury ...	–	1	–	–	–	–
Wantage ...	–	3	–	–	–	–
Wokingham ...	–	1	–	–	–	–
BUCKINGHAM ...	–	6	7	–	1	–
Boroughs and Urban Districts:—						
Beaconsfield ..	–	–	1	–	–	–
Buckingham ...	–	–	–	–	1	–
†Chepping Wycombe	–	2	–	–	–	–
Marlow	–	–	4	–	–	–
Newport Pagnell	–	1	–	–	–	–
†Slough	–	–	1	–	–	–
Rural Districts:—						
Amersham ...	–		1	–	–	–
Aylesbury ...	–	2	–	–	–	–
Eton		1	–	–	–	–
Hambleden ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	5	3	–	2	C. 1
Borough:—						
†Cambridge ...	–	3	1	–	–	–
Rural Districts:—						
Chesterton ...	–	2	2	–	–	–
Newmarket ...	–	–	–	–	2	C. 1
CHESTER ...	–	42	16		19	C. 1 D. 1 L. 1 M. 2 N. 3
†Birkenhead C.B.	–	7	2	–	4	N. 1
†Chester C.B. ...	–	–	–	–	–	C. 1
†Stockport C.B. ...	–	1	3	–	5	M. 1 N. 1
†Wallasey C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
Alderley Edge.	–	1	–	–	–	–
†Altrincham ...	–	1	–	–	–	–
†Bebington and Bromborough	–	3	1	–	–	–
Bowdon	–	3	–	–	–	–
Bredbury and Romiley	–	2	1	–	1	–
Buglawton ...	–	–	–	–	1	–
†Congleton ...	–	–	–	–	1	–
†Crewe	–	3	–	–	–	–
†Dukinfield ...	–	2	–	–	–	–
†Ellesmere Port and Whitby	–	–	–	–	2	–
†Hoylake and West Kirby	–	–	2	–	–	–
†Hyde	–	3		–	3	–
Knutsford ...	–	4	–	–	–	–
†Macclesfield ...	–	1	–	–	–	L. 1
†Sale	–		2	–	–	–
†Winsford ...	–	–	–	–	–	N. 1
Rural Districts:—						
Bucklow... ...	–	1	–	–	–	D. 1
Disley	–	–	–	–	1	–
Nantwich ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NORTHWICH ...	–	–	3	–	–	–
RUNCORN	–	2	–		–	–
TARVIN	–	2	–	–	–	M. 1
WIRRAL	–	1	1	–	1	–
CORNWALL ...		7	1	1	5	C. 1 M. 1
Boroughs and Urban Districts:—						
BODMIN	–			1	–	–
PENRYN	–	–	1	–	–	–
†PENZANCE ...	–	1	–	–	–	–
†TRURO	–	1		–	–	–
Rural Districts:—						
CALSTOCK ...	–	–		–	4	–
CAMELFORD ...	–	1	–	–	–	–
LISKEARD ...	–	3	–	–	–	–
ST. AUSTELL ...	–	–	–	–	1	–
ST. GERMANS ...	–	–	–	–	–	M. 1
TRURO	–	–	–	–	–	C. 1
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND...	–	5	3	–	6	D. 1 N. 2
†CARLISLE C.B. ...	–	1	1	–	1	N. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	1	–	–	–
EGREMONT ...	–	1			–	
HARRINGTON ...	–	–	–	–	–	N. 1
HOLME CULTRAM	–	1		–	–	
PENRITH		1		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WHITEHAVEN ...	–	–	1	–	2	–
†WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
COCKERMOUTH ...	–	–				D. 1
LONGTOWN ...	*	*	*	*	*	*
PENRITH	–	1	–	–	1	–
DERBY	11	33	11	1	11	C. 1 D. 9 M. 3 N. 2
†DERBY C.B. ...	–	6	3	–	3	C. 1 M. 3 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	–
†BOLSOVER ...	–	–	–		–	D. 1
†BUXTON ...	–	3	–	–	–	–
†CHESTERFIELD ...	10	3	1	1	1	–
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP	–	1	–	–	–	–
†HEANOR	–	3	–	–	1	–
†LONG EATON ...	–	1	–	–		–
NEW MILLS ...	–	–	1	–	–	–
†RIPLEY	–	2	–	–	–	N. 1
†THE MATLOCKS ...	–	–	1	–		–
Rural Districts:—						
BAKEWELL ...	–	–	–		2	–
BELPER	–	1	1	–	–	–
BLACKWELL ...	–	2	–	–	–	D. 7
CHESTERFIELD ...	1	3	3	–	3	D. 1
CLOWNE	–	1	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
NORTON	–	1	–	–		–
REPTON	–	–	–	–	1	–
SHARDLOW ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON	–	11	23	–	12	C. 1 D. 1 G. 1 M. 2 N. 3
†EXETER C.B. ...	–	–	3	–	1	G. 1
†PLYMOUTH C.B.	–	6	11	–	4	D. 1 M. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	2	–	1	–
BRIXHAM		–	–	–	3	–
SOUTH MOLTON...	–	–	–	–	–	N. 1
TIVERTON ...	–	1	–	–		–
†TORQUAY	–	–	–	–	1	N. 1
TOTNES	–	–	–	–	–	C. 1
Rural Districts:—						
BARNSTAPLE ...	–	–	2	–	–	–
CULMSTOCK ...	–	–	1	–	–	
KINGSBRIDGE ...	–		–	–	1	–
NEWTON ABBOT	–	3	1		–	–
OKEHAMPTON ...	–	–	1	–	–	N. 1
PLYMPTON ST. MARY		1		–	–	–
ST. THOMAS ...	*	*	*	*	*	*
TAVISTOCK ...	–	–	1	–	1	–
TIVERTON ...	–	–	1	–	–	–
DORSET		4	2	–	4	G. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–		–	2	
†POOLE	–	–	–	–	–	G. 1
SWANAGE ...	–	–	1	–		–
Rural Districts:—						
BEAMINSTER ...	–	–	1	–		–
DORCHESTER ...	–	1	–	–	–	–
SHAFTESBURY ...	–	2		–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM ...	–	47	20	2	62	C. 2 D. 1 F. 1 M. 4 N. 6
†DARLINGTON C.B.	–	4	1	–	3	–
†GATESHEAD C.B.	–	6	2	–	7	–
†SOUTH SHIELDS C.B.	–	2	–	–	4	–
†SUNDERLAND C.B.	–	6	4	–	11	M. 2
†WEST HARTLEPOOL C.B.	–	3	–	1	3	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	3	–	–	–
BENFIELDSIDE ...	–	3	–	–	1	N. 1
BILLINGHAM ...	–	–	–	–	2	–
†BISHOP AUCKLAND	–		1	–	–	–
†BLAYDON... ...	–	1		–	–	–
†CONSETT		–	–	1	–	N. 1
†CROOK	–	–	–	–	1	–
†HEBBURN ...	–	1	1		1	N. 2
†HETTON	–	–	–	–	1	F. 1
†JARROW	–	2	–	–	6	C. 1
†RYTON	–	2	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–
STANHOPE ...	–	–	–	–	1	–
†STANLEY	–	1	3		–	M. 1 N. 1
†STOCKTON ON TEES	–	1	–	–	4	–
†TANFIELD ...	–	–	2	–	–	–
TOW LAW ...	*	*	*	*	*	*
†WHICKHAM ...	–	–	–	–	3	–
Rural Districts:—						
AUCKLAND ...	–	–	1	–	–	–
CHESTER LE STREET	–	6	–	–	2	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	–	–	–	3	D. 1
HARTLEPOOL ...	–	–	–	–	–	C. 1
HOUGHTON LE SPRING	–	–	–	–	2	–
LANCHESTER ...	–	2	2	–	1	–
SEDGEFIELD ...	–	–			–	N. 1
SOUTH SHIELDS	–	2	–	–	3	

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	1	–	–	1	–
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	3	2	–	2	–
Boroughs and Urban Districts:—						
ELY	–	–	–	–	1	–
WHITTLESEY ...	–	–	2	–	1	–
†WISBECH	–	1	–	–	–	–
Rural Districts:—						
ELY	–	1	–	–	–	–
WISBECH... ...	–	1	–	–	–	–
ESSEX	30	82	54	5	25	C. 5 D. 1 M. 4 N. 2
†EAST HAM C.B....	–	–	8	–	1	–
†SOUTHEND ON SEA C.B.	–	3	1	–	2	C. 1 M. 1
†WEST HAM C.B.	28	8	8	–	9	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	1	4	7	–	–	M. 1
BENFLEET ...	–	2	–	–	–	–
BRAINTREE ...	–	4	–		–	–
BRENTWOOD ...	–	–	–	1	–	–
BRIGHTLINGSEA...	–	1	1	–	–	–
CANVEY ISLAND	–	1	–	–	–	–
†CHELMSFORD ...	–	–	2	–	–	–
CHINGFORD ...	*	*	*	*	*	*
†COLCHESTER ...	–	5	1	–	1	–
DAGENHAM ...	–	9	2	–	1	–
†HARWICH ...	–	–	1		–	–
†HORNCHURCH ...	–	–	1	1	–	–
†ILFORD	–	2	1	–	2	C. 2 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEYTON	1	6	3	–	1	C. 1 M. 1
MALDON	–	2	–	–	–	–
†ROMFORD... ...	–	1	2	–	–	–
SHOEBURYNESS ...	–	2	–	–	–	–
TILBURY	–	2	1	–	–	
WALTHAM HOLY CROSS	–	3	–	–	–	–
†WALTHAMSTOW ...	–	9	8	–	1	–
WALTON ON THE NAZE	–	–	–	–	1	–
WITHAM	–	1	–	–	–	–
†WOODFORD ...	–	6	–	–	1	–
Rural Districts:—						
BELCHAMP ...	–	1	–	–	–	–
BILLERICAY ...	–	2	–	2	1	–
BRAINTREE ...	–	–	2	–	1	–
CHELMSFORD ...	–	3	–	–	–	–
DUNMOW... ...	–	–	–	–	1	C. 1
EPPING	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	1	–
ROCHFORD ...	–	1	4	–	–	–
STANSTED ...	–	–	–	1	–	–
TENDRING ...	–	4	–	–	1	D. 1
GLOUCESTER ...	–	20	25	–	9	C. 1 D. 3 M. 1 N. 3
†BRISTOL C.B. ...	–	9	18	–	2	D. 3 M. 1 N. 2
†GLOUCESTER C.B.	–	1	4	–	2	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	3	1	–	2	N. 1
COLEFORD ...	–	2	–	–	–	–
STOW ON THE WOLD	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLOUCESTER— *cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	–	–	–	1	–
DURSLEY	–	1	–	–	–	–
STOW ON THE WOLD	–	–	1	–	–	–
STROUD	–	1	–	–	–	C. 1
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	2	–
WEST DEAN ...	–	–	1	–	–	–
HEREFORD ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	3	–	–	–	–
LEOMINSTER ...	–	–	2	–	–	–
HERTFORD ...	–	10	4	2	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	2	–	–	–	M. 1
†CHESHUNT ...	–	–	–	1	–	–
†EAST BARNET VALLEY	–	–	–	–	1	–
GREAT BERKHAMPSTEAD	–	1			–	–
†HEMEL HEMPSTEAD	–	–	1	–	–	N. 1
HODDESDON ...	–	4	–	–	–	–
†LETCHWORTH ...	–	1	–		1	
†WATFORD ...	–	–	3	1	1	–
Rural Districts:—						
WATFORD... ...	–	2	–	–	–	–
HUNTINGDON ...	–	1	2	–	2	–
Boroughs and Urban Districts—						
OLD FLETTON ...	–	1	–	–	1	–
ST. NEOTS ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HUNTINGDON— *cont.*						
Rural Districts:—						
NORMAN CROSS ...	–	–	1	–	–	–
OUNDLE (part) ...	–	–	1	–	–	–
KENT	–	44	15	2	17	C. 1 M. 1 N. 2
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	4	–
†BROMLEY... ...	–	4	–	–	1	–
†CHATHAM ...	–	–	–	–	2	–
CHISLEHURST ...	–	–	–		–	C. 1
†DARTFORD ...	–	–	3	–		–
†DEAL	–	3	1	–	–	–
†DOVER	–	–	–	–	1	–
†ERITH	–	1	2	–	–	–
†FAVERSHAM ...	–	2		–	–	–
†FOLKESTONE ...	–	3	–	–	–	–
†GILLINGHAM ...	–	4		–	–	–
HYTHE	–	1		–	–	–
†MAIDSTONE ...	–	2	3	2	–	–
†PENGE	–	1		–	–	M. 1
QUEENBOROUGH	–	–	–		–	N. 1
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	2	1	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	1	–	–	1	–
†SITTINGBOURNE AND MILTON	–	4		–	–	–
SWANSCOMBE ...	–	1	–	–	–	–
†TONBRIDGE ...	–	2	–		–	–
WALMER	–	1	–		–	–
WHITSTABLE ...	–	–	1	–	1	–
WROTHAM ...	–	–	–	–	–	N. 1
Rural Districts:—						
BROMLEY... ...	–	2	–	–	–	–
CRANBROOK ...	–	–	–	–	1	–
DARTFORD ...	–	1	3		–	–
EASTRY	–	–	–	–	1	–
ELHAM	–	2	–	–	–	–
FAVERSHAM ...	–	1	–	–		–
HOLLINGBOURNE	–	–	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
ISLE OF THANET	–	–	–	–	1	–
MALLING	*	*	*	*	*	*
SEVENOAKS ...	–	–	–	–	2	
STROOD	–	–	–	–	1	–
TENTERDEN ...	–	1	–	–		–
TONBRIDGE ...	–	–	1	–		–
LANCASTER ...	–	227	146	8	194	C. 7
						D. 4
						G. 1
						L. 1
						M. 33
						N. 8
†BARROW IN FURNESS C.B.	–	4	–	–	1	–
†BLACKBURN C.B.	–	1	–	–	3	N. 1
†BLACKPOOL C.B.	–	3	2	–	3	–
†BOLTON C.B. ...	–	6	–	–	1	D. 1
†BOOTLE C.B. ...	–	7	5	–	4	–
†BURNLEY C.B. ...	–	2	1	–	3	M. 1
†BURY C.B. ...	–	1	–	–	4	C. 1
†LIVERPOOL C.B....	–	26	59	2	50	D. 1
						G. 1
						M. 27
						N. 2
†MANCHESTER C.B.	–	56	11	1	52	C. 1
						M. 3
†OLDHAM C.B. ...	–	3	–		9	C. 1
†PRESTON C.B. ...		3	–	1	4	–
†ROCHDALE C.B....	–	6	6	–	–	
†ST. HELENS C.B.	–	2	3	–	3	–
†SALFORD C.B. ...	–	7	14	–	5	C. 2
						N. 1
†SOUTHPORT C.B.	–	5	3	1	3	–
†WARRINGTON C.B.	–	23	1	–	2	
†WIGAN C.B. ...	–	4	2	–	2	–
Boroughs and Urban Districts:—						
ABRAM	–		–	–	2	–
†ACCRINGTON ...		3	1	–	–	–
†ASHTON IN MAKERFIELD	–	–	–	–	2	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†ASHTON-UNDER-LYNE	–	3	–	–	–	N. 1
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	–	–	–	1	–
AUDENSHAW ...	–	1		–	–	–
†BACUP	–	1	–		2	–
†CHADDERTON ...	–	–	–	1	–	N. 1
†CHORLEY	–	5	–	–	1	–
CLAYTON LE MOORS			1	–	–	–
†CLITHEROE ...	–	–	–	–	1	–
†COLNE	–	–		–	2	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	1		–	1	–
†ECCLES	–	3	1	–	1	–
†FAILSWORTH ...		–	–	–	1	–
†FARNWORTH ...	–	–	–	–	2	–
†FLEETWOOD ...	–	1	–	–	–	M. 1
†GREAT CROSBY ...	–	3	1	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	–	–	–	–
†HORWICH... ...	–	1	–			–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–		1	–	2	–
IRLAM	–	3	–	–	–	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	2	–	–	1	–
†LEIGH	–		–	–	2	–
LEYLAND... ...	–	2	–	–	–	–
†LITHERLAND ...	–	–	1	–	–	–
†MIDDLETON ...	–	4	1	–	2	–
MILNROW... ...	–		–	–	–	N. 1
†MORECAMBE AND HEYSHAM	–	1		–		M. 1
†NELSON	–	1	–	–	1	–
†NEWTON IN MAKERFIELD	–	3	2		1	–
ORMSKIRK ...	–	–	2	–	–	–
ORRELL	–	–	1	–	–	–
†PADIHAM... ...	–	–		–	2	–
PREESALL ...	–	1	–	–	–	–
†PRESTWICH ...	–	–	1	–	–	–
†RADCLIFFE ...	–	1	–	–	–	–
†RAMSBOTTOM ...	–	–	–	–	2	–
†RAWTENSTALL ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†ROYTON	–	2	–	–	1	–
†STRETFORD ...	–	3	3	–	2	–
†SWINTON AND PENDLEBURY	–	2	8	–	–	–
TOTTINGTON ...	–		1	1	1	–
†TURTON		–	–	–	–	D. 1
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
†ULVERSTON ...	–	1	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	
WARDLE... ...	–	–	–	–	–	C. 1
†WATERLOO WITH SEAFORTH	–	1	3	–	1	–
†WESTHOUGHTON	–	–	1	–	–	–
†WIDNES	–	2	–	–	5	–
†WORSLEY... ...	–	–	1	–		–
Rural Districts:—						
BARTON UPON IRWELL	–	1		–	–	–
BURY		–	1	–	–	–
CHORLEY... ...	–	1	–	–	–	–
CLITHEROE ...	–	–		–	1	–
GARSTANG ...	–	1	1	–	2	–
LANCASTER ...	–		–	–	1	–
LIMEHURST ...	–	1	–	–		–
PRESTON	–	5	1		–	–
SEFTON	–	–	1		–	C. 1
WARRINGTON ...	–	1		1	–	
WEST LANCASHIRE	–	1	1	–	–	N. 1
WHISTON... ...	–	–	3			L. 1
LEICESTER ...	53	16	2	–	9	D. 1 L. 3 N. 1
†LEICESTER C.B....	26	9	–	–	1	L. 3
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1		–	–	–
†COALVILLE ...	8	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HINCKLEY ...	–	–	–	–	–	N. 1
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
QUORNDON ...	–	1		–	–	–
SHEPSHED ...	2		–	–	–	–
THURMASTON ...	3	–	–	–	–	–
WIGSTON MAGNA	2	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	2	–		–	3	–
BARROW UPON SOAR	1	–	1	–	1	–
BILLESDON ...	1			–	–	–
BLABY	1	1	–	–	1	–
CASTLE DONINGTON	–	1	1	–	–	–
HINCKLEY ...	3	–	–	–	–	D. 1
LOUGHBOROUGH	4	–	–	–		–
MARKET BOSWORTH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	7	1	–	1	L. 1
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
†SPALDING ...	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	–	1	–	1	–
SPALDING ...	–	4	–	–	–	L. 1
LINCOLN (parts of Kesteven).	–	3	1	–	–	C. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	1	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
EAST KESTEVEN	–	1	–	–	–	–
SOUTH KESTEVEN	–	1	–	–	–	C. 1
LINCOLN (parts of Lindsey).	2	13	4	–	15	C. 1 M. 3
†GRIMSBY C.B. ...	2	–	2	–	3	–
†LINCOLN C.B. ...	–	9	2	–	7	M. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	1	M. 1
†GAINSBOROUGH ...	–	1	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	–		–	1	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	M. 1
GLANFORD BRIGG	–	1	–	–		C. 1
HORNCASTLE ...	–	1	–	–	1	–
MIDDLESEX ...	–	116	34	1	30	C. 1 E. 1 M. 3 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	4	3	–	–	–
†BRENTFORD AND CHISWICK	–	2	1	–	1	–
†EALING	–	7	1	–	2	–
†EDMONTON ...	–	10	1	–	1	–
†ENFIELD	–	6	2	–	–	–
†FINCHLEY ...	–	5	–	–	–	–
†FRIERN BARNET...	–	5	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	1	–
HAYES AND HARLINGTON	–	6	–	–	–	–
†HENDON	–	12	4	–	3	M. 1
†HESTON AND ISLEWORTH	–	6	1	–	3	N. 1
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HORNSEY	–	5	5	–	–	–
RUISLIP NORTHWOOD	–	–	3	–	1	–
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	5	–	–	1	–
SUNBURY ON THAMES	–	1	1	–	–	–
†TEDDINGTON ...	–	1	–	–	2	–
†TOTTENHAM ...	–	17	4	–	6	C. 1 E. 1 M. 1
†TWICKENHAM ...	–	1	–	–	–	M. 1 N. 1
†UXBRIDGE ...	–	5	–	–	–	
†WEMBLEY ...	–	3	–	–	4	–
†WILLESDEN ...	–	10	4	1	3	N. 2
†WOOD GREEN ...	–	2	2	–	1	N. 1
†YIEWSLEY AND WEST DRAYTON	–	2	–	–	–	–
Rural Districts—						
HENDON	–	–	1	–	1	N. 1
NORFOLK ...	–	7	4	–	6	–
†GREAT YARMOUTH C.B.	–	–	–	–	1	–
†NORWICH C.B. ...	–	3	–	–	4	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	1	3	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	2	–	–	–	–
FOREHOE	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	1	–	–	–
WAYLAND ...	–	–	–	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHAMPTON	-	6	8	-	8	C. 1 M. 1
†Northampton C.B.	-	3	2	-	3	-
Boroughs and Urban Districts:—						
Brackley ...	-	-	-	-	-	M. 1
Burton Latimer	-	-	1	-	-	-
†Kettering ...	-	1	1	-	-	-
Rothwell ...	-	1	2	-		-
†Rushden... ...	-	-	-	-	3	-
Rural Districts:—						
Daventry ...	-	-	-	-	1	-
Northampton ...	-	-	2	-		-
Thrapston (part)	-	-	-	-	-	C. 1
Towcester ...	-	-	-	-	1	-
Wellingborough	-	1	-	-	-	-
NORTHUMBERLAND.	-	36	6	-	30	D. 2 M. 3 N. 7
†Newcastle upon Tyne C.B.	-	19	2	-	15	D. 1 M. 2 N. 7
†Tynemouth C.B.	-	-	-	-	1	M. 1
Boroughs and Urban Districts:—						
†Ashington ...	-	2	-	-	-	-
†Bedlingtonshire	-	-	-	-	2	-
†Berwick upon Tweed	-	-	1	-	-	-
†Blyth	-	3	-	-	2	-
†Gosforth ...	-	1	-	-	-	-
†Longbenton ...	-	-	-	-	3	-
Newbiggin by the Sea	-	1	-	-	1	-
Seaton Delaval	-	-	-	-	1	-
†Wallsend ...	-	5	3	-	2	D. 1
†Whitley and Monkseaton	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
Alnwick... ...	*	*	*	*	*	*
Bellingham ...	-	1	-	-	-	-
Castle Ward ...	-	4	-	-	-	-
Haltwhistle ...	*	*	*	*	*	*
Hexham	-	-	-	-	2	-
NOTTINGHAM ...	1	31	10	-	18	D. 2 M. 2 N. 3
†Nottingham C.B.	-	16	5	-	13	-
Boroughs and Urban Districts:—						
†Arnold	*	*	*	*	*	*
†Carlton	-	-	3	-	2	-
†Kirkby in Ashfield	-	1	-	-	1	N. 1
†Mansfield ...	-	1	-	-	-	D. 1
†Mansfield Woodhouse	-	-	1	-	-	-
†Newark	-	-	-	-	1	-
†Sutton in Ashfield		-	-	-	1	M. 1
†West Bridgford	-	1	-	-	-	-
†Worksop... ...	-	3	-	-	-	M. 1
Rural Districts:—						
Basford	-	4		-	-	N. 1
East Retford ...	-	1	-	-	-	N. 1
Leake	1		-	-	-	-
Misterton ...	-	1	-	-	-	-
Worksop... ...	-	3	1	-	-	D. 1
OXFORD	-	6	6	-	2	N. 1
†Oxford C.B. ...	-	2	5	-	1	N. 1
Rural Districts:—						
Headington ...	-	-	-	-	1	-
Henley	-	3	-	-	-	-
Thame	-	1	-	-	-	-
Witney	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of).	–	2	–	–	2	C. 1
Borough:—						
†PETERBOROUGH...	–	2	–	–	2	C. 1
SALOP	–	4	3	–	3	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–		–	1	–
DAWLEY	–		1		–	–
LUDLOW	–				1	–
MARKET DRAYTON	–	1			–	–
†OAKENGATES ...			1	–	–	–
WHITCHURCH ..		–	1	–	1	–
Rural Districts:—						
ATCHAM	–	1		–	–	–
BRIDGNORTH ...	–		–	–	–	N. 1
CLEOBURY MORTIMER	–	1		–	–	–
SHIFNAL	–	1	–	–		
WELLINGTON ...	–	–	–	–	–	C. 1 M. 1
SOMERSET ...	–	9	4	–	11	M. 1 N. 2
†BATH C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	–	M. 1
CLEVEDON ..	–	–	–	–	1	–
GLASTONBURY ...	–	1	–	–	–	–
HIGHBRIDGE ...	–	1	–	–	–	–
†TAUNTON... ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	1	–	1	–
†YEOVIL	–	–	–	–	4	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	1	–	–	–	–
CHARD	–	–	–	–	2	–
KEYNSHAM ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET— *cont.*						
Rural Districts— *cont.*						
LANGPORT ...	–	–	–	–	–	N. 1
SHEPTON MALLET	–	1	–	–	1	–
WELLS		–	3	–	1	–
SOUTHAMPTON	–	40	24	–	7	D. 1 M. 1 N. 1
†BOURNEMOUTH C.B.	–	2	2	–	1	–
†PORTSMOUTH C.B.	–	18	6	–	–	–
†SOUTHAMPTON C.B.	–	5	2	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	3		–	–
ALTON	–	–	2		–	–
CHRISTCHURCH ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...		1	–		–	–
†GOSPORT		1	–	–		D. 1
PETERSFIELD ...	–	3		–	1	–
†WINCHESTER ...	–	–	3	–	–	–
Rural Districts:—						
ALTON	–	–	1	–	–	–
ANDOVER... ...	–	5	–	–		–
BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...		1	–	–	1	–
FORDINGBRIDGE	–	–	2		–	–
HARTLEY WINTNEY	–	1	–	–		–
HURSLEY... ...	–			–	1	–
RINGWOOD ...		–	2	–		–
SOUTH STONEHAM	–	1	–	–	–	–
STAFFORD ...	–	37	36	1	47	C. 1 L. 6 M. 9 N. 5
†BURTON UPON TRENT C.B.	–	1	2	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†SMETHWICK C.B.	–	2	6	–	1	M. 2
†STOKE ON TRENT C.B.		4	7	–	15	C. 1 L. 1 M. 4
†WALSALL C.B. ...	–	3	2	–	1	M. 2 N. 1
†WEST BROMWICH C.B.	–	3	1		2	–
†WOLVERHAMPTON C.B.	–	4	3		5	N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	2	–		
†BILSTON	–	2	–	–	2	N. 1
†BROWNHILLS ...	–	–	1	–	1	M. 1
†CANNOCK	–	–	1	–	1	L. 3 N. 1
†COSELEY	–	2	1	–	1	–
†DARLASTON ...	–		–	–	1	–
†ROWLEY REGIS ...	–	2	1		2	N. 1
†SEDGLEY	–	–	–	–	1	–
†STAFFORD ...	–	2	1	1	1	–
†TIPTON	–	3	1	–	2	–
†WEDNESBURY ...	–	1	1	–	4	–
†WILLENHALL ...	–	1	–		1	–
Rural Districts:—						
CANNOCK	–	–	–	–	1	–
CHEADLE	–	2	–	–	2	–
GNOSALL	–	–	–	–	1	–
KINGSWINFORD ...	–	1	1	–	–	–
LEEK	–	1		–	–	–
LICHFIELD ...	–	2	–	–	1	–
SEISDON	–		1	–	–	–
STONE	–	1	1	–	–	–
TAMWORTH (part)	–	–	2	–	–	–
TUTBURY... ...	–	–	1	–	–	–
WALSALL... ...	–	–	–	–	–	L. 2
SUFFOLK, EAST	–	12	7	–	7	C. 1 M. 1
†IPSWICH C.B. ...	–	10	7	–	3	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST *cont.*						
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	–	–	–	1	–
SAXMUNDHAM ...	–	–	–	–	1	–
SOUTHWOLD ...	*	*	*	*	*	*
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	–	1	–
SAMFORD... ...	–	–	–	–	1	–
SUFFOLK, WEST		3	4	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	2		–	–
GLEMSFORD ...	–	–	–	–	1	–
HAVERHILL ...	–	1	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
THINGOE	–	–	2	–	–	–
SURREY	2	45	32	1	16	L. 3 M. 1 N. 2
†CROYDON C.B. ...	2	19	7	–	1	M. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	1	1	–	3	–
†CATERHAM AND WARLINGHAM	–	1	–	–	1	L. 3
†CHERTSEY ...	–	–	–	–	1	–
†COULSDON AND PURLEY	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EPSOM	–	1	1	–	–	–
†FARNHAM ...	–	1		–	–	–
†GUILDFORD ...	–	–	–	1	3	N. 1
HAM	–	1	–	–		
†KINGSTON ON THAMES	–	1	3	–	–	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	3	1	–	1	–
†MITCHAM	–	1	1	–	2	–
†REIGATE	–	3	2	–	1	–
†SURBITON ...	–	–	–	–	3	–
†SUTTON AND CHEAM		–	1	–		–
†WIMBLEDON ...	–	–	1	–	–	–
WINDLESHAM ...	–		–	–	–	N. 1
†WOKING	–	1	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	1	–	–	–
EPSOM	–	2	1	–		–
FARNHAM ...	–	1	2	–	–	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...		1	3	–	–	–
REIGATE	–	1	5	–	–	–
SUSSEX, EAST...	–	8	8	–	6	G. 1 N. 2
†BRIGHTON C.B. ...	–	2	2	–	1	N. 1
†EASTBOURNE C.B.	–	–		–	1	–
†HASTINGS C.B. ...		1	–		1	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	2	–	–	–	–
EAST GRINSTEAD	–	–	4	–	–	–
†HOVE	–	1	–	–	–	N. 1
PORTSLADE BY SEA	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CHAILEY	–	–	–	–	2	–
CUCKFIELD ...	–	1	1	–	–	–
EASTBOURNE ...	–	–	–	–	–	G. 1
HASTINGS ...	–	1	–	–	–	
SUSSEX, WEST...	–	7	2	–	1	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	1	–	–		–
SHOREHAM BY SEA	–	–	1	–		N. 1
SOUTHWICK ...	–	–	–	–	1	–
Rural Districts:—						
HORSHAM ...	–	4	–	–		–
MIDHURST ...	–	–	1	–	–	
THAKEHAM ...	–	1	–	–		–
WESTHAMPNETT	–	1	–	–	–	C. 1 M. 1
WARWICK ...	–	68	39	–	49	C. 1 M. 16 N. 6
†BIRMINGHAM C.B.	–	49	29	–	33	C. 1 M. 15 N. 2
†COVENTRY C.B. ...	–	10	6	–	1	–
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	–	1	–	5	M. 1 N. 2
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY	–	1	–	–	–	N. 1
†STRATFORD ON AVON	–	1	–	–	2	–
†SUTTON COLDFIELD	–	1	1	–	–	–
†WARWICK ...	–	1	–	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
Alcester ...	–	–			–	N. 1
Atherstone ...	–	–	–	–	1	–
Foleshill ...	–	–	1	–	–	–
Meriden	–	1	–	–	–	–
Nuneaton ...	–	1	–	–	1	–
Rugby	–	–	–	–	2	–
Shipston on Stour	–		–		1	–
Solihull ...	–	1	1	–	–	–
Southam	–	1			–	–
Stratford on Avon	–	1	–	–	–	–
WESTMORLAND	–	2	2	–	2	C. 1
Boroughs and Urban Districts:—						
Appleby	–	–		–	1	–
†Kendal	–	1	1	–	–	–
Shap	–	1	–	–	–	–
Rural Districts:—						
South Westmorland	–	–	1	–	1	C. 1
WIGHT, ISLE OF	–	2	1	–	–	M. 1 N. 1
Borough and Urban Districts:—						
†Cowes	–	1	–	–	–	–
St. Helens ...	–	1	–	–	–	–
Sandown ...	–	–	1	–	–	–
Rural Districts:—						
Isle of Wight ...	–	–	–	–	–	M. 1 N. 1
WILTS	–	8	5	–	4	C. 1 N. 2
Boroughs and Urban Districts:—						
Chippenham ...	–	1	1	–	–	–
Devizes	–	1	–	–	–	–
Melksham ...	–	–		–	–	N. 1
†Swindon	–	–	3	–	4	N. 1
†Trowbridge ...	–	1	–	–	–	–
Rural Districts:—						
Amesbury ...	–	–	–	–	–	C. 1
Calne	–	4	–	–	–	–
Chippenham ...	–	1	–	–	–	–
Highworth ...	–	–	1	–	–	–
WORCESTER ...	–	19	8	–	11	M. 2 N. 1
†Dudley C.B. ...	–	1	–	–	1	N. 1
†Worcester C.B.	–	8	–	–	2	M. 1
Boroughs and Urban Districts:—						
†Halesowen ...	–	1	–	–	3	–
†Kidderminster	–	3	–	–	–	M. 1
†Oldbury	–	2	–	–	4	–
†Redditch ...	–	–	3	–	–	–
†Stourbridge ...	–	2	–	–	–	–
Rural Districts:—						
Bromsgrove ...	–	–	4	–	–	–
Martley	–	–	1	–	–	–
Pershore ...	–	1	–	–	–	–
Upton on Severn	–	1	–	–	1	–

† Population over 10,000.

), Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	6	11	–	8	C. 2 D. 1 M. 1 N. 2
†Kingston upon Hull C.B.	–	5	10	–	6	C. 2 D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†Bridlington ...	–	–	–	–	1	–
Cottingham ...		–	1	–	–	
Great Driffield	–	–	–	–	–	N. 1
Rural Districts:—						
Howden		–	–	–	1	–
Pocklington ...	–	1	–		–	–
YORKS ... ... (North Riding).	–	23	4	1	18	D. 1 M. 1 N. 1
†Middlesbrough C.B.	–	9	1	–	6	M. 1
Boroughs and Urban Districts:—						
†Eston	–	3	–	–	1	–
Guisborough ...	–	–	–	–	3	–
Loftus	–	–	–	–	1	–
Malton	–	–	1			–
†Redcar	–		–	–	3	–
Saltburn by the Sea	–	6	–	–	–	–
†Scarborough ...	–	–	1	–	–	N. 1
†Skelton and Brotton	–		–	–	3	–
†Whitby	–	2	–		–	–
Rural Districts:—						
Flaxton	–	–	1	–	–	–
Guisborough ...	–	–	–	1	–	–
Kirkby Moorside	*	*	*	*	*	*
YORKS (North Riding)—*cont.*						
Rural Districts—*cont.*						
Leyburn	–	1	–	–	–	–
Pickering ...	–	1	–		–	–
Richmond ...	–	–	–	–	1	D. 1
Whitby		1			–	
YORKS ... ... (West Riding).	9	125	67	1	114	C. 6 D. 28 E. 1 F. 1 M. 8 N. 16
†Barnsley C.B. ...	–	3	1	–	2	D. 8
†Bradford C.B. ...	1	13	2	–	11	C. 3
†Dewsbury C.B....	–	3	2	–	–	–
†Doncaster C.B....		1	2	–		D. 1
†Halifax C.B. ...	–	1	4	–	–	–
†Huddersfield C.B.	–	4	4	–	4	N. 2
†Leeds C.B. ...	1	24	10	–	18	C. 1 D. 1 M. 2 N. 2
†Rotherham C.B.	–	5	4	–	6	D. 4
†Sheffield C.B....	–	19	8	–	28	E. 1 M. 1 N. 5
†Wakefield C.B.	–	2	4		2	M. 1 N. 1
Boroughs and Urban Districts:—						
†Adwick le Street	–	3	4	–	3	–
Altofts	–	1	–	–	–	–
Ardsley, East and West		1		–		F. 1
Barkisland ...	–				1	
†Batley	–	2	2		–	–
†Bentley with Arksey	–	1	–	–	–	–
Birkenshaw ..	–	1		–		
†Bolton upon Dearne	–	–	–	–	1	–
†Castleford ...	–	–	–		–	C. 1
†Conisbrough ...	–	–		–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Cudworth ...	–	–	–		–	D. 1
†Darton	–	1			2	–
Dodworth ...	–	1				–
Earby		–	–		–	M. 1
†Elland				–	3	–
†Featherstone ...		1	–		–	–
†Golcar	–	1		–	–	
†Goole	–	3	–	–	1	–
†Harrogate ...	–	–	–		–	M. 1 N. 1
†Hemsworth ...		–	–	–	1	D. 2
Hipperholme ...	–	1	–	–	2	–
†Holmfirth ...	–	–	–		2	
Hunsworth ...		1	–		–	–
Ilkley	–	1	–	–	–	–
†Keighley ...	–	2	1	–	–	N. 1
Kirkheaton ...	–	–			1	–
Knaresborough		2	–	–		–
Maltby	–	–	–	–	1	–
†Mexborough ...	–	–	–		2	D. 1
†Mirfield ...		–	–	–		D. 1
†Morley			–		1	
†Ossett		3		–	–	D. 1
†Pudsey	–	2	–		–	
†Rawmarsh ...	–	–	–	1	1	N. 1
†Rothwell ...		1	–	–	2	–
Royston			1	–	–	–
Shelley		1	–		–	–
†Sowerby	*	*	*	*	*	*
†Spenborough ...	–	2	–	–	2	–
†Stanley		2	1	–	1	–
Stocksbridge ...	–		–	–	–	N. 1
Thurnscoe ...	–	–	–	–	4	–
Tickhill... ...	–	1	–			–
†Todmorden ...	–	1	–	–		–
†Wombwell ...	–	–	2	–	1	–
†Worsborough ...	–	–	–	–	3	–
Rural Districts:—						
Barnsley ...	–	–	1		–	–
Doncaster ...	–	1	3		–	D. 1 M. 1
Hemsworth ...	–	1	1	–	3	D. 2
Kiveton Park ...	7	2	–	–	–	–
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
Pontefract ...	–	1	–	–	1	–
Rotherham ...	–	–	1			D. 5
Selby	–		–	–	–	C. 1
Tadcaster ...	–	3	3	–	–	–
Thorne	–	–	–	–	1	N. 2
Wakefield ...	–	3	5	–	2	–
Wetherby ...	–	–	–	–	1	–
Wortley... ...	–	3	1	–		–
YORK, CITY OF ..	–	1	3		4	–
†York C.B. ...	–	1	3	–	4	–
WALES.						
ANGLESEY ...		17	2	1	1	–
Boroughs and Urban Districts:—						
†Holyhead ...		–			1	–
Rural Districts:—						
Aethwy	–	–	2	–	–	–
Twrcelyn ...	–	–		–		–
Valley	–	17	–	–	1	–
BRECKNOCK ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
Brecknock ...	*	*	*	*	*	*
Builth Wells ...	–	1	–		–	–

* Returns not received. † Population over 10,000.

J, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK— *cont.*						
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	1	–	–	–	–
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CAERNARVON...	–	1	2	1	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
BETTWS Y COED...	–		1	–		–
CAERNARVON ...	–	–	–	1	–	–
Rural Districts:—						
OGWEN	–	–	1	–	–	–
CARDIGAN ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...		3	–		–	–
LAMPETER ...	*	*	*	*	*	*
CARMARTHEN...	–	5	4	–	2	N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	2	–	–	–	–
CWMAMMAN ...	–	–	1	–		–
KIDWELLY ...	–	1	1	–	2	–
†LLANELLY ...	–	1	–	–		N. 1
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural Districts:—						
LLANELLY ...	–	1	2	–	–	–
NEWCASTLE IN EMLYN	*	*	*	*	*	*
DENBIGH ...	–	11	18	–	4	M. 2 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	2	–	1	–
LLANGOLLEN ...	–	–	1	–	–	–
RUTHIN	–	–	2	–	–	–
†WREXHAM ...	–	2	4	–	1	–
Rural Districts:—						
LLANGOLLEN ...	–	–	1	–	–	–
RUTHIN	–	2	–	–		–
UWCHALED ...	–	–	–	–	–	N. 1
WREXHAM ...	–	7	8	–	2	M. 2
FLINT	–	1	2	–	1	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL ...	–	–	–	–	1	–
OVERTON	–	1	1		–	–
GLAMORGAN ...	12	48	50	5	39	G. 1 M. 5 N. 6
†CARDIFF C.B. ...	–	18	9	–	7	N. 1
†MERTHYR TYDFIL C.B.	–	1	3	–	1	N. 1
†SWANSEA C.B. ...	–	6	11	–	3	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	2	–	–	–	2	–
†BARRY	–	–	1	–	–	–
†CAERPHILLY ...	–		2	–		–
†GELLIGAER ...	–	2	3	–	4	–
†LLWCHWR ...	–	–	2	–	1	–
†MAESTEG... ...	–	2	2		1	–
†MOUNTAIN ASH...	10	1	2	2	3	N. 1
†NEATH	–	1	1	–	1	–
†OGMORE AND GARW	–	5	–	–	1	M. 1
†PONTYPRIDD ...	–	1	4	1	4	–
PORTHCAWL ...	–	–	–	–	2	–
†PORT TALBOT ...	–	1	3	–	–	–
†RHONDDA ...	–	7	3	–	7	G. 1 M. 2 N. 3

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the followingdiseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
CARDIFF	–	–		2	–	–
COWBRIDGE ...						M. 1
LLANTRISANT AND LLANTWITFARDRE	–	1	2	–	–	–
NEATH	–	2	1	–	1	–
PENYBONT ...	–	–	–	–	1	–
PONTARDAWE ...	–	–	1	–	–	–
MERIONETH ...	–	–	–	1	3	–
Urban Districts:—						
TOWYN	–	–	–	–	2	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	1	–
PENLLYN	–	–	–	1	–	–
MONMOUTH ...	–	47	10	1	5	G. 2 M. 1
†NEWPORT C.B. ...	–	11	–	–	3	–
Boroughs and Urban Districts—						
†ABERCARN ...	–	1	–	–	–	–
ABERGAVENNY ...	–	–	3	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	4	–	–	–	–
BEDWAS AND MACHEN	–	1	–	–	–	–
†BEDWELLTY ...	–	3	3	–	–	–
†EBBW VALE ...	–	10	4	–	1	–
†MYNYDDISLWYN	–	1	–	–	–	–
PONTYPOOL ...	–	–	–	–	–	M. 1
†RHYMNEY ...	–	3	–	–	–	–
†RISCA	–	1	–	–	–	–
†TREDEGAR ...	–	1	–	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONMOUTH—*cont.*						
Rural Districts:—						
ABERGAVENNY ...	–	7	–	–	–	–
PONTYPOOL ...	–	3	–	–	–	G. 1
ST. MELLONS ...	–	–	–	1	–	–
MONTGOMERY...	–	–	–	–	2	G. 1
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	–	–	–	1	–
MONTGOMERY ...	*	*	*	*	*	*
Rural Districts:—						
LLANFYLLIN ...	–	–	–		1	G. 1
PEMBROKE ...	–	1	3	–	1	G. 1
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
GOODWICK ...	–	–	1	–	–	–
MILFORD HAVEN		–	1	–	1	–
Rural Districts:—						
HAVERFORDWEST	–	1	1	–	–	–
LLANFYRNACH ...	–	–	–	–	–	G. 1
Total of Part II....	120	1362	770	36	863	C. 41 D. 58 E. 2 F. 2 G. 9 L. 15 M. 118 N. 102

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
I, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 *continued* —PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LIVERPOOL	-	-	1	-	-	L. 1	PORT OF LONDON ...	-	1	2	1	-	-
SOUTHAMPTON ...	-	1	-	1	-	-	**Total of Part III.** ..	-	2	3	2	-	L.

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	66	223	173	7	96	C. 9 D. 5 G. 1 M. 10 N. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	120	1362	770	36	863	C. 41 D. 58 E. 2 F. 2 G. 9 L. 15 M. 118 N. 102
Total of Part III.—Port Sanitary Districts		2	3	2	–	L. 1
Total (i.e., of returns received), England and Wales ...	186	1587	946	45	959	C. 50 D. 63 E. 2 F. 2 G. 10 L. 16 M. 128 N. 119

‡ C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Erysipelas; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain Cau and Deaths of Infants under 1 Year Age) and Notified Cases of certain fectious Diseases in the last Thirt Weeks and in the Current Year to with corresponding figures for previous ye

Week ended :—	Feb. 14.	Feb. 21.	Feb. 28	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apl. 4.	Apl. 11.	Apl. 18.	Apl. 25.	May 2	May 9	Totals from Week of yea 1930.	19
LONDON :—															
Live Births	1,397	1,317	1,407	1,384	1,394	1,422	1,390	1,180	1,352	1,471	1,389	1,424	1,369	26,177	24,
Stillbirths	51	59	47	49	69	51	45	51	60	44	31	33	55	968	
Deaths (excluding Still-births)—all ages.	1,620	1,578	1,457	1,347	1,377	1,433	1,184	1,144	1,165	981	954	1,002	955	20,085	23,
Deaths—0 to 1 year ..	145	92	108	111	104	102	88	63	90	78	68	79	71	1,802	1,
GREAT TOWNS, aggregate (including London) :—															
Live Births	6,349	6,320	6,631	6,562	6,503	6,772	6,421	5,509	6,471	7,028	6,789	6,646	6,447	118,819	116,
Stillbirths	278	315	282	289	323	303	305	296	318	305	270	286	320	5,292	5,
Deaths (excluding Still-births)—all ages.	6,834	6,826	6,879	6,480	6,713	6,700	5,691	5,313	5,423	4,674	4,590	4,623	4,351	89,244	106,
Deaths—0 to 1 year ..	748	697	686	629	640	585	521	459	520	416	397	409	404	8,705	10,
Enteric Fever—Cases	24	22	19	6	8	9	9	10	18	14	15	10	15	454	
„ Deaths	2	1	2	—	1	5	1	—	—	4	3	1	1	46	
Small Pox—Cases ..	150	186	189	158	117	154	166	117	142	126	162	128	139	5,184	2,
„ Deaths ..	—	1	—	—	—	—	—	—	1	—	1	—	—	15	
Scarlet Fever—Cases	925	917	922	826	824	894	804	724	836	687	854	869	896	24,818	15,
„ Deaths	9	8	4	7	6	5	9	5	8	4	5	4	9	210	
Diphtheria—Cases ..	781	735	749	628	626	641	627	521	497	513	552	540	578	18,251	12,
„ Deaths ..	29	48	42	42	34	32	30	33	27	35	21	22	21	892	
Measles—Deaths ..	80	97	70	73	84	75	60	58	64	55	42	46	36	1,917	1,
Influenza—Deaths ..	456	509	546	471	417	365	301	208	175	110	96	74	40	1,219	4,

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correctio having been made for changes in boundary. The live births are derived from the weekly returns furnished by t Registrars and differ from those published for the towns in the Quarterly Return which are corrected for birt occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 9th May, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
London (Greenwich).	68	39	62·0	43·1	28	Huddersfield	63	37	58·9	42·9	7
Brighton ..	60	41	56·6	46·6	25	Bradford ..	60	36	56·4	41·9	3
Portsmouth ..	63	38	60·2	45·1	12	Sheffield ..	62	38	58·4	41·3	6
Norwich(South-well Lodge)	65	38	58·1	42·4	11	York (Museum)	65	36	58·1	40·9	2
Plymouth ..	59	39	56·6	46·1	13	Hull (Pearson Park).	63	38	57·2	42·4	5
Bristol (Horfield)	68	38	60·3	42·6	5	Tynemouth ..	58	38	51·7	41·6	6
Birmingham (Edgbaston).	64	37	58·4	41·3	2	Cardiff	64	38	56·7	42·9	7
Nottingham ..	65	36	60·0	41·3	1	Edinburgh ..	61·0	35·0	53·3	39·4	15
Birkenhead (Bidston).	65	38	55·4	43·3	5	Glasgow ..	62·4	34·3	56·4	40·8	44
Manchester (Whitworth Park).	65	35	58·3	42·6	6	Dublin (Phœnix Park)	62·3	28·4	56·9	37·4	15
						(Fitzwilliam Square†).	61·0	37·1	56·8	42·7	13
Burnley	65	30	58·4	39·3	3	Belfast	60·5	32·0	57·8	38·5	7

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 9th May, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	3	..	29·297	46·6	41·9	4·7	43·7	− 6·1	41·5	2·2	5·3	0·8	92	54·2	35·0	46·7	NNE : N.	N : NNW.	4·0	0·0	0·7	386	+ 106	0·99
MONDAY -	4	..	29·415	61·3	41·5	19·8	49·5	− 0·5	35·8	13·7	31·0	3·0	59	120·0	31·6	46·9	NW : WNW.	WSW : SW.	3·2	0·0	0·4	372	+ 94	0·01
TUESDAY -	5	Greatest Declination S.	29·756	61·6	39·1	22·5	49·8	− 0·5	41·2	8·6	20·0	2·8	72	131·1	27·4	47·0	SSW	SSW : SSE.	3·8	0·0	0·5	341	+ 65	0·02
WEDNESDAY	6	..	29·757	68·1	43·1	25·0	55·3	+ 4·8	40·9	14·4	27·4	2·6	58	134·0	29·1	47·1	SSE : SE	SE : E	3·5	0·0	0·2	254	− 19	0·00
THURSDAY -	7	..	29·815	65·3	44·0	21·3	53·2	+ 2·5	42·3	10·9	20·1	2·6	66	134·0	29·7	47·2	WSW	WSW : SW.	2·2	0·0	0·3	349	+ 79	0·00
FRIDAY -	8	..	29·854	64·9	47·2	17·7	52·0	+ 1·0	47·3	4·7	20·0	1·0	84	128·2	35·6	47·3	SW : Calm.	NW : NNW.	2·4	0·0	0·1	173	− 91	0·08
SATURDAY -	9	Last Quarter.	30·051	65·8	43·9	21·9	53·2	+ 2·0	44·5	8·7	21·6	0·9	72	133·2	31·9	47·5	NNW : N.	NNE : ENE : Calm.	1·9	0·0	0·2	210	− 49	0·00
MEANS -		..	29·706	61·9	43·0	19·0	51·0	+ 0·5	41·9	9·0	20·8	2·0	72	119·2	31·5	47·1	Variable		..		..	Sum 2085	Sum + 185	Sum 1·10
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	3	mP till 9h.; wP till 10h.; variably sN and sP till 16h.; then variably mN and mP.	0·0	14·9	Cloudy till 6h.; then overcast. Damping 8¾h. till 9h.; then rain. Brisk wind 12h. till 19h.
MONDAY ..	4	Variably mP and wP till 6h.; sP till 10h.; then mP.	4·3	14·9	Overcast generally till 12h.; then variably cloudy. Slight rain till 5½h. Slight showers at 15¾h. and 18h. Solar halo 8h. till 9h.
TUESDAY ..	5	Variably mP and wP till 9h.; variably wP and mN till 12h.; then mP.	9·6	15·0	Cloudless till 5h.; nearly overcast till 11h. Variably cloudy till 19½h.; then nearly cloudless. Showers at 9h.; 10½h. and 11h. Brisk wind 12h. till 16h. Hoar frost in morning. Dew at night.
WEDNESDAY	6	Variably mP and wP till 14h.; then mP.	10·4	15 1	Cloudy generally. Frequent solar halo between 7h. and 15h. Hoar frost in morning.
THURSDAY	7	Variably mP and wP till 6h.; mP till 20h.; then wP.	8·6	15 1	Partially cloudy till 10½h.; nearly overcast till 15½h.; nearly cloudless till 22½h.; then nearly overcast. Hoar frost in morning. Dew at night.
FRIDAY ..	8	Variably wP and mP till 11h.; variably sP and mP till 19h.; then mP.	3·2	15·2	Overcast till 16h.; then variably cloudy. Damping 1h. till 9¾h. Mist in morning. Slight dew at night.
SATURDAY	9	Variably mP and wP till 7h.; variably sP and mP till 11h.; then mP.	8·2	15·2	Nearly overcast till 10½h.; then nearly cloudless. Haze 11h. till 15h. Dew at night.
			Sum 44·3	Sum 105·4	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·44 ins. at the beginning of the week to 29·26 ins. by 2h. on 4th.; increased to 29·83 ins. by 23h. on 6th; decreased to 29·72 ins. by 18h. on 7th; increased generally to 30·07 ins. by 22h on 9th: decreased and was 30·06 ins. by midnight on the same day.

FOR OFFICIAL USE

1931. No. 19.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 16TH MAY,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 IS a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 16TH MAY, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the nineteenth week of the year numbered 6,364 corresponding to an annual rate of 16·8 per 1,000 living: stillbirths numbered 273 corresponding to a rate of 41 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,127 (224 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	April 25.	May 2.	May 9.	May 16.
107 Great Towns	12·2	12·2	11·5	10·9
London	11·3	11·8	11·3	10·7
Birmingham	12·6	11·9	11·5	11·1
Liverpool	13·7	13·9	12·5	11·9
Manchester	12·4	11·4	11·1	12·3
Sheffield	12·4	16·0	10·6	10·7
Leeds	13·8	15·6	13·8	12·1
Bristol	12·8	11·2	9·6	9·5
West Ham	9·5	11·7	10·2	8·0

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 52, against 60, 61, and 61 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,323 live births registered corresponding to an annual rate of 15·6 per 1,000 living: stillbirths numbered 47 corresponding to a rate of 34 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 905 (50 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 48, against 48, 55, and 50 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in t week ended 16th May, 1931.**

Towns.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,685,050*	6,364	273	4,127	347	2	38	11	24	25	40
London	4,417,900*	1,323	47	905	68	-	2	2	7	4	16
Towns in Outer Ring.											
Croydon C.B. ..	222,300	70	1	38	-	-	-	-	-	-	-
Wimbledon ..	59,370	11	2	8	-	-	-	-	-	-	-
Ealing	104,000	26	-	12	-	-	-	-	-	-	-
Acton	65,200	9	1	17	4	-	-	-	-	-	-
Brentford and Chiswick ..	59,040	6	3	6	-	-	-	-	-	-	-
Willesden ..	172,500	29	1	32	2	-	-	-	-	-	-
Hendon§	86,540*	34	1	20	1	-	-	-	-	-	-
Hornsey	88,450	15	-	15	1	-	-	-	-	-	-
Wood Green ..	53,410	17	-	16	2	-	-	-	-	-	-
Tottenham ..	155,000	40	1	21	1	-	-	-	-	2	-
Edmonton	75,000	43	3	14	3	-	-	-	-	-	1
Enfield	65,100	13	-	5	-	-	-	-	-	-	-
West Ham C.B. ..	307,600	130	6	47	9	-	-	1	1	-	2
East Ham C.B. ..	147,600	24	1	30	2	-	-	-	-	-	-
Leyton	128,300	26	1	22	2	-	-	-	-	-	1
Walthamstow ..	124,800	20	2	22	-	-	-	-	-	1	-
Ilford	116,200	32	1	14	2	-	-	-	-	-	-
Gillingham	56,670*	20	1	5	-	-	-	-	-	-	-
Canterbury C.B. ..	22,850*	5	-	8	1	-	-	-	-	-	-
Hastings C.B.	62,620	6	-	8	-	-	-	-	-	-	-
Eastbourne C.B. ..	58,570	12	1	11	-	-	-	-	-	-	-
Brighton C.B. ..	146,800*	49	5	31	1	-	-	-	-	-	-
Portsmouth C.B. ..	242,000*	84	7	41	-	-	-	1	-	-	-
Bournemouth C.B.§..	105,780	30	1	39	1	-	-	-	-	-	-
Southampton C.B. ..	172,300	73	-	36	6	-	1	-	1	1	-
Reading C.B.	96,850*	35	1	20	2	-	1	-	-	-	-
Oxford C.B	73,810*	25	-	16	1	-	-	-	-	-	-
Northampton C.B. ..	93,970*	19	-	13	3	-	-	-	-	-	-
Luton	65,200	18	1	15	3	-	-	-	-	-	-
Cambridge	60,730	16	1	17	1	-	-	-	-	-	-
Southend-on-Sea C.B.	114,600	17	-	16	1	-	-	-	-	-	-
Ipswich C.B.	85,800	37	2	16	1	-	-	-	-	1	-
Great Yarmouth C.B	58,110	15	-	13	2	-	-	-	-	-	1
Norwich C.B. ..	124,900*	37	-	25	3	-	-	-	-	-	-
Swindon	62,020	26	3	11	-	-	-	-	-	-	-
Exeter C.B.	61,290*	20	2	16	1	-	-	-	-	-	-
Plymouth C.B. ..	199,000*	58	1	37	1	-	-	-	-	-	-
Bath C.B	69,240	16	-	13	1	-	1	-	-	-	-
Bristol C.B.	391,145*	116	8	71	5	-	-	-	-	1	-
Gloucester C.B. ..	52,010	17	1	14	1	-	-	-	-	-	-
Stoke-on-Trent C.B.	279,190	89	2	48	9	-	-	-	1	-	1
Burton-upon-Trent C.B.	48,970	20	1	12	-	-	-	-	-	-	-
Wolverhampton C.B.	134,300	53	4	24	1	-	-	-	-	-	-
Walsall C.B.§	100,930	48	1	19	3	-	-	-	-	-	-
West Bromwich C.B.§	80,970	44	-	11	1	-	-	-	-	-	1
Dudley C.B.	58,870	24	-	9	2	-	-	-	-	-	-
Worcester C.B. ..	52,320	15	1	9	1	-	-	-	-	-	-
Birmingham C.B.§ ..	972,510	356	13	207	20	-	5	-	3	1	3
Smethwick C.B. ..	85,120	20	-	11	2	-	-	-	-	-	-
Coventry C.B. ..	162,100	43	1	26	1	-	-	1	-	-	-
Leicester C.B. ..	245,200	68	3	51	5	-	2	-	-	-	-
Lincoln C.B.	65,080*	18	1	12	1	-	-	-	-	-	-
Grimsby C.B.	91,440	32	2	25	-	-	-	-	-	-	-
Nottingham C.B. ..	266,800	94	6	76	6	-	2	-	-	-	-
Derby C.B.	140,500*	46	4	27	-	-	-	-	-	-	-
Chesterfield	65,270	17	1	14	-	-	-	1	-	-	-
Stockport C.B ..	127,800	31	2	32	1	-	-	-	-	-	-
Chester C.B.	40,750	14	1	6	-	-	-	-	-	-	-
Birkenhead C.B ..	157,600	57	2	40	2	-	-	-	1	1	1
Wallasey C.B. ..	101,300	21	2	17	-	-	-	-	-	-	-
Liverpool C.B. ..	869,500	367	16	198	21	-	5	-	1	4	5
Bootle C.B.	80,400	33	-	21	2	-	1	-	-	-	-
St. Helens C.B. ..	109,200	36	4	16	1	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
§ Change in boundary, 1st April, 1931; figures relate to new area.

TOWNS.	Estimated Population, Mid. 1929	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B ..	80,040	22	-	16	-	-	-	-	-	-	-	-
WIGAN C.B.	87,600	37	3	16	2	-	-	-	-	-	-	1
WARRINGTON C.B. ..	79,400*	30	1	25	2	-	-	-	-	-	-	1
WOLTON C.B.	181,500	45	-	44	2	-	-	-	-	-	-	-
WURY C.B.	56,830*	15	1	13	-	-	-	-	-	-	-	-
MANCHESTER C.B.§ ..	753,570	295	15	178	24	-	-	1	2	1	3	-
SALFORD C.B.	235,600	77	3	36	7	-	-	-	1	-	1	-
SOUTHTON-UNDER-LYNE	51,750	16	1	12	-	-	-	-	-	-	-	-
OLDHAM C.B	142,500	40	2	39	3	-	-	-	-	-	1	2
ROCHDALE C.B. ..	90,900	23	-	27	3	-	-	-	-	1	-	-
WURNLEY C.B	100,200	30	2	26	1	-	-	-	-	-	-	-
BLACKBURN C.B. ..	125,300	36	2	29	-	-	-	-	-	-	-	-
PRESTON C.B.	126,100	39	-	25	1	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	99,800	23	1	19	1	-	-	-	-	1	-	1
BARROW-IN-FURNESS C.B.	64,850	21	1	12	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	113,100	30	3	28	5	-	1	-	-	-	-	-
HALIFAX C.B.	97,400*	27	2	26	3	-	-	-	-	-	-	1
BRADFORD C.B. ..	294,605	76	3	70	3	-	1	-	-	-	-	-
LEEDS C.B	478,500	148	8	111	6	-	4	-	2	2	-	-
DEWSBURY C.B. ..	53,020	12	1	12	-	-	-	-	-	1	-	1
WAKEFIELD C.B. ..	56,640	19	-	15	-	-	-	-	-	1	-	1
BARNSLEY C.B. ..	71,700	29	1	20	2	-	1	-	-	-	-	-
SHEFFIELD C.B. ..	518,000*	160	7	106	5	-	-	-	-	1	-	1
ROTHERHAM C.B. ..	70,790	24	1	13	4	-	-	-	-	-	-	-
DONCASTER C.B ..	59,890	40	1	15	-	-	-	-	-	-	-	-
YORK C.B.	85,290*	23	-	23	-	-	-	1	-	-	-	-
HULL C.B.	307,500	119	6	51	10	-	-	-	1	-	-	1
MIDDLESBROUGH C.B.	133,100	74	2	28	2	-	-	-	-	-	-	-
DARLINGTON C.B. ..	74,150	23	1	15	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	67,090	25	-	18	-	-	-	-	-	-	-	1
WEST HARTLEPOOL C.B.	69,370	34	2	11	-	1	-	-	-	-	-	1
SUNDERLAND C.B. ..	184,000	85	4	50	7	-	4	-	1	-	1	1
SOUTH SHIELDS C.B ..	119,600	41	3	25	1	-	2	-	-	-	-	1
GATESHEAD C.B. ..	122,600	47	1	32	7	-	1	-	1	-	-	-
NEWCASTLE-ON-TYNE C.B.	283,400*	131	7	94	10	1	3	1	1	-	-	2
WYNEMOUTH C.B. ..	65,880	22	2	11	3	-	-	-	-	-	-	-
CARLISLE C.B.	56,160*	25	-	12	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	95,990*	26	2	25	2	-	-	-	-	-	-	-
CARDIFF C.B.	224,000*	80	5	45	3	-	1	-	-	-	-	1
RHONDDA	153,100	43	-	31	7	-	-	1	-	-	1	-
MERTHYR TYDFIL C.B.	77,790	18	2	15	-	-	-	-	-	-	-	-
ABERDARE	53,050	10	1	22	1	-	-	-	-	-	-	-
SWANSEA C.B.	162,700	59	3	45	6	-	-	1	-	1	1	1
GREATER LONDON ..	7,900,480*	2,374	90	1,516	120	-	2	4	9	8	25	14
OUTER RING	3,482,580*	1,051	43	611	52	-	-	2	2	4	9	6
GREAT TOWNS IN OUTER RING§	2,030,410*	545	24	339	29	-	-	1	1	3	4	3
REMAINDER OF OUTER RING§	1,452,170*	506	19	272	23	-	-	1	1	1	5	3
EDINBURGH†	428,800	156	?	105	6	-	-	-	-	-	-	4
GLASGOW†	1,088,200	482	?	274	41	-	3	-	10	1	5	1
DUBLIN†	412,400	208	?	119	12	-	4	1	-	-	1	1
BELFAST†	415,151	205	?	101	7	-	3	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Change in boundary, 1st April, 1931; figures relate to new area.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœal Diseases† (un-
		1931.											
London‡	4,417,900	May 16	1323	47	905	10·7	-	-	2	2	7	4	16
Calcutta and Suburbs	1,077,264	Apr. 4	?	?	738‖	35·6	?	63	?	-	?	?	?
Bombay§	1,298,708	„ 18	484	25	456‖	18·3	4	-	1	-	-	-	12
Madras	528,791	„ 4	486	20	374	36·8	3	-	-	-	-	1	16
Sydney and Suburbs	1,253,560	„ 30 (30 days)											
Brisbane (Metropolitan Area).	313,251	Feb. 28 (28 days)											
Perth (Metropolitan Area).	202,888	Mar. 7	81	?	20	5·1	-	-	-	-	-	1	-
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Apr. 11	49	4	23	8·8	-	-	-	-	-	-	2
Johannesburg	187,326	„ 4	79	3	37	10·3	-	-	-	1	-	-	-
Durban	61,667	„ 4	15	-	16	13·5	-	-	-	-	-	-	1
Paris	2,871,429	„ 10 (10 days)											
Antwerp	294,963	Apr. 15 (15 days)	214	6	135	10·8	-	-	3	1	1	1	3
Amsterdam	753,957	Apr. 25	219	3	136	9·4	1	-	1	-	1	-	-
Copenhagen	615,700	May 2	181	4	169	14·3	-	-	1	-	1	1	1
Stockholm	502,203	Apr. 25	99	1	114	11·8	-	-	-	-	-	-	-
Gothenberg	245,336	„ 4	?	?	42	8·9	-	-	1	-	1	-	-
		„ 11	?	?	62	13·1	-	-	-	-	1	1	-
Oslo	253,568	May 2	38	1	48	9·8	-	-	-	-	-	-	1
Berlin	4,326,000	Apr. 18	698	28	1116	13·4	-	?	1	-	1	2	6
Breslau	617,000	„ 18	145	6	153	12·9	-	?	-	-	1	1	-
Cologne	740,000	„ 18	219	9	172	12·1	-	?	-	-	-	-	2
Dresden	633,000	„ 18	137	3	138	11·3	-	?	-	-	-	-	-
Frankfort-on-Main	541,000	„ 18	101	7	105	10·1	-	?	-	-	-	-	-
Hamburg	1,146,000	„ 18	322	11	300	13·6	-	?	-	-	-	-	-
Leipzig	719,000	„ 18	133	2	179	12·9	-	?	-	-	-	-	-
Munich	730,000	„ 18	150	7	193	13·7	-	?	-	-	-	1	1
Budapest	1,009,089	„ 25	386	12	275	14·2	-	-	1	-	3	-	-
Warsaw	1,115,651	„ 18	?	7	291	13·6	1	-	-	-	-	2	7
Madrid	825,471	„ 11	473	32	265	16·7	2	-	3	-	-	1	6
Cairo	1,160,700	Jan. 21	1129	31	438	19·7	5	-	2	-	?	5	69
Alexandria	629,900	„ 21	566	9	255	21·1	4	-	-	-	?	2	22
New York	7,090,089	Apr. 18	2343	93	1686	12·4	2	-	9	3	1	8	9
Chicago	3,457,375	„ 24	1146	37	734	11·1	-	-	4	4	2	8	7
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Apr. 4	611	83	438	13·2	4	-	7	-	-	1	68

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of* for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 70 deaths from Cholera in Calcutta and 4 from Plague in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 16th May, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	21,017	24,366	905	68	17	11	21	45	39	41	109	161	192	201
Enteric fever	8	10	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	901	25	2	-	1	1	-	-	-	-	-	-	-	-
Scarlet fever	62	27	2	-	1	-	-	1	-	-	-	-	-	-
Whooping cough	70	151	7	5	1	1	-	-	-	-	-	-	-	-
Diphtheria	226	132	4	-	1	2	1	-	-	-	-	-	-	-
Influenza	205	871	8	-	-	-	-	-	-	-	3	2	1	2
Erysipelas	72	87	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	21	19	1	-	-	-	-	-	-	1	-	-	-	-
Meningococcal meningitis	42	72	2	-	-	-	1	-	-	-	-	1	-	-
Tuberculosis :—														
Respiratory system	1471	1713	65	-	-	1	2	19	14	8	13	3	5	-
Nervous system	96	93	5	1	-	1	2	1	-	-	-	-	-	-
Intestines and peritoneum	25	24	1	-	-	-	-	-	1	-	-	-	-	-
Other forms	83	103	4	-	-	-	1	3	-	-	-	-	-	-
Venereal diseases	86	75	9	2	-	-	-	-	-	1	1	5	-	-
Cancer	2475	2618	167	-	-	-	-	-	3	11	28	50	49	26
Rheumatic fever	79	48	4	-	-	-	1	3	-	-	-	-	-	-
Diabetes	222	222	7	-	-	-	-	-	-	1	-	2	2	2
Alcoholism	5	6	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	42	37	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	811	904	28	-	-	-	-	-	-	-	1	10	9	8
Epilepsy	84	70	4	-	-	-	-	1	2	-	-	-	-	1
"Convulsions" (not puerperal) ..	28	29	6	5	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	490	461	17	-	-	-	2	2	1	2	5	2	2	1
Pericarditis	9	8	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	72	80	7	-	-	-	-	1	2	2	1	-	1	-
Other diseases of heart	4378	5705	213	-	-	-	1	4	1	5	19	35	62	86
Other diseases of circulatory system	868	939	32	-	-	-	-	-	-	-	5	8	6	15
Bronchitis	1029	1651	24	1	-	-	-	-	-	-	-	5	8	10
Broncho-pneumonia	986	1555	31	8	4	1	1	-	-	2	3	4	3	5
Lobar pneumonia	541	667	20	-	2	-	1	1	1	1	4	5	3	2
Pneumonia (type not distinguished)	199	240	5	-	-	-	-	-	-	-	2	-	3	-
Other diseases of respiratory system	214	320	7	-	-	-	1	-	1	1	1	-	-	3
Diarrhœa and enteritis	287	278	17	14	2	-	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	123	108	2	-	-	-	1	1	-	-	-	-	-	-
Hernia, Intestinal obstruction	187	219	14	1	1	-	1	1	-	-	2	3	3	2
Cirrhosis of liver	75	88	4	-	-	-	-	-	-	-	1	1	2	-
Other diseases of digestive system ..	506	480	20	-	-	1	-	1	1	-	5	4	4	4
Acute nephritis	43	35	2	-	-	1	-	-	-	-	-	1	-	-
Chronic Bright's disease	674	759	38	-	-	-	-	-	1	3	6	7	10	11
Other diseases of genito-urinary system.	287	347	20	-	-	-	-	-	-	1	4	7	6	2
Puerperal sepsis	46	49	3	-	-	-	-	1	2	-	-	-	-	-
Other causes incident to childbirth ..	36	47	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations	134	127	4	3	1	-	-	-	-	-	-	-	-	-
Premature birth	399	430	13	13	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	84	66	3	3	-	-	-	-	-	-	-	-	-	-
Old age	480	584	10	-	-	-	-	-	-	-	-	-	-	10
Suicide	215	195	8	-	-	-	-	1	2	-	3	1	-	1
Burns and Scalds	45	69	5	-	2	-	-	-	2	-	-	1	-	-
Drowning	44	33	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	14	14	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	282	250	8	-	-	1	2	3	-	-	1	-	1	-
Other deaths by violence	342	312	12	-	-	-	-	1	2	1	2	1	2	3
Other specified causes	806	920	37	10	-	1	3	-	3	-	1	2	10	7
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 16th May, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	44	218	152	1	88	C. 7 D. 5 L. 2 M. 18 N. 8
†CITY OF LONDON	–	2	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	4	–	9	M. 2
†BERMONDSEY ...	–	2	4	–	1	C. 1 D. 1
†BETHNAL GREEN	2	4	7	–	1	D. 1 M. 1
†CAMBERWELL ...	6	15	8	–	5	C. 1 M. 1
†CHELSEA	–	3	1	–	4	–
†DEPTFORD ...	2	10	4	–	1	–
†FINSBURY ...	4	4	3	–	1	–
†FULHAM	–	7	5	–	5	M. 1 N. 1
†GREENWICH ...	–	6	3	–	–	M. 1
†HACKNEY... ...	1	6	7	–	1	M. 1
†HAMMERSMITH ...	–	4	2	–	2	–
†HAMPSTEAD ...	–	3	1	–	4	–
Metropolitan Boroughs—*cont.*						
†HOLBORN... ...	–	–	4	–	–	–
†ISLINGTON ...	–	26	10	–	6	C. 1 M. 6 N. 1
†KENSINGTON ...	–	8	4	1	1	C. 1
†LAMBETH ...	1	5	12	–	6	–
†LEWISHAM ...	–	10	9	–	7	–
†PADDINGTON ...	–	8	4	–	3	N. 1
†POPLAR	4	11	3	–	5	N. 1
†ST. MARYLEBONE	–	2	3	–	–	C. 1
†ST. PANCRAS ...	–	10	6	–	5	D. 1 M. 2 N. 1
†SHOREDITCH ...	7	4	8	–	1	L. 2 M. 1
†SOUTHWARK ...	2	10	11	–	3	C. 1 M. 1 N. 2
†STEPNEY	15	19	15	–	1	C. 1 N. 1
†STOKE NEWINGTON	–	2	1	–	–	–
†WANDSWORTH ...	–	16	6	–	4	D. 2 M. 1
†WESTMINSTER, CITY OF	–	5	1	–	4	–
†WOOLWICH ...	–	7	5	–	8	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	-	3	-	-	3	-
Boroughs and Urban Districts:—						
†Bedford	-	1			-	-
†Luton	-	1	-		2	-
Rural Districts:—						
Biggleswade ...	-	-	-	-	1	-
Eaton Bray ...	-	1	-	-	-	-
BERKS	-	6	8		5	C. 1 D. 1
†Reading C.B. ...		-	-	-	-	D. 1
Boroughs and Urban Districts:—						
†Maidenhead ...	-	-	4	-	-	-
†Newbury ...	-	1	-		-	-
Rural Districts:—						
Cookham ...	-	-	4	-	-	-
Easthampstead	-	1	-	-	1	-
Faringdon (part)	-	1	-	-	1	-
Newbury ...	-	2	-	-	1	-
Wallingford ...	-	-		-	1	C. 1
Windsor	-	-	-	-	1	-
Wokingham ...		1	-	-		-
BUCKINGHAM ...	-	7	5	-	1	N. 2
Boroughs and Urban Districts:—						
†Chepping Wycombe	-	1		-	-	-
†Slough	-	1	-	-	1	-
Rural Districts:—						
Amersham ...	-	-	-		-	N. 1
Aylesbury ...	-	1	3	-	-	-
Eton	-	3	-	-		-
Newport Pagnell	-		-	-		N. 1
Winslow	-	1		-		-
Wycombe ...	-	-	2	-	-	-
CAMBRIDGE ...	-	7	4	-	1	C. 1
Borough:—						
†Cambridge ...	-	5	1		-	C. 1
Rural Districts:—						
Caxton and Arrington	-	1	1	-	-	-
Chesterton ...	-	-	1	-	-	-
Linton	-	1		-	-	-
Newmarket ...		-	1		1	
CHESTER ...	-	35	19	1	22	C. 2 D. 2 M. 6 N. 4
†Birkenhead C.B.	-	1	7	-	6	C. 1 M. 2 N. 2
†Chester C.B. ...	-	-	3	-	1	M. 1
†Stockport C.B. ...	-	2	3		3	N. 2
†Wallasey C.B. ...	-	3	-	-	-	-
Boroughs and Urban Districts:—						
†Altrincham ...	-	1	-	-		-
†Bebington and Bromborough	-	1	-		1	-
Bowdon		3		-	-	-
Bredbury and Romiley	-	1	-		-	-
†Congleton ...	-	-	1	-	-	-
†Crewe	-	4	1	-	-	-
†Dukinfield ...	-	2		-	2	D. 1 M. 1
†Ellesmere Port and Whitby	-	-	2		1	-
†Hazel Grove and Bramhall	-		-	-		D. 1
Hoole	-	-	-	-	1	-
†Hyde	-	4			2	-
Knutsford ...	-	1	-			-
†Macclesfield ...	-	-	-	-	1	-
†Stalybridge ...		2	-		-	-
†Winsford ...	-	-	-		3	

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW	-	1	1	-	-	-
CONGLETON ...	-	1	-	-	-	-
DISLEY		-	-			C. 1
NANTWICH ...		3	-	-	-	M. 1
RUNCORN	-	1	-	1	1	
TARVIN	-	2	-		-	M. 1
WIRRAL		2	1	-	-	
CORNWALL ...	-	5	4	-	3	-
Boroughs and Urban Districts:—						
CALLINGTON ...	*	*	*	*	*	*
†FALMOUTH ...	-		2	-	-	-
PENRYN	-		1	-		-
REDRUTH ...	*	*	*	*	*	*
ST. JUST	-	-	-	-	1	-
Rural Districts:—						
CALSTOCK ...	-	-	1	-	-	-
EAST KERRIER ...	-	2	-	-	-	-
LISKEARD ...	-	2	-	-	-	-
ST. COLUMB MAJOR	-	1	-	-		-
ST. GERMANS ...	-	-		-	1	-
WEST PENWITH...		-		-	1	-
CUMBERLAND...	-	6	4	-	4	M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON		-	1	-	-	-
CLEATOR MOOR ...			1	-	-	-
EGREMONT ...	-		-		1	-
KESWICK		-	-		1	-
PENRITH	-	2	-	-	-	-
†WHITEHAVEN ...	-	2	1	-	-	-
†WORKINGTON ...	-	1	-		-	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
COCKERMOUTH ...	-	-	1	-	-	-
PENRITH	-	1	-	-	1	-
WHITEHAVEN ...	-	-	-	-	1	-
DERBY	16	12	9		25	D. 6 M. 1 N. 1
†DERBY C.B. ...	-	-	2	-	2	M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	-	1	-	-	3	-
†BOLSOVER ...	-	-	-	-	3	-
†BUXTON ...	-	1	1	-	-	-
†CHESTERFIELD ...	12	-	1	-	1	-
CLAY CROSS ...	-	-	1		-	
†GLOSSOP	-	-	-	-	1	-
†HEANOR	-	2	1	-	1	-
†ILKESTON... ...	-	1	-	-	1	-
†LONG EATON ...	-	1	-	-		-
NEW MILLS ...	-	1	-	-	-	-
NORTH DARLEY...	-	-	-	-	1	-
†RIPLEY	-	1	-	-	-	-
†SWADLINCOTE DISTRICT	-	-	-	-	2	-
Rural Districts:—						
ASHBOURNE ...	-	-	-	-	1	-
BAKEWELL ...	-	-	1	-	-	-
BELPER	-	-	-	-	1	-
BLACKWELL ...	-	2	-	-	1	D. 4
CHESTERFIELD ...	4	1	1	-	2	D. 1 N. 1
CLOWNE	-	-	-	-	-	D. 1
HARTSHORN AND SEALS	-		-	-	2	-
NORTON	-	-	-	-	1	-
REPTON	-	1	-	-	1	-
SHARDLOW ...	-	-	1	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON	–	19	4	1	12	C. 1 N. 5
†EXETER C.B. ...	–	–	–	1	2	–
†PLYMOUTH C.B.	–	13	1	–	2	N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	1	–	–	–
BIDEFORD ...	–	–	1			–
†EXMOUTH ...	–	–	–	–	1	–
KINGSBRIDGE ...	–	–	–	–	1	–
†NEWTON ABBOT...	–	–	–	–		N. 1
NORTHAM ...	*	*	*	*	*	*
†PAIGNTON ...	–	1	–	–	3	–
SEATON	*	*	*	*	*	*
†TEIGNMOUTH ...	–	1	–	–	2	–
TIVERTON ...	–	–	–	–	–	C. 1
Rural Districts:—						
HOLSWORTHY (part)	–	–	–	–	–	N. 1
NEWTON ABBOT	–	3	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–		N. 1
TAVISTOCK ...	–	–	1	–	1	–
TOTNES		–	–	–	–	N. 1
DORSET	–	2	2	–	6	–
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	1	–
WAREHAM ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	2	–
Rural Districts:—						
WAREHAM AND PURBECK	–	2	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	1	–	2	–
DURHAM ...	–	60	26	1	77	D. 9 M. 3 N. 7
†DARLINGTON C.B.	–	2	1	–	2	N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
†GATESHEAD C.B.	–	14	4	–	2	M. 1
†SOUTH SHIELDS C.B.	–	4	–	–	13	D. 1
†SUNDERLAND C.B.	–	6	2	–	16	N. 1
†WEST HARTLEPOOL C.B.	–	7	4	–	4	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN		1	1		1	–
BENFIELDSIDE ...	–	1		–	–	–
†BLAYDON... ...		2	1	–		D. 1
†BRANDON AND BYSHOTTLES	–	–	–	–	1	–
†DURHAM		1		–		–
†FELLING		1		–	1	–
†HEBBURN ...		1		–	1	D. 1
†HETTON	–	–	1	–		–
†HOUGHTON LE SPRING	–	–	–	–	1	N. 1
†JARROW	–	1	1	–	11	–
LEADGATE ...	–	–	1	–	1	–
†SEAHAM HARBOUR	–	–	–	–	5	–
†SHILDON	–	–		–	–	N. 2
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	–	1	2	–	–	–
†STOCKTON ON TEES	–	–	–	–	1	M. 1
†TANFIELD ...	–	–	1	–		–
TOW LAW ...	–	–		–	1	–
†WHICKHAM ...	–	–	2		–	D. 2
Rural Districts:—						
AUCKLAND ...		1	1	–	–	–
CHESTER LE STREET		7	1		1	N. 1
DURHAM		2			1	–
EASINGTON ...		1	1	–	7	D. 2
HOUGHTON LE SPRING		2		–	2	–
LANCHESTER ...	–	–	2	–	1	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS	–	1	–	1	2	–
SUNDERLAND ...	–	1	–	–	2	D. 2 M. 1
WEARDALE ...	–	1	–		–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	1	–	–	–
†WISBECH	–	2	–	–	1	–
Rural Districts:—						
ELY	–	1	–	–	1	–
ESSEX	13	85	53	2	33	C. 2 D. 1 M. 2 N. 3
†EAST HAM C.B....	–	1	4	–	–	–
†SOUTHEND ON SEA C.B.	–	6	–	–	5	–
†WEST HAM C.B.	12	12	7	–	6	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	4	6	–	2	–
BENFLEET ...	–	2	–	–	–	–
BRENTWOOD ...	–	–	–	1	–	–
CANVEY ISLAND	–	2	–	–	–	–
†CHELMSFORD ...	–	–	–	–	1	–
†COLCHESTER ...	–	6	1	–	3	C. 1
DAGENHAM ...	–	12	7	–	1	N. 1
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	–	2	–	–	–
†HARWICH ...	–	–	2	–	2	–
†HORNCHURCH ...	–	1	–	–	1	–
†ILFORD	–	4	1	–	1	–
†LEYTON	–	6	3	–	2	M. 1 N. 1
MALDON	–	–	1	–	–	–
†ROMFORD... ...	–	1	2	–	1	–
SAFFRON WALDEN	–	1	–	–	–	–
SHOEBURYNESS ...	–	1	–	–	–	–
TILBURY	–	–	3	1	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW ...	1	8	7	–	5	–
†WANSTEAD ...	–	1	–	–	–	D. 1
†WOODFORD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	–	4	2	–	–	C. 1
BRAINTREE ...	–	–	1	–	1	–
CHELMSFORD ...	–	3	–	–	–	–
EPPING	–	1	1	–	–	–
LEXDEN AND WINSTREE	–	3	–	–	–	–
ROCHFORD ...	–	1	3	–	1	–
TENDRING ...	–	2	–	–	1	–
GLOUCESTER ...	–	10	26	–	15	D. 1 L. 1 M. 2 N. 3
†BRISTOL C.B. ...	–	5	22	–	6	D. 1 L. 1 M. 1 N. 2
†GLOUCESTER C.B.	–	2	–	–	2	N. 1
Boroughs and Urban Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
†MANGOTSFIELD ...	–	1	–	–	–	–
NAILSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–		1	–	–	–
GLOUCESTER ...	–		–	–	2	–
LYDNEY	–	–	–	–	1	–
STROUD	–	–	2	–		–
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–		1	–	–	–
WEST DEAN ...	–	–	–	–	2	M. 1
HEREFORD ...	–	6	1	–	1	G. 1 N. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	4	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	2		–	–	N. 1
LEOMINSTER AND WIGMORE		–	1	–		G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD ...	–	16	9	1	4	L. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	3	1	–	–	–
BISHOP'S STORTFORD	–	–	1	1	–	–
†CHESHUNT ...	–	–	–	–	1	–
†EAST BARNET VALLEY	–	–	–	–	–	L. 1
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†HITCHIN	–	1	–	–	–	–
†WATFORD ...	–	3	3	–	3	–
WELWYN GARDEN CITY		1	–		–	–
Rural Districts:—						
BERKHAMPSTEAD	–	1	–		–	–
BUNTINGFORD ...	–	3	–			–
HEMEL HEMPSTEAD	–	–	1		–	–
HITCHIN	–	–	3	–		–
WATFORD... ...	–	1	–	–	–	N. 1
HUNTINGDON ...	–	–	1	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	1	–	1	–
KENT		35	26	1	11	C. 1 F 1 M. 1 N. 3
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	–	N. 1
†BECKENHAM ...	–	–	1	1	1	–
†BEXLEY	–	1	2	–	–	–
†BROMLEY... ...	–	1	2	–	1	–
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
†DEAL	–	1		–	–	–
†DOVER	–	2	2	–	–	–
†ERITH	–	2	–	–	1	–
†GILLINGHAM ...	–	2	–	–		–
†GRAVESEND ...	–	–	1	–	1	N. 1
†MAIDSTONE ...	–	1	–	–	1	–
†NORTHFLEET ...	–	2	–	–	–	–
†PENGE		1	–	–		–
†ROCHESTER ...	–	2	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	2	–	–	–
SANDWICH ...	–	1		–	–	–
SIDCUP		1	–		1	–
†SITTINGBOURNE AND MILTON	–	2	–	–	–	–
SWANSCOMBE ...	–	–	1		–	N. 1
†TONBRIDGE ...	–	–	–		2	–
WALMER	*	*	*	*	*	*
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
BROMLEY... ...	–	1	4	–	–	F. 1
DARTFORD ...		2	–		1	–
EAST ASHFORD ...		1	–		–	–
EASTRY	–		3		–	–
FAVERSHAM ...	–	1	1	–	–	–
HOLLINGBOURNE	–	1	–	–	2	–
ISLE OF THANET	–	–	1	–		–
MAIDSTONE ...	–		–	–	–	C. 1 M. 1
MALLING	–	–	2	–	–	–
ROMNEY MARSH	–	1	–	–		–
SEVENOAKS ...	–	2	1	–	–	–
TONBRIDGE ...		2	1	–	–	–
LANCASTER ...	–	237	124	3	201	C. 8 D. 3 G. 7 M. 28 N. 10
†BARROW IN FURNESS C.B.	–	2	–	–	3	–
†BLACKBURN C.B.	–	–	1	–	3	C, 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†Blackpool C.B.	–	1	1	–	–	–
†Bolton C.B. ...	–	4	–	–	–	N. 2
†Bootle C.B. ...	–	5	4		6	–
†Burnley C.B. ...	–	4	–	–	3	G. 1
						N. 1
†Bury C.B. ...	–	–	–	–	5	–
†Liverpool C.B....	–	30	53	1	43	C. 1
						D. 1
						M. 20
						N. 1
†Manchester C.B.	–	76	24	1	45	C. 2
						M. 4
						N. 3
†Oldham C.B. ...	–	7	–	–	5	G. 1
†Preston C.B. ...	–	7	2	–	4	C. 1
						M. 1
						N. 1
†Rochdale C.B....	–	6	5	–	3	–
†St. Helens C.B.	–	–	2	–	1	–
†Salford C.B. ...	–	14	7	–	7	C. 1
						N. 1
†Southport C.B.	–	1	2	–	1	–
†Warrington C.B.	–	15	1	–	5	G. 1
†Wigan C.B. ...	–	–	2	–	2	G. 1
Boroughs and Urban Districts:—						
†Accrington ...	–	1	–	–	–	–
†Ashton in Makerfield		2	–	–	1	–
†Ashton-under-Lyne	–	5		–	6	–
Aspull		–	–	–	1	–
†Atherton ...	–	–	–	–	1	–
Audenshaw ...		–	–		1	–
†Bacup	–	1	1	–	3	–
Brierfield ...	–	–		–	1	G. 1
†Chadderton ...	–	–	–	–	2	–
†Chorley	–	5	1	–	2	–
†Clitheroe ...	–	–	1	–		–
†Colne	–	1	1	–	1	–
†Crompton ...	–		1	–	1	–
†Darwen	–	1		–	1	–
†Denton		–	–	–	1	–
†Droylsden ...	–	–	–	–	2	–
†Eccles	–	1	–	–	1	–
†Failsworth ...	–		1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†Farnworth ...	–	–	–	–	2	C. 1
						D. 2
†Fleetwood ...	–	–	–	–	1	–
Fulwood ...	–	1	–	–	–	–
†Great Crosby ...	–	1	1	–	–	–
†Haslingden ...	–	–	–	–	–	M. 1
†Haydock... ...	–	–	–	–	3	–
†Heywood ...	–	1	–	–	1	–
†Hindley	–	–	–	–	3	–
Huyton with Roby	*	*	*	*	*	*
Kearsley ...	–	–	–	–		M. 1
†Lancaster ...		2	–	–		–
†Leigh	–	2	1		1	N. 1
Leyland... ...	–	–	1	–	–	–
†Litherland ...	–	1	–			–
Little Lever ...	–	1	–		–	–
Longridge ...	–	–	–	–	1	–
†Middleton ...	–	3	–		4	G. 1
Milnrow... ...	–	–	1	–		–
†Morecambe and Heysham	–	1		–	–	–
†Newton in Makerfield	–	3	–	–	1	C. 1
Norden	–	1	–	–	–	–
Ormskirk ...	–	–	1	–	1	–
Orrell	–	–	–	–	2	–
†Oswaldtwistle ...	–	–	–	–	1	–
Prescot	–	1	1	–	–	–
†Prestwich ...	–	1	1	–	–	–
†Ramsbottom ...	–		–	–	1	–
†Rawtenstall ...	–	3	–	–	–	–
†Royton	–	–	–	–	2	–
Standish with Langtree	–	–	–	–	1	–
†Stretford ...	–	1	–		1	–
†Swinton and Pendlebury	–	–	–	–	3	–
†Turton	–	1	–	1	–	–
†Walton le Dale	–	2	–	–	–	–
Wardle... ...	–	1	–	–	–	–
†Waterloo with Seaforth	–	2	1	–	–	–
†Westhoughton	–	1	–	–	3	M. 1
†Widnes	–	5			5	–
Withnell ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	–	1	–	–	–
BURNLEY	–	3	–	–	–	–
CHORLEY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	–
GARSTANG ...	–	1	2	–	–	–
LEIGH	–	1	–	–		–
PRESTON		1		–	–	G. 1
WARRINGTON ...	–	4	–	–		–
WEST LANCASHIRE	–	1	3			–
WIGAN	–	–	–	–	1	–
LEICESTER ...	61	16	8	2	6	D. 1 L. 4 M. 2
†LEICESTER C.B....	24	4	1	1	4	D. 1 L. 4 M. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS...		–	1	–	–	–
†COALVILLE ...	9	–	–	–		–
†HINCKLEY ...	1	–	1	–	–	–
†LOUGHBOROUGH	2	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
OADBY	1		–			–
SHEPSHED ...	2	–	–	–		–
THURMASTON ...	3	–	–	–	–	–
WIGSTON MAGNA	6	–	–		–	–
Rural Districts:—						
BARROW UPON SOAR	2	2	3	–	–	–
BILLESDON ...	–	4	–	–		–
BLABY	3	2	–	–	–	–
CASTLE DONINGTON		1			1	–
HINCKLEY ...	3	–	2	–	–	–
LEICESTER— *cont.*						
Rural Districts— *cont.*						
MARKET BOSWORTH	5	1	–	1	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	4	–	1	–	G. 1 M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
Rural Districts:—						
BOSTON	–	–	–	1	–	G. 1 M. 1
SPALDING ...	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	–	–	–	E. 1
Rural Districts:—						
SOUTH KESTEVEN	–	–	–	–	–	E. 1
LINCOLN (parts of Lindsey).	4	14	4	1	15	M. 3
†GRIMSBY C.B. ...	2	1	1	–	1	M. 1
†LINCOLN C.B. ...	–	9	1	1	3	M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	1	–
†CLEETHORPES ...	2	–	–	–	1	M. 1
†GAINSBOROUGH ...	–	1	–	–	2	–
MARKET RASEN ...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	2	–
WINTERTON ..	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR	–	–	–	–	1	–
GAINSBOROUGH ...	–	–	1		2	–
HORNCASTLE ...	–	–		–	1	–
LOUTH	–	–			1	–
MIDDLESEX ...	–	77	34	1	35	C. 2 L. 1 M. 7
Boroughs and Urban Districts:—						
†ACTON	–	–	1	–	2	M. 1
†BRENTFORD AND CHISWICK	–	6	1	–	1	–
†EALING	–	3	4	–	–	M 1
†EDMONTON ...	–	7	2	–	1	C. 1
†ENFIELD	–	5	2	–	4	–
†FELTHAM... ...	–	–	1	–	–	–
†FINCHLEY ...	–	4	–	–	–	–
†FRIERN BARNET...	–	2	–	–	–	–
†HAMPTON ...		1	–	–	–	–
†HARROW ON THE HILL		–	–		1	–
HAYES AND HARLINGTON	–	–	1	–	1	–
†HENDON	–	10	1	–	3	–
†HESTON AND ISLEWORTH	–	5	1	–	5	M. 1
†HORNSEY	–	1	–		–	C. 1
RUISLIP NORTHWOOD	–	1	1			–
†SOUTHALL NORWOOD	–	4	–	–	–	
†SOUTHGATE ...	–	2	–	1	–	–
†STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	8	6	–	6	M. 1
†TWICKENHAM ...	–	1	–	–	–	
†UXBRIDGE ...	–	2	2	–	–	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	–	–	–	2	L. 1
†WILLESDEN ...	–	8	7	–	8	M. 3
†WOOD GREEN ...	–	1	–	–	–	–
†YIEWSLEY AND WEST DRAYTON	–	2	1	–	–	–
MIDDLESEX—*cont.*						
Rural Districts—						
HENDON	–	1	2	–	1	–
NORFOLK ...	–	4	2	–	7	C. 1 D. 1 M. 1
†GREAT YARMOUTH C.B.	–	1			–	–
†NORWICH C.B. ...	–	1	–	–	1	D. 1 M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	1		–	–	–
BLOFIELD ...	–	–	–	–	2	–
DOWNHAM ...	–	–	1			–
ERPINGHAM ...	–	–	–	–	–	C. 1
MARSHLAND ...	–	–		–	1	–
ST. FAITH'S ...	–	1			–	
SMALLBURGH ...	*	*	*	*	*	*
WAYLAND ...	–	–	–	–	3	–
NORTHAMPTON	–	9	3	–	5	–
†NORTHAMPTON C.B.	–	4	2	–	4	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	1	–	–	–	–
†KETTERING ...	–	1	–	–	–	–
†RUSHDEN... ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	2		–	–	–
Rural Districts:—						
BRIXWORTH ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND.	–	44	4	2	29	D. 5 M. 3 N. 4
†NEWCASTLE UPON TYNE C.B.		28		1	15	D. 2 M. 3 N. 2
†TYNEMOUTH C.B.	-	3	1	–	1	D. 1 N. 1
Boroughs and Urban Districts:—						
ALNWICK... ...	*	*	*	*	*	*
†ASHINGTON ...		–		–	–	D. 1
†BEDLINGTONSHIRE	–	–	–	–	3	–
†BLYTH	-	1	1	–	2	-
CRAMLINGTON ...	-	2	-			-
†EARSDON		1	–	–	–	
†GOSFORTH ...	–	2		1		-
†LONGBENTON ...	–	–			2	-
NEWBIGGIN BY THE SEA	–	2	–	–	–	
†NEWBURN ...	–	3	–	–	–	–
SEATON DELAVAL	–		–	–	2	-
†WALLSEND ...		1		–	3	D. 1
WEETSLADE ...	–		–		–	N. 1
†WHITLEY AND MONKSEATON		-	1	–	–	-
Rural Districts:—						
CASTLE WARD ...	–	1	1	–		–
GLENDALE ...		–	-	–	1	-
NOTTINGHAM ...	–	19	16	-	23	D. 2 M. 2 N. 2
†NOTTINGHAM C.B.	–	12	9	–	11	N. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	1		-	–	-
†CARLTON	-	-	3	–	-	-
†EAST RETFORD ...	–	-	1	–	1	
†HUCKNALL ...					5	M. 1
†KIRKBY IN ASHFIELD	–	–		–	1	
†MANSFIELD ...	–	1	–	–	1	D. 1
†SUTTON IN ASHFIELD	–	–	–	–	1	D. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	-	3	1	-	2	–
BINGHAM... ...	-	–	1		–	–
EAST RETFORD ...		–		–	1	–
SKEGBY	–	1	-		–	–
SOUTHWELL ...		1	1	–		–
OXFORD	–	5	1	–	1	M. 3
†OXFORD C.B. ...		–		–	–	M. 3
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	1	-		-
Rural Districts:—						
BANBURY... ...	-	1	–	–	–	–
BICESTER... ...	-	1	–	–	–	–
CROWMARSH ...	–			–	1	–
HENLEY	–	2		–		-
PETERBOROUGH (Soke of).	8	–	1	–		-
Borough:—						
†PETERBOROUGH...	8	–	1	–	–	–
SALOP	–	1	5	–	3	M. 2
Boroughs and Urban Districts:—						
DAWLEY			2	–		–
NEWPORT... ...	–	–		–	1	-
†SHREWSBURY ...	–	1				–
WELLINGTON ...	–	–	-			M. 1
WHITCHURCH ..	–	–	–		1	–
Rural Districts:—						
CLEOBURY MORTIMER	–		2		–	–
LUDLOW	–	–	–	–	–	M. 1
OSWESTRY ...	–				1	–
WELLINGTON ...		–	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	7	4	–	3	M. 2 N. 1
Boroughs and Urban Districts:—						
ILMINSTER ...	*	*	*	*	*	*
PORTISHEAD ...	–	–	–	–	–	N. 1
STREET	–	–	1	–	–	–
†TAUNTON	–	–		–	–	M. 1
†WESTON SUPER MARE	–	2	1	–	1	–
†YEOVIL	–	–	1	–	2	–
Rural Districts:—						
BATH	–	1		–	–	
CHARD	*	*	*	*	*	*
CLUTTON	–	1	–	–		–
LONG ASHTON ...	–	2	–	–	–	–
WINCANTON ...	–	1	–	–	–	M. 1
YEOVIL			1	–	–	
SOUTHAMPTON	–	35	33	–	5	C. 1 D. 1 G. 1 M. 2 N. 2
†BOURNEMOUTH C.B.	–	4	5	–	–	–
†PORTSMOUTH C.B.		17	17	–	–	N. 1
†SOUTHAMPTON C.B.		4	3	–	1	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	2		–	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	1	N. 1
†FAREHAM ...	–	2	–	–	–	–
†FARNBOROUGH ..	–	–	–	–	–	M. 1
FLEET		–	–		–	C. 1
†GOSPORT		–	–	–		G. 1
PETERSFIELD ...	–	1	–	–	–	–
ROMSEY	–	–	–	–	1	–
†WINCHESTER ...	–	1	–	–		M. 1
Rural Districts:—						
ANDOVER	–	1	–	–	–	–
FORDINGBRIDGE	–	–	5	–	–	–
HARTLEY WINTNEY	–	–	1	–	–	D. 1
SOUTHAMPTON —*cont.*						
Rural Districts—*cont.*						
NEW FOREST ...	–	2	–	–	2	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD ...	–	52	33	–	47	C. 3 G. 1 L. 1 M. 9 N. 5
†BURTON UPON TRENT C.B.	–	–	1	–	–	N. 1
†SMETHWICK C.B.		4	2	–	2	–
†STOKE ON TRENT C.B.	–	5	4	–	7	C. 1 M. 2
†WALSALL C.B. ...		3		–	4	M. 2
†WEST BROMWICH C.B.	–	6	4		4	N. 1
†WOLVERHAMPTON C.B.	–	5	5	–	4	M. 3 N. 1
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	2	–	2	–
†BILSTON	–	–	–	–	3	N. 1
†BRIERLEY HILL ...	–	–	2	–	2	–
†BROWNHILLS ...	–	1	–		1	–
†CANNOCK	–	1	1	–	1	–
†DARLASTON ...	–	–	2	–	2	G. 1 N. 1
†LEEK		1	–	–	–	–
†NEWCASTLE UNDER LYME	–		1	–	–	–
†ROWLEY REGIS ...	–	6		–	6	
†SEDGLEY	–	–	–	–		M. 1
†STAFFORD ...	–	1			1	–
TAMWORTH ...	–	1		–	–	–
†TIPTON	–	5	1	–	1	
†WEDNESBURY ...	–	–	–	–	1	C. 1
†WOLSTANTON UNITED	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	–	2	2			–
CHEADLE		10	1	–	4	L. 1
						M. 1
KINGSWINFORD ...		–	4		–	–
SEISDON	–		–	–		C. 1
WALSALL	–	1	1		1	–
SUFFOLK, EAST	–	16	2	1	3	N. 1
†IPSWICH C.B. ...		10	1	–	1	N. 1
Boroughs and Urban Districts:—						
BECCLES			1		–	–
BUNGAY	–	–	–	–	1	–
†FELIXSTOWE ...	–		–	1	–	–
LEISTON CUM SIZEWELL	*	*	*	*	*	*
SAXMUNDHAM ...	*	*	*	*	*	*
Rural Districts:—						
BOSMERE AND CLAYDON		2				–
HOXNE	*	*	*	*	*	*
MUTFORD AND LOTHINGLAND	–	1	–			
PLOMESGATE ...	–	2	–		–	–
WOODBRIDGE ...	–	1	–	–	1	–
SUFFOLK, WEST		6	3			–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	3	2	–	–	–
HAVERHILL ...	–	1	–	–	–	–
Rural Districts:—						
CLARE	–	1	–	–	–	–
MELFORD	–	–	1	–	–	–
MOULTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	1	40	26	2	16	C. 2
						E. 1
						N. 4
†CROYDON C.B. ...	1	5	3		3	C. 1
						E. 1
						N. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	4		–	1	–
†CARSHALTON ...	–	3	2	–	2	N. 1
†CATERHAM AND WARLINGHAM	–	1	1	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	2	–	1		–
EAST AND WEST MOLESEY	–		–	–	–	N. 1
†EGHAM	–	2	–	–	–	–
†EPSOM	–	1	–	–	–	–
†ESHER AND THE DITTONS	–	1	1	1	2	–
†GUILDFORD ...		–			2	–
HAM		2		–	–	–
†KINGSTON ON THAMES	–	2	1	–	–	–
†MERTON AND MORDEN		3	5		–	–
†MITCHAM	–	2	1	–	1	–
†REIGATE	–	1	2	–	2	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	3	1		1	–
†SUTTON AND CHEAM	–	2	3		2	–
†WIMBLEDON ...	–	1	1	–	–	C. 1
WINDLESHAM ...	*	*	*	*	*	*
†WOKING	–	–	–	–	–	N. 1
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING	–	1				–
EPSOM	–	1	1	–	–	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	–	1	–	–	–
REIGATE	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST...	–	12	3	–	7	D. 1 E. 1 L. 1 M. 1 N. 1
†BRIGHTON C.B. ...	–	2	1	–	2	D. 1 E. 1 M. 1
†EASTBOURNE C.B.	–	–	–	–	3	L. 1
†HASTINGS C.B. ...		1	–		–	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
BURGESS HILL ...	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HAYWARDS HEATH	–	–	–		–	N. 1
†HOVE	–	–	–		1	–
RYE	*	*	*	*	*	*
Rural Districts:—						
BATTLE	–	2	–	–	1	–
CHAILEY	–	1	–	–	–	–
CUCKFIELD ...	–	–	1	–		–
HAILSHAM ...	–	1	–	–	–	–
RYE	–	–	1	–	–	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	1		–	–	–
SUSSEX, WEST...	–	5	1	–	4	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†LITTLEHAMPTON	–	–	–	–	2	–
SHOREHAM BY SEA	–	2	–	–	1	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST...	–	1	–	–		–
THAKEHAM ...	–	1	–	–		–
WESTHAMPNETT	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...		89	41	–	61	C. 2 L. 1 M. 15 N. 3
†BIRMINGHAM C.B.	–	65	35	–	33	C. 1 L. 1 M. 14 N. 2
†COVENTRY C.B. ...	–	6	3	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	–	–	1	–
†NUNEATON ...	–	1	–	–	5	–
†ROYAL LEAMINGTON SPA		1		–	–	–
†RUGBY	–	1	–	–	1	–
†STRATFORD ON AVON	–		–	–	3	–
†SUTTON COLDFIELD	–	1		–	–	–
†WARWICK ...	–		–		3	–
Rural Districts:—						
ALCESTER ...	–	–	1	–	1	–
ATHERSTONE ...	–	6	1	–	3	–
FOLESHILL ...	–	1	–	–	2	M. 1
MERIDEN... ...	–	1	–	–	1	–
RUGBY	–	1	–	–	3	–
SOLIHULL ...	–	4	1	–	2	–
SOUTHAM... ...	–	1	–	–	–	–
TAMWORTH (part)	–	–		–	1	–
WESTMORLAND		4	–		2	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	–	2	–
Rural Districts:—						
SOUTH WESTMORLAND	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WILTS	–	3	3	–	4	G. 1 N. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	–	–	1	–
†SWINDON	–	–	2		1	N. 1
†TROWBRIDGE ...	–	–	1	–	–	–
WARMINSTER ...	–	–			–	G. 1
Rural Districts:—						
CALNE	–	1	–		1	–
CHIPPENHAM ...	–	1		–	–	–
HIGHWORTH ...	–	1	–			–
MARLBOROUGH ...	–	–	–		1	–
WORCESTER ...	–	13	6	1	9	C. 2 G. 1 M. 1
†DUDLEY C.B. ...	–	–	–	–	1	C. 1 M. 1
†WORCESTER C.B.	–	2	3		–	G. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	–	1	1	–
†KIDDERMINSTER	–	3	–	–		–
†LYE AND WOLLESCOTE	–	1		–	1	–
†MALVERN ...	–	1		–	–	–
†OLDBURY	–	1	1	–	4	–
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	–	2	–	–	–
EVESHAM	–	–	–	–	–	C. 1
UPTON ON SEVERN	–	1	–	–	1	–
YORKS ... ... (East Riding).	–	12	24	2	7	D. 1 N. 4
†KINGSTON UPON HULL C.B.	–	7	22	2	5	D. 1 N. 4

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	2	–
†BRIDLINGTON ...		–	1	–	–	–
NORTON	–	1	–		–	
WITHERNSEA ...	–		1		–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–		–	–
POCKLINGTON ...	–	3	–		–	–
YORKS ... ... (North Riding).	–	23	10	–	19	D. 1 G. 1
†MIDDLESBROUGH C.B.		4	–	–	12	D. 1 G. 1
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	2	–
GUISBOROUGH ...	–	4		–	–	–
LOFTUS	–	–	1	–	–	–
PICKERING ...	–	2	–		–	–
SALTBURN BY THE SEA		2			–	–
†SCARBOROUGH ...	–		8	–	–	–
†SKELTON AND BROTTON	–	4	–	–	1	–
†THORNABY ON TEES	–		–	–	2	–
†WHITBY		1	–		1	–
Rural Districts:—						
NORTHALLERTON			–	–	1	–
SCARBOROUGH ...	–	1		–	–	–
THIRSK		–	1	–	–	–
WHITBY	–	2		–		–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	3	109	60	1	141	C. 4 D. 22 E. 2 G. 1 L. 2 M. 9 N. 6
†BARNSLEY C.B. ...	-	3	1	-	3	D. 4
†BRADFORD C.B. ...	3	20	1		17	C. 2 M. 1
†DEWSBURY C.B....	-	3	2	-	-	-
†DONCASTER C.B....	-	1	1	-	-	N. 1
†HALIFAX C.B. ...	-	4	2	-	1	-
†HUDDERSFIELD C.B.	-	4	2		7	D. 1
†LEEDS C.B. ...	-	16	9	-	12	M. 2 N. 2
†ROTHERHAM C.B.	-	2	2	-	1	D. 2
†SHEFFIELD C.B....	-	19	6	-	42	D. 1 E. 1 G. 1 M. 2 N. 1
†WAKEFIELD C.B.	-	-	3	-	5	L. 2 M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	1	5	-	2	-
ARDSLEY, EAST AND WEST	-	1	1	-	2	E. 1
BARKISLAND ...	-	-	-	-	1	-
†BARNOLDSWICK ...	-	2	-	-	-	-
†BATLEY	-	1	-	-	-	D. 1
†BINGLEY	-	-	1	-	1	-
BIRKENSHAW ...	-	1	-	-		-
†BOLTON UPON DEARNE	-	1	-	-	-	-
†BRIGHOUSE ...	-	-		-	1	-
†CASTLEFORD ...	-	3	-	-	-	-
†CONISBROUGH ...	-	-		-	-	D. 1
CUDWORTH ...	-	-		-	-	M. 1
DARFIELD ...	-	-	-	-	2	-
†DARTON	-	-	-	-	1	-
DODWORTH ...	-	-	-		1	-
†ELLAND	-	1	1		1	-
FARSLEY	-	-	1	-	-	-
†GOOLE	-	-			-	N. 1
GREETLAND ...	-			-	2	-
†HARROGATE ...	-	1	-		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
HECKMONDWIKE		2	-	-	-	-
†HEMSWORTH ...	-	1	1		2	D. 4
†HOLMFIRTH ...		-		-	1	-
HORBURY... ...	-	1			2	-
†HOYLAND NETHER	-	-	-	-	3	-
KNARESBOROUGH	-		1	-		-
KNOTTINGLEY ...	-	1	-	-	1	-
LEPTON	-	-	-	-	1	-
LINTHWAITE ...	-	2	-	-	2	-
MALTBY		-	-	-		D. 2
†MIRFIELD ...	-	1	-		-	-
†MORLEY	-	-	-	-	1	-
†NORMANTON ...	-	-	-	-	1	-
†OSSETT			1	-	-	-
†PUDSEY	-	1	-	-		-
QUEENSBURY ...	-	2	-		-	-
†RAWMARSH ...	-	-	-	-	1	-
†ROTHWELL ...	-	-	1		-	-
SELBY	-		-	-	1	-
†SHIPLEY		-	1		1	-
SILSDEN	-	-		-	1	-
SOUTH CROSLAND	-	-	-	-	1	-
†SOWERBY... ...	-	1	2	-	-	-
†SPENBOROUGH ...	-	1	1	-	2	-
†STANLEY	-	-	-		2	-
STOCKSBRIDGE ...	-	-	-	-	1	M. 1 N. 1
THURNSCOE ...	-	-	1	-	1	-
THURSTONLAND AND FARNLEY TYAS	-	-		-	-	C. 1
TICKHILL... ...		1		-	1	-
†TODMORDEN ...	-	-	-	-	1	-
†WATH UPON DEARNE	-	2	-	-	-	-
WHITWOOD ...	-	1	-	-	-	-
†WOMBWELL ...	-	-	-	1	-	D. 1 M. 1
†WORSBOROUGH ...	-	-	2		-	-
Rural Districts:—						
BARNSLEY ...	-	-	-	-	1	-
DONCASTER ...	-	-	3	-	1	D. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
GOOLE		-	-		1	-
HALIFAX	-	1	-		1	-
HEMSWORTH ...		2	4	-	2	D. 1
KIVETON PARK ...		1	-	-		-
KNARESBOROUGH	-	1	-	-	-	-
PONTEFRACT ...	-	1	-	-	1	-
ROTHERHAM ...	-	-	1	-		D. 1
SKIPTON	-	1	-	-	-	-
TADCASTER ...	-		1	-	-	C. 1
THORNE	-		-	-	1	D. 2
WAKEFIELD ...	-	-	2	-	3	-
WETHERBY ...	-	-	-	-	1	-
WORTLEY... ...	-	1	-	-	-	-
YORK, CITY OF ..	-	1	4		-	-
†YORK C.B. ...	-	1	4	-	-	-
WALES.						
ANGLESEY ...	-	1	-	-	-	M. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	-	-	-	-	-	M. 1
Rural Districts:—						
VALLEY	-	1	-	-	-	-
BRECKNOCK ...	-	-	-	-	1	G. 1
Rural Districts:—						
CRICKHOWELL ...	-	-	-	-	1	G. 1
CAERNARVON...	-	1	1	-	-	-
Boroughs and Urban Districts:—						
†LLANDUDNO ...	-	1	1		-	-
CARDIGAN ...	-	4	-	-	1	-
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...		4	-		-	-
Rural Districts:—						
ABERYSTWYTH (SOUTH)	-	-	-		1	-
CARMARTHEN...	-	1	4	-	5	M. 1 N. 1
Boroughs and Urban Districts:—						
KIDWELLY ...	-	-	1	-		-
LLANDOVERY ...	-	-	-	-	1	-
†LLANELLY ...	-	-	-	-	1	M. 1 N. 1
Rural Districts:—						
LLANDOVERY ...	-	-	-	-	1	-
LLANELLY ...	-	1	3	-	2	-
DENBIGH ...	-	8	19	-	-	N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	-	-	1	-	-	-
Rural Districts:—						
RUTHIN	-	-	2	-		-
WREXHAM ...	-	8	16		-	-
LLANELIAN YN RHÔS AND LLANSANTFFRAID GLAN CONWAY (parishes)	-	-	-	-		N. 1

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	2	6		1	M. 1
Borough and Urban Districts:—						
CONNAH'S QUAY	–	–	2		–	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–		
HOLYWELL ...	–		1		1	M. 1
OVERTON			2	–		–
GLAMORGAN ...	16	32	48	–	32	C. 3 M. 6 N. 6
†CARDIFF C.B. ...	–	12	11	–	4	C. 2 M. 4 N. 3
†MERTHYR TYDFIL C.B.	–	1	3	–	–	N. 1
†SWANSEA C.B. ...	–	1	6	–	–	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	9	–	–	–	2	–
†BARRY	–	1	2	–	–	–
†CAERPHILLY ...	–	–	1	–	1	–
†GELLIGAER ...	–	2	2	–	2	M. 1
†GLYNCORWG ...	–		5	–		–
†LLWCHWR ...	–	–	–	–	2	–
†MAESTEG	–	–	2		1	–
†MOUNTAIN ASH ...	7	–	2	–	5	–
†NEATH	–	1	2	–	1	–
†OGMORE AND GARW	–	2	1	–	–	–
†PENARTH	–	–			1	N. 1
†PONTYPRIDD ...	–	2	–	–	4	–
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	7	7		7	C. 1 M. 1
Rural Districts:—						
CARDIFF	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE		–	1	–	–	–
NEATH		1	1	–	2	–
PENYBONT ...	–	1	–			

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	–	–	–	1	–
Urban Districts:—						
FFESTINIOG ...	*	*	*	*	*	*
Rural Districts:—						
DOLGELLEY ...	–	–	–	–	1	–
MONMOUTH ...	–	26	10	–	11	C. 1 N. 1
†NEWPORT C.B. ...	–	8	2	–	2	C. 1 N. 1
Boroughs and Urban Districts—						
ABERGAVENNY ...	–		1	–	–	–
†ABERSYCHAN ...	–	4	–	–	–	–
†ABERTILLERY ...	–	2	–			–
BEDWAS AND MACHEN	–	1	4	–	–	–
†BEDWELLTY ...	–	–		–	1	–
†BLAENAVON ...	–	–	–		1	–
†EBBW VALE ...	–	6	1	–	3	–
†MYNYDDISLWYN	–		2	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	–	–
†RHYMNEY ...	–	2		–	1	–
†RISCA	–	–	–	–	1	–
†TREDEGAR ...	–	–		–	2	–
Rural Districts:—						
MAGOR	–	1	–	–	–	–
ST. MELLONS ...	–	1		–	–	
MONTGOMERY...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	–	–	–	1	–
Rural Districts:—						
LLANFYLLIN	–	1	–		1	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the followingdiseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE ...	–	1	–	–	1	–
Rural Districts:—						
Haverfordwest	–	1	–	–	1	–
RADNOR	–	–	–	–	2	–
Urban Districts:—						
Knighton ...	–	–	–	–	1	–
RADNOR—*cont.*						
Rural Districts:—						
Rhayader ...	–	–	–	–	1	–
Total of Part II....	122	1251	745	24	936	C. 37 D. 58 E. 5 F. 1 G. 16 L. 12 M. 116 N. 83

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Barnstaple	*	*	*	*	*	*
Liverpool	–	–		–	3	–
Penzance	*	*	*	*	*	*
Plymouth	–	–	–	–	–	L. 1
Tyne	–				1	–
Port of London ...	–		–	–	1	L. 1
Total of Part III. ...	–	–	–	1	4	L. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	44	218	152	1	88	C 1 D. 5 L. 2 M. 18 N. 8
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	122	1251	745	24	936	C. 37 D. 58 E. 5 F. 1 G. 16 L. 12 M. 116 N. 83
Total of Part III.—Port Sanitary Districts		–	–	1	4	L. 2
Total (i.e., of returns received), England and Wales ...	166	1469	897	26	1028	C. 44 D. 63 E. 5 F. 1 G. 16 L. 16 M. 134 N. 91

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e 5.—London and Great Towns in the GREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

Week ended :—	Feb. 21.	Feb. 28.	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28	Apl. 4.	Apl. 11.	Apl. 18.	Apl. 25	May 2.	May 9.	May 16	Totals from 1st Week of year. * 1930.	1931.
DON :—															
BIRTHS	1,317	1,407	1,384	1,394	1,422	1,390	1,180	1,352	1,471	1,389	1,424	1,369	1,323	27,647	26,284
LBIRTHS	59	47	49	69	51	45	51	60	44	31	33	55	47	1,024	921
THS (excluding Still-ths)—all ages.	1,578	1,457	1,347	1,377	1,433	1,184	1,144	1,165	981	954	1,002	955	905	21,017	24,366
THS—0 to 1 year ..	92	108	111	104	102	88	63	90	78	68	79	71	68	1,893	1,867
AT TOWNS, aggre-e (including Lon-):—															
BIRTHS	6,320	6,631	6,562	6,503	6,772	6,421	5,509	6,471	7,028	6,789	6,646	6,447	6,364	125,799	123,028
LBIRTHS	315	282	289	323	303	305	296	318	305	270	286	320	273	5,625	5,560
THS (excluding Still-ths)—all ages.	6,826	6,879	6,480	6,713	6,700	5,691	5,313	5,423	4,674	4,590	4,623	4,351	4,127	93,609	110,664
THS—0 to 1 year ..	697	686	629	640	585	521	459	520	416	397	409	404	347	9,118	10,636
ERIC FEVER—Cases	22	19	6	8	9	9	10	18	14	15	10	15	9	487	248
„ Deaths	1	2	—	1	5	1	—	—	4	3	1	2	2	49	36
LL POX—Cases ..	186	189	158	117	154	166	117	142	126	162	128	139	108	5,434	2,897
„ Deaths ..	1	—	—	—	—	—	—	1	—	1	—	—	—	15	3
LET FEVER—Cases	917	922	826	824	894	804	724	836	687	854	869	896	864	25,924	16,437
„ Deaths	8	4	7	6	5	9	5	8	4	5	4	9	11	218	133
ITHERIA—Cases ..	735	749	628	626	641	627	521	497	513	552	540	578	542	19,042	12,734
„ Deaths ..	48	42	42	34	32	30	33	27	35	21	22	21	25	929	659
SLES—Deaths ..	97	70	73	84	75	60	58	64	55	42	46	36	38	2,013	1,265
UENZA—Deaths ..	509	546	471	417	365	301	208	175	110	96	74	40	44	1,256	4,942

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ng been made for changes in boundary. The live births are derived from the weekly returns furnished by the strars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 16th May, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON' (GREENWICH).	70	41	64·9	48·0	13	HUDDERSFIELD	65	44	61·3	46·0	7
						BRADFORD ..	61	45	59·3	48·3	13
IGHTON ..	57	45	55·9	48·7	10	SHEFFIELD ..	65	46	61·1	48·4	4
RTSMOUTH ..	61	46	58·2	49·8	10	YORK (MUSEUM)	65	44	62·7	47·1	4
RWICH(SOUTH-WELL LODGE)	68	39	64·1	46·4	19	HULL (PEARSON PARK).	68	44	63·3	48·2	4
YMOUTH ..	58	47	54·1	49·7	15	TYNEMOUTH ..	63	45	59·4	47·7	8
ISTOL (HORFIELD)	63	47	59·1	49·4	23	CARDIFF	61	47	57·6	49·1	24
RMINGHAM (EDGBASTON).	64	45	59·0	48·1	12						
						EDINBURGH ..	60·0	43·0	58·7	46·7	6
TTINGHAM ..	65	43	61·4	47·7	18	GLASGOW ..	61·5	44·1	57·9	47·8	19
RKENHEAD (BIDSTON).	64	44	58·1	48·9	14	DUBLIN (PHŒNIX PARK)	62·7	40·3	60·9	45·9	5
ANCHESTER (WHITWORTH PARK).	64	46	60·1	49·4	19	(FITZWILLIAM SQUARE†).	63·0	46·0	61·1	50·5	13
URNLEY	63	45	59·4	47·6	19	BELFAST	64·0	45·0	61·8	47·5	34

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 16th May, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	10	..	29·980	66·3	41·2	25·1	53·8	+ 2·3	45·6	8·2	17·0	0·9	74	124·1	28·3	47·7	S : SW	SW : SSW.	1·3	0·0	0·1	227	- 28	0·00
MONDAY -	11	..	29·896	68·0	50·2	17·8	57·7	+ 5·9	50·1	7·6	15·7	3·0	76	127·5	43·0	47·9	SSW : SW.	SW	1·7	0·0	0·2	279	+ 26	0·00
TUESDAY -	12	Apogee	29·970	67·3	48·6	18·7	56·2	+ 4·1	50·7	5·5	14·2	1·2	82	132·4	32·8	48·0	WSW : SW.	SW	1·8	0·0	0·1	228	- 28	0·00
WEDNESDAY	13	In Equator	29·794	70·2	48·2	22·0	57·8	+ 5·4	48·9	8·9	22·3	1·2	72	133·1	32·2	48·3	SW : SSW.	SW : WSW.	2·7	0·0	0·3	286	+ 24	0·00
THURSDAY -	14	..	29·766	65·1	48·3	16·8	56·7	+ 4·1	45·7	11·0	18·4	2·1	67	117·8	38·5	48·7	SW	SW	6·5	0·0	0·8	430	+ 159	0·00
FRIDAY -	15	..	29·586	57·9	47·0	10·9	52·4	- 0·4	48·7	3·7	8·5	1·8	87	93·5	38·0	48·9	SSW	S ; SSW	3·0	0·0	0·2	268	- 12	0·15
SATURDAY -	16	..	29·428	59·6	47·0	12·6	51·6	- 1·4	49·2	2·4	10·1	0·8	91	84·0	46·3	49·0	SW : SSW.	Calm	2·2	0·0	0·1	168	- 118	0·33
MEANS -		..	29·775	64·9	47·2	17·7	55·2	+ 2·9	48·4	6·8	15·2	1·6	78	116·1	37·0	48·4	SW		..		..	Sum 1886	Sum + 23	Sum 0·48
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	10	wP till 9h.; then mP.	2·5	15·3	Nearly cloudless till 3h.; then overcast generally. Solar halo 8½h. till 9¾h.; and about 15½h. Slight damping at 16½h. Hoar frost in morning.
MONDAY ..	11	Variably mP and wP till 7h.; then mP.	4·2	15·4	Overcast generally till 12½h.: variably cloudy till 21h.; then overcast.
TUESDAY ..	12	Variably mP and wP till 19h.; then mP.	5·8	15·4	Overcast till 13h.; very cloudy till 19½h.; then nearly cloudless. Slight shower at 1h. Dew at night.
WEDNESDAY	13	Loss of register till 22½h.; then mP.	8·8	15 5	Variably cloudy. Solar halo 8½h. till 9½h.
THURSDAY	14	Variably mP and wP till 15h.; then mP.	7·8	15·5	Variably cloudy till 9h.; then nearly overcast generally. Slight shower at 9½h. Occasional solar halo between 13h. and 17½h.
FRIDAY ..	15	mP till 4h.; wP till 9h.; variably sN and sP till 16h.; then variably mP and wP.	0·4	15·6	Cloudy generally till 7h.; then overcast. Rain 9¼h till 11¼h.; 11¾h. till 12¼h.; 12⅝h. till 14⅜h.; 15h. till 15½h.; then damping generally. Dew in morning.
SATURDAY	16	Variably mP and wP till 16h.; variably mN and mP till 21h.; then wP.	0·1	15·6	Overcast. Rain from 12½h.
			Sum 29·6	Sum 108·3	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·06 ins. at the beginning of the week to 29·88 ins. by 15h. on 11th.; increased to 29·98 ins. by 11h. on 12th; decreased generally and was 29·33 ins. by midnight on the 16th.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 20.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 23RD MAY,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 23RD MAY, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twentieth week of the year numbered 6,754 corresponding to an annual rate of 17·8 per 1,000 living: stillbirths numbered 301 corresponding to a rate of 43 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,235 (108 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	May 2.	May 9.	May 16.	May 23.
107 Great Towns	12·2	11·5	10·9	11·2
London	11·8	11·3	10·7	10·3
Birmingham	11·9	11·5	11·1	11·7
Liverpool	13·9	12·5	11·9	11·9
Manchester	11·4	11·1	12·3	12·2
Sheffield	16·0	10·6	10·7	11·2
Leeds	15·6	13·8	12·1	14·1
Bristol	11·2	9·6	9·5	10·9
West Ham	11·7	10·2	8·0	8·3

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 61, against 61, 61, and 52 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,453 live births registered corresponding to an annual rate of 17·1 per 1,000 living: stillbirths numbered 46 corresponding to a rate of 31 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 871 (34 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 49, against 55, 50, and 48 in the preceding three weeks.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There was one death from small-pox in the returns received from areas outside Greater London, the County Boroughs and Great Towns, for month of April last which has been provisionally assigned to Market Bosworth R.D., Leicestershire.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 23rd May, 1931.

	TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	1
	107 GREAT TOWNS ..	19,685,050*	6,754	301	4,225	401	1	28	4	22	21	47	
	LONDON	4,417,900*	1,453	46	871	70	-	4	1	8	1	8	
TOWNS IN OUTER RING.	CROYDON C.B. ..	222,300	64	2	45	4	-	-	-	-	-	-	
	WIMBLEDON ..	59,370	15	-	11	2		-			-		
	EALING	104,000	39	2	16	3	-	-	-	-	-	1	
	ACTON	65,200	18	-	12	1	-	-		-	-	-	
	BRENTFORD AND CHISWICK ..	59,040	12	-	19	2	-	-	-	-	-	-	
	WILLESDEN ..	172,500	43	-	39	1		-		-	-		
	HENDON§	86,540*	47	-	20	2	-	-	-	-	-	1	
	HORNSEY	88,450	22	-	12	1	-	-	-		-	-	
	WOOD GREEN ..	53,410	8	-	9	1		-	-	1	-	-	
	TOTTENHAM ..	155,000	49	1	19	1	-	-	-	-	1	-	
	EDMONTON	75,000	49	3	19	2				-	1	1	
	ENFIELD	65,100	11	1	12	-	-	-	-	-	-	-	
	WEST HAM C.B. ..	307,600	134	6	49	3	-	-	-	-	-	-	
	EAST HAM C.B. ..	147,600	35	-	26	1	-	-	-	-	1	-	
	LEYTON	128,300	26	1	24	1	-	-	-	-	-	-	
	WALTHAMSTOW ..	124,800	26	-	29	2	-	-	-	-	-	-	
	ILFORD	116,200	42	-	24	3	-	-	-	1	-	-	
	GILLINGHAM	56,670*	27	1	10	-	-	-	-	-	-	-	
	CANTERBURY C.B. ..	22,850*	4	-	3	-	-	-	-	-	-	-	
	HASTINGS C.B.	62,620	25	-	19	2	-	-	-	-	-	-	
	EASTBOURNE C.B. ..	58,570	10	-	12	-	-	-	-	-	-	-	
	BRIGHTON C.B. ..	146,800*	45	3	36	-	-	-	-	-	-	-	
	PORTSMOUTH C.B. ..	242,000*	121	4	49	5	-	-	-	-	1	-	
	BOURNEMOUTH C.B.§..	105,780	36	2	25	-	-	-	-	-	-	-	
	SOUTHAMPTON C.B. ..	172,300	69	2	20	1	-	-	-	-	-	-	
	READING C.B.	96,850*	37	2	17	1	-	-	-	-	-	1	
	OXFORD C.B.	73,810*	35	-	13	2	-	-	-	-	-	-	
	NORTHAMPTON C.B. ..	93,970*	30	2	15	1	-	-	-	-	-	-	
	LUTON	65,200	21	1	7	-	-	-	-	-	-	-	
	CAMBRIDGE	60,730	19	-	19	2	-	-	-	-	-	-	
	SOUTHEND-ON-SEA C.B.	114,600	28	-	16	1	-	-	-	-	-	-	
	IPSWICH C.B.	85,800	30	1	12	2	-	-	-	1	1	-	
	GREAT YARMOUTH C.B	58,110	25	-	16	2	-	-	-	-	-	-	
	NORWICH C.B. ..	124,900*	47	4	25	2	-	-	-	-	-	-	
	SWINDON	62,020	22	1	12	1	-	-	-	-	-	-	
	EXETER C.B.	61,290*	20	1	7	-	-	-	-	-	-	-	
	PLYMOUTH C.B. ..	199,000*	72	5	50	3	-	-	-	-	-	-	
	BATH C.B.	69,240	16	-	16	-	-	-	-	-	-	-	
	BRISTOL C.B.	391,145*	142	4	82	7	-	-	-	-	-	-	
	GLOUCESTER C.B. ..	52,010	18	-	10	1	-	-	-	-	-	-	
	STOKE-ON-TRENT C.B.	279,190	121	10	61	8	-	-	-	-	1	1	
	BURTON-UPON-TRENT C.B.	48,970	14	2	13	1	-	-	-	-	-	-	
	WOLVERHAMPTON C.B.	134,300	58	3	23	3	-	-	-	1	-	3	
	WALSALL C.B.§	100,930	44	2	23	5	-	-	-	-	1	1	
	WEST BROMWICH C.B.§	80,970	32	1	17	1	-	-	-	-	-	-	
	DUDLEY C.B.	58,870	30	-	15	4	-	-		-	-	-	
	WORCESTER C.B. ..	52,320	22	3	13	3	-	-	-	-	-	-	
	BIRMINGHAM C.B.§ ..	972,510	381	17	218	23	-	1	1	1	-	3	
	SMETHWICK C.B. ..	85,120	30	-	7	1	-	-	-		-	-	
	COVENTRY C.B. ..	162,100	60	4	31	5	-	-	-	-	-	-	
	LEICESTER C.B. ..	245,200	74	5	54	6	-	1	-	-	-	-	
	LINCOLN C.B.	65,080*	22	1	18	-	-	-	-	-	-	-	
	GRIMSBY C.B. ..	91,440	45	1	23	1	-	-	-	-	-	-	
	NOTTINGHAM C.B. ..	266,800	93	4	70	7	-	1	-	-	-	1	
	DERBY C.B.	140,500*	52	2	19	3		-	-	-	-	-	
	CHESTERFIELD	65,270	32	-	14	1	-	-	-	-	-	-	
	STOCKPORT C.B ..	127,800	35	1	42	4	-	-	1	-	-	1	
	CHESTER C.B.	40,750	16	-	5	-	-	-	-	-	-	-	
	BIRKENHEAD C.B ..	157,600	53	2	36	5	-	-	-	-	-	-	
	WALLASEY C.B. ..	101,300	30	-	16	-	-	-	-	-	-	-	
	LIVERPOOL C.B. ..	869,500	372	22	199	25	-	3	-	3	6	4	
	BOOTLE C.B.	80,400	39	1	14	1	-	-	-	-	2	-	
	ST. HELENS C.B.	109,200	37	2	26	6	-	-		-	-	-	

* Population adjusted by the exclusion of non-civilians.
§ Change in boundary, 1st April, 1931; figures relate to new area.

TOWNS.	Estimated Population, Mid. 1929	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
UTHPORT C.B ..	80,040	6	3	25	1	-	-	-	-	-	-	-
IGAN C.B.	87,600	28	2	23	1	-	-	-	-	-	-	1
ARRINGTON C.B. ..	79,400*	39	3	20	4	-	-	-	-	1	-	-
OLTON C.B.	181,500	33	4	40	3	-	-	-	-	-	-	-
RY C.B.	56,830*	14	1	20	1	-	2	-	-	-	-	-
ANCHESTER C.B.§ ..	753,570	267	13	177	22	-	-	-	1	1	7	5
LFORD C.B.	235,600	67	4	48	5	-	-	-	-	-	2	-
HTON-UNDER-LYNE	51,750	19	-	15	1	-	-	-	-	-	-	1
DHAM C.B	142,500	41	1	27	2	-	-	-	-	-	-	-
OCHDALE C.B. ..	90,900	12	3	34	3	-	-	-	-	1	1	-
RNLEY C.B	100,200	15	4	30	1	-	-	-	-	-	-	2
ACKBURN C.B. ..	125,300	32	-	34	3	-	-	-	-	-	1	1
ESTON C.B.	126,100	35	2	25	4	-	-	-	-	-	1	-
ACKPOOL C.B. ..	99,800	29	1	16	2	-	-	-	-	-	-	2
RROW-IN-FURNESS C.B.	64,850	25	-	13	3	-	-	-	-	-	1	-
UDDERSFIELD C.B. ..	113,100	24	2	31	2	-	-	-	-	-	-	-
LIFAX C.B.	97,400*	33	-	26	1	-	-	-	-	-	-	-
ADFORD C.B. ..	294,605	108	1	86	5	-	1	-	-	-	1	-
EDS C.B	478,500	130	7	129	10	-	6	-	-	1	-	1
WSBURY C.B. ..	53,020	14	3	13	1	-	-	-	-	-	-	-
AKEFIELD C.B. ..	56,640	19	-	9	1	-	-	-	-	-	-	-
RNSLEY C.B. ..	71,700	24	1	23	4	-	1	-	-	-	1	3
EFFIELD C.B. ..	518,000*	148	12	111	11	-	-	-	-	-	1	1
THERHAM C.B. ..	70,790	29	2	15	2	-	-	-	1	1	-	-
NCASTER C.B. ..	59,890	16	5	10	1	-	-	-	-	-	-	-
RK C.B.	85,290*	24	2	19	2	-	-	1	-	-	-	-
LL C.B.	307,500	122	3	84	5	-	-	-	-	-	1	2
DDLESBROUGH C.B.	133,100	70	2	29	3	-	-	-	-	-	-	-
RLINGTON C.B. ..	74,150	16	2	14	-	-	-	-	-	-	-	-
OCKTON-ON-TEES ..	67,090	32	2	21	3	-	-	-	-	-	-	2
ST HARTLEPOOL C.B.	69,370	20	1	15	4	1	1	-	-	-	-	-
NDERLAND C.B. ..	184,000	91	3	36	7	-	2	-	-	-	1	-
UTH SHIELDS C.B ..	119,600	42	2	41	5		3	-	2	-	-	-
TESHEAD C.B. ..	122,600	40	2	26	3	-	-	-	-	-	-	-
WCASTLE-ON-TYNE C.B.	283,400*	117	10	60	6	-	1	-	1	-	1	-
NEMOUTH C.B. ..	65,880	27	1	10	2	-	-	-	-	-	-	-
RLISLE C.B.	56,160*	20	2	9	1	-	-	-	-	-	-	-
WPORT (MON.) C.B.	95,990*	34	2	21	2	-	1	-	-	-	-	-
RDIFF C.B.	224,000*	76	3	45	4	-	-	-	-	-	-	-
ONDDA	153,100	58	6	35	1	-	-	-	-	-	-	-
RTHYR TYDFIL C.B.	77,790	16	2	15	6	-	-	-	-	-	1	-
ERDARE	53,050	7	-	6	1	-	-		-	-	-	1
ANSEA C.B.	162,700	51	4	45	6	-	-	-	1	-	1	-
EATER LONDON ..	7,900,480*	2,623	81	1,550	133	-	4	1	12	4	12	17
TER RING	3,482,580*	1,170	35	679	68	-	-	-	4	3	4	11
GREAT TOWNS IN UTER RING§	2,030,410*	640	16	385	30	-	-	-	2	3	3	4
MAINDER OF OUTER ING§	1,452,170*	530	19	294	38	-	-	-	2	-	1	7
INBURGH†	428,800	141	?	94	6	-	-	-	-	1	1	3
ASGOW†	1,088,200	483	?	290	48	-	3	1	11	1	6	-
BLIN†	412,400	189	?	134	12	-	6	-	1	1	1	-
LFAST†	415,151	208	?	109	18	-	1	1	-	2	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census ure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally rected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are rected by the exclusion of deaths of persons admitted into public institutions from without the pective areas.

§ Change in boundary, 1st April, 1931; figures relate to new area.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1931.											
London‡	4,417,900	May 23	1453	46	871	10·3	-	-	4	1	8	1	8
Calcutta and Suburbs	1,077,264	Apr. 11	?	?	645‖	31·1	?	78	?	-	?	?	?
Bombay§	1,298,708	„ 25	486	40	606	24·3	6	-	3	-	-	1	20
Madras	528,791	„ 11	509	20	434‖	42·7	6	2	1	-	2	-	23
Sydney and Suburbs	1,253,560	„ 30 (30 days)											
Brisbane (Metropolitan Area).	313,251	Feb. 28 (28 days)											
Perth (Metropolitan Area).	202,888	Mar. 14	95	?	47	11·9	-	-	-	-	-	-	-
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Apr. 18	72	-	29	11·0	-	-	-	-	-	1	1
Johannesburg	187,326	„ 11	82	4	34	9·4	1	-	-	-	1	-	3
Durban	61,667	„ 11	30	-	13	11·0	-	-	-	-	-	-	1
Paris	2,871,429	„ 10 (10 days)											
Antwerp	294,963	Apr. 30 (15 days)	151	10	153	12·5	-	-	-	-	-	3	-
Amsterdam	753,957	May 2	228	5	166	11·5	-	-	1	1	2	-	-
Copenhagen	615,700	„ 9	217	1	176	14·9	-	-	-	-	-	-	-
Stockholm	502,203	„ 2	98	2	109	11·3			-	-	-	-	-
Gothenberg	245,336	Apr. 18	?	?	64	13·5	-	-	-	-	1	-	-
Oslo	253,568	May 9	60	-	60	12·3	-	-	-	-	-	-	-
Berlin	4,326,000	Apr. 25	734	29	1027	12·3	1	?	2	2	1	2	2
Breslau	617,000	„ 25	140	9	144	12·1	-	?	-	-	1	3	1
Cologne	740,000	„ 25	215	3	157	11·0	-	?	-	2	2	-	4
Dresden	633,000	„ 25	117	3	136	11·2	-	?	-	-	1	-	1
Frankfort-on-Main	541,000	„ 25	106	2	104	10·0	-	?	-	-	-	1	-
Hamburg	1,146,000	„ 25	251	7	264	12·0	-	?	-	-	1	-	2
Leipzig	719,000	„ 25	149	3	147	10·6	-	?	-	-	1	-	2
Munich	730,000	„ 25	194	5	173	12·3	-	?	-	-	-	-	-
Budapest	1,009,069	May 2	366	11	252	13·0	-	-	-	1	2	1	4
Warsaw	1,115,651	Apr. 25	?	13	296	13·8	-	-	-	-	-	1	8
Madrid	825,471	„ 18	465	28	263	16·6	-	-	2	-	1	3	5
Cairo	1,160,700	Jan. 28	1117	36	479	21·5	3	-	3	-	?	7	61
Alexandria	629,900	„ 28	594	11	263	21·8	1	-	-	-	?	2	22
New York	7,090,089	Apr. 25	2272	137	1506	11·1	-	-	12	2	5	6	14
Chicago	3,457,375	May 1	920	24	720	10·9	1	-	3	6	2	5	6
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Apr. 11	675	57	450	13·6	4	-	12	-	5	3	75

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of ag* for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 55 deaths from Cholera in Calcutta, 5 in Madras, and 1 from Plague in Calcutta.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 23rd May, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	21,874	25,237	871	70	13	11	18	49	31	51	85	146	180	217
Enteric fever	8	10	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	917	29	4	3	1		-	-	-	-	-	-	-	-
Scarlet fever	64	28	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	71	159	8	2	5	1	-	-	-	-	-	-	-	-
Diphtheria	232	133	1	-	-	1	-	-	-	-	-	-	-	-
Influenza	211	877	6	-	-	-	1	-	-	1	-	2	-	2
Erysipelas	76	91	4	2	-	-	-	-	-	-	1	1	-	-
Acute Poliomyelitis, Polioencephalitis	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	22	21	2	-	-	-	-	-	-	-	-	-	1	-
Meningococcal meningitis	43	75	3	-	1	1	1	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	1538	1778	65	-	-	-	2	22	9	7	12	10	2	1
Nervous system	102	98	5	-	1	2	1	1	-	-	-	-	-	-
Intestines and peritoneum	26	25	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	87	106	3	2	-	1	-	-	-	-	-	-	-	-
Venereal diseases	86	82	7	2	-	-	-	-	1	-	2	2	-	-
Cancer	2605	2743	125	-	-	-	-	1	1	11	17	31	42	22
Rheumatic fever	83	49	1	-	-	-		1	-	-	-	-	-	-
Diabetes	234	238	16	-	-	-	-	1	1	-	-	3	8	3
Alcoholism	5	6	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	42	39	2	1	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	854	937	33	-	-	-	-	-	-	2	4	7	7	13
Epilepsy	87	71	1	-	-	-	-	-	1	-	-	-	-	-
"Convulsions" (not puerperal)	28	30	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	515	489	28	4	2	-	1	3	2	2	6	6	1	1
Pericarditis	10	8	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	77	82	2	-	-	-	-	-	-	-	-	2	-	-
Other diseases of heart	4556	5900	195	-	-	-	2	2	5	7	9	29	50	91
Other diseases of circulatory system	888	973	34	-	-	-	-	-	-	1	1	8	11	13
Bronchitis	1057	1678	27	2	-	-	-	1	-	-	1	5	9	9
Broncho-pneumonia	1017	1585	30	13	1	1	-	-	1	-	2	5	6	1
Lobar pneumonia	561	680	23	-	-	-	1	1	-	3	2	7	3	6
Pneumonia (type not distinguished)	204	244	4	-	-	-	-	1	-	-	1	1	1	-
Other diseases of respiratory system	220	328	8	1	-	-	-	-	1	-	1	1	3	1
Diarrhœa and enteritis	300	287	9	8	-	-	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	126	112	4	-	-	-	-	3	-	-	-	1	-	-
Hernia, Intestinal obstruction	196	228	9	1	-	1	-	-	1	-	3	1	-	2
Cirrhosis of liver	85	90	2	-	-	-	-	-	-	1	1	-	-	-
Other diseases of digestive system	524	500	20	-	1	1	-	-	1	2	4	5	5	1
Acute nephritis	43	36	1	-	-	-	-	-	-	1	-	-	-	-
Chronic Bright's disease	713	787	28	-	-	-	-	3	2	2	3	3	10	5
Other diseases of genito-urinary system.	301	361	14	-	-	-	-	-	-	-	2	3	4	5
Puerperal sepsis	47	51	2	-	-	-	-	-	-	2	-	-	-	-
Other causes incident to childbirth	38	49	2	-	-	-	-	-	2	-	-	-	-	
Congenital malformations	128	130	3	3	-	-	-	-	-	-	-	-	-	
Premature birth	417	445	15	15	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	86	68	2	2	-		-		-	-	-	-	-	
Old age	495	609	25	-		-						-	3	22
Suicide	223	209	14	-		-	-	-	-	3	5	4	1	1
Burns and Scalds	46	70	1	-	1	-	-	-	-	-	-	-	-	-
Drowning	47	36	3	-	-	-	2	-	-	1	-	-	-	-
Suffocation in bed	14	14	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	294	269	19	-	-	1	4	4	-	-	4	-	6	-
Other deaths by violence	354	329	17	-	-	-	-	2	-	-	-	3	2	10
Other specified causes	843	961	41	8	-	1	1	2	3	5	3	5	5	8
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 23rd May, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	37	212	146	3	86	C. 4 D. 4 E. 1 G. 2 L. 3 M. 15 N. 18
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	11	–	3	N. 1
†BERMONDSEY ...	1	7	2		6	D. 1 N. 1
†BETHNAL GREEN	3	6	8		1	–
†CAMBERWELL ...	1	8	11	–	2	M. 1
†CHELSEA	–	–	3	–	2	–
†DEPTFORD ...	3	4	3	–	3	N. 1
†FINSBURY ...	2	4	1	–	4	M. 1
†FULHAM	–	8	4	–	3	D. 1 N. 1
†GREENWICH ...	–	4	4	–	–	G. 1 N. 1
†HACKNEY... ...	2	16	9	1	2	C. 1 M. 1 N. 3
†HAMMERSMITH ...	–	5	-	–	3	C. 1
†HAMPSTEAD ...	-	–	1	-	1	–
†HOLBORN... ...	–	3	–	–	1	L. 2

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	1	19	10	1	3	C. 1 L. 1 M. 1 N. 1
†KENSINGTON ...	–	7	6	–	2	C. 1 N. 3
†LAMBETH ...	–	8	7	–	5	–
†LEWISHAM ...	–	14	7	–	6	D. 1 E. 1 M. 2
†PADDINGTON ...	–	10	5	–	4	M. 1 N. 1
†POPLAR	4	9	5	–	5	M. 1
†ST. MARYLEBONE	-	4	3	-	-	N. 1
†ST. PANCRAS ...	–	4	3	-	2	M. 1
†SHOREDITCH ...	8	8	6	–	–	M. 2
†SOUTHWARK ...	-	8	7	1	9	D. 1 N. 3
†STEPNEY	11	21	11	–	4	M. 2
†STOKE NEWINGTON	–	1	1	–	1	–
†WANDSWORTH ...	–	13	11	–	4	M. 2 N. 1
†WESTMINSTER, CITY OF	-	5	4	–	2	G. 1
†WOOLWICH ...	1	8	3	–	8	-

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	–	6	–	8	E. 1 N. 1
Boroughs and Urban Districts:—						
Ampthill ...	–	–	1	–	–	–
†Bedford	–	–	–	–	1	E. 1
Kempston ...	–	–	–	–	1	–
†Luton	–	–	2	–	2	N. 1
Rural Districts:—						
Ampthill ...	–	–	3	–	1	–
Biggleswade ...	–	–	–	–	3	–
Eaton Bray ...	*	*	*	*	*	*
BERKS	–	3	4	–	1	–
†Reading C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
Abingdon ...	–	–	4	–	–	–
†Newbury ...	–	1	–	–	–	–
Wantage ...	–	1	–	–	–	–
Rural Districts:—						
Faringdon (part)	–	1	–		–	–
BUCKINGHAM...	–	1	1	–	4	–
Boroughs and Urban Districts:—						
Bletchley ...	–	–	–	–	1	–
Marlow	–	–	1	–	–	–
†Slough	–	–	–	–	1	–
†Wolverton ...	–	–	–	–	1	–
Rural Districts:—						
Amersham ...	–	–	–	–	1	–
Eton	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...		4	–	–	–	–
Borough:—						
†Cambridge ...	–	3	–	–	–	–
Rural Districts:—						
Linton	–	1	–	–	–	–
CHESTER ...	–	23	19	–	16	C. 1 D. 1 N. 6
†Birkenhead C.B.	–	3	6	–	3	N. 1
†Chester C.B. ...	–			–	–	N. 1
†Stockport C.B. ...	–	1	1	–	3	N. 3
†Wallasey C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†Altrincham ...	–	1	–	–	1	–
†Bebington and Bromborough	–	–	2	–	–	–
†Congleton ...	–	–	–	–	1	–
†Dukinfield ...	–	5	–	–	2	–
†Ellesmere Port and Whitby	–	–	1	–	–	–
Hale	–	1	–	–	–	–
†Hazel Grove and Bramhall	–	–	–	–	–	D. 1
†Hoylake and West Kirby	–	–	–	–	–	N. 1
†Hyde	–	4	–	–	2	–
Knutsford ...	–	3	–	–	–	–
†Macclesfield ...	–	–	–	–	1	–
†Runcorn	–	–	–	–	1	–
†Sale	–	–	1	–	–	–
†Stalybridge ...	–	–	–	–	1	–
Rural Districts:—						
Congleton ...	–	–	–	–	–	C. 1
Nantwich ...	–	1	–	–	1	–
Northwich ...	–	–	1	–	–	–
Runcorn	–	1	–	–	–	–
Tarvin	–	–	4	–	–	–
Wirral	–	1	2	–		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	-	5	7	-	1	N. 1
Boroughs and Urban Districts:—						
BODMIN	-	-	1	-	-	-
†FALMOUTH ...	-	-	-	-	1	-
FOWEY	-	1	-	-	-	-
NEWQUAY ...	-	-	-	-	-	N. 1
PENRYN	-	-	1	-	-	-
†PENZANCE ...	-	-	1	-	-	-
TORPOINT ...	-		1	-	-	-
†TRURO	-	1	-	-	-	-
Rural Districts:—						
LISKEARD ...	-	1	-	-	-	-
REDRUTH ...	-	-	3	-	-	-
ST. GERMANS ...	-	1	-	-	-	-
WEST PENWITH...	-	1	-	-	-	-
CUMBERLAND...	-	8	1	-	6	-
†CARLISLE... ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	-		1	-	-	-
KESWICK		-	-		1	-
MILLOM	-	-	-	-	2	-
PENRITH	-	-	-	-	2	-
†WHITEHAVEN ...	-	1	-	-	-	-
†WORKINGTON ...	-	-		-	1	-
Rural Districts:—						
BOOTLE	-	1		-	-	-
COCKERMOUTH ...	-	2	-	-	-	-
LONGTOWN ...	-	2	-	-	-	-
DERBY	3	17	11		17	D. 5 E. 1 M. 1 N. 2
†DERBY C.B. ...	-	3	4	-	2	N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	-	-	-	-	4	-
ALVASTON AND BOULTON	-	1	-	-	-	-
†BOLSOVER ...	-	-	2	-	-	D. 1
BRAMPTON AND WALTON	-	-	-	-	1	-
†CHESTERFIELD ...	3	1	2	-	2	-
CLAY CROSS ...	-	-	1	-	-	-
†GLOSSOP	-	-	-	-	-	E. 1
†LONG EATON ...	-	1	-	-	-	-
†RIPLEY	-	1	-	-	1	-
†SWADLINCOTE DISTRICT	-	-	1	-		-
†THE MATLOCKS...	-	1	-	-	-	-
Rural Districts:—						
BAKEWELL ...	-	1	-	-		-
BLACKWELL ...	-	-	1	-	2	D. 4
CHESTERFIELD ...	-	7	-	-	4	M. 1
HARTSHORN AND SEALS	*	*	*	*	*	*
SHARDLOW ...	-	1	-	-	1	-
DEVON	-	18	10	-	5	C. 1 M. 2 N. 3
†EXETER C.B. ...	-	-	1	-	-	M. 1
†PLYMOUTH C.B.	-	11	4	-	2	M. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	-	-	-	-	-	N. 1
†BARNSTAPLE ...	-	1	-	-	1	N. 1
BRIXHAM... ...	-	-	-	-	-	C. 1
BUCKFASTLEIGH	*	*	*	*	*	*
†EXMOUTH ...	-	-	3	-	-	-
KINGSBRIDGE ...	-	2	-	-	-	-
OKEHAMPTON ...		1	-	-		-
OTTERY ST. MARY	*	*	*	*	*	*
†TEIGNMOUTH ...	-	-	-	-	-	N. 1
TIVERTON ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
Kingsbridge ...	–	–	1	–		–
Plympton St. Mary	–	2	–	–	–	–
St. Thomas ...	–	1	1	–	–	–
Tiverton ...	–	–	–	–	1	–
DORSET	–	4	1	1	–	–
Boroughs and Urban Districts:—						
†Poole	–	1	1		–	–
Shaftesbury ...	–	1	–	–	–	–
Swanage ...	–	1	–	–	–	–
Rural Districts:—						
Cerne	*	*	*	*	*	*
Dorchester ...	–	–	–	1	–	–
Sherborne ...	–	1	–	–	–	–
DURHAM ...	–	37	21	4	68	D. 7 M. 1 N. 6
†Darlington C.B.	–	4	1	–	5	N. 4
†Gateshead C.B.	–	2	1	–	3	D. 1
†South Shields C.B.	–	2	–	–	12	D. 1
†Sunderland C.B.	–	6	3	–	16	D. 3
†West Hartlepool C.B.	–	1	–	1	3	–
Boroughs and Urban Districts:—						
†Annfield Plain	–	1	1	–	1	–
Benfieldside ...	–	–	–	–	2	–
Billingham ...	–	1	1		–	–
†Bishop Auckland	–	1	–	–	–	N. 1
†Blaydon... ...	–	1	2	–	–	
†Crook		–	–	–	–	N. 1
†Durham	–	–	–	–	2	–
†Felling	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hetton	–	–	1	–	2	–
†Jarrow	–	–	–	–	7	D. 1
†Seaham Harbour	–	–	–	–	1	–
†Shildon	–	–	1	–	–	–
†Stanley	–	–	3	2	–	–
†Stockton on Tees	–	4	1	–	3	–
†Tanfield ...	–	1	–	–	2	–
†Washington ...	–	–	–	1	–	–
†Whickham ...	–	–		–	1	–
Rural Districts:—						
Auckland ...		4	–	–	–	–
Chester le Street	–	2	–	–	–	–
Durham	–	1	–	–	–	
Easington ...	–	1	5	–	7	D. 1
Houghton le Spring	–	–	–	–	1	M. 1
South Shields	–	1	–	–	–	–
Sunderland ...	–	–	1	–	–	–
ELY, ISLE OF ...	–	–	2	–	1	–
Boroughs and Urban Districts:—						
Whittlesey ...	–	–	1	–	1	–
Rural Districts:—						
Wisbech... ...	–	–	1	–	–	–
ESSEX	10	70	35	1	33	C. 1 L. 1 M. 1 N. 4
†East Ham C.B....	1	4	1	–		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexis.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†Southend on Sea C.B.	–	6	–	–	1	–
†West Ham C.B.	7	9	6	–	16	C. 1 M. 1
Boroughs and Urban Districts:—						
†Barking Town...	1	2	4	–	1	N. 1
Benfleet ...	–	1	–	–	–	–
Chingford ...	–	2	–	–	–	–
†Clacton	–	–	–	1	–	–
†Colchester ...	–	–	–	–	1	N. 1
Dagenham ...	–	4	3	–	4	–
Epping	–	–	–	–	1	–
Frinton-on-Sea	–	1	–	–	–	–
†Grays Thurrock	–	–	1	–	1	–
†Harwich ...	–	–	2	–	–	–
†Hornchurch ...	–	–	2	–	–	–
†Ilford	–	8	3	–	–	–
†Leyton	1	4	5	–	1	N. 1
Loughton ...	–	–	–	–	1	–
Maldon	–	1	–	–	–	–
†Romford... ...	–	1	1	–	–	L. 1
Tilbury	–	2	–	–	–	–
Waltham Holy Cross	–	2	–	–	–	–
†Walthamstow ...	–	9	2	–	3	N. 1
†Wanstead ...	–	2	–	–	–	–
†Woodford ...	–	3	2	–	–	–
Rural Districts:—						
Billericay ...	–	2	1	–	–	–
Braintree ...	–	2	–	–	2	–
Chelmsford ...	–	1	–	–	–	–
Lexden and Winstree	–	2	–	–	–	–
Orsett	–	–	1	–	–	–
Rochford ...	–	1	–	–	–	–
Saffron Walden	–	–	–	–	1	–
Tendring ...	–	1	1	–	–	–
GLOUCESTER ...	–	15	14	3	8	C. 1 D. 1 M. 1 N. 1
†Bristol C.B. ...	–	10	11	2	5	D. 1 N. 1
GLOUCESTER—*cont.*						
†Gloucester C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†Cheltenham ...	–	–	1	–	1	–
Stroud	–	–	–	1	–	–
Rural Districts:—						
Cirencester ...	–	2	1	–	–	–
East Dean and United Parishes	–	3	–	–	–	–
Stroud	–	–	–	–	1	C. 1
Wheatenhurst	–	–	–	–	–	M. 1
HEREFORD ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
Bromyard ...	–	–	–	–	1	–
Leominster ...	–	–	–	–	1	–
Ross	–	2	–	–	–	–
Rural Districts:—						
Leominster and Wigmore	–	–	1	–	–	–
HERTFORD	–	13	5	–	1	C. 2
Boroughs and Urban Districts:—						
†Barnet	–	2	–	–	–	–
†East Barnet Valley	–	–	–	–	–	C. 1
Great Berkhampstead	–	1	–	–	–	–
†Hemel Hempstead	–	1	–	–	–	C. 1
†Hitchin	–	4	–	–	–	–
†St. Albans ...	–	1	–	–	1	–
†Watford ...	–	1	3	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
Berkhampstead	–	2		–	–	–
Hitchin	–	–	2	–	–	–
Ware		1	–	–	–	–
HUNTINGDON ...	–	1	–	–	2	L. 1
Rural Districts:—						
Norman Cross ...	–	1	–	–	2	–
St. Neots ...	–	–	–	–	–	L. 1
KENT		37	16	2	14	C. 1
						M. 3
						N. 2
†Canterbury C.B.	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
†Ashford	–	1	–	–	–	–
†Beckenham ...	–	3	–	–	–	M. 1
						N. 1
†Bexley	–	3	2	–	–	–
†Broadstairs and St. Peter's	–	1	–	–	–	–
†Bromley... ...	–	1	–	–	1	–
†Chatham ...	–	1	–	–	–	–
Chislehurst ...	–	1	–	–	1	–
†Crayford ...	–	2	–	–	–	–
†Dartford ...	–	–	–	–	1	–
†Deal	–	–	1	–	–	–
†Dover	–	1	1	–	–	–
†Erith	–	–	–	1	–	N. 1
†Folkestone ...	–	–	1	–	1	–
†Gillingham ...	–	1	1	–	1	–
†Gravesend ...	–	2	–	–	1	–
†Herne Bay ...	–	1	–	–	–	–
†Maidstone ...	–	1	1	1	–	–
†Margate ...	–	–	1	–	–	–
†Northfleet ...	–	–	1	–	–	M. 1
†Penge	–	–	–	–	–	C. 1
†Ramsgate ...	–	–	–	–	1	–
†Rochester ...	–	2	–	–	–	–
†Royal Tunbridge Wells	–	–	1	–	–	–
Sandwich ...	–	1	–	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Sheerness ...	–	1	–	–	–	–
Sidcup	–	2	–	–	–	–
†Tonbridge ...		–	–		1	–
Whitstable ...	–	–	–	–	2	–
Rural Districts:—						
Blean	–	1	–	–	1	–
Bridge	–	–	–		1	–
Bromley... ...	–	–	2	–	–	–
Cranbrook ...	–	–	–		1	–
Dartford ...	–	5	1	–	–	–
East Ashford ...	–	–	1	–	–	–
Isle of Thanet	–	1	–		–	–
Malling	–	4	–	–	1	–
Sevenoaks ...	–	1	2	–		–
LANCASTER ...	–	243	143	6	182	C. 4
						D. 10
						G. 2
						L. 2
						M. 24
						N. 9
†Barrow in Furness C.B.	–	2	2	–	3	–
†Blackburn C.B.	–	1	–	–	2	–
†Blackpool C.B.	–	3	–	–	–	–
†Bolton C.B. ...	–	4	2	–	1	C. 1
						M. 1
†Bootle C.B. ...	–	6	4	–	4	N. 2
†Burnley C.B. ...	–	6	2		7	–
†Bury C.B. ...	–	1	2	–	4	M. 1
†Liverpool C.B....	–	26	54	3	41	D. 3
						G. 2
						L. 1
						M. 16
						N. 1
†Manchester C.B.	–	62	23	–	36	C. 3
						D. 2
						M. 3
†Oldham C.B. ...	–	2	3	–	4	N. 2
†Preston C.B. ...	–	1	–	1	6	–
†Rochdale C.B....	–	2	4	–	2	–
†St. Helens C.B.	–	1	5	–	5	–
†Salford C.B. ...	–	14	6	–	9	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†SOUTHPORT C.B.	–	4	5	–	1	–
†WARRINGTON C.B.	–	26	–	–	3	–
†WIGAN C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	3	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	–	–	2	–
†ASHTON-UNDER-LYNE	–	3	–	–	2	–
AUDENSHAW ...	–	2	–	–	1	–
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ...	–	–	–	1	–	–
†CHORLEY	–	3	–	–	1	–
CHURCH	–	1	–	–	–	–
†COLNE	–	–	–	–	–	N. 1
†CROMPTON ...	–	1	1	–	1	–
†DARWEN	–	–	–	–	2	–
†DENTON	–	1	–	–	–	M. 2
†ECCLES	–	–	3	–	5	–
†FAILSWORTH ...	–	–	–	–	1	–
†FARNWORTH ...	–	–	–	–	3	D. 2 N. 1
†FLEETWOOD ...	–	–	–	–	1	–
†GREAT CROSBY ...	–	1	–	–	–	–
†HASLINGDEN ...	–	3	–	–	–	–
†HAYDOCK... ...	–	–	1	–	2	–
†HINDLEY	–	1	–	–	1	–
†HORWICH... ...	–	–	–	–	1	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	1	1	–	1	–
IRLAM	–	2		–	–	–
KEARSLEY ...	–	–	1	–	–	–
†LANCASTER ...	–	2	–	–	–	–
†LEIGH	–	–	–	–	1	D. 1
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	1	1	–	–	–
†LYTHAM ST. ANNE'S	–	1	1	–	–	–
†MIDDLETON ...	–	3	2	–	2	–
MILNROW... ...	–	–	1	–	1	–
†MORECAMBE AND HEYSHAM	–	1	–	–	1	–
†NELSON	–	6	–	–	–	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†NEWTON IN MAKERFIELD	–	7	–	–	1	–
ORMSKIRK ...	–	1	–	–	–	–
†OSWALDTWISTLE ...	–	1	1	–	–	–
†RADCLIFFE ...	–	1	–	–	1	–
RAINFORD ...	–	1	–	–	–	–
†RAMSBOTTOM ...	–	–	3	–	–	–
†RAWTENSTALL ...	–	–	1	–	1	–
†ROYTON	–	–	–	–	4	N. 1
†STRETFORD ...	–	4	4	–	1	M. 1 N. 1
†SWINTON AND PENDLEBURY	–	1	1	–	2	–
TOTTINGTON ...	–	–	2	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
URMSTON... ...	–		–	–	1	
†WALTON LE DALE	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	1	2	–	–	–
†WESTHOUGHTON	–	1		–	–	D. 1
WHITEFIELD ...	–	–	1	–	–	–
†WIDNES	–	2	1	–	5	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	2	–	–	–	–
BLACKBURN ...	–	1	–	–	–	–
BURNLEY ...	–	8	–	–	–	–
CHORLEY	–	1	1	–	–	–
CLITHEROE ...	–	–	–	–	1	L. 1
GARSTANG ...	–	1	1	–	–	–
PRESTON		–	–	1	–	–
WARRINGTON ...	–	5	–	–	–	D. 1
WEST LANCASHIRE	–	1	1	–	1	–
WHISTON... ...	–	1	–	–	–	–
LEICESTER ...	48	14	7	1	12	L. 1 M. 3 N. 2
†LEICESTER C.B....	26	7	1	–	3	L. 1 M. 1 N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	3	1	2	–	1	-
†LOUGHBOROUGH	–	1	–	–	1	–
OADBY	–	–	–	–	–	M. 1
QUORNDON ...		1	–	-		-
SHEPSHED ...	8	–	–	–	1	-
THURMASTON ...	2	–	-	–	-	–
WIGSTON MAGNA	–	–	1	–	-	–
Rural Districts:—						
ASHBY DE LA ZOUCH	1	–	-	1	–	–
BARROW UPON SOAR	-	1	2	–	3	–
BILLESDON ...	1	–	–	–	1	-
BLABY	1	1	–	–	–	-
CASTLE DONINGTON	–	1	–	-	1	–
HINCKLEY ...	1	–	1	–	1	–
LOUGHBOROUGH	1	–	–	–		–
MARKET BOSWORTH	4	–	–	–	–	M. 1
MELTON MOWBRAY	–	1	–	–		-
LINCOLN (parts of Holland).	–	4	–	–	1	–
Boroughs and Urban Districts:—						
SPALDING ...	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	3	–	-	1	–
LINCOLN (parts of Kesteven).	1	2	6	–	–	–
Boroughs and Urban Districts:—						
BOURNE	–	–	1	–	–	–
STAMFORD ...	1	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
EAST KESTEVEN	-	–	1	–	–	-
SOUTH KESTEVEN	-	2	-	–		-
WEST KESTEVEN	–	–	4	–	–	-
LINCOLN (parts of Lindsey).	5	7	3	1	11	C. 1 D. 1 M. 1
†GRIMSBY C.B. ...	5	3	1	–	2	–
†LINCOLN C.B. ...	–	2	2	-	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	-	–	-	–	1	–
†CLEETHORPES ...	–	–	–	–	–	C. 1
†GAINSBOROUGH ...	–	1	–	–	–	–
HORNCASTLE ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	-	–	–	1	2	D. 1
Rural Districts:—						
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	–	–	–	3	–
HORNCASTLE ...	–	-	–	–	-	M. 1
ISLE OF AXHOLME	–	–	–	–	1	-
MIDDLESEX ...	–	94	29	4	26	C. 4 G. 1 M. 3 N. 7
Boroughs and Urban Districts:—						
†ACTON	–	2	2	–	–	–
†BRENTFORD AND CHISWICK	-	2	3	1	1	N. 1
†EALING	–	1	–	1	3	C. 2 N. 1
†EDMONTON ...	–	6	2	1	2	–
†ENFIELD	–	12	–	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†FINCHLEY ...	–	3	–	–	–	–
†FRIERN BARNET...	–	4	–	–	–	–
HAYES AND HARLINGTON	–	4	–	–	–	N. 1
†HENDON	–	7	1	–	1	C. 1
†HESTON AND ISLEWORTH	–	4	1	1	3	–
†HORNSEY	–	7	–	–	5	–
KINGSBURY ...	–	1	–	–	–	–
RUISLIP NORTHWOOD	–	–	1	–	–	–
†SOUTHALL NORWOOD	–	4	2	–	–	–
†SOUTHGATE ...	–	1	–	–	–	N. 1
†STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	–	–	–	–	N. 1
†TOTTENHAM ...	–	9	10	–	5	M. 2
†TWICKENHAM ...	–	3	3	–	–	–
†UXBRIDGE ...	–	3	–	–	–	–
†WEALDSTONE ...	–	6	–	–	–	–
†WEMBLEY ...	–	–	–	–	1	C. 1
†WILLESDEN ...	–	10	3	–	4	G. 1 N. 1
†WOOD GREEN ...	–	2	–	–	–	N. 1
†YIEWSLEY AND WEST DRAYTON	–	2	–	–	–	–
NORFOLK ...	–	7	4	–	11	M. 1 N. 2
†GREAT YARMOUTH C.B.	–	–	–	–	2	–
†NORWICH C.B. ...	–	2	1	–	3	–
Boroughs and Urban Districts:—						
CROMER	–	–	–	–	1	–
†KING'S LYNN ...	–	1	1	–	–	–
SHERINGHAM ...	–	–	–	–	–	N. 1
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	–	2	–	–	1	M. 1
BLOFIELD ...	–	1	–	–	–	–
DOWNHAM ...	–	–	1	–	–	–
EAST AND WEST FLEGG	–	–	1	–	–	–
LODDON AND CLAVERING	–	–	–	–	1	–
MARSHLAND ...	–	–	–	–	1	–
ST. FAITH'S ...	–	1	–	–	–	–
THETFORD ...	–	–	–	–	–	N. 1
WALSINGHAM ...	–	–	–	–	2	–
NORTHAMPTON	–	7	2	–	7	–
†NORTHAMPTON C.B.	–	3	1	–	2	–
Boroughs and Urban Districts:—						
BRACKLEY ...	–	–	–	–	2	–
†KETTERING ...	–	2	–	–	1	–
RAUNDS	–	1	–	–	–	–
†RUSHDEN... ...	–	–	–	–	1	–
Rural Districts:—						
MIDDLETON CHENEY	–	–	–	–	1	–
WELLINGBOROUGH	–	1	1	–	–	–
NORTHUMBERLAND.	–	40	13	1	28	C. 4 D. 1 M. 1 N. 4
†NEWCASTLE UPON TYNE C.B.	–	25	6	1	13	C. 4 M. 1 N. 3
†TYNEMOUTH C.B.	–	–	1	–	1	D. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	–	–	–	–	N. 1
†BEDLINGTONSHIRE	–	–	–	–	3	–
†BLYTH	–	2	–	–	3	
†EARSDON	–	–	1	–	–	–
†GOSFORTH ...	–	1	1	–	1	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	–	–	–	2	–
SEATON DELAVAL	–	–	–		2	–
†WALLSEND ...	–	2	2	–	1	–
WEETSLADE ...	–	–	1	–	–	–
†WHITLEY AND MONKSEATON	–	–	1	–	2	–
Rural Districts:—						
CASTLE WARD ...	–	4	–	–	–	–
HEXHAM	–	1	–	–	–	–
MORPETH... ...	–	3	–	–	–	–
NOTTINGHAM ...	–	18	13	1	17	D. 3 M. 1 N. 2
†NOTTINGHAM C.B.	–	8	5	1	8	–
Boroughs and Urban Districts:—						
†CARLTON	–	–	2	–	–	–
†EAST RETFORD ...	–	1	–	–	–	–
†HUCKNALL ...	–	1	2	–	2	N. 1
†KIRKBY IN ASHFIELD	–	–	–	–	2	–
†MANSFIELD ...	–	1	–	–	1	D. 1
†MANSFIELD WOODHOUSE	–	–	–	–	1	M. 1
†WEST BRIDGFORD	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	2	2	–		–
BINGHAM... ...	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
SOUTHWELL ...	–	2	–	–	3	D. 1 N. 1
WORKSOP... ...	–	1	–	–	–	D. 1
OXFORD	–	5	1	–	2	–
†OXFORD C.B. ...	–	4	1	–	1	–
Rural Districts:—						
BANBURY... ...	–	1	–	–		–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of).	1	1	–	–	1	–
Borough:—						
†PETERBOROUGH...	1	1	–	–	1	–
SALOP	–	4	4	–	4	M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
LUDLOW	–	–	1	–	–	–
MARKET DRAYTON	–	–	1	–	–	–
OSWESTRY ...	–	1		–	1	–
†WENLOCK ...	–	1			–	–
Rural Districts:—						
ATCHAM	–	–	–	–	1	–
BRIDGNORTH ...	–	1	–	–	–	–
OSWESTRY ...	–	–		–	2	M. 1
SHIFNAL	–	1	–	–	–	–
WELLINGTON ...	–	–	1	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	9	2	–	7	N. 3
†BATH C.B. ..	–	1	1	–	1	–
Boroughs and Urban Districts:—						
CLEVEDON ..	–	–	–	–	1	–
MIDSOMER NORTON	–	–	–	–	2	–
MINEHEAD ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	–	–	–	N. 1
STREET			1	–	–	–
†TAUNTON... ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	2	–	–	–	–
KEYNSHAM ...	–	–	–	–	1	N. 1
LONG ASHTON ...	–	3	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	N. 1
YEOVIL	–	1	–	–	–	–
SOUTHAMPTON	–	24	17	–	7	C. 1 G. 1 M. 2
†BOURNEMOUTH C.B.	–	5	2	–	1	M. 1
†PORTSMOUTH C.B.	–	11	10	–	–	–
†SOUTHAMPTON C.B.	–	–	2	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
†BASINGSTOKE ...	–	–	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE		1		–	–	–
†GOSPORT	–	–	1	–	1	G. 1
Rural Districts:—						
ANDOVER... ...	–	3	–	–	–	–
DROXFORD ...	*	*	*	*	*	*
FAREHAM ...	–	1	–	–	–	–
FORDINGBRIDGE	–	–	–	–	1	–
HAVANT	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts—*cont.*						
LYMINGTON ...	–	–	2	–	–	–
SOUTH STONEHAM	–	–		–	1	–
WHITCHURCH ...	–	–	–	–	1	–
STAFFORD ...	–	32	25	3	52	C. 1 D. 1 G. 1 M. 3 N. 3
†BURTON UPON TRENT C.B.	–	2		–	1	–
†SMETHWICK C.B.	–	2	1	–	3	–
†STOKE ON TRENT C.B.	–	3	4	1	12	D. 1 G. 1
†WALSALL C.B. ...		2	2	–	5	M. 1
†WEST BROMWICH C.B.	–	4	2	–	2	N. 1
†WOLVERHAMPTON C.B.	–	7	2	–	6	–
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	1	1	–	–
†BILSTON	–	–	–	–	2	M. 1
†BROWNHILLS ...	–	–	1	–	–	C. 1 M. 1
†CANNOCK		–	–	–	1	–
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	–	–	–	1	–
†LEEK	–	3	–	–	–	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	2	1	–	3	–
RUGELEY... ...	–	1	–	–	–	–
†SEDGLEY	–	–	–	–	3	–
†STAFFORD ...	–	–	–	–	2	–
TETTENHALL ...	–	–	1	–	–	–
†TIPTON	–	1	–	–	–	N. 1
WEDNESFIELD ...	–	1		–	–	–
†WILLENHALL ...	–	–	1	–	1	–
†WOLSTANTON UNITED	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	1	–
CHEADLE	–	2	–	–	4	N. 1
KINGSWINFORD ...	*	*	*	*	*	*
LICHFIELD ...	–	–	2	–	–	–
MAYFIELD ...	–	–	1	–	–	–
STAFFORD ...	–	–	2	–	–	–
TAMWORTH (part)	–	1	1	–	–	–
TUTBURY	–	–		1	1	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL		–	2	–	–	–
SUFFOLK, EAST	–	7	5		2	–
†IPSWICH C.B. ...	–	3	5	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	1	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	3	–	–	–	–
SUFFOLK, WEST		2	1	–	–	G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1		–		–
HAVERHILL ...	–	–		–	–	G. 1
NEWMARKET ...	–	–	1	–		–
Rural Districts:—						
MELFORD	–	1	–	–	–	–
SURREY	–	40	14	2	9	M. 1 N. 3
†CROYDON C.B. ...	–	8	2	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—						
†BARNES	–		2	–	–	–
†CARSHALTON ...			2		–	–
†CATERHAM AND WARLINGHAM	–		3	–	–	–
†COULSDON AND PURLEY	–		2	1	–	–
†EGHAM	–		1	–	–	–
†EPSOM	–		1	–	–	–
†ESHER AND THE DITTONS	–		1	3	1	–
†FARNHAM ...	–			–	–	1 N. 1
†GODALMING ...	–		1	–	–	–
†GUILDFORD ...	–		–	–		1 –
†KINGSTON ON THAMES	–		–	–		– M. 1
†MERTON AND MORDEN	–		2		–	– N. 1
†MITCHAM	–		3	–	–	2 N. 1
†REIGATE	–		–	3	–	1 –
†RICHMOND ...	–		1	–	–	– –
†SUTTON AND CHEAM	–		–	1	–	– –
†THE MALDENS AND COOMBE	–		2	–	–	– –
†WALTON UPON THAMES	–		–	–	–	2 –
†WIMBLEDON ...	–		–	–	1	– –
WINDLESHAM ...	–		–	1	–	– –
†WOKING	–		2	–	–	– –
Rural Districts:—						
CHERTSEY ...	–		1	–	–	– –
EPSOM	–		2			1 –
GODSTONE ...	–		1	–	–	– –
GUILDFORD ...	–		3		–	– –
HAMBLEDON ...	–		1	1	–	– –
REIGATE	–		1	2	–	– –
SUSSEX, EAST ...	–		9	2	–	8 D. 1 L. 1 N. 1
†BRIGHTON C.B. ...	–		2	–	–	2 N. 1
†EASTBOURNE C.B.	–		–	–	–	– L. 1
†HASTINGS C.B. ...	–		–	1	–	2 –

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	1	–
†HOVE	–	3	–	–	–	–
NEWHAVEN ...	–	–	–	–	2	–
PORTSLADE BY SEA	–	–	–	–	–	D. 1
SEAFORD		1	–		–	–
Rural Districts:—						
BATTLE	–	1	–	–	–	–
HAILSHAM ...	–		–	–	1	–
TICEHURST ...	–	–	1	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST...	–	2	2	–	1	C. 1 N. 4
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	–	1	–
SHOREHAM BY SEA	–	–	2	–	–	N. 2
†WORTHING ...	–	1	–	–	–	C. 1 N. 2
WARWICK ...	–	67	56	–	48	C. 3 M. 15 N. 2
†BIRMINGHAM C.B.	–	44	44	–	24	C. 1 M. 15 N. 2
†COVENTRY C.B. ...	–	9	8	–	4	C. 2
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
BULKINGTON ...	–	1	–	–	–	–
†NUNEATON ...	–	1	–	–	2	–
†RUGBY	–	2	1	–	1	–
†SUTTON COLDFIELD	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	–	–	–	3	–
FOLESHILL ...	–	–	–	–	3	–
MERIDEN... ...	–	1	–	–	1	–
NUNEATON ...	–	3	–	–	–	–
RUGBY	–	2	3	–	5	–
SOLIHULL ...	–	3	–	–	1	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	1	–	–	1	–
WESTMORLAND	–	3	–	–	3	C. 2
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–		C. 1
WINDERMERE ...	–	–	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	1	C. 1
WEST WARD ...	–	1	–	–	1	–
WIGHT, ISLE OF	–	2	–	2	–	–
Borough and Urban Districts:—						
†COWES	–	2	–	1	–	–
†NEWPORT... ...	–	–	–	1	–	–
WILTS	–	4	1	–	2	N. 4
Boroughs and Urban Districts:—						
†SWINDON... ...	–	1	1	–	1	N. 2
†TROWBRIDGE ...	–	1	–	–	–	–
WARMINSTER ...	–	2	–	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WILTS—*cont.*						
Rural Districts:—						
MELKSHAM ...	–	–	–	–	–	N. 1
MERE	–	–	–	–	–	N. 1
RAMSBURY ...	–	–	–	–	1	–
WORCESTER ...	–	10	4	–	5	G. 1
†DUDLEY C.B. ...	–	2	1	–	1	–
†WORCESTER C.B.	–	3	–	–	3	–
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	2	–	–	–	–
†MALVERN ...	–	1	–	–	1	–
†OLDBURY... ...	–	–	–	–	–	G. 1
†STOURBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	–	1	–	–	–
EVESHAM... ...	–	1	1	–	–	–
PERSHORE ...	–	–	1	–	–	–
YORKS ... ... (East Riding).	–	13	15	–	5	E. 1 M. 1 N. 1
†KINGSTON UPON HULL C.B.	–	11	14	–	4	E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
HESSLE	*	*	*	*	*	*
POCKLINGTON ...			–	–	1	–
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BRIDLINGTON ...	–	–	1	–	–	–
ESCRICK	–	1	–	–	–	–
SCULCOATES ...	*	*	*	*	*	*
SKIRLAUGH ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	23	10	–	21	E. 1 M. 1 N. 1
†MIDDLESBROUGH C.B.	–	7	–	–	9	E. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	5	–
LOFTUS	–	1	–		–	–
†REDCAR	–		–	–	3	–
RICHMOND ...	–	1	–		–	–
SALTBURN BY THE SEA	–	4	–	–	–	–
†SCARBOROUGH ...	–	–	5	–	–	N. 1
†SKELTON AND BROTTON	–	–	1	–	3	–
†WHITBY		–	1		–	–
Rural Districts:—						
CROFT	–	–	1	–	–	–
EASINGWOLD ...	–	–	–	–	1	–
GUISBOROUGH ...	–	2	–	–	–	–
KIRKBY MOORSIDE		–	1	–	–	–
SCARBOROUGH ...	–	1	–	–	–	–
STOKESLEY ...		2	1	–	–	–
WHITBY	–	–	1	–	–	–
YORKS ... ... (West Riding).	4	119	49	1	118	C. 6 D. 20 E. 2 G. 1 M. 4 N. 8
†BARNSLEY C.B. ...	–	3	1	–	4	C. 1 D. 2 G. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†BRADFORD C.B. ...	1	22	1		15	–
†DEWSBURY C.B....	–	3	–	–	–	–
†DONCASTER C.B....	–	–		–	2	D. 1
†HALIFAX C.B. ...	–	–	3	–	1	–
†HUDDERSFIELD C.B.	–	1	–	–	1	C. 1 N. 1
†LEEDS C.B. ...	1	21	11	–	16	D. 2
†ROTHERHAM C.B.	–	1	2	–	3	D. 3
†SHEFFIELD C.B....	–	18	7	–	28	C. 3 E. 2 N. 3
†WAKEFIELD C.B.	–	4	3	–	2	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	5	–	1	D. 1 M. 1
ARDSLEY, EAST AND WEST	–	–	2	–	–	C. 1
†BENTLEY WITH ARKSEY	–	–	–	–	1	–
†BINGLEY	–	1	–	–	4	–
BIRKENSHAW ...	–	1	–	–	–	–
†BRIGHOUSE ...	–	–	1	–	–	–
†CASTLEFORD ...	–	–	2	–	–	–
†CONISBROUGH ...	–	–		–	1	–
CUDWORTH ...	–	2	–	–	–	D. 1
†DARTON	–	–			–	N. 1
DODWORTH ...	–	–	–		–	D. 2
DRIGHLINGTON ...	–	1	–	–	2	–
EARBY	–	–	–	–	1	–
†ELLAND	–	2	–	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
GILDERSOME ...	–	1	–	–	–	–
†GOOLE	–	1	–	–	–	–
†HARROGATE ...	–	4	–	–	–	–
†HEMSWORTH ...	–	1	–	–	2	–
HIPPERHOLME ...	–	1	–		–	–
HORSFORTH ...	–	1	–		1	–
†HOYLAND NETHER	1	–	–	–	1	D. 1
KNARESBOROUGH	*	*	*	*	*	*
LINTHWAITE ...	–	1	–	–		
MALTBY	–	–	–	–	–	D. 1
†MEXBOROUGH ...	–	1	–	–	–	–
†MORLEY	–	–	–	–	2	M. 1
MYTHOLMROYD ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†NORMANTON ...	–	–	–	–	1	–
†OSSETT	–	1	–	–	–	D. 1
OTLEY	–	–	–	–	2	–
†PONTEFRACT ...	–	3	–	–	3	–
†PUDSEY	–	1	–		1	–
QUEENSBURY ...	–	2	–	–	–	–
†RAWMARSH ...	–	1	–	–	2	–
RIPON	–	–	–	–	1	–
SELBY	–	–	–	1	–	–
†SHELLEY	–	–	–	–	1	–
†SKIPTON	–	2	–	–	–	–
†SPENBOROUGH ...	–	–	3	–	4	–
†STANLEY	–	–	1		–	–
†SWINTON	–	–		–	–	D. 1
THURNSCOE ...	–	2	–	–		D. 2
†WOMBWELL ...	–	1	–	–	1	D. 1
†WORSBOROUGH ...	–	–	–	–	2	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	1	1	–	1	D. 1
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	5	1	–	3	–
KIVETON PARK ...	1	1	1	–		–
KNARESBOROUGH	–	2	–	–	1	–
PONTEFRACT ...	–	1	4		–	–
ROTHERHAM ...	–	1	–	–	–	M. 1
SELBY	–	1	–	–	–	–
TADCASTER ...	–	2	–	–	–	M. 1
THORNE	–	–	–	–	1	–
WAKEFIELD ...	–	–	–	–	2	–
WETHERBY ...	–	–	–	–	–	N. 1
WORTLEY... ...	–	–	–	–	2	–
YORK, CITY OF ..	–	5	6	–	1	D. 1
†YORK C.B. ...	–	5	6	–	1	D. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	1	–		2	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	–	–	1	–
Rural Districts:—						
TWRCELYN ...	–	–	–	–	1	–
VALLEY	*	*	*	*	*	*
CAERNARVON...	–	–	2	–	1	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	–	2	–	–	–
Rural Districts:—						
OGWEN	–	–	–	–	1	–
CARDIGAN ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	1	–	–	–
Rural Districts:—						
ABERAYRON ...	–	–	–	–	2	–
CARMARTHEN...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
KIDWELLY ...	–	–	1	–	–	–
Rural Districts:—						
LLANELLY ...	–	1	–	–	–	–
DENBIGH ...	–	7	18	–	1	–
Boroughs and Urban Districts:—						
RUTHIN	–	–	1	–	–	–
†WREXHAM ...	–	3	2	–	–	–
Rural Districts:—						
RUTHIN	–	–	1	–	–	–
WREXHAM ...	–	4	14	–	1	–
FLINT	–	6	6	–	2	M. 1
Borough and Urban Districts:—						
CONNAH'S QUAY	–	–	1	–	–	–
MOLD	*	*	*	*	*	*
†RHYL	–	–	2	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–		1	M. 1
HOLYWELL ...	–	–	2	–	1	–
OVERTON	–	–	1	–	–	–
ST. ASAPH (FLINT)	–	4	–	–	–	–
GLAMORGAN ...	2	39	45	–	23	C. 8 M. 1 N. 2
†CARDIFF C.B. ...	–	15	10	–	1	C. 4 N. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	1	–
†SWANSEA C.B. ...	–	5	13	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	2	–	1	–	1	–
†CAERPHILLY ...	–	–	–	–	1	–
†GELLIGAER ...	–	1	1	–	1	N. 1
†GLYNCORWG ...	–	–	1	–	–	–
†LLWCHWR ...	–	–	1	–	–	–
†MAESTEG	–	–	2	–	1	–
†MOUNTAIN ASH...	–	–	1	–	3	C. 1
†NEATH	–	1	6	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OGMORE AND GARW	–	3	1	–	1	C. 1
†PENARTH	*	*	*	*	*	*
†PONTYPRIDD ...	–	1	–	–	2	–
PORTHCAWL ...	–	2	–	–	1	–
†RHONDDA ...	–	8		–	6	C. 2 M. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT-FARDRE	–	2	–	–	–	–
NEATH	–	–	4	–	3	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	–	2	–	–	–
MERIONETH ...	–	1	–	–	–	–
Rural Districts:—						
EDEIRNION ...	–	1	–	–	–	–
MONMOUTH ...	–	33	8	–	12	C. 1
†NEWPORT C.B. ...	–	14	2	–	3	C. 1
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	1	1	–	–	–
†ABERTILLERY ...	–	4	1	–	–	–
†BEDWELLTY ...	–	7	1	–	3	–
†EBBW VALE ...	–	2	–	–	1	–
†MYNYDDISLWYN	–	–	–	–	1	–
†NANTYGLO AND BLAINA	–	–	1	–	–	–
†RHYMNEY ...	–	2	–	–	–	–
†RISCA	–	–	–	–	1	–
†TREDEGAR ...	–	3	1	–	2	–
USK	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
ABERGAVENNY ...	–	–	1	–	–	–
MONTGOMERY...	–	2	–	–	–	–
Rural Districts:—						
FORDEN	*	*	*	*	*	*
LLANFYLLIN ...	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	–	1	–	–	–	–
PEMBROKE ...	–	2	3	–	2	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–	–	1	–	–	–
MILFORD HAVEN	–	–	2	–	2	–
Rural Districts:—						
NARBERTH ...	–	2	–	–	–	–
RADNOR	–	–	–	–	–	N. 1
Urban Districts:—						
KNIGHTON ...	–	–	–	–	–	N. 1
Total of Part II....	74	1168	672	33	823	C. 43 D. 52 E. 6 G. 8 L. 6 M. 73 N. 85

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the followingdiseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 *continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
Barry		–	–			L. 1	Manchester	–	–	1			–
Cardiff			1				Plymouth	–		1	–	1	–
Cowes	*	*	*	*	*	*	Southampton ...			3	–	–	–
Liverpool		1		1	–	–	**Total of Part III.** ...		1	6	1	1	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see footnote)
Total of Part I.—London	37	212	146	3	86	C. D. E. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	74	1168	672	33	823	C. D. E. G. L. M. N.
Total of Part III.—Port Sanitary Districts		1	6	1	1	L.
Total (i.e., of returns received), England and Wales ...	111	1381	824	37	910	C. D. E. G. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	Feb. 28.	Mar. 7.	Mar. 14	Mar. 21.	Mar. 28	Apl. 4	Apl. 11.	Apl. 18.	Apl. 25	May 2	May 9	May 16.	May 23.	Totals from 1st Week of year. * 1930.	Totals from 1st Week of year. * 1931.
DON :—															
Births	1,407	1,384	1,394	1,422	1,390	1,180	1,352	1,471	1,389	1,424	1,369	1,323	1,453	29,123	27,737
Births	47	49	69	51	45	51	60	44	31	33	55	47	46	1,081	967
ths (excluding Stillths)—all ages.	1,457	1,347	1,377	1,433	1,184	1,144	1,165	981	954	1,002	955	905	871	21,874	25,237
ths—0 to 1 year ..	108	111	104	102	88	63	90	78	68	79	71	68	70	1,954	1,937
AT TOWNS, aggregate (including London) :—															
Births	6,631	6,562	6,503	6,772	6,421	5,509	6,471	7,028	6,789	6,646	6,447	6,364	6,754	132,694	129,782
Births	282	289	323	303	305	296	318	305	270	286	320	273	301	5,912	5,861
ths (excluding Stillths)—all ages.	6,879	6,480	6,713	6,700	5,691	5,313	5,423	4,674	4,590	4,623	4,351	4,127	4,235	97,791	114,899
ths—0 to 1 year ..	686	629	640	585	521	459	520	416	397	409	404	347	401	9,472	11,037
eric Fever—Cases	19	6	8	9	9	10	18	14	15	10	15	9	16	514	264
„ Deaths	2	—	1	5	1	—	—	4	3	1	2	2	1	50	37
l Pox—Cases ..	189	158	117	154	166	117	142	126	162	128	139	108	84	5,669	2,981
„ Deaths ..	—	—	—	—	—	—	1	—	1	—	—	—	—	15	3
let Fever—Cases	922	826	824	894	804	724	836	687	854	869	896	864	832	27,060	17,269
„ Deaths	4	7	6	5	9	5	8	4	5	4	9	11	4	224	137
theria—Cases ..	749	623	626	641	627	521	497	513	552	540	578	542	519	19,742	13,253
„ Deaths ..	42	42	34	32	30	33	27	35	21	22	21	25	21	958	680
sles—Deaths ..	70	73	84	75	60	58	64	55	42	46	36	38	28	2,058	1,293
uenza—Deaths ..	546	471	417	365	301	208	175	110	96	74	40	44	54	1,295	4,996

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ng been made for changes in boundary. The live births are derived from the weekly returns furnished by the trars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 23rd May, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ndon	68	41	59·0	44·6	21·8
(Greenwich).					
ighton ..	61	44	56·7	46·7	8·6
rtsmouth ..	61	43	57·0	46·6	13·1
rwich(South-well Lodge)	68	37	55·4	44·4	30·2
ymouth ..	61	39	55·3	46·0	18·5
istol (Horfield)	62	37	57·3	43·3	27·9
rmingham (Edgbaston).	60	37	55·1	43·3	48·4
ttingham ..	65	34	55·3	43·0	36·8
kenhead (Bidston).	61	42	55·1	44·7	17·3
nchester (Whitworth Park).	62	37	56·9	43·3	19·8
rnley	58	34	54·9	38·7	15·0
Huddersfield	61	30	55·6	38·3	18·8
Bradford ..	60	34	53·4	40·6	11·0
Sheffield ..	61	34	53·9	41·9	31·0
York (Museum)	64	34	56·3	40·6	22·1
Hull (Pearson Park).	63	35	54·3	42·1	15·5
Tynemouth ..	62	36	50·9	43·4	12·3
Cardiff	62	38	57·0	44·0	42·7
Edinburgh ..	57·0	36·0	52·1	40·7	2·0
Glasgow ..	60·4	39·0	56·8	42·5	11·0
Dublin (Phœnix Park)	61·4	33·4	57·0	41·4	19·0
(Fitzwilliam Square†).	60·0	42·1	57·5	45·8	37·0
Belfast	64·5	38·0	59·6	42·7	10·0

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 23rd May, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	17	New	29·292	57·9	47·3	10·6	50·8	- 2·3	49·6	1·2	6·4	0·4	96	84·1	46·6	49·0	Calm	W: WSW.	1·7	0·0	0·1	202	- 85	0·09
MONDAY -	18	..	29·441	56·2	46·4	9·8	48·9	- 4·4	45·7	3·2	11·2	1·0	89	107·1	45·4	49·1	WSW: Calm.	Calm: NE.	1·2	0·0	0·1	212	- 72	0·02
TUESDAY -	19	..	29·664	53·1	44·2	8·9	48·0	- 5·5	39·5	8·5	15 3	4·3	73	84·9	42·0	49·3	NE	NE: NNE.	2·7	0·0	0·3	329	+ 49	0·00
WEDNESDAY	20	Greatest Declination N.	29·820	55·2	43·0	12·2	46·8	- 7·0	37·5	9·3	17·8	7·5	69	109·3	37·9	49·3	NNE	NNE: NE.	2·2	0·0	0·4	348	+ 73	0·00
THURSDAY -	21	..	29·752	55·9	40 6	15·3	47·9	- 6·3	43·2	4 7	10·8	0·6	83	110·8	35·0	49·4	NE: ENE.	E: ENE.	1·7	0·0	0·2	248	- 22	0 06
FRIDAY -	22	..	29·677	66·6	44·1	22·5	53·1	- 1·5	45·9	7·2	17·7	0·0	77	125·0	32·9	49·4	Calm: SW.	SW: SSW.	0·7	0·0	0·1	151	- 115	0·44
SATURDAY -	23	..	29·684	68·3	45·4	22 9	55·6	+ 0 7	52·4	3·2	14·5	0·9	89	110·8	33·7	49·5	SSE: SE: S.	Calm.	0·8	0·0	0·0	144	- 119	0·27
MEANS -		..	29·619	59·0	44·4	14·6	50·2	- 3·8	44·8	5·3	13·4	2·1	82	104·6	39·1	49·3	NE		..		..	Sum 1634	Sum - 291	Sum 0·88
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	17	Variably mP and wP.	0·0	15·7	Overcast throughout. Rain till 0½h.; from 6h. till 6½h.; and 17h. till 17½h. Damping 0½h. till 2½h.; 5h. till 6h.; 11½h. till 12h.; 13h. till 13¼h.; and generally from 16h. till 21¼h. Mist 5h. till 11h.; then fog till 13h.
MONDAY ..	18	wP till 3½h.; then mP.	0·4	15·7	Overcast. Shower at 0½h. Damping 5½h. till 7h. Gloom 10h. till 11½h.
TUESDAY ..	19	mP.	0·0	15·8	Overcast.
WEDNESDAY	20	wP till 3h.; variably mP and sP till 15h.; then mP.	1·2	15·8	Overcast till 15h.; then variably cloudy.
THURSDAY	21	mP till 11h.; wP till 23h.; then variably sN and sP.	4·4	15·9	Nearly overcast till 15h.; then overcast. Shower about 16¾h. Occasional damping between 20h. and 23h.; then heavy rain.
FRIDAY ..	22	Variably sN and sP till 3½h.; then variably mP and wP.	5·7	15·9	Overcast till 12h.; variably cloudy till 16h.; partially cloudy till 23h.; then nearly overcast. Heavy rain till 3h. Mist 5h. till 7h.
SATURDAY	23	mP. till 3h.; wP till 7h.; mP. till 12h.; then variably mP and mN.	0·3	16·0	Nearly overcast generally. Slight showers between 6h. and 8½h. Slight rain 12h. till 17h.; and about 20¼h. Solar halo 11h.
			Sum 12·0	Sum 110·8	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·33 ins. at the beginning of the week to 29·27 ins. by 11h. on 17th.; increased to 29·85 ins. by 22h. on 20th; decreased to 29·62 ins. by 3h. on 22nd; increased to 29·73 ins. by 6h. on 23rd; decreased and was 29·63 ins. by midnight on the same day.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 21.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 30TH MAY,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

Table 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

Table 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

Table 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

Table 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

Table 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

Table 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

Table 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

Weekly Summary of Infectious Diseases (Table 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 30TH MAY, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twenty first week of the year numbered 5,553 corresponding to an annual rate of 14·7 per 1,000 living: stillbirths numbered 234 corresponding to a rate of 40 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,036 (199 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	May 9.	May 16.	May 23.	May 30.
107 Great Towns	11·5	10·9	11·2	10·7
London	11·3	10·7	10·3	9·8
Birmingham	11·5	11·1	11·7	10·9
Liverpool	12·5	11·9	11·9	12·4
Manchester	11·1	12·3	12·2	11·1
Sheffield	10·6	10·7	11·2	9·2
Leeds	13·8	12·1	14·1	12·2
Bristol	9·6	9·5	10·9	11·3
West Ham	10·2	8·0	8·3	9·0

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 53, against 61, 52, and 61 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,227 live births registered corresponding to an annual rate of 14·4 per 1,000 living: stillbirths numbered 42 corresponding to a rate of 33 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 831 (40 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 52, against 50, 48, and 49 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 30th May, 1931.

	Towns.	Estimated Population, Mid. 1929.	Live Births.	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
							Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
	107 Great Towns ..	19,685,050*	5,553	234	4,036	252	-	39	5	26	22	41	46
	London	4,417,900*	1,227	42	831	74	-	1	2	7	4	10	6
Towns in Outer Ring.	Croydon C.B. ..	222,300	61	2	26	1	-	-	-	1	-	-	1
	Wimbledon ..	59,370	13	-	7	-	-	-	-	-	-	-	-
	Ealing	104,000	39	-	24	1	-	-	-	-	-	-	-
	Acton	65,200	16	-	14	-	-	-	-	-	-	-	-
	Brentford and Chiswick ..	59,040	6	-	10	1	-	-	-	-	-	-	-
	Willesden ..	172,500	37	-	33	3	-	-	-	-	1	-	-
	Hendon§	86,540*	32	-	13	2	-	-	-	-	-	1	-
	Hornsey	88,450	13	1	17	1	-	-	-	-	-	-	-
	Wood Green ..	53,410	6	-	10	-	-	-	-	-	-	-	-
	Tottenham ..	155,000	33	-	33	1	-	-	-	-	1	-	1
	Edmonton	75,000	48	1	15	2	-	-	-	-	-	-	-
	Enfield	65,100	16	1	11	-	-	-	-	-	-	-	-
	West Ham C.B. ..	307,600	107	2	53	5	-	-	-	-	-	-	-
	East Ham C.B. ..	147,600	22	1	21	1	-	-	-	-	-	-	-
	Leyton	128,300	13	-	21	2	-	-	-	-	-	-	-
	Walthamstow ..	124,800	29	1	26	3	-	-	-	-	-	1	-
	Ilford	116,200	32	1	18	2	-	-	-	-	-	-	-
	Gillingham	56,670*	26	-	17	3	-	-	-	-	1	-	-
	Canterbury C.B. ..	22,850*	8	-	5	-	-	-	-	-	-	-	-
	Hastings C.B.	62,620	17	-	24	2	-	-	-	-	-	-	-
	Eastbourne C.B. ..	58,570	14	-	12	-	-	-	-	-	-	-	-
	Brighton C.B. ..	146,800*	42	1	38	3	-	-	-	-	-	-	-
	Portsmouth C.B. ..	242,000*	80	1	52	4	-	-	-	-	-	-	2
	Bournemouth C.B.§ ..	105,780	32	-	33	2	-	-	-	-	-	-	-
	Southampton C.B. ..	172,300	44	2	38	3	-	-	-	-	-	-	-
	Reading C.B.	96,850*	34	1	18	-	-	-	-	-	-	-	-
	Oxford C.B.	73,810*	25	-	11	-	-	-	-	-	-	-	-
	Northampton C.B. ..	93,970*	29	-	27	3	-	-	-	-	-	1	-
	Luton	65,200	25	-	15	4	-	-	-	-	-	-	-
	Cambridge	60,730	10	-	12	-	-	-	-	-	1	-	-
	Southend-on-Sea C.B.	114,600	24	1	25	-	-	-	-	-	-	-	1
	Ipswich C.B.	85,800	35	-	18	1	-	-	-	-	-	-	-
	Great Yarmouth C.B	58,110	18	1	18	-	-	-	-	2	-	-	-
	Norwich C.B.	124,900*	40	2	12	1	-	-	-	-	-	-	1
	Swindon	62,020	24	-	13	-	-	-	-	-	-	-	-
	Exeter C.B.	61,290*	12	2	11	-	-	-	-	-	-	-	-
	Plymouth C.B. ..	199,000*	78	2	41	2	-	-	-	-	-	-	-
	Bath C.B.	69,240	17	-	13	-	-	-	-	-	-	-	-
	Bristol C.B.	391,145*	66	-	85	4	-	-	-	-	1	1	5
	Gloucester C.B. ..	52,010	12	-	7	-	-	-	-	-	-	-	-
	Stoke-on-Trent C.B.	279,190	81	7	56	8	-	-	-	1	-	2	-
	Burton-upon-Trent C.B.	48,970	12	-	7	-	-	-	-	-	-	-	-
	Wolverhampton C.B.	134,300	40	1	27	-	-	-	-	-	-	-	1
	Walsall C.B.§	100,930	47	2	18	1	-	-	-	-	-	-	-
	West Bromwich C.B.§	80,970	41	2	23	4	-	-	-	-	-	1	-
	Dudley C.B.	58,870	19	-	9	-	-	2	-	-	-	-	-
	Worcester C.B. ..	52,320	11	-	17	1	-	-	-	-	-	-	-
	Birmingham C.B.§ ..	972,510	285	12	204	20	-	1	1	2	1	1	1
	Smethwick C.B. ..	85,120	22	-	9	1	-	-	-	-	-	-	-
	Coventry C.B. ..	162,100	41	1	27	2	-	-	-	-	-	-	-
	Leicester C.B. ..	245,200	68	5	54	6	-	1	-	-	1	2	1
	Lincoln C.B.	65,080*	24	-	12	-	-	-	-	-	-	-	-
	Grimsby C.B.	91,440	22	-	13	2	-	-	-	-	-	2	-
	Nottingham C.B. ..	266,800	71	8	55	6	-	-	-	-	-	3	-
	Derby C.B.	140,500*	45	1	22	1	-	-	-	-	-	-	-
	Chesterfield	65,270	22	3	17	1	-	-	-	-	-	-	-
	Stockport C.B. ..	127,800	31	2	26	1	-	-	-	-	-	-	1
	Chester C.B.	40,750	12	-	7	-	-	-	-	-	-	-	-
	Birkenhead C.B. ..	157,600	56	2	31	2	-	-	-	1	-	-	-
	Wallasey C.B. ..	101,300	24	1	17	3	-	-	-	-	-	1	1
	Liverpool C.B. ..	869,500	306	15	206	28	-	5	1	4	5	4	1
	Bootle C.B.	80,400	31	1	11	-	-	-	-	-	-	-	-
	St. Helens C.B. ..	109,200	38	2	20	4	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
§ Change in boundary, 1st April, 1931; figures relate to new area.

TOWNS.	Estimated Population, Mid. 1929	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	13	1	28	-	-	-	-	-	1	-	-
Wigan C.B.	87,600	28	3	18	2	-	-	-	-	-	-	-
Warrington C.B. ..	79,400*	30	1	15	-	-	-	1	-	-	-	-
Bolton C.B.	181,500	46	3	33	5	-	-	-	1	-	2	-
Bury C.B.	56,830*	9	-	12	-	-	-	-	-	-	-	-
Manchester C.B.§ ..	753,570	208	13	161	17	-	-	-	-	1	3	6
Salford C.B.	235,600	22	2	40	3	-	-	-	-	-	-	-
Ashton-under-Lyne	51,750	11	-	12	-	-	-	-	-	-	-	-
Oldham C.B	142,500	32	3	31	3	-	-	-	-	-	-	1
Rochdale C.B. ..	90,900	12	2	26	2	-	-	-	-	1	-	-
Burnley C.B	100,200	21	1	21	2	-	-	-	-	-	-	-
Blackburn C.B. ..	125,300	27	4	29	2	-	-	-	-	-	-	2
Preston C.B.	126,100	34	1	21	-	-	-	-	-	-	-	-
Blackpool C.B. ..	99,800	24	1	36	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	64,850	18	1	13	4	-	-	-	-	-	-	-
Huddersfield C.B. ..	113,100	23	1	27	2	-	-	-	-	-	1	2
Halifax C.B.	97,400*	29	-	20	1	-	-	-	-	-	-	-
Bradford C.B. ..	294,605	58	2	85	6	-	1	-	-	-	-	-
Leeds C.B	478,500	135	9	112	5	-	5	-	-	-	-	-
Dewsbury C.B. ..	53,020	8	-	14	-	-	-	-	-	-	-	-
Wakefield C.B. ..	56,640	28	-	12	1	-	-	-	-	1	1	-
Barnsley C.B. ..	71,700	22	1	22	1	-	-	-	-	-	-	1
Sheffield C.B. ..	518,000*	120	6	91	7	-	-	-	-	-	-	2
Rotherham C.B. ..	70,790	12	1	15	2	-	-	-	-	-	-	-
Doncaster C.B. ..	59,890	37	3	12	-	-	-	-	-	-	-	-
York C.B.	85,290*	24	-	12	1	-	-	-	-	-	-	-
Hull C.B.	307,500	114	5	58	4	-	1	-	-	1	-	2
Middlesbrough C.B.	133,100	51	2	33	7	-	1	-	-	-	-	-
Darlington C.B. ..	74,150	18	1	19	3	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,090	15	3	18	2	-	-	-	-	-	-	-
West Hartlepool C.B.	69,370	27	2	14	4	-	2	-	1	-	-	-
Sunderland C.B. ..	184,000	67	5	48	12	-	5	-	1	-	3	1
South Shields C.B. ..	119,600	39	1	29	5	-	7	-	-	-	-	-
Gateshead C.B. ..	122,600	38	1	27	2	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	283,400*	105	8	68	8	-	3	-	3	-	1	-
Tynemouth C.B. ..	65,880	32	1	21	2	-	2	-	-	-	-	-
Carlisle C.B.	56,160*	25	-	15	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	95,990*	22	1	19	1	-	-	-	-	1	-	-
Cardiff C.B.	224,000*	56	4	43	4	-	2	-	-	-	-	2
Rhondda	153,100	31	5	25	5	-	-	-	1	-	-	3
Merthyr Tydfil C.B.	77,790	28	5	15	-	-	-	-	-	-	-	1
Aberdare	53,050	6	-	12	1	-	-	-	-	-	-	-
Swansea C.B.	162,700	43	1	33	2	-	-	-	1	-	-	-
Greater London ..	7,900,480*	2,140	70	1,468	121	-	1	3	9	5	14	13
Outer Ring	3,482,580*	913	28	637	47	-	-	1	2	1	4	7
7 Great Towns in Outer Ring§.. ..	2,030,410*	517	10	352	25	-	-	-	-	-	2	2
Remainder of Outer Ring§	1,452,170*	396	18	285	22	-	-	1	2	1	2	5
Edinburgh†	428,800	135	?	104	8	-	1	-	-	2	-	1
Glasgow†	1,088,200	436	?	291	50	-	4	3	6	2	6	3
Dublin†	412,400	196	?	92	12	-	-	-	-	1	-	1
Belfast†	415,151	201	?	103	20	-	2	-	2	-	3	1

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week: those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Change in boundary, 1st April, 1931; figures relate to new area.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. Births and Deaths for last available period

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases†(under 2 years).
London‡	4,417,900	1931. May 30	1227	42	831	9·8	-	-	1	2	7	4	10
Calcutta and Suburbs	1,077,264	Apr. 18	?	?	604‖	29·2	?	42	?	-	?	?	?
Bombay§	1,298,708	May 2	482	36	607‖	24·3	2	4	3	-	-	1	24
Madras	528,791	Apr. 18	515	30	398‖	39·1	8	1	-	-	-	-	19
Sydney and Suburbs	1,253,560	„ 30 (30 days)											
Brisbane (Metropolitan Area).	313,251	Feb. 28 (28 days)											
Perth (Metropolitan Area).	202,888	Mar. 21	90	?	43	10·9	-	-	-	-	-	-	2
Auckland (Urban Area).	212,100	Jan. 31 (31 days)											
Wellington (Urban Area)	138,050	Jan. 31 (31 days)											
Christchurch (Urban Area).	125,800	Jan. 31 (31 days)											
Cape Town	136,748	Apr. 25	53	1	35	13·3	-	-	-	-	-	-	-
Johannesburg	187,326	„ 18	82	2	43	11·9	1	-	-	-	1	-	-
Durban	61,667	„ 18	31	1	13	11·0	-	-	-	-	-	-	-
Paris	2,871,429	„ 10 (10 days)	1310	66	1283	16·3	9	-	10	-	4	10	21
Antwerp	294,963	May 15 (15 days)											
Amsterdam	753,957	May 9	252	7	142	9·8	-	-	1	-	3	-	-
Copenhagen	615,700	„ 16	203	3	141	11·9	-	-	1	-	1	1	1
Stockholm	502,203	„ 9	91	-	98	10·1		-	-	-	-	-	-
Gothenberg	245,336	Apr. 25	?	?	58	12·2	1	-	-	-	-	-	-
Oslo	253,568	May 16	40	1	58	11·9	-	-	-	-	-	-	-
Berlin	4,326,000	„ 2	785	23	986	11·9	1	?	2	-	-	2	4
Breslau	617,000	„ 2	138	5	144	12·1	1	?	-	-	-	-	-
Cologne	740,000	„ 2	184	9	140	9·8	-	?	-	-	1	3	3
Dresden	633,000	„ 2	133	2	149	12·2	-	?	-	-	-	-	-
Frankfort-on-Main	541,000	„ 2	101	6	105	10·1	-	?	-	-	-	-	-
Hamburg	1,146,000	„ 2	214	6	238	10·8	-	?	-	1	1	1	-
Leipzig	719,000	„ 2	162	3	153	11·1	-	?	-	-	1	-	2
Munich	730,000	„ 2	140	3	151	10·8	-	?	-	-	1	-	1
Budapest	1,009,069	„ 9	330	10	283	14·6	-	-	1	2	3	2	4
Warsaw	1,115,651	„ 2	?	9	261	12·2	1	-	-	2	-	1	7
Madrid	825,471	Apr. 25	373	40	271	17·1	1	-	4	-	2	-	1
Cairo	1,160,700	Feb. 4	1065	31	448	20·1	5	-	4	-	?	6	61
Alexandria	629,900	„ 4	587	12	237	19·6	-	-	-	-	?	2	23
New York	7,090,089	May 2	2167	96	1536	11·3	-	-	9	2	1	5	10
Chicago	3,457,375	„ 8	1077	32	724	10·9	-	-	4	6	2	3	3
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Apr. 18	666	63	438	13·2	1	-	9	-	4	1	66

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 51 deaths from Cholera in Calcutta, 1 in Madras, and 3 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 30th May, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	22,700	26,068	831	74	12	12	19	29	29	47	86	139	195	189
Enteric fever	8	10	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	931	30	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	66	30	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough	76	166	7	2	3	1	1	-	-	-	-	-	-	-
Diphtheria	240	137	4	1	-	3	-	-	-	-	-	-	-	-
Influenza	215	883	6	1	-	-	-	1	-	-	1	1	2	-
Erysipelas	81	91	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	25	24	3	-	-	-	-	1	-	-	1	1	-	-
Meningococcal meningitis	45	76	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	1603	1837	59	1	-	-	1	7	7	15	15	6	6	1
Nervous system	103	105	7	1	2	2	1	1	-	-	-	-	-	-
Intestines and peritoneum	26	27	2	-	-	-	1	-	1	-	-	-	-	-
Other forms	92	111	5	-	-	1	1	-	1	-	1	-	-	1
Venereal diseases	94	85	3	1	-	-	-	-	-	1	-	-	1	-
Cancer	2725	2866	123	1	-	-	2	1	3	8	14	35	34	25
Rheumatic fever	90	50	1	-	-	-	-	1	-	-	-	-	-	-
Diabetes	241	247	9	-	-	-	-	-	-	-	1	2	5	1
Alcoholism	5	6	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	44	41	2	1	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	891	968	31	-	-	-	-	-	-	-	4	4	10	13
Epilepsy	91	73	2	-	-	-	-	-	1	-	1	-	-	-
"Convulsions" (not puerperal) ..	29	30	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	547	512	23	1	-	-	3	-	2	2	6	4	4	1
Pericarditis	10	8	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	80	87	5	-	-	-	-	3	-	-	-	1	-	1
Other diseases of heart	4719	6101	201	-	-	-	1	1	3	4	13	35	58	86
Other diseases of circulatory system	921	1008	35	-	-	-	-	-	-	-	-	7	18	10
Bronchitis	1071	1709	31	1	1	-	-	1	1	-	-	7	9	11
Broncho-pneumonia	1042	1606	21	11	1	1	1	-	-	1	1	1	1	3
Lobar pneumonia	578	698	18	1	1	-	-	-	-	2	3	3	5	3
Pneumonia (type not distinguished)	208	246	2	1	-	-	-	-	-	-	-	1	-	-
Other diseases of respiratory system	223	337	9	-	1	-	-	-	-	2	1	2	1	2
Diarrhœa and enteritis	312	299	12	9	1	-	-	-	-	-	-	-	2	-
Appendicitis, Typhlitis	131	118	6	-	-	1	-	-	-	1	1	1	2	-
Hernia, Intestinal obstruction	208	237	9	1	-	-	-	1	-	1	1	1	2	2
Cirrhosis of liver	86	94	4	-	-	-	-	-	-	-	1	2	1	-
Other diseases of digestive system ..	548	522	22	1	-	-	-	1	-	2	4	8	6	-
Acute nephritis	45	40	4	1	-	-	-	1	1	-	-	-	1	-
Chronic Bright's disease	745	815	28	-	-	-	-	-	2	4	4	7	5	6
Other diseases of genito-urinary system.	324	376	15	-	-	-	-	-	-	-	3	1	8	3
Puerperal sepsis	47	54	3	-	-	-	-	2	1	-	-	-	-	-
Other causes incident to childbirth ..	39	51	2	-	-	-	-	1	1	-	-	-	-	-
Congenital malformations	141	134	4	4	-	-	-	-	-	-	-	-	-	-
Premature birth	431	465	20	20	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	88	72	4	4	-	-	-	-	-	-	-	-	-	-
Old age	520	623	14	-	-	-	-	-	-	-	-	-	1	13
Suicide	229	217	8	-	-	-	-	1	-	-	3	2	2	-
Burns and Scalds	47	72	2	-	1	-	-	-	-	-	-	-	1	-
Drowning	50	39	3	-	-	-	2	-	-	1	-	-	-	-
Suffocation in bed	17	15	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	310	278	9	-	-	1	3	2	-	-	1	1	1	-
Other deaths by violence	361	343	14	-	-	-	-	2	2	1	1	-	3	5
Other specified causes	883	995	34	8	1	1	-	-	3	2	5	6	6	2
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 30th May, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	36	192	116	5	71	C. 9 D. 3 E. 1 L. 2 M. 9 N. 17
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	6	5	–	3	C. 1 E. 1 N. 1
†BERMONDSEY ...	–	5	2	–	1	D. 1
†BETHNAL GREEN	–	5	5	–	2	M. 1
†CAMBERWELL ...	9	18	5	–	2	M. 2 N. 1
†CHELSEA	–	1	–	–	–	–
†DEPTFORD ...	–	9	4	–	–	–
†FINSBURY ...	2	3	–	–	–	M. 2
†FULHAM	–	6	4	–	–	C. 1 M. 1 N. 2
†GREENWICH ...	–	4	8	–	2	C. 1
†HACKNEY... ...	1	4	2	1	4	N. 1
†HAMMERSMITH ...	–	5	3	–	2	N. 1
†HAMPSTEAD ...	–	2	1	–	–	L. 1
Metropolitan Boroughs—*cont.*						
†HOLBORN... ...	–	2	2	–	–	L. 1
†ISLINGTON ...	–	23	11	–	5	C. 1 M. 1 N. 3
†KENSINGTON ...	–	9	3	–	2	N. 1
†LAMBETH ...	–	11	6	–	7	–
†LEWISHAM ...	–	9	5	1	5	N. 2
†PADDINGTON ...	–	4	1	1	1	C. 2
†POPLAR	–	10	2	–	11	M. 1
†ST. MARYLEBONE	–	2	4	–	–	C. 2
†ST. PANCRAS ...	–	5	7	–	3	C. 1 N. 1
†SHOREDITCH ...	8	5	2	–	–	–
†SOUTHWARK ...	1	9	4	1	5	D. 1 M. 1
†STEPNEY	15	10	11	–	7	–
†STOKE NEWINGTON	–	–	–	–	1	N. 1
†WANDSWORTH ...	–	7	6	1	4	D. 1
†WESTMINSTER, CITY OF	–	9	6	–	–	N. 2
†WOOLWICH ...	–	8	7	–	4	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	2	1	1	–
Boroughs and Urban Districts:—						
†Bedford	–	1	–	–	1	–
†Luton	–	2	1	–	–	–
Rural Districts:—						
Ampthill ...	–	–	1	–		–
Bedford	–	1	–	1	–	–
BERKS		7	3		–	N. 1
†Reading C.B. ...	–	1	1			–
Boroughs and Urban Districts:—						
†New-Windsor ...	–	1	–	–	–	–
Rural Districts:—						
Abingdon ...	–	–	1	–	–	–
Cookham ...	–	1	–	–	–	–
Easthampstead	–	–	1	–	–	–
Hungerford ...	–	–	–	–	–	N. 1
Wallingford ...	–	1		–	–	–
Windsor		2	–	–		–
Wokingham ...	–	1		–	–	–
BUCKINGHAM ...	–	5	–	–	1	N. 1
Boroughs and Urban Districts:—						
Beaconsfield ..	*	*	*	*	*	*
†Chepping Wycombe	–	1	–	–	–	–
†Slough	–	1	–	–	1	–
Rural Districts:—						
Eton	–	2	–	–	–	–
Winslow		1	–	–	–	–
Wycombe ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	3	5	–	1	–
Borough:—						
†Cambridge ...	–	2	1	–	–	–
Rural Districts:—						
Caxton and Arrington	–	1			–	–
Chesterton ...	–	–	2	–	–	–
Newmarket ...	–	–	2	–	1	–
CHESTER ...	–	26	23	–	13	M. 3 N. 2
†Birkenhead C.B.	–	3	4	–	4	M. 1 N. 1
†Chester C.B. ...	–		3	–	1	–
†Stockport C.B. ...	–	2	–	–	–	–
†Wallasey C.B. ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
†Altrincham ...	–	1	–	–	1	–
†Bebington and Bromborough	–	1	1		1	–
Bredbury and Romiley	–	1	–	–	–	–
Compstall ...	–	1	–	–	–	–
†Crewe	–	–	–	–	–	N. 1
†Ellesmere Port and Whitby	–	–	2		–	–
Hoole	–	–	1	–	1	–
Mottram in Longdendale	–	1	–	–	–	–
†Runcorn	–	–	–	–	1	–
†Sale	–	3	–	–	–	–
Wilmslow ...	–	1	–	–	–	–
Rural Districts:—						
Bucklow	–	1	1	–	–	–
Disley	–	–	–	–	–	M. 1
Malpas	–	1	–	–	–	–
Nantwich ...	–	4	1	–	–	–
Runcorn	–	4	1	–	2	–
Tarvin	–	–	8	–	1	–
Wirral	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	12	–	–	1	–
Boroughs and Urban Districts:—						
CALLINGTON ...	*	*	*	*	*	*
†CAMBORNE ...	–	2	–	–	–	–
LISKEARD ...	–	3	–	–	–	–
LOOE	–	–	–	–	1	–
MADRON	–	1	–	–	–	–
Rural Districts:—						
CAMELFORD ...	*	*	*	*	*	*
EAST KERRIER ...	–	1	–	–	–	–
LISKEARD ...	–	2	–	–	–	–
ST. COLUMB MAJOR	–	2	–	–	–	–
STRATTON ...	–	1	–	–	–	–
CUMBERLAND ...	–	3	1	–	3	N. 1
†CARLISLE C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	–	–	1	–
EGREMONT ...	–	–	–	–	1	–
PENRITH	–	2	–	–	–	–
†WHITEHAVEN ...	–	–	1	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	–	–		1	N. 1
DERBY	6	9	16	–	13	D. 2
†DERBY C.B. ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
†BOLSOVER ...	–	–	–		–	D. 1
† BUXTON ...	*	*	*	*	*	*
†CHESTERFIELD ...	6	1	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEANOR	–	–	1	–	–	–
†ILKESTON... ...	–	–	–	–	1	–
†LONG EATON ...	–	–	1	–	–	–
†THE MATLOCKS...		–	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	–	6	–	1	–
BLACKWELL ...	–	–	–	–	–	D. 1
CHESTERFIELD ...	–	2	4	–	3	–
CLOWNE	–	–	–	–	2	–
HARTSHORN AND SEALS	–	1	–	–	1	–
HAYFIELD ...		1	1	–	–	–
REPTON	–	2	–	–	1	–
DEVON	–	16	9	–	12	E. 2 M. 2 N. 3
†EXETER C.B. ...	–	–	–	–	1	–
†PLYMOUTH C.B.	–	10	5	–	6	M. 2 N. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	2	2	–	–	–
DARTMOUTH ...	–	–	–	–	1	–
†ILFRACOMBE ...	–	–	–	–	2	–
SIDMOUTH ..	–	–	1	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
TIVERTON ...	–	–	–	–	–	E. 1
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	2	–
PLYMPTON ST. MARY	–	1		–	–	–
ST. THOMAS ...	–	1	1		–	E. 1 N. 1
TOTNES	–	1		–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DORSET	–	11			4	N. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–		–	–	1	–
†POOLE	–	3	–	–	–	–
SWANAGE ...	–	1		–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–		–	1	N. 1
Rural Districts:—						
BEAMINSTER ...	–	6	–	–	–	–
SHAFTESBURY ...	–	–	–	–	2	–
WEYMOUTH ...	–	1	–	–	–	–
DURHAM ...	–	52	20	2	55	C. 1 D. 7 M. 6 N. 2
†DARLINGTON C.B.	–	4	1	–	3	–
†GATESHEAD C.B.	–	6	2	1	2	D. 1
†SOUTH SHIELDS C.B.	–	1	1	–	7	D. 2 N. 1
†SUNDERLAND C.B.	–	5	2	–	11	C. 1 D. 1 M. 1
†WEST HARTLEPOOL C.B.	–	3	–	1	5	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON	–	–	2	–	–	–
†BRANDON AND BYSHOTTLES	–	–	4	–	–	–
†CHESTER LE STREET	–	–	–	–	1	–
†CROOK	–	–	2	–	–	–
†DURHAM	–	–	–	–	3	–
†FELLING	–	4	–	–	–	–
†HARTLEPOOL ...	–	–	–	–	1	–
†HEBBURN ...	–	1	–	–	–	–
†HETTON	–	1	–	–	1	–
†HOUGHTON LE SPRING	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†JARROW	–	3	–	–	3	D. 1
LEADGATE ...	–	–			1	–
†SEAHAM HARBOUR	–	2	–	–	–	–
†SPENNYMOOR ...	–	3	–	–	–	–
STANHOPE ...	–	–			2	–
†STANLEY	–	–	1	–	–	–
†STOCKTON ON TEES	–	1	–	–	3	–
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	–
CHESTER LE STREET	–	4	–	–	–	–
DURHAM	–	1	1	–	–	–
EASINGTON ...	–	2	4	–	8	–
HOUGHTON LE SPRING	–	1	–	–	1	N. 1
LANCHESTER ...	–	1	–	–	1	M. 1
SEDGEFIELD ...	–	1	–	–	1	–
SOUTH SHIELDS	–	2	–	–	–	–
SUNDERLAND ...	–	1	–	–	1	D. 2 M. 2
ELY, ISLE OF ...	–	2	–	–	2	N. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	–	–	–	–	N. 1
†WISBECH	–	1	–	–	–	–
Rural Districts:—						
ELY	–	–	–	–	2	–
WISBECH	–	1	–	–	–	–
ESSEX	17	63	50	3	11	C. 3 G. 1 M. 2 N. 4
†EAST HAM C.B. ...	–	1	5	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†SOUTHEND ON SEA C.B.	–	1		–	3	C. 1 M. 1 N. 1
†WEST HAM C.B.	14	15	11	–	2	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	5	–	1	M. 1
BENFLEET ...	–	–	–		–	N. 1
BRAINTREE ...	–	–	–	–	1	–
BURNHAM ON CROUCH	–	2	–	–	–	–
CANVEY ISLAND	–	–	1	–	–	–
†CHELMSFORD ...	–	1	3	–	–	–
CHINGFORD ...	–	–	–	–		C. 1
†COLCHESTER ...	–	5	–	–		C. 1
DAGENHAM ...	–	1	2	–	2	–
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	1	1	–	–	–
†HARWICH ...	–	–	2	–	–	–
†HORNCHURCH ...	–	1	2	–	–	–
†ILFORD	–	4	–	–	1	N. 1
†LEYTON	2	5	6	–	–	N. 1
LOUGHTON ...	–	–	–	–	–	G. 1
PURFLEET ...	–	1	–		–	–
RAYLEIGH ...	–	–	1	–	–	–
†ROMFORD... ...		1	–		–	–
SHOEBURYNESS ...	–	–	1	–	–	–
TILBURY	–	–	3	1	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW ...	–	2	1	–	1	–
†WANSTEAD ...	1	1	–	–	–	–
†WOODFORD ...	–	4	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	4	1		–	–
BRAINTREE ...	–	1	5	1	–	–
CHELMSFORD ...	–	1	–	–	–	–
EPPING	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	2	–	–	–	–
MALDON		2	–	–	–	–
ONGAR	–	1	–	–		–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	1	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	10	15	1	11	C. 2 N. 3
†BRISTOL C.B. ...	–	6	9	1	8	C. 1 N.
†GLOUCESTER C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	–	1	–		–
†KINGSWOOD ...	–	–	–	–	–	C. 1
NAILSWORTH ...		2	–		–	–
STOW ON THE WOLD	–	–	1	–	–	–
STROUD	–	–	1	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	–	1	–	–	–
LYDNEY	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
WARMLEY ...	–	–	–	–	2	–
WINCHCOMB (part)	–	–	–	–	–	N. 1
HEREFORD ...	–	7	–			M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–		M. 1
Rural Districts:—						
HEREFORD ...	–	4	–	–		–
LEDBURY... ...	–	2	–	–	–	–
WEOBLEY... ...		1	–	–	–	
HERTFORD ...		12	6	3	3	C. 2 N. 1
Boroughs and Urban Districts:—						
BALDOCK	–	–	1	–		–
†BARNET	–	–	1	1	1	C. 1
†CHESHUNT ...	–	1	1	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EAST BARNET VALLEY	–	1	–	1	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	–	1	–	–	C. 1
†HERTFORD	–	–	1	–	–	–
†HITCHIN	–	1	1	–	–	–
†LETCHWORTH ...	–	–	–	–	2	N. 1
†ST. ALBANS ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	1	–	1	–	–
Rural Districts:—						
BUNTINGFORD ...	–	1	–	–	–	–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WATFORD... ...	–	1	–	–	–	–
WELWYN	–	1	–	–	–	–
HUNTINGDON ...	–	2	–	–	1	C. 1
Rural Districts:—						
NORMAN CROSS ...	–	1	–	–	1	–
ST. IVES	–	1	–	–	–	–
ST. NEOTS ...	–	–	–	–	–	C. 1
KENT	–	32	20	1	10	C. 1 D. 1 G. 2 M. 2 N. 3
†CANTERBURY C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	1	–	–
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	2	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROMLEY... ...	–	3	–	–	–	–
†CHATHAM ...	–	1	–	–	–	C. 1
†DARTFORD ...	–	2	–	–	–	–
†DEAL	–	1	–	–	–	N. 1
†DOVER	–	–	4	–	–	–
†ERITH	–	1	–	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	–	1	–	–	–
†GRAVESEND ...	–	2	–	–	–	–
†MAIDSTONE ...	–	2	1	–	–	D. 1
†MARGATE ...	–	2	11	–	–	–
†PENGE	–	–	–	–	–	M. 1
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	2	–	–	1	–
†SHEERNESS ...	–	1	–	–	1	–
SIDCUP	–	1	1	–	–	–
SOUTHBOROUGH	–	–	–	–	–	G. 1
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BROMLEY... ...	–	–	1	–	1	–
DARTFORD ...	–	1	–	–	–	–
EAST ASHFORD ...	–	–	–	–	1	–
EASTRY	–	1	–	–	–	–
FAVERSHAM ...	–	2	–	–	1	M. 1 N. 1
MAIDSTONE ...	–	1	–	–	–	N. 1
MALLING	–	1	–		–	–
STROOD	–	1	–	–		–
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD...	–	–	–	–	1	–
LANCASTER ...	–	208	104	3	168	C. 5 D. 1 G. 6 L. 10 M. 16 N. 9
†BARROW IN FURNESS C.B.	–	3	–	–	4	–
†BLACKBURN C.B.	–	1	–	–	5	–
†BLACKPOOL C.B.	–	3	–	–	–	–
†BOLTON C.B. ...	–	3	–	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†BOOTLE C.B. ...	–	4	–	–	3	M. 1
†BURNLEY C.B. ...	–	2	–	–	6	–
†BURY C.B. ...	–	1	–	–	2	N. 1
†LIVERPOOL C.B....	–	28	58	–	59	C. 1
						D. 1
						G. 2
						L. 1
						M. 8
						N. 3
†MANCHESTER C.B.	–	49	13	–	27	C. 2
						G. 1
						M. 1
						N. 1
†OLDHAM C.B. ...	–	3	1	–	3	C. 1
†PRESTON C.B. ...	–	5	–	–	2	–
†ROCHDALE C.B....	–	4	4	1	–	–
†ST. HELENS C.B.	–	–	1	–	4	M. 1
†SALFORD C.B. ...	–	5	4	–	6	–
†SOUTHPORT C.B.	–	2	–	–	–	C. 1
						M. 1
†WARRINGTON C.B.	–	18	–	–	6	G. 1
†WIGAN C.B. ...	–	2	–	–	4	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	1	–	–	–
†ASHTON IN MAKERFIELD	–	3	–	–	1	–
†ASHTON-UNDER-LYNE	–	3	–	–	1	–
†ATHERTON ...	–	–	2	–	2	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	1	–	–	–
BRIERFIELD ...	–	1	–	–	1	G. 1
†CHADDERTON ...	–	2	–	–	–	–
†CHORLEY	–	7	1	–	–	–
†COLNE	–	–	–	–	1	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	–	1	–	–	G. 1
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–	–	–	–	2	–
†ECCLES	–	1	–	–	1	–
†FARNWORTH ...	–	–	–	–	–	M. 1
†FLEETWOOD ...	–	1	–	–	–	–
†GREAT CROSBY ...	–	2	–	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK... ...	–	–	–	–	1	–
†HEYWOOD ...	–	5	–	–	1	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HINDLEY... ...	–	–	–	–	–	M. 1
†HORWICH... ...	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	2	–	–	1	N. 1
IRLAM	–	–	2	–	–	–
†LANCASTER ...	–	5	1	–	–	–
LEES	–	–	–	–	1	–
†LEIGH	–	–	–	–	4	–
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	7	1	–	–	–
LITTLE LEVER ...	–	3	–	–	–	–
†LYTHAM ST. ANNE'S	–	1	–	–	1	–
†MIDDLETON ...	–	2	–	–	1	–
†MORECAMBE AND HEYSHAM	–	–	–	1	–	N. 1
†MOSSLEY	–	2	–	–	–	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	4	2	–	–	–
NORDEN	–	–	1	–	–	–
ORMSKIRK ...	–		1	1	1	N. 1
†OSWALDTWISTLE ...	–	1	–	–	–	–
†RAMSBOTTOM ...	*	*	*	*	*	*
†RAWTENSTALL ...	–		2	–	1	–
†STRETFORD ...	–	2	4	–	2	–
†SWINTON AND PENDLEBURY	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	–
URMSTON... ...	–	3	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
WARDLE... ...	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	1	1		1	L. 1
						M. 1
WHITEFIELD ...	–	–	–	–	1	–
WHITWORTH ...	–	1	–	–	–	–
†WIDNES	–	3	–	–	4	–
WITHNELL ...	–	–	–	–	–	M. 1
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER— *cont.*						
Rural Districts— *cont.*						
Clitheroe ...	-	-	-	-	1	L. 8
Fylde	-	1	-	-	-	-
Preston	-	-	-	-	1	-
Warrington ...	-	1	-	-		-
West Lancashire	-	-	1	-	1	-
Whiston	-	-	1	-	-	N. 1
Wigan	-		-	-	1	-
LEICESTER ...	32	15	6	-	9	L. 2 N. 1
†Leicester C.B....	12	8	2	-	3	L. 2 N. 1
Boroughs and Urban Districts:—						
Ashby Woulds...	-	-	-	-	1	-
†Coalville ...	3	-	-	-	-	-
†Hinckley ...	-	-	1	-	1	-
†Loughborough	2	1	-	-	-	-
Melton Mowbray	-	-	-	-	1	-
Quorndon ...		1	-	-	-	-
Shepshed ...	1	1	-	-		-
Thurmaston ...	-	1	-	-	-	-
Wigston Magna	7	-	-	-	-	-
Rural Districts:—						
Ashby de la Zouch	2	-	1	-	2	-
Barrow upon Soar	1	-	1	-	1	-
Blaby	2	2	-	-	-	-
Castle Donington	-	1	-	-	-	-
Hinckley ...	-	-	1	-	-	-
Loughborough	1	-	-	-	-	-
Market Bosworth	1	-	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LINCOLN (parts of Holland).	-	5	6	-	-	-
Boroughs and Urban Districts:—						
†Boston	-	2	1	-	-	-
Holbeach ...	-	1	-	-	-	-
†Spalding ...	-	-	4	-	-	-
Rural Districts:—						
Boston	-	2	-	-	-	-
Crowland ...	-	-	1	-	-	-
LINCOLN (parts of Kesteven).	-	2	1	-	2	-
Boroughs and Urban Districts:—						
Sleaford ...	-	-	1		2	-
Rural Districts:—						
North Kesteven	-	2	-	-	-	-
LINCOLN (parts of Lindsey).	2	9	2	-	7	E. 1 N. 2
†Grimsby C.B. ...	1	3	1	-	1	
†Lincoln C.B. ...	-	-	-	-	2	N. 1
Boroughs and Urban Districts:—						
Brigg	-	-	-	-	1	E. 1
†Cleethorpes ...	1	1	-	-	-	-
†Gainsborough ...	-	2	1	-	-	-
†Scunthorpe and Frodingham	-	-	-	-	3	-
Skegness... ...	-	1	-	-	-	-
Rural Districts:—						
Glanford Brigg	-	1	-	-	-	-
Grimsby	-	1	-	-	-	-
Spilsby	-	-	-	-	-	N. 1

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	1	94	43	-	14	C. 2 D. 2 L. 3 M. 2 N. 4
Boroughs and Urban Districts:—						
†Acton	-	1	-	-	-	N. 1
†Brentford and Chiswick	-	6	1	-	-	-
†Ealing	-	2	2	-	-	M. 1 N. 1
†Edmonton ...	-	9	3	-	1	-
†Enfield	-	2	3	-	2	N. 1
†Feltham... ...	-	-	-	-	1	-
†Finchley ...	-	5	-	-	1	
†Friern Barnet...	-	-	2	-	-	-
Hampton Wick...	-	1	-	-	-	-
†Harrow on the Hill	-	-	-	-	1	-
Hayes and Harlington	-	4	-	-	-	-
†Hendon	1	13	5	-	-	L. 3
†Heston and Isleworth	-	3	-	-	-	D. 1 N. 1
†Hornsey	-	3	1	-	2	-
Kingsbury ...		1	-	-	-	-
Ruislip Northwood	-	-	2	-	1	-
†Southall Norwood	-	4	-	-	-	-
†Southgate ...	-	1	2	-	1	-
†Staines	-	1	-	-	-	-
†Teddington ...	-	1	-	-	-	-
†Tottenham ...	-	13	6	-	2	D. 1
†Twickenham ...	-	3	2	-		C. 1
†Uxbridge ...	-	1	2	-	-	-
†Wealdstone ...	-	4	2	-	-	-
†Wembley ...	-	1	-	-	-	C. 1
†Willesden ...	-	10	8	-	2	-
†Wood Green ...	-	1	1	-	-	-
†Yiewsley and West Drayton	-	3	-	-	-	M. 1
Rural Districts—						
Hendon	-	1	-	-	-	-
South Mimms ...	-	-	1	-	-	-
NORFOLK ...	-	2	-	3	2	E. 1 N. 1
†Great Yarmouth C.B.	-	1	-	-	-	-
†Norwich C.B. ...	-	-	-	1	-	-
Boroughs and Urban Districts:—						
Downham Market	-	-	-	-	-	E. 1
†King's Lynn ...	-	-	-	-	1	-
Rural Districts:—						
Aylsham... ...	-	1	-	1	-	-
Blofield ...	-	-	-	1	-	
East and West Flegg		-	-	-		N. 1
Walsingham ...	-	-	-	-	1	-
NORTHAMPTON	-	5	1	-	4	-
†Northampton C.B.	-	2	-	-	1	-
Boroughs and Urban Districts:—						
†Kettering ...	-	1		-	1	-
Raunds	-	1	-	-	-	-
†Rushden... ...	-	-	-	-	1	-
Rural Districts:—						
Brixworth ...	-	1	-	-	-	-
Kettering ...	-	-	-	-	1	-
Thrapston (part)	-	-	1	-	-	-
NORTHUMBERLAND.	-	36	8	-	39	C. 1 D. 1 M. 1 N. 1
†Newcastle upon Tyne C.B	-	23	5	-	17	C. 1 N. 1
†Tynemouth C.B.	-	-	-	-	4	-

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	-	-	1	-	-	-
†BEDLINGTONSHIRE	-	-	-	-	2	-
†BLYTH	-	-	-	-	4	-
CRAMLINGTON ...	-	1	-	-	-	-
†EARSDON	-	1		-		-
†GOSFORTH ...	-	1	-	-	-	-
†LONGBENTON ...	-	-	-	-	1	-
†NEWBURN ...	-	1	-	-	4	-
PRUDHOE... ...	*	*	*	*	*	*
†WALLSEND ...	-	2	1	-	4	D. 1
†WHITLEY AND MONKSEATON	-	2	1	-	-	-
Rural Districts:—						
ALNWICK... ...	-	1	-	-	-	-
CASTLE WARD ...	-	2	-	-	1	
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	-	-	-		2	M. 1
MORPETH... ...	-	2	-	-	-	-
NOTTINGHAM ...	-	15	9	-	7	D. 8 N. 3
†NOTTINGHAM C.B.	-	9	4	-	2	D. 2 N. 2
Boroughs and Urban Districts:—						
†CARLTON	-	-	1	-	-	-
†EAST RETFORD ...	-	1	-	-	-	-
†HUCKNALL ...	-	-	1	-	1	-
†MANSFIELD ...	-	-	-	-	1	D. 2
†MANSFIELD WOODHOUSE	-	-	-	-	-	D. 1
†NEWARK	-	1	-	-	-	-
†SUTTON IN ASHFIELD	-	-	-	-	1	D. 1 N. 1
WARSOP	-	1	-	-	-	D. 2
Rural Districts:—						
BASFORD	-	2	3	-	1	-
SOUTHWELL ...	-	1	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	-	3	3	-	3	M. 1 N. 1
†OXFORD C.B. ...	-	-	3	-	1	M. 1
Rural Districts:—						
CHIPPING NORTON	-	-	-	-	-	N. 1
CROWMARSH ...	-	1	-	-	1	-
HEADINGTON ...	-	1	-	-	1	-
WITNEY	-	1		-	-	-
PETERBOROUGH (Soke of).	1	2		-	-	-
Borough:—						
†PETERBOROUGH...	1	1	-	-	-	-
Rural Districts:—						
PETERBOROUGH...	-	1	-	-	-	-
SALOP	-	5	4	-	4	D. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
DAWLEY	-	-	2	-	-	-
LUDLOW	-	-	-	-	-	D. 1
†OAKENGATES ...	-	-	-	-	-	N. 1
Rural Districts:—						
ATCHAM	-	-	-	-	1	-
BRIDGNORTH ...	-	1	-	-	-	-
CLEOBURY MORTIMER	-	4	1	-	-	-
DRAYTON	-	-	-	-	1	-
LUDLOW	-	-	-	-	2	-
SHIFNAL	-	-	1	-	-	N. 1
WELLINGTON ...	-	-	-	-	-	M. 1
SOMERSET ...	-	6	3	-	10	C. 2 M. 1 N. 1
†BATH C.B. ...	-	1	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET— *cont.*						
Boroughs and Urban Districts:—						
CLEVEDON ...	–	–	–	–	1	–
FROME	–	–	–	–	–	N. 1
HIGHBRIDGE ...	–	–	–	–	1	–
MINEHEAD ...	–	–	–	–		C. 1
PORTISHEAD ...	–	–	–	–	1	–
†TAUNTON... ...		–	–	–	–	M. 1
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	1	–	1	–
BATH	–	1	–	–		–
DULVERTON ...	–	–		–	2	–
KEYNSHAM ...	–	1	1	–	–	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	–	–	–	C. 1
TAUNTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	2	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON	–	29	10	–	6	M. 2 N. 1
†BOURNEMOUTH C.B.	–	4	2	–	–	–
†PORTSMOUTH C.B.	–	14	1	–	1	M. 2
†SOUTHAMPTON C.B.	–	5	6	–	–	N. 1
Boroughs and Urban Districts:—						
FAREHAM ...	–	–	1	–	1	–
†GOSPORT	–	1	–	–	1	–
Rural Districts:—						
BASINGSTOKE ...	–	1	–	–	–	–
FAREHAM ...	–	–	–	–	1	–
FORDINGBRIDGE	–	–	–	–	2	–
HAVANT	–	1	–	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
RINGWOOD ...		1	–	–	–	–
STOCKBRIDGE ...	–	1	–	–	–	–
STAFFORD ...	–	25	23	2	47	C. 1 D. 1 M. 8 N. 2
†BURTON UPON TRENT C.B.	–	1		–	1	–
†SMETHWICK C.B.		3	3	–	3	M. 1
†STOKE ON TRENT C.B.	–	3	2	–	15	D. 1 M. 1
†WALSALL C.B. ...	–	–	1	–	1	M. 1
†WEST BROMWICH C.B.	–	3			4	–
†WOLVERHAMPTON C.B.	–	3	3	–	3	C. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	1	N. 1
BIDDULPH ...		–	–	1	1	
†BILSTON	–	–	–	–	1	M. 1
†BRIERLEY HILL...	–	–	–	–	1	–
†BROWNHILLS ...	–	–	1	–	1	–
†CANNOCK	–	–	2	–	–	M. 1
†COSELEY	–	–	1	–	1	
†DARLASTON ...	–	1		–	1	
KIDSGROVE ...	–	–	–	–	–	N. 1
†LEEK	–	1	–	–	1	–
†ROWLEY REGIS ...		–	1	–	2	M. 1
RUGELEY	–	1	–	–	–	–
†SEDGLEY		–	2			–
†STAFFORD ...	–	1		1	1	–
†TIPTON	–	4	–	–	1	–
†WEDNESBURY ...	–	–	–	–	1	–
†WILLENHALL ...	–	1		–	–	–
Rural Districts:—						
BLORE HEATH ...		–	–	–	1	–
CHEADLE... ...	–	2	–	–	2	M. 1
KINGSWINFORD ...	–	–	1	–	1	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	–	2	–	1	–
STAFFORD ...	–	–	4	–	–	M. 1
TAMWORTH (part)	–	–	–	–	1	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST	–	18	2	–	4	N. 1
†IPSWICH C.B. ...	–	6	1	–	–	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUFFOLK, EAST *cont.*						
Boroughs and Urban Districts:—						
Aldeburgh ...	–	1	–	–	–	–
†Lowestoft ...	–	1	–	–	–	–
Rural Districts:—						
Bosmere and Claydon	–	6	1	–	–	–
Hartismere ...	–	1	–	–	–	–
Hoxne	–	2	–	–	–	–
Mutford and Lothingland	–	–	–	–	1	–
Woodbridge ...	–	1	–	–	3	–
SUFFOLK, WEST	–	3	5	–	1	–
Boroughs and Urban Districts:—						
†Bury St. Edmunds	–	–	–	–	1	–
Haverhill ...	–	2	–	–	–	–
Newmarket ...	–	–	5	–	–	–
Rural Districts:—						
Thingoe	–	1	–	–	–	–
SURREY	–	35	16	5	4	C. 2 M. 1 N. 2
†Croydon C.B. ...	–	7	1	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†Barnes	–	3	–	–	–	–
†Beddington and Wallington	–	2	–	–	–	–
†Carshalton ...	–	2	–	–	1	N. 1
†Caterham and Warlingham	–	1	1	–	–	–
†Coulsdon and Purley	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts:— *cont.*						
Dorking	–	–	–	2	–	–
East and West Molesey	–	–	–	–	1	–
†Egham	–	1	–	1	–	–
†Epsom	–	–	–	1	–	–
†Esher and the Dittons	–	–	1	–	–	–
Ham	–	1	–	–	–	–
†Kingston on Thames	–	2	–	–	–	–
†Merton and Morden	–	1	–	–	–	–
†Mitcham	–	2	–	1	–	–
†Reigate	–	–	4	–	–	–
†Richmond ...	–	–	–	–	1	–
†Surbiton ...	–	–	–	–	–	N. 1
†Sutton and Cheam	–	1	–	–	–	C. 1
†Walton upon Thames	–	–	–	–	1	–
†Wimbledon ...	–	1	–	–	–	–
†Woking	–	1	2	–	–	–
Rural Districts:—						
Chertsey ...	–	2	–	–	–	–
Epsom	–	–	1	–	–	–
Godstone ...	–	1	–	–	–	–
Guildford ...	–	2	1	–	–	–
Hambledon ...	–	–	1	–	–	–
Reigate	–	2	4			–
SUSSEX, EAST...	–	14	9	–	7	–
†Brighton C.B. ...	–	3	7	–	–	–
†Eastbourne C.B.	–	–	1	–	2	–
†Hastings C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†Lewes	–	2	–	–	–	–
Newhaven ...	–	–	–	–	1	–
Portslade by Sea	–	1	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CUCKFIELD ...	–	2	–	–	–	–
EAST GRINSTEAD	–	3	1	–	–	–
HAILSHAM ...	–	–	–	–	2	–
UCKFIELD ...	–	–	–	–	1	–
SUSSEX, WEST...	–	6	1	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	–	–	–	1	–
SHOREHAM BY SEA	–	2	–	–	–	–
†WORTHING ...	–	–	–	–	–	C. 1
Rural Districts:—						
EAST PRESTON ...	–	1	1	–	1	–
MIDHURST ...	–	1	–	–	–	–
THAKEHAM ...	–	–	–	–	–	N. 1
WESTHAMPNETT		1	–	–	–	–
WARWICK ...	–	58	24	2	41	C. 2 D. 2 M. 13 N. 2
†BIRMINGHAM C.B.	–	46	19	–	27	C. 2 D. 1 M. 12 N. 1
†COVENTRY C.B. ...	–	2	–	–	4	N. 1
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	2		–	1	–
†NUNEATON ...	–	–	1	1	–	D. 1
†ROYAL LEAMINGTON SPA	–	1	–	–	1	–
†RUGBY	–	–	1	–	–	–
†STRATFORD ON AVON	–	1	–	–	1	–
†SUTTON COLDFIELD	–	2	–	–	1	–
†WARWICK ...	–	–	–	1	2	–
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	–	1	–	2	–
FOLESHILL ...	–	1	–	–	–	–
MERIDEN... ...	–	–	1	–	1	–
NUNEATON ...	–	2	–	–	–	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	–	–	–	–	M. 1
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND	–	2	–	–	4	N. 1
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	–	1	N. 1
KIRKBY LONSDALE	–	–	–	–	2	–
SHAP	–	1	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	1	–
WIGHT, ISLE OF	–	1	–	2	1	N. 1
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	1	–
Rural Districts:—						
ISLE OF WIGHT ...	–	–	–	2	–	N. 1
WILTS	–	4	5	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	1	–	–	–
MELKSHAM ...	–	–	–	–	1	–
†SWINDON... ...	–	–	2	–	1	–
†TROWBRIDGE ...	–	1	–	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	–	1	–	–	1	–
CRICKLADE AND WOOTTON BASSETT	–	–	2	–	–	–
MALMESBURY ...	–	–	–	–	–	C. 1
PEWSEY	–	1	–	–	–	–
SALISBURY ...	–	–	–	–	–	M. 1
WARMINSTER ...	–	1	–			–
WORCESTER ...	–	10	1	–	4	C. 1 M. 1 N. 5
†DUDLEY C.B. ...	–	–	–	–	–	C. 1
†WORCESTER C.B.	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
EVESHAM... ...	–	1	–	–	–	–
†HALESOWEN ...	–	–	–		1	–
†KIDDERMINSTER	–	–	1		–	N. 2
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	–	–	–	1	
NORTH BROMSGROVE	–	–		–	–	M. 1
†OLDBURY... ...	–	1	–	–	–	
†REDDITCH ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	–	–	–	–	N. 1
EVESHAM... ...	–	1	–	–	–	–
MARTLEY... ...	–	1	–	–	–	
UPTON ON SEVERN	–	1	–	–	1	N. 1
YORKS ... ... (East Riding).	–	11	14	–	6	–
†KINGSTON UPON HULL C.B.	–	5	13	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
COTTINGHAM ...		2	1		–	–
Rural Districts:—						
DRIFFIELD ...	–	1		–	–	–
PATRINGTON ...	–	1	–		–	–
POCKLINGTON ...	–	–	–	–	1	–
SKIRLAUGH ...	–	2		–	–	–
YORKS ... ... (North Riding).	–	21	7	1	19	D. 2 G. 1 I. 1 N. 1
†MIDDLESBROUGH C.B.	–	7	–	–	7	N. 1
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	2	I. 1
GUISBOROUGH ...	–	1	–		–	D. 1
LOFTUS			–	–	1	
PICKERING ...	*	*	*	*	*	*
†REDCAR	–	1	–	1	2	–
SALTBURN BY THE SEA	–	6	–	–	–	–
†SCARBOROUGH ...		–	3	–	2	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY ON TEES	–	1	–		–	–
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
FLAXTON... ...	–	–	–	–	–	D. 1
GUISBOROUGH ...	–	2	–	–	–	–
KIRKBY MOORSIDE		1	–	–	–	–
LEYBURN... ...		–	1		–	G. 1
REETH	–	–	–	–	3	–
RICHMOND ...	–	–	1		–	–
STOKESLEY ...	–	–	2	–	–	

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	11	99	63	1	93	C. 8 D. 17 E. 1 M. 4 N. 5
†Barnsley C.B. ...	-	1	1	-	3	D. 1
†Bradford C.B. ...	3	14	1	-	9	N. 1
†Dewsbury C.B....	-	4	-	-	-	-
†Doncaster C.B....	-	-	-	-	1	D. 1
†Halifax C.B. ...	1	1	5	-	-	-
†Huddersfield C.B.	-	4	1	-	6	M. 1 N. 1
†Leeds C.B. ...	-	19	8	-	13	C. 5 N. 2
†Rotherham C.B.	-	4	5	-	1	D. 2
†Sheffield C.B....		16	6	1	26	C. 2 D. 2 E. 1
†Wakefield C.B.	-	-	3	-	1	-
Boroughs and Urban Districts:—						
†Adwick le Street	-	-	2	-	1	-
Altofts	-	-	1	-	-	-
Ardsley, East and West	-	-	1	-	-	-
†Barnoldswick ...	-	3	-	-	-	-
Birkenshaw ..	-	1	-	-	-	-
†Bolton upon Dearne		2	-	-	-	-
†Brighouse ...	5	-	-	-	-	-
†Castleford ...	-	-	1	-	-	-
†Conisbrough ...	-	-	-	-	-	D. 1
Darfield ...	-	-	-	-	2	-
†Darton	-	1	-	-	1	-
Denholme ...	-	1	-	-	-	-
Drighlington ...	-	1	-	-	-	-
Earby	-	-	-	-	1	-
†Elland	-	-	1	-	2	-
Farsley	-	-	1	-	-	-
Flockton ...	-	-	1		-	-
Greetland ...	-	1	-	-	-	-
†Harrogate ...	-	2	-	-	1	-
†Hemsworth ...	-	-		-	1	-
†Holmfirth ...	-	-	-	-	1	-
†Hoyland Nether	-	-	-	-	2	D. 1
†Keighley ...	-	3		-	2	-
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Lepton	-	-	-	-	-	M. 1
Linthwaite ...	-	-	-	-	1	-
Marsden... ...	-	-	-	-	1	-
†Mexborough ...	-	-	2	-	-	-
†Mirfield	-	-		-	-	M. 1
†Morley	-	-	-	-	2	-
Mytholmroyd ...	-	1	-	-	-	-
†Normanton ...	-	1	-	-	-	-
†Rawmarsh ...	-	-	-	-	1	-
†Rothwell ...	-	-	2	-	2	D. 1
Royston	-	1	-	-	-	
†Shipley	-	-	1	-	-	-
†Skipton	-	-	1	-	-	-
†Spenborough ...	-	2	1	-	3	C. 1
†Stanley	-	-	1	-	1	-
Thurnscoe ...	-	1	-	-	1	-
†Wath upon Dearne	-	2	-	-	-	D. 1
Whitwood ...		3		-	-	-
†Wombwell ...	-	-	-	-	1	-
†Worsborough ...	-	-	2	-	-	-
Rural Districts:—						
Doncaster ...	-	-	1	-	-	D. 2 N. 1
Great Ouseburn	-	1	-	-	-	-
Hemsworth ...	-	3	-	-	1	D. 4 M. 1
Keighley ...	-	-	-	-	1	-
Kiveton Park ...	2	1	1	-	-	-
Knaresborough	-	1	-	-	-	-
Pontefract ...	-	-	4	-	-	-
Rotherham ...	-	-	4	-	1	D. 1
Tadcaster ...	-	3	3		-	-
Thorne	-	-	-	-	2	-
Wakefield ...	-	1	2	-	-	-
Wortley... ...	-	-	-	-	1	-
YORK, CITY OF ..	-	4	2	-	-	G. 1
†York C.B. ...	-	4	2	-	-	G. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
WALES.						
ANGLESEY ...	-	-	1	-	2	-
Boroughs and Urban Districts:—						
Amlwch	-	-	-	-	1	-
Rural Districts:—						
Aethwy... ...	-	-	1	-	-	-
Twrcelyn ...	-	-	-	-	1	-
BRECKNOCK ...	-	-	-	-	-	-
Boroughs and Urban Districts:—						
Brecknock ...	*	*	*	*	*	*
Rural Districts:—						
Brecknock (Defynnock and Llangorse)	*	*	*	*	*	*
Brecknock (Merthyr Cynog)	*	*	*	*	*	*
CAERNARVON...	-	2	4	-	-	C. 1 N. 1
Boroughs and Urban Districts:—						
†Bangor	-	2	-	-	-	N. 1
†Llandudno ...	-	-	2	-	-	-
Rural Districts:—						
Geirionydd ...	-	-	1	-	-	-
Glaslyn	-	-	1	-		
Lleyn	-	-		-	-	C. 1
CARDIGAN ...		1	1	-	-	C. 1
Boroughs and Urban Districts:—						
†Aberystwyth ...	-	1	-	-	-	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
CARDIGAN—*cont.*						
Rural Districts:—						
Llandyssil ...	-	-	1	-	-	-
CARMARTHEN...	-	1	4	-	5	M. 2 N. 1
Boroughs and Urban Districts:—						
Ammanford ...	-	-	1	-	2	-
Kidwelly ...	-	1	-	-	-	-
†Llanelly ...	-	-		-	2	M. 2
Rural Districts:—						
Llandilo Fawr	-	-	-	-	1	N. 1
Llanelly ...	-		3	-	-	-
DENBIGH ...	-	10	7	-	4	-
Boroughs and Urban Districts:—						
Ruthin	-	1		-	-	-
†Wrexham ...	-	1	-	-	1	-
Rural Districts:—						
Llansilin ...	*	*	*	*	*	*
Ruthin		1	1	-	-	-
St. Asaph (Denbigh)	-	1	-	-	-	-
Uwchaled ...	-	-	2	-	-	-
Wrexham ...	-	6	4	-	3	-
FLINT	-	5	2	-	5	C. 1 M. 1
Borough and Urban Districts:—						
Connah's Quay	-	-	2	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...		2	–	–	1	C. 1
HOLYWELL ...	–	1	–	–	4	M. 1
ST. ASAPH (FLINT)		2		–	–	–
GLAMORGAN ...	1	53	32	–	28	C. 7 M. 3 N. 1
†CARDIFF C.B. ...	–	16	10	–	3	C. 2 M. 1
†MERTHYR TYDFIL C.B.	–	2	2		3	–
†SWANSEA C.B. ...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	–	–	2	–
†CAERPHILLY ...	1	1	–	–	1	N. 1
†GELLIGAER ...	–	1	2		1	–
†GLYNCORWG ...	–		1	–	–	–
†LLWCHWR ...	–	–	1		–	–
†MAESTEG	–		2	–		–
†MOUNTAIN ASH...	–	–	2		6	–
†NEATH			2	–	–	–
†OGMORE AND GARW	–	7	–		1	–
†PONTYPRIDD ...	–	1	1		2	–
PORTHCAWL ...	–	2	–	–	–	–
†PORT TALBOT ...	–	2	1	–	–	–
†RHONDDA ...	–	16	–		5	C. 5 M. 2
Rural Districts:—						
GOWER	–		1	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	2	–	–	–
NEATH	–	2	1	–	4	–
MERIONETH ...	–	–	–	–	1	–
Urban Districts:—						
FFESTINIOG ...	–			–	1	–
MONMOUTH ...	–	26	7	–	3	N. 3
†NEWPORT C.B. ...	–	9	1	–	3	N. 1
Boroughs and Urban Districts—						
†ABERCARN ...	–	–		–	–	N. 1
ABERGAVENNY ...		–	1	–	–	–
†ABERSYCHAN ...	–	–	–	–	–	N. 1
†ABERTILLERY ...	–	3	1	–	–	–
†BEDWELLTY ...	–	6		–	–	–
†EBBW VALE ...	–	3	–	–	–	–
†RHYMNEY ...	–	3	–		–	–
†TREDEGAR ...		–	3	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
ST. MELLONS ...	–		1	–	–	–
MONTGOMERY...	–	2	–	–	–	M. 2 N. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–		–		–	M. 1
WELSHPOOL ...	–	1	–	–	–	
Rural Districts:—						
FORDEN	–	–	–	–	–	M. 1
LLANFYLLIN ...	–	1	–		–	–
NEWTOWN AND LLANIDLOES	–	–	–	–		N. 1
PEMBROKE ...	–	–	2	–	1	M. 1
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST	–	–	2	–	–	–
ST. DOGMELLS ...	–	–	–		–	M. 1

† Population over 10,000.

‡ The letters in this column denote the followingdiseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
RADNOR	–	–	–	–	–	N. 1	**Total of Part II....**	71	1123	602	30	702	C. 46 D. 45 E. 5 G. 11 I. 1 L. 15 M. 77 N. 78
Rural Districts:—													
Rhayader ...	–	–	–	–	–	N. 1							

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barnstaple	*	*	*	*	*	*	Plymouth	–	–	–	–	1	–
Liverpool	–	–	–	–	1	–	Southampton ...	–	–	–	–	1	–
Penzance	*	*	*	*	*	*	Swansea	–	–	–	–	1	–
							Total of Part III. ...	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—**Part IV.—England and Wales.**

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases ‡ (see † note below).
Total of Part I.—London	36	192	116	5	71	C 9 D. 3 E. 1 L. 2 M. 9 N. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	71	1123	602	30	702	C. 46 D. 45 E. 5 G. 11 I. 1 L. 15 M. 77 N. 78
Total of Part III.—Port Sanitary Districts		–	–	–	4	–
Total (i.e., of returns received), England and Wales ...	107	1315	718	35	777	C. 55 D. 48 E. 6 G. 11 I. 1 L. 17 M. 86 N. 95

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F. Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e 5.—London and Great Towns in the GREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

Week ended :—	Mar. 7.	Mar. 14.	Mar. 21.	Mar. 28.	Apl. 4.	Apl. 11.	Apl. 18.	Apl. 25	May 2.	May 9.	May 16.	May 23.	May 30.	Totals from 1st Week of year.* 1930.	1931.
DON :—															
E BIRTHS	1,384	1,394	1,422	1,390	1,180	1,352	1,471	1,389	1,424	1,369	1,323	1,453	1,227	30,608	28,964
LBIRTHS	49	69	51	45	51	60	44	31	33	55	47	46	42	1,149	1,009
THS (excluding Still-ths)—all ages.	1,347	1,377	1,433	1,184	1,144	1,165	981	954	1,002	955	905	871	831	22,700	26,068
THS—0 to 1 year ..	111	104	102	88	63	90	78	68	79	71	68	70	74	2,020	2,011
AT TOWNS, aggre-te (including Lon-n) :—															
E BIRTHS	6,562	6,503	6,772	6,421	5,509	6,471	7,028	6,789	6,646	6,447	6,364	6,754	5,553	139,610	135,335
LBIRTHS	289	323	303	305	296	318	305	270	286	320	273	301	234	6,219	6,095
THS (excluding Still-ths)—all ages.	6,480	6,713	6,700	5,691	5,313	5,423	4,674	4,590	4,623	4,351	4,127	4,235	4,036	101,779	118,935
THS—0 to 1 year ..	629	640	585	521	459	520	416	397	409	404	347	401	352	9,837	11,389
ERIC FEVER—Cases	6	8	9	9	10	18	14	15	10	15	9	16	11	533	275
„ Deaths	—	1	5	1	—	—	4	3	1	2	2	1	—	51	37
LL POX—Cases ..	158	117	154	166	117	142	126	162	128	139	108	84	72	5,923	3,053
„ Deaths ..	—	—	—	—	—	1	—	1	—	—	—	—	—	15	3
RLET FEVER—Cases	826	824	894	804	724	836	687	854	869	896	864	832	744	28,206	18,013
„ Deaths	7	6	5	9	5	8	4	5	4	9	11	4	5	229	142
ITHERIA—Cases ..	628	626	641	627	521	497	513	552	540	578	542	519	412	20,424	13,665
„ Deaths ..	42	34	32	30	33	27	35	21	22	21	25	21	22	990	702
SLES—Deaths ..	73	84	75	60	58	64	55	42	46	36	38	28	39	2,106	1,332
UENZA—Deaths ..	471	417	365	301	208	175	110	96	74	40	44	54	46	1,324	5,042

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ng been made for changes in boundary. The live births are derived from the weekly returns furnished by the istrars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 30th May, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON (GREENWICH).	73	43	69·1	49·1	10	HUDDERSFIELD	72	40	65·4	46·4	30
						BRADFORD ..	70	43	64·7	48·1	27
IGHTON ..	75	49	64·1	53·1	12	SHEFFIELD ..	71	45	65·7	48·0	37
RTSMOUTH ..	75	49	65·1	52·5	48	YORK (MUSEUM)	72	45	66·7	49·3	29
)RWICH(SOUTH-WELL LODGE)	69	45	67·9	48·7	23	HULL (PEARSON PARK).	69	47	64·8	49·3	51
YMOUTH ..	67	48	60·4	51·9	43	TYNEMOUTH ..	64	47	57·4	48·4	33
ISTOL (HORFIELD)	72	46	65·1	49·7	29	CARDIFF	70	47	64·0	51·4	119
RMINGHAM (EDGBASTON).	72	45	64·6	49·3	35	EDINBURGH ..	67·0	45·0	61·9	47·9	34
TTINGHAM ..	72	46	67·3	50·0	18	GLASGOW ..	67·2	43·8	61·4	48·5	38
RKENHEAD (BIDSTON).	71	48	64·1	49·7	28	DUBLIN (PHŒNIX PARK)	65·8	37·0	61·3	46·0	32
NCHESTER (WHITWORTH PARK).	74	46	66·0	49·7	23	(FITZWILLIAM SQUARE†).	§	§	§	§	§
RNLEY	71	43	65·3	46·4	25	BELFAST	69·0	45·0	64·7	48·2	52

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 30th May, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degrees of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	24	First Quarter.	29·712	63·5	48·0	15·5	55·2	− 0·1	50·5	4·7	14·4	0·0	84	121·2	39·1	49·5	Calm : SW.	SW : SSW.	5·6	0·0	0·4	279	+ 18	0·02
MONDAY -	25	..	29·990	71·5	47·1	24·4	60·4	+ 4·9	46·6	13·8	23·7	2·4	60	132·2	38·0	49·8	SSW	SW	1·5	0·0	0·1	214	− 43	0·00
TUESDAY -	26	In Equator	29·956	71·3	50·6	20·7	61·7	+ 5·9	50·4	11·3	17·0	1·4	67	136·1	40·7	49·9	W ; Calm : E.	E	2·4	0·0	0·2	222	− 32	0·07
WEDNESDAY	27	Perigee	29·760	73·2	51·4	21·8	62·4	+ 6·4	55·3	7·1	15·5	1·1	77	132·2	42·7	50·2	Calm : NE.	E: ENE	4·9	0·0	0·2	232	− 20	0·00
THURSDAY -	28	..	29·546	69·4	46·9	22·5	57·1	+ 0·9	53·1	4·0	14·3	0·5	86	122·3	35·4	50·3	ENE : E.	SW : SSW.	2·3	0·0	0·2	273	+ 22	0·19
FRIDAY -	29	..	29·593	65·9	42·6	23·3	54·7	− 1·7	50·1	4·6	14·1	2·3	84	113·7	29·9	50·8	Calm : ESE.	SE : SSW : S.	2·0	0·0	0·2	210	− 40	0·10
SATURDAY -	30	..	29·606	70·0	48·7	21·3	58·8	+ 2·1	50·9	7·9	16·1	1·3	75	121·0	37·8	51·0	SSE : SSW.	SSW : Calm.	0·9	0·0	0·0	150	− 99	0·03
MEANS -		..	29·738	69·3	47·9	21·4	58·6	+ 2·6	51·0	7·6	16·4	1·3	76	125·5	37·7	50·2	Variable		..		..	Sum 1580	Sum − 194	Sum 0·41
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	24	Insulation failed till 12h.; then variably mP and wP.	3·9	16·0	Nearly overcast, with very cloudy period 15h till 21h. Fog 1h. till 10h. Damping 10½h. till 11½h.; and at 19½h. Brisk wind 12h. till 16h.
MONDAY ..	25	wP till 18h.; mP till 23h.; then variably sP and mN.	13·7	16·0	Variably cloudy till 9h.; nearly cloudless till 17½h.; then becoming overcast by 19h. Showers at 20½h.; and 22½h. till 22⅝h. Rain from 23½h. Dew in morning.
TUESDAY ..	26	Variably mP and mN till 2h.; variably mP and wP till 22h.; then insulation failed.	12·6	16·1	Overcast till 1h.; cloudy till 6h.; partially cloudy till 16h.; then nearly overcast. Rain 0½h. till 1h.
WEDNESDAY	27	Insulation failed till 6h.; mP till 19½h.; then wP.	11·0	16·1	Cloudy till 9h.; very cloudy till 18¼h. then overcast. Partial solar halo 10⅜h. till 11¼h. Slight dew at night.
THURSDAY	28	wP. till 6h.; variably sP and sN till 7½h.; then variably wP and mP.	6·0	16·1	Overcast till 14h.; partially cloudy till 21h.; then cloudless. Thunder 5⅜h. till 6⅜h. Lightning 6½h. till 6¾h. Heavy rain 6¾h. till 7¼h. Dew at night.
FRIDAY ..	29	mP till 12h.; variably sP and sN till 14h.; then variably wP and mP.	7·3	16·2	Cloudless till 2h.; variably cloudy till 9h.; nearly overcast till 15½h.; then partially cloudy. Rain 11⅜h. till 12½h. Heavy shower 12⅜h. till 13h. Dew in morning and at night.
SATURDAY	30	Variably mP and wP till 15h.; mN till 16h.; then mP.	5·4	16·2	Partially cloudy till 1h.; nearly overcast till 5h.; partially cloudy till 9h; then overcast. Slight rain 14⅜h. till 15⅜h.; and 19½h. till 19⅝h. Occasional damping between 15¾h. and 16½h.
			Sum 59·9	Sum 112·7	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·63 ins. at the beginning of the week to 29·51 ins. by 9h. on 24th.; increased generally to 30·01 ins. by 0h. on 26th; decreased to 29·48 ins. by 8h. on 28th; increased to 29·65 ins. by 23h. on 28th; decreased generally to 29·58 ins. bymidnight on the 30th.

The Registrar-General's

DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 22.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 6TH JUNE,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 6TH JUNE, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twenty second week of the year numbered 7,080 corresponding to an annual rate of 18·7 per 1,000 living: stillbirths numbered 287 corresponding to a rate of 39 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,872 (164 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

	May 16.	May 23.	May 30.	June 6.
107 Great Towns	10·9	11·2	10·7	10·3
London	10·7	10·3	9·8	10·1
Birmingham	11·1	11·7	10·9	10·1
Liverpool	11·9	11·9	12·4	10·4
Manchester	12·3	12·2	11·1	12·2
Sheffield	10·7	11·2	9·2	8·1
Leeds	12·1	14·1	12·2	9·7
Bristol	9·5	10·9	11·3	9·3
West Ham	8·0	8·3	9·0	9·8

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 56, against 52, 61, and 53 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,494 live births registered corresponding to an annual rate of 17·6 per 1,000 living: stillbirths numbered 61 corresponding to a rate of 39 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 856 (25 more than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 42, against 48, 49, and 52 in the preceding three weeks.

During the week small-pox was mentioned as a cause of death in one case which has been provisionally classified to small-pox and assigned to East Ham C.B.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 6th June, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,685,050*	7,080	287	3,872‡	367	1	26	5	20	18	40	30
LONDON	4,417,900*	1,494	61	856	58	1	-	2	6	2	5	5
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	63	-	39	3	-	-	-	-	-	-	1
TOWNS IN OUTER RING. WIMBLEDON ..	59,370	11	-	8	1	-	-	-	-	-	-	-
TOWNS IN OUTER RING. EALING	104,000	45	2	15	1	-	-	-	-	1	-	-
TOWNS IN OUTER RING. ACTON	65,200	22	1	10	-	-	-	-	-	-	-	-
TOWNS IN OUTER RING. BRENTFORD AND CHISWICK ..	59,040	21	1	14	1	-	-	-	-	-	1	-
TOWNS IN OUTER RING. WILLESDEN ..	172,500	44	3	31	4	-	-	-	-	-	-	-
TOWNS IN OUTER RING. HENDON§	86,540*	30	5	12	-	-	-	-	-	-	-	-
TOWNS IN OUTER RING. HORNSEY	88,450	18	-	15	1	-	-	-	-	-	-	-
TOWNS IN OUTER RING. WOOD GREEN ..	53,410	13	-	10	1	-	-	-	-	-	-	-
TOWNS IN OUTER RING. TOTTENHAM ..	155,000	38	1	27	2	-	-	-	-	-	-	-
TOWNS IN OUTER RING. EDMONTON	75,000	43	3	11	3	-	-	1	-	-	-	-
TOWNS IN OUTER RING. ENFIELD	65,100	26	1	11	-	-	-	-	-	-	-	-
TOWNS IN OUTER RING. WEST HAM C.B. ..	307,600	112	1	58	8	-	-	-	1	1	2	-
TOWNS IN OUTER RING. EAST HAM C.B. ..	147,600	29	-	24‡	-	-	-	-	-	-	-	-
TOWNS IN OUTER RING. LEYTON	128,300	30	1	18	1	-	-	-	-	-	-	-
TOWNS IN OUTER RING. WALTHAMSTOW ..	124,800	25	1	19	2	-	-	-	-	-	-	-
TOWNS IN OUTER RING. ILFORD	116,200	40	-	18	2	-	-	-	-	-	-	-
GILLINGHAM	56,670*	19	1	11	1	-	-	-	-	-	-	-
CANTERBURY C.B. ..	22,850*	11	-	3	-	-	-	-	-	-	-	-
HASTINGS C.B.	62,620	23	2	13	2	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	58,570	18	-	12	-	-	-	-	-	-	1	-
BRIGHTON C.B. ..	146,800*	39	-	33	2	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	242,000*	112	2	45	8	-	-	-	1	-	-	-
BOURNEMOUTH C.B.§..	105,780	31	-	25	2	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	172,300	73	-	33	5	-	-	-	-	1	1	-
READING C.B.	96,850*	30	1	19	-	-	-	-	-	-	-	-
OXFORD C.B.	73,810*	33	-	11	-	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,970*	27	-	26	3	-	-	-	-	-	-	-
LUTON	65,200	22	2	9	1	-	-	-	-	-	1	-
CAMBRIDGE	80,730	20	-	10	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	114,600	30	-	26	1	-	-	-	-	-	-	-
IPSWICH C.B.	85,800	33	-	21	1	-	-	-	-	-	-	-
GREAT YARMOUTH C.B	58,110	16	-	12	1	-	-	-	-	-	-	-
NORWICH C.B.	124,900*	38	1	22	1	-	-	-	-	-	-	-
SWINDON	62,020	20	1	11	1	-	-	-	-	-	-	-
EXETER C.B.	61,290*	29	-	14	1	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	199,000*	86	2	44	5	-	-	-	-	-	-	-
BATH C.B.	69,240	20	1	12	-	-	-	-	-	-	-	-
BRISTOL C.B.	391,145*	144	7	70	3	-	-	-	-	1	-	-
GLOUCESTER C.B. ..	52,010	17	1	11	-	-	-	-	1	-	-	-
STOKE-ON-TRENT C.B.	279,190	100	5	64	5	-	-	-	1	-	-	-
BURTON-UPON-TRENT C.B.	48,970	16	-	15	-	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,300	56	2	31	2	-	-	-	-	-	-	-
WALSALL C.B.§	100,930	51	3	18	4	-	-	-	1	-	1	-
WEST BROMWICH C.B.§	80,970	40	1	15	2	-	-	-	-	-	-	-
DUDLEY C.B.	58,870	21	-	5	-	-	-	-	-	-	-	-
WORCESTER C.B. ..	52,320	15	1	7	1	-	-	-	-	-	-	-
BIRMINGHAM C.B.§ ..	972,510	402	13	188	31	-	5	1	1	-	10	-
SMETHWICK C.B. ..	85,120	22	-	5	-	-	-	-	-	-	-	-
COVENTRY C.B. ..	162,100	57	2	40	10	-	-	-	2	-	4	-
LEICESTER C.B. ..	245,200	80	1	42	-	-	-	-	-	1	-	-
LINCOLN C.B.	65,080*	24	-	12	-	-	-	-	-	-	-	-
GRIMSBY C.B.	91,440	37	1	24	2	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	266,800	104	5	45	7	-	-	-	-	-	1	-
DERBY C.B.	140,500*	50	1	18	3	-	-	-	-	-	-	-
CHESTERFIELD	65,270	19	2	22	2	-	-	-	-	-	-	-
STOCKPORT C.B. ..	127,800	35	4	28	1	-	-	-	-	-	-	-
CHESTER C.B.	40,750	21	1	5	-	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	157,600	62	1	33	4	-	-	-	2	-	-	-
WALLASEY C.B. ..	101,300	34	1	16	1	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	869,500	393	19	174	28	-	4	-	1	2	3	-
BOOTLE C.B.	80,400	37	1	22	3	-	1	-	-	-	-	-
ST. HELENS C.B. ..	109,200	39	1	22	3	-	1	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
§ Change in boundary, 1st April, 1931; figures relate to new area
‡ Includes one death from Small-Pox.

TOWNS.	Estimated Population, Mid. 1929	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	23	1	18	2	-	-	-	-	-	-	-
Wigan C.B.	87,600	27	2	25	4	-	-	-	-	-	-	1
Warrington C.B. ..	79,400*	18	1	18	2	-	-	-	-	-	-	-
Bolton C.B.	181,500	57	6	40	5	-	-	-	1	-	-	2
Bury C.B.	56,330*	18	1	10	-	-	-	1	-	-	-	-
Manchester C.B.§ ..	753,570	316	12	177	20	-	1	-	-	1	2	1
Salford C.B.	235,600	108	4	54	6	-	1	-	-	-	-	1
Ashton-under-Lyne	51,750	12	3	14	-	-	-	-	-	-	-	-
Oldham C.B	142,500	44	2	28	5	-	-	-	-	-	1	-
Rochdale C.B. ..	90,900	17	-	30	3	-	-	-	-	-	-	-
Burnley C.B	100,200	22	1	16	3	-	-	-	-	-	-	-
Blackburn C.B. ..	125,300	45	3	30	1	-	-	-	-	-	1	1
Preston C.B.	126,100	43	3	14	-	-	-	-	-	-	-	-
Blackpool C.B. ..	99,800	27	2	31	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	64,350	15	1	19	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	113,100	29	-	19	1	-	1	-	-	-	-	1
Halifax C.B.	97,400*	38	1	22	1	-	-	-	-	1	-	-
Bradford C.B. ..	294,605	90	6	63	6	-	-	-	-	-	1	-
Leeds C.B	478,500	187	5	89	6	-	-	-	-	1	1	-
Dewsbury C.B. ..	53,020	19	2	17	-	-	-	-	-	-	-	-
Wakefield C.B. ..	56,640	19	1	11	1	-	-	-	-	1	-	-
Barnsley C.B. ..	71,700	29	2	11	2	-	1	-	-	-	-	-
Sheffield C.B. ..	518,000*	188	14	80	13	-	-	-	-	-	-	-
Rotherham C.B. ..	70,790	27	2	8	2	-	-	-	-	-	-	-
Doncaster C.B. ..	59,890	30	-	7	1	-	-	-	-	-	-	-
York C.B.	85,290*	31	-	14	3	-	-	-	-	-	-	-
Hull C.B.	307,500	119	8	59	5	-	-	-	1	3	1	1
Middlesbrough C.B.	133,100	69	3	31	1	-	1	-	-	-	-	1
Darlington C.B. ..	74,150	18	-	14	-	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,090	29	-	17	2	-	-	-	-	-	-	1
West Hartlepool C.B.	69,370	28	-	20	3	-	1	-	-	-	-	-
Sunderland C.B. ..	184,000	95	3	45	8	-	2	-	-	-	2	-
South Shields C.B. ..	119,600	59	3	36	1	-	4	-	-	-	-	1
Gateshead C.B. ..	122,600	42	3	19	2	-	1	-	1	-	-	-
Newcastle-on-Tyne C.B.	283,400*	117	6	53	2	-	1	-	-	-	-	-
Tynemouth C.B. ..	65,880	34	2	7	-	-	-	-	-	-	-	-
Carlisle C.B.	56,160*	23	-	16	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	95,990*	33	3	19	3	-	1	-	-	1	-	-
Cardiff C.B.	224,000*	83	5	64	7	-	-	-	-	-	1	-
Rhondda	153,100	50	2	13	1	-	-	-	-	1	-	-
Merthyr Tydfil C.B.	77,790	29	3	18	4	-	-	-	-	-	-	-
Aberdare	53,050	14	-	10	1	-	-	-	-	-	-	-
Swansea C.B.	162,700	55	4	26	1	-	-	-	-	-	-	-
Greater London ..	7,900,480*	2,631	102	1,465‡	119	1	-	3	7	4	8	7
Outer Ring	3,462,580*	1,137	41	609‡	60	-	-	1	1	2	3	2
17 Great Towns in Outer Ring§.. ..	2,030,410*	604	20	340‡	30	-	-	1	1	2	3	2
Remainder of Outer Ring§	1,452,170*	533	21	269	30	-	-	-	-	-	-	-
Edinburgh†	428,800	151	?	107	7	-	-	-	-	-	-	2
Glasgow†	1,088,200	475	?	251	38	-	7	2	8	2	10	2
Dublin†	412,400	210	?	110	18	-	5	-	-	2	1	1
Belfast†	415,151	203	?	93	14	-	2	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Change in boundary, 1st April, 1931; figures relate to new area.

‡ Includes one death from Small Pox.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,417,900	1931. June 6	1494	61	856	10·1	1	-	-	2	6	2	5
Calcutta and Suburbs	1,077,264	Apr. 25	?	?	546‖	26·4	?	50	?	-	?	?	?
Bombay§	1,298,708	May 9	418	39	579‖	23·2	1	1	3	-	-	-	15
Madras	528,791	Apr. 25	660	44	407	40·2	4	1	-	-	-	-	23
Sydney and Suburbs	1,253,560	" 30 (30 days)	1680	?	886	8·5	-	-	-	2	3	6	10
Brisbane (Metropolitan Area).	313,251	Feb. 28 (28 days)											
Perth (Metropolitan Area).	204,780	Mar. 28	64	?	45	11·4	-	-	-	-	-	-	1
Auckland (Urban Area).	212,100	Feb. 28 (28 days)	230	7	131	7·4	-	-	-	1	-	1	-
Wellington (Urban Area)	138,050	Feb. 28 (28 days)	183	4	78	6·8	-	-	-	-	-	-	-
Christchurch (Urban Area).	125,800	Feb. 28 (28 days)	180	8	73	7·0	-	-	-	-	-	-	1
Cape Town	136,748	May 2	54	1	23	8·8	-	-	-	-	-	-	1
Johannesburg	187,326	Apr. 25	93	5	49	13·6	-	-	-	-	1	-	2
Durban	61,667	" 25	21	-	11	9·3	-	-	-	-	-	-	-
Paris	2,871,429	" 20 (10 days)	1093	68	1152	14·6	2	-	14	1	2	11	25
Antwerp	294,963	May 15 (15 days)											
Amsterdam	753,957	May 16	253	8	113	7·8	-	-	3	-	3	-	1
Copenhagen	615,700	" 23	175	6	166	14·1	-	-	-	-	1	-	1
Stockholm	502,203	" 16	101	5	110	11·4	-	-	-	-	-	-	-
Gothenberg	245,336	" 2	?	?	45	9·5	-	-	-	-	-	-	-
Oslo	253,568	" 23	32	-	64	13·1	-	-	-	-	1	-	-
Berlin	4,326,000	" 9	775	29	1034	12·4	-	?	2	-	3	1	5
Breslau	617,000	" 9	148	4	129	10·9	-	?	-	-	-	3	3
Cologne	740,000	" 9	189	5	138	9·7	-	?	-	-	-	5	1
Dresden	633,000	" 9	141	5	130	10·7	-	?	1	-	-	-	1
Frankfort-on-Main	541,000	" 9	109	5	91	8·7	-	?	-	-	-	1	-
Hamburg	1,146,000	" 9	292	3	254	11·5	-	?	-	-	1	-	-
Leipzig	719,000	" 9	147	8	153	11·1	-	?	-	-	-	1	-
Munich	730,000	" 9	153	3	190	13·5	-	?	-	-	1	-	1
Budapest	1,009,069	" 16	313	10	234	12·1	2	-	2	-	-	2	1
Warsaw	1,115,651	" 9	?	8	250	11·7	1	-	-	-	1	2	7
Madrid	825,471	" 2	394	37	312	19·6	1	-	7	-	2	1	5
Cairo	1,160,700	Feb. 11	1208	22	457	20·5	8	-	1	-	?	8	58
Alexandria	629,900	" 11	544	15	263	21·8	3	-	1	-	?	1	16
New York	7,090,089	May 9	2101	119	1561	11·5	1	-	5	6	1	7	11
Chicago	3,457,375	" 15	1144	27	653	9·8	1	-	1	5	-	3	2
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Apr. 25											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year o*
for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 26 deaths from Cholera in Calcutta, 3 in Madras, and 4 from Plague in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 6th June, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	23,548	26,924	856	59	11	9	24	33	46	60	104	138	165	207
Enteric fever	8	11	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	943	30	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	70	32	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough	80	172	6	3	1	1	1	-	-	-	-	-	-	-
Diphtheria	247	139	2	1	-	1	-	-	-	-	-	-	-	-
Influenza	220	888	5	1	-	-	-	-	1	-	-	-	2	1
Erysipelas	83	94	3	1	-	-	-	-	-	-	1	-	-	1
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	25	24	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	48	76	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	1671	1892	55	-	-	-	1	10	16	14	6	5	2	1
Nervous system	108	110	5	-	-	-	3	1	1	-	-	-	-	-
Intestines and peritoneum	26	29	2	-	-	-	-	1	-	-	-	-	1	-
Other forms	97	119	8	1	1	-	-	1	1	-	1	2	1	-
Venereal diseases	97	90	5	-	-	-	-	-	-	1	2	2	-	-
Cancer	2849	3001	135	-	-	-	-	-	3	7	26	28	48	23
Rheumatic fever	92	53	3	-	-	-	2	-	1	-	-	-	-	-
Diabetes	248	255	8	-	-	-	-	-	1	-	2	-	2	3
Alcoholism	5	7	1	-	-	-	-	-	-	1	-	-	-	-
Simple meningitis	44	41	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	934	1003	35	-	-	-	-	-	-	3	3	6	11	12
Epilepsy	93	75	2	-	-	-	-	-	-	-	1	-	1	-
"Convulsions" (not puerperal)	32	32	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	566	536	24	2	-	-	1	1	2	2	7	6	2	1
Pericarditis	10	9	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	82	90	3	-	-	-	-	-	2	1	-	-	-	-
Other diseases of heart	4896	6283	182	-	-	-	2	2	2	9	12	40	42	73
Other diseases of circulatory system	956	1052	45	-	-	-	-	-	1	-	5	10	13	16
Bronchitis	1103	1733	24	1	1	-	-	-	1	1	2	4	4	10
Broncho-pneumonia	1080	1637	31	6	4	1	-	1	-	2	1	1	3	12
Lobar pneumonia	599	712	14	1	-	-	-	-	2	1	6	-	1	3
Pneumonia (type not distinguished)	216	250	4	-	-	-	-	-	-	1	1	-	1	1
Other diseases of respiratory system	231	347	10	-	-	-	-	-	-	1	2	1	2	4
Diarrhœa and enteritis	328	305	6	4	1	1	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	135	126	8	-	-	1	-	3	-	-	3	-	-	1
Hernia, Intestinal obstruction	217	242	5	1	-	-	1	1	1	-	-	-	-	1
Cirrhosis of liver	89	95	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of digestive system	565	546	24	-	-	-	2	-	1	-	3	11	7	-
Acute nephritis	47	41	1	-	-	-	1	-	-	-	-	-	-	-
Chronic Bright's disease	780	836	21	-	-	-	-	1	-	1	2	6	5	6
Other diseases of genito-urinary system.	339	398	22	-	-	-	1	1	1	1	4	2	4	8
Puerperal sepsis	49	57	3	-	-	-	-	-	2	1	-	-	-	-
Other causes incident to childbirth	40	54	3	-	-	-	-	-	2	1	-	-	-	-
Congenital malformations	148	142	8	8	-	-	-	-	-	-	-	-	-	-
Premature birth	446	485	20	20	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	93	75	3	3	-	-	-	-	-	-	-	-	-	-
Old age	534	646	23	-	-	-	-	-	-	-	-	-	2	21
Suicide	238	226	9	-	-	-	-	1	1	1	2	3	1	-
Burns and Scalds	50	73	1	-	-	-	1	-	-	-	-	-	-	-
Drowning	53	41	2	-	-	-	1	-	1	-	-	-	-	-
Suffocation in bed	19	15	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	327	295	17	-	-	2	4	2	-	3	-	4	2	-
Other deaths by violence	369	359	16	-	1	-	2	2	1	1	2	1	1	5
Other specified causes	924	1040	45	4	2	1	-	4	2	7	10	4	7	4
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 6th June, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	25	160	128	7	70	C. 2 G. 2 M. 18 N. 17
Metropolitan Boroughs:—						
†BATTERSEA ...	-	2	6	1	2	M. 1
†BERMONDSEY ...	-	-	4	1	2	-
†BETHNAL GREEN	1	1	6	-	3	-
†CAMBERWELL ...	1	6	8	1	4	G. 1 M. 1
†CHELSEA	-	1	1	-	-	-
†DEPTFORD ...	-	7	3	-	-	-
†FINSBURY ...	4	-	-	-	1	M. 2
†FULHAM	-	6	4	-	4	N. 2
†GREENWICH ...	-	2	1	-	1	N. 2
†HACKNEY... ...	-	12	7	-	-	M. 1 N. 1
†HAMMERSMITH ...	-	8	3	-	2	N. 1
†HAMPSTEAD ...	-	3	1	-		C. 1 N. 1
†HOLBORN... ...	-	-	2	-	-	-
†ISLINGTON ...	1	18	11	-	3	M. 4 N. 1
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	-	4	2	-	1	-
†LAMBETH ...	-	9	5	-	8	C. 1 N. 1
†LEWISHAM ...	-	14	10	-	4	M. 1
†PADDINGTON ...	-	3	6	-	7	M. 1
†POPLAR	1	8	4	1	6	M. 1
†ST. MARYLEBONE	-	4	3	-	-	N. 1
†ST. PANCRAS ...		3	8	-	1	G. 1 M. 3 N. 2
†SHOREDITCH ...	11	5	3	-	1	N. 1
†SOUTHWARK ...	1	5	5	-	9	M. 1 N. 1
†STEPNEY	5	12	9	1	6	-
†STOKE NEWINGTON	-	-	-	-	3	-
†WANDSWORTH ...	-	11	9	1	1	M. 2
†WESTMINSTER, CITY OF	-	3	1	1	-	-
†WOOLWICH ...	-	13	6	-	1	N. 3

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...		7	3		2	N. 1
Boroughs and Urban Districts:—						
†BEDFORD	–	2	–	–	–	–
DUNSTABLE ...	–	1	–	–	1	–
LEIGHTON BUZZARD	–	–	1	–	–	N. 1
†LUTON	–	3	2	–	–	–
Rural Districts:—						
BEDFORD... ...	–	1		–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
BERKS		10		1	2	–
†READING C.B. ...	–	5	–	–		–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	–	1	1	–
Rural Districts:—						
COOKHAM ...	–	1	–	–		–
EASTHAMPSTEAD	–	1		–	–	–
FARINGDON (part)	–	–	–	–	1	–
NEWBURY ...	–	1	–		–	–
WANTAGE ...	–	1	–	–		–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM...	–	6	1	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...		1	–	–		–
†CHEPPING WYCOMBE	–	1	–	–	1	–
†SLOUGH	–	1	–	–	–	N. 1
Rural Districts:—						
AMERSHAM ...	–	–	1	–		–
AYLESBURY ...	–		–	–	–	C. 1
ETON	–	2	–	–	1	
WYCOMBE ...		1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CAMBRIDGE ...	–	4	1	–		–
Borough:—						
†CAMBRIDGE ...		2			–	–
Rural Districts:—						
CHESTERTON ...		1	–	–	–	–
LINTON	–	1	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER ...	–	39	25	–	32	C. 1 M. 3 N. 2
†BIRKENHEAD C.B.	–	4	4	–	13	N. 1
†CHESTER C.B. ...	–	1	3	–	1	–
†STOCKPORT C.B. ...	–	1	–		1	N. 1
†WALLASEY C.B. ...	–	4	1		1	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	4	7	–	1	–
†CHEADLE AND GATLEY	–	2	–	–	1	–
†CREWE	–	3	–	–	–	C. 1
†DUKINFIELD ...	–	2	–	–	1	M. 1
†ELLESMERE PORT AND WHITBY	–	–	1			
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOLLINGWORTH...	–	–	–		–	M. 1
HOOLE	–		–	–	1	–
†HOYLAKE AND WEST KIRBY	–	–	1		–	–
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ...	–	–	1	–	1	–
MARPLE		1		–	–	–
†RUNCORN... ...	–	–	2	–	2	M. 1
†STALYBRIDGE ...	–	1		–	1	–
†WINSFORD ...	–	–	–	–	1	–
Rural Districts:—						
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	1	–	–	1	–
MACCLESFIELD ...	–	1	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NANTWICH ...	–	4	–			–
NORTHWICH ...	–	3	3	–	–	–
RUNCORN	–	2	1	–	2	–
TARVIN	–	1	1	–	1	–
WIRRAL	–	–	–	–	2	–
CORNWALL ...	–	13	4	–	1	F. 1 M. 1
Boroughs and Urban Districts:—						
LISKEARD ...	–	1	–	–		–
PAUL ...		–	1	–		–
PENRYN		–	1		–	–
†PENZANCE ...	–		1	–	–	–
ST. AUSTELL ...	–	4	–	–	1	–
SALTASH	–	–	–	–	–	F. 1
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
HELSTON	–	1	–	–	–	–
LAUNCESTON ...	–	1	–	–	–	–
LISKEARD ...	–	4	–	–	–	–
ST. AUSTELL ...	–	1	1	–	–	–
ST. GERMANS ...	–		–	–	–	M. 1
CUMBERLAND...	–	2	4	–	5	M. 1 N. 1
†CARLISLE C.B. ...	–	1	1	–		–
Boroughs and Urban Districts:—						
HOLME CULTRAM	–	1	–	–	–	–
MILLOM	–	–	–	–	2	–
†WHITEHAVEN ...	–	–	–	–	–	M. 1
WIGTON	–	–	–	–	1	–
Rural Districts:—						
BOOTLE	–	–	–	–	2	–
CARLISLE ...	–	–	–	1	–	–
LONGTOWN ...	–	–	–	1	–	–
PENRITH	–	–	–	1	–	N. 1
DERBY	3	23	6	2	16	D. 5 N. 2
†DERBY C.B. ...	–	3	2	–	1	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	–
BAKEWELL ...	–	–	–	–	1	–
†BOLSOVER ...	–	1	–	–	–	–
BRAMPTON AND WALTON	–	–	–	–	1	–
†CHESTERFIELD ...	2	4	–	–	1	–
CLAY CROSS ...	–	1	–	–	–	–
†HEANOR		1	–	1	–	–
†LONG EATON ...	–	3	–	–	–	–
†SWADLINCOTE DISTRICT	–	3	–	1	2	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	2	–
BLACKWELL ...	–	3	–	–	1	D. 3
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	1	2	2	–	2	–
CLOWNE	–	–	–	–	1	D. 2
GLOSSOP DALE ...	–	–	–	–	1	–
HAYFIELD ...	–	–	–	–	–	N. 1
NORTON	–	1		–	2	N. 1
REPTON	–	–	1	–	1	–
DEVON	–	12	12	3	9	E. 1 G. 1 M. 3 N. 3
†EXETER C.B. ...	–	–	2	–	–	E. 1 G. 1 N. 1
†PLYMOUTH C.B.	–	8	6	–	3	M. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...		–	–	1	1	–
BIDEFORD ...	–	–	2	–	–	–
BRIXHAM	–	–	–	1	–	–
†NEWTON ABBOT...		–			–	N. 1
NORTHAM ...	–	–	1	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
SEATON	–	–	–	–	1	–
SIDMOUTH ..	–	–	1	–	–	M. 1
TIVERTON ...	–	–	–	–	1	–
TOTNES	–	–	–	–	1	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
HOLSWORTHY (part)	–	–	–	–	–	N. 1
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	2	–	1	1	–
TIVERTON ...	–	1	–	–	–	–
DORSET	–	5	–	1	5	–
Boroughs and Urban Districts:—						
BRIDPORT ...	–	–	–	–	1	–
†POOLE	–	3	–	1	–	–
SWANAGE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	2	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	2	–
SHAFTESBURY ...	–	1	–	–	–	–
DURHAM ...	–	49	23	2	45	C. 2 D. 4 M. 7 N. 2
†DARLINGTON C.B.	–	3	2	–	1	–
†GATESHEAD C.B.	–	10	3	–	2	–
†SOUTH SHIELDS C.B.	–	–	–	–	11	D. 2 M. 1
†SUNDERLAND C.B.	–	6	2	–	8	M. 1 N. 1
†WEST HARTLEPOOL C.B.	–	1	1	1	4	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	3	–	–	–
BILLINGHAM ...	–	–	1	–	1	M. 1
†BISHOP AUCKLAND	–	2	–	–	–	–
†BLAYDON... ...	–	2	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CROOK	–	–	–	1	1	–
†FELLING	–	2	–	–	–	–
†HEBBURN ...	–	3	1	–	1	–
†HETTON	–	–	–	–	1	–
†JARROW	–	–	–	–	3	–
†RYTON	–	1	–	–	–	M. 1
†SPENNYMOOR ...	–	–	1	–	–	M. 1
†STANLEY	–	–	2	–	–	–
†STOCKTON ON TEES	–	1	1	–	1	D. 1
†TANFIELD ...	–	1	–	–	–	–
†WHICKHAM ...	–	2	–	–	–	D. 1
Rural Districts:—						
AUCKLAND ...	–	–	1	–	–	–
CHESTER LE STREET	–	7	–	–	–	–
DURHAM	–	–	1	–	–	–
EASINGTON ...	–	1	1	–	7	–
HOUGHTON LE SPRING	–	–	–	–	1	–
LANCHESTER ...	–	2	2	–	–	C. 2 M. 1 N. 1
SOUTH SHIELDS	–	3	–	–	1	–
STOCKTON ...	–	–	1	–	–	–
SUNDERLAND ...	–	–	–	–	2	–
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	1	–	–	–
Rural Districts:—						
WISBECH... ...	–	–	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	8	70	31	1	23	C. 2 M. 1 N. 6
†EAST HAM C.B....	–	4	1	1	–	–
†SOUTHEND ON SEA C.B.	–	1	2	–	2	–
†WEST HAM C.B.	8	11	10	–	8	N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	5	–	–	N. 2
BRENTWOOD ...	–	5	–	–	–	–
CANVEY ISLAND	–	–	1	–	–	–
†CHELMSFORD ...	–	3	–	–	–	–
CHINGFORD ...	–	3	–	–	–	–
†CLACTON ...	–	1	–	–	–	–
DAGENHAM ...	–	4	2	–	3	–
EPPING	–	4	–	–	1	–
†GRAYS THURROCK	–	–	1	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	7	1	–	1	M. 1 N. 1
†LEYTON	–	4	2	–	–	C. 1
†ROMFORD... ...	–	–	–	–	2	–
TILBURY	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW ...	–	17	3	–	2	–
†WANSTEAD ...	–	–	–	–	1	N. 1
†WOODFORD ...	–	–	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
EPPING	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	2	–	–	1	–
ONGAR	–	–	–	–	1	C. 1
ORSETT	–	–	1	–	–	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	16	17	2	11	C. 1 D. 1 M. 1 N. 1
†BRISTOL C.B. ...	–	9	15	1	7	C. 1 D. 1
GLOUCESTER— *cont.*						
†GLOUCESTER C.B.		–	–		1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	1	–	–	–
CIRENCESTER ...	–	–	1	–	1	–
COLEFORD ...	–	–	–	–	1	–
NAILSWORTH ...	–	1	–	–	–	–
STROUD	–	–	–	1	–	–
Rural Districts:—						
CAMPDEN... ...	–	1	–	–	–	–
CHIPPING SODBURY	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
GLOUCESTER ...	–	–	–	–	–	M. 1
LYDNEY	–	–	–	–	–	N. 1
STOW ON THE WOLD	–	–	–	–	1	–
STROUD	–	1	–	–	–	–
TEWKESBURY (part)		1	–	–	–	–
HEREFORD ...	–	5	1	1	1	C. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	1	–	–	–
LEOMINSTER ...	–	1	–	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
BREDWARDINE ...	–	1	–	–	–	–
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	–	–	1	–	–
LEDBURY... ...		1	–	–	–	–
ROSS AND WHITCHURCH	–	–	–	–	–	C. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD ...	–	8	3	–	1	–
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–		–
HARPENDEN ...	–	–	–		1	–
†HEMEL HEMPSTEAD	–	–	1	–	–	–
HODDESDON ...	–	–	2	–	–	–
†ST. ALBANS ...	–	6	–	–		–
WARE	–	1	–	–	–	–
HUNTINGDON ...	1	–	1	–	1	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	1	–	–	–		–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
ST. IVES	–	–	1	–	–	–
KENT	–	55	25	1	10	C. 1 D. 1 G. 1 M. 5 N. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY	–	1	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	2	–	2	–
†BROMLEY... ...	–	3	–	1	–	M. 1
†CHATHAM ...	–	1	2	–	–	–
CHISLEHURST ...	–	1	1	–	–	–
†DARTFORD ...	–	1	1	–	1	–
†DEAL	–	2	1	–	–	–
†DOVER		1	3	–	–	–
†ERITH	–	–	2	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	1	–	–	2	N. 1
†GRAVESEND ...		–	–	–	–	G. 1
†HERNE BAY ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
†MAIDSTONE ...	–	1	1	–	–	–
†MARGATE ...	–	–	5	–	–	–
†NORTHFLEET ...	–	–	1	–	–	M. 1
†PENGE	–	1	1	–	–	M. 1
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	2	1	–		–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SANDWICH ...	–	1	–		–	–
SEVENOAKS ...	–	1		–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	4	–	–	–	–
SOUTHBOROUGH	–	–	–	–	1	–
WALMER	–	–	–	–	–	M. 1
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BRIDGE	–	–	–		1	–
BROMLEY... ...	–	1	–	–	–	D. 1 M. 1
DARTFORD ...	–	–	–	–	1	–
EASTRY	–	–	1	–	–	–
MAIDSTONE ...	–	–	–	–	–	C. 1
MALLING	–	2		–	–	–
STROOD		3	–		–	–
TENTERDEN ...	–	1	–	–	–	–
TONBRIDGE ...	–	2		–		–
LANCASTER ...	–	226	117	5	167	C. 8 D. 5 G. 3 L. 5 M. 24 N. 14
†BARROW IN FURNESS C.B.	–	–	–	–	2	–
†BLACKBURN C.B.	–	3	–	–	4	C. 1 G. 1 N. 1
†BLACKPOOL C.B.	–	2	4	–	–	C. 1
†BOLTON C.B. ...	–	6	–	–	1	N. 1
†BOOTLE C.B. ...	–	3	1	–	3	N. 2
†BURNLEY C.B. ...	–	4	1	–	7	N. 1

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†BURY C.B. ...	–	2	1	–	1	M. 2
†LIVERPOOL C.B....	–	23	68	2	43	C. 2
						M. 11
						N. 1
†MANCHESTER C.B.	–	51	7	1	32	C. 3
						D. 1
						G. 1
						M. 5
†OLDHAM C.B. ...	–	11	1	1	5	–
†PRESTON C.B. ...	–	2	–	–	2	D. 2
						N. 2
†ROCHDALE C.B....	–	5	3	–	2	N. 1
†ST. HELENS C.B.	–	3	1	–	8	–
†SALFORD C.B. ...	–	10	8	–	7	C. 1
†SOUTHPORT C.B.	–	7	3	–	5	M. 1
†WARRINGTON C.B.	–	16	–	–	5	–
†WIGAN C.B. ...	–	3	2	–	7	D. 1
						M. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	4	–	–	1	–
ADLINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	–	–	–	1	D. 1
†ASHTON-UNDER-LYNE	–	–	1	–	3	–
ASPULL	–	–	–	–	1	–
AUDENSHAW ...	–	–	–	–	2	–
†BACUP	–	–	–	–	1	–
BILLINGE AND WINSTANLEY	–	–	–	–	1	–
†CHADDERTON ...	–	3	–	–	3	–
†CHORLEY	–	5	–	–	–	–
†CLITHEROE ...	–	–	1	–	–	–
†COLNE	–	–	3	–	–	G. 1
						N. 2
†DARWEN	–	–	–	–	1	–
†DENTON	–	–	1	–	–	–
†ECCLES	–	1	1	–	–	–
†FAILSWORTH ...	–	2	–	–	–	–
†FARNWORTH ...	–	–	–	–	1	–
†FORMBY	–	–	1	–	–	–
†GREAT CROSBY ...	–	3	–	–	–	–
†HASLINGDEN ...	–	1	1	–	–	–
†HEYWOOD ...	–	–	1	–	–	–
†HINDLEY	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HORWICH... ...	–	3	–		–	–
†INCE IN MAKERFIELD	–	–	–	–	2	–
IRLAM	–	2	–	–	–	–
KEARSLEY ...	–	–	–	–	1	–
†LEIGH	–	–	–	–	–	M. 1
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	4	1	–	1	–
†LYTHAM ST. ANNE'S	–	1	–	–		N. 1
†MIDDLETON ...	–	1	–	–	–	–
MILNROW... ...	–	–	–	–	1	–
†MORECAMBE AND HEYSHAM	–	–	–	–	1	–
†NELSON	–	3	–	–	1	M. 1
†NEWTON IN MAKERFIELD	–	4	–	–	1	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–		–	–
RAINFORD ...	–	3	–	–	–	–
†RAMSBOTTOM ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	1		–	–	M. 1
†ROYTON	–	1	–	–	–	–
†STRETFORD ...	–	2	1	–	1	–
†SWINTON AND PENDLEBURY	–	1	–	–	2	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
URMSTON... ...	–	1	1	–		–
†WATERLOO WITH SEAFORTH	–	2	–	–		–
WHITEFIELD ...	–	1	–	–	–	–
†WIDNES	–	3			1	–
WITHNELL ...	–	–	–	–	–	N. 1
†WORSLEY... ...	–	–	–	–	–	M. 1
Rural Districts:—						
BURNLEY ...	–	–	–	1	–	–
CLITHEROE ...	–	1	–	–	2	L. 4
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	4	–	–	–	–
LEIGH	–	–	–	–	–	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
LIMEHURST ...	–	–	1	–	.	–
PRESTON	–	–	–	–	1	–
SEFTON	–		1	–	.	–
ULVERSTON ...		–	1	–	–	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	10	1	–	–	
WHISTON	–	–	–	–	1	L. 1
LEICESTER ...	32	19	1	1	7	D. 1 G. 1 L. 2 N. 3
†LEICESTER C.B....	17	5	1	–	2	L. 2 N. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	5	–	.	–	.	–
†LOUGHBOROUGH	2	2	–		–	.
MARKET HARBOROUGH	–	3	–	–	.	–
MELTON MOWBRAY	–		.	–	1	–
QUORNDON ...	–	3	–	–		–
THURMASTON ...	1	–	.	–	–	.
WIGSTON MAGNA	2	1	.			–
Rural Districts:—						
ASHBY DE LA ZOUCH	1	2	–	–	.	G. 1
BARROW UPON SOAR	1	1	–	–	2	.
HINCKLEY ...	1	–	–	1	2	N. 1
LOUGHBOROUGH	–	1	.	.	–	–
LUTTERWORTH ...	1	–	–	–	–	–
MARKET BOSWORTH	1	1	–	–	–	D. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LINCOLN (parts of Holland).	–	1	2	–	–	M. 2
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	1	–	–	–
SUTTON BRIDGE	*	*	*	*	*	*
Rural Districts:—						
BOSTON		1	1	–	–	M. 2
LINCOLN (parts of Kesteven).	–	4	–			–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	4	–	–	–	–
STAMFORD ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	1	10	1	–	6	–
†GRIMSBY C.B. ...		2	1	–	–	–
†LINCOLN C.B. ...	–	6	–	–	1	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	–	–
CROWLE	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	–	–		3	–
Rural Districts:—						
GAINSBOROUGH ...	1	1	–	–	–	–
GLANFORD BRIGG	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	81	40	1	21	C. 2 D. 2 G. 1 L. 1 M. 1 N. 5
Boroughs and Urban Districts:—						
†ACTON	-	2	2	-	-	-
†BRENTFORD AND CHISWICK	-	6	-	-	1	-
†EALING	-	-	-	-	-	N. 1
†EDMONTON ...	-	9	4	-	-	-
†ENFIELD	-	5	3	-	4	-
†FINCHLEY ...	-	7	1	-	1	-
HAMPTON WICK...	-	-	-	-	1	-
†HARROW ON THE HILL	-	1	-	-	-	C. 1
HAYES AND HARLINGTON	-	-	-		-	N. 1
†HENDON	-	4	2	-	2	L. 1
†HESTON AND ISLEWORTH	-	6	-	-	1	-
†HORNSEY	-	3	1	-	-	G. 1
KINGSBURY ...	-	-	1	-	-	-
RUISLIP NORTHWOOD	-	-	1	-	-	N. 1
†SOUTHALL NORWOOD	-	2	-	-	-	-
†SOUTHGATE ...	-	3	3	1	-	C. 1
†STAINES	-	3	-	-	-	-
SUNBURY ON THAMES	-	3	4	-	-	-
†TEDDINGTON ...	-	-	1	-	-	-
†TOTTENHAM ...	-	7	6	-	5	D. 1 M. 1
†TWICKENHAM ...	-	2	1	-	-	-
†UXBRIDGE ...	-	3	2	-	-	N. 1
†WEALDSTONE ...	-	3	-	-	-	-
†WEMBLEY ...	-	1	-	-	1	-
†WILLESDEN ...	-	6	5	-	5	D. 1 N. 1
†WOOD GREEN ...	-	2	2	-	-	-
†YIEWSLEY AND WEST DRAYTON	-	2	-	-	-	-
Rural Districts—						
HENDON	-	1	-	-	-	-
SOUTH MIMMS ...	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK ...	-	10	3	2	6	C. 1 D. 2 M. 1 N. 3
†GREAT YARMOUTH C.B.	-	1	1	-	1	C. 1
†NORWICH C.B. ...	-	3	-	-	3	D. 2
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	1	-	-	-	-
SHERINGHAM ...	-	1	-	-	-	
WALSOKEN ...	-	1	1	-	-	-
Rural Districts:—						
AYLSHAM... ...	-	1	1	-	-	-
BLOFIELD ...		-	-		1	-
DOWNHAM	-	-	-	-	-	M. 1
EAST AND WEST FLEGG		-	-			N. 2
FOREHOE	-	1	-	-	-	
HENSTEAD ...	-	-	-	1	-	
KING'S LYNN ...	*	*	*	*	*	*
LODDON AND CLAVERING	-	-	-	1	-	-
MARSHLAND ...	-	1	-	-	1	-
MITFORD AND LAUNDITCH	-	-	-	-	-	N. 1
NORTHAMPTON	-	15	4	1	1	E. 1 M. 1 N. 1
†NORTHAMPTON C.B.	-	5	-	-	1	M. 1
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	-	1	-	-	-	-
†KETTERING ...		1	-	-	-	-
ROTHWELL ...	-	-	1	-	-	-
†RUSHDEN... ...	-	2	-	-	-	-
†WELLINGBOROUGH	-	1	2	-	-	N. 1
Rural Districts:—						
BRIXWORTH ...	-	1	-	-	-	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHAMPTON —*cont.*						
Rural Districts— *cont.*						
KETTERING ...	–	1	–	–	–	–
NORTHAMPTON ...	–	1		–	–	–
OXENDON... ...		–	–	1	–	–
THRAPSTON (part)	–	1	–	–	–	–
TOWCESTER ...	–	–	1	–	–	–
†WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.	–	30	6	–	24	D. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	–	20	3	–	13	D. 1 M. 1
†TYNEMOUTH C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	1	–	–	–
†BEDLINGTONSHIRE	–	–	–	–	2	–
†BLYTH	–	1	–	–	1	–
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	1		–	–	–
NEWBIGGIN BY THE SEA	–	–	–	–	1	–
†NEWBURN ...	–	1	–	–	3	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	1	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	1	–	1	–
Rural Districts:—						
CASTLE WARD ...	–	1		–	–	–
HEXHAM	–	1		–	–	–
NOTTINGHAM ...	–	20	15	1	14	C. 1 D. 3 G. 1 M. 1 N. 3
†NOTTINGHAM C.B.	–	14	4	1	6	C. 1 N. 3
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–		–	–
†BEESTON	–	–	1		–	–
†CARLTON	–	1	8	–	–	–
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	–	–	1	–	–	–
†MANSFIELD ...	–	1	–	–	2	D. 1
†NEWARK	–	–	–	–	–	G. 1 M. 1
†SUTTON IN ASHFIELD	–	1		–	–	–
Rural Districts:—						
BASFORD	–	1	–	–	–	–
BINGHAM... ...	–	–	1	–	–	–
EAST RETFORD ...	–	–	–	–	1	–
SKEGBY	–	1	–	–	–	D. 1
SOUTHWELL ...	–	–	–	–	1	D. 1
STAPLEFORD ...	–	–	–	–	2	–
OXFORD		3	1	–	1	M. 1 N. 1
†OXFORD C.B. ...		1	–	–	–	
Rural Districts:—						
BANBURY... ...	–	1	–	–	–	–
CROWMARSH ...	–	–	–	–	1	–
HENLEY	–	1	1	–	–	M. 1 N. 1
PETERBOROUGH (Soke of).	–	2	1	–	1	–
Borough:—						
†PETERBOROUGH...	–	2	1	–	1	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	6	5	–	3	–
Boroughs and Urban Districts:—						
Bridgnorth ...	–	1	–	–	1	–
Dawley	–	1	1	–	–	–
†Shrewsbury ...	–	–	1	–	–	–
Rural Districts:—						
Atcham	–	–	1	–		–
Church Stretton	–	1	–	–	–	–
Drayton	–	2	–	–	–	–
Ludlow	–	–	1	–	–	–
Newport... ...	–	1	–	–	1	–
Shifnal	–	–	1	–	–	–
Wem	–	–	–	–	1	–
SOMERSET ...	–	6	5	–	5	N. 2
†Bath C.B. ..		–	–	–	–	N. 1
Boroughs and Urban Districts:—						
Shepton Mallet	–	–	1	–	–	–
†Weston super Mare	–	–	1	–	–	–
Rural Districts:—						
Axbridge ...	–	2	–	–	–	–
Clutton	–	1	–	–	1	–
Dulverton ...	–	–	–	–	2	–
Frome	–	–	1	–	–	–
Keynsham ...	–	2	–	–	–	–
Langport ...	–	–	–	–	–	N. 1
Long Ashton ...	–	–	1	–	1	–
Shepton Mallet	–	–	1		–	–
Wellington ...	–	–			1	–
Wincanton ...	–	1	–	–	–	–
SOUTHAMPTON	–	30	9	–	9	C. 2 D. 1 G. 1 M. 3 N. 2
†Bournemouth C.B.	–	3	–	–	1	G. 1 N. 1
SOUTHAMPTON —*cont.*						
†Portsmouth C.B.	–	12	3	–	–	–
†Southampton C.B.	–	5	3	–	2	C. 1 M. 3
Boroughs and Urban Districts:—						
†Aldershot ...	–	1	–	–	–	–
†Fareham ...	–	1	–	–	–	–
†Gosport	–	1	1	–	1	
Lymington ...	–	–	1	–	–	–
Romsey	–	–	1	–	–	–
Warblington ...	–	–	–	–	–	D. 1 N. 1
†Winchester ...	–	–	–	–	–	C. 1
Rural Districts:—						
Basingstoke ...	–	–	–	–	1	–
Catherington ...		1		–	–	–
Fareham ...	–	–	–	–	1	–
Havant	–	1	–	–	–	–
Hursley	–	–	–	–	1	–
New Forest ..	–	1		–	2	–
Petersfield ...	–	1	–	–	–	–
Stockbridge ...	*	*	*	*	*	*
Winchester ...	–	3	–	–	–	
STAFFORD ...	–	26	15	–	42	C. 1 M. 9 N. 5
†Burton upon Trent C.B.	–	2	–	–	2	
†Smethwick C.B.		2	2	–	–	M. 1
†Stoke on Trent C.B.	–	1	2	–	10	M. 2 N. 1
†Walsall C.B. ...	–	–	2	–	3	M. 1
†West Bromwich C.B.	–	4	2	–	2	C. 1 M. 1
†Wolverhampton C.B.	–	4	1	–	3	M. 1 N. 1
Boroughs and Urban Districts:—						
Amblecote ...	–	–	1	–	–	–
Biddulph ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BILSTON	-	1	1	-	2	M. 1
†BROWNHILLS ...	-	1	-	-	-	-
†COSELEY	-	-	1	-	-	N. 1
†DARLASTON ...	-	-			1	-
KIDSGROVE ...	-	-	-	-	1	M. 1
†LEEK	-	1	1	-	-	-
†NEWCASTLE UNDER LYME	-	-	1	-	-	-
QUARRY BANK ...	-	-	-	-	1	-
†ROWLEY REGIS ...		-	-	-	1	-
†SEDGLEY		-			4	-
†STAFFORD ...	-	1		-	-	-
TAMWORTH ...	-	-	-	-	1	-
†TIPTON	-	1	1		1	-
†WEDNESBURY ...	-		-	-	1	-
WEDNESFIELD ...	-	-		-	1	-
†WILLENHALL ...	-	2	-	-	1	-
†WOLSTANTON UNITED	-	-	-	-	1	-
Rural Districts:—						
CHEADLE... ...	-	6	-	-	1	M. 1
						N. 1
STAFFORD ...	*	*	*	*	*	*
TUTBURY... ...	-	-		-	2	N. 1
WALSALL... ...		-	-	-	1	-
SUFFOLK, EAST	-	17	6	-	1	-
†IPSWICH C.B. ...	-	9	2	-	1	-
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	-	1	-	-	-	-
†LOWESTOFT ...	-	1	-	-		-
Rural Districts:—						
BOSMERE AND CLAYDON	-	5	3	-	-	-
MUTFORD AND LOTHINGLAND	-	-	1	-	-	-
PLOMESGATE ...	-	1	-	-	-	-
SUFFOLK, WEST	-	4	1	-	1	G. 1
Boroughs and Urban Districts:—						
NEWMARKET ...	-	1	1	-	-	-
Rural Districts:—						
BRANDON... ...			-		-	G. 1
CLARE	-	1	-	-	-	-
MILDENHALL ...	-	-	-	-	1	-
THINGOE	-	2	-		-	-
SURREY	-	28	15	-	10	C. 1
						L. 1
						N. 1
†CROYDON C.B. ...	-	6	2	-	3	N. 1
Boroughs and Urban Districts:—						
†BARNES	-	1	-	-	2	-
†CARSHALTON ...	-	1	1	-	1	-
†CATERHAM AND WARLINGHAM	-	1	-	-	-	-
EAST AND WEST MOLESEY	-	-	-	-	1	-
†EGHAM	-		-	-	1	-
†FARNHAM ...	-	1	-	-	-	-
†FRIMLEY AND CAMBERLEY		2	-	-	-	-
†KINGSTON ON THAMES	-	1	1	-	1	-
†MERTON AND MORDEN	*	*	*	*	*	*
†MITCHAM... ...	-	2		-	-	-
†REIGATE	-	3	5	-	-	
†RICHMOND ...	-	1	-	-	-	-
†SURBITON ...	-	1	1	-	-	-
†SUTTON AND CHEAM	-	2	-	-	-	-
†THE MALDENS AND COOMBE	-	1	-	-	1	-
†WALTON UPON THAMES	-	-	1	-	-	-
†WIMBLEDON ...	-	1	1	-	-	C. 1
Rural Districts:—						
DORKING	-	1	-	-	-	-
EPSOM	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts—*cont.*						
FARNHAM ...	–		1	–	–	-
GODSTONE ...	-	1	–	–	–	–
GUILDFORD ...	–	1		–		L. 1
HAMBLEDON ...	–	1	1	–	-	-
SUSSEX, EAST...	–	21	9	1	7	C. 1 D. 1 M. 1 N. 1
†BRIGHTON C.B. ...		2	6	1	1	M. 1
†HASTINGS C.B. ...	–	–	–	–	4	-
Boroughs and Urban Districts:—						
†BEXHILL ...	-	1	–	–	1	–
BURGESS HILL ...	–	1	–		–	C. 1
†HOVE	–	1		-	–	N. 1
NEWHAVEN ...	–	-	-		1	-
PORTSLADE BY SEA	–	–	–		–	D. 1
RYE	*	*	*	*	*	*
Rural Districts:—						
CHAILEY	–	15	1	–		-
CUCKFIELD ...		-	1	-	–	-
EAST GRINSTEAD	–	-	1	–		–
TICEHURST ...	-	1	–	-	–	-
SUSSEX, WEST...	–	3	2	–	1	N. 3
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	2	–	–	-	N. 1
SHOREHAM BY SEA		–	2	–	–	N. 1
Rural Districts:—						
PETWORTH ...	–	–	–	–	1	-
STEYNING WEST...	–	1	–	–	–	
WESTHAMPNETT	–	-	–	–	-	N. 1
WARWICK ...	-	73	50	1	46	C. 1 D. 1 M. 19 N. 8
†BIRMINGHAM C.B.	–	58	39	1	31	C. 1 D. 1 M. 19 N. 5
†COVENTRY C.B. ...	–	3	2	-	6	N. 3
***Boroughs and Urban Districts:**—						
†BEDWORTH ...	–	–		-	1	-
KENILWORTH ...	–	1	–	-	–	–
†NUNEATON ...	–	–		–	1	-
†RUGBY	–	–	5	-	1	–
†STRATFORD ON AVON	–	–	–	-	1	–
†SUTTON COLDFIELD	–	3	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	3	–	–	–
ATHERSTONE ...	–	–	–	–	1	–
FOLESHILL ...	–	1	–	–	1	–
NUNEATON ...		3	–	–	–	–
RUGBY	–	1	–	–		–
SOUTHAM... ...	–	1	-	–	–	–
TAMWORTH (part)		–	1	–	1	–
WARWICK ...		1	–	–	1	–
WESTMORLAND	-	6	1	–	2	–
Boroughs and Urban Districts:—						
GRASMERE ...	–	1	–	–	–	–
SHAP		1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	-	–	-	–	1	–
SOUTH WESTMORLAND	–	4	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ,

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WIGHT, ISLE OF	–	1	–	5	–	–
Boroughs and Urban Districts:—						
†COWES	–	1	–			–
Rural Districts:—						
ISLE OF WIGHT ...	–	–	–	5	–	–
WILTS		5	2	–	7	M. 1 N. 2
Boroughs and Urban Districts:—						
MARLBOROUGH ...		–	–	–	1	–
†SALISBURY ...	–	–	–	–	–	N. 1
†SWINDON... ...	–	1	2	–	2	N. 1
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
CRICKLADE AND WOOTTON BASSETT	*	*	*	*	*	*
DEVIZES	–	1		–	–	–
MARLBOROUGH ...	–	–	–	–	1	
PEWSEY	–	–		–	1	M. 1
SALISBURY ...	–	1	–	–	–	–
WILTON	–	2	–	–	1	–
WORCESTER ...	–	12	2	–	7	C. 1 F. 1 M. 1
†DUDLEY C.B. ...	–	–	–	–	1	C. 1 F. 1
†WORCESTER C.B.	–	2	–	–	1	M. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	3	–	–	2	–
†KIDDERMINSTER	–	3	–	–	–	–
WORCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MALVERN ...	–	–	–	–	1	–
†OLDBURY... ...	–	–	–	–	2	–
†REDDITCH ...	–	–	2	–	–	–
†STOURBRIDGE ...	–	3		–	–	–
STOURPORT ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	11	20	–	6	N. 1
†KINGSTON UPON HULL C.B.	–	9	19	–	5	N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1		–	–	–
COTTINGHAM ...	–	1	–		–	–
Rural Districts:—						
DRIFFIELD ...	–	–	–	–	1	–
SKIRLAUGH ...	–		1			–
YORKS ... ... (North Riding).	–	22	6	1	16	M. 1 N. 2
†MIDDLESBROUGH C.B.	–	6	1	–	7	N. 1
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	5	–
LOFTUS	–	2	–	–	–	–
PICKERING ...	*	*	*	*	*	*
SALTBURN BY THE SEA	–	1	–		–	–
†SCARBOROUGH ...	–	1	3	–		–
†SKELTON AND BROTTON	–	3		1	–	–
†WHITBY	–	1	–		–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
CROFT	-		-	-	1	-
EASINGWOLD ...		1	-	-	-	-
FLAXTON ...	-	-	1		1	M. 1
GUISBOROUGH ...	-	1	-	-		-
KIRKBY MOORSIDE	-		1	-	-	-
LEYBURN	-	-		-	-	N. 1
NORTHALLERTON	-	1	-	-	-	-
REETH	-	-	-	-	1	-
STOKESLEY ...	-	1	-	-	1	-
WHITBY	-	2		-		-
YORKS ... ... (West Riding).	4	144	57	5	103	C. 2
						D. 24
						M. 3
						N. 12
†BARNSLEY C.B. ...	-	5	-	-	2	D. 1
†BRADFORD C.B. ...	-	30	1	-	6	C. 1
						N. 1
†DEWSBURY C.B....	-	2	3	-	-	-
†DONCASTER C.B....	-	3	1	-	-	-
†HALIFAX C.B. ...	-	-	1	-	-	-
†HUDDERSFIELD C.B.	-	1	2	-	4	M. 1
†LEEDS C.B. ...	-	29	20	1	15	M. 1
						N. 2
†ROTHERHAM C.B.	-	4	4		1	-
†SHEFFIELD C.B....		22	3		19	C. 1
						D. 3
						M. 1
						N. 2
†WAKEFIELD C.B.	-	1	2	1	2	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET		-	1	-	-	D. 3
ALTOFTS	-	-	1	-	-	-
ARDSLEY, EAST AND WEST	-	1	-	-	-	-
†BENTLEY WITH ARKSEY	-	-	-	-	-	N. 1
†BINGLEY	-	-	1	-	2	-
BIRKENSHAW ..		2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BOLTON UPON DEARNE	-	-	-	1	1	-
†BRIGHOUSE ...	-	1			1	-
BURLEY IN WHARFEDALE	-		-		-	N. 1
†CASTLEFORD ...	-	1			1	-
†CONISBROUGH ...	-	-	-	1	-	D. 2
DARFIELD ...	-	-			1	-
†DARTON	-	-			1	N. 1
DODWORTH ...	-	-	-		1	D. 1
DRIGHLINGTON ...	-				1	-
†ELLAND	1	-		-	-	-
†FEATHERSTONE ...		-	1	-		-
†GOLCAR		-	-	-	3	-
†GOOLE	-	3	-	-	1	-
†HARROGATE ...		3	-	-	-	-
HECKMONDWIKE		-	-		1	-
†HEMSWORTH ...	-	1	-	-	-	-
HORSFORTH ...	-	-	-	-	1	-
†HOYLAND NETHER	1	1	1	-	3	-
†KEIGHLEY ...	-	2		-	1	-
KIRKHEATON ...	-	-	-	-	1	-
KNARESBOROUGH	-	1			-	-
MALTBY	-	-	-	-		D. 2
MARSDEN... ...	-	-	-	-	2	N. 1
†MIRFIELD ...	-	1	-	-		-
†MORLEY	-	1	-	-	2	-
MYTHOLMROYD ...	-	1	-	-	-	-
†PONTEFRACT ...	-	1	-	-		-
†PUDSEY	-	-	-	-	1	-
†RAWMARSH ...	-	3	1	-	2	D. 1
†ROTHWELL ...	-	4	-	-	2	
ROYSTON	-	1	-	-	-	D. 1
SHELF	-	-	-	-	1	-
SHELLEY	*	*	*	*	*	*
SOUTHOWRAM ...	-	-	-	-	2	-
†SOWERBY... ...	*	*	*	*	*	*
†SPENBOROUGH ...	-	-	1		2	N. 1
STAINLAND ...	-	-	-	1	1	-
†STANLEY	-	-	2	-	1	-
STOCKSBRIDGE ...	-	-	-	-	1	-
THURNSCOE ...	-	1	1	-	1	D. 1
THURSTONLAND AND FARNLEY TYAS	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH UPON DEARNE	–	–	–	–	–	D. 1
WHITLEY UPPER	–	–	–	–	1	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	1	–	–	2	–
†WORSBOROUGH ...	–	1	2	–	–	–
Rural Districts:—						
DONCASTER ...	–	1	1	–	1	D. 4
GOOLE	–	–	1	–	–	–
HEMSWORTH ...	–	2	1	–	4	D. 1
HUNSLET	*	*	*	*	*	*
KEIGHLEY ...	–	2	–	–	1	–
KIVETON PARK ...	2	1	–	–	3	–
PENISTONE ...	–	1	–	–	–	D. 1
PONTEFRACT ...	–	1	1	–	–	–
ROTHERHAM ...	–	2	1	–	2	D. 1
TADCASTER ...	–	2	–	–	–	–
THORNE	–	1	1	–	1	D. 1
WAKEFIELD ...	–	1	2	–	1	–
WORTLEY... ...	–	–	–	–	–	N. 1
YORK, CITY OF ..	–	6	4	–	–	–
†YORK C.B. ...	–	6	4	–	–	–
WALES.						
BRECKNOCK ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CAERNARVON...	–	–	2	–	–	–
Boroughs and Urban Districts:—						
PORTMADOC ...	–	–	1	–		–
Rural Districts:—						
GWYRFAI... ...	–	–	1	–		–
CARDIGAN ...			3	–		–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	3	–		–
Rural Districts:—						
LLANDYSSIL ...	*	*	*	*	*	*
CARMARTHEN...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BURRY PORT ...		–	1	–	–	–
Rural Districts:—						
LLANDILO FAWR	–	1		–	–	–
LLANELLY ...	–	1	–	–	–	–
WHITLAND ...		–	–	–	1	–
DENBIGH ...	–	4	15		1	D. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	–	D. 1
†WREXHAM ...	–	–	3	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	–	–	–	1	–
RUTHIN	–	1	2	–	–	–
UWCHALED ...	*	*	*	*	*	*
WREXHAM ...	–	3	10	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	1	2	–	–	M. 1
Borough and Urban Districts:—						
†RHYL	–		1	–		–
Rural Districts:—						
HAWARDEN ...	*	*	*	*	*	*
HOLYWELL ...		1	–	–		–
ST. ASAPH (FLINT)	–		1			M. 1
GLAMORGAN ...	9	37	40	–	26	C. 1 G. 1 M. 2 N. 3
†CARDIFF C.B. ...	–	8	8	–	2	N. 1
†MERTHYR TYDFIL C.B.	–	2	4		–	C. 1 M. 1
†SWANSEA C.B. ...	–	1	3	–	3	–
Boroughs and Urban Districts:—						
†ABERDARE ...	5	1	–	–	2	–
†BARRY	–	4	–	–	–	–
†CAERPHILLY ...	–	1	–	–	–	–
†GELLIGAER ...	–	1	4	–	–	–
†GLYNCORWG ...	–	1	1	–	–	–
†LLWCHWR ...	–	–	1	–	–	–
†MOUNTAIN ASH...	4	4	–	–	9	M. 1
†OGMORE AND GARW	–	4	–		1	–
†PONTYPRIDD ...	–	–	3	–	1	–
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	1	–			–
†RHONDDA ...	–	7	6	–	6	G. 1 N. 1
Rural Districts:—						
CARDIFF	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE			4	–	–	–
NEATH	–	–	4		1	
PENYBONT ...		1	–	–	–	–
PONTARDAWE ...		–	2	–	–	N. 1
MERIONETH ...	–	1	2	–		N. 1
Urban Districts:—						
BARMOUTH ...	–		1	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	–	1	–		N. 1
EDEIRNION ...	–	1	–	–	–	–
MONMOUTH ...	–	24	13	–	3	C. 1
†NEWPORT C.B. ...	–	10	2	–	1	C. 1
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	1	–	–	–
†ABERTILLERY ...	–	1	–	–	–	–
†BEDWELLTY ...	–	3	1	–	–	–
†BLAENAVON ...	–	1	–	–	–	–
CHEPSTOW ...		–	2	–	–	–
†EBBW VALE ...	–	3	1	–	–	–
†MYNYDDISLWYN	–		1	–		
†NANTYGLO AND BLAINA	–	1			2	–
†PANTEG	*	*	*	*	*	*
PONTYPOOL ...	*	*	*	*	*	*
†RHYMNEY ...		3	4			–
†TREDEGAR			1		–	–
MONTGOMERY...	–	4	–	–	3	N. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–		1	–
NEWTOWN AND LLANLLWCHAIARN	–	–	–	–		N. 1
Rural Districts:—						
FORDEN	–	–	–	–	2	–
LLANFYLLIN ...	–	3	–	–	–	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* † note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below)
PEMBROKE ...	–	1	2	1	–	–	**Total of Part II.** ...	58	1220	638	39	715	C. 32
													D. 53
Boroughs and Urban Districts:—													E. 2
													F. 2
													G. 11
MILFORD HAVEN	–		1	1		–							L. 9
													M. 95
Rural Districts:—													N. 94
HAVERFORDWEST	–	1	1			–							

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (*see* † note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
CHESTER	*	*	*	*	*	*	WISBECH	*	*	*	*	*	*
PLYMOUTH	–			–	1	–	PORT OF LONDON ...			–	–	7	–
SOUTHAMPTON ...	–	–	1		1	–							
							Total of Part III. ...	–	–	1	–	9	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	25	160	128	7	70	C 2 G. 2 M. 18 N. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	58	1220	638	39	715	C. 32 D. 53 E. 2 F. 2 G. 11 L. 9 M. 95 N. 94
Total of Part III.—Port Sanitary Districts	-	-	1	-	9	-
Total (i.e., of returns received), England and Wales ...	83	1380	767	46	794	C. 34 D. 53 E. 2 F. 2 G. 13 L. 9 M. 113 N. 111

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e 5.—London and Great Towns in the GREGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	Mar. 14	Mar. 21.	Mar. 28.	Apl. 4.	Apl. 11.	Apl. 18.	Apl. 25	May 2.	May 9.	May 16.	May 23	May 30.	June 6.	Totals from 1st Week of year.* 1930.	1931.
DON :—															
BIRTHS	1,394	1,422	1,390	1,180	1,352	1,471	1,389	1,424	1,369	1,323	1,453	1,227	1,494	32,074	30,458
LBIRTHS	69	51	45	51	60	44	31	33	55	47	46	42	61	1,214	1,070
THS (excluding Still-ths)—all ages.	1,377	1,433	1,184	1,144	1,165	981	954	1,002	955	905	871	831	856	23,548	26,924
THS—0 to 1 year ..	104	102	88	63	90	78	68	79	71	68	70	74	59	2,100	2,070
AT TOWNS, aggre-e (including Lon-n) :—															
BIRTHS	6,503	6,772	6,421	5,509	6,471	7,028	6,789	6,646	6,447	6,364	6,754	5,553	7,080	146,684	142,415
LBIRTHS	323	303	305	296	318	305	270	286	320	273	301	234	287	6,524	6,382
THS (excluding Still-ths)—all ages.	6,713	6,700	5,691	5,313	5,423	4,674	4,590	4,623	4,351	4,127	4,235	4,036	3,872	105,842	122,807
THS—0 to 1 year ..	640	585	521	459	520	416	397	409	404	347	401	352	367	10,235	11,756
ERIC FEVER—Cases	8	9	9	10	18	14	15	10	15	9	16	11	19	559	294
„ Deaths	1	5	1	—	—	4	3	1	2	2	1	—	1	51	38
LL POX—Cases ..	117	154	166	117	142	126	162	128	139	108	84	72	57	6,120	3,110
„ Deaths ..	—	—	—	—	1	—	1	—	—	—	—	—	1	15	4
RLET FEVER—Cases	824	894	804	724	836	687	854	869	896	864	832	744	786	29,231	18,799
„ Deaths	6	5	9	5	8	4	5	4	9	11	4	5	5	239	147
ITHERIA—Cases ..	626	641	627	521	497	513	552	540	578	542	519	412	482	21,129	14,147
„ Deaths ..	34	32	30	33	27	35	21	22	21	25	21	22	18	1 024	720
SLES—Deaths ..	84	75	60	58	64	55	42	46	36	38	28	39	26	2,160	1,358
UENZA—Deaths ..	417	365	301	208	175	110	96	74	40	44	54	46	30	1,346	5,072

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ing been made for changes in boundary. The live births are derived from the weekly returns furnished by the istrars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 6th June, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	73	47	70·1	51·0	13	HUDDERSFIELD	66	42	58·9	46·4	49
IGHTON ..	74	50	63·6	53·0	17	BRADFORD ..	64	44	57·1	47·7	70
RTSMOUTH ..	72	49	66·8	53·3	17	SHEFFIELD ..	66	45	59·6	48·6	41
RWICH(SOUTH-WELL LODGE)	66	47	62·0	49·6	22	YORK (MUSEUM)	68	44	59·0	48·4	34
YMOUTH ..	72	51	62·7	53·1	27	HULL (PEARSON PARK).	66	45	58·3	49·0	36
ISTOL (HORFIELD)	76	47	66·3	51·0	14	TYNEMOUTH ..	57	45	52·3	47·6	37
RMINGHAM (EDGBASTON).	71	45	63·1	49·3	33	CARDIFF	73	48	64·6	52·1	31
OTTINGHAM ..	69	46	62·7	49·7	36	EDINBURGH ..	57·0	40·0	50·0	43·4	52
RKENHEAD (BIDSTON).	69	44	61·4	50·1	41	GLASGOW ..	58·8	41·9	52·5	46·3	37
ANCHESTER (WHITWORTH PARK).	70	45	62·9	49·4	55	DUBLIN (PHŒNIX PARK)	66·0	45·4	62·7	48·7	41
						(FITZWILLIAM SQUARE†).	66·0	49·0	62·1	51·1	49
JRNLEY	65	42	58·4	47·0	59	BELFAST	69·5	42·5	61·5	46·8	50

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 6th June, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	31	Full	29·580	69·5	47·0	22·5	57·7	+ 0·6	49·9	7·8	18·8	1·2	75	133·2	36·2	51·1	Calm : SW.	SW : SSW.	2·0	0·0	0·2	223	- 26	0·00
JUNE. MONDAY -	1	..	29·617	68·9	48·1	20·8	57·8	+ 0·4	50·7	7·1	17·8	1·4	77	140·3	39·1	51·4	SSW	WSW: WNW.	1·1	0·0	0·1	219	- 30	0·02
TUESDAY -	2	Greatest Declination S.	29·695	73·1	51·6	21·5	59·6	+ 1·8	51·3	8·3	19·2	2·2	74	131·0	40·0	51·6	NW : N : Calm.	Calm : SW.	1·4	0·0	0·1	183	- 67	0·00
WEDNESDAY	3	..	29·936	71·7	55·1	16·6	61·5	+ 3·4	54·9	6·6	15·6	1·1	79	124·8	48·2	51·9	WSW : W.	NW : Calm : E.	1·0	0·0	0·2	243	- 9	0·00
THURSDAY -	4	..	29·887	71·7	52·6	19·1	59·9	+ 1·6	55·3	4·6	11·5	0·0	85	134·3	47·2	52·0	E	E	3·0	0·0	0·4	275	+ 21	0 00
FRIDAY -	5	..	29·763	62·9	50·4	12·5	55·8	- 2·6	48·9	6·9	12·6	2·0	77	123·7	47·3	52·1	ENE : E	E	6·6	0·0	1·2	462	+ 204	0·33
SATURDAY -	6	..	29·628	71·6	54·7	16·9	61·1	+ 2·8	52·9	8·2	19·5	0·9	74	133·8	49·4	52·1	SW	SW	2·6	0·0	0·3	336	+ 77	0·15
MEANS -		..	29·758	69·9	51·4	18·6	59·1	+ 1·1	52·0	7·1	16·4	1·3	77	131·6	43·9	51·7	Variable		..		..	Sum 1941	Sum + 170	Sum 0·50
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	31	Variably mP and wP till 11h.; wP till 20h.; then variably mP and wP.	10·1	16·3	Nearly overcast till 4h.; partially cloudy till 11h.; nearly overcast till 13¾h.; then variably cloudy. Dew in morning and at night.
JUNE. MONDAY ..	1	wP till 9h.; variably mP and mN till 19h.; then mP.	5·4	16·3	Very cloudy till 9h.; nearly overcast till 15h.; then variably cloudy. Damping 7h. till 7¾h., and 18½h. till 18¾h. Showers at 7½h., and occasionally between 9h. and 12h. Thunder between 17¼h. and 17½h.
TUESDAY ..	2	Variably mP and wP.	3·1	16·3	Overcast till 12h.; very cloudy till 15½h.; then nearly overcast.
WEDNESDAY	3	wP. till 7h.; mP till 16h.; variably mN and mP till 19h.; then mP.	4·2	16·4	Nearly overcast till 15h.; then variably cloudy. Dew at night.
THURSDAY	4	Variably mP and wP.	8·8	16·4	Overcast till 10h.; partially cloudy till 18½h.; very cloudy till 21h.; then overcast. Damping 2h. till 6h. Mist 3h. till 12h. Slight dew at night.
FRIDAY ..	5	wP till 15h.; variably mP and mN till 17h.; then wP.	4·4	16·4	Variably cloudy till 11h.; then overcast. Rain 15½h. till 16½h.; 16½h. till 18h.; and slight rain from 21¾h. Damping 18h. till 19h. Thunder at 15¼h. and 15¾h. Lightning at 15¼h. Brisk wind 9h. till 15h.
SATURDAY	6	wP till 4h.; failure of insulation till 9h.; then wP.	8·6	16·4	Overcast till 7¼h.; cloudy generally till 20h.; nearly overcast till 23h.; then cloudy. Rain 0h. till 4h.; then slight rain till 6h. Occasional solar halo between 16h. and 17h.
			Sum 44·6	Sum 114·5	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·58 ins. at the beginning of the week to 29·56 ins. by 5h. on May 31st; increased generally to 29·96 ins. by 22h. on June 3rd; decreased generally and was 29·63 ins. by midnight on June 6th.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 23.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 13TH JUNE,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 13TH JUNE, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twenty third week of the year numbered 7,087 corresponding to an annual rate of 18·7 per 1,000 living: stillbirths numbered 301 corresponding to a rate of 41 per 1,000 total births registered (including stillborn) : the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,846 (26 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	May 23.	May 30.	June 6.	June 13.
107 Great Towns	11·2	10·7	10·3	10·2
London	10·3	9·8	10·1	9·0
Birmingham	11·7	10·9	10·1	9·3
Liverpool	11·9	12·4	10·4	11·8
Manchester	12·2	11·1	12·2	10·7
Sheffield	11·2	9·2	8·1	9·6
Leeds	14·1	12·2	9·7	12·2
Bristol	10·9	11·3	9·3	12·1
West Ham	8·3	9·0	9·8	9·3

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 50, against 61, 53, and 56 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,559 live births registered corresponding to an annual rate of 18·3 per 1,000 living: stillbirths numbered 65 corresponding to a rate of 40 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 761 (95 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 34, against 49, 52, and 42 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 13th June, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS.	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
107 GREAT TOWNS ..	19,685,050*	7,087	301	3,846	329	-	38	3	12	21	40	2
LONDON	4,417,900*	1,559	65	761	48	-	-	-	2	2	5	-
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	100	2	46	2	-	-	-	-	-	1	-
WIMBLEDON ..	59,370	7	-	13	-	-	-	-	-	-	-	-
EALING	104,000	36	1	19	3	-	-	-	-	-	-	-
ACTON	65,200	24	1	9	1	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	59,040	14	-	5	-	-	-	-	-	-	-	-
WILLESDEN ..	172,500	50	3	33	4	-	-	-	1	-	3	-
HENDON§	86,540*	31	-	8	-	-	-	-	-	1	-	-
HORNSEY	88,450	23	-	20	1	-	-	-	-	-	1	-
WOOD GREEN ..	53,410	16	-	6	-	-	-	-	-	-	-	-
TOTTENHAM ..	155,000	31	-	30	2	-	-	-	-	1	-	-
EDMONTON	75,000	33	2	13	1	-	-	-	-	1	-	-
ENFIELD	65,100	21	1	10	1	-	-	-	-	-	-	-
WEST HAM C.B. ..	307,600	132	3	55	1	-	-	-	-	-	1	-
EAST HAM C.B. ..	147,600	39	1	19	3	-	-	-	-	-	1	-
LEYTON	128,300	24	-	19	3	-	-	-	-	-	-	-
WALTHAMSTOW ..	124,800	43	-	17	1	-	-	-	-	-	-	-
ILFORD	116,200	31	-	22	1	-	-	-	-	-	-	-
GILLINGHAM	56,670*	24	-	10	1	-	-	-	-	-	-	-
CANTERBURY C.B. ..	22,850*	6	-	6	1	-	-	-	-	-	-	-
HASTINGS C.B.	62,620	18		11	-	-	-	1	-	-	-	-
EASTBOURNE C.B. ..	58,570	11	-	10	-	-	-	-	-	-	-	-
BRIGHTON C.B. ..	146,800*	45	3	32	2	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	242,000*	108	4	49	5	-	-	-	-	-	1	-
BOURNEMOUTH C.B.§..	105,780	27	4	25	1	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	172,300	67	3	41	4	-	-	-	-	-	-	-
READING C.B.	96,850*	32	1	26	2	-	1	-	1	-	-	-
OXFORD C.B.	73,810*	29	3	9	-	-	-	-	-	1	-	-
NORTHAMPTON C.B. ..	93,970*	24	-	11	2	-	-	-	-	-	-	-
LUTON	65,200	7	3	11	-	-	-	-	-	-	-	-
CAMBRIDGE	60,730	23	-	14	1	-	-	-	-	-	1	-
SOUTHEND-ON-SEA C.B.	114,600	20	2	20	2	-	-	-	-	-	-	-
IPSWICH C.B.	85,800	28	1	25	4	-	-	-	-	-	-	-
GREAT YARMOUTH C.B	58,110	21	-	5	-	-	-	-	-	-	-	-
NORWICH C.B.	124,900*	39	1	26	2	-	-	-	-	-	-	-
SWINDON	62,020	19	-	10	-	-	-	-	-	1	-	-
EXETER C.B.	61,290*	22	2	10	-	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	199,000*	72	3	29	2	-	-	-	-	-	1	-
BATH C.B.	69,240	12	3	16	-	-	-	-	-	-	-	-
BRISTOL C.B.	391,145*	144	6	91	7	-	-	-	-	-	-	-
GLOUCESTER C.B. ..	52,010	23	1	10	-	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	279,190	99	6	54	6	-	-	-	-	1	-	-
BURTON-UPON-TRENT C.B.	48,970	13	1	10	-	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,300	63	4	27	5	-	-	-	-	-	-	-
WALSALL C.B.§	100,930	52	4	27	7	-	-	-	-	-	3	-
WEST BROMWICH C.B.§	80,970	51	1	13	3	-	-	-	-	-	2	-
DUDLEY C.B.	58,870	24	1	10	1	-	1	-	-	-	-	-
WORCESTER C.B. ..	52,320	14	1	8	-	-	-	-	-	-	-	-
BIRMINGHAM C.B.§ ..	972,510	390	9	174	21	-	6	-	-	2	6	-
SMETHWICK C.B. ..	85,120	32	2	9	-	-	-	-	-	-	-	-
COVENTRY C.B. ..	162,100	56	5	27	1	-	-	-	-	-	-	-
LEICESTER C.B. ..	245,200	86	5	58	2	-	-	-	-	-	-	-
LINCOLN C.B.	65,080*	19	1	16	4	-	-	-	-	-	-	-
GRIMSBY C.B.	91,440	46	1	18	2	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	266,800	116	5	64	4	-	-	-	-	-	1	-
DERBY C.B.	140,500*	48	4	26	3	-	-	-	-	-	-	-
CHESTERFIELD	65,270	25	1	16	-	-	-	-	-	-	-	-
STOCKPORT C.B. ..	127,800	50	-	30	4	-	-	-	-	-	-	-
CHESTER C.B.	40,750	18	1	9	2	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	157,600	67	3	31	4	-	-	-	-	-	-	-
WALLASEY C.B. ..	101,300	25	1	24	2	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	869,500	431	14	197	20	-	4	-	2	5	4	-
BOOTLE C.B.	80,400	27	3	16	2	-	-	-	-	-	1	-
ST. HELENS C.B. ..	109,200	57	2	20	4	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
§ Change in boundary, 1st April, 1931; figures relate to new area

TOWNS.	Estimated Population, Mid. 1929	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	18	-	26	1	-	-	-	-	-	-	-
Wigan C.B.	87,600	33	2	24	2	-	-	-	-	-	-	-
Warrington C.B. ..	79,400*	17	3	14	2	-	-	1	-	-	-	-
Bolton C.B.	181,500	51	3	32	4	-	-	-	-	-	-	-
Bury C.B.	56,830*	23	-	13	-	-	-	-	-	-	-	-
Manchester C.B.§ ..	753,570	293	15	154	11	-	-	-	-	-	1	1
Salford C.B.	235,600	82	7	49	6	-	-	-	1	-	2	-
Ashton-under-Lyne	51,750	23	1	9	-	-	-	-	-	-	-	-
Oldham C.B	142,500	54	3	37	.	-	-	-	-	-	-	2
Rochdale C.B. ..	90,900	19	1	19	3	-	-	-	-	-	-	1
Burnley C.B	100,200	33	2	39	3	-	-	-	2	-	1	-
Blackburn C.B. ..	125,300	39	4	30	1	-	-	-	-	-	-	-
Preston C.B.	126,100	25	-	24	2	-	-	-	-	-	-	-
Blackpool C.B. ..	99,800	15	1	26	-	-	-	-	-	1	-	-
Barrow-in-Furness C.B.	64,850	23	-	14	1	-	-	-	-	-	-	1
Huddersfield C.B. ..	113,100	29	1	20	1	-	-	-	-	-	-	-
Halifax C.B.	97,400*	39	-	22	1	-	-	-	-	-	-	-
Bradford C.B. ..	294,605	84	1	50	2	-	-	-	-	-	-	-
Leeds C.B	478,500	163	6	112	9	-	4	-	1	-	-	-
Dewsbury C.B. ..	53,020	17	1	10	-	-	1	-	-	-	-	-
Wakefield C.B. ..	56,640	26	2	15	1	-	-	-	-	1	-	1
Barnsley C.B. ..	71,700	28	1	21	3	-	4	-	-	-	-	-
Sheffield C.B. ..	518,000*	174	8	95	15	-	-	-	-	-	-	-
Rotherham C.B. ..	70,790	28	1	14	2	-	-	-	-	-	-	-
Doncaster C.B. ..	59,890	38	-	8	-	-	-	-	-	-	-	1
York C.B.	85,290*	30	1	14	-	-	-	-	-	-	-	-
Hull C.B.	307,500	112	7	50	5	-	-	-	-	3	2	2
Middlesbrough C.B.	133,100	41	3	31	2	-	-	-	-	-	-	-
Darlington C.B. ..	74,150	28	3	13	-	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,090	13	-	14	3	-	-	-	-	-	-	-
West Hartlepool C.B.	69,370	36	-	19	3	-	1	-	-	-	-	-
Sunderland C.B. ..	184,000	76	3	67	8	-	8	-	-	1	1	-
South Shields C.B ..	119,600	42	2	27	4	-	4	-	2	-	-	-
Gateshead C.B. ..	122,600	54	1	23	3	-	-	1	-	-	-	-
Newcastle-on-Tyne C.B.	283,400*	127	6	57	11	-	3	-	-	-	1	-
Tynemouth C.B. ..	65,880	27	1	22	1	-	1	-	-	-	-	-
Carlisle C.B.	56,160*	14	1	12	2	-	-	-	-	-	-	1
Newport (Mon.) C.B.	95,990*	48	1	19	3	-	-	-	-	-	-	-
Cardiff C.B.	224,000*	84	6	42	4	-	-	-	-	-	-	-
Rhondda	153,100	50	5	20	-	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	77,790	17	1	11	1	-	-	-	-	-	-	-
Aberdare	53,050	16	1	10	2	-	-	-	-	-	-	-
Swansea C.B.	162,700	49	2	38	2	-	-	-	-	-	-	-
Greater London ..	7,900,480*	2,828	95	1,368	92	-	1	-	3	7	15	6
Outer Ring	3,482,580*	1,269	30	607	44	-	1	-	1	5	10	2
17 Great Towns in Outer Ring§.. ..	2,030,410*	655	14	344	24	-	-	-	1	3	7	-
Remainder of Outer Ring§	1,452,170*	614	16	263	20	-	1	-	-	2	3	2
Edinburgh†	428,800	133	?	86	6	-	-	-	1	-	-	1
Glasgow†	1,088,200	471	?	259	42	-	4	2	4	-	8	1
Dublin†	412,400	225	?	134	14	-	1	-	1	-	-	1
Belfast†	415,151	189	?	113	12	-	2	-	-	-	2	2

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Change in boundary, 1st April, 1931; figures relate to new area.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)
		1931.											
London‡	4,417,900	June 13	1559	65	761	9·0	-	-	-	-	2	2	5
Calcutta and Suburbs	1,077,264	May 2	?	?	576‖	27·8	?	54	?	-	?	?	?
Bombay§	1,298,708	„ 16	414	26	517‖	20·7	5	1	4	-	-	-	18
Madras	528,791	„ 2	425	13	369	36·3	-	-	-	-	1	-	22
Sydney and Suburbs	1,253,560	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Feb. 28 (28 days)											
Perth (Metropolitan Area).	204,780	Apr. 4	94	?	17	4·3	-	-	-	-	-	-	-
Auckland (Urban Area).	212,100	Mar. 31 (31 days)	275	5	157	8·9	-	-	-	-	-	-	-
Wellington (Urban Area)	138,050	Mar. 31 (31 days)	222	14	82	7·1	1	-	-	-	1	-	-
Christchurch (Urban Area).	125,800	Mar. 31 (31 days)	176	8	78	7·4	-	-	-	-	-	-	1
Cape Town	136,748	May 9	68	-	22	8·4	-	-	-	-	-	-	-
Johannesburg	187,326	„ 2	116	5	39	10·8	-	-	-	-	-	-	3
Durban	61,667	„ 2	20	-	15	12·7	-	-	-	-	-	-	-
Paris	2,871,429	Apr. 30 (10 days)											
Antwerp	294,963	May 15 (15 days)											
Amsterdam	753,957	May 23	255	9	115	8·0	-	-	1	-	1	-	-
Copenhagen	615,700	„ 30	184	1	119	10·1	-	-	-	-	1	-	-
Stockholm	502,203	„ 23	126	4	75	7·8	-	-	-	-	-	-	1
Gothenberg	245,336	„ 9	?	?	46	9·7	-	-	-	-	-	-	-
Oslo	253,568	„ 30	30	-	49	10·1	-	-	-	-	-	-	-
Berlin	4,326,000	„ 16	801	34	937	11·3	1	?	2	-	2	4	2
Breslau	617,000	„ 16	167	6	143	12·1	-	?	-	-	-	1	-
Cologne	740,000	„ 16	193	5	131	9·2	-	?	1	-	-	1	1
Dresden	633,000	„ 16	135	-	135	11·1	-	?	-	-	-	-	-
Frankfort-on-Main	541,000	„ 16	114	7	121	11·6	-	?	-	-	1	-	-
Hamburg	1,146,000	„ 16	260	10	241	10·9	-	?	-	-	1	1	3
Leipzig	719,000	„ 16	150	4	140	10·1	-	?	-	-	-	-	2
Munich	730,000	„ 16	171	8	147	10·5	-	?	-	-	-	1	-
Budapest	1,009,089	„ 23	398	20	241	12·4	-	-	1	2	-	1	5
Warsaw	1,115,651	„ 16	?	24	301	14·1	-	-	1	-	1	-	9
Madrid	825,471	„ 9	544	39	301	19·0	1	-	4	-	2	1	5
Cairo	1,160,700	Feb. 18	1051	26	483	21·7	11	-	2	-	?	3	47
Alexandria	629,900	„ 18	460	8	293	24·2	2	-	-	-	?	1	32
New York	7,090,089	May 16	2222	89	1547	11·4	1	-	11	3	4	3	9
Chicago	3,457,375	„ 22	815	36	715	10·8	-	-	5	13	-	5	6
New Orleans	433,000	Jan. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Apr. 25											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year o* for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 44 deaths from Cholera in Calcutta, 5 in Madras, and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 13th June, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	24,278	27,685	761	48	8	7	23	40	31	56	86	122	181	159
Enteric fever	9	11	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	951	30	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	73	32	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	80	174	2	2	-	-	-	-	-	-	-	-	-	-
Diphtheria	250	141	2	-	-	1	1	-	-	-	-	-	-	-
Influenza	223	892	4	-	-	-	-	-	-	2	-	-	-	2
Erysipelas	84	96	2	1	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	26	24	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	50	80	4	-	-	-	2	-	-	1	-	1	-	-
Tuberculosis:—														
Respiratory system	1720	1951	59	1	-	-	4	17	13	12	6	2	4	-
Nervous system	111	116	6	1	3	1	1	-	-	-	1	-	-	-
Intestines and peritoneum	26	30	1	-	-	-	-	-	-	-	1	-	-	-
Other forms	98	123	4	-	-	-	-	1	-	-	1	2	-	-
Venereal diseases	98	95	5	-	-	-	-	-	-	1	2	-	1	1
Cancer	2960	3131	130	-	-	-	-	-	1	11	24	31	44	19
Rheumatic fever	94	56	3	-	-	-	2	-	-	1	-	-	-	-
Diabetes	253	264	9	-	-	-	-	-	-	1	2	1	3	2
Alcoholism	6	7	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	44	42	1	-	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	971	1028	25	-	-	-	-	-	-	-	1	11	7	6
Epilepsy	98	77	2	-	-	-	1	-	1	-	-	-	-	-
"Convulsions" (not puerperal)	34	32	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	584	552	16	1	-	-	1	2	-	2	-	3	7	-
Pericarditis	10	9	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	86	90	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of heart	5048	6456	173	-	-	-	-	4	-	5	11	27	60	66
Other diseases of circulatory system	989	1080	27	-	-	-	-	1	-	1	1	4	9	11
Bronchitis	1116	1748	15	-	-	-	-	-	-	-	2	2	7	4
Broncho-pneumonia	1076	1666	29	7	2	1	-	2	3	1	1	3	2	7
Lobar pneumonia	614	724	12	-	-	1	-	1	2	2	1	2	2	1
Pneumonia (type not distinguished)	222	255	5	-	-	-	-	-	-	1	1	1	3	-
Other diseases of respiratory system	238	349	2	-	1	-	-	-	-	-	1	-	-	-
Diarrhœa and enteritis	340	313	8	5	-	-	-	-	1	-	-	1	-	1
Appendicitis, Typhlitis	141	130	4	-	-	-	1	-	-	1	-	1	1	-
Hernia, Intestinal obstruction	222	254	12	-	-	-	-	-	-	2	3	2	4	1
Cirrhosis of liver	93	100	5	-	-	-	-	-	-	1	2	2	-	-
Other diseases of digestive system	592	564	18	-	-	-	-	2	-	1	5	3	5	2
Acute nephritis	50	42	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease	809	854	18	-	-	-	-	-	-	1	3	3	7	4
Other diseases of genito-urinary system	354	415	17	-	-	-	-	-	-	1	3	2	8	3
Puerperal sepsis	50	57	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth	41	55	1	-	-	-	-	-	-	-	1	-	-	-
Congenital malformations	157	149	7	6	-	1	-	-	-	-	-	-	-	-
Premature birth	462	499	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	93	79	4	4	-	-	-	-	-	-	-	-	-	-
Old age	552	663	17	-	-	-	-	-	-	-	-	-	1	16
Suicide	249	238	12	-	-	-	-	-	1	1	4	3	1	2
Burns and Scalds	51	75	2	-	1	-	-	-	-	-	-	-	-	1
Drowning	59	45	4	-	-	-	2	-	2	-	-	-	-	-
Suffocation in bed	20	15	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	344	308	13	-	-	-	3	3	2	2	-	3	-	-
Other deaths by violence	378	373	14	2	-	-	-	1	1	-	1	1	3	5
Other specified causes	962	1092	52	4	1	2	5	5	3	5	9	11	3	4
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 13th June, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	50	168	161	4	64	C. 4 D. 6 E. 1 G. 1 L. 1 M. 16 N. 16
Metropolitan Boroughs:—						
†BATTERSEA ...	–	5	6	–	4	M. 1
†BERMONDSEY ...	–	6	5	–	2	M. 1
†BETHNAL GREEN	1	4	5	–	–	C. 1
†CAMBERWELL ...	3	8	6	–	4	D. 1
†CHELSEA	–	2	2	–	1	–
†DEPTFORD ...	–	4	9	–	1	C. 1 M. 1 N. 1
†FINSBURY ...	4	2	3	–	3	–
†FULHAM	–	9	1	–	2	N. 1
†GREENWICH ...	–	5	10	–	2	–
†HACKNEY... ...	1	5	15	–	–	D. 1 N. 4
†HAMMERSMITH ...	–	6	2	–	–	N. 1
†HAMPSTEAD ...	–	5	1	–	–	M. 1
†HOLBORN... ...	–	–	3	1	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	2	26	14	–	3	C. 2 D. 3 N. 2
†KENSINGTON ...	–	3	8	1	1	M. 1 N. 3
†LAMBETH ...	1	10	11	–	3	L. 1 M. 3
†LEWISHAM ...	–	7	2	–	1	M. 1
†PADDINGTON ...	–	5	–	1	4	M. 1 N. 1
†POPLAR	1	4	7	–	5	M. 1
†ST. MARYLEBONE	–	5	6	–	–	–
†ST. PANCRAS ...	–	7	6	–	3	M. 2 N. 1
†SHOREDITCH ...	10	3	3	1	–	M. 1
†SOUTHWARK ...	4	4	3	–	3	D. 1
†STEPNEY	23	13	13	–	8	E. 1 N. 1
†STOKE NEWINGTON	–	1	–	–	1	M. 1 N. 1
†WANDSWORTH ...	–	9	11	–	5	G. 1 M. 1
†WESTMINSTER, CITY OF	–	5	2	–	1	–
†WOOLWICH ...	–	5	7	–	7	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	4	2		1	-
Boroughs and Urban Districts:—						
AMPTHILL ...	-	-	1	-	-	-
†BEDFORD	-	1	-	-	-	-
†LUTON	-	1	1	-	-	-
Rural Districts:—						
BEDFORD	-	2	-	-	-	-
BIGGLESWADE ...	-	-	-	-	1	-
BERKS	-	9	8	-	1	M. 2
†READING C.B. ...	-	3	1	-	1	M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	-	1	-	-	-	-
†MAIDENHEAD ...	-	1	3	-	-	-
WALLINGFORD ...	-	-	-	-	-	M. 1
WOKINGHAM ...	-	-	1	-		-
Rural Districts:—						
COOKHAM ...	-	2	2	-	-	-
WANTAGE ...	-	1	-	-		-
WINDSOR	-		1	-		-
WOKINGHAM ...	-	1	-	-		-
BUCKINGHAM ...	-	4	1	-	1	-
Boroughs and Urban Districts:—						
BEACONSFIELD ...		1	-	-	-	-
†CHEPPING WYCOMBE	-	1	-		-	-
†SLOUGH	-	1		-	-	-
Rural Districts:—						
AMERSHAM ...	-	-	1	-	-	-
AYLESBURY ...	*	*	*	*	*	*
ETON	-	-	-	-	1	-
WYCOMBE ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	-	7	4	-	-	C. 1
Borough:—						
†CAMBRIDGE ...	-	4	2	-	-	C. 1
Rural Districts:—						
CHESTERTON ...	-	3	1	-	-	-
NEWMARKET ...	-	-	1	-	-	-
CHESTER ...	-	32	18	-	12	L. 2 M. 3 N. 4
†BIRKENHEAD C.B.	-	-	3	-	3	-
†CHESTER C.B. ...	-	1	-	-	-	-
†STOCKPORT C.B. ...	-	3	1	-	2	M. 2 N. 4
†WALLASEY C.B. ...	-	2	1	-	-	-
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	1	-	-	-	-
†BEBINGTON AND BROMBOROUGH	-	-	3	-	1	-
BOLLINGTON ...	-	-	-	-	1	-
COMPSTALL ...	-	-	1	-	-	-
†CONGLETON ...	-	1		-	1	-
†CREWE	-	-	2	-	1	-
†ELLESMERE PORT AND WHITBY	-	1	2	-	-	-
†HAZEL GROVE AND BRAMHALL	-		-	-	1	-
†HYDE	-	1	1	-	2	-
KNUTSFORD ...	-	1	-	-	-	
†MACCLESFIELD ...	-	-	-	-	-	L. 2
MARPLE	-	1	-	-	-	-
†NORTHWICH ...	-	1	-	-		-
†SALE	-	1	2	-	-	-
Rural Districts:—						
MACCLESFIELD ...	-	2	-	-	-	-
MALPAS	-	-	1	-	-	-
NANTWICH ...	-	8	-	-	-	-
NORTHWICH ...	-	2	-	-	-	M. 1
RUNCORN	-	6	-	-	-	-
WIRRAL	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	8	–	–	4	C. 1 N. 1
Boroughs and Urban Districts:—						
PADSTOW ...		1	–	–	–	–
PENRYN	–	1	–	–	–	–
ST. AUSTELL ...	–	–	–	–	1	–
ST. IVES	–	–	–	–	–	N. 1
TORPOINT ...	–	–	–	–	1	–
Rural Districts:—						
HELSTON	–	3	–	–	–	–
LAUNCESTON ...	–	1	–	–	1	–
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. GERMANS ...	–	1	–	–	–	–
STRATTON ...	–		–	–	–	C. 1
CUMBERLAND...	–	4	2	1	2	N. 1
†CARLISLE C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
HOLME CULTRAM	–	1	–	–	–	–
KESWICK	–	–	1	–	–	–
MILLOM	–	–	–	–	1	–
PENRITH	–	1	–	–	–	–
Rural Districts:—						
BOOTLE	–	–	–	–	–	N. 1
CARLISLE ...	–	–	–	1	–	–
PENRITH	–	–	1	–	–	–
DERBY	–	25	12	1	13	D. 1 G. 1 M. 4
†DERBY C.B. ...	–	7	5	1	3	G. 1 M. 1
Boroughs and Urban Districts:—						
†BOLSOVER ...	–	–	1	–	–	–
†CHESTERFIELD ...	–	3	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ILKESTON... ...	–	1	–	–	–	–
†LONG EATON ...	–	2	–	–	1	–
NEW MILLS ...	–		–	–	–	M. 1
†SWADLINCOTE DISTRICT	–	–	–	–	–	D. 1
†THE MATLOCKS...	–	–	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	1	2	–	1	–
BLACKWELL ...	–	2	–	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	1	–
CHESTERFIELD ...	–	2	2	–	2	M. 2
CLOWNE	–	1	–	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
HAYFIELD ...	–	–	–	–	1	–
NORTON	–	1	–	–	–	–
SHARDLOW ...	–	4	–	–	–	–
DEVON	–	15	17		6	C. 1 G. 1 M. 2 N. 5
†EXETER C.B. ...	–	–	4	–	1	M. 1
†PLYMOUTH C.B.	–	10	7	–	1	N. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	–
BIDEFORD ...	–	–	–	–	–	C. 1
CREDITON ...	–	–	1	–	–	–
†NEWTON ABBOT...	–	–	–	–	–	N. 1
†TORQUAY	–	–	1	–	–	G. 1
TOTNES	–	–	–	–	–	N. 2
Rural Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
CREDITON ...	–	–	1		–	–
KINGSBRIDGE ...	–	–	–	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
NEWTON ABBOT	–	–		–	2	–
PLYMPTON ST. MARY		4	1	–	–	M. 1
TIVERTON ...	–	1	–	–	1	–
DORSET	–	4	1	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
†POOLE	–	1	1	–	–	E. 1
WAREHAM ...	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
DORCHESTER ...	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	1	M. 1
DURHAM ...	–	59	22	4	42	C. 1 D. 7 G. 1 M. 4 N 2
†DARLINGTON C.B.	–	4	–	–	2	–
†GATESHEAD C.B.	–	6	–	–	1	D. 1 M. 1
†SOUTH SHIELDS C.B.	–	1	–	–	14	D. 1 M. 1 N. 1
†SUNDERLAND C.B.	–	11	5	1	7	D. 2 G. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	4	–	–	–
BENFIELDSIDE ...	–	7	1	–	–	–
†BLAYDON	–	5	–		–	–
†BRANDON AND BYSHOTTLES	–	–	1	–	–	–
†CROOK	–		1	–	–	C. 1
†FELLING	–	2	–	–	–	D. 1
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†HEBBURN ...	–	1	–	–	1	D. 1 N. 1
†HETTON	–	–	1	–	2	–
†JARROW	–	–	–	1	–	D. 1
†SPENNYMOOR ...	–	1	–	1	–	–
†STANLEY	–	–	1	–	1	M. 1
†STOCKTON ON TEES	–	2	–	–	–	M. 1
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	1	–		–
Rural Districts:—						
AUCKLAND ...	–	2	1	–	1	–
CHESTER LE STREET	–	3	1	1	–	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	3	–	–	7	–
HOUGHTON LE SPRING	–	1	–	–	2	–
LANCHESTER ...	–	1	2	–	–	–
SEDGEFIELD ...	–	–	1	–	1	–
SOUTH SHIELDS	–	2	–	–	–	–
SUNDERLAND ...	–	2	2	–	1	–
WEARDALE ...	–	1	–	–	2	–
ELY, ISLE OF ...	–	5	–	–	–	–
Rural Districts:—						
ELY	–	3	–	–	–	–
WISBECH	–	2	–	–	–	–
ESSEX	12	77	40	–	10	C. 1 D. 1 M. 6 N. 2
†EAST HAM C.B. ...	2	6	3	–	2	–
†SOUTHEND ON SEA C.B.	–	5	–	–	–	C. 1
†WEST HAM C.B.	8	11	5	–	4	D. 1 M. 1

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	1	–	3	–	–	M. 2
BENFLEET ...	–	1	–	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
CHINGFORD ...	–	2	1	–	–	–
†COLCHESTER ...	–	1	–	–	1	–
DAGENHAM ...	1	9	2	–	1	–
EPPING	–	1	–	–	1	–
†HARWICH ...	–	2	–	–	–	–
†HORNCHURCH ...	–	–	1	–	–	–
†ILFORD		6	5	–	–	–
†LEYTON	–	6	4	–	–	M. 2
†ROMFORD... ...	–	2	1	–	–	–
SHOEBURYNESS ...	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
†WALTHAMSTOW ...	–	12	9	–	–	M. 1
†WANSTEAD ...	–	1	–	–	–	N. 1
†WOODFORD ...	–	2	4	–		–
Rural Districts:—						
BILLERICAY ...	–	1	1	–	–	–
BRAINTREE ...	–	3	–	–	–	–
MALDON	–	–	–	–	1	–
ONGAR	*	*	*	*	*	*
ROCHFORD ...	–	2	–	–	–	–
ROMFORD... ...	–	–	–	–	–	N. 1
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	16	22	–	5	C. 1 N. 6
†BRISTOL C.B. ...	–	9	16	–	3	N. 3
†GLOUCESTER C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
NAILSWORTH ...	–	–	1		–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	1	–
CIRENCESTER ...	–	1	–	–	–	N. 1
STROUD	–	–	3	–	–	N. 1
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
TETBURY	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	N. 1
THORNBURY ...	–	1	–	–	–	C. 1
WEST DEAN ...	–	2	–	–	–	–
HEREFORD ...	–	1	1	–	–	M. 2
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	–	M. 1
Rural Districts:—						
BROMYARD ...	–	–	–	–	–	M. 1
HEREFORD ...	–	1	–	–	–	–
LEOMINSTER AND WIGMORE	–	–	1	–	–	–
HERTFORD ...	–	3	3	–	3	G. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	1	–	–	–
†EAST BARNET VALLEY	–	–	–	–	1	–
†HITCHIN	–	–	–	–	–	G. 1
†LETCHWORTH ...	–	2	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
STEVENAGE ...	–	–	–	–	–	N. 1
†WATFORD... ...	–	–	–	–	1	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	–	1	–	–	–
HITCHIN	–	–	1	–	–	–
WARE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	2	–	1	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	2	–	–	–	–
Rural Districts:—						
ST. IVES	–	–	–	1	–	–
KENT		27	31	1	6	D. 3 G. 1 M. 1 N. 2
†CANTERBURY C.B.	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	1	1	–	–	–
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY	–	–	–	–	–	N. 1
†BROADSTAIRS AND ST. PETER'S	–	2	–	–		–
†BROMLEY... ...		4	2	–	–	–
†CHATHAM ...		2	1	–		–
CHISLEHURST ...	–	1	–	–		–
†CRAYFORD ...	–	–	5	–		–
†DOVER	–	–	2	–	–	–
†ERITH	–	–	1	–	–	–
†FAVERSHAM ...	–		–	–	1	D. 1
†FOLKESTONE ...	–	–	4	–	–	–
†GILLINGHAM ...	–	2	–	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
†MAIDSTONE ...	–	2	3	1	–	–
†MARGATE ...	–	–	1	–	–	–
†NORTHFLEET ...	–	–	1		–	–
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	–	N. 1
SANDWICH ...	–	–	1	–		–
WHITSTABLE ...		–	3	–	–	–
WROTHAM ...		–	1	–	–	–
Rural Districts:—						
BROMLEY... ...	–	–	1		–	–
EASTRY	–	–	–	–	1	–
ELHAM	–	–	1	–	–	–
FAVERSHAM ...		1	1		1	–
KENT—*cont.*						
Rural Districts—*cont.*						
MAIDSTONE ...	–	–	–	–	–	D. 1 G. 1
MALLING	–	1	–	–	–	
MILTON	–	1	1	–	–	D. 1
SEVENOAKS ...	–	4	–	–	–	–
STROOD	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
LANCASTER ...	–	203	112	5	136	C. 17 D. 1 G. 1 L. 2 M. 24 N. 13
†BARROW IN FURNESS C.B.	–	1	–	–	4	–
†BLACKBURN C.B.	–	3	2	–	1	C. 1 M. 1
†BLACKPOOL C.B.		3	–		1	–
†BOLTON C.B. ...	–	3	1	–	3	–
†BOOTLE C.B. ...	–	2	6	–	7	N. 1
†BURNLEY C.B. ...	–	7	1	–	5	C. 1
†BURY C.B. ...	–	1	–	–	2	–
†LIVERPOOL C.B....	–	22	60	–	34	C. 2 M. 15 N. 4
†MANCHESTER C.B.	–	61	8	–	24	C. 7 M. 4 N. 2
†OLDHAM C.B. ...	–	4	–	1	4	–
†PRESTON C.B. ...	–	–	1	–	–	C. 1
†ROCHDALE C.B....	–	5	2		–	M. 2
†ST. HELENS C.B.	–	4	–	–	6	–
†SALFORD C.B. ...	–	6	8		5	–
†SOUTHPORT C.B.	–	–	2	–	3	N. 2
†WARRINGTON C.B.	–	16	1	–	3	N. 1
†WIGAN C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	4			1	–
†ASHTON IN MAKERFIELD	–	–	–	–	–	D. 1

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†ASHTON-UNDER-LYNE	–	1	–	–	1	–
†ATHERTON ...	–	–	1	–	–	M. 1
BLACKROD ...	–	–	–	–	1	–
†CHORLEY	–	1	–	–	1	–
†CLITHEROE ...	–	–	–	–	1	–
†COLNE	–	–	–	4	2	–
†CROMPTON ...	–	1	–	–	1	–
†DENTON	–	4	–	–	–	–
†ECCLES	–	1	2	–	2	–
†FAILSWORTH ...	–	–	–	–	–	C. 1
†FARNWORTH ...	–	–	–	–	3	C. 1
†FLEETWOOD ...	–	1	–	–	–	–
FORMBY	–	–	1	–	–	–
GRANGE	–	1	–	–	–	–
†GREAT CROSBY ...	–	–	1	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK... ...	–	–	–	–	–	N. 1
†HEYWOOD ...	–	2	1	–	1	–
†HINDLEY	–	–	–	–	2	–
†HORWICH... ...	–	–	1	–	1	–
†INCE IN MAKERFIELD	–	1	1	–	1	–
†LEIGH	–	1	2	–	–	–
LITTLE HULTON	–	–	–	–	–	N. 1
†MIDDLETON ...	–	–	1	–	1	–
MILNROW... ...	–	1	–	–	–	–
†MORECAMBE AND HEYSHAM	–	–	–	–	–	G. 1
†NELSON	–	3	–	–	–	–
†NEWTON IN MAKERFIELD	–	3	–	–	–	C. 1
†OSWALDTWISTLE	–	2	–	–	1	–
†RAMSBOTTOM ...	–	–	1	–	–	–
†RAWTENSTALL ...	–	2	–	–	1	–
†ROYTON	–	2	–	–	1	–
STANDISH WITH LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	3	2	–	1	N. 1
†SWINTON AND PENDLEBURY	–	3	1	–	3	–
TOTTINGTON ...	–	2	–	–	–	–
URMSTON... ...	–	2	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
WARDLE	–	–	–	–	–	C. 1 M. 1
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†WIDNES	–	2	–	–	–	–
†WORSLEY... ...	–	–	1	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1		–	1	–
BLACKBURN ...	–			–	1	C. 1
BURNLEY ...	–	3	–	–	1	–
CHORLEY... ...	–	1		–	–	–
CLITHEROE ...		2		–		L. 1
FYLDE	–	1	–	–		–
PRESTON	–		–	–	1	–
WARRINGTON ...		5	–	–	–	–
WEST LANCASHIRE	–	4	1	–	–	–
WHISTON... ...	–	1	3	–	–	L. 1
WIGAN	–	–	–	–	1	–
LEICESTER ...	29	21	5	–	5	C. 2 G. 1 L. 1 N. 2
†LEICESTER C.B....	23	5	2	–	–	C. 1 L. 1 N. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	1	–	–	–
†COALVILLE ...		3	1	–	–	–
†LOUGHBOROUGH	1	1	–	–	–	–
SHEPSHED ...	–	–	–	–	1	–
WIGSTON MAGNA	–	3	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	C. 1 G. 1
BARROW UPON SOAR	1	4	1	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LEICESTER— *cont.*						
Rural Districts— *cont.*						
BLABY	2	3	–	–	–	–
HINCKLEY ...	–	1	–	–	–	–
LOUGHBOROUGH	1	–	–	–	–	–
MARKET BOSWORTH	1	–	–	–	1	–
MELTON MOWBRAY	–	1	–	–	1	–
LINCOLN (parts of Holland).	–	–	–	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	–	G. 1
†SPALDING ...	–	–	–	–	–	M. 1
LINCOLN (parts of Kesteven).	–	1	1	–	–	–
Rural Districts:—						
SOUTH KESTEVEN	–	1	–		–	–
WEST KESTEVEN	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	9	2	1	3	C. 2 M. 1 N. 2
†GRIMSBY C.B. ...	–	1	1		1	M. 1
†LINCOLN C.B. ...	–	7	1	1	2	–
Boroughs and Urban Districts:—						
†GAINSBOROUGH ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	–	C. 2
Rural Districts:—						
HORNCASTLE ...	–	–	–	–	–	N. 1
SPILSBY	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MIDDLESEX ...	–	71	37	6	13	C. 5 E. 2 J. 1 M. 4 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	3	2	–	–	E. 1
†BRENTFORD AND CHISWICK	–	4	1		–	–
†EALING	–	1	–	–	1	C. 1 N. 1
†EDMONTON ...	–	16	2	–	–	C. 1
†ENFIELD	–	3	–	–	3	–
†FELTHAM... ...	–	1	–	1	–	–
†FINCHLEY ...	–	7	–	–	2	–
†HARROW ON THE HILL	–	1	–	–	–	–
HAYES AND HARLINGTON	–	2	1	–	–	–
†HENDON	–	3	2	1	1	J. 1
†HESTON AND ISLEWORTH	–	7	2	–	2	C. 1 N. 1
†HORNSEY	–	2	8	–	–	C. 1
KINGSBURY ...	–	1	–	–	–	M. 3 N. 1
RUISLIP NORTHWOOD	–	–	1	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	1	–	–	–	–
†STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	3	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	–	10	4	1	E. 1
†TWICKENHAM ...	–	–	2	–	1	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...		1	–		1	C. 1
†WILLESDEN ...	–	6	3	–	–	M. 1 N. 1
†WOOD GREEN ...	–	2	2	–	1	–
†YIEWSLEY AND WEST DRAYTON	–	1	–	–	–	–
Rural Districts—						
HENDON	–	2	–	–	–	
SOUTH MIMMS ...	–	–	1	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK ...	-	10	2	-	1	F. 1 N. 3
†GREAT YARMOUTH C.B.	-	-	1	-	1	-
†NORWICH C.B. ...	-	5	1	-	-	N. 1
Boroughs and Urban Districts:—						
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
AYLSHAM... ...	-	3	-	-	-	-
BLOFIELD ...	-	1	-	-	-	F. 1
DEPWADE ...	-	-	-	-	-	N. 1
MITFORD AND LAUNDITCH	-	-	-	-	-	N. 1
WAYLAND ...	-	1	-	-	-	-
NORTHAMPTON	-	10	4	1	1	-
†NORTHAMPTON C.B.	-	4	-	-	-	-
Boroughs and Urban Districts:—						
OUNDLE	-	1	-	-	-	-
†RUSHDEN... ...	-	1		-	1	-
Rural Districts:—						
BRIXWORTH ...	-	-	1	-	-	-
HARDINGSTONE ...	-	1	1	-	-	-
NORTHAMPTON ...	-	1		1	-	-
THRAPSTON (part)	-	1		-	-	-
TOWCESTER ...	-	-	2	-	-	-
WELLINGBOROUGH	-	1	-	-	-	-
NORTHUMBERLAND.	-	39	8	1	21	C. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	-	31	3	-	5	C. 1
NORTHUMBERLAND—*cont.*						
†TYNEMOUTH C.B.	-	-	1	-	2	-
Boroughs and Urban Districts:—						
†ASHINGTON ...	-	1	-	-	1	-
†BEDLINGTONSHIRE	-	2	-	-	4	-
†BERWICK UPON TWEED	-	1	-	-	-	-
†BLYTH	-	-	-	1	1	-
†EARSDON	-					M. 1
HEXHAM	-	-		-	1	-
†LONGBENTON ...	-	1	-	-	-	-
†NEWBURN ...	-	-	-		1	-
PRUDHOE... ..	*	*	*	*	*	*
SEATON DELAVAL	-	-	-		1	-
†WALLSEND ...			1	-	3	M. 1
Rural Districts:—						
CASTLE WARD ...		2		-	-	-
GLENDALE ...	-	1		-	-	-
MORPETH... ...	-	-	-	-	2	-
NORHAM AND ISLANDSHIRES	-		2			-
ROTHBURY ...	-	-	1		-	-
NOTTINGHAM ...	1	20	14	-	17	D. 2 M. 1 N. 1
†NOTTINGHAM C.B.	-	15	5	-	9	M. 1 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	-	-	1	-	-	-
†BEESTON	-	1	-	-	-	-
†CARLTON	-	-	1	-	-	-
†EAST RETFORD ...	-	-	2	-	-	-
EASTWOOD ...	-	1	-	-	-	-
†HUCKNALL ...	-	1	-	-	3	-
†MANSFIELD ...	*	*	*	*	*	*
†MANSFIELD WOODHOUSE	-	-	-	-	-	D. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON IN ASHFIELD	–	–	1	–	–	D. 1
WARSOP	–	–	–	–	2	–
Rural Districts:—						
BASFORD	1	2	2	–		–
STAPLEFORD ...	–	–	2	–		
WORKSOP... ...	–	–	–	–	3	–
OXFORD		3	6	–	3	C. 2 M. 2
†OXFORD C.B. ...	–	1	5	–	1	C. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	1	–	–	C. 1
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
GORING	–	–	–	–	1	–
HEADINGTON ...	–	–	–	–	1	–
HENLEY	–	1	–	–	–	M. 2
PETERBOROUGH (Soke of).	1	–	–	–	2	–
Borough:—						
†PETERBOROUGH...	1	–	–	–	2	–
RUTLAND ...	–	5	–	–	–	–
Rural Districts:—						
UPPINGHAM ...	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SALOP	–	9	4	–	1	M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–		M. 1
MARKET DRAYTON	–	2	–	–	–	–
†SHREWSBURY ...	–	3	2			–
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
CLEOBURY MORTIMER	–	2	–	–	–	–
OSWESTRY ...	–	–	1	–		–
WELLINGTON ...	–	–	–	–	1	–
WHITCHURCH ...	–	–	1	–		–
SOMERSET ...	–	10	5	–	1	N. 1
†BATH C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
CREWKERNE ...	–	–	1	–	–	–
GLASTONBURY ...	–	–	1	–	–	–
MIDSOMER NORTON		–	–	–	–	N. 1
TAUNTON ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	–	2	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	2	–	–	–	–
BATH	–	2	–		–	–
LANGPORT ...	–	–	–	–	1	–
WELLINGTON ...	–	3	–	–	–	–
WELLS	–	1	–	–	–	–
SOUTHAMPTON	–	19	12	–	5	C. 1 G. 1 M. 1 N. 4
†BOURNEMOUTH C.B.	–	2	2	–	1	G. 1
†PORTSMOUTH C.B.	–	8	4	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (‡ note below).
SOUTHAMPTON —*cont.*						
†SOUTHAMPTON C.B.	–	2	5	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT	–	2	–	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE		1		–	–	–
†FAREHAM ...	–	2	–	–	–	–
†GOSPORT	–	–	–	–	1	–
ROMSEY	–	–	–	–	1	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
ANDOVER... ...	–	–	1	–	–	–
BASINGSTOKE ...	–	–	–	–	1	–
DROXFORD ...	–	–	–	–	1	–
HAVANT	–	–	–	–	–	N. 1
PETERSFIELD ...	–	–	–	–	–	N. 1
RINGWOOD ...	–	–	–	–	–	N. 1
WHITCHURCH ...	–	–	–	–	–	N. 1
STAFFORD ...	–	36	23	2	32	C. 1 L. 2 M. 9 N. 4
†BURTON UPON TRENT C.B.	–	–	–	–	–	N. 1
†SMETHWICK C.B.	–	2	–	–	2	–
†STOKE ON TRENT C.B.	–	3	5	1	8	M. 5
†WALSALL C.B. ...	–	4	2	–	1	–
†WEST BROMWICH C.B.	–	5	1	–	2	–
†WOLVERHAMPTON C.B.	–	1	5	1	1	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	1	–	–	–
†BRIERLEY HILL...	–	1	–	–	–	–
†BROWNHILLS ...	–	1	–	–	–	N. 1
†CANNOCK	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COSELEY	–	1	1	–	1	–
†DARLASTON ...	–	–	–	–	2	N. 1
†NEWCASTLE UNDER LYME	–	–	1	–	2	–
†ROWLEY REGIS ...	–	2	–	–	1	–
†SEDGLEY	–	–	–	–	–	C. 1
†STAFFORD ...	–	2	–	–	2	–
TAMWORTH ...	–	–	–	–	1	–
TETTENHALL ...	–	–	1	–	–	–
†TIPTON	–	1	–	–	–	–
†WEDNESBURY ...	–	–	1	–	3	M. 1
†WILLENHALL ...	–	–	–	–	1	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE... ...	–	3	–	–	–	L. 2 M. 1 N. 1
GNOSALL	–	1	–	–	1	–
KINGSWINFORD ...	*	*	*	*	*	*
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	4	–	1	–
MAYFIELD ...	–		–	–	1	–
STAFFORD ...	–	2	–	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	M. 1
TUTBURY... ...	–	–	–	–	2	–
WALSALL	–	–	1	–	–	–
SUFFOLK, EAST	–	11	5	–	5	–
†IPSWICH C.B. ...	–	6	4	–	2	–
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	1	1	–	–	–
†LOWESTOFT ...	–	–	–	–	1	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
BOSMERE AND CLAYDON	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUFFOLK, EAST *cont.*						
Rural Districts—*cont.*						
EAST STOW ...	–	–	–	–	1	–
HARTISMERE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	–	3	–	–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	1	–	–	–
HADLEIGH ...	*	*	*	*	*	*
HAVERHILL ...	–	–		–	–	N. 1
NEWMARKET ...	–	–	2	–	–	–
SURREY	–	37	19	1	8	M. 1 N. 3
†CROYDON C.B. ...	–	9	3	–	–	N. 2
Boroughs and Urban Districts:—						
†BARNES	–	1	2	–	–	–
†CARSHALTON ...	–	1	1	–		–
†CATERHAM AND WARLINGHAM	–	–	2	–	–	–
†COULSDON AND PURLEY	–	1	–	–	1	–
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EGHAM	–	–	1	–	1	–
†EPSOM	–	2	–	–	–	–
†FRIMLEY	–	2	–	–	–	–
†GUILDFORD ...	–	1	1	–	2	–
HAM	–	1	–	–	–	–
HASLEMERE ...	–	–	–	–	–	N. 1
†KINGSTON ON THAMES	–	–	1	–	–	–
LEATHERHEAD ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN	–	–	1	–	–	–
†MITCHAM	–	3	1	–	–	–
†REIGATE	–	1	3	–	–	–
†RICHMOND ...	–	1	1	–	1	–
†SURBITON ...	–	–	–		1	–
†THE MALDENS AND COOMBE	–	–	–	–	2	–
WEYBRIDGE ...	–	–	–	–	–	M. 1
†WIMBLEDON ...	–	3	1	–	–	–
WINDLESHAM ...	–	1	–	–	–	–
†WOKING	–	2	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	3	–	–	–	–
EPSOM	–	3	–	–	–	–
GUILDFORD ...	–	1	–	–	–	–
REIGATE	–	–	–	1	–	–
SUSSEX, EAST ...	–	11	8	–	6	G. 2 M. 2 N. 2
†BRIGHTON C.B. ...	–	2	2	–	3	G. 1 M. 1 N. 2
†EASTBOURNE C.B.	–	1	2	–		
†HASTINGS C.B. ...	–	1	3	–	–	G. 1
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
BURGESS HILL ...	–	1	–	–	–	–
CUCKFIELD ...	–	1	–	–	–	–
†HOVE	–	1	–	–	–	–
†LEWES	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
Rural Districts:—						
CHAILEY	–	2	–	–	1	–
EASTBOURNE ...	–	–	–	–	1	–
EAST GRINSTEAD	–	–	1	–	–	–
TICEHURST ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	6	2	–	2	M. 2
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	–	–	1	–	–	
†HORSHAM ...	–	–		–	–	M. 1
†LITTLEHAMPTON	–	2	–	–	1	
Rural Districts:—						
MIDHURST ...	–	–	1	–	–	M. 1
STEYNING WEST...	–	4	–	–	1	–
WARWICK ...	–	87	37	1	39	C. 6 D. 1 L. 1 M. 14 N. 6
†BIRMINGHAM C.B.	–	71	30	–	30	C. 5 L. 1 M. 13 N. 6
†COVENTRY C.B. ...	–	3	2	1	1	–
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	1	–	–	–	D. 1
†ROYAL LEAMINGTON SPA	–	1	–	–	3	M. 1
†RUGBY	–	1	1	–	–	–
†STRATFORD ON AVON	–	3	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	1	1	–	–	–
FOLESHILL ...	–	1	1	–	–	–
MERIDEN... ...	–	–	–	–	1	–
NUNEATON ...	–	2	–	–	–	–
RUGBY	–	–	2	–	–	–
SOLIHULL ...	–	–	–	–	–	C. 1
SOUTHAM... ...	–	–	–	–	2	–
TAMWORTH (part)	–	2	–	–	–	–
WESTMORLAND	–	1			1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1		–	1	–
WIGHT, ISLE OF	–	–		3		–
Rural Districts:—						
ISLE OF WIGHT ...	–	–	–	3	–	–
WILTS		7	5		2	C. 1 L. 1 N. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–			–
†SWINDON... ...	–	–	4	–	2	C. 1 N. 1
†TROWBRIDGE ...	–	–	–	–		N. 1
WESTBURY ...	–	1		–	–	–
Rural Districts:—						
BRADFORD ON AVON	–	2		–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1				–
DEVIZES	–	1	1	–	–	–
PEWSEY	–	–	–	–	–	L. 1
TISBURY	–	1	–	–	–	–
WORCESTER ...	–	11	5	–	9	C. 1 M. 2 N. 1
†DUDLEY C.B. ...	–	1	–	–	1	C. 1 N. 1
†WORCESTER C.B.	–	–		–	1	M. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	–	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†KIDDERMINSTER	–	1	2	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	–	–	–	2	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY	–	1	–	–	3	M. 1
†REDDITCH ...	–	1	2	–	–	–
†STOURBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	–	1	–	–	–
UPTON ON SEVERN	–	1	–	–	1	–
YORKS ... ... (East Riding).	–	12	21	–	12	M. 2 N. 1
†KINGSTON UPON HULL C.B.	–	10	18	–	11	M. 2
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	2	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	–	1	–	–	N. 1
HOWDEN	–	–	–	–	1	–
POCKLINGTON ...	–	1	–	–	–	–
SKIRLAUGH ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	14	4	–	15	G. 1 M. 1 N. 1
†MIDDLESBROUGH C.B.	–	4	–	–	9	G. 1 M. 1
YORKS (North Riding)— *cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	3		–	2	–
KIRKLINGTON CUM UPSLAND	*	*	*	*	*	*
NORTHALLERTON	–	1	–		–	–
RICHMOND ...	–	–	–	–	1	–
†SCARBOROUGH ...			1	–	–	–
†SKELTON AND BROTTON	–	3	–	–	1	–
†THORNABY ON TEES			–	–	2	
†WHITBY	*	*	*	*	*	*
Rural Districts:—						
CROFT	–	1	–		–	–
FLAXTON		–	1	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
STOKESLEY ...	–	–	2	–	–	N. 1
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding).	–	140	67	2	94	C. 6 D. 17 E. 2 L. 1 M. 8 N. 18
†BARNSLEY C.B. ...	–	3	1	–	1	C. 1 D. 3 N. 1
†BRADFORD C.B. ...	–	18	7	–	10	C. 2 M. 2 N. 1
†DEWSBURY C.B....	–	9	1	–	–	–
†DONCASTER C.B....	–	4	1	–	–	–
†HALIFAX C.B. ...	–	–	–	–	–	N. 1
†HUDDERSFIELD C.B.	–	2	3	–	2	C. 1 M. 1
†LEEDS C.B. ...	–	23	7	1	14	N. 2
†ROTHERHAM C.B.	–	2	5	–	2	–

* Returns not received. † Population over 10,000

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†SHEFFIELD C.B....	-	33	12	-	24	D. 2 E. 1 M. 1 N. 4
†WAKEFIELD C.B.	-	2	1	-	5	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	1	1	-	-	N. 2
ALTOFTS	-	1	-	-	-	-
†BATLEY	-	1	-	-	-	-
†BENTLEY WITH ARKSEY	-	-	-	-	-	D. 1 N. 1
BIRSTAL	-	-	-	-	1	-
†BRIGHOUSE ...	-	2	1	-	-	-
BURLEY IN WHARFEDALE	-	-	-	-	-	N. 1
CALVERLEY ...	-	1	-	-	-	-
†CASTLEFORD ...	-	-	-	-	1	-
†CONISBROUGH ...	-	1	-	-	-	-
CUDWORTH ...	-	-	-	-	-	M. 1
†DARTON	-	1	-	-	1	E. 1
EARBY	-	-	-	-	1	-
FARSLEY	-	1	-	-	-	-
FLOCKTON ...	-	-	-	-	-	D. 1
GILDERSOME ...	*	*	*	*	*	*
†GOLCAR	-	1	-	-	-	-
GUISELEY ...	-	2	-	-	-	-
†HARROGATE ...	-	1	-	-	2	M. 1
†HEMSWORTH ...	-	-	1	-	2	L. 1
HIPPERHOLME ...	-	1	-	-	-	-
HORSFORTH ...	-	-	-	-	1	-
†HOYLAND NETHER	-	-	-	-	1	N. 1
†KEIGHLEY ...	-	3	-	-	1	N. 1
KNOTTINGLEY ...	-	1	-	-	-	-
MALTBY	-	-	-	-	-	D. 2
†MEXBOROUGH ...	-	-	-	-	1	D. 1
†MIRFIELD ...	*	*	*	*	*	*
†MORLEY	-	1	-	-	-	-
NEW MILL ...	-	-	-	1	-	-
†NORMANTON ...	-	-	2	-	1	-
OAKWORTH ...	-	1	-	-	-	-
†OSSETT	-	-	3	-	-	-
†PONTEFRACT ...	-	2	-	-	-	-
†PUDSEY	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWMARSH ...	-	-	1		-	-
SILSDEN	-	1	-	-	-	-
SKELMANTHORPE	-	2		-		
†SKIPTON	-	1	-	-	-	-
SOUTHOWRAM ...	-	-	1	-	-	-
†SPENBOROUGH ...	-	-	3	-	-	C. 1
SPRINGHEAD ...	-	-	-	-	3	-
†STANLEY	-	2	3	-	-	-
STOCKSBRIDGE ...	-	1	-	-		
THURNSCOE ...	-	1	3	-	1	-
TICKHILL... ...	-	-	-	-	1	-
†TODMORDEN ...	-	1	-	-	1	-
†WOMBWELL ...	-	1	-	-	1	-
†WORSBOROUGH ...	-	-	-	-	2	-
Rural Districts:—						
BARNSLEY ...	-	1	-	-	-	-
DONCASTER ...	-	2	-	-	1	C. 1 D. 5 N. 1
GOOLE	-	1	-	-	-	-
GREAT OUSEBURN	-	-	-	-		N. 1
HEMSWORTH ...	-	2	1	-	5	D. 2 M. 1
KIVETON PARK ...	-	3	2	-	1	-
PONTEFRACT ...	-	-	3	-	1	-
RIPON	-	-	-	-	-	M. 1
ROTHERHAM ...	-	1	-	-	1	-
TADCASTER ...	-	1	2	-	-	N. 1
WAKEFIELD ...	-	-	-	-	2	-
WHARFEDALE (NORTH)	-	-	1	-	-	-
WHARFEDALE (SOUTH)	-		1	-	1	-
WORTLEY... ...	-	-	-	-	2	-
YORK, CITY OF ..	-	2	4	-	-	-
†YORK C.B. ...	-	2	4	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WALES.						
ANGLESEY ...	–	–	1	–		–
Boroughs and Urban Districts:—						
†Holyhead ...	–	–	1	–	–	–
BRECKNOCK ...	–	1	2	–	–	N. 1
Boroughs and Urban Districts:—						
Brynmawr ...	–	–	1	–	–	–
Rural Districts:—						
Brecknock (Defynnock and Llangorse)	*	*	*	*	*	*
Vaynor and Penderyn	–	1	–	–	–	N. 1
Ystradgynlais	–	–	1	–	–	–
CAERNARVON ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
Pwllheli ...	–	1	–	–	–	–
Rural Districts:—						
Gwyrfai	–	–	1	–	–	–
CARDIGAN ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
Cardigan ...	–	–	–	–	1	–
CARDIGAN—*cont.*						
Rural Districts:—						
Llandyssil ...	*	*	*	*	*	*
CARMARTHEN ...	–	2	1	–		C. 1
Boroughs and Urban Districts:—						
Cwmamman ...	–	–	1	–	–	–
†Llanelly ...	–	1	–	–		–
Rural Districts:—						
Carmarthen ...	–	–	–	–	–	C. 1
Llandilo Fawr	–	1	–	–		–
DENBIGH ...	–	10	18	1	–	–
Boroughs and Urban Districts:—						
†Wrexham ...	–	5	1	–	–	–
Rural Districts:—						
Ruthin	–	1	–	1	–	–
Uwchaled ...	–	2	–	–	–	–
Wrexham ...	–	2	17	–	–	–
FLINT	–	3	3	1	1	N. 1
Boroughs and Urban Districts:—						
Holywell ...	–	–	–	–	1	–
†Rhyl	–	1	1		–	–
Rural Districts:—						
Hawarden ...	–	2	2	–	–	–
Holywell ...	–	–	–		–	N. 1
Overton	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	1	39	36	–	20	C. 1 M. 7 N. 4
†Cardiff C.B. ...	–	8	7	–	1	M. 2 N. 1
†Merthyr Tydfil C.B.	–	1	–		1	–
†Swansea C.B. ...	–	–	10		1	M. 1 N. 2
Boroughs and Urban Districts:—						
†Aberdare ...	–	1	1	–	2	–
†Barry	–	3	1	–	–	M. 2
†Caerphilly ...	–	1	1	–	2	–
†Gelligaer ...	–	2	1	–	1	–
†Glyncorwg ...	–	–	2	–	–	–
†Llwchwr ...	–	–	–		1	–
†Maesteg	–	–	–	–	1	–
†Mountain Ash...	–	1	1	–	3	–
†Neath	–	–	1	–	1	M. 1
†Ogmore and Garw	–	4	–	–	–	C. 1
†Pontypridd ...	–	–	3	–	2	N. 1
Porthcawl ...	–	4	–	–	–	–
†Port Talbot ...	–	1	2	–	–	–
†Rhondda ...	1	11	–	–	4	M. 1
Rural Districts:—						
Llantrisant and Llantwit-fardre	–	1	2	–	–	–
Neath	–		1	–	–	–
Pontardawe ...	–	1	3	–	–	–
MERIONETH ...	–	1	3	–	–	–
Urban Districts:—						
Ffestiniog ...	–		1	–	–	–
Rural Districts:—						
Dolgelley ...	–		2	–	–	–
Edeirnion ...	–	1	–	–	–	–
MONMOUTH ...	–	33	10	–	7	G. 1
†Newport C.B. ...	–	7	5	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—						
Abergavenny ...	*	*	*	*	*	*
†Abertillery ...	–	4	–	–	–	–
Bedwas and Machen	–	2	–	–	1	–
†Bedwellty ...	–	5	2	–	–	–
†Blaenavon ...	–	1	–	–	–	–
†Ebbw Vale ...	–	7	1		1	–
Llantarnam ...	–	1	–	–	–	–
†Mynyddislwyn			1		–	G. 1
†Nantyglo and Blaina	–		–	–	2	–
†Rhymney ...	–	4	–	–	–	–
†Tredegar ...	–	–	–	–	1	–
Rural Districts:—						
Magor	–	1	–	–	–	–
St. Mellons ...	–	1	1	–	–	–
MONTGOMERY...	–		–	1	1	N. 1
Boroughs and Urban Districts:—						
Welshpool ...	–	–		1	–	–
Rural Districts:—						
Llanfyllin ...	–	–	–	–	–	N. 1
Newtown and Llanidloes	–	–	–	–	1	–
PEMBROKE ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
Milford Haven	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE—*cont.*						
Rural Districts:—						
HAVERFORDWEST	–	–	1	–	–	–
RADNOR	–	–	–	–	–	M. 1
Rural Districts:—						
NEW RADNOR ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Total of Part II....	44	1198	676	34	571	C. 53 D. 33 E. 5 F. 1 G. 13 J. 1 L. 10 M. 111 N. 100

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

ort Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
IVERPOOL	–	–	–	–	1	–
ENZANCE	*	*	*	*	*	*
LYMOUTH	–	–	–		1	–

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	–	–	1	–	–
PORT OF LONDON ...	–	–	–	–	–	D. 1
Total of Part III. ...	–	–	–	1	2	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	50	168	161	4	64	C. 4 D. 6 E. 1 G. 1 L. 1 M. 16 N. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	44	1198	676	34	571	C. 53 D. 33 E. 5 F. 1 G. 13 J. 1 L. 10 M. 111 N. 100
Total of Part III.—Port Sanitary Districts	-	-	-	1	2	D. 1
Total (i.e., of returns received), England and Wales ...	94	1366	837	39	637	C. 57 D. 40 E. 6 F. 1 G. 14 J. 1 L. 11 M. 127 N. 116

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ble 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

Week ended :—	Mar. 21.	Mar. 28.	Apl. 4.	Apl. 11.	Apl. 18.	Apl. 25	May 2.	May 9.	May 16.	May 23.	May 30.	June 6	June 13	Totals from 1st Week of year. * 1930.	1931.
ONDON :—															
VE BIRTHS	1,422	1,390	1,180	1,352	1,471	1,389	1,424	1,369	1,323	1,453	1,227	1,494	1,559	33,418	32,017
TILLBIRTHS	51	45	51	60	44	31	33	55	47	46	42	61	65	1,268	1,135
EATHS (excluding Still-births)—all ages.	1,433	1,184	1,144	1,165	981	954	1,002	955	905	871	831	856	761	24,278	27,685
EATHS—0 to 1 year ..	102	88	63	90	78	68	79	71	68	70	74	59	48	2,158	2,118
REAT TOWNS, aggregate (including London) :—															
VE BIRTHS	6,772	6,421	5,509	6,471	7,028	6,789	6,646	6,447	6,364	6,754	5,553	7,080	7,087	152,549	149,502
ILLBIRTHS	303	305	296	318	305	270	286	320	273	301	234	287	301	6,811	6,683
EATHS (excluding Still-births)—all ages.	6,700	5,691	5,313	5,423	4,674	4,590	4,623	4,351	4,127	4,235	4,036	3,872	3,846	109,413	126,653
EATHS—0 to 1 year ..	585	521	459	520	416	397	409	404	347	401	352	367	329	10,593	12,085
NTERIC FEVER—Cases	9	9	10	18	14	15	10	15	9	16	11	19	16	582	310
„ Deaths	5	1	—	—	4	3	1	2	2	1	—	1	—	53	38
IALL POX—Cases ..	154	166	117	142	126	162	128	139	108	84	72	57	84	6,328	3,194
„ Deaths ..	—	—	—	1	—	1	—	—	—	—	—	1	—	15	4
ARLET FEVER—Cases	894	804	724	836	687	854	869	896	864	832	744	786	798	30,045	19,597
„ Deaths	5	9	5	8	4	5	4	9	11	4	5	5	3	246	150
PHTHERIA—Cases ..	641	627	521	497	513	552	540	578	542	519	412	482	534	21,735	14,681
„ Deaths ..	32	30	33	27	35	21	22	21	25	21	22	18	21	1,045	741
EASLES—Deaths ..	75	60	58	64	55	42	46	36	38	28	39	26	38	2,207	1,396
FLUENZA—Deaths ..	365	301	208	175	110	96	74	40	44	54	46	30	21	1,375	5,093

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ving been made for changes in boundary. The live births are derived from the weekly returns furnished by the gistrars and differ from those published for the towns in the Quarterly Return which are corrected for births curring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 13th June, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ONDON (GREENWICH).	78	51	71·0	55·0	7
RIGHTON ..	69	53	61·7	54·9	12
ORTSMOUTH ..	69	54	64·2	55·5	16
ORWICH (SOUTHWELL LODGE)	72	48	68·0	54·3	6
LYMOUTH ..	65	54	60·6	54·9	40
RISTOL (HORFIELD)	70	52	65·1	54·7	29
IRMINGHAM (EDGBASTON).	71	50	65·6	53·6	5
OTTINGHAM ..	73	49	68·7	54·3	9
IRKENHEAD (BIDSTON).	70	52	64·0	53·4	20
ANCHESTER (WHITWORTH PARK).	72	52	66·0	54·9	25
URNLEY	69	45	63·7	50·9	37
HUDDERSFIELD	69	50	66·9	52·6	32
BRADFORD ..	67	39	63·9	50·1	29
SHEFFIELD ..	70	46	67·1	52·9	23
YORK (MUSEUM)	69	48	66·4	52·6	15
HULL (PEARSON PARK).	71	47	67·9	53·2	12
TYNEMOUTH ..	63	46	56·7	51·1	17
CARDIFF	63	50	62·9	54·0	27
EDINBURGH ..	64·0	40·0	58·1	47·3	28
GLASGOW ..	66·4	41·8	60·4	47·7	29
DUBLIN (PHŒNIX PARK)	§	§	§	§	§
(FITZWILLIAM SQUARE†).	68·0	51·3	64·6	53·1	18
BELFAST	67·5	45·5	62·8	49·4	45

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 13th June, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	7	Last Quarter.	29·534	64·8	51·6	13·2	56·6	− 1·6	53·9	2·7	10·5	0·0	91	106·0	45·7	52·5	SW	SSW: Calm: SW.	1·7	0·0	0·2	233	− 26	0·02
MONDAY -	8	Apogee	29·649	72·2	54·1	18·1	60·6	+ 2·5	52·5	8·1	18·0	0·7	74	135·2	47·5	52·7	WSW	SW	2·4	0·0	0·4	367	+ 110	0·00
TUESDAY -	9	In Equator	29·662	70·3	52·3	18·0	59·5	+ 1·5	56·9	2·6	11·0	0·4	91	128·9	46·1	52·9	SSW: SW.	SW	2·8	0·0	0·4	304	+ 49	0·25
WEDNESDAY	10	..	29·723	65·2	57·8	7·4	60·3	+ 2·2	57·7	2·6	8·1	1·9	91	97·6	54·5	53·0	SW	SW	3·1	0·0	0·7	395	+ 143	0·01
THURSDAY -	11	..	29·824	71·8	58·2	13·6	63·1	+ 4·9	57·1	6·0	11·9	3·5	81	114·3	55·2	53·1	SW	SW	2·0	0·0	0·5	318	+ 68	0·00
FRIDAY -	12	..	29·888	77·6	55·9	21·7	64·6	+ 6·2	56·8	7·8	17·7	1·9	76	136·3	44·1	53·3	SW	WSW: WNW: W.	1·5	0·0	0·2	246	− 2	0·00
SATURDAY -	13	..	29·913	74·7	51·0	23·7	63·8	+ 5·3	54·7	9·1	17·8	1·2	72	138·1	39·0	53·7	SW: Calm.	SSW: Calm.	0·6	0·0	0·1	131	− 117	0·00
MEANS -		..	29·742	70·9	54·4	16·5	61·2	+ 3·0	55·7	5·6	13·6	1·4	82	122·3	47·4	53·0	SW		..	..	..	Sum 1994	Sum + 225	Sum 0·28
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	7	Failure of insulation.	1·9	16·5	Variably cloudy till 8h.; then overcast. Slight showers at 9½h.; and 17½h. Rain 10¼h. till 12½h. Damping 15h. till 15¾h.; and 19¼h. till 22½h.
MONDAY ..	8	Failure of insulation.	7·2	16·5	Nearly overcast till 12h.; then very cloudy. Damping till 0¼h. Slight shower 10½h.
TUESDAY ..	9	Failure of insulation till 12h.; mP till 22h., then wP.	1·7	16·5	Cloudy till 2h.; then overcast generally. Rain 2¾h. till 5h.; and 6h. till 8¼h. Slight shower at 12¼h.
WEDNESDAY	10	wP till 7½h.; wN till 8h; then wP.	0·0	16·5	Overcast generally. Occasional slight damping between 10½h. and 21h.
THURSDAY	11	wP	0·2	16·5	Overcast generally.
FRIDAY ..	12	wP till 9½h.; then mP.	7·9	16·6	Overcast till 12h.; partially cloudy till 19h.; then nearly cloudless. Dew at night.
SATURDAY	13	mP till 10½h., wP till 17h.; then mP.	9·8	16·6	Nearly cloudless, cloudy or partially cloudy till 15½h. Overcast by 16h. Cloudy from 23h. Dew in morning. Slight shower 16¾h.
			Sum 28·7	Sum 115·7	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·63 ins. at the beginning of the week to 29·48 ins. by 21h. on June 7th; increased generally to 30·00 ins. by 8½h. on June 13th; decreased and was 29·78 ins. by midnight of the same day.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 24.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 20TH JUNE,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 20TH JUNE, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twenty fourth week of the year numbered 6,603 corresponding to an annual rate of 17·4 per 1,000 living: stillbirths numbered 331 corresponding to a rate of 48 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,606 (240 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	May 30.	June 6.	June 13.	June 20.
107 Great Towns	10·7	10·3	10·2	9·6
London	9·8	10·1	9·0	8·9
Birmingham	10·9	10·1	9·3	8·4
Liverpool	12·4	10·4	11·8	10·1
Manchester	11·1	12·2	10·7	10·5
Sheffield	9·2	8·1	9·6	9·6
Leeds	12·2	9·7	12·2	11·0
Bristol	11·3	9·3	12·1	8·4
West Ham	9·0	9·8	9·3	7·0

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 44, against 53, 56, and 50 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,383 live births registered corresponding to an annual rate of 16·3 per 1,000 living: stillbirths numbered 52 corresponding to a rate of 36 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 758 (3 less than the number in the preceding week): infant mortality based on the average weekly number of live births, during the last 52 weeks, was 34, against 52, 42, and 34 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 20th June, 1931.

Towns.	Estimated Population, Mid. 1929.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 Great Towns ..	19,685,050*	6,603	531	3,606	293	2	26	1	17	24	38	20
London	4,417,900*	1,383	52	758	48	1	–	–	5	3	5	–
Towns in Outer Ring.												
Croydon C.B. ..	222,300	86	3	35	1	–	–	–	–	–	–	–
Wimbledon ..	59,370	14	1	9	1	–	–	–	–	–	–	–
Ealing	104,000	40	3	20	1	–	–	–	–	–	1	–
Acton	65,200	13	–	9	2	–	–	–	–	–	–	–
Brentford and Chiswick ..	59,040	14	–	14	–	–	–	–	–	–	–	–
Willesden ..	172,500	47	1	32	4	–	–	–	1	1	–	–
Hendon§	86,540*	35	–	11	1	–	–	–	–	–	–	–
Hornsey	88,450	16	1	24	3	–	–	–	–	1	1	–
Wood Green ..	53,410	9	1	8	1	–	–	–	1	–	–	–
Tottenham ..	155,000	28	1	17	1	–	–	–	–	–	–	–
Edmonton	75,000	47	1	11	–	–	–	–	–	–	–	–
Enfield	65,100	15	1	8	–	–	–	–	–	–	–	–
West Ham C.B. ..	307,600	129	5	41	2	–	–	–	–	–	1	–
East Ham C.B. ..	147,600	36	–	26	2	–	–	–	–	–	–	–
Leyton	128,300	23	1	23	2	–	–	–	–	–	1	–
Walthamstow ..	124,800	43	–	24	6	–	–	–	–	–	1	–
Ilford	116,200	28	2	14	2	–	–	–	–	1	–	–
Gillingham	56,670*	23	1	10	1	–	–	–	–	–	1	–
Canterbury C.B. ..	22,850*	7	1	3	1	–	–	–	–	–	–	–
Hastings C.B.	62,620	11	–	7	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	58,570	12	–	11	–	–	–	–	–	–	–	–
Brighton C.B. ..	146,800*	41	3	41	1	–	–	–	–	–	–	–
Portsmouth C.B. ..	242,000*	86	11	35	1	–	–	–	–	–	–	–
Bournemouth C.B.§..	105,780	32	2	19	–	–	–	–	–	–	–	–
Southampton C.B. ..	172,300	56	3	40	3	–	–	–	1	–	–	–
Reading C.B.	96,850*	35	2	13	1	–	–	–	–	–	–	–
Oxford C.B.	73,810*	28	–	11	–	–	–	–	–	–	–	–
Northampton C.B. ..	93,970*	28	1	16	1	–	–	–	–	–	1	–
Luton	65,200	16	1	13	1	–	–	–	1	–	–	–
Cambridge	60,730	23	–	16	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	114,600	23	–	21	1	–	–	–	1	–	–	–
Ipswich C.B.	85,800	25	–	13	1	–	–	–	–	–	–	–
Great Yarmouth C.B	58,110	16	–	15	2	–	–	–	–	–	2	–
Norwich C.B.	124,900*	44	3	20	2	–	–	–	–	–	–	–
Swindon	62,020	14	–	7	–	–	–	–	–	–	–	–
Exeter C.B.	61,290*	29	–	16	1	–	–	–	–	–	–	–
Plymouth C.B. ..	199,000*	79	3	49	1	–	–	–	–	–	–	–
Bath C.B.	69,240	18	–	17	1	–	–	–	–	–	–	–
Bristol C.B.	391,145*	113	3	63	4	–	–	–	–	–	–	–
Gloucester C.B. ..	52,010	14	–	7	–	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	279,190	111	10	53	5	–	–	–	–	–	1	–
Burton-upon-Trent C.B.	48,970	14	1	9	–	–	–	–	–	–	–	–
Wolverhampton C.B.	134,300	52	5	19	6	–	–	–	1	–	2	–
Walsall C.B.§	100,930	46	2	15	2	–	1	–	–	–	–	–
West Bromwich C.B.§	80,970	35	1	19	1	–	–	–	–	–	–	–
Dudley C.B.	58,870	16	1	9	–	–	1	–	–	–	–	–
Worcester C.B. ..	52,320	20	2	14	1	–	–	–	–	–	–	–
Birmingham C.B.§ ..	972,510	348	24	156	11	–	3	–	–	1	1	–
Smethwick C.B. ..	85,120	25	1	8	–	–	1	–	–	–	–	–
Coventry C.B. ..	162,100	51	2	29	3	–	–	–	–	–	2	–
Leicester C.B. ..	245,200	86	6	50	1	–	–	–	1	–	–	–
Lincoln C.B.	65,080*	26	1	9	1	–	–	–	–	–	–	–
Grimsby C.B.	91,440	29	3	20	2	–	–	–	–	–	–	–
Nottingham C.B. ..	266,800	96	2	40	7	–	–	–	–	–	–	–
Derby C.B.	140,500*	47	5	21	3	–	–	–	–	–	–	–
Chesterfield	65,270	27	–	6	–	–	–	–	–	–	–	–
Stockport C.B. ..	127,800	43	3	28	–	–	–	–	–	–	1	–
Chester C.B.	40,750	19	2	4	–	–	–	–	–	–	–	–
Birkenhead C.B. ..	157,600	55	–	27	2	–	–	–	–	–	–	–
Wallasey C.B. ..	101,300	28	–	23	1	–	–	–	–	–	–	–
Liverpool C.B. ..	889,500	421	20	169	25	–	1	–	1	2	3	–
Bootle C.B.	80,400	38	–	13	3	–	–	–	–	1	–	–
St. Helens C.B. ..	109,200	49	–	14	–	–	–	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.
§ Change in boundary, 1st April, 1931; figures relate to new area

TOWNS.	Estimated Population, Mid. 1929	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	80,040	13	1	13	-	-	-	-	-	-	-	-
Wigan C.B.	87,600	36	2	17	6	-	-	-	-	-	1	-
Warrington C.B. ..	79,400*	31	2	14	2	-	-	-	-	-	-	1
Bolton C.B	181,500	48	2	29	2	-	-	-	-	-	1	-
Bury C.B.	56,330*	15	1	11	1	-	1	-	-	-	-	-
Manchester C.B.§ ..	753,570	260	11	152	11	-	2	-	1	3	-	-
Salford C.B.	235,600	64	5	39	4	-	-	-	-	-	1	-
Ashton-under-Lyne	51,750	18	1	6	-	-	-	-	-	-	-	-
Oldham C.B	142,500	33	1	27	3	-	-	-	-	-	-	1
Rochdale C.B. ..	90,900	11	3	28	4	-	-	-	-	3	-	-
Burnley C.B	100,200	25	1	28	2	-	-	-	-	-	-	-
Blackburn C.B ..	125,300	32	3	26	.	-	-	-	-	-	-	-
Preston C.B.	126,100	40	2	32	3	-	-	-	-	-	1	-
Blackpool C.B. ..	99,800	26	1	26	2	-	-	-	-	-	1	-
Barrow-in-Furness C.B.	64,850	22	2	13	-	-	-	-	-	-	-	1
Huddersfield C.B. ..	113,100	40	4	27	1	-	-	-	-	-	-	-
Halifax C.B.	97,400*	28	2	16	2	-	-	-	1	-	-	-
Bradford C.B. ..	294,605	93	4	72	5	-	1	-	-	-	-	-
Leeds C.B	478,500	161	6	101	9	-	6	-	-	2	2	2
Dewsbury C.B. ..	53,020	11	-	7	-	-	-	-	-	-	-	-
Wakefield C.B. ..	56,640	17	1	16	2	-	-	-	-	-	-	1
Barnsley C.B. ..	71,700	28	1	15	2	-	1	-	1	-	-	-
Sheffield C.B. ..	518,000*	148	12	95	3	1	1	-	1	-	3	1
Rotherham C.B. ..	70,790	25	1	10	-	-	-	-	-	-	-	-
Doncaster C.B. ..	59,890	22	2	14	-	-	1	-	-	-	-	-
York C.B.	85,290*	17	-	16	1	-	-	-	-	-	-	-
Hull C.B.	307,500	124	1	44	3	-	-	-	-	1	-	-
Middlesbrough C.B.	133,100	60	4	27	3	-	1	-	-	-	-	-
Darlington C.B. ..	74,150	23	1	14	1	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,090	36	2	26	3	-	-	-	-	1	-	1
West Hartlepool C.B.	69,370	32	1	19	4	-	-	-	-	-	1	-
Sunderland C.B. ..	184,000	89	2	55	9	-	4	-	-	-	2	1
South Shields C.B ..	119,600	42	2	25	2	-	1	-	-	-	-	-
Gateshead C.B. ..	122,600	44	2	29	3	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	283,400*	118	5	53	11	-	-	-	-	2	-	-
Tynemouth C.B. ..	65,880	24	2	16	3	-	-	-	-	-	-	-
Carlisle C.B.	56,160*	29	-	11	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	95,990*	37	1	13	-	-	-	-	-	-	-	-
Cardiff C.B.	224,000*	81	30	32	3	-	-	-	-	1	-	-
Rhondda	153,100	54	3	33	6	-	-	1	-	-	-	-
Merthyr Tydfil C.B.	77,790	24	3	15	-	-	-	-	-	1	-	-
Aberdare	53,050	16	1	13	1	-	-	-	-	-	-	-
Swansea C.B.	162,700	45	2	29	2	-	-	-	-	-	-	-
Greater London ..	7,900,480*	2,497	91	1,305	97	1	-	-	9	6	11	7
Outer Ring	3,452,580*	1,114	39	547	49	.	-	-	4	3	6	4
17 Great Towns in Outer Ring§	2,030,410*	623	21	326	29	-	-	-	2	3	5	1
Remainder of Outer Ring§	1,452,170*	491	18	221	20	-	-	-	2	-	1	3
Edinburgh†	428,800	141	?	94	4	-	-	-	-	1	-	-
Glasgow†	1,088,200	463	?	232	28	-	8	-	4	3	5	1
Dublin†	412,400	214	?	98	10	-	.	1	-	-	1	-
Belfast†	415,151	205	?	93	7	-	2	-	2	-	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations are estimated to the middle of 1931, except that of Belfast which is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Change in boundary, 1st April, 1931; figures relate to new area.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available perio

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1931.											
London‡	4,417,900	June 20	1383	52	758	8·9	1	-	-	-	5	3	5
Calcutta and Suburbs	1,077,264	May 9	?	?	519‖	25·0	?	18	?	-	?	?	?
Bombay§	1,298,708	„ 23	470	38	481‖	19·3	5	-	1	-	-	-	18
Madras	528,791	„ 9	524	36	443‖	43·5	3	1	-	-	2	-	29
Sydney and Suburbs	1,253,560	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Feb. 28 (28 days)	370	?	179	6·8	-	-	-	-	-	2	1
Perth (Metropolitan Area).	204,780	Apr. 11	89	?	62	18·2	-	-	-	-	-	-	1
Auckland (Urban Area).	212,100	„ 30 (30 days)											
Wellington (Urban Area)	138,050	Apr. 30 (30 days)											
Christchurch (Urban Area).	125,800	Apr. 30 (30 days)											
Cape Town	136,748	May 16	47	4	35	13·3	-	-	-	-	-	-	1
Johannesburg	187,326	„ 9	95	1	38	10·6	1	-	-	-	-	-	-
Durban	61,667	„ 9	34	1	13	11·0	-	-	-	-	-	-	-
Paris	2,871,429	Apr. 30 (10 days)											
Antwerp	294,963	May 15 (15 days)	227	8	127	10·3	-	-	3	-	-	-	2
Amsterdam	753,957	May 30	266	6	134	9·3	-	-	3	-	1	-	-
Copenhagen	615,700	June 6	169	3	137	11·6	-	-	-	-	-	-	-
Stockholm	502,203	May 30	102	5	108	11·2	-	-	-	-	-	-	-
Gothenberg	245,336	„ 16	?	?	46	9·7	-	-	-	-	-	1	-
Oslo	253,568	June 6	60	1	46	9·4	-	-	-	-	-	-	-
Berlin	4,326,000	May	822	40	931	11·2	-	?	1	1	1	4	5
Breslau	617,000	„ 23	130	12	140	11·8	-	?	-	-	-	4	2
Cologne	740,000	„ 23	179	5	115	8·1	-	?	1	-	-	-	-
Dresden	633,000	„ 23	134	7	123	10·1	-	?	-	-	-	-	3
Frankfort-on-Main	541,000	„ 23	112	2	100	9·6	-	?	-	-	1	-	-
Hamburg	1,146,000	„ 23	280	8	212	9·6	-	?	-	-	1	-	-
Leipzig	719,000	„ 23	145	7	156	11·3	-	?	-	-	-	-	5
Munich	730,000	„ 23	165	6	166	11·8	-	?	-	-	-	-	1
Budapest	1,009,069	„ 30	352	13	245	12·6	1	-	-	1	2	1	2
Warsaw	1,115,651	„ 23	?	12	262	12·2	1	-	-	-	-	1	10
Madrid	825,471	„ 16	356	17	301	19·0	-	-	5	-	-	-	6
Cairo	1,160,700	Feb. 25	1122	26	470	21·1	4	-	3	-	?	9	68
Alexandria	629,900	„ 25	642	12	224	18·5	2	-	-	-	?	1	22
New York	7,090,089	May 23	2139	138	1569	11·1	-	-	14	2	3	3	3
Chicago	3,457,375	„ 29	1082	23	686	10·3	1	-	5	6	1	7	5
New Orleans	466,000	Jan. 31 (31 days)	659	35	840	21·6	2	-	-	1	3	2	6
Rio de Janeiro ..	1,729,799	Apr. 25											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of a* for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 39 deaths from Cholera in Calcutta, 7 in Madras, and 1 from Plague in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 20th June, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	All Ages.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	25,058	28,443	758	48	10	9	15	32	32	40	85	136	188	163
Enteric fever	10	12	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	960	30	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	76	32	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	26	179	5	3	2	-	-	-	-	-	-	-	-	-
Diphtheria	253	144	3	2	-	1	-	-	-	-	-	-	-	-
Influenza	225	895	3	-	-	-	-	-	1	-	-	1	-	1
Erysipelas	86	100	4	-	-	-	-	-	-	1	1	-	1	1
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	28	24	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	53	81	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	1789	2013	62	1	-	-	1	17	11	8	9	12	3	-
Nervous system	117	118	2	2	-	-	-	-	-	-	-	-	-	-
Intestines and peritoneum	27	30	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	102	125	2	-	-	-	-	-	-	-	-	1	1	-
Venereal diseases	99	97	2	-	-	-	-	-	-	-	2	-	-	-
Cancer	3096	3245	114	-	-	-	-	-	3	6	15	29	41	20
Rheumatic fever	98	58	2	-	-	1	1	-	-	-	-	-	-	-
Diabetes	259	271	7	-	-	-	-	-	-	-	-	1	5	1
Alcoholism	6	7	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	44	46	4	1	2	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1001	1051	23	-	-	-	-	-	-	-	3	1	7	12
Epilepsy	101	82	5	-	-	1	-	-	-	-	3	-	1	-
"Convulsions" (not puerperal) ..	34	35	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	605	565	13	2	1	-	2	-	1	1	-	2	3	1
Pericarditis	10	9	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	88	95	5	-	-	-	1	-	2	-	2	-	-	-
Other diseases of heart	5200	6625	169	-	-	-	1	2	3	5	13	32	46	67
Other diseases of circulatory system	1034	1126	46	-	-	-	-	-	-	1	2	14	18	11
Bronchitis	1128	1767	19	1	-	-	1	-	-	-	3	4	3	7
Broncho-pneumonia	1090	1682	16	2	2	1	-	-	1	-	-	4	4	6
Lobar pneumonia	620	738	14	1	1	1	-	-	-	-	3	3	5	-
Pneumonia (type not distinguished)	230	260	5	1	-	-	-	-	-	-	2	-	1	1
Other diseases of respiratory system	246	357	8	-	-	-	-	1	-	1	1	1	3	1
Diarrhœa and enteritis	351	321	8	4	1	-	1	-	-	-	-	1	1	-
Appendicitis, Typhlitis	146	138	8	-	-	-	1	1	1	1	2	2	-	-
Hernia, Intestinal obstruction ..	233	263	9	1	-	-	-	-	-	-	-	4	3	1
Cirrhosis of liver	97	105	5	-	-	-	-	-	1	-	1	1	1	1
Other diseases of digestive system ..	622	580	16	1	-	-	-	-	1	3	3	6	1	1
Acute nephritis	51	44	2	-	-	-	-	-	-	1	-	-	-	1
Chronic Bright's disease	831	893	39	-	-	-	-	1	1	2	6	11	13	5
Other diseases of genito-urinary system.	369	431	16	-	-	-	-	-	-	2	2	1	10	1
Puerperal sepsis	54	58	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth ..	42	58	3	-	-	-	-	-	2	-	1	-	-	-
Congenital malformations	162	152	3	2	-	-	-	1	-	-	-	-	-	-
Premature birth	477	507	8	8	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	97	80	1	1	-	-	-	-	-	-	-	-	-	-
Old age	564	685	22	-	-	-	-	-	-	-	-	-	2	20
Suicide	268	252	14	-	-	-	-	1	1	3	3	5	1	-
Burns and Scalds	52	77	2	-	-	2	-	-	-	-	-	-	-	-
Drowning	62	47	2	-	-	-	-	1	-	1	-	-	-	-
Suffocation in bed	20	16	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	354	324	16	-	-	-	4	3	-	-	2	2	5	-
Other deaths by violence	388	386	13	3	-	-	-	1	2	1	-	-	3	3
Other specified causes	998	1123	31	7	1	1	2	2	-	3	6	2	6	1
Ill-defined causes	3	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 20th June, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	31	196	171	2	46	C. 8 D. 5 E. 1 L. 2 M. 23 N. 13
Metropolitan Boroughs:—						
†BATTERSEA ...	–	1	8	1	3	C. 1 M. 2 N. 1
†BERMONDSEY ...	2	7	5	–	4	N. 1
†BETHNAL GREEN	–	5	4	–	3	–
†CAMBERWELL ...	1	9	4	–	1	M. 1
†CHELSEA	–	–	2	–	1	–
†DEPTFORD ...	–	5	5	–	–	M. 2
†FINSBURY ...	8	7	10	–	–	M. 1
†FULHAM	–	7	7	–	3	M. 2
†GREENWICH ...	–	4	8	–	1	–
†HACKNEY... ...	1	4	10	–	2	N. 2
†HAMMERSMITH ...	–	2	3	–	–	D. 1 M. 1 N. 2
†HAMPSTEAD ...	–	1	3	–	–	–
†HOLBORN... ...	–	–	4	–	1	L. 2

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	20	13	–	1	C. 3 D. 1 M. 5 N. 2
†KENSINGTON ...	–	8	3	–	1	N. 1
†LAMBETH ...	–	12	11	–	4	M. 4 N. 1
†LEWISHAM ...	–	19	5	–	1	C. 1 D. 1 N. 1
†PADDINGTON ...	–	10	9	–	1	C. 1 M. 1
†POPLAR	1	12	10	–	4	M. 3
†ST. MARYLEBONE	–	4	–	–	–	N. 1
†ST. PANCRAS ...	–	7	2	–	–	D. 1
†SHOREDITCH ...	6	3	2	–	–	C. 1
†SOUTHWARK ...	–	5	14	–	3	C. 1 M. 1
†STEPNEY	12	22	9	–	4	–
†STOKE NEWINGTON	–	–	1	–		–
†WANDSWORTH ...	–	11	10	–	4	E. 1
†WESTMINSTER, CITY OF	–	2	2	1		–
†WOOLWICH ...	–	9	7	–	4	D. 1 N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	2	4	–	1	C. 1 N. 1
Boroughs and Urban Districts:—						
†LUTON	–	1	2	–	–	N. 1
Rural Districts:—						
AMPTHILL ...	–	1	1	–	–	C. 1
BEDFORD... ...	–	–	1	–		–
BIGGLESWADE ...	–	–	–	–	1	–
BERKS	–	9	–	–	–	N. 1
†READING C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...		1	–	–		–
Rural Districts:—						
ABINGDON ...	–	2	–			–
EASTHAMPSTEAD	–	1	–	–	–	–
NEWBURY ...	–	–	–		–	N. 1
WALLINGFORD ...	–	1			–	–
WANTAGE ...	–	1		–	–	–
WOKINGHAM ...		1	–	–	–	–
BUCKINGHAM...	–	3	–	–	1	N. 1
Boroughs and Urban Districts:—						
MARLOW	–	1		–	–	–
Rural Districts:—						
AMERSHAM ...	–	–	–	–	1	–
ETON	–	1	–	–		–
WYCOMBE ...	–	1	–	–	–	N. 1
CAMBRIDGE ...	–	2	–	–	–	N. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	2	–	–		–
NEWMARKET ...	–	–	–	–	–	N. 1
CHESTER ...	–	41	16	1	10	M. 3 N. 2
†BIRKENHEAD C.B.	–	7	2		2	–
†CHESTER C.B. ...	–	3	1	–	–	M. 1 N. 1
†STOCKPORT C.B. ...	–	2	2	1	1	–
†WALLASEY C.B. ...	–	3	3	–	–	M. 1
Boroughs and Urban Districts:—						
ALDERLEY EDGE..	–	1	–	–	–	–
†ALTRINCHAM ...		3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	2	–	1	–
†CHEADLE AND GATLEY	–		–	–	1	–
†CREWE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	–		–	–	M. 1
†HOYLAKE AND WEST KIRBY	–	–	–	–	1	–
†HYDE	–	1	–	–	–	–
KNUTSFORD ...	–	1	–		–	–
†MACCLESFIELD ...	–	–	1	–		–
MARPLE	–	1	–	–	–	–
†NORTHWICH ...	–	–	–	–	1	–
†SALE	–	1	–	–	–	–
WILMSLOW ...	–	1		–	1	–
YEARDSLEY CUM WHALEY	–	–	2	–	–	–
Rural Districts:—						
BUCKLOW... ...	–	–	–	–	1	–
CHESTER	–	1	–	–	1	–
MALPAS	–	3	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	–		–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
RUNCORN	–	6	1	–	–	N. 1
TARVIN	–	2	2	–	–	–
WIRRAL	–	1	–	–	–	–
CORNWALL ...	–	4	1	2	3	N. 2
Boroughs and Urban Districts:—						
BODMIN	–	–	–	1	–	–
†FALMOUTH ...	–	–	–	–	1	–
LISKEARD ...	–	1	–	–	–	–
LOOE	*	*	*	*	*	*
Rural Districts:—						
CAMELFORD ...	–	–	–	–	1	–
LAUNCESTON ...	–	–	–	–	–	N. 1
LISKEARD ...	–	1	1	1	–	–
ST. COLUMB MAJOR	–	–	–	–	1	–
ST. GERMANS ...	–	1	–	–	–	–
TRURO	–	1	–	–	–	N. 1
CUMBERLAND...	–	5	2	–	2	C. 1 M. 1
†CARLISLE C.B. ...	–	4	–	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	–	–	1	–
†WHITEHAVEN ...	–	–	–		1	–
Rural Districts:—						
WHITEHAVEN ...	–	1	2	–	–	–
DERBY	–	23	7	2	8	C. 1 D. 1 M. 2 N. 2
†DERBY C.B. ...	–	3	2	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	1	–	1	–
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	–	–	–	–	D. 1
†BUXTON ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	–	–	–	–	M. 1
DRONFIELD ...	–	–	1			–
†GLOSSOP	–	–	–	–	3	–
†HEANOR	–	–	1	–	–	–
†ILKESTON... ...	–		–	–	–	C. 1
†LONG EATON ...	–	1		–	–	–
†SWADLINCOTE DISTRICT	–	2	–	–	–	N. 2
†THE MATLOCKS...	–	2	–	–	–	–
Rural Districts:—						
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	1	–	–	1	–
CHAPEL EN LE FRITH	–	–	1	–	–	–
CHESTERFIELD ...	–	5	1	1	2	–
CLOWNE	–	2	–	–	–	–
NORTON	–	–	–	1	–	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	6	20	1	4	N. 2
†EXETER C.B. ...	–	–	1	–	–	–
†PLYMOUTH C.B.	–	3	13	–	–	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	N. 1
BIDEFORD ...	–	–	1	–	–	–
BRIXHAM... ...	–	–	–	–	2	–
†ILFRACOMBE ...	–	–	–	1	–	–
†NEWTON ABBOT...	–	–	–	–	–	N. 1
NORTHAM ...	–	–	1	–	–	–
SALCOMBE ...	–	–	–	–	1	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Rural Districts:—						
CREDITON ...	–	–	1	–	–	–
HOLSWORTHY (part)	–	–	–	–	1	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	–	1	–		–
DORSET	–	1	3	–	1	G. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
BLANDFORD ...	–	–	1	–	–	–
STURMINSTER ...	–	–	1	–	–	–
WEYMOUTH ...	–	–	–	–	–	G. 1
WIMBORNE AND CRANBORNE	–	–	1	–	–	–
DURHAM ...	–	60	33	3	51	C. 1 D. 3 L. 1 M. 1 N 2
†DARLINGTON C.B.	–	4	1	–	6	–
†GATESHEAD C.B.	–	9	1	1	2	–
†SOUTH SHIELDS C.B.	–	1	2	–	11	D. 2
†SUNDERLAND C.B.		11	4	–	6	M. 1
†WEST HARTLEPOOL C.B.	–	2	1	–	3	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BENFIELDSIDE ...	–	4	1	–	1	–
BILLINGHAM ...	–	–		–	2	L. 1
†BISHOP AUCKLAND	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†BLAYDON... ...	–	3	–	–	–	–
†CROOK	–	–	3	–	–	–
†FELLING	–	1	1	–	1	–
†HOUGHTON LE SPRING	–	1	–	1	–	–
†JARROW	–	–	–	–	7	–
†SEAHAM HARBOUR	–	1	–	–	–	–
†SHILDON	–	1	–	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	N. 1
†STANLEY	–	–	2	–	1	–
†STOCKTON ON TEES	–	1	–	–	1	–
†TANFIELD ...	–	–	1	–	–	D. 1
†WASHINGTON ...	–	2	–	–	–	–
†WHICKHAM ...	–	3	2	–	1	–
WILLINGTON ...	–	–	–	–	–	C. 1
Rural Districts:—						
AUCKLAND ...	–	2	2	–	–	–
CHESTER LE STREET	–	4	2	1	1	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	2	2	–	6	–
HOUGHTON LE SPRING	–	1	–	–	1	–
LANCHESTER ...	–	1	3	–	–	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS	–	2	–	–	1	–
SUNDERLAND ...	–	–	4	–	–	–
ELY, ISLE OF ...	–	1	1	–	–	–
Rural Districts:—						
ELY	–	1	1	–	–	–
ESSEX	6	76	59	2	12	C. 3 D. 1 G. 1 M. 2 N. 3
†EAST HAM C.B....	–	1	9	1	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†SOUTHEND ON SEA C.B.	–	5	–	–	1	–
†WEST HAM C.B.	6	9	6	–	5	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	7	1	2	M. 2
BRIGHTLINGSEA...	–	2	–	–	–	–
CANVEY ISLAND	–	–	1	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	1	2	–	–	–
†COLCHESTER ...	–	2	1	–	–	–
DAGENHAM ...	–	6	5	–	–	–
†GRAYS THURROCK	–	–	2	–	–	–
†HARWICH ...	–	–	2	–	–	–
†HORNCHURCH ...	–	2	1	–	–	–
†ILFORD	–	11	7	–	–	–
†LEYTON	–	2	4	–	–	N. 1
PURFLEET ...	–	1	–	–	–	–
†ROMFORD... ...	–	1	1	–	–	C. 1
TILBURY	–	–	1	–	–	–
†WALTHAMSTOW ...	–	14	5	–	2	N. 1
†WANSTEAD ...	–	1	–	–	–	–
†WOODFORD ...	–	3	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	5	–	–	–	C. 1 G. 1
BRAINTREE ...	–	2	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	C. 1
DUNMOW... ...	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	1	1		1	–
ORSETT	–	–	1	–	–	D. 1
ROCHFORD ...	–	2	1	–	–	–
ROMFORD... ...	–	1	–	–	–	–
TENDRING ...	–	1	2	–	–	N. 1
GLOUCESTER ...	–	14	13	–	8	C. 1 N. 2
†BRISTOL C.B. ...	–	10	12	–	5	C. 1
†GLOUCESTER C.B.	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	–	–
NAILSWORTH ...	–	1	–	–	–	–
WESTBURY ON SEVERN	–	1	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	–	1	–	–	–
LYDNEY	–	–	–	–	2	–
STROUD	–	1	–	–	–	N. 1
WARMLEY ...	–	–	–	–	–	N. 1
HEREFORD ...	–	1	2	–	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
LEOMINSTER ...	–	–	2	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
HERTFORD ...	–	9	3	–	2	–
Boroughs and Urban Districts:—						
†BARNET	–	2	–	–	–	–
†HITCHIN	–	1	–	–	–	–
HODDESDON ...	–	1	1	–	–	–
†ST. ALBANS ...	–	1	2	–	–	–
WARE	–	1	–	–	–	–
†WATFORD... ...	–	2	–	–	–	–
Rural Districts:—						
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	–	1	–
WATFORD ...	–	–	–	–	1	–

† Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	1	–	–	–	–
Rural Districts:—						
ST. IVES	–	1	–	–	–	–
KENT	-	34	29	–	6	M. 1 N. 3
Boroughs and Urban Districts:—						
†ASHFORD	–	–	-	–	1	–
†BECKENHAM ...	–	–	–	–	–	N. 2
†BROADSTAIRS AND ST. PETER'S	–	2	2	–	-	–
†BROMLEY	–	5	–	–	1	–
†CHATHAM ...	–	–	2	–	1	–
CHISLEHURST ...	-	–	1	–	–	–
†CRAYFORD ...	–	1	–	-	–	–
†DARTFORD ...	-	1	1	–	–	–
†DEAL	–	4	–	–	–	–
†FOLKESTONE ...	–	1	1	–	-	–
†GILLINGHAM ...	–	-	2	–	–	–
†GRAVESEND ...	-	1	–	–	–	–
†HERNE BAY ...	–	1	-	-	-	–
†MAIDSTONE ...	–	1	2	–	–	–
†MARGATE ...	-	–	2	–	–	-
†RAMSGATE ...	–	1	–	–	–	M. 1
†ROCHESTER ...	-	2	1	–	–	–
†ROYAL TUNBRIDGE WELLS	-	–	1	–	-	–
SANDWICH ...	–	–	-	–	1	–
SIDCUP	–	1	–	–	–	N. 1
†SITTINGBOURNE AND MILTON	–	1	–	–	–	-
SWANSCOMBE ...	–	–	2	–	–	–
†TONBRIDGE ...	–	1	-	-	-	–
WALMER	*	*	*	*	*	*
Rural Districts:—						
BLEAN	–	–	1	–	-	–
BROMLEY	–	–	3	-	–	–
DARTFORD ...	–	1	1	–	–	–
DOVER	-	1	-	–	–	–
EAST ASHFORD ...	–	1	1	–	–	-
EASTRY	–	–	1	-	–	–
ELHAM	–	-	3	–	–	–
FAVERSHAM ...	–	2	–	–	-	–
HOLLINGBOURNE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
MAIDSTONE ...	–	1	–	–	1	–
MALLING	-	3	–	-	–	–
MILTON	-	–	2	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
LANCASTER ...	–	208	148	8	119	C. 7 D. 9 E. 1 G. 2 L. 4 M. 21 N. 17
†BARROW IN FURNESS C.B.	-	2	–	2	3	–
†BLACKBURN C.B.	-	2	1	–	1	M. 1 N. 1
†BLACKPOOL C.B.	–	1	1	–	2	-
†BOLTON C.B. ...	-	3	–	–	–	–
†BOOTLE C.B. ...	-	4	3	–	2	N. 1
†BURNLEY C.B. ...	-	8	5	1	3	G. 1
†BURY C.B. ...	–	2	–		1	–
†LIVERPOOL C.B....	–	30	70	–	37	C. 1 D. 3 M. 11 N. 6
†MANCHESTER C.B.	–	54	12	1	30	C. 4 D. 1 E. 1 M. 3 N. 3
†OLDHAM C.B. ...	–	2	1	-	3	M. 1
†PRESTON C.B. ...	–	2	1	–	3	C. 1
†ROCHDALE C.B....	–	5	4	–	–	–
†ST. HELENS C.B.	–	2	2		1	–
†SALFORD C.B. ...	–	9	11	1	6	D. 1 M. 2
†SOUTHPORT C.B.	–	1	2	–	1	–
†WARRINGTON C.B.	–	15	2	–	1	N. 2
†WIGAN C.B. ...	–	5	-	–	1	D. 1
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	–	-
†ACCRINGTON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†ASHTON IN MAKERFIELD	–	–	–	–	2	–
†ASHTON-UNDER-LYNE	–	4	–	–	1	–
†ATHERTON ...	–	–	–	–	2	–
AUDENSHAW ...	–	–	–	–	1	–
BRIERFIELD ...	–	4	–	–	–	–
†CHORLEY	–	2	–	–	1	–
CHURCH	–	1	–	–	–	–
†CLITHEROE ...	–	1	–	–	–	N. 1
†COLNE	–	2	1	2	1	–
†DARWEN	–	–	2	–	–	–
†ECCLES	–	–	1	–	–	–
†FAILSWORTH ...	–	2	–	–	–	–
†FARNWORTH ...	–	1	2	–	–	D. 1 N. 2
†FLEETWOOD ...	–	1		–	–	–
FULWOOD ...	–	–	–	–	1	C. 1
GRANGE	–	1	–	–	–	–
†GREAT CROSBY ...	–	1	3		–	–
†GREAT HARWOOD	–	–	–	–	1	–
†HASLINGDEN ...	–	2	–	–	–	–
†HEYWOOD ...	–	1	1	–	–	–
†HINDLEY	–	1	–	–	1	–
†HORWICH... ...	–	2	1	–	–	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	1		–	–	–
IRLAM	–	1	–	–	1	–
†LANCASTER ...	–	5	–	–	–	N. 1
†LEIGH	–	1	1	–	–	D. 1
†LITHERLAND ...	–	–	–	–	1	–
†LITTLEBOROUGH	–	2	–	–	–	–
LITTLE LEVER ...	–	–	–		–	M. 1
†LYTHAM ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	–	–	–
MILNROW... ...	–	1		–	1	–
†MORECAMBE AND HEYSHAM	–	1	–	–	–	–
†MOSSLEY		–	–	–	–	M. 1
†NELSON	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	1	–
ORMSKIRK ...	–	–	4	–	–	–
†PRESTWICH ...	–	1	–	1	–	L 1
RAINFORD ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	–	1	–	–	–
†STRETFORD ...	–	3	4	–	–	M. 1
†SWINTON AND PENDLEBURY	–	–	–	–	2	D. 1
TOTTINGTON ...	–	–	1	–	1	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	3	3	–	–	–
†WESTHOUGHTON	–	–	–	–	–	G. 1
†WIDNES	–	–	1	–	–	–
†WORSLEY... ...	–	1	1	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BLACKBURN ...	–	–	–	–	1	–
BURNLEY ...	–	2	–	–	1	–
CLITHEROE ...	–	–	–		–	L. 1
GARSTANG ...	–	–	3	–	–	–
LANCASTER ...	–	1	1	–	–	–
LEIGH	–	–	1	–	–	–
PRESTON	–	1	–	–	–	–
WARRINGTON ...	–	2	–	–	–	–
WEST LANCASHIRE	–	1	1	–	1	–
WHISTON... ...	–	–	–	–	–	L. 2
WIGAN	–	–	–	–	1	–
LEICESTER ...	14	20	5	–	6	G. 1 M. 1
†LEICESTER C.B....	7	5	2	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	1	–	–	–
†COALVILLE ...	1	–	–	–	–	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HINCKLEY ...	–	–	–	–	1	–
†LOUGHBOROUGH	1	–	–	–	–	–
QUORNDON ...	–	6	–	–	–	–
THURMASTON ...	–	–	–	–	2	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	1	–	–	–	–	–
BARROW UPON SOAR	–	1	1	–	–	–
BLABY	1	3	–	–	1	–
CASTLE DONINGTON	–	1	–	–	–	–
HINCKLEY ...	–	1	–	–	1	–
LOUGHBOROUGH	1	–	–	–	1	–
MARKET BOSWORTH	2	2	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	1	–	1	–
†SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	1	–	–	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	1	–	–	M. 1
Rural Districts:—						
SOUTH KESTEVEN	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	1	7	2	–	7	C. 1 G. 1 M. 2
†GRIMSBY C.B. ...	–	2	1	–	1	C. 1 M. 1
†LINCOLN C.B. ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	1	–
†GAINSBOROUGH ...	–	1	1	–	–	–
HORNCASTLE ...	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	1	–	–	–	3	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	–	–	–	2	–
LOUTH	–	–	–	–	–	G. 1
MIDDLESEX ...	–	84	26	2	11	C. 1 M. 3 N. 2
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	–	–
†BRENTFORD AND CHISWICK	–	1	3		1	–
†EALING	–	1	–	–	–	–
†EDMONTON ...	–	9	2	–	2	–
†ENFIELD	–	9	3	–	–	–
†FINCHLEY ...	–	6	1	–	1	–
†FRIERN BARNET...	–	1	–	–	–	–
HAMPTON WICK...	–	–	1	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
HAYES AND HARLINGTON	–	1	1	–	–	–
†HENDON	–	6	1	–	–	–
†HESTON AND ISLEWORTH	–	4	1	–	1	–
†HORNSEY	–	5	1	–	–	N. 1
†SOUTHALL NORWOOD	–	2	–	–	–	–
†SOUTHGATE ...	–	1	2	–	–	–
SUNBURY ON THAMES	–	2	–	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	13	2	–	2	C. 1 M. 2
†TWICKENHAM ...	–	4	–	1	–	N. 1
†UXBRIDGE ...	–	2	–	–	1	–
†WEALDSTONE ...	*	*	*	*	*	*
†WEMBLEY ...	–	1	1	–	1	–
†WILLESDEN ...	–	4	7	1	1	M. 1
†WOOD GREEN ...	–	4	–	–	–	–
Rural Districts—						
HENDON	–	6	–	–	–	
NORFOLK ...	–	12	8	1	4	N. 1
†GREAT YARMOUTH C.B.	–	–	1	–	–	–
†NORWICH C.B. ...	–	2	5	–	1	N. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	2	–	1	1	–
SHERINGHAM ...	–	1	–	–	–	–
WALSOKEN ...	–	–	1	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	4	–	–	–	–
DEPWADE ...	–	–	–	–	1	–
EAST AND WEST FLEGG	–	1	–	–	–	–
LODDON AND CLAVERING	–	–	1	–	–	–
MARSHLAND ...	–	1	–		–	–
SWAFFHAM ...	–	1	–	–	–	–
WALSINGHAM ...	–	–			1	–
NORTHAMPTON	–	11	5	–	7	C. 2
†NORTHAMPTON C.B	–	2	2	–	2	C. 1
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
FINEDON	–	–	–	–	1	–
HIGHAM FERRERS	–	1	–	–	–	–
IRTHLINGBOROUGH	–	–	1		–	–
†KETTERING ...	–	4	1	–	–	–
RAUNDS	–	1	–	–	–	–
†RUSHDEN... ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	–	1	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	–	C. 1
KETTERING ...	–	–	–	–	1	–
POTTERSPURY ...	–	1	–	–	–	–
TOWCESTER ...	–	–	–	–	2	–
WELLINGBOROUGH	–	2	–	–	–	–
NORTHUMBERLAND.	–	40	5	1	25	D. 1 N. 2
†NEWCASTLE UPON TYNE C.B	–	30	1	–	8	–
†TYNEMOUTH C.B.	–	–	1	–	1	N. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	1	–	–	N. 1
†BEDLINGTONSHIRE	–	–	–	–	5	–
†BLYTH	–	2	–	–	2	–
HEXHAM	–	–	–	–	2	–
MORPETH... ...	–	–	–	–	1	–
†NEWBURN ...	–	–	–	1	1	–
SEATON DELAVAL	–	1	–	–	2	–
†WALLSEND ...	–	2	1	–	–	D. 1
†WHITLEY AND MONKSEATON	–	–	–	–	2	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
CASTLE WARD ...	–	3	–		1	–
HEXHAM	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	–	22	11	–	7	D. 4 M. 2 N. 1
†Nottingham C.B.	–	6	3	–	5	M. 1
Boroughs and Urban Districts:—						
†Carlton	–	–	2	–	–	–
†East Retford ...	–	1	1	–	–	–
†Mansfield ...	–	4	–	–	1	D. 2
†Mansfield Woodhouse	–	–	–	–	–	D. 1
†Newark	–		–	–	–	N. 1
†Sutton in Ashfield	–	1	1	–	–	–
†West Bridgford	–	1	–	–	–	–
Worksop... ...	–	–	–	–	1	–
Rural Districts:—						
Basford	–	5	1	–		–
Skegby		–	–	–	–	D. 1
Southwell ...	–	4	3	–	–	M. 1
OXFORD	–	–	2	–	1	–
†Oxford C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†Banbury... ...	–	–	1		–	–
Rural Districts:—						
Headington ...	–	–	–		1	–
PETERBOROUGH (Soke of).	3	–	–	–	2	N. 1
Borough:—						
†Peterborough...	3	–	–	–	2	N. 1
RUTLAND ...	–	1	–	–	–	–
Rural Districts:—						
Uppingham ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	9	5	–	–	N. 2
Boroughs and Urban Districts:—						
Bridgnorth ...	–	2	–	–	–	–
Ludlow	–	–	1	–		–
Oswestry ...	–	–	–	–	–	N. 1
†Shrewsbury ...	–	1		–	–	–
Wellington ...	–	–	2	–	–	–
Rural Districts:—						
Atcham	–	2	–	–	–	N. 1
Chirbury ...	–	3	–	–	–	–
Ludlow		1	–	–	–	–
Shifnal	–	–	2	–	–	–
SOMERSET ...	–	5	4	–	3	C. 1
†Bath C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†Bridgwater ...	–	1		–	–	–
Street	*	*	*	*	*	*
Watchet ...	*	*	*	*	*	*
†Weston super Mare	–	1	–		–	–
†Yeovil	–	–	1	–	1	–
Rural Districts:—						
Axbridge ...		–	–	–	–	C. 1
Bath	–	–	1	–	–	–
Chard	–	–	1	–		–
Taunton ...	–	–	–	–	1	–
Wincanton ...	–	3	–	–	–	–
Yeovil	–	–	1	–	–	–
SOUTHAMPTON	–	27	13	2	2	M. 1 N. 4
†Bournemouth C.B.	–	2	1	–	–	
†Portsmouth C.B.		8	8	–	–	N. 1
†Southampton C.B.	–	7	–	1	2	M. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
ANDOVER... ...	*	*	*	*	*	*
†FAREHAM ...	–	2	1	–	–	–
†FARNBOROUGH ..	–	1	–	–	–	–
†GOSPORT	–	–	1	–	–	–
LYMINGTON ...	–	–	2	–	–	–
PETERSFIELD ...	–	–	–	1	–	–
Rural Districts:—						
ANDOVER... ...		3		–	–	–
BASINGSTOKE ...	–	–	–	–	–	N. 1
CATHERINGTON ...	–	1	–	–		–
FAREHAM ...	–	1	–	–	–	–
HAVANT	–	1	–	–	–	–
NEW FOREST ...	–	1	–	–	–	–
STOCKBRIDGE ...	–	–	–	–	–	N. 1
STAFFORD ...	–	38	15	–	21	C. 4 E. 1 G. 1 L. 5 M. 7 N. 2
†BURTON UPON TRENT C.B.		–	–	–	1	–
†SMETHWICK C.B.	–	1	5	–	3	–
†STOKE ON TRENT C.B.		6	3	–	5	C. 2 E. 1 G. 1 M. 1
†WALSALL C.B. ...	–	3	1	–	2	–
†WEST BROMWICH C.B.	–	1	–	–	1	–
†WOLVERHAMPTON C.B.	–	4	–	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–			1	–
BIDDULPH ...	–	–	–	–	1	M. 1
†BROWNHILLS ...	–	–	–	–	–	N. 1
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CANNOCK	–	1	–	–	–	–
KIDSGROVE ...	–	–	–	–	–	M. 1
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	–	–	–	M. 1
†ROWLEY REGIS ...	–	2		–	–	–
TAMWORTH ...	–	3	–	–	–	–
TETTENHALL ...	–	–	2	–	–	–
†TIPTON	–	6	–	–	1	–
†WEDNESBURY ...	–	1	–	–	2	M. 1
WEDNESFIELD ...	–	–		–	–	N. 1
†WILLENHALL ...	–	–	1	–	–	–
†WOLSTANTON UNITED	–	–	–	–	–	C. 1
Rural Districts:—						
CANNOCK	–	–	2	–	1	–
CHEADLE... ...	–	2	–	–	–	L. 5 M. 1
LICHFIELD ...	–	2	–	–	–	–
SEISDON	–	2	1	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	2	–	–	–	–
SUFFOLK, EAST	–	12	11	1	2	C. 1
†IPSWICH C.B. ...	–	7	9	–	–	–
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	–	1	–	–	–
†LOWESTOFT ...	–	2	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	1	–	–
HARTISMERE ...	–	–	–	–	–	C. 1
HOXNE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST *cont.*						
Rural Districts— *cont.*						
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST	–	6	–	–	–	–
Rural Districts:—						
MELFORD... ...	–	4	–	–	–	–
MILDENHALL ...	*	*	*	*	*	*
THINGOE	–	2	–	–	–	–
SURREY	–	31	21	–	10	D. 1 M. 1 N. 5
†CROYDON C.B. ...	–	8	4	–	1	N. 3
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	–	–
†CARSHALTON ...	–	1	1	–	1	–
†CATERHAM AND WARLINGHAM	–	–	1	–	1	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	–		1	–
DORKING	–	1	–	–	–	–
†EPSOM	–	3	1	–	–	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FRIMLEY AND CAMBERLEY	–	1	–	–		–
†GUILDFORD ...	–	–	–	–	1	–
HASLEMERE ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	2	–	–	–	–
†MERTON AND MORDEN	–	3	1	–	–	M. 1
†MITCHAM... ...	–	–	4	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts— *cont.*						
†REIGATE	–	2	1	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	–	1	–	2	–
†SUTTON AND CHEAM	–	–	1	–	–	D. 1
†WALTON UPON THAMES	–	–		–	–	N. 1
†WIMBLEDON ...	–	1	–	–	–	–
†WOKING	–	–	–	–	1	–
Rural Districts:—						
DORKING	–	–	–	–	1	–
EPSOM	–	1	–		–	–
GUILDFORD ...	–	–	–	–	–	N. 1
HAMBLEDON ...	–	–	4	–	–	–
REIGATE	–	3	1	–	–	–
SUSSEX, EAST...	–	17	9	–	4	C. 1 N. 1
†BRIGHTON C.B. ...	–	1	4	–	–	–
†EASTBOURNE C.B.	–	–	1	–	3	–
†HASTINGS C.B. ...	–	–	2	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	*	*	*	*	*	*
†HOVE	–	–	–	–	–	C. 1
†LEWES	–	8	1	–	–	–
Rural Districts:—						
BATTLE	–	–	–	–	–	N. 1
CUCKFIELD ...	–	5	–	–	–	–
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	–	–	1	–
NEWHAVEN ...	–	1	–	–	–	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	8	–	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
†Bognor Regis ...	–	1	–	–	–	–
Shoreham by Sea	–	1	–	–	–	M. 1 N. 1
Rural Districts:—						
East Preston ...	–	1	–	–	–	–
Horsham ...	–	1	–	–	–	–
Petworth ...	–	–	–	–	–	N. 1
Steyning West...	–	2	–	–	–	–
Westhampnett	–	2			–	–
WARWICK ...	–	67	53	–	41	C. 1 M. 24 N. 3
†Birmingham C.B.	–	48	42	–	33	M. 23 N. 3
†Coventry C.B. ...	–	7	6	–	–	–
Boroughs and Urban Districts:—						
†Nuneaton ...	–	1	–	–	1	C. 1
†Rugby	–	1	1	–	–	–
†Stratford on Avon	–	–	–	–	1	–
†Sutton Coldfield	–	3	–	–	–	M. 1
†Warwick ...	–	–	–	–	2	–
Rural Districts:—						
Alcester ...	–	1	–	–	1	–
Atherstone ...	–	3	1	–	1	–
Meriden... ...	–	–	1	–	–	–
Nuneaton ...	–	2	–	–	–	–
Rugby	–	1	1	–	–	–
Southam... ...	–	–	1	–	2	–
WESTMORLAND		1	–	–	1	–
Boroughs and Urban Districts:—						
Appleby	–	–	–	–	1	–
WESTMORLAND —*cont.*						
Rural Districts:—						
East Westmorland	–	1	–	–	–	–
WIGHT, ISLE OF		–	1	–	–	D. 1
Boroughs and Urban Districts:—						
†Newport... ...	–	–	1	–	–	–
†Ryde	–	–	–	–	–	D. 1
WILTS	–	6	2	–	3	N. 2
Boroughs and Urban Districts:—						
Chippenham ...	–	2	–	–	–	–
†Salisbury ...	–	–	–	–	–	N. 2
†Swindon... ...	–	–	2	–	3	–
†Trowbridge ...	*	*	*	*	*	*
Rural Districts:—						
Calne	–	1	–	–	–	–
Tisbury	–	2	–	–	–	–
Westbury and Whorwellsdown	–	1	–	–	–	–
WORCESTER ...	–	11	4	–	4	G. 1 M. 1 N. 1
†Dudley C.B. ...	–	–	–	–	2	M. 1
†Worcester C.B.	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
†HALESOWEN ...	–	–	–	–	1	–
†KIDDERMINSTER	–	2	–	–	–	–
†MALVERN ...	–	1	–	–	–	–
†OLDBURY	–	1	–	–	1	–
†REDDITCH ...	–	1	2	–	–	N. 1
†STOURBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
EVESHAM	–	–	–	–	–	G. 1
FECKENHAM ...	–	–	1	–	–	–
KIDDERMINSTER	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	13	24	–	6	M. 3
†KINGSTON UPON HULL C.B.	–	11	23	–	4	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	M. 3
HESSLE		1	–	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	–	–	–	1	–
HOWDEN	–	1	–	–	–	–
SCULCOATES ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	–	16	4	–	17	D. 2 N. 1
†MIDDLESBROUGH C.B.	–	1	3	–	9	–
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	1	–
GUISBOROUGH ...	–	3	–	–	1	–
†REDCAR	–	–	–	–	3	–
RICHMOND ...	–	–	–	–	1	–
†SCARBOROUGH ...	–	3	1	–	–	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY ON TEES	–	1	–	–	1	D. 1
†WHITBY	–	1	–		–	–
Rural Districts:—						
CROFT	*	*	*	*	*	*
EASINGWOLD ...	–	–	–	–	–	N. 1
FLAXTON	–	–	–	–	–	D. 1
KIRKBY MOORSIDE	–	1	–	–	–	–
NORTHALLERTON	*	*	*	*	*	*
STOKESLEY ...	–	1	–	–	–	–
WHITBY	–	2	–		–	–
YORKS ... ... (West Riding).	7	128	75	–	70	C. 7 D. 17 E. 2 G. 2 L. 1 M. 4 N. 7
†BARNSLEY C.B. ...	–	1	–	–	3	D. 1 N. 1
†BRADFORD C.B. ...	5	23	3	–	7	–
†DEWSBURY C.B....	–	6	–	–	–	–
†DONCASTER C.B....	–	2	3	–	–	D. 1
†HALIFAX C.B. ...	–	1	4	–	1	–
†HUDDERSFIELD C.B.	–	2	1	–	1	–
†LEEDS C.B. ...	–	29	14	–	14	C. 3 D. 1 M. 1 N. 1
†ROTHERHAM C.B.	–	1	1	–	1	D. 1 G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†SHEFFIELD C.B....	–	18	5	–	14	C. 1 D. 2 E. 2 N. 1
†WAKEFIELD C.B.	–	6	3	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	4	–	–	–
ARDSLEY, EAST AND WEST	–	–	1	–	–	–
†BATLEY	–	1	1	–	–	C. 1
†BENTLEY WITH ARKSEY	–	–	2	–	–	–
†BOLTON UPON DEARNE	–	–	–		–	D. 1
†BRIGHOUSE ...	1	–	1	–	–	–
†CASTLEFORD ...	–	1	1	–	–	C. 1
†CONISBROUGH ...	–	–	1	–	–	D. 1
†DARTON	–	1	–	–	–	–
DENHOLME ...	–	1	–	–	–	–
DRIGHLINGTON ...	–	1	–	–	–	–
EMLEY	–	–	–	–	–	G. 1
GREASBROUGH ...	–	–	–	–	1	–
GREETLAND ...	–	–	1	–	1	–
†HARROGATE ...	–	–	–		2	–
HECKMONDWIKE	–	–	1		–	–
†HEMSWORTH ...	–	–	1	–	4	D. 1 L. 1
†HOLMFIRTH ...	–	1	–	–	–	
HORSFORTH ...	–	2	–	–	–	–
†KEIGHLEY ...	–	1		–		–
MALTBY	–	–	–	–	2	D. 1
MARSDEN... ...	–	1	–	–		
†MIRFIELD ...	–	–	–	–		M. 1
†MORLEY	–	–	1		–	–
†NORMANTON ...	–	2	–	–	2	N. 1
†OSSETT	–	–	–	–	1	
†PONTEFRACT ...	–	1	–	–	–	–
†PUDSEY	–	2		–		
RAWDON	–	–	–	–	–	M. 1
†RAWMARSH ...		–	–	–	2	D. 1
†ROTHWELL ...	–	1	–	–	–	N. 1
ROYSTON	–	1	–	–	–	D. 1
†SHIPLEY	–	2		–	–	
SILSDEN	–	1	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SLAITHWAITE ...	1	1	–	–	–	–
†SOWERBY... ...	–	–	–	–	1	–
†SPENBOROUGH ...	–	1	1	–	1	–
†STANLEY	–	2	5	–	1	N. 1
STOCKSBRIDGE ...	–	1	–	–	–	N. 1
THURNSCOE ...	–	–	–	–	–	D. 1
†TODMORDEN ...	–	6	–	–	1	–
WHITWOOD ...	–	1	2	–	1	–
†WOMBWELL ...	–	–	1	–	3	–
Rural Districts:—						
DONCASTER ...	–	–	–	–	–	D. 1
GREAT OUSEBURN	–	1	–	–	–	
HEMSWORTH ...	–	1	3	–	2	D. 2
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	–	4	–	1	–
KNARESBOROUGH	–	–	2	–	–	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	–	–	1	–	–	–
ROTHERHAM ...	–	–	4	–	–	D. 1
SKIPTON	–	–	–	–	–	C. 1 M. 1
TADCASTER ...	–	–	1	–	–	–
THORNE	–	–	–		2	–
WAKEFIELD ...	–	1	2	–	–	–
WHARFEDALE (SOUTH)	–	1	–	–	–	–
WORTLEY... ...	–	1		–	1	–
YORK, CITY OF ..	–	1	3	–	–	D. 1
†YORK C.B. ...	–	1	3	–	–	D. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	*	*	*	*	*	*
Rural Districts:—						
AETHWY... ...	–	–	1	–	–	–
BRECKNOCK ...	–	–	–	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON...	–	–	1	–	–	C. 1
Boroughs and Urban Districts:—						
†BANGOR	–	–	1	–	–	–
PENMAENMAWR ...	–	–	–	–	–	C. 1
CARDIGAN ...		1	1	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	1	–	–	–
Rural Districts:—						
CARDIGAN ...	–	–	–	–	1	–
LLANDYSSIL ...	*	*	*	*	*	*
CARMARTHEN...	–	4	1	–	5	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1		1	–
CWMAMMAN ...	*	*	*	*	*	*
KIDWELLY ...	–	1	–	–	2	–
LLANDILO ...	–	1	–	–	–	–
Rural Districts:—						
CARMARTHEN ...		–		–	1	–
LLANDILO FAWR	–	1	–	–	–	–
LLANELLY ...	–	1	–	–	1	–
DENBIGH ...	–	3	15	–	1	–
Boroughs and Urban Districts:—						
†WREXHAM ...	–	1	1	–	–	–
Rural Districts:—						
RUTHIN		–	1	–	–	–
ST. ASAPH (DENBIGH)	–	–	1	–	–	–
WREXHAM ...	–	2	12		1	–
FLINT	–	1	2	–	3	C. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	–		–	–	1	–
†RHYL	–	1	2	–		C. 1
Rural Districts:—						
HOLYWELL ...	–	–	–	–	2	–
OVERTON	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	-	42	24	-	16	C. 2 D. 1 E. 1 M. 4 N. 3
†Cardiff C.B. ...	-	10	5	-	1	C. 1
†Merthyr Tydfil C.B.	-	-	4	-	-	-
†Swansea C.B. ...	-	1	5	-	3	N. 1
Boroughs and Urban Districts:—						
†Aberdare ...	-	1	-	-	1	-
†Barry	-	2	2	-	-	-
†Caerphilly ...	-	1	-	-	-	-
†Gelligaer ...	-	3	-	-		N. 1
†Glyncorwg ...	*	*	*	*	*	*
†Llwchwr ...	-	1	1	-	-	-
†Maesteg	-	-	-	-	4	M. 1
†Mountain Ash...	-	2	1	-	1	C. 1
†Ogmore and Garw	-	3	-	-	1	E. 1
†Pontypridd ...	-	2	-		1	M. 1
Porthcawl ...	-	1	-	-	-	-
†Port Talbot ...	-	2	3	-	-	-
†Rhondda ...	-	10	1		4	M. 1
Rural Districts:—						
Cardiff	*	*	*	*	*	*
Cowbridge ...	-	1	-	-	-	M. 1
Llantrisant and Llantwitfardre	-		1	-	-	D. 1
Neath	-		1	-		-
Penybont ...	-	2	-	-	-	-
Pontardawe ...	-	-	-	-		N. 1
MERIONETH ...	-	-	1	-	1	-
Rural Districts:—						
Dolgelley ...	-		-	-	1	-
Pennal (Parish)	-	-	1	-	-	-
MONMOUTH ...	-	43	5	1	6	G. 1
†Newport C.B. ...	-	19	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH— *cont.*						
Boroughs and Urban Districts—						
Abergavenny ...	-	-	2	-	-	-
†Abertillery ...	-	4	1	-	-	-
Bedwas and Machen	-	2	-	-	-	-
†Bedwellty ...	-	4	-	-	2	-
†Blaenavon ...	-	-	-	-	-	G. 1
†Ebbw Vale ...	-	2	1	-	3	-
†Rhymney ...	-	3	-	1	-	-
†Risca	-	2	-	-	-	-
†Tredegar ...	-	-	1	-	-	-
Rural Districts:—						
Magor	-	1	-	-	-	-
St. Mellons ...	-	6	-	-	-	-
MONTGOMERY...	-	-	-	-	1	-
Rural Districts:—						
Llanfyllin ...	-		-	-	1	-
PEMBROKE ...	-	3	3	1	-	-
Boroughs and Urban Districts:—						
Milford Haven	-	2	1	-	-	-
Rural Districts:—						
Haverfordwest	-	1	2	-	-	-
St. Dogmells ...	-	-	-	1	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
RADNOR	–	2	–	–	–	–	**Total of Part II....**	31	1197	705	28	519	C. 38 D. 42 E. 5 G. 11 L. 11 M. 86 N. 79
Urban Districts:—													
Llandrindod Wells	–	1	–	–	–	–							
Rural Districts:—													
Painscastle ...	–	1	–	–	–	–							

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Barnstaple	*	*	*	*	*	*	Port of London ...	–	–	1	–	–	L. 1
Southampton ...	–	–	–	–	1	–	**Total of Part III.** ...	–	–	1	–	1	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	31	196	171	2	46	C. 8 D. 5 E. 1 L. 2 M. 23 N. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	31	1197	705	28	519	C. 38 D. 42 E. 5 G. 11 L. 11 M. 86 N. 79
Total of Part III.—Port Sanitary Districts	-	-	1	-	1	L. 1
Total (i.e., of returns received), England and Wales ...	62	1393	877	30	566	C. 46 D. 47 E. 6 G. 11 L. 14 M. 109 N. 92

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—London and Great Towns in the GGREGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	Mar. 28.	Apl. 4	Apl. 11.	Apl. 18.	Apl. 25	May 2	May 9.	May 16.	May 23.	May 30.	June 6	June 13	June 20	Totals from 1st Week of year. * 1930.	1931.
NDON :—															
VE Births	1,390	1,180	1,352	1,471	1,389	1,424	1,369	1,323	1,453	1,227	1,494	1,559	1,383	34,979	33,400
LLBIRTHS	45	51	60	44	31	33	55	47	46	42	61	65	52	1,317	1,187
ATHS (excluding Still-irths)—all ages.	1,184	1,144	1,165	981	954	1,002	955	905	871	831	856	761	758	25,058	28,443
ATHS—0 to 1 year ..	88	63	90	78	68	79	71	68	70	74	59	48	48	2,216	2,166
EAT TOWNS, aggre-ate (including Lon-on) :—															
VE Births	6,421	5,509	6,471	7,028	6,789	6,646	6,447	6,364	6,754	5,553	7,080	7,087	6,603	159,806	156,105
LLBIRTHS	305	296	318	305	270	286	320	273	301	234	287	301	331	7,114	7,014
ATHS (excluding Still-irths)—all ages.	5,691	5,313	5,423	4,674	4,590	4,623	4,351	4,127	4,235	4,036	3,872	3,846	3,606	113,322	130,259
ATHS—0 to 1 year ..	521	459	520	416	397	409	404	347	401	352	367	329	293	10,936	12,377
TERIC Fever—Cases	9	10	18	14	15	10	15	9	16	11	19	16	12	607	322
„ Deaths	1	—	—	4	3	1	2	2	1	—	1	—	2	55	40
ALL Pox—Cases ..	166	117	142	126	162	128	139	108	84	72	57	84	49	6,518	3,243
„ Deaths ..	—	—	1	—	1	—	—	—	—	—	1	—	—	15	4
ARLET Fever—Cases	804	724	836	687	854	869	896	864	832	744	786	798	803	30,956	20,400
„ Deaths	9	5	8	4	5	4	9	11	4	5	5	3	1	252	151
PHTHERIA—Cases ..	627	521	497	513	552	540	578	542	519	412	482	534	569	22,353	15,250
„ Deaths ..	30	33	27	35	21	22	21	25	21	22	18	21	24	1,073	765
EASLES—Deaths ..	60	58	64	55	42	46	36	38	28	39	26	33	26	2,238	1,422
FLUENZA—Deaths ..	301	208	175	110	96	74	40	44	54	46	30	21	20	1,397	5,113

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ving been made for changes in boundary. The live births are derived from the weekly returns furnished by the gistrars and differ from those published for the towns in the Quarterly Return which are corrected for births curring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 20th June, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
London (Greenwich).	80	47	70·6	51·3	9	Huddersfield	70	47	62·7	50·1	38
						Bradford ..	70	47	61·6	51·1	31
Brighton ..	75	49	63·4	53·4	4	Sheffield ..	70	48	62·3	51·3	43
Portsmouth ..	71	50	65·1	53·8	6	York (Museum)	72	47	64·0	51·6	39
Norwich(South-well Lodge)	73	46	66·0	52·0	8	Hull (Pearson Park).	69	50	65·0	52·4	12
Plymouth ..	64	51	60·7	52·4	35	Tynemouth ..	65	44	60·1	50·0	18
Bristol (Horfield)	69	50	63·4	52·4	49	Cardiff	65	50	61·6	52·3	32
Birmingham (Edgbaston).	69	47	61·4	50·7	51						
						Edinburgh ..	63·0	44·0	59·4	48·9	38
Nottingham ..	73	47	64·3	51·7	28	Glasgow ..	62·8	46·5	60·2	49·5	52
Birkenhead (Bidston).	66	48	60·9	51·7	50	Dublin (Phœnix Park)	66·4	42·0	62·6	47·1	26
Manchester (Whitworth Park).	72	49	62·6	51·7	54	(Fitzwilliam Square†).	66·0	45·0	62·0	49·8	24
Burnley	70	45	61·1	50·0	41	Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 20th June, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	14	..	29·486	79·9	55·9	24·0	64·7	+ 6·0	59·3	5·4	18·3	3·1	82	134·3	48.3	53·9	E	ESE: SW.	6·9	0·0	0·7	319	+ 72	0·00
MONDAY -	15	..	29·891	72·4	52·5	19·9	60·9	+ 2·1	47·4	13·5	21·3	3·9	61	138·0	44·0	54·0	WSW: W.	SW: SSW.	5·3	0·0	0·8	452	+ 207	0·00
TUESDAY -	16	New Greatest Declination N.	29·820	69·9	50·0	19·9	58·6	- 0·3	49·4	9·2	17·8	3·2	71	126·8	42·0	54·2	S: SW	SSW: S	3·1	0·0	0·4	327	+ 83	0·00
WEDNESDAY	17	..	29·664	69·6	50·6	19·0	58·7	- 0·3	51·6	7·1	19·2	2·4	77	134·5	40·6	54·3	S: SSW: WSW.	WSW	2·6	0·0	0·4	357	+ 114	0·02
THURSDAY -	18	..	29·742	67·9	46·6	21·3	56·0	- 3·2	48·7	7·3	19·6	2·2	77	127·8	34·9	54·5	WSW: SW.	SW	5·7	0·0	0·5	375	+ 132	0 05
FRIDAY -	19	..	29·563	68·3	48·7	19·6	55·9	- 3·6	51·6	4·3	16·4	0·4	85	131·1	38·6	54·4	SSW	SW: Calm.	2·4	0·0	0·2	248	+ 4	0·28
SATURDAY -	20	..	29·977	66·4	48·3	18·1	55·5	- 4·4	47·8	7·7	20·6	0·7	75	128·1	37·1	54·4	NNW: N.	N: NW: SW.	2·0	0·0	0·2	203	- 43	0·00
MEANS -		..	29·732	70·6	50·4	20·3	58·6	- 0·5	50·8	7·8	19·0	2·3	75	131·5	40·8	54·2	SW		..		..	Sum 2281	Sum + 569	Sum 0·35
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	14	wP till 4h.; mP till 8h.; v till 13h.: then wP.	6·9	16·6	Cloudy till 8h., overcast or nearly so till 15h., then few clouds. Nearly overcast from 19½h. Brisk wind 14h. till 19h.
MONDAY ..	15	wP till 5h.; mP till 11h.; wP till 19h.; then mP.	11·8	16·6	Nearly overcast till 6h., partially cloudy till 15½h., then little cloud. Nearly overcast from 19¾h. Brisk wind 2h. till 10h.
TUESDAY ..	16	wP and mP throughout.	5·1	16·6	Very cloudy, or nearly overcast. Thin cloud after 21h. Shower 15¼h.
WEDNESDAY	17	wP and mP till 9h.; then mP.	3·4	16·6	Very cloudy, overcast or nearly so 7h. till 19h. clearing to little cloud by 21½h. Rain 7h. till 7½h. then damping till 9¾h. Solar halo 10h. Dew at night.
THURSDAY	18	mP till 13h., v till 15h.; then wP.	7·1	16·6	Nearly cloudless till 7h., then very cloudy or nearly overcast. Rain 12h. 50m. till 13h. 30m. and 14h. 30m. till 14h. 50m.
FRIDAY ..	19	wP till 6h.; vP and vN till 19h.; mP till 22h., then wP.	3·2	16·6	Overcast or nearly so. Very cloudy generally 14½h. till 22h., then little cloud. Rain or slight rain 1h. 45m. till 4h. 20m., 6h. 10m. till 7h. 40m. and frequent showery rain 9h. 15m. till 19h. 15m. Thunder 16h. 40m. till 18h.
SATURDAY	20	wP till 6h.; then mP.	1·9	16·6	Cloudy till 3h., overcast or nearly so till 19h., nearly cloudless from 19½h. Damping 3h. till 5h. Dew at night.
			Sum 39·4	Sum 116·2	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·78 ins. at the beginning of the week to 29·35 ins. by 14h. on June 14th; increased to 29·93 ins. by 21h. on June 15th; decreased to 29·61 ins. by 7h. on June 17th; increased to 29·77 ins. by 8h. on June 18th; decreased to 29·53 ins. by 9h. on June 19th; increased and was 30·05 ins. by midnight on June 20th.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 25.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 27TH JUNE,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 27TH JUNE, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twenty fifth week of the year numbered 6,607 corresponding to an annual rate of 17·5 per 1,000 living: stillbirths numbered 275 corresponding to a rate of 40 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,674 (68 more than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

	June 6.	June 13.	June 20.	June 27.
107 Great Towns	10·3	10·2	9·6	9·7
London	10·1	9·0	8·9	9·2
Birmingham	10·1	9·3	8·4	10·9
Liverpool	10·4	11·8	10·1	8·9
Manchester	12·2	10·7	10·5	11·1
Sheffield	8·1	9·6	9·6	9·7
Leeds	9·7	12·2	11·0	9·4
Bristol	9·3	12·1	8·4	9·1
West Ham	9·8	9·3	7·0	8·8

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 47, against 56, 50, and 44 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,485 live births registered corresponding to an annual rate of 17·5 per 1,000 living: stillbirths numbered 37 corresponding to a rate of 24 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 780 (22 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 42, against 42, 34, and 34 in the preceding three weeks.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

Small-pox was mentioned as a cause of death in one case in the returns received from areas outside Greater London, the County Boroughs and Great Towns, for the month of May last. This death has been provisionally classified to small-pox and assigned to Coalville U.D. (Leicestershire).

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 27th June, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,685,050*	6,607	275	3,674	208	1	27	3	21	18	39	2
LONDON	4,417,900*	1,485	37	780	59	1	-	1	7	2	13	-
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	85	1	55	8	-	-	-	-	-	-	-
WIMBLEDON ..	59,370	15	1	9	-	-	-	-	1	-	-	-
EALING	104,000	36	-	16	-	-	-	-	-	-	-	-
ACTON	65,200	12	1	8	1	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	59,040	10	-	9	2	-	-	-	-	-	-	-
WILLESDEN ..	172,500	47	-	34	5	-	-	-	-	-	-	-
HENDON§	86,540*	29	-	5	-	-	-	-	-	-	-	-
HORNSEY	88,450	21	1	14	1	-	-	-	-	-	-	-
WOOD GREEN ..	53,410	9	-	5	-	-	-	-	-	-	-	-
TOTTENHAM ..	155,000	46	-	18	1	-	-	-	1	1	-	-
EDMONTON	75,000	44	-	13	1	-	-	-	-	-	-	-
ENFIELD	65,100	24	1	6	1	-	-	-	-	1	-	-
WEST HAM C.B. ..	307,600	130	1	52	6	-	-	-	-	1	2	-
EAST HAM C.B. ..	147,600	23	1	22	1	-	-	-	-	-	-	-
LEYTON	128,300	35	1	18	-	-	-	-	-	-	-	-
WALTHAMSTOW ..	124,800	44	1	26	4	-	-	-	1	-	1	1
ILFORD	116,200	23	1	17	-	-	-	-	-	-	-	-
GILLINGHAM	56,670*	20	1	12	2	-	-	-	-	-	-	-
CANTERBURY C.B. ..	22,850*	8	-	4	-	-	-	-	-	-	-	-
HASTINGS C.B.	62,620	18	1	11	3	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	58,570	16	3	9	1	-	-	-	-	-	-	-
BRIGHTON C.B. ..	146,800*	40	2	26	2	-	-	-	-	1	-	-
PORTSMOUTH C.B. ..	242,000*	104	4	44	4	-	-	-	-	-	1	-
BOURNEMOUTH C.B.§..	105,780	24	-	21	-	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	172,300	64	2	26	1	-	-	-	-	-	-	-
READING C.B.	96,850*	24	2	24	2	-	2	-	-	-	-	-
OXFORD C.B.	73,810*	23	1	18	-	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,970*	17	2	21	2	-	-	-	-	-	-	-
LUTON	65,200	19	-	10	1	-	-	-	-	-	-	-
CAMBRIDGE	60,730	15	1	5	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	114,600	32	3	29	2	-	-	-	-	-	-	-
IPSWICH C.B.	85,800	22	2	16	-	-	-	-	1	1	-	-
GREAT YARMOUTH C.B	58,110	9	1	10	-	-	-	-	-	-	-	-
NORWICH C.B.	124,900*	30	2	20	-	-	-	-	-	-	-	-
SWINDON	62,020	20	1	12	-	-	-	-	-	1	-	-
EXETER C.B.	61,290*	27	1	16	2	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	199,000*	71	3	36	-	-	-	-	-	1	-	1
BATH C.B.	69,240	13	1	12	2	-	-	-	-	-	-	-
BRISTOL C.B.	391,145*	117	3	63	4	-	-	-	-	1	-	2
GLOUCESTER C.B. ..	52,010	18	2	13	4	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	279,190	87	6	54	4	-	-	-	-	1	1	2
BURTON-UPON-TRENT C.B.	48,970	13	1	9	1	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,300	48	1	22	1	-	-	-	-	-	-	-
WALSALL C.B.§	100,930	42	5	11	-	-	-	-	-	-	-	-
WEST BROMWICH C.B.§	80,970	36	3	14	3	-	1	-	-	-	-	-
DUDLEY C.B.	58,870	19	-	10	1	-	-	-	-	-	-	-
WORCESTER C.B. ..	52,320	19	1	10	-	-	-	-	-	-	-	-
BIRMINGHAM C.B.§ ..	972,510	362	16	204	18	-	3	-	3	-	4	-
SMETHWICK C.B. ..	85,120	23	-	11	1	-	-	-	-	-	-	-
COVENTRY C.B. ..	162,100	38	-	23	-	-	-	-	-	-	-	-
LEICESTER C.B. ..	245,200	79	5	45	4	-	-	-	1	-	-	-
LINCOLN C.B.	65,080*	21	2	17	1	-	-	-	-	-	-	-
GRIMSBY C.B.	91,440	38	1	22	-	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	266,800	101	7	53	8	-	-	-	-	-	1	-
DERBY C.B.	140,500*	56	1	16	-	-	-	-	-	-	-	-
CHESTERFIELD	65,270	31	4	8	1	-	-	-	-	-	-	-
STOCKPORT C.B. ..	127,800	47	1	31	1	-	-	-	-	-	-	-
CHESTER C.B.	40,750	18	1	9	1	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	157,600	61	5	25	4	-	-	-	-	2	1	-
WALLASEY C.B. ..	101,300	28	-	16	-	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	869,500	378	18	149	17	-	-	-	1	2	3	1
BOOTLE C.B.	80,400	38	2	16	3	-	1	-	1	-	-	-
ST HELENS C.B. ..	109,200	42	2	14	3	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
§ Change in boundary, 1st April, 1931; figures relate to new area.

TOWNS.	Estimated Population, Mid. 1929	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B ..	80,040	23	1	20	-	-	-	-	-	-	-	-
Wigan C.B.	87,600	29	1	11	2	-	-	-	1	-	-	1
Warrington C.B. ..	79,400*	36	4	18	2	-	-	-	-	-	-	-
Bolton C.B	181,500	47	2	22	1	-	-	-	-	-	1	-
Bury C.B.	56,830*	16	-	16	-	-	1	-	-	-	-	-
Manchester C.B.§ ..	753,570	239	14	160	11	-	-	-	3	1	1	4
Salford C.B.	235,600	80	7	43	2	-	-	-	-	-	-	2
Ashton-under-Lyne	51,750	23	2	11	-	-	-	-	-	-	-	-
Oldham C.B	142,500	50	5	28	3	-	-	-	-	-	1	1
Rochdale C.B. ..	90,900	19	-	24	1	-	-	-	-	-	-	-
Burnley C.B	100,200	31	-	25	1	-	-	-	-	-	-	-
Blackburn C.B. ..	125,300	37	3	33	1	-	-	-	-	-	-	1
Preston C.B.	126,100	35	-	32	4	-	-	-	-	-	-	-
Blackpool C.B. ..	99,800	19	2	18	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	64,859	18	-	16	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	113,100	34	5	20	-	-	-	-	-	-	-	-
Halifax C.B.	97,400*	35	2	21	1	-	-	-	-	-	-	-
Bradford C.B. ..	294,605	85	6	70	4	-	-	-	-	-	1	-
Leeds C.B	478,500	156	8	86	7	-	2	1	-	-	2	-
Dewsbury C.B. ..	53,020	18	-	10	1	-	-	-	-	-	-	-
Wakefield C.B. ..	56,640	30	-	10	1	-	-	-	-	1	-	-
Barnsley C.B. ..	71,700	30	-	18	4	-	2	-	-	-	-	-
Sheffield C.B. ..	518,000*	133	5	96	13	-	1	-	-	-	-	1
Rotherham C.B. ..	70,790	34	1	14	-	-	-	-	-	-	-	-
Doncaster C.B. ..	59,890	34	2	11	-	-	-	-	-	-	-	-
York C.B.	85,290*	28	1	11	1	-	-	-	-	-	-	-
Hull C.B.	307,500	111	2	65	8	-	-	-	-	-	-	-
Middlesbrough C.B.	133,100	54	3	27	2	-	1	-	-	-	-	-
Darlington C.B. ..	74,150	27	1	12	-	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,090	24	2	11	3	-	-	-	-	-	1	-
West Hartlepool C.B.	69,370	34	1	13	4	-	1	-	-	-	1	-
Sunderland C.B. ..	184,000	73	4	42	6	-	8	-	-	-	1	-
South Shields C.B ..	119,600	37	-	37	5	-	4	-	-	-	-	-
Gateshead C.B. ..	122,600	28	-	25	4	-	-	-	-	-	1	-
Newcastle-on-Tyne C.B.	283,400*	95	10	64	6	-	-	-	-	-	1	-
Tynemouth C.B. ..	65,880	27	-	11	-	-	-	-	-	-	-	-
Carlisle C.B.	56,160*	17	-	13	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	95,990*	28	1	20	2	-	-	-	-	-	-	-
Cardiff C.B.	224,000*	89	5	43	3	-	-	1	-	1	-	-
Rhondda	153,100	46	2	37	4	-	-	-	-	-	1	-
Merthyr Tydfil C.B.	77,790	29	2	20	2	-	-	-	-	-	-	-
Aberdare	53,050	12	-	7	1	-	-	-	-	-	-	-
Swansea C.B.	162,700	63	4	25	4	-	-	-	-	-	-	-
Greater London ..	7,900,480*	2,643	57	1,355	109	1	1	1	10	6	18	8
Outer Ring	3,482,580*	1,158	20	575	50	-	1	-	3	4	5	5
17 Great Towns in Outer Ring§.. ..	2,030,410*	633	10	327	31	-	-	-	3	3	3	4
Remainder of Outer Ring§	1,452,170*	525	10	248	19	-	1	-	-	1	2	1
Edinburgh†	438,998	160	?	99	4	-	-	-	-	-	-	-
Glasgow†	1,088,417	457	?	236	41	-	5	1	5	2	8	-
Dublin†	412,400	242	?	108	17	1	2	1	-	1	2	1
Belfast†	415,151	212	?	84	9	-	2	1	-	-	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Change in boundary, 1st April, 1931; figures relate to new area.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1931.											
London‡	4,417,900	June 27	1485	37	780	9·2	1	-	-	1	7	2	13
Calcutta and Suburbs	1,077,264	May 16	?	?	520‖	25·1	?	25	?	-	?	?	?
Bombay§	1,298,708	„ 30	449	34	433	17·3	4	1	-	-	-	-	17
Madras	528,791	„ 16	513	20	456‖	44·8	-	1	-	-	1	-	30
Sydney and Suburbs	1,253,560	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Mar. 31 (31 days)	447	?	203	7·8	-	-	-	1	-	-	-
Perth (Metropolitan Area).	204,780	Apr. 18	83	?	32	8·1	-	-	-	-	-	-	1
Auckland (Urban Area).	212,100	„ 30 (30 days)											
Wellington (Urban Area)	138,050	Apr. 30 (30 days)											
Christchurch (Urban Area).	125,800	Apr. 30 (30 days)											
Cape Town	136,748	May 23	79	2	15	5·7	-	-	-	-	-	-	-
Johannesburg	187,326	„ 16	93	1	42	11·7	-	-	-	-	-	-	-
Durban	61,667	„ 16	24	-	13	11·0	1	-	-	-	-	-	-
Paris	2,871,429	Apr. 30 (10 days)	1214	67	1190	15·1	4	-	17	-	3	14	30
Antwerp	294,963	May 31 (15 days)	188	7	111	9·0	-	-	-	-	-	-	2
Amsterdam	753,957	June 6	257	4	112	7·8	-	-	1	-	2	-	-
Copenhagen	615,700	„ 13	151	4	130	11·0	-	-	-	-	3	-	2
Stockholm	502,203	„ 6	108	3	113	11·7	-	-	-	-	-	-	1
Gothenberg	245,336	May 23	?	?	54	11·4	-	-	-	-	-	-	-
Oslo	253,568	June 13	41	-	50	10·3	-	-	-	-	-	-	-
Berlin	4,326,000	May 30	837	20	949	11·4	1	?	2	3	-	4	8
Breslau	617,000	„ 30	135	5	133	11·2	-	?	2	-	1	1	-
Cologne	740,000	„ 30	241	5	156	11·0	-	?	-	-	1	1	1
Dresden	633,000	„ 30	114	3	143	11·7	-	?	1	-	-	-	1
Frankfort-on-Main	541,000	„ 30	108	-	95	9·1	-	?	-	-	-	-	-
Hamburg	1,146,000	„ 30	242	8	228	10·3	-	?	-	-	-	2	2
Leipzig	719,000	„ 30	170	5	136	9·8	-	?	-	-	-	1	2
Munich	730,000	„ 30	172	4	157	11·2	-	?	-	-	-	1	-
Budapest	1,009,089	June 6	298	10	222	11·4	-	-	-	-	1	-	1
Warsaw	1,115,651	May 30	?	9	289	13·5	2	-	1	-	4	2	23
Madrid	825,471	„ 23	448	41	295	18·6	-	-	5	-	1	-	8
Cairo	1,160,700	Mar. 4	1020	22	427	19·2	1	-	3	-	?	4	52
Alexandria	629,900	„ 4	683	7	233	19·3	-	-	3	-	?	-	22
New York	7,090,089	May 30	2002	73	1439	10·6	2	-	13	1	4	1	11
Chicago	3,457,375	June 5	1094	40	730	11·0	-	-	3	2	1	7	2
New Orleans	466,000	Feb. 28 (28 days)											
Rio de Janeiro ..	1,729,799	Apr. 25											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of ag* for Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 44 deaths from Cholera in Calcutta and 8 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 27th June, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	25,816	29,223	780	59	4	8	19	36	46	53	81	139	178	157
Enteric fever	10	13	1	-	-	-	-	-	-	-	1	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	963	30	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	78	33	1	-	-	1	-	-	-	1	-	-	-	-
Whooping cough	87	186	7	4	1	2	-	-	-	-	-	-	-	-
Diphtheria	258	146	2	-	-	1	1	-	-	-	-	-	-	-
Influenza	226	898	3	-	-	-	-	-	-	-	-	2	1	-
Erysipelas	89	104	4	1	-	-	-	-	-	1	1	1	-	-
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	28	26	2	-	-	-	-	-	-	1	-	-	-	1
Meningococcal meningitis	53	84	3	-	-	-	-	2	1	-	-	-	-	-
Tuberculosis :—														
Respiratory system	1861	2080	67	-	-	-	-	12	15	11	9	14	5	1
Nervous system	123	123	5	1	-	1	3	-	-	-	-	-	-	-
Intestines and peritoneum	28	33	3	-	-	-	-	2	-	-	1	-	-	-
Other forms	103	129	4	-	-	1	-	2	-	-	-	1	-	-
Venereal diseases	103	99	2	-	-	-	-	-	-	-	1	-	1	-
Cancer	3216	3366	121	-	-	-	1	-	5	7	12	34	46	16
Rheumatic fever	99	62	4	-	-	-	-	2	-	-	1	1	-	-
Diabetes	270	279	8	-	-	-	-	-	-	-	1	2	4	1
Alcoholism	6	7	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	44	48	2	-	-	-	-	1	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	1030	1080	29	-	-	-	-	-	-	2	1	7	12	7
Epilepsy	105	89	7	-	1	-	1	1	2	-	1	1	-	-
"Convulsions" (not puerperal)	34	36	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	623	583	18	1	-	-	2	-	1	4	2	6	1	1
Pericarditis	11	9	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	96	97	2	-	-	-	-	-	1	-	1	-	-	-
Other diseases of heart	5348	6780	155	-	-	-	4	-	2	7	15	26	41	60
Other diseases of circulatory system	1071	1166	40	-	-	-	-	-	1	-	3	8	13	15
Bronchitis	1142	1783	16	-	-	-	-	-	-	-	1	3	3	9
Broncho-pneumonia	1104	1699	17	4	1	1	1	1	-	1	2	-	3	3
Lobar pneumonia	628	752	14	-	-	-	-	-	2	2	1	1	6	2
Pneumonia (type not distinguished)	234	261	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of respiratory system	252	364	7	-	-	-	-	-	-	1	2	-	-	4
Diarrhœa and enteritis	363	337	16	12	1	-	-	-	-	2	-	1	-	-
Appendicitis, Typhlitis	152	142	4	-	-	1	-	-	-	1	1	-	1	-
Hernia, Intestinal obstruction	247	273	10	1	-	-	-	1	-	-	2	3	2	1
Cirrhosis of liver	100	112	7	-	-	-	-	-	-	-	3	2	2	-
Other diseases of digestive system	647	600	20	-	-	-	-	1	1	5	3	3	5	2
Acute nephritis	52	45	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease	860	927	34	-	-	-	1	1	2	-	5	8	13	4
Other diseases of genito-urinary system.	381	445	14	1	-	-	-	1	-	-	2	2	6	2
Puerperal sepsis	57	61	3	-	-	-	-	-	3	-	-	-	-	-
Other causes incident to childbirth	43	65	7	-	-	-	-	2	4	1	-	-	-	-
Congenital malformations	168	158	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	499	520	13	13	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	98	83	3	3	-	-	-	-	-	-	-	-	-	-
Old age	589	705	20	-	-	-	-	-	-	-	-	1	2	17
Suicide	281	262	10	-	-	-	-	1	2	1	3	2	-	1
Burns and Scalds	54	79	2	1	-	-	-	-	1	-	-	-	-	-
Drowning	66	49	2	-	-	-	-	-	-	-	2	-	-	-
Suffocation in bed	20	16	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	367	340	16	-	-	1	2	5	2	-	1	3	1	1
Other deaths by violence	405	399	13	-	-	-	2	1	-	2	1	2	4	1
Other specified causes	1025	1155	32	10	-	-	1	-	1	3	2	3	6	6
Ill-defined causes	3	3	1	-	-	-	-	-	-	-	-	-	-	1

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 27th June, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	16	205	161	2	50	C. 6 D. 4 M. 7 N. 14
†CITY OF LONDON	–	–	2	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	4	1	3	–
†BERMONDSEY ...	–	5	6	–	2	M. 1
†BETHNAL GREEN	–	3	10	–	3	C. 2 N. 1
†CAMBERWELL ...	1	8	6	–	1	C. 1
†CHELSEA	–	1	5	–	–	–
†DEPTFORD ...	–	2	7	–	1	–
†FINSBURY ...	–	5	3	–	–	N. 1
†FULHAM	–	9	6	–	3	–
†GREENWICH ...	–	5	4	–	–	–
†HACKNEY... ...	1	7	6	–	1	D. 1 N. 1
†HAMMERSMITH ...	–	6	–	–	2	N. 1
†HAMPSTEAD ...	–	2	–	–	–	–
†HOLBORN... ...	–	–	4	–	1	M. 1 N. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	1	33	13	–	4	M. 1
†KENSINGTON ...	–	9	2	–	2	D. 2 N. 3
†LAMBETH ...	–	9	6	–	3	N. 3
†LEWISHAM ...	–	8	13	–	–	D. 1 M. 1
†PADDINGTON ...	–	7	8	–	1	–
†POPLAR	–	5	10	–	3	–
†ST. MARYLEBONE	–	5	5	–	–	–
†ST. PANCRAS ...	–	10	2	–	1	C. 1 M. 2
†SHOREDITCH ...	5	6	1	–	–	C. 2 N. 2
†SOUTHWARK ...	3	5	5	–	1	M. 1
†STEPNEY	5	20	12	–	8	–
†STOKE NEWINGTON	–	–	–	–	–	N. 1
†WANDSWORTH ...	–	15	5	1	5	–
†WESTMINSTER, CITY OF	–	4	8	–	1	–
†WOOLWICH ...	–	7	8	–	3	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	–	–	–	1	–
DUNSTABLE ...	–	–	1	–		–
†LUTON	–	2	–	–	–	–
Rural Districts:—						
BIGGLESWADE ...		1	–	–	1	–
BERKS	–	11	4	–	2	C. 1
†READING C.B. ...	–	6	–	–	1	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	1	–	–	–
WANTAGE ...	–	–	–	–	–	C. 1
Rural Districts:—						
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	–	–		1	–
EASTHAMPSTEAD	–	3		–	–	–
WINDSOR	–	1	–	–	–	–
WOKINGHAM ...	–	–	3	–	–	–
BUCKINGHAM...	–	4	2	–	–	C. 1
Boroughs and Urban Districts:—						
BEACONSFIELD ..	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	–	1	–	–	–
†SLOUGH	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	*	*	*	*	*	*
ETON	–	1	–	–	–	–
LONG CRENDON...	–	–	–	–	–	C. 1
WYCOMBE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	8	2	–	–	–
Borough:—						
†CAMBRIDGE ...		4	–	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	1	2	–	–	–
CHESTERTON ...	–	2	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER ...	–	40	19	2	9	C. 1 L. 1 M. 4 N. 2
†BIRKENHEAD C.B.	–	4	7		3	–
†CHESTER C.B. ...	–	1	1	–	–	–
†STOCKPORT C.B. ...	–	6	3	–	2	N. 1
†WALLASEY C.B. ...	–	3	–	1	–	L. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	1	1		–
BOWDON	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	–	M. 1
†CREWE	–	5	1	–	–	–
†DUKINFIELD ...	–	3	–	–	2	C. 1
†ELLESMERE PORT AND WHITBY	–	–	1	–		–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	3		–	1	–
KNUTSFORD ...	–	1	–	–	–	–
MARPLE	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW... ...	–	–	–	–	–	M. 1
CHESTER	–	3	–	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	3	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
RUNCORN	–	1	–	–	–	M. 1 N. 1
TARVIN	–	–	2	–	–	–
WIRRAL	–	–	1	–	–	–
CORNWALL ...	–	6	1	–	3	–
Boroughs and Urban Districts:—						
PADSTOW ...	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. IVES	–	2	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	1	–	–	1	–
CAMELFORD ...	*	*	*	*	*	*
EAST KERRIER ...	–	1	–	–	–	–
HELSTON	–	–	–	–	1	–
LISKEARD ...	–	1	1	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
CUMBERLAND...	–	2	1	–	5	M. 2 N. 1
†CARLISLE C.B. ...	–	2	–	–	1	M. 1
Boroughs and Urban Districts:—						
HARRINGTON ...	–	–	–	–	1	–
MILLOM	–	–	–	–	2	–
†WHITEHAVEN ...	–	–	–	–	–	M. 1
WIGTON	–	–	–	–	1	–
†WORKINGTON ...	–	–	–	–	–	N. 1
Rural Districts:—						
LONGTOWN ...	–	–	1	–	–	–
DERBY	2	23	11	–	16	D. 3 L. 1
†DERBY C.B. ...	–	–	8	–	5	–
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	2	–
ALVASTON AND BOULTON	–	–	–	–	1	–
†BOLSOVER ...	–	–	–	–	1	–
†BUXTON ...	–	1	–	–	–	–
†CHESTERFIELD ...	2	1	–	–	–	–
†HEANOR	–	1	1	–	1	L. 1
†LONG EATON ...	–	3	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	–	–	2	–
†THE MATLOCKS...	–	1	–	–	–	–
Rural Districts:—						
BLACKWELL ...	–	1	–	–	–	D. 3
CHAPEL EN LE FRITH		4	–	–	–	–
CHESTERFIELD ...	–	7	2	–	–	–
CLOWNE	–	–	–	–	1	–
HARTSHORN AND SEALS	–	1	–	–	1	–
NORTON	–	2	–	–	–	–
SHARDLOW ...	–	–	–	–	2	–
DEVON	–	14	12	–	8	C. 3 M. 2
†EXETER C.B. ...	–	–	2	–	–	–
†PLYMOUTH C.B.	–	8	8	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	–	–	1	–
BRIXHAM... ...	–	–	–	–	1	–
DARTMOUTH ...	–	1	–	–	–	–
†TORQUAY	–	–	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	1	–
HOLSWORTHY (part)	–	–	–	–	1	–
HONITON... ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
OKEHAMPTON ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	2	–	–	–	–
ST. THOMAS ...	–	–	1	–	1	C. 1
SOUTH MOLTON...	–	–	–	–	–	C. 1
TIVERTON ...	–	–	–	–	–	M. 1
TOTNES	–	1	–	–	–	–
DORSET	–	5	3	–	2	–
Boroughs and Urban Districts:—						
†POOLE	–	1	1	–	1	–
SHERBORNE ...	–	4	–	–	–	–
Rural Districts:—						
CERNE	–	–	1	–	–	–
STURMINSTER ...	–	–	1	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM ...	–	41	16	2	49	C. 2 D. 4 M. 2 N. 1
†DARLINGTON C.B.	–	5	–	–	4	C. 1 M. 1
†GATESHEAD C.B.	–	5	3	–	2	–
†SOUTH SHIELDS C.B.	–	1	–	–	7	D. 2
†SUNDERLAND C.B.	–	8	3	2	16	–
†WEST HARTLEPOOL C.B.	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	2	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	C. 1
BILLINGHAM ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BLAYDON... ...	–	4	–	–	–	D. 1
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	1	–	–	–	–
†CONSETT	–	–	1	–	–	–
†FELLING	–	3	–	–	–	–
†HEBBURN ...	–	–		–	–	D. 1
†HETTON	–	–	–	–	3	–
†JARROW	–	1	–	–	4	–
†SHILDON	–	1	–	–	–	–
†STANLEY	–	–	–	–	2	–
†TANFIELD ...	–	–	–	–	1	–
WILLINGTON ...	–	1	1	–	–	–
Rural Districts:—						
AUCKLAND ...	–	2	1	–	–	–
CHESTER LE STREET	–	1	–	–	1	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	1	3	–	1	N. 1
HOUGHTON LE SPRING	–	1	–	–	2	–
STOCKTON ...	–	–	1	–	–	–
SUNDERLAND ...	–	–	1	–	3	–
ELY, ISLE OF ...	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
†WISBECH	–	2	–	–	–	M. 1
Rural Districts:—						
WISBECH... ...	–	1	–	–	–	–
ESSEX	6	70	40	1	15	C. 2 E. 2 L. 1 M. 4 N. 2
†EAST HAM C.B....	–	3	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†SOUTHEND ON SEA C.B.	–	1	2	–	–	M. 1
†WEST HAM C.B.	4	9	4	–	4	M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	8	–	1	–
BENFLEET ...	–	2	–	–	–	–
BRIGHTLINGSEA...	–	3	–	–	–	–
CANVEY ISLAND	–	–	1	–	–	–
CHINGFORD ...	–	2	–	–	–	–
†COLCHESTER ...	–	4	1	–	–	L. 1
DAGENHAM ...	1	13	4	–	1	E. 1
EPPING	–	2	–	–	–	–
†GRAYS THURROCK	1	1	–	–	–	–
†HARWICH ...	–	–	2	–	–	–
†HORNCHURCH ...	–	–	2	–	–	–
†ILFORD	–	8	–	–	4	C. 1
						E. 1
†LEYTON	–	3	6	–	–	C. 1
MALDON	–		1	–	–	–
PURFLEET ...	–	1	–	–	–	–
†ROMFORD... ...	–	–	2	–	1	–
TILBURY	–	–	1	–	–	–
†WALTHAMSTOW ...	–	9	4	–	2	M. 1
†WANSTEAD ...	–	–	–	1	–	–
†WOODFORD ...	–	2	–		1	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	1	–	–	–	–
DUNMOW... ...	–	–	–	–	–	N. 2
LEXDEN AND WINSTREE	–	2	–	–	–	–
MALDON	–	1	–	–	–	–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	–	1	–	–	–
GLOUCESTER ...	–	14	16	–	5	D. 1
						M. 4
						N. 3
†BRISTOL C.B. ...	–	7	11	–	2	D. 1
						M. 2
†GLOUCESTER C.B.	–	1	–		1	M. 1
						N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	–	–	–	1	–
CIRENCESTER ...	–	1	3	–	–	–
†KINGSWOOD ...	–	1	1	–	–	N. 1
STROUD	–	1	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
LYDNEY	–	–	–	–	–	M. 1
						N. 1
STOW ON THE WOLD	–	–	–	–	1	–
TEWKESBURY (part)	–	1	–	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	–	–	–	3	–
Rural Districts:—						
BROMYARD ...	–	–	–		1	–
LEOMINSTER AND WIGMORE	–	–	–	–	1	–
WEOBLEY... ...		–	–	–	1	–
HERTFORD ...	–	8	5	–	2	N. 1
Boroughs and Urban Districts:—						
†CHESHUNT ...	–	2	–	–	–	–
†EAST BARNET VALLEY	–	–	1	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†HITCHIN	–	–	1	–	–	–
†LETCHWORTH ...	–	2	–	–	–	–
SAWBRIDGEWORTH	–	–	–	–	1	–
†WATFORD... ...	–	–	2	–	1	N. 1

† Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	–	1	–	–	–	–
HATFIELD ...	–	–	1	–	–	–
HUNTINGDON ...	–	3	–	–	2	–
Boroughs and Urban Districts:—						
RAMSEY	–	1	–	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	1	–
NORMAN CROSS ...	–	–	–	–	1	–
KENT	–	35	24	2	5	M. 2 N. 3
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	–	–
†BECKENHAM ...	–	–	1	1	–	–
†BEXLEY	–	–	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	1	–	–	–
†BROMLEY	–	4	1	–	–	M. 1
†CHATHAM ...	–	2	1	–	–	–
CHISLEHURST ...	–	–	7	–	–	–
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DEAL	*	*	*	*	*	*
†DOVER	–	2	–	–	–	N. 1
†ERITH	–	1	–	–	–	N. 1
†FOLKESTONE ...	–	–	1	–	1	–
†GILLINGHAM ...	–	3	–	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
†MAIDSTONE ...	–	2	5	–	–	N. 1
†MARGATE ...	–	–	1	–	–	–
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	–	–	–	–
SANDWICH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
SEVENOAKS ...	–	1	–	–	–	–
SIDCUP	–	–	–	1	–	–
†SITTINGBOURNE AND MILTON	–	2	–	–	–	–
Rural Districts:—						
BRIDGE	–	–	–	–	1	–
BROMLEY	–	–	3	–	–	M. 1
CRANBROOK ...	–	–	–	–	1	–
EASTRY	–	1	1	–	–	–
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	*	*	*	*	*	*
MALLING	–	2	–	–	–	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	1	–	–	1	–
LANCASTER ...	–	224	133	2	109	C. 10 D. 6 G. 3 L. 1 M. 22 N. 12
†BARROW IN FURNESS C.B.	–	–	–	–	1	–
†BLACKBURN C.B.	–	–	1	–	1	–
†BLACKPOOL C.B.	–	1	–	–	–	–
†BOLTON C.B. ...	–	4	–	–	–	–
†BOOTLE C.B. ...	–	2	2	–	4	N. 1
†BURNLEY C.B. ...	–	5	3	–	2	–
†BURY C.B. ...	–	–	–	–	–	N. 1
†LIVERPOOL C.B....	–	28	57	1	24	C. 4 D. 1 M. 15 N. 2
†MANCHESTER C.B.	–	62	23	1	27	C. 4 D. 3 G. 2 M. 3 N. 1
†OLDHAM C.B. ...	–	5	2	–	1	C. 1
†PRESTON C.B. ...	–	1	1	–	1	–
†ROCHDALE C.B....	–	6	3	–	1	C. 1
†ST. HELENS C.B.	–	2	1	–	3	–
†SALFORD C.B. ...	–	8	10	–	11	–
†SOUTHPORT C.B.	–	2	6	–	1	–
†WARRINGTON C.B.	–	24	–	–	7	N. 1
†WIGAN C.B. ...	–	1	–	–	4	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	3	–	–	–	–
ADLINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	–	–	1	N. 1
†ASHTON-UNDER-LYNE	–	5	–	–	2	N. 1
†BACUP	–	–	–	–	1	–
BILLINGE AND WINSTANLEY	–	1	–	–	–	–
BRIERFIELD ...	–	1	–	–	–	D. 1
†CHADDERTON ...	–	2	–	–	–	M. 1
†CHORLEY	–	7	–	–	–	–
CLAYTON LE MOORS	–	–	–	–	1	–
†DALTON IN FURNESS	–	–	1	–	–	–
†DARWEN	–	1	–	–	–	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	2	1	–	–	M. 1
†FLEETWOOD ...	–	1	–	–	–	–
FULWOOD ...	–	–	–	–	–	N. 1
†GREAT CROSBY ...	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	–	M. 1
†HAYDOCK... ...	–	–	–	–	1	–
†HEYWOOD ...	–	–	–	–	3	–
†HORWICH... ...	–	3	–	–	–	–
†INCE IN MAKERFIELD	–	–	1	–	–	–
IRLAM	–	–	1	–	–	–
†LANCASTER ...	–	9	–	–	–	–
†LEIGH	*	*	*	*	*	*
†LITHERLAND ...	–	–	–	–	1	–
†LITTLEBOROUGH	–	–	1	–	–	–
LITTLE HULTON	–	–	1	–	–	–
†LYTHAM ST. ANNE'S	–	–	–	–	1	N. 1
†MIDDLETON ...	–	1	–	–	–	–
†MORECAMBE AND HEYSHAM	–	4	–	–	–	–
†NELSON	–	5	–	–	1	–
†NEWTON IN MAKERFIELD	–	1	2	–	–	–
ORMSKIRK ...	–	–	1	–	–	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM... ...	–	–	–	–	1	D. 1
†PRESTWICH ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	3	3	–	–	–
†ROYTON	–	1	–	–	–	–
†STRETFORD ...	–	2	6	–	–	N. 1
THORNTON CLEVELEYS	–	1	–	–	–	–
TOTTINGTON ...	–	–	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
URMSTON... ...	–	1	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
†WESTHOUGHTON	–	–	–	–	1	M. 1
WHITEFIELD ...	–	1	1	–	–	–
WHITWORTH ...	–	–	1	–	–	–
†WIDNES	–	–	–	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	G. 1
BURNLEY ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	–
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	–	1	–	–	–
LIMEHURST ...	–	1	–	–	–	–
LUNESDALE ...	–	1	–	–	–	–
WARRINGTON ...	–	3	–	–	1	–
WEST LANCASHIRE	–	1	2	–	–	–
WHISTON... ...	–	1	–	–	–	L. 1
LEICESTER ...	21	19	2	–	3	C. 1 L. 1 M. 1 N. 1
†LEICESTER C.B....	15	4	2	–	–	L. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	1	–	–	–	–	–
ASHBY WOULDS...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
LEICESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†COALVILLE ...	1	1	–	–	–	M. 1
†LOUGHBOROUGH	1	3	–	–	–	C. 1
QUORNDON ...	–	1	–	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	3	–	–	1	–
BLABY	2	4	–	–	–	–
CASTLE DONINGTON	–	1	–	–	–	–
MARKET BOSWORTH	1	1	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	1	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
SPALDING ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	5	3	–	1	–
Boroughs and Urban Districts:—						
BOURNE	–	–	1	–	–	–
†GRANTHAM ...	–	1	2	–	–	–
Rural Districts:—						
NORTH KESTEVEN	–	1	–	–	1	–
SOUTH KESTEVEN	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
LINCOLN (parts of Lindsey).	–	8	2	–	10	C. 1 M. 2
†GRIMSBY C.B. ...	–	2	–	–	5	–
†LINCOLN C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	–	M. 1
†GAINSBOROUGH ...	–	2	–	–	1	C. 1
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	3	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	1	–
ISLE OF AXHOLME	–	–	1	–	–	–
LOUTH	–	–	1	–	–	–
SPILSBY	*	*	*	*	*	*
WELTON	–	1	–	–	–	M. 1
MIDDLESEX ...	–	89	57	2	11	C. 2 E. 1 M. 5 N. 5
Boroughs and Urban Districts:—						
†BRENTFORD AND CHISWICK	–	3	1	–	1	–
†EALING	–	1	3	–	–	C. 1 M. 1
†EDMONTON ...	–	4	3	–	–	–
†ENFIELD	–	7	11	–	–	–
†FELTHAM... ...	–	1	1	–	–	–
†FINCHLEY ...	–	6	2	–	–	
†FRIERN BARNET...	–	–	1	–	–	–
†HARROW ON THE HILL	–	–	–	–	–	M. 1
HAYES AND HARLINGTON	–	3	–	–	1	–
†HENDON	–	4	5	–	–	–
†HESTON AND ISLEWORTH	–	5	–	–	–	C. 1 N. 1
†HORNSEY	–	4	2	–	–	–
KINGSBURY ...	–	–	1	1	–	–
RUISLIP NORTHWOOD	–	2	–	–	–	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHALL NORWOOD	–	1	1	–	1	–
†SOUTHGATE	–	1	–	–	1	N. 1
†STAINES	–	–	2	–	1	–
†TEDDINGTON ...		1	–	–	–	–
†TOTTENHAM ...	–	13	8	1	1	E. 1
†TWICKENHAM ...	–	5	1	–	–	M. 1
†UXBRIDGE ...	–	10	1			–
†WEALDSTONE ...	–	2	2	–	1	–
†WEMBLEY ...	–	1	1	–	–	–
†WILLESDEN ...	–	9	7	–	2	M. 1
						N. 1
†WOOD GREEN ...	–	2	1	–	–	N. 1
†YIEWSLEY AND WEST DRAYTON	–	–	2	–	–	M. 1
Rural Districts—						
HENDON	–	3	1	–	2	N. 1
SOUTH MIMMS ...		1	–	–	–	–
NORFOLK ...	–	11	5	1	1	–
†GREAT YARMOUTH C.B.	–	–	1	–	–	–
†NORWICH C.B. ...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
CROMER	–	2	–	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	3	–	–	–	–
DOCKING	–	2	–	–	–	–
ERPINGHAM ...	–	1	–	–	–	–
LODDON AND CLAVERING	–	–	–	1	–	–
MARSHLAND ...	–	1	–	–	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
MITFORD AND LAUNDITCH	–	–	–	–	1	–
NORTHAMPTON	–	6	2	–	2	D. 1
						G. 1
†NORTHAMPTON C.B.	–	3	1	–	–	G. 1
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	–	–	–	D. 1
†KETTERING ...	–	–	–	–	2	–
†WELLINGBOROUGH	*	*	*	*	*	*
Rural Districts:—						
BRIXWORTH ...	–	–	1	–	–	–
KETTERING ...	–	3		–	–	–
NORTHUMBERLAND.	–	37	4	1	21	D. 1
						M. 2
						N. 1
†NEWCASTLE UPON TYNE C.B	–	20	1	1	9	D. 1
						M. 1
						N. 1
†TYNEMOUTH C.B.	–	1	1	–	1	M. 1
Boroughs and Urban Districts:—						
†BEDLINGTONSHIRE	–	–	–	–	1	–
†BLYTH	–	–	1	–	4	–
HEXHAM	–	–	–	–	1	–
MORPETH... ...	–	–	–	–	1	–
†NEWBURN ...	–	1	–	–	1	–
PRUDHOE... ...	–	–	1	–	–	–
SEATON DELAVAL	–	3	–	–	1	–
†WALLSEND ...	–	5	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
Castle Ward ...	–	2	–	–	–	–
Glendale ...	–	3	–	–	–	–
Hexham	–	1	–	–	–	–
Morpeth ..	–	1	–	–	–	–
NOTTINGHAM ...	–	17	17	–	6	D. 1 M. 3 N. 1
†Nottingham C.B.	–	9	4	–	2	M. 3
Boroughs and Urban Districts:—						
†Arnold	–	–	1	–	–	–
†Beeston	–	–	1	–	–	–
†Carlton	–	–	4	–	–	–
†East Retford ...	–	1	–	–	–	N. 1
†Hucknall ...	–	–		–	1	–
†Kirkby in Ashfield	–	–		–	1	–
†Mansfield ...	–	4	–	–	1	–
†West Bridgford	*	*	*	*	*	*
Rural Districts:—						
Basford	–	1	4	–		–
East Retford ...	–	–	1		–	–
Leake	–	1		–	–	–
Skegby	–	1	–	–	–	–
Southwell ...	–	–	2	–	1	
Worksop... ...	–	–	–	–	–	D. 1
OXFORD	–	2	2	1	1	M. 1 N. 2
†Oxford C.B. ...	–	1	2	1	–	N. 2
Rural Districts:—						
Goring	–	1	–	–	–	–
Headington ...		–	–	–	–	M. 1
Henley	–	–	–	–	1	–
PETERBOROUGH (Soke of).	–	1	1	–	–	–
Borough:—						
†Peterborough...	–	1	1	–	–	–
SALOP	–	11	14	–	4	G. 1 M. 2
Boroughs and Urban Districts:—						
Bridgnorth ...	–	1	–	–	–	–
Ludlow	–	–	–	–	1	G. 1
†Oakengates ...	–	–	1	–		–
Oswestry ...	–	–	2	–	–	M. 1
†Shrewsbury ...	–	2	–	–	–	–
Wellington ...	–	–	1	–	–	–
†Wenlock ...	–	1	–	–	–	–
Rural Districts:—						
Atcham	–	4	–	–	–	–
Chirbury ...	–	1	–		–	–
Cleobury Mortimer	–	–	2	–	3	–
Ludlow	–	1	–	–	–	–
Oswestry ...	–	1	–	–	–	–
Shifnal	–	–	1	–	–	–
Wellington ...	–	–	1	–	–	–
Wem	–	–	–	–	–	M. 1
Whitchurch ...	–	–	6	–	–	–
SOMERSET ...	–	11	2	–	1	N. 1
†Bath C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
Burnham on Sea	*	*	*	*	*	*
Glastonbury ...	–	1	–	–	–	–
†Taunton... ...	–	1	–	–	–	–
†Yeovil	–	–	1	–	1	–
Rural Districts:—						
Axbridge ...	–	2	–	–	–	–
Keynsham ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
WELLINGTON ...	-	1	-	-	-	-
WELLS	-	-	-	-	-	N. 1
WINCANTON ...	-	1	-	-	-	-
SOUTHAMPTON	-	31	13	-	2	M. 2 N. 3
†BOURNEMOUTH C.B.	-	2	-	-	1	-
†PORTSMOUTH C.B.	-	7	5	-	-	M. 1 N. 1
†SOUTHAMPTON C.B.	-	4	7	-	-	M. 1
Boroughs and Urban Districts:—						
CHRISTCHURCH ...	-	1	-	-	-	-
†GOSPORT	-	1	-	-	1	-
†WINCHESTER ...	-	2	-	-	-	-
Rural Districts:—						
ALRESFORD ...	-	2		-	-	
ANDOVER... ...	-	2	-	-	-	N. 1
CHRISTCHURCH ...	-	1	-	-		-
FAREHAM ...	-	1	-	-	-	-
FORDINGBRIDGE		3		-	-	-
HARTLEY WINTNEY	-	1	-	-	-	-
NEW FOREST ...	-	2	1	-	-	-
RINGWOOD ...	-	1	-	-		-
SOUTH STONEHAM	-	-	-	-	-	N. 1
STOCKBRIDGE ...	-	1	-	-	-	-
STAFFORD ...	-	32	27	-	32	C. 3 G. 2 L. 12 M. 7 N. 2
†BURTON UPON TRENT C.B.	-	2	-	-	2	-
†SMETHWICK C.B.	-	-	2	-	1	M. 2
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.	-	2	5	-	12	C. 2 G. 1 M. 3
†WALSALL C.B. ...	-	5	2	-	1	M. 1
†WEST BROMWICH C.B.	-	1	1	-	3	-
†WOLVERHAMPTON C.B.	-	2	4	-	2	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BIDDULPH ...	-	-	1	-	1	-
†BILSTON	-	1	1	-	1	-
†CANNOCK		1	1	-	1	-
†DARLASTON ...	-	-	-	-	2	-
KIDSGROVE ...	-	-	1	-	-	-
†LEEK	-	1	-	-	-	-
†NEWCASTLE UNDER LYME	-	-	-	-	-	N. 1
†ROWLEY REGIS ...	-	4	1	-	1	-
SHORT HEATH ...	-	1	-	-	-	-
STONE	-		1	-	-	-
TAMWORTH ...	-	1	-	-	-	-
†TIPTON	-	-	1	-	1	-
†WEDNESBURY ...	-	1		-	-	C. 1
WEDNESFIELD ...	-	2	-	-	-	-
Rural Districts:—						
CANNOCK	-	1	-	-	-	-
CHEADLE... ...	-	4	3	-	2	L. 12
LEEK	-	1	1	-	-	-
LICHFIELD ...	-	-	1	-	2	-
SEISDON	-	1	-	-	-	-
TAMWORTH (part)	-	1	1		-	-
SUFFOLK, EAST	-	11	14	-	2	C. 1 N. 2
†IPSWICH C.B. ...	-	6	12	-	-	-
Boroughs and Urban Districts:—						
BUNGAY	-	-	-	-	1	-
†FELIXSTOWE ...	-	1	1	-	-	-
†LOWESTOFT ...	-	-	-	-	1	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST *cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	3	–	–	–	–
HOXNE		1	–	–	–	–
SAMFORD	–	–	–	–	–	C. 1
WOODBRIDGE ...	–	–	1	–	–	N. 1
SUFFOLK, WEST	–	1	–	1	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
HADLEIGH ...	*	*	*	*	*	*
Rural Districts:—						
COSFORD	–	–	–	1	–	–
SURREY	–	39	20	2	3	G. 1 L. 1 N. 3
†CROYDON C.B. ...	–	11	1	–	–	G. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	–	4	–	1	–
†CATERHAM AND WARLINGHAM	–	1	–	–	–	L. 1
†CHERTSEY ...	–	1	–	–		–
†COULSDON AND PURLEY	–	2	–	1	1	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	1	–	–	–	–
†FRIMLEY AND CAMBERLEY	–	2	–	–	–	–
†GUILDFORD ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	–	–	–	1	N. 1
LEATHERHEAD ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN	–	1	4	–	–	–
†MITCHAM	–	4	1	–	–	–
†REIGATE	–	3	–	–	–	–
†RICHMOND ...	–	1	–	–	–	N. 1
†SURBITON ...	–	–	1	–	–	–
†WIMBLEDON ...	–	1	2	–	–	–
WINDLESHAM ...	–	1	–	–	–	–
Rural Districts:—						
DORKING	–	–	–	1		–
EPSOM	–	2	1	–	–	–
GUILDFORD ...	–	2	2	–	–	–
HAMBLEDON ...	–	–	1	–	–	N. 1
REIGATE	–	3	–	–	–	–
SUSSEX, EAST ...	–	9	9	2	3	M. 2 N. 2
†BRIGHTON C.B. ...	–	3	8	–	2	M. 1 N. 1
†EASTBOURNE C.B.	–	–	–	1	–	–
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	–	–
BURGESS HILL ...	–	1	–	–	–	–
EAST GRINSTEAD	–	–	1	–	–	–
†LEWES	–	2	–	–	1	–
SEAFORD	–	–	–	1	–	–
Rural Districts:—						
CHAILEY	–	–		–	–	M. 1
CUCKFIELD ...	–	2	–	–	–	N. 1
SUSSEX, WEST ...	–	5	1	–	–	N. 2
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	2	–	–	–	N. 1
SHOREHAM BY SEA	–	–	–	–	–	N. 1
SOUTHWICK ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
EAST PRESTON ...	–	–	1	–	–	–
MIDHURST ...	–	1	–	–	–	–
STEYNING WEST...	–	1	–	–	–	–
WARWICK ...	–	71	57	1	29	C. 3 J. 1 M. 19 N. 4
†BIRMINGHAM C.B.	–	50	34	1	22	C. 1 J. 1 M. 19 N. 4
†COVENTRY C.B. ...	–	3	10	–	2	C. 1
Boroughs and Urban Districts:—						
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY	–	–	2	–		–
†STRATFORD ON AVON	–	1	–	–	3	–
†SUTTON COLDFIELD	–	3	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	1	–	–	–
ATHERSTONE ...	–		3	–	–	–
FOLESHILL ...	–	1	–	–	1	–
MERIDEN... ...	–	2	–	–	–	–
RUGBY	–	3	7	–	–	–
SOLIHULL ...	–	–	–	–	–	C. 1
SOUTHAM... ...	–	3	–	–	–	–
TAMWORTH (part)	–	3	–	–	–	–
WARWICK ...	–	2		–	–	–
WESTMORLAND	–	–	–	1	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	1	1	–
WIGHT, ISLE OF	–	–	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	*	*	*	*	*	*
WILTS	–	9	5	–	4	C. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	2	–	–	–	N. 1
†SWINDON... ...	–	–	3	–	1	N. 1
†TROWBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	–	C. 1
CALNE	–	5	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
HIGHWORTH ...	–	–	–	–	1	–
MALMESBURY ...	–	–	–	–	–	M. 1
MARLBOROUGH ...	–	–	–	–	1	–
MELKSHAM ...	*	*	*	*	*	*
RAMSBURY ...	–	–	–	–	–	N. 1
TISBURY	–	–	–	–	1	–
WARMINSTER ...	–	–	1	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	18	5	–	2	C. 1 M. 4 N. 5
†DUDLEY C.B. ...	–	1	2	–	–	M. 2
†WORCESTER C.B.	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	–	1	–	–	N. 2
†HALESOWEN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†KIDDERMINSTER	-	2	-	-	-	-
†LYE AND WOLLESCOTE	-	-	-	-	-	M. 1
†MALVERN ...	-	3	1	-	1	-
NORTH BROMSGROVE	-	-	-	-	-	M. 1
†OLDBURY... ...	-	1	-	-	-	-
†REDDITCH ...	-	1	-	-	-	-
†STOURBRIDGE ...	-	-	-	-	-	N. 1
Rural Districts:—						
BROMSGROVE ...	-	-	1	-	-	-
EVESHAM... ...	-	-		-	-	C. 1 N. 1
KIDDERMINSTER	-	3	-	-		-
MARTLEY... ...	-	2	-	-	1	N. 1
TENBURY... ...	-	1	-	-	-	-
UPTON ON SEVERN		1	-	-	-	-
YORKS ... ... (East Riding).	-	13	19	1	4	C. 1
†KINGSTON UPON HULL C.B.	-	9	17	1	3	C. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	1	-	-	-
†BRIDLINGTON ...		-	1	-	-	-
HESSLE	*	*	*	*	*	*
NORTON	-	1	-		-	-
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
DRIFFIELD ...	-	2	-		-	-
HOWDEN		1	-		-	-
NORTON	*	*	*	*	*	*
SCULCOATES ...	*	*	*	*	*	*
SKIRLAUGH ...	-	-	-	-	1	-
YORKS ... ... (North Riding).	-	15	5	-	17	C. 2 N. 1
†MIDDLESBROUGH C.B.		2	1	-	12	C. 1
Boroughs and Urban Districts:—						
†ESTON	-	1	-	-	3	-
MALTON	*	*	*	*	*	*
RICHMOND ...	*	*	*	*	*	*
†SCARBOROUGH ...	-	2	3	-	-	-
†SKELTON AND BROTTON	-	2	-		1	N. 1
†THORNABY ON TEES	-	4	-	-	-	-
†WHITBY	-	1	-	-	-	-
Rural Districts:—						
FLAXTON	-	-	-	-	-	C. 1
GUISBOROUGH ...	-	2	1	-		-
MALTON	*	*	*	*	*	*
REETH			-	-	1	-
RICHMOND ...	*	*	*	*	*	*
SCARBOROUGH ...	*	*	*	*	*	*
THIRSK	-	1	-	-	-	-
YORKS ... ... (West Riding).	-	112	70	3	75	C. 6 D. 18 E. 1 F. 1 G. 2 M. 5 N. 10
†BARNSLEY C.B. ...	-	5	-	-	5	D. 2 G. 1 N. 1
†BRADFORD C.B. ...	-	22	2		8	-
†DEWSBURY C.B....	-	3	2	-	-	-
†DONCASTER C.B....	-	-	1	-	-	-
†HALIFAX C.B. ...	-	1	2	-	1	-
†HUDDERSFIELD C.B.	-	1	1	-	3	-
†LEEDS C.B. ...	-	19	15		9	N. 2
†ROTHERHAM C.B.	-	2	10	-	3	D. 2 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
†SHEFFIELD C.B....	–	21	9	2	20	C. 4 E. 1 G. 1 M. 1 N. 2
†WAKEFIELD C.B.	–	5	4	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	3	2	–	–	C. 1 D. 1
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
†BATLEY	–	–	1	–	1	M. 1
†BENTLEY WITH ARKSEY	–	–	1	–	–	N. 1
†BOLTON UPON DEARNE	–	1	–	–	1	–
†CASTLEFORD ...	–	3	1	–	–	C. 1
CLAYTON WEST ...	–	–	–	–	–	F. 1
†CONISBROUGH ...	–	–	1	–	–	D. 2
GREASBROUGH ...	–	–	–	–	–	D. 1 M. 1
†HARROGATE ...	–	3	–		3	–
†HEMSWORTH ...	*	*	*	*	*	*
†HOLMFIRTH ...	–	–	–	–	3	–
HORSFORTH ...	–	–	–	–	2	–
†HOYLAND NETHER	–	–	–	–	–	D. 2
ILKLEY	–	–	–	–	1	–
KNARESBOROUGH	*	*	*	*	*	*
MALTBY	–	–	1		–	–
MARSDEN... ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	–	–	–	–	D. 1
†MIRFIELD ...	*	*	*	*	*	*
†MORLEY	–	–	–	–	1	–
†NORMANTON ...	–	–	–	–	1	–
†PONTEFRACT ...	–	2	–	–		–
†PUDSEY	–	1	–	–	2	–
†RAWMARSH ...	–	–	–	–	–	M. 1 N. 1
†ROTHWELL ...	–	1	–	–	–	–
†SHIPLEY	–	–	1	–	2	–
SILSDEN	–	2	–	–	–	–
SOUTHOWRAM ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	1	N. 1
†STANLEY	–	–	1	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
THURLSTONE ...	–	–	–	–	–	M. 1
THURNSCOE ...	–	–	1	–	–	D. 2
†TODMORDEN ...	–	–	–	–	–	N. 1
†WOMBWELL ...	–	–	–	–	1	–
YEADON	–	1	1	–	–	–
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	–	3	–	2	D. 2
GREAT OUSEBURN	–	1	–	–	1	–
HEMSWORTH ...	–	3	3	1	–	D. 3
KIVETON PARK ...	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
RIPON	–	–	3	–	–	–
ROTHERHAM ...	–	1	1	–	–	–
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	–	3	–	1	–
THORNE	–	2	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY... ...	–	–	–	–	1	–
YORK, CITY OF ..	–	3	1	–	–	M. 1
†YORK C.B. ...	–	3	1	–	–	M. 1
WALES.						
ANGLESEY ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	2	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ANGLESEY—*cont.*						
Rural Districts:—						
AETHWY... ...	–	–	1	–	–	–
BRECKNOCK ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON...	–	–	1	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	–	1	–	–	–
CARDIGAN ...	–	1	2	2	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	2	–	–	–
LAMPETER ...	–	–	–	2	–	–
CARMARTHEN...	–	4	3	1	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
KIDWELLY ...	–	–	1		–	–
†LLANELLY ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–			1	–	–
LLANELLY ...	–	2	–	–	–	–
LLANYBYTHER ...	–	–	–	–	1	–
DENBIGH ...	–	16	16	1	1	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	2	–	–	–	–
RUTHIN	–	1	1		–	–
†WREXHAM ...	–	2	2	–	1	–
Rural Districts:—						
RUTHIN	–	1	1	1	–	–
WREXHAM ...	–	10	12		–	–
FLINT	–	1	1	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–		M. 1
HOLYWELL ...	*	*	*	*	*	*
Rural Districts:—						
HAWARDEN ...	–	1	1	–	–	–
HOLYWELL ...	–	–	–	–	1	–
ST. ASAPH (FLINT)	–	–		–	–	N. 1
GLAMORGAN ...	2	61	32	–	17	C. 1 D. 1 L. 1 M. 2 N. 8
†CARDIFF C.B. ...	–	14	6	–	4	C. 1 L. 1 M 1 N. 3

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
†Merthyr Tydfil C.B.	-	7	-	-	2	-
†Swansea C.B. ...	-	5	7	-	1	D. 1 N. 3
Boroughs and Urban Districts:—						
†Barry	-	2	-	-	-	-
†Caerphilly ...	-	1	-	-	1	-
†Gelligaer ...	-	4	-	-	1	-
†Llwchwr ...	-	1	-	-	-	-
†Maesteg	-	-	2	-	-	-
†Mountain Ash ...	1	2	-	-	3	-
†Neath	-	-	3	-	-	-
†Ogmore and Garw	-	1	-	-	-	-
†Pontypridd ...	-	1	2	-	-	N. 1
Porthcawl ...	-	1	1	-	-	-
†Port Talbot ...	-	2	1	-	-	-
†Rhondda ...	1	15	4		3	N. 1
Rural Districts:—						
Cardiff	-	3	1	-	-	-
Llantrisant and Llantwitfardre	-	-	2	-	1	-
Neath	-	1	-	-	1	-
Penybont ...	-	1	-	-		-
Pontardawe ...	-	-	3	-	-	M. 1
MERIONETH ...	-	-	2	-	-	-
Rural Districts:—						
Pennal (Parish)	-	-	2	-	-	-
MONMOUTH ...	1	30	8	-	5	N. 3
†Newport C.B. ...	-	10	1	-	1	N. 1
Boroughs and Urban Districts—						
Abergavenny ...	-	-	2	-	-	-
†Abertillery ...	-	3	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bedwellty ...	-	3	1	-	2	-
†Blaenavon ...	1	-	-	-	-	-
†Ebbw Vale ...	-	4	2	-	-	N. 1
Llanfrechfa Upper	*	*	*	*	*	*
Monmouth ...	-	1	-	-	-	N. 1
†Mynyddislwyn	-	1	2	-	-	-
Pontypool ...	-	1		-		-
†Tredegar ...	-	2	-	-	1	-
Rural Districts:—						
Magor	-	1	-	-	-	-
Monmouth ...		1	-	-		-
St. Mellons ...	-	3	-	-	-	-
MONTGOMERY...	-	1	2	-	1	-
Boroughs and Urban Districts:—						
Llanfyllin ...	-	1	-	-	-	-
Newtown and Llanllwchaiarn	-	-	2	-	-	-
Rural Districts:—						
Llanfyllin ...	-	-	-	-	1	-
PEMBROKE ...	-	-	1	-	1	-
Boroughs and Urban Districts:—						
Milford Haven	-	-	1	-	-	-
Rural Districts:—						
Narberth ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever,

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
RADNOR		4	–	–	–	–	**Total of Part II....**	32	1221	720	29	502	C. 43 D. 36 E. 4 F. 1 G. 10 J. 1 L. 19 M. 103 N. 85
Urban Districts:—													
Llandrindod Wells	–	4	–		–	–							

Table 4 *continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Deal	*	*	*	*	*	*	Plymouth	–	–	–	–	–	L. 2
Milford	–	–	1	–	–	–							
Padstow	–	1	–	–	–	–							
Penzance	*	*	*	*	*	*	**Total of Part III.** ..	–	1	1	–		L. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	16	205	161	2	50	C. 6 D. 4 M. 7 N. 14
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	32	1221	720	29	502	C. 43 D. 36 E. 4 F. 1 G. 10 J. 1 L. 19 M. 103 N. 85
Total of Part III.—Port Sanitary Districts		1	1	-	–	L. 2
Total (i.e., of returns received), England and Wales ...	48	1427	882	31	552	C. 49 D. 40 E. 4 F. 1 G. 10 J. 1 L. 21 M. 110 N. 99

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F. Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—London and Great Towns in the aggregate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	Apl. 4.	Apl. 11.	Apl. 18.	Apl. 25.	May 2	May 9.	May 16.	May 23.	May 30.	June 6	June 13	June 20	June 27.	Totals from 1st Week of year. * 1930.	1931.
NDON :—															
E Births	1,180	1,352	1,471	1,389	1,424	1,369	1,323	1,453	1,227	1,494	1,559	1,383	1,485	36,507	34,885
LLBIRTHS	51	60	44	31	33	55	47	46	42	61	65	52	37	1,375	1,224
ATHS (excluding Still-rths)—all ages.	1,144	1,165	981	954	1,002	955	905	871	831	856	761	758	780	25,816	29,223
ATHS—0 to 1 year ..	63	90	78	68	79	71	68	70	74	59	48	48	59	2,271	2,225
EAT TOWNS, aggre-ate (including Lon-on) :—															
E Births	5,509	6,471	7,028	6,789	6,646	6,447	6,364	6,754	5,553	7,080	7,087	6,603	6,607	166,738	132,712
LLBIRTHS	296	318	305	270	286	320	273	301	234	287	301	331	275	7,437	7,289
ATHS (excluding Still-irths)—all ages.	5,313	5,423	4,674	4,590	4,623	4,351	4,127	4,235	4,036	3,872	3,846	3,606	3,674	116,847	133,933
ATHS—0 to 1 year ..	459	520	416	397	409	404	347	401	352	367	329	293	308	11,235	12,686
TERIC Fever—Cases	10	18	14	15	10	15	9	16	11	19	16	12	15	647	337
„ Deaths	—	—	4	3	1	2	2	1	—	1	—	2	1	58	41
ALL POX—Cases ..	117	142	126	162	128	139	108	84	72	57	84	49	38	6,676	3,281
„ Deaths ..	—	1	—	1	—	—	—	—	—	1	—	—	—	15	4
ARLET Fever—Cases	724	836	687	854	869	896	864	832	744	786	798	803	803	31,927	21,203
„ Deaths	5	8	4	5	4	9	11	4	5	5	3	1	3	256	154
PHTHERIA—Cases ..	521	497	513	552	540	578	542	519	412	482	534	569	572	23,042	15,822
„ Deaths ..	33	27	35	21	22	21	25	21	22	18	21	24	18	1,099	783
ASLES—Deaths ..	58	64	55	42	46	36	38	28	39	26	38	26	27	2,256	1,449
FLUENZA—Deaths ..	208	175	110	96	74	40	44	54	46	30	21	20	24	1,407	5,137

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ving been made for changes in boundary. The live births are derived from the weekly returns furnished by the gistrars and differ from those published for the towns in the Quarterly Return which are corrected for births curring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 27th June, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
London (Greenwich).	79	41	71·9	50·0	2	Huddersfield	72	39	66·7	46·1	7
Brighton ..	71	47	65·7	52·3	2	Bradford ..	70	39	64·7	48·9	4
Portsmouth ..	75	46	69·4	53·8	3	Sheffield ..	73	42	66·1	49·6	3
Norwich (South-well Lodge)	76	39	68·1	48·4	6	York (Museum)	73	40	67·4	49·4	8
Plymouth ..	72	47	67·9	52·0	5	Hull (Pearson Park).	73	45	68·6	49·9	8
Bristol (Horfield)	74	43	68·4	50·9	3	Tynemouth ..	73	41	63·7	50·7	8
Birmingham (Edgbaston).	72	44	66·7	50·7	3	Cardiff	71	44	66·6	50·3	0·3
Nottingham ..	73	45	67·0	50·0	2	Edinburgh ..	68·0	44·0	61·9	48·9	4
Birkenhead (Bidston).	67	46	63·6	51·9	3	Glasgow ..	65·2	44·1	60·4	49·7	6
Manchester (Whitworth Park).	72	45	64·6	51·3	8	Dublin (Phœnix Park)	72·7	42·0	68·5	52·9	4
Burnley	68	37	63·6	47·9	15	(Fitzwilliam Square†).	73·2	50·1	68·5	56·1	4
						Belfast	71·0	41·0	66·8	51·1	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 27th June, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	21	..	30·039	75·7	47·5	28·2	61·9	+ 1·6	54·2	7·7	16·5	2·4	75	134·2	36·4	54·7	WSW	WSW	1·6	0·0	0·2	294	+ 47	0·00
MONDAY -	22	Perigee	29·921	77·3	54·8	22·5	66·1	+ 5·5	56·1	10·0	17·3	1·2	71	137·1	47·2	54·7	WSW	NW : N	1·5	0·0	0·2	281	+ 32	0·00
TUESDAY -	23	First Quarter. In Equator	29·852	75·1	60·3	14·8	65·0	+ 4·1	56·9	8·1	16·5	5·1	75	121·2	45·1	54·7	N : Calm.	Calm : NW.	1·0	0·0	0·0	125	- 125	0·00
WEDNESDAY	24	..	29·947	63·6	46·6	17·2	53·0	- 8·2	50·3	2·7	11·3	1·5	91	76·7	38·2	54·7	N: NNE.	NE : NNE.	2·0	0·0	0·3	294	+ 42	0·09
THURSDAY -	25	..	30·199	61·2	44·2	17·0	52·1	- 9·3	42·9	9·2	18·0	2·4	71	107·7	36·1	54·8	NNE	NNE : Calm.	1·7	0·0	0·2	218	- 35	0·00
FRIDAY -	26	..	30·237	74·8	41·4	33·4	58·5	- 3·0	47·1	11·4	24·9	1·4	65	139·3	27·6	55·0	Calm	SW: Calm.	0·4	0·0	0·0	99	- 153	0·00
SATURDAY -	27	..	30·183	79·5	46·1	33·4	64·5	+ 2·9	48·6	15·9	27·0	1·2	56	136·3	32·6	55·0	Calm: SW.	SW : WSW.	1·3	0·0	0·1	190	- 62	0·00
MEANS -		..	30·054	72·5	48·7	23·8	60·2	- 0·9	50·9	9·3	18·8	2·2	72	121·8	37·6	54·8	Variable		..	..	..	Sum 1501	Sum - 254	Sum 0·09
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	21	mP till 15h., wP till 19h.; then mP.	7·5	16·7	Nearly cloudless till 1h.; cloudy till 6½h.; nearly overcast till 11h.; then variably cloudy. Dew in morning.
MONDAY ..	22	mP.	6·7	16·7	Partially cloudy generally till 11¾h.; then nearly overcast. Dew in morning.
TUESDAY ..	23	mP.	1·4	16·6	Overcast till 15½h.; cloudy till 17½h.; then overcast. Damping from 23h.
WEDNESDAY	24	wP till 7h.; then mP.	0·0	16·6	Overcast till 19½h.; very cloudy till 20½h.; then partially cloudy. Damping generally from 5½h. till 12½h.
THURSDAY	25	mP till 6h.; variably mP and sP till 12h.; then mP.	1·1	16 6	Very cloudy till 6½h.; then overcast generally.
FRIDAY ..	26	mP till 12h.; wP till 20h.; then mP.	13·6	16·6	Nearly cloudless till 10h.; partially cloudy till 19½h.; then nearly cloudless, Haze from 9h. Dew at night.
SATURDAY	27	mP till 12h.; wP till 20h.; then mP.	15·0	16·6	Cloudless. Slight haze throughout. Dew in morning and at night.
			Sum 45·3	Sum 116·4	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·05 ins. at the beginning of the week to 30·08 ins. by 7h. on 21st; decreased generally to 29·81 ins. by 3h. on 24th; increased to 30·26 ins. by 8h. on 26th; decreased and was 30·15 ins. by midnight on the 27th.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 26.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 4TH JULY,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the 1921 Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 4TH JULY, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twenty sixth week of the year numbered 6,521 corresponding to an annual rate of 17·2 per 1,000 living: stillbirths numbered 283 corresponding to a rate of 42 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,659 (15 less than the number in the preceding week).

The annual death-rate based on the 1929 populations published in Table 1, in the Aggregate and in the largest of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

	June 13.	June 20.	June 27.	July 4.
107 Great Towns	10·2	9·6	9·7	9·7
London	9·0	8·9	9·2	9·4
Birmingham	9·3	8·4	10·9	9·9
Liverpool	11·8	10·1	8·9	10·5
Manchester	10·7	10·5	11·1	10·9
Sheffield	9·6	9·6	9·7	8·7
Leeds	12·2	11·0	9·4	10·8
Bristol	12·1	8·4	9·1	8·9
West Ham	9·3	7·0	8·8	7·8

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 43, against 50, 44, and 47 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,375 live births registered corresponding to an annual rate of 16·2 per 1,000 living: stillbirths numbered 46 corresponding to a rate of 32 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 794 (14 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 33, against 34, 34, and 42 in the preceding three weeks.

During the week small-pox was mentioned as a cause of death in one case which has been provisionally classified to small-pox and assigned to Burton-upon-Trent C.B.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 4th July, 1931.

TOWNS.	ESTIMATED POPULATION, Mid. 1929.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,685,050*	6,521	283	3,659†	284	3	16	3	21	23	31	18
LONDON	4,417,900*	1,375	46	794	47	-	-	1	4	3	7	1
TOWNS IN OUTER RING. CROYDON C.B. ..	222,300	69	1	52	7	-	-	-	1	-	-	-
WIMBLEDON ..	59,370	14	-	12	-	-	-	-	-	-	-	-
EALING	104,000	38	3	20	4	-	-	-	-	-	-	-
ACTON	65,200	16	1	12	-	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	59,040	14	1	14	-	-	-	-	-	-	-	-
WILLESDEN ..	172,500	45	3	35	6	-	-	-	-	-	-	1
HENDON§	86,540*	33	1	14	1	-	-	-	-	-	-	-
HORNSEY	88,450	17	-	14	-	-	-	-	-	-	-	-
WOOD GREEN ..	53,410	9	-	7	-	-	-	-	-	-	-	-
TOTTENHAM ..	155,000	35	1	21	-	-	-	-	-	1	-	-
EDMONTON	75,000	20	1	7	3	-	-	-	-	1	-	-
ENFIELD	65,100	18	-	6	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	307,600	102	6	46	4	-	-	-	-	-	-	1
EAST HAM C.B. ..	147,600	41	-	21	1	-	-	-	-	-	-	-
LEYTON	128,300	28	2	22	2	-	-	-	-	-	-	-
WALTHAMSTOW ..	124,800	32	-	20	3	-	-	-	-	-	-	1
ILFORD	116,200	42	-	16	2	-	-	-	1	-	-	-
GILLINGHAM	56,670*	23	1	8	2	-	-	-	-	-	-	-
CANTERBURY C.B. ..	22,850*	8	-	1	-	-	-	-	-	-	-	-
HASTINGS C.B.	62,620	4	1	14	1	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	58,570	15	-	12	-	-	-	-	-	-	-	-
BRIGHTON C.B. ..	146,800*	58	2	31	2	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	242,000*	89	4	46	2	-	-	-	-	-	-	-
BOURNEMOUTH C.B.§ ..	105,780	32	2	30	-	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	172,300	57	-	32	1	-	-	-	-	-	-	-
READING C.B.	96,850*	32	2	14	-	-	-	-	-	-	-	-
OXFORD C.B.	73,810*	34	1	9	-	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,970*	26	3	15	-	-	-	-	-	-	-	-
LUTON	65,200	23	-	10	1	-	-	-	-	-	-	-
CAMBRIDGE	60,730	18	-	8	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	114,600	25	2	22	3	-	-	-	-	-	-	-
IPSWICH C.B.	85,800	38	2	15	1	-	-	-	-	1	-	-
GREAT YARMOUTH C.B	58,110	13	1	9	-	-	-	-	-	-	-	-
NORWICH C.B.	124,900*	35	1	25	3	-	-	-	-	-	-	-
SWINDON	62,020	11	-	13	-	-	-	-	-	-	-	-
EXETER C.B.	61,290*	17	1	14	1	-	-	-	-	-	-	1
PLYMOUTH C.B. ..	199,000*	67	9	36	1	-	-	-	-	-	-	-
BATH C.B.	69,240	15	1	19	-	-	-	-	-	-	-	-
BRISTOL C.B.	391,145*	125	5	67	2	-	-	-	-	-	-	-
GLOUCESTER C.B. ..	52,010	20	1	10	1	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	279,190	101	3	40	5	-	-	-	-	1	1	-
BURTON-UPON-TRENT C.B.	48,970	22	1	11†	-	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,300	47	2	24	1	-	-	-	-	1	1	-
WALSALL C.B.§	100,930	31	1	17	1	-	-	-	-	-	-	-
WEST BROMWICH C.B.§	80,970	36	5	13	1	-	1	-	-	-	-	-
DUDLEY C.B.	58,870	25	2	15	1	-	-	-	-	-	-	-
WORCESTER C.B. ..	52,320	8	-	11	-	-	-	-	-	-	-	-
BIRMINGHAM C.B.§ ..	972,510	340	14	184	19	-	3	-	2	3	2	1
SMETHWICK C.B. ..	85,120	12	-	3	-	-	-	-	-	-	-	-
COVENTRY C.B. ..	162,100	56	5	28	-	-	-	-	-	1	-	-
LEICESTER C.B. ..	245,200	66	2	43	3	-	-	-	-	-	-	-
LINCOLN C.B.	65,080*	16	1	17	1	-	-	-	-	-	-	-
GRIMSBY C.B.	91,440	30	3	26	-	-	-	-	-	-	1	-
NOTTINGHAM C.B. ..	266,800	110	1	44	4	-	-	-	-	-	-	-
DERBY C.B.	140,500*	52	1	19	-	-	-	-	-	1	-	-
CHESTERFIELD	65,270	27	2	10	1	-	-	-	-	-	-	-
STOCKPORT C.B. ..	127,800	34	2	14	2	-	-	-	-	-	1	-
CHESTER C.B.	40,750	7	1	4	-	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	157,600	76	4	26	-	-	-	-	-	-	1	-
WALLASEY C.B. ..	101,300	28	-	13	-	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	869,500	362	16	175	20	1	-	-	5	5	3	1
BOOTLE C.B.	80,400	44	1	16	4	-	-	-	1	-	1	-
ST. HELENS C.B. ..	109,200	48	5	21	4	-	1	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians.
† Includes 1 death from Small-pox.
§ Change in boundary, 1st April, 1931; figures relate to new area.

TOWNS.	Estimated Population, Mid. 1929	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B. ..	80,040	20	1	13	-	-	-	-	-	-	-	-
WIGAN C.B.	87,600	40	3	19	5	-	-	-	-	-	1	-
WARRINGTON C.B. ..	79,400*	23	1	18	1	-	-	1	-	-	-	-
BOLTON C.B	181,500	15	2	35	3	-	-	-	-	-	-	2
BURY C.B.	56,830*	18	2	16	-	-	-	-	-	-	-	-
MANCHESTER C.B.§ ..	753,570	291	10	157	11	-	1	-	1	-	2	1
SALFORD C.B.	235,600	69	1	43	6	-	-	-	1	2	1	-
ASHTON-UNDER-LYNE	51,750	7	1	12	-	-	-	-	-	-	-	-
OLDHAM C.B	142,500	47	1	30	3	-	-	-	-	-	-	1
ROCHDALE C.B. ..	90,900	15	5	17	2	-	-	-	-	1	-	-
BURNLEY C.B	100,200	18	-	22	4	-	-	-	-	-	1	-
BLACKBURN C.B. ..	125,300	34	1	33	1	-	-	-	-	-	-	-
PRESTON C.B.	126,100	32	1	11	-	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	99,800	27	2	22	-	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	64,850	26	1	11	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B ..	113,100	23	3	24	5	-	-	-	1	-	-	-
HALIFAX C.B.	97,400*	26	2	23	1	-	-	-	-	1	-	-
BRADFORD C.B. ..	294,605	98	5	63	5	-	1	-	-	-	-	-
LEEDS C.B	478,500	143	7	99	5	-	3	-	1	1	2	1
DEWSBURY C.B. ..	53,020	16	1	12	-	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	56,640	25	-	17	2	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,700	33	3	19	2	-	2	-	-	-	-	-
SHEFFIELD C.B. ..	518,000*	151	7	86	5	-	-	-	-	-	-	-
ROTHERHAM C.B. ..	70,790	20	2	9	3	-	-	-	-	-	1	-
DONCASTER C.B. ..	59,890	25	3	6	-	-	-	-	-	-	-	1
YORK C.B.	85,290*	30	-	12	-	-	-	-	-	-	-	-
HULL C.B.	307,500	120	4	58	6	1	-	-	-	-	1	-
MIDDLESBROUGH C.B.	133,100	63	2	34	5	-	1	-	-	-	-	-
DARLINGTON C.B. ..	74,150	19	1	11	-	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	67,090	33	1	16	1	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	69,370	31	1	8	1	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	184,000	88	6	43	5	-	2	-	1	-	-	-
SOUTH SHIELDS C.B ..	119,600	55	3	24	4	-	-	-	1	-	-	1
GATESHEAD C.B. ..	122,600	61	1	23	3	-	-	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	283,400*	145	6	63	13	-	1	-	-	-	-	-
TYNEMOUTH C.B. ..	65,880	26	4	13	1	-	-	-	-	-	1	-
CARLISLE C.B.	56,160*	20	-	12	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	95,990*	38	1	13	1	-	-	-	-	-	-	-
CARDIFF C.B.	224,000*	83	5	55	4	1	-	1	-	-	1	-
RHONDDA	153,100	47	2	34	3	-	-	-	1	-	2	2
MERTHYR TYDFIL C.B.	77,790	28	-	13	-	-	-	-	-	-	-	1
ABERDARE	53,050	18	1	17	-	-	-	-	-	-	-	1
SWANSEA C.B.	162,700	63	3	26	5	-	-	-	-	-	-	-
GREATER LONDON ..	7,900,480*	2,518	88	1,374	94	-	-	1	7	6	7	4
OUTER RING	3,482,580*	1,143	42	580	47	-	-	-	3	3	-	3
7 GREAT TOWNS IN OUTER RING§.. ..	2,030,410*	573	20	339	33	-	-	-	2	2	-	3
REMAINDER OF OUTER RING§	1,452,170*	570	22	241	14	-	-	-	1	1	-	-
EDINBURGH†	438,998	155	?	104	10	-	-	1	-	-	1	-
GLASGOW†	1,088,417	450	?	232	31	-	2	-	3	-	4	-
DUBLIN†	412,400	201	?	80	7	-	-	-	-	-	1	-
BELFAST†	415,151	165	?	94	8	-	1	-	-	-	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Change in boundary, 1st April, 1931; figures relate to new area.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1931.											
London‡	4,417,900	July 4	1375	46	794	9·4	–	–	–	1	4	3	7
Calcutta and Suburbs	1,077,264	May 23	?	?	481‖	23·2	?	17	?	–	?	?	?
Bombay§	1,298,708	June 6	497	36	443	17·7	6	–	–	–	–	–	13
Madras	528,791	May 23	599	27	476‖	46·8	3	2	–	–	3	–	37
Sydney and Suburbs	1,253,560	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Apr. 30 (30 days)											
Perth (Metropolitan Area).	204,780	Apr. 25	61	?	38	9·4	–	–	–	–	–	–	2
Auckland (Urban Area).	212,100	„ 30 (30 days)											
Wellington (Urban Area)	138,050	Apr. 30 (30 days)											
Christchurch (Urban Area).	125,800	Apr. 30 (30 days)											
Cape Town	136,748	May 30	43	2	29	11·0	–	–	–	–	–	–	1
Johannesburg	187,326	„ 23	112	–	52	14·4	–	–	–	–	–	1	–
Durban	61,667	„ 23	23	2	16	13·5	–	–	–	–	–	–	–
Paris	2,871,429	May 10 (10 days)	1148	72	1145	14·5	4	–	17	1	1	9	19
Antwerp	294,963	June 15 (15 days)											
Amsterdam	753,795	June 13	254	4	113	7·8	–	–	2	–	1	–	3
Copenhagen	615,700	„ 20	166	2	135	11·4	–	–	–	–	–	–	–
Stockholm	502,203	„ 13	122	1	96	9·9	–	–	–	–	–	–	–
Gothenberg	245,336	May 30	?	?	44	9·3	–	–	–	–	–	1	–
Oslo	256,353	June 20	49	3	57	11·6	–	–	–	–	–	–	–
Berlin	4,326,000	„ 6	752	17	897	10·8	–	?	1	2	1	4	7
Breslau	617,000	„ 6	163	6	120	10·1	–	?	–	–	–	1	2
Cologne	740,000	„ 6	198	6	136	9·6	–	?	–	–	–	–	–
Dresden	633,000	„ 6	115	2	112	9·2	–	?	1	–	–	–	1
Frankfort-on-Main	541,000	„ 6	94	–	82	7·9	–	?	–	–	–	–	1
Hamburg	1,146,000	„ 6	219	7	238	10·8	–	?	–	–	–	–	5
Leipzig	719,000	„ 6	160	3	140	10·1	–	?	–	–	–	–	3
Munich	730,000	„ 6	183	1	150	10·7	–	?	–	3	–	–	–
Budapest	1,009,089	„ 13	318	7	216	11·1	1	–	–	–	2	1	2
Warsaw	1,115,651	„ 6	453	12	276	12·9	1	–	1	1	–	2	17
Madrid	825,471	May 30	439	30	280	17·7	–	–	9	1	–	1	11
Cairo	1,160,700	Mar. 11	1128	15	485	21·8	2	–	5	–	?	6	65
Alexandria	629,900	„ 11	646	15	250	20·7	–	–	3	–	?	3	31
New York	7,090,089	June 6	2501	126	1433	10·5	1	–	5	5	5	3	12
Chicago	3,457,375	June 12	936	48	631	9·5	–	–	7	5	2	9	6
New Orleans	466,000	Feb. 28 (28 days)	705	34	711	18·3	3	–	–	–	–	1	9
Rio de Janeiro ..	1,729,799	Apr. 25											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of* for Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ The estimated population and deaths refer to the civilian population only.
§ The registration of Births in Bombay is incomplete.
‖ Including 24 deaths from Cholera in Calcutta and 2 in Madras

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 4th July, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
			ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–65 years.	55–65 years.	65–75 years.	75 years and upwards
	1930.	1931.												
ALL CAUSES	26,616	30,017	794	47	8	15	23	28	39	43	95	138	161	197
Enteric fever	11	13	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	972	30	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	80	34	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	87	190	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	266	149	3	-	1	-	2	-	-	-	-	-	-	-
Influenza	228	899	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas	92	107	3	-	-	-	-	-	-	-	-	1	-	2
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	1	-	-	-	-	-
Encephalitis lethargica	29	27	1	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	55	87	3	1	1	1	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	1927	2129	49	1	-	2	-	8	14	8	10	4	2	-
Nervous system	135	130	7	1	-	2	2	1	-	1	-	-	-	-
Intestines and peritoneum	28	33	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	106	139	10	-	-	5	2	1	1	1	-	-	-	-
Venereal diseases	103	101	2	1	-	-	-	-	-	1	-	-	-	-
Cancer	3336	3508	142	-	-	1	-	-	5	6	15	45	38	32
Rheumatic fever	104	67	5	-	-	-	2	3	-	-	-	-	-	-
Diabetes	276	290	11	-	-	-	1	-	-	-	4	1	5	-
Alcoholism	7	9	2	-	-	-	-	-	-	-	2	-	-	-
Simple meningitis	45	51	3	-	1	-	2	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1063	1108	28	-	-	-	-	-	1	-	6	7	5	9
Epilepsy	110	91	2	-	-	-	-	-	1	-	1	-	-	-
"Convulsions" (not puerperal) ..	36	36	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	650	605	22	2	-	1	1	-	-	2	7	4	4	1
Pericarditis	11	9	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	102	97	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of heart	5508	6959	179	-	-	-	5	3	3	7	17	17	46	81
Other diseases of circulatory system	1104	1208	42	-	-	-	-	-	-	-	2	9	15	16
Bronchitis	1158	1802	19	1	1	-	-	-	-	-	2	2	5	8
Broncho-pneumonia	1119	1715	16	7	-	-	-	-	-	-	1	2	2	4
Lobar pneumonia	645	767	15	1	-	-	-	1	-	2	3	3	1	4
Pneumonia (type not distinguished)	241	266	5	-	1	-	-	-	-	1	1	1	1	-
Other diseases of respiratory system	260	371	7	1	-	-	1	-	-	-	1	-	1	3
Diarrhœa and enteritis	376	344	7	7	-	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	160	144	2	-	-	-	-	1	-	-	1	-	-	-
Hernia, Intestinal obstruction	255	283	10	-	1	-	-	-	1	1	-	3	2	2
Cirrhosis of liver	103	117	5	-	-	-	-	-	-	2	-	3	-	-
Other diseases of digestive system ..	865	623	23	2	-	-	-	1	-	2	4	9	3	2
Acute nephritis	54	47	2	-	-	-	-	-	-	-	1	-	1	-
Chronic Bright's disease	892	957	30	-	-	-	-	-	-	-	7	4	13	6
Other diseases of genito-urinary system.	402	462	17	-	-	-	-	-	1	2	2	4	5	3
Puerperal sepsis	57	63	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	45	66	1	-	-	-	-	1	-	-	-	-	-	
Congenital malformations	177	161	3	3	-	-	-	-	-	-	-	-	-	
Premature birth	513	530	10	10	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	105	84	1	1	-		-	-	-	-	-	-	-	
Old age	606	723	18	-	-	-	-	-	-	-	-	-	2	16
Suicide	289	276	14	-	-	-	-	1	1	3	3	4	1	1
Burns and Scalds	54	80	1	-	-	-	-	1	-	-	-	-	-	-
Drowning	71	52	3	-	-	-	-	-	1	1	-	1	-	-
Suffocation in bed	20	16	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	384	352	12	-	-	1	1	3	2	1	-	2	2	-
Other deaths by violence	418	414	15	2	-	-	1	1	2	1	2	2	1	3
Other specified causes	1057	1191	36	3	1	2	2	2	3	1	3	10	6	3
Ill-defined causes	3	3	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 4th July, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	21	210	182	8	45	C. 6 D. 1 E. 1 G. 2 M. 15 N. 11
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	5	7	–	2	–
†BERMONDSEY ...	–	7	2	–	2	–
†BETHNAL GREEN	1	5	6	–	2	G. 1
†CAMBERWELL ...	1	8	11	–	1	M. 1
†CHELSEA	–	4	5	1	–	–
†DEPTFORD ...	–	9	5	–	–	–
†FINSBURY ...	–	4	4	–	–	–
†FULHAM	1	8	2	1	4	–
†GREENWICH ...	–	1	6	1	1	–
†HACKNEY... ...	–	4	2	–	2	C. 1 M. 4 N. 2
†HAMMERSMITH ...	–	5	2	–	1	G. 1 N. 1
†HAMPSTEAD ...	–	1	2	–	–	–
†HOLBORN... ...	–	2	2	–	–	–
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	12	23	–	3	C. 2 N. 1
†KENSINGTON ...	–	7	6	2	3	N. 1
†LAMBETH ...	1	9	14	1	3	M. 4
†LEWISHAM ...	–	18	7	–	2	C. 1 N. 2
†PADDINGTON ...	–	15	9	2	2	C. 1
†POPLAR	3	14	6	–	5	M. 2
†ST. MARYLEBONE	–	9	4	–	–	–
†ST. PANCRAS ...	–	6	6	–	1	M. 2 N. 2
†SHOREDITCH ...	4	4	4	–	–	–
†SOUTHWARK ...	2	7	4	–	5	M. 1 N. 1
†STEPNEY	7	27	18	–	2	N. 1
†STOKE NEWINGTON	–	–	4	–	–	–
†WANDSWORTH ...	1	8	8	–	4	E. 1 M. 1
†WESTMINSTER, CITY OF	–	2	2	–	–	C. 1
†WOOLWICH ...	–	8	10	–	–	D. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	1	3	–	–	N. 1
Boroughs and Urban Districts:—						
†Luton	–	1	2	–	–	N. 1
Rural Districts:—						
Luton	–	–	1	–	–	–
BERKS	–	6	2	–	1	M. 1 N. 1
†Reading C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†Maidenhead ...	–	–	2	–	1	–
Wallingford ...	–	–	–	–	–	M. 1
Rural Districts:—						
Easthampstead	–	2	–	–	–	–
Windsor	–	1	–	–	–	N. 1
BUCKINGHAM ...	–	5	2	–	2	–
Boroughs and Urban Districts:—						
Beaconsfield ..	–	1	–	–		–
†Chepping Wycombe	*	*	*	*	*	*
Rural Districts:—						
Amersham ...	–	1	–	–	1	–
Aylesbury ...	–	1	–	–	1	–
Eton	–	2	–			–
Long Crendon ...	*	*	*	*	*	*
Wycombe ...	–	–	2		–	–
CAMBRIDGE ...	–	6	3	–	–	N. 1
Borough:—						
†Cambridge ...	–	1	–	–	–	–
Rural Districts:—						
Caxton and Arrington	–	2	1	–	–	N. 1
Chesterton ...	–	2	–	–	–	–
Newmarket ...	–	1	2	–	–	–
CHESTER ...	–	50	22	7	13	C. 2 M. 1 N. 3
†Birkenhead C.B.	–	4	1	–	4	N. 1
†Chester C.B. ...	–	1	1	–	2	–
†Stockport C.B. ...	–	3	6	–	–	N. 1
†Wallasey C.B. ...	–	13	–	1	–	–
Boroughs and Urban Districts:—						
Alderley Edge..	–	–	–	–	–	C. 1
†Altrincham ...	–	1	–	–	–	–
†Bebington and Bromborough	–	–	3	–	–	–
Bollington ...	–	–	–	3	–	–
Bowdon	–	1	–	–	–	–
†Congleton ...	–	–	–	–	–	N. 1
†Crewe	–	–	2	–		–
†Dukinfield ...	–	–	–	–	1	–
†Ellesmere Port and Whitby	–	1	2	–	–	–
Hoole	–	–	–	–	1	M. 1
†Hyde	–	6		–	3	–
†Macclesfield ...	–	–	–	–	1	–
Middlewich ...	–	–	–	1	–	–
†Northwich ...	–	1	–		–	–
†Runcorn	–	1	–	–	–	–
†Sale	–	4	–	–	–	–
†Stalybridge ...	–	1	–	–	–	–
Wilmslow ...	–	1		–	–	–
†Winsford ...	–	–	–	2	–	–
Rural Districts:—						
Bucklow... ...	–	1	–	–	–	C. 1
Chester	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
MACCLESFIELD ...	–	–	1	–		–
MALPAS	–	2	–	–	–	–
NANTWICH ...	–	2	3	–		–
RUNCORN	–	4	2	–	–	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	2	1	–	–	–
CORNWALL ...	–	2	2	1	2	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–		
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	*	*	*	*	*	*
†TRURO	–	–	1		–	
Rural Districts:—						
LISKEARD ...	*	*	*	*	*	*
ST. AUSTELL ...	–	1	1	–	1	–
ST. GERMANS ...	–	–	–	–	1	–
TRURO	–	–	–	1	–	–
CUMBERLAND...	–	4	1	–	3	–
Boroughs and Urban Districts:—						
HARRINGTON ...	–	–	–	–	1	–
KESWICK	–	1	–	–	–	–
PENRITH	–	1	–	–	–	
†WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
COCKERMOUTH ...	–	–	–	–	1	–
PENRITH	–	1	–	–		–
WHITEHAVEN ...	–	–	1	–	–	–
DERBY	6	13	6	–	17	C. 2 D. 2 G. 1 N. 1
†DERBY C.B. ...		–	–	–	9	D. 1
Boroughs and Urban Districts:—						
†BOLSOVER ...	–	1	–	–	4	D. 1
†BUXTON	–	1	–	–		–
†CHESTERFIELD ...	5	3	1	–	1	–
CLAY CROSS ...	–	–	1	–	1	–
†LONG EATON ...	–	1			–	–
NEW MILLS ...	–	–	–	–	1	C. 1 G. 1
SOUTH DARLEY ...	*	*	*	*	*	*
†THE MATLOCKS ...	–	–	1	–	–	–
Rural Districts:—						
BLACKWELL ...	–	1	–	–	–	–
CHAPEL EN LE FRITH		–	1	–	–	–
CHESTERFIELD ...	1	3	2	–	–	N. 1
CLOWNE	–	1	–	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
NORTON	–	2	–	–	–	–
SHARDLOW ...	–	–	–	–	–	C. 1
DEVON	–	12	9	–	3	C. 1 D. 1 M. 4 N. 3
†EXETER C.B. ...	–	–	3		–	–
†PLYMOUTH C.B.	–	9	4	–	1	D. 1 M. 4 N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...		1	–	–	–	–
CREDITON ...	–		–	–	–	N. 1
NORTHAM ...	–	–	–	–	1	–
OTTERY ST. MARY	*	*	*	*	*	*
TIVERTON ...	–	1	–	–	–	N. 1
†TORQUAY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	–	–	–	C. 1
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	*	*	*	*	*	*
TOTNES	–	–	1	–	–	–
DORSET	–	3	7	–	–	C. 1 G. 1
Boroughs and Urban Districts:—						
†POOLE	–	1	3	–	–	–
SHAFTESBURY ...	–	1	–		–	–
WAREHAM ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–		–	–	G. 1
Rural Districts:—						
BRIDPORT ...	–	–	1	–	–	–
POOLE	*	*	*	*	*	*
STURMINSTER ...	–	–	1		–	–
WEYMOUTH ...	–	–	1	–	–	–
WIMBORNE AND CRANBORNE	–	–	1	–	–	C. 1
DURHAM ...	–	54	26	5	45	D. 4 G. 1 M. 3 N. 7
†DARLINGTON C.B.	–	3	–	–	–	–
†GATESHEAD C.B.	–	4	5	–	4	–
†SOUTH SHIELDS C.B.	–	2	–	–	6	–
†SUNDERLAND C.B.	–	9	4	–	5	D. 2 M. 2
†WEST HARTLEPOOL C.B.	–	5	–	–	3	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	1	–
BENFIELDSIDE ...	–	1	1	2	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†BISHOP AUCKLAND	–	–	–	–	–	N. 1
†BLAYDON	–	1	–	–	1	–
†BRANDON AND BYSHOTTLES	–	–	1	–	–	–
†CHESTER LE STREET	–	2	–	–	1	–
†CONSETT	–	–	–	1	–	–
†CROOK		–	4	–	–	–
†FELLING	–	5		–	–	–
†HEBBURN ...		1	–	–	3	N. 1
†JARROW	–	–	–	–	3	M. 1
LEADGATE ...	–	–	–	–	1	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†STANLEY	–	1	–	–	2	N. 1
†STOCKTON ON TEES	–	2	–	–	4	D. 1 N. 1
†TANFIELD ...	–	–	1		2	–
†WHICKHAM ...	–	6	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	–	–	–	1	–
BARNARD CASTLE	–	–	–	–	–	N. 1
CHESTER LE STREET	–	3	3	–	–	N. 1
DARLINGTON ...	*	*	*	*	*	*
DURHAM	–	3	–	–	–	–
EASINGTON ...	–	2	3	–	–	N. 1
LANCHESTER ...	–	1	2	2	1	D. 1
SEDGEFIELD ...	–	1	–	–	–	G. 1
SOUTH SHIELDS	–	2	–	–	2	–
WEARDALE ...	–	–	–		1	–
ELY, ISLE OF ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	1	–	–	–	–
WHITTLESEY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF— *cont.*						
Rural Districts:—						
Ely	–	1	–	–	–	–
ESSEX	9	70	38	–	14	C. 2 D. 1 G. 1 L. 2 M. 7 N. 4
†East Ham C.B....	1	3	1	–	–	M. 2
†Southend on Sea C.B.		6	4	–	–	
†West Ham C.B.	7	12	2	–	9	M. 3
Boroughs and Urban Districts:—						
†Barking Town...	–	4	2	–	–	C. 1
Braintree ...	–	2	–	–		
Canvey Island	–	1	–	–		–
†Colchester ...	–	2	1	–	–	L. 2
Dagenham ...	–	2	11	–	1	M. 1
†Grays Thurrock	–	1	3	–		
†Hornchurch ...	–	–	1	–		C. 1 N. 1
†Ilford	–	3	2	–	1	–
†Leyton	–	8	2	–	–	N. 1
Purfleet ...	–	2	–	–		D. 1
†Romford... ...	–	3	1	–		–
Shoeburyness ...	*	*	*	*	*	*
Tilbury	–	1	1	–	–	–
†Walthamstow ...	1	10	6	–	2	M. 1 N. 1
†Wanstead ...	–	1	–	–	–	–
†Woodford ...	–	1	–	–	–	–
Rural Districts:—						
Billericay ...	–	5	–	–	–	–
Braintree ...	–	1	–	–	–	N. 1
Epping		1	–	–	–	–
Lexden and Winstree	–	1	–	–	–	–
Maldon	–	–	1	–	–	–
Orsett	–	–	–	–	1	–
Rochford ...		–	–	–	–	G. 1
GLOUCESTER ...	–	15	21	–	7	M. 1
†Bristol C.B. ...	–	6	16	–	4	–
†Gloucester C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†Cheltenham ...	–	1	2	–	2	–
†Kingswood ...	–	–	2	–	–	–
†Mangotsfield ...	–	1	–	–	–	–
Nailsworth ...	–	4	–	–	–	–
Stow on the Wold	*	*	*	*	*	*
Rural Districts:—						
Cirencester ...	–	1	–	–	1	–
Newent ...	–	–	1	–	–	–
Northleach ...	–	–	–	–	–	M. 1
Stroud	–	1	–	–	–	–
HEREFORD ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†Hereford ...	–	–	–	–	1	–
HERTFORD ...	–	9	10	–	1	G. 1 N. 2
Boroughs and Urban Districts:—						
†Barnet	–	1	–	–	–	N. 2
Bushey	–	–	2	–	–	–
†Cheshunt ...	–	1	1	–		–
†East Barnet Valley	–	–	1	–	–	–
Great Berkhampstead	–	1	–	–	–	–
Harpenden ...	–	1	–	–		–
†Hemel Hempstead	–	–	–	–	–	G. 1
†Hertford ...	–	1	–	–	–	–
†Hitchin	–	1	–	–	–	–
Hoddesdon ...	–	1	–	–	–	–
†Watford... ...	–	1	3	–	1	–
Welwyn Garden City	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
Hemel Hempstead	–	–	2	–	–	–
Ware	–	1	–	–	–	–
HUNTINGDON ...	–	2	–	–	2	N. 1
Boroughs and Urban Districts:—						
Old Fletton ...	–	1	–	–	–	N. 1
St. Neots ...	–	–	–	–	1	–
Rural Districts:—						
Norman Cross ...	–	–	–	–	1	–
St. Neots ...	–	1	–	–	–	–
KENT	–	33	11	3	8	G. 1 N. 1
†Canterbury C.B.	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†Beckenham ...	–	–	–	–	2	–
†Broadstairs and St. Peter's	–	2	3	–	–	–
†Bromley	–	2	1	–	–	–
†Chatham ...	–	–	–	–	1	–
Cheriton ...	–	–	–	–	1	–
Chislehurst ...	–	1	–	–	–	–
†Crayford ...	–	–	1	–	–	–
†Dartford ...	–	4	–	–	–	–
†Deal	–	2	–	–	–	–
†Dover	–	–	2	–	–	–
†Erith	–	2	–	–	–	G. 1
†Faversham ...	–	–	–	–	1	–
†Folkestone ...	–	1	1	–	–	–
†Gillingham ...	–	1	–	–	–	–
†Gravesend ...	–	1	–	–	–	–
†Herne Bay ...	–	2	1	–	–	–
†Maidstone ...	–	4	–	1	–	–
†Northfleet ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Royal Tunbridge Wells	–	–	–	2	–	–
†Sittingbourne and Milton	–	1	–	–	–	–
†Tonbridge ...	–	1	–	–	–	N. 1
Walmer	–	1	–	–	–	–
Rural Districts:—						
Hollingbourne	–	–	–	–	1	–
Maidstone ...	–	–	1	–	1	–
Malling	–	3	–		–	–
Romney Marsh	–	1	–	–	–	–
Sevenoaks ...	–	1	–	–	–	–
Strood	–	–	–	–	1	–
Tonbridge ...	–	–	1	–	–	–
LANCASTER ...	–	213	124	6	102	C. 7 D. 5 G. 4 L. 2 M. 25 N. 17
†Barrow in Furness C.B.	–	–	–	1	3	–
†Blackburn C.B.	–	3	2	–	5	–
†Blackpool C.B.	–	3	1	–	–	N. 1
†Bolton C.B. ...	–	2		–	–	–
†Bootle C.B. ...	–	5	4	–	–	C. 1 N. 1
†Burnley C.B. ...	–	6	3	–	2	M. 1
†Bury C.B. ...	–	–	–	–	1	–
†Liverpool C.B....	–	26	53	1	25	C. 1 D. 1 G. 3 M. 16 N. 5
†Manchester C.B.	–	66	14	–	26	C. 5 D. 2 M. 4 N. 3
†Oldham C.B. ...	–	5	1	–	1	N. 1
†Preston C.B. ...	–	–	–	–	1	N. 1
†Rochdale C.B....	–	6	2	–	1	N. 1

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
†ST. HELENS C.B.	–	–	4	–	–	–
†SALFORD C.B. ...	–	17	8	–	6	D. 1 M. 1
†SOUTHPORT C.B.	–	3	1		4	N. 1
†WARRINGTON C.B.	–	9	2	1	1	–
†WIGAN C.B. ...	–	–	1	–	2	M. 1
Boroughs and Urban Districts:—						
†ASHTON IN MAKERFIELD	–	–	–	–	1	–
†ASHTON-UNDER-LYNE	–	5	–	–	2	–
†ATHERTON ...	–	–	1	–	–	–
†BACUP	–	1	–	–	–	D. 1
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY	–	2	1		–	G. 1
†COLNE	–	–	1	–	–	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	–	–	–	–	M. 1
†ECCLES	–	–	1	–	1	–
†FAILSWORTH ...	–	–	1	–	–	–
†FARNWORTH ...	–	–	–	–	–	N. 1
†FLEETWOOD ...	–	–	–	–	1	–
FORMBY	*	*	*	*	*	*
FULWOOD ...	–	1	–	–	–	N. 1
†GREAT CROSBY ...	–	1		–	1	–
†HAYDOCK... ...	–	1	1	–	–	–
†HEYWOOD ...	–	–	–	–	1	–
†HINDLEY	–	–	–	–	1	–
†HORWICH... ...	–	2	1	–	–	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	–	–	–	1	–
IRLAM	–	1	–	–	–	–
†LANCASTER ...	–	2	–	–	1	M. 1
†LEIGH	–	1	1	–	–	–
LEYLAND... ...	–	–	1	–	–	–
†LITHERLAND ...	–	3	2	–	–	–
†LYTHAM ST. ANNE'S	–	–	–	–	–	N. 1
†MIDDLETON ...	–	–	–	–	2	–
†MORECAMBE AND HEYSHAM	–	2	–	–	1	–
†MOSSLEY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
†NELSON	–	4	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	1	–
ORMSKIRK ...	–	1	–	–	–	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PRESTWICH ...	–	3	–	–	1	–
†RAMSBOTTOM ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	4	2	–	–	–
†ROYTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	3	5	–	–	–
†SWINTON AND PENDLEBURY	–	2	1	–	–	–
TOTTINGTON ...	–	3	–	–	–	–
†TURTON	–	2	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
†ULVERSTON ...	–	–	–	1	–	–
URMSTON... ...	–	2	–	–	–	–
WARDLE	–	–	3	–	–	–
†WATERLOO WITH SEAFORTH	–	4	1	–	1	–
WHITWORTH ...	–	–	1	–	–	–
†WIDNES	–	1	–	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BLACKBURN ...	–	–	–	–	1	–
BURNLEY ...	–	2	–	–	–	–
CHORLEY... ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	–
GARSTANG ...	–	–	1	–	–	–
LEIGH	–	–	–	–	1	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON	–	–	–	–	1	–
ULVERSTON ...	–	–	–	1	–	–
WARRINGTON ...	–	–	–	1	–	–
WEST LANCASHIRE	–	–	2	–	–	–
WHISTON... ...	–	–	–	–	–	L. 2

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	16	18	3	–	9	C. 1 L. 1 M. 1
†Leicester C.B....	16	7	–	–	2	C. 1 L. 1
Boroughs and Urban Districts:—						
Ashby Woulds...	–	–	1	–	2	–
†Coalville ...	–	–	–	–	1	–
†Loughborough	–	2	–	–	–	–
Quorndon ...	–	2	–	–	–	–
Wigston Magna	–	–	1	–	–	M. 1
Rural Districts:—						
Ashby de la Zouch	–	3	1	–	2	–
Barrow upon Soar	–	–	–	–	1	–
Blaby	–	1	–	–		–
Castle Donington	–	1	–	–	–	–
Hinckley ...	–	–	–	–	1	–
Market Bosworth	–	1	–	–	–	–
Melton Mowbray	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	2	C. 1 G. 1
Boroughs and Urban Districts:—						
†Grantham ...	–	–	1	–	–	–
Rural Districts:—						
East Kesteven	–	–	–	–	1	C. 1
South Kesteven	–	–	–	–	–	G. 1
West Kesteven	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	12	–	1	3	–
†Grimsby C.B. ...	–	5	–	–	1	–
†Lincoln C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
Barton upon Humber	–	–	–	–	1	–
†Cleethorpes ...	–	1	–	–	–	–
Crowle	*	*	*	*	*	*
†Gainsborough ...	–	1	–	–	–	–
Louth	–			1	–	–
†Scunthorpe and Frodingham	–	–	–	–	1	–
Skegness... ...	–	1	–	–	–	–
MIDDLESEX ...	–	97	41	3	13	C. 2 E. 1 G. 1 L. 1 M. 3 N. 5
Boroughs and Urban Districts:—						
†Acton	–	2	–	–	–	G. 1
†Brentford and Chiswick	–	2	1	–	–	E. 1
†Ealing	–	1	2	–	1	M. 1 N. 1
†Edmonton ...	–	5	5	–	1	–
†Enfield	–	8	7	1	1	–
†Feltham... ...	–	–	–	–	–	N. 1
†Finchley ...	–	4	2	–	–	–
Hayes and Harlington	–	1	1	–	–	–
†Hendon	–	11	4	–	1	N. 1
†Heston and Isleworth	–	3	2	–	2	C. 1 N. 1
†Hornsey	–	1	2	1	–	–
Kingsbury ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
RUISLIP NORTHWOOD	–	3	1	–	–	–
†SOUTHALL NORWOOD	–	3	–	–	–	–
†SOUTHGATE ...	–	3	2	1	1	–
†STAINES	–	–	1	–	–	–
SUNBURY ON THAMES	–	3	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	13	6	–	3	–
†TWICKENHAM ...		5	1	–	–	–
†UXBRIDGE ...	–	4	–	–	–	N. 1
†WEALDSTONE ...		2	–	–	–	–
†WEMBLEY ...	–	3	–	–	–	–
†WILLESDEN ...	–	10	1	–	3	C. 1 L. 1 M. 1
†WOOD GREEN ...	–	7	1	–	–	M. 1
†YIEWSLEY AND WEST DRAYTON	–	1	–	–	–	–
Rural Districts—						
HENDON	–	1	1	–	–	–
SOUTH MIMMS ...	*	*	*	*	*	*
NORFOLK ...		6	–	1	1	E. 1 M. 2 N. 1
†GREAT YARMOUTH C.B.	–		–	–	1	–
†NORWICH C.B. ...	–	1	–	1	–	E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...		2	–	–	–	–
Rural Districts:—						
BLOFIELD ...	–	2	–	–	–	–
SMALLBURGH ...	–	–	–	–	–	M. 1
SWAFFHAM ...	–	1	–	–	–	–
NORTHAMPTON	–	14	4	–	4	M. 2
†NORTHAMPTON C.B.	–	6	2	–	3	M. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	–	2	–	–	–	–
DESBOROUGH ...	–	1	–	–	–	
†KETTERING ...	–	3	–	–		–
†RUSHDEN... ...	–	2	1	–	–	–
Rural Districts:—						
NORTHAMPTON ...	–	–	1	–	–	
POTTERSPURY ...	–	–	–	–	–	M. 1
TOWCESTER ...	–	–	–	–	1	
NORTHUMBERLAND.	–	37	5	4	24	C. 2 D. 2 L. 1 M. 1 N. 2
†NEWCASTLE UPON TYNE C.B.	–	23	3	2	15	C. 2 D. 2 L. 1 M. 1 N. 2
†TYNEMOUTH C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	–	–	–	2	–
†BLYTH	–	1	–	–	1	–
†EARSDON	–	–	–	–	1	–
†LONGBENTON ...	–	–	–	–	1	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	–	2	–	–	–
SEATON DELAVAL	–	–	–	–	2	–
†WALLSEND ...	–	1	–	1	1	–
†WHITLEY AND MONKSEATON	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	–	–
GLENDALE ...	–	3	–	–	–	–
HEXHAM	–	3	–	1	–	–
MORPETH ...	–	–	–	–	1	–
NOTTINGHAM ...	–	23	14	–	12	C. 1 D. 4 M. 1
†NOTTINGHAM C.B.	–	11	3	–	8	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	1	–	–	–
†BEESTON	–	1	1	–	–	–
†CARLTON	–	–	2	–	1	–
†EAST RETFORD ...	–	–	1	–	–	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	D. 1
†KIRKBY IN ASHFIELD	–	1	1	–	1	–
†MANSFIELD ...	–	2	2	–	–	–
†MANSFIELD WOODHOUSE	–	–	–	–	–	D. 1
†SUTTON IN ASHFIELD	–	1	–	–	–	–
†WEST BRIDGFORD	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	2	3	–	1	–
SKEGBY	–	–	–	–	–	C. 1 D. 1
SOUTHWELL ...	–	4	–	–	–	D. 1
OXFORD	–	2	1	–	1	M. 1 N. 2
†OXFORD C.B. ...	–	1	1	–	1	M. 1 N. 1
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	–	N. 1
HENLEY	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	1	1	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	1	–	1	–
RUTLAND ...	–	1	–	–	1	–
Rural Districts:—						
UPPINGHAM ...	–	1	–	–	1	–
SALOP	–	2	4	–	–	M. 2 N. 1
Boroughs and Urban Districts:—						
BISHOP'S CASTLE	–	–	–	–	–	M. 1
BRIDGNORTH ...	–	1	–	–	–	–
LUDLOW	–	–	1	–	–	–
†SHREWSBURY ...	–	1	–		–	N. 1
Rural Districts:—						
ATCHAM	–	–	1	–	–	–
OSWESTRY ...	–	–	–	–	–	M. 1
WHITCHURCH ...	–	–	2	–	–	–
SOMERSET ...	–	9	18	2	5	G. 1
†BATH C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	1	–
†FROME	–	–	1	1	–	–
HIGHBRIDGE ...	–	–	5	–	–	–
†TAUNTON... ...	–	1	2	–	–	–
†WESTON SUPER MARE	–	–	–	–	1	–
†YEOVIL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET— *cont.*						
Rural Districts:—						
Axbridge ...	–	–	8	1	1	–
Bridgwater ...	–	1	–	–	–	–
Chard	–	–	–	–	–	G. 1
Keynsham ...	–	–	1	–	–	–
Shepton Mallet	–	1	–	–	–	–
Wells	–	–	1	–	–	–
Wincanton ...	–	–	–	–	1	–
SOUTHAMPTON	–	38	17	1	3	G. 1 M. 3 N. 3
†Bournemouth C.B.	–	2	–	–	1	–
†Portsmouth C.B.	–	15	4	–	–	G. 1 M. 2 N. 1
†Southampton C.B.	–	3	8	1	1	M. 1
Boroughs and Urban Districts:—						
†Aldershot ...	–	–	1	–	–	–
†Eastleigh and Bishopstoke	–	2	1	–	–	–
†Farnborough ..	–	2	–	–	–	–
†Gosport		5	–	–	–	–
†Winchester ...	–	–	–	–	1	–
Rural Districts:—						
Alton	–	–	–	–	–	N. 1
Andover... ...	–	2	–	–	–	
Basingstoke ...	–	1	–	–	–	–
Droxford ...	–	–	1	–	–	–
Fordingbridge	–	1	–	–	–	–
Hursley	–	1	1	–	–	–
New Forest ..	–	1	–	–	–	N. 1
Ringwood ...	–	2	1	–	–	–
South Stoneham	–	1	–	–	–	–
STAFFORD ...	1	38	25	–	25	C. 2 G. 1 L. 5 M. 6 N. 5
†Burton upon Trent C.B.	1	–	–	–	1	–
†Smethwick C.B.	–	3	1		5	M. 1
†Stoke on Trent C.B.	–	2	7	–	6	C. 1 M. 2
†Walsall C.B. ...	–	2	–	–	1	N. 1
†West Bromwich C.B.	–	9	4		1	–
†Wolverhampton C.B.	–	5	6	–	2	M. 2
Boroughs and Urban Districts:—						
Amblecote ...	–	–	1	–	–	–
Biddulph ...	–	–	–	–	–	L. 4
†Bilston	–	–	–	–	–	M. 1
†Brownhills ...	–	–	–		1	–
†Darlaston ...		1	1		1	–
†Rowley Regis ...	–	1	–	–	1	G. 1
Rugeley... ...		–	–	–	–	C. 1
†Sedgley	–	–	–	–	1	–
Short Heath ...	–	1	–	–	–	–
†Stafford ...	–	–	–	–	1	–
†Tipton	–	3	3		2	
Wednesfield ...	–	1	–	–	–	–
†Willenhall ...	–	1	–	–	–	–
Rural Districts:—						
Cannock	–		–	–	1	–
Cheadle... ...	–	6		–	1	L. 1 N. 1
Kingswinford ...	–	–	1	–	–	N. 1
Lichfield ...	–	–	–	–	–	N. 1
Stafford ...	–	–	1	–		–
Tamworth (part)	–	–	–	–	–	N. 1
Uttoxeter ...	–	3	–	–	–	–
SUFFOLK, EAST	–	12	12	1	1	C. 1 N. 1
†Ipswich C.B. ...	–	7	8	1	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, EAST *cont.*						
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	–	N. 1
EYE	–	–	–	–	–	C. 1
†FELIXSTOWE ...	–	1	2	–	–	–
†LOWESTOFT ...	–	–	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
HARTISMERE ...	*	*	*	*	*	*
PLOMESGATE ...	–	3	–	–	–	–
SAMFORD	–	–	2	–	–	–
SURREY	–	39	28	–	5	C. 2 N. 1
†CROYDON C.B. ...	–	13	3	–	–	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	4	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	–	2	–	–	–
†CATERHAM AND WARLINGHAM	–	1	–	–	1	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FARNHAM ...	–	–	1	–	–	–
†FRIMLEY AND CAMBERLEY	–	1	–	–	–	–
†KINGSTON ON THAMES	–	4	–	–	1	–
†MERTON AND MORDEN		6	–	–	–	–
†MITCHAM	–	2	2	–	–	C. 1
†REIGATE	–	–	3	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	1	1	–	2	–
†SUTTON AND CHEAM	–	–	1	–	–	–
†WIMBLEDON ...	–	2	2	–	–	–
WINDLESHAM ...	–	1	–	–	–	–
SURREY—*cont.*						
Rural Districts:—						
GODSTONE ...	–	–	5	–	–	–
GUILDFORD ...	–	–	1	–	–	–
HAMBLEDON ...	–	–	4	–	–	N. 1
REIGATE	–	4	1	–	–	–
SUSSEX, EAST...	–	9	6	2	–	G. 2 N. 1
†BRIGHTON C.B. ...	–	1	3	–	–	G. 1 N. 1
†EASTBOURNE C.B.	–	–	2	–	–	–
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
†HOVE	–	1	–	–	–	G. 1
SEAFORD	–	1	–	–		–
Rural Districts:—						
CUCKFIELD ...	–	1	–	2	–	–
EAST GRINSTEAD	–	–	1	–	–	–
HASTINGS ...	–	1	–	–	–	–
TICEHURST ...	–	3	–	–	–	–
SUSSEX, WEST...	–	6	1	1	–	N. 1
Boroughs and Urban Districts:—						
SOUTHWICK ...	–	–	1	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
PETWORTH ...	–	1	–	–	–	–
THAKEHAM ...	–	3	–	1	–	–
WESTBOURNE ...	–	–	–	–	–	N. 1
WESTHAMPNETT	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	–	59	51	5	26	C. 3 G. 1 M. 10 N. 5
†BIRMINGHAM C.B.	–	41	30	4	20	C. 2 G. 1 M. 9 N. 4
†COVENTRY C.B. ...	–	4	6	–	–	C. 1
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
KENILWORTH ...	–	–	–	1		–
†NUNEATON ...	–	–	2	–	1	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	N. 1
†STRATFORD ON AVON	–	2	–	–	1	–
†SUTTON COLDFIELD	–	2	–	–	–	–
WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	1	–
ATHERSTONE ...	–	1	1	–	1	–
FOLESHILL ...	–	1	–	–	–	–
NUNEATON ...	–	–	2	–	–	–
RUGBY	–	1	8	–	–	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	1	–	–	–	M. 1
TAMWORTH (part)	–	2	2	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
†COWES	–	–	–	–	–	M. 1
†NEWPORT... ...	–	1	–	–	–	–
WILTS	–	4	–	–	1	C. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
BRADFORD ON AVON	*	*	*	*	*	*
CHIPPENHAM ...	–	2	–	–	–	–
†SALISBURY ...	–	2	–	–	–	N. 1
†SWINDON... ...	–	–	–	–	1	M. 1 N. 2
†TROWBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
BRADFORD ON AVON	*	*	*	*	*	*
MERE	–	–	–	–	–	C. 1
WORCESTER ...	–	19	6	–	3	M. 1
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	–	–	1	–
†KIDDERMINSTER		2	–	–	–	–
†MALVERN ...	–	6	–	–		–
†OLDBURY... ...	–	–	–	–	1	M. 1
†REDDITCH ...	–	–	1	–	–	–
†STOURBRIDGE ...	–	2	3	–	–	–
STOURPORT ...	*	*	*	*	*	*
Rural Districts:—						
MARTLEY... ...	–	2	–	–	1	–
ROCK	–	–	1	–	–	–
UPTON ON SEVERN	–	1	1	–	–	–
YORKS ... ... **(East Riding).**	–	13	11	–	4	C. 1 D. 1 G. 1 N. 1
†KINGSTON UPON HULL C.B.	–	6	9	–	4	C. 1 D. 1 G. 1 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†Beverley ...	–	1	–	–	–	–
Hessle	–	–	1	–	–	–
Rural Districts:—						
Beverley ...	–	–	1	–	–	–
Driffield ...	–	1	–	–	–	–
Howden	–	1	–	–	–	–
Pocklington ...	–	4	–	–	–	–
YORKS ... ... (North Riding).	–	18	3	–	16	C. 2 G. 1 M. 2 N. 3
†Middlesbrough C.B.		1	1	–	7	C. 2 G. 1 M. 1
Boroughs and Urban Districts:—						
†Eston	–	5	–	–	2	–
Guisborough ...	–	1	–		1	–
Loftus	–	1	–	–	–	–
†Redcar	–	–	1	–	2	–
Saltburn by the Sea	–	1	–	–	–	–
†Scarborough ...	–	–	–	–	–	M. 1 N. 2
†Thornaby on Tees	–	2	–	–	1	–
†Whitby	–	1	–	–	–	–
Rural Districts:—						
Flaxton	–	–	–	–	–	N. 1
Guisborough ...	–	3	–	–	1	–
Helmsley ...	–	–	–	–	1	–
Richmond ...	–	1	–	–	1	–
Stokesley ...	–	–	1	–	–	–
Whitby	–	2	–	–	–	–
YORKS ... ... (West Riding).	1	149	82	–	75	C. 4 D. 18 E. 1 G. 1 M. 7 N. 9
†Barnsley C.B. ...	–	1	–	–	2	D. 2 M. 1
†Bradford C.B. ...	–	26	11	–	7	N. 4
†Dewsbury C.B....	–	10	1	–	–	–
†Doncaster C.B....	–	2	4	–	–	–
†Halifax C.B. ...	–	1	3	–	–	–
†Huddersfield C.B.	–	4	1	–	1	G. 1
†Leeds C.B. ...	–	21	17		11	C. 4 M. 1 N. 2
†Rotherham C.B.	–	6	9	–	–	D. 3 N. 1
†Sheffield C.B....	–	14	6	–	25	D. 2 E. 1 N. 2
†Wakefield C.B.	–	4	5	–	3	M. 1
Boroughs and Urban Districts:—						
†Adwick le Street	–	1	1	–	–	D. 1
Baildon	–	–	3	–	–	–
†Barnoldswick ...	–	–	1	–		–
†Batley	–	1	2	–	1	–
†Bolton upon Dearne	–	–	–		–	D. 1
†Brighouse ...	1	1	–	–	–	
Calverley ...	–	1	–	–	–	–
†Castleford ...	–	–	1	–		–
†Conisbrough ...	–	–		–		D. 1
Darfield ...	*	*	*	*	*	*
Farsley	–	2	–	–	–	–
†Goole	–	–	–	–	1	–
†Harrogate ...	–	–	–	–	1	–
Heckmondwike	–	–	1	–	–	–
†Hemsworth ...	–	–	1	–	1	–
Hipperholme ...		1	–	–		–
†Hoyland Nether	–	–	–	–	1	–
Hunsworth ...	–	1	–	–	–	–
†Keighley ...	–	4	–	–	–	–
Knottingley ...	–	1	–	–	–	–
Maltby	–	–	–	–	1	D. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
MARSDEN	–	1	–	–	–	–
MIDGLEY	–	2	–	–	–	–
†MORLEY	–	1	–	–	1	–
†OSSETT	–	–	–	–	–	M. 1
†PONTEFRACT ...	–	1	–	–	1	–
†PUDSEY	–	5	–	–	–	–
SCAMMONDEN ...	–	–	–	–	1	–
†SHIPLEY	–	7	–	–	–	–
SILSDEN	–	1	–	–	–	–
†SKIPTON	–	1	–	–	–	–
SLAITHWAITE ...	–	1	–	–	–	–
†SOWERBY	–	–	–	–	1	–
†SPENBOROUGH ...	–	1	1	–	1	M. 1
†STANLEY	–	–	3	–	–	–
†SWINTON	–	–	–	–	1	D. 1
THURNSCOE ...	–	2	1	–	2	D. 1
THURSTONLAND AND FARNLEY TYAS	–	1	–	–	–	–
†TODMORDEN ...		1	–	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WORSBOROUGH ...	–	2	–	–	–	–
YEADON	–	–	2	–	–	–
Rural Districts:—						
DONCASTER ...	–	2	1	–	2	D. 1
GOOLE	–	1	–	–	–	–
GREAT OUSEBURN		–	–	–	1	–
HEMSWORTH ...	–	1	1	–	5	D. 2
KEIGHLEY ...	–	2	–	–	–	–
KIVETON PARK ...	–	–	1	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PATELEY BRIDGE	–	–	–	–	1	–
PONTEFRACT ...	–	6	1	–	1	–
ROTHERHAM ...	–	–	1	–	–	–
TADCASTER ...	–	1	1	–	–	–
THORNE	–	2	–	–	1	D. 2
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	–	1	–	1	M. 1
WETHERBY ...	–	2	1	–	–	–
YORK, CITY OF ..	–	3	4	–	2	–
†YORK C.B. ...	–	3	4	–	2	–
WALES.						
ANGLESEY ...	–	1	1	2	2	M. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
Rural Districts:—						
TWRCELYN ...		1	–	2	2	M. 1
BRECKNOCK ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	–	–
CAERNARVON...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	–	1	–	–	–
CARDIGAN ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	1	–	–	–
Rural Districts:—						
LAMPETER ...	–	1	–	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN...	–	7	2	1	–	M. 1
Boroughs and Urban Districts:—						
Burry Port ...	–	–	2	–	–	–
Kidwelly ...	*	*	*	*	*	*
†Llanelly ...	–	1	–	–	–	–
Rural Districts:—						
Carmarthen ...	–	1	–	–	–	–
Llandilo Fawr	–	2	–	1	–	–
Llanelly ...	–	3	–	–	–	–
Newcastle in Emlyn	–	–	–	–		M. 1
DENBIGH ...	–	6	29	–	2	C. 1 G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†Colwyn Bay ...	–	–	1	–	–	–
†Wrexham ...	–	–		–	–	C. 1
Rural Districts:—						
Llanrwst ...	–	–	–	–	–	G. 1
Ruthin	–	–	1	–	–	–
St. Asaph (Denbigh)	–	1	–	–	–	–
Wrexham ...	–	5	27	–	2	M. 1 N. 1
FLINT	–	2	–	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
Connah's Quay	–	1	–	–	–	–
†Rhyl	–	–	–	–	1	C. 1
Rural Districts:—						
Hawarden ...	–	1	–	–	–	–
Holywell ...	–	–	–	–	1	M. 1
GLAMORGAN ...	2	52	40	4	22	C. 4 F. 1 M. 1 N. 1
†Cardiff C.B. ...	–	12	10	3	4	C. 1 M. 1
†Merthyr Tydfil C.B.	1	1	–	–	–	–
†Swansea C.B. ...	–	–	12	–	2	N. 1
Boroughs and Urban Districts:—						
†Aberdare ...	–	1	1	–	2	–
†Barry	–	2	–	–	–	–
†Caerphilly ...	–	3	–	–	3	–
†Gelligaer ...	–	2	–	1	2	–
†Glyncorwg ...	–	–	–	1	–	–
†Llwchwr ...	–	1	–	–	–	–
†Maesteg		1	2	–	–	–
†Mountain Ash...	1	4	2		3	–
†Ogmore and Garw	–	4	–		2	–
†Penarth	–	1	–	–		–
†Pontypridd ...	–	5	–	–	1	–
Porthcawl ...	–	1	1	–	–	–
†Port Talbot ...	–	1	1	–	–	
†Rhondda ...	–	12	8	–	2	C. 3 F. 1
Rural Districts:—						
Cowbridge ...	–	–	1	–	–	–
Llantrisant and Llantwit-fardre	–	1	–	–	1	–
Pontardawe ...	–	–	1	–	–	–
MERIONETH ...	–	–	1	–	–	–
Rural Districts:—						
Dolgelley ...	–	–	1	–	–	–
MONMOUTH ...	–	26	8	1	4	C. 1 N. 1
†Newport C.B. ...	–	10	4	–	2	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—						
†Abertillery ...	–	3	2	–	–	–
†Bedwellty ...	–	5	–	1	–	–
†Ebbw Vale ...	–	2	1	–	–	C. 1
†Nantyglo and Blaina	–	–	–	–	2	–
†Rhymney ...	–	2	–	–	–	–
†Tredegar ...	–	2	1	–	–	–
Rural Districts:—						
Magor	–	1	–	–	–	–
St. Mellons ...	.	1	–	–		–
MONTGOMERY...	–	–		–	2	M. 1
Rural Districts:—						
Llanfyllin ...	–	–	–	–	1	M. 1
Newtown and Llanidloes	–	–	–	–	1	–
PEMBROKE ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
Goodwick ...	–	1	–	–	–	–
PEMBROKE—*cont.*						
Rural Districts:—						
Haverfordwest	–	1	1	–	2	–
Narberth ...	*	*	*	*	*	*
RADNOR	–	1	–	3	1	–
Urban Districts:—						
Knighton ...	–	1	–	–	–	–
Rural Districts:—						
Knighton ...	–	–	–	3	–	–
Rhayader ...		–	–	–	1	–
Total of Part II....	35	1232	710	54	495	C. 45 D. 38 E. 3 F. 1 G. 22 L. 12 M. 92 N. 89

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever,

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barnstaple	*	*	*	*	*	*
Liverpool	-	-	-	-	-	L. 1
Penzance	*	*	*	*	*	*

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Southampton ...	-	-	1	-	-	-
Port of London ...	-	-	-	1	-	-
Total of Part III. ...	-	-	1	1		L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	21	210	182	8	45	C. D. E. G. M. 1 N. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	35	1232	710	54	495	C. 4 D. 3 E. F. G. 2 L. 1 M. 9 N. 8
Total of Part III.—Port Sanitary Districts	-	-	1	1	-	L.
Total (i.e., of returns received), England and Wales ...	56	1442	893	63	540	C. 5 D. 3 E. F. G. 2 L. 1 M. 10 N. 10

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e 5.—LONDON and GREAT TOWNS in the GREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

Week ended :—	Apl. 11.	Apl. 18.	Apl. 25	May 2	May 9	May 16	May 23.	May 30	June 6.	June 13	June 20	June 27.	July 4.	Totals from 1st Week of year. * 1930.	1931.
DON :—															
BIRTHS	1,352	1,471	1,389	1,424	1,389	1,323	1,453	1,227	1,494	1,559	1,383	1,485	1,375	38,003	36,260
LBIRTHS	60	44	31	33	55	47	46	42	61	65	52	37	46	1,417	1,270
THS (excluding Still-ths)—all ages.	1,165	981	954	1,002	955	905	871	831	856	761	758	780	794	26,616	30,017
THS—0 to 1 year ..	90	78	68	79	71	68	70	74	59	48	48	59	47	2,332	2,272
AT TOWNS, aggre-e (including Lon-n) :—															
BIRTHS	6,471	7,028	6,789	6,646	6,447	6,364	6,754	5,553	7,080	7,087	6,603	6,807	6,521	173,635	169,233
LBIRTHS	318	305	270	286	320	273	301	234	287	301	331	275	283	7,702	7,572
THS (excluding Still-ths)—all ages.	5,423	4,674	4,590	4,623	4,351	4,127	4,235	4,036	3,872	3,846	3,606	3,674	3,659	120,549	137,592
THS—0 to 1 year ..	520	416	397	409	404	347	401	352	367	329	293	308	284	11,566	12,970
ERIC FEVER—Cases	18	14	15	10	15	9	16	11	19	16	12	15	26	675	363
„ Deaths	—	4	3	1	2	2	1	—	1	—	2	1	3	60	44
LL POX—Cases ..	142	126	162	128	139	108	84	72	57	84	49	38	53	6,803	3,334
„ Deaths ..	1	—	1	—	—	—	—	—	1	—	—	—	1	15	5
RLET FEVER—Cases	836	687	854	869	896	864	832	744	786	798	803	803	854	32,964	22,057
„ Deaths	8	4	5	4	9	11	4	5	5	3	1	3	3	262	157
HTHERIA—Cases ..	497	513	552	540	578	542	519	412	482	534	569	572	566	22,791	16,388
„ Deaths ..	27	35	21	22	21	25	21	22	18	21	24	18	23	1,127	806
ASLES—Deaths ..	64	55	42	46	36	38	28	39	26	38	26	27	16	2,283	1,465
LUENZA—Deaths ..	175	110	96	74	40	44	54	46	30	21	20	24	19	1,423	5,156

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ving been made for changes in boundary. The live births are derived from the weekly returns furnished by the gistrars and differ from those published for the towns in the Quarterly Return which are corrected for births urring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 4th July, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	80	47	74·6	52·6	0·3	HUDDERSFIELD	72	43	68·0	51·4	5
						BRADFORD ..	69	44	65·3	53·3	4
RIGHTON ..	70	50	64·4	54·7	—	SHEFFIELD ..	71	50	68·4	54·7	8
ORTSMOUTH ..	72	53	68·2	55·3	2	YORK (MUSEUM)	73	47	68·9	53·9	9
ORWICH(SOUTH-WELL LODGE)	77	47	71·9	53·0	—	HULL (PEARSON PARK).	77	49	70·9	54·3	3
LYMOUTH ..	70	49	66·1	54·7	14	TYNEMOUTH ..	73	46	67·3	53·4	4
RISTOL (HORFIELD)	72	48	69·7	54·1	15	CARDIFF	71	50	66·7	54·3	32
IRMINGHAM (EDGBASTON).	72	47	67·6	53·6	12	EDINBURGH ..	66·0	45·0	62·3	50·3	1
OTTINGHAM ..	75	44	70·3	53·0	14	GLASGOW ..	66·0	46·5	61·1	51·4	15
IRKENHEAD (BIDSTON).	67	51	63·3	54·3	8	DUBLIN (PHŒNIX PARK)	67·9	44·8	66·1	50·4	5
ANCHESTER (WHITWORTH PARK).	70	51	66·6	56·7	10	(FITZWILLIAM SQUARE†).	68·0	50·0	65·2	54·3	3
URNLEY	67	40	64·3	51·7	16	BELFAST	76·0	45·0	67·5	52·5	2

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 4th July, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	28	..	30·077	79·7	53·2	26·5	65·7	+ 4·1	56·9	8·8	19·9	1·4	73	136·9	40·4	55·0	WSW	WSW: SW.	1·2	0·0	0·1	209	- 42	0·00
MONDAY -	29	Greatest Declination S.	30·074	73·3	56·9	16·4	64·2	+ 2·6	47·1	17·1	24·9	4·7	54	133·5	45·0	55·0	NNW	NW: N: NNE.	1·5	0·0	0·2	217	- 32	0·00
TUESDAY -	30	Full	30·038	71·2	48·7	22·5	60·5	- 1·0	46·7	13·8	20·7	3·8	60	113·9	35·0	55·1	NNE: Calm.	Calm: ENE.	0·3	0·0	0·0	115	- 133	0·00
JULY.																								
WEDNESDAY	1	..	29·860	74·9	47·2	27·7	62·4	+ 0·9	48·8	13·6	24·0	2·4	61	128·5	35·2	55·3	Calm	Calm: SW.	0·6	0·0	0·0	103	- 145	0·00
THURSDAY -	2	..	29·676	69·4	56·5	12·9	60·9	- 0·7	54·2	6·7	12·4	2·3	79	105·1	47·6	55·2	SW	SW	2·1	0·0	0·3	297	+ 49	0·01
FRIDAY -	3	..	29·575	79·4	51·1	28·3	64·5	+ 2·7	53·0	11·5	23·2	1·9	66	138·2	38·1	55·5	SW	SW	1·5	0·0	0·1	227	- 23	0·00
SATURDAY -	4	..	29·598	74·8	53·3	21·5	63·1	+ 1·0	58·1	5·0	15·2	1·9	84	123·5	44·9	55·5	SW	SW: SSW.	2·9	0·0	0·4	330	+ 78	0·00
MEANS -		..	29·843	74·7	52·4	22·3	63·0	+ 1·4	52·1	10·9	20·0	2·6	68	125·7	40·9	55·2	SW		..	..	..	Sum 1498	Sum - 248	Sum 0·01
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	28	mP till 12½h.; wP till 20h.; then mP.	13·0	16·6	Nearly cloudless till 11h.; partially cloudy till 12½h.; very cloudy till 17½h.; nearly cloudless till 23h.; then cloudy. Slight haze throughout. Dew in morning.
MONDAY ..	29	mP till 16h.; variably mP and sP till 21½h.; then wP.	12·3	16·6	Variably cloudy till 6h.; partially cloudy till 19h.; then nearly overcast. Slight haze from 9h.
TUESDAY ..	30	Variably mP and wP till 15h.; then wP.	5·6	16·6	Very cloudy till 0½h.; nearly cloudless till 9h.; nearly overcast till 21h.; then becoming cloudless by 21⅝h. Haze throughout.
JULY. WEDNESDAY	1	Variably mP and wP.	7·2	16·6	Partially cloudy generally till 11h.; then nearly overcast. Haze generally.
THURSDAY	2	Variably mP. and wP till 17h.; then mP.	1·7	16·6	Overcast till 16½h.; partially cloudy till 22½h.; then very cloudy. Occasional slight showers between 6h. and 12h. Dew at night.
FRIDAY ..	3	mP.	14·8	16·5	Partially cloudy till 9h.; nearly cloudless till 23⅜h.; then cloudy. Dew in morning and at night.
SATURDAY	4	Variably mP and wP till 12h.; wP till 19½h.; then varia ly mP and wP.	1·4	16·5	Overcast generally Occasional damping between 14¾h. and 19½h.
			Sum 56·0	Sum 116·0	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·15 ins. at the beginning of the week to 30·02 ins. by 20h. on June 28th; increased generally to 30·10 ins. by 7h. on June 30th; decreased to 29·52 ins. by 3h on July 4th; increased and was 29·67 ins. by midnight on the same day.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 27.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 11TH JULY,

1931



LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the 1921 Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 11TH JULY, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twenty-seventh week of the year numbered 6,682 corresponding to an annual rate of 17·6 per 1,000 living: stillbirths numbered 285 corresponding to a rate of 41 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,619 (40 less than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	June 20.	June 27.	July 4.	July 11.
107 Great Towns	9·5	9·7	9·6	9·5
London	9·1	9·3	9·5	9·1
Birmingham	8·0	10·5	9·5	8·4
Liverpool	10·2	9·0	10·6	10·9
Manchester	10·2	10·8	10·6	10·5
Sheffield	9·6	9·7	8·7	11·1
Leeds	10·8	9·2	10·6	11·3
Bristol	8·2	8·9	8·8	9·3
West Ham	7·2	9·1	8·1	7·0

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 44, against 44, 47, and 43 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,463 live births registered corresponding to an annual rate of 17·4 per 1,000 living: stillbirths numbered 43 corresponding to a rate of 29 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 763 (31 less than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 38, against 34, 42, and 33 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 11th July, 1931.

	TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
	107 GREAT TOWNS ..	19,836,440*	6,682	285	3,619	287	2	18	6	17	29	35	20
	LONDON	4,377,000*	1,463	43	763	54	1	-	1	3	2	8	3
TOWNS IN OUTER RING.	CROYDON C.B. ..	233,000	72	3	39	4	-	-	-	-	-	-	1
	WIMBLEDON ..	58,830	16	-	10	1	-	-	-	-	-	-	-
	EALING	117,400	43	2	12	2	-	-	-	-	-	1	-
	ACTON	70,400	21	2	12	1	-	1	-	-	1	-	-
	BRENTFORD AND CHISWICK ..	62,620	18	2	6	-	-	-	-	-	-	-	-
	WILLESDEN ..	185,300	45	3	29	2	-	-	-	-	-	-	-
	HENDON	114,600*	31	-	17	1	-	-	-	-	-	-	-
	HORNSEY	95,440	21	1	15	-	-	-	-	-	-	-	-
	WOOD GREEN ..	54,460	10	1	7	-	-	-	-	-	-	-	-
	TOTTENHAM ..	159,100	32	2	27	3	-	-	-	-	2	1	-
	EDMONTON	77,530	48	3	11	2	-	-	-	-	-	1	-
	ENFIELD	68,090	16	1	7	-	-	-	-	-	1	-	1
	WEST HAM C.B. ..	296,900	112	3	40	7	-	-	-	2	-	-	-
	EAST HAM C.B. ..	142,900	27	2	26	2	-	-	-	-	-	-	-
	LEYTON	128,600	34	-	16	-	-	-	-	-	-	-	-
	WALTHAMSTOW ..	134,300	28	1	27	1	-	-	-	-	-	-	-
	ILFORD	131,300	33	-	16	-	-	-	-	-	-	-	-
	GILLINGHAM	60,600*	29	1	14	2	-	-	1	-	-	-	-
	CANTERBURY C.B. ..	24,400*	10	1	4	-	-	-	-	-	-	-	-
	HASTINGS C.B.	61,870	8	1	19	-	-	-	-	-	-	-	1
	EASTBOURNE C.B. ..	55,670	15	-	7	-	-	-	-	-	-	-	-
	BRIGHTON C.B. ..	144,900*	57	5	26	1	-	-	-	-	1	-	-
	PORTSMOUTH C.B. ..	248,300*	78	2	36	-	-	-	-	-	1	-	-
	BOURNEMOUTH C.B. ..	108,600	31	1	26	2	-	-	-	-	-	-	-
	SOUTHAMPTON C.B. ..	175,300	72	1	40	-	-	-	-	-	1	-	-
	READING C.B.	97,450*	31	3	16	-	-	-	-	-	-	-	-
	OXFORD C.B.	80,530*	22	2	12	-	-	-	-	-	-	-	-
	NORTHAMPTON C.B. ..	92,940*	29	1	17	1	-	-	-	-	1	-	-
	LUTON	69,030	16	1	8	1	-	-	-	-	-	-	-
	CAMBRIDGE	66,850	14	1	9	2	-	-	-	-	-	-	-
	SOUTHEND-ON-SEA C.B.	117,900	21	-	18	2	-	-	-	-	-	-	-
	IPSWICH C.B.	87,630	32	1	9	1	-	-	-	-	-	-	-
	GREAT YARMOUTH C.B	56,690	19	-	17	1	-	-	-	-	-	-	-
	NORWICH C.B.	126,800*	46	2	21	3	-	-	-	1	1	-	-
	SWINDON	62,600	20	-	10	1	-	-	-	-	-	-	-
	EXETER C.B.	65,290*	21	1	17	3	-	-	-	-	-	-	-
	PLYMOUTH C.B. ..	207,600*	65	1	37	2	-	-	1	-	-	-	-
	BATH C.B.	68,120	21	1	13	-	-	-	-	-	-	-	-
	BRISTOL C.B.	399,500*	129	4	71	6	-	-	-	-	-	-	-
	GLOUCESTER C.B. ..	52,890	9	1	13	1	-	-	-	-	-	-	-
	STOKE-ON-TRENT C.B.	279,800	93	8	57	7	-	-	-	-	1	2	-
	BURTON-UPON-TRENT C.B.	49,920	6	2	10	-	-	-	-	-	-	-	-
	WOLVERHAMPTON C.B.	134,200	66	4	23	2	-	-	-	-	-	-	-
	WALSALL C.B.	104,200	41	1	18	2	-	-	-	-	-	-	-
	WEST BROMWICH C.B.	82,090	34	2	11	1	-	-	-	-	-	-	-
	DUDLEY C.B.	60,010	27	1	9	-	-	-	-	-	-	-	-
	WORCESTER C.B. ..	50,540	15	1	6	1	-	-	-	-	-	-	-
	BIRMINGHAM C.B. ..	1,011,300	411	17	163	14	-	-	1	1	3	2	4
	SMETHWICK C.B. ..	85,370	24	-	5	-	-	-	-	-	-	-	-
	COVENTRY C.B. ..	168,500	45	-	32	6	-	-	-	-	-	1	-
	LEICESTER C.B. ..	241,200	96	-	38	2	-	1	-	-	-	-	1
	LINCOLN C.B.	66,110*	12	1	11	1	-	-	1	-	-	-	1
	GRIMSBY C.B.	92,180	33	3	16	1	-	-	-	-	-	-	-
	NOTTINGHAM C.B. ..	270,900	103	2	51	2	-	1	-	-	-	-	-
	DERBY C.B.	143,400*	51	3	21	1	-	-	-	-	-	-	-
	CHESTERFIELD	64,450	32	2	13	1	-	-	-	-	-	-	-
	STOCKPORT C.B. ..	126,600	26	1	22	2	-	-	-	-	-	-	-
	CHESTER C.B.	41,370	15	1	5	-	-	-	-	-	-	-	-
	BIRKENHEAD C.B. ..	148,600	58	3	22	4	-	-	-	-	-	-	-
	WALLASEY C.B. ..	97,240	39	2	19	1	-	-	-	-	1	-	-
	LIVERPOOL C.B. ..	862,100	391	15	181	20	-	2	-	2	-	1	1
	BOOTLE C.B.	77,170	36	1	16	1	-	1	-	-	-	-	-
	ST. HELENS C.B.	108,200	46	-	22	5	-	-	-	-	-	-	-

* For working death-rates, civilian population assumed to be as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingham, 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B. 229,000; Reading C.B. 97,250; Oxford C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B. 64,800; Plymouth C.B., 193,100; Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
Southport C.B. ..	77,180	23	1	15	1	-	-	-	-	-	-	-
Wigan C.B.	86,250	27	3	20	3	-	-	-	-	-	1	1
Warrington C.B. ..	80,280*	36	-	22	2	-	-	-	-	-	1	-
Bolton C.B	179,300	65	1	37	1	-	-	-	-	-	-	-
Bury C.B.	56,580*	23	2	7	2	-	-	-	-	-	-	-
Manchester C.B. ..	773,300	261	12	156	8	-	1	-	1	2	1	1
Salford C.B.	226,100	69	6	49	3	-	-	-	-	2	-	-
Ashton-under-Lyne	51,850	29	1	11	-	-	-	-	-	-	-	-
Oldham C.B	142,000	54	2	21	1	-	1	-	-	-	-	-
Rochdale C.B. ..	91,190	9	1	25	1	-	-	-	-	1	1	-
Burnley C.B	99,300	17	-	19	1	-	-	-	-	-	-	-
Blackburn C.B ..	124,000	32	3	15	-	-	-	-	-	-	-	-
Preston C.B.	120,100	34	1	17	1	-	-	-	-	-	-	-
Blackpool C.B. ..	97,880	20	-	19	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	66,700	19	-	10	-	-	-	-	-	-	-	-
Huddersfield C.B. ..	114,300	34	3	23	-	-	-	-	-	-	-	1
Halifax C.B.	98,770*	24	3	25	-	-	-	-	-	1	-	-
Bradford C.B. ..	300,800	72	1	59	2	-	1	-	-	-	-	-
Leeds C.B	486,100	158	6	105	7	-	2	-	1	4	2	1
Dewsbury C.B. ..	54,430	14	-	13	1	-	-	-	-	-	-	-
Wakefield C.B. ..	59,280	24	-	7	2	-	1	-	-	1	-	-
Barnsley C.B. ..	72,090	34	3	13	1	-	1	-	-	-	1	-
Sheffield C.B. ..	517,300	115	12	110	7	1	-	-	1	-	2	1
Rotherham C.B. ..	70,100	24	3	15	3	-	-	-	-	-	1	-
Doncaster C.B. ..	63,260	26	3	9	1	-	1	-	-	-	-	-
York C.B.	85,910*	19	-	19	3	-	-	-	-	-	-	-
Hull C.B.	314,800	126	4	77	7	-	-	-	-	-	2	1
Middlesbrough C.B.	138,800	67	5	30	5	-	1	-	1	-	1	-
Darlington C.B. ..	72,620	26	2	13	2	-	-	-	1	-	-	-
Stockton-on-Tees ..	68,350	30	3	19	3	-	-	-	-	-	-	-
West Hartlepool C.B.	68,740	29	2	13	1	-	-	-	1	-	1	-
Sunderland C.B. ..	187,500	71	3	34	6	-	2	-	1	-	3	-
South Shields C.B ..	114,400	42	3	33	3	-	1	-	-	-	-	-
Gateshead C.B. ..	123,700	51	1	23	6	-	-	-	-	-	1	1
Newcastle-on-Tyne C.B.	284,300*	125	3	66	9	-	-	-	-	1	-	-
Tynemouth C.B. ..	64,750	23	-	6	-	-	-	-	-	-	-	-
Carlisle C.B.	57,430*	22	1	9	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	89,500*	24	1	18	1	-	-	-	-	-	-	-
Cardiff C.B.	223,700*	72	9	38	5	-	-	-	1	-	-	-
Rhondda	142,700	71	3	30	2	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	71,670	21	4	22	1	-	-	-	-	-	-	-
Aberdare	49,010	9	1	11	1	-	-	-	-	1	-	-
Swansea C.B.	165,400	46	3	25	1	-	-	1	-	-	-	-
Greater London ..	8,179,740*	2,636	80	1,326	95	1	1	1	5	7	13	6
Outer Ring	3,802,740*	1,173	37	563	41	-	1	-	2	5	5	3
17 Great Towns in Outer Ring	2,130,770*	607	26	317	26	-	1	-	2	4	3	2
Remainder of Outer Ring	1,671,970*	566	11	246	15	-	-	-	-	1	2	1
Edinburgh†	438,998	128	?	97	5	-	1	-	-	-	-	-
Glasgow†	1,088,417	407	?	238	38	-	6	-	9	1	2	2
Dublin†	412,400	252	?	91	16	-	1	1	-	2	6	1
Belfast†	415,151	221	?	91	11	-	-	-	-	-	-	-

* For working death-rates, civilian population assumed to be as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition in Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available period**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,377,000	1931. July 11	1463	43	763	9·1	1	-	-	1	5	2	8
Calcutta and Suburbs	1,077,264	May 30	?	?	572‖	27·6	?	15	?	-	?	?	?
Bombay§	1,298,708	June 13	453	41	443	17·7	5	1	1	-	1	-	10
Madras	528,791	May 30	483	9	497‖	48·8	6	-	-	-	2	-	35
Sydney and Suburbs	1,253,560	,, 31 (31 days)	1700	?	863	8·3	-	-	-	1	4	8	8
Brisbane (Metropolitan Area).	313,251	Apr. 30 (30 days)											
Perth (Metropolitan Area).	204,780	May 2	85	?	30	7·6	-	-	-	-	-	-	2
Auckland (Urban Area).	212,100	Apr. 30 (30 days)	?	?	110	6·2	-	-	-	-	-	1	-
Wellington (Urban Area)	138,050	Apr. 30 (30 days)	?	?	65	5·7	-	-	-	-	-	-	1
Christchurch (Urban Area).	125,800	Apr. 30 (30 days)	?		81	7·7	-	-	-	-	-	-	-
Cape Town	136,748	June 6	72	-	27	10·3	-	-	-	-	-	-	1
Johannesburg	187,326	May 30	106	4	43	12·0	1	-	-	-	-	-	-
Durban	61,667	,, 30	34	-	13	11·1	-	-	-	-	-	-	-
Paris	2,871,429	,, 20 (10 days)	1303	56	1116	14·1	3	-	12	1	2	5	36
Antwerp	294,963	June 15 (15 days)											
Amsterdam	753,795	June 20	228	10	91	6·3	-	-	1	-	2	-	-
Copenhagen	615,700	,, 27	166	3	127	10·8	-	-	-	-	-	-	-
Stockholm	502,203	,, 20	106	4	102	10·6	-	-	-	-	-	-	1
Gothenberg	245,336	,, 6	?	?	35	7·4	-	-	-	-	-	1	-
Oslo	256,353	,, 27	47	2	46	9·3	-	-	-	-	-	-	-
Berlin	4,312,000	,, 13	742	15	855	10·3	1	?	-	-	-	2	4
Breslau	617,000	,, 13	156	7	127	10·7	-	?	-	-	3	1	1
Cologne	739,000	,, 13	174	6	142	10·0	-	?	-	1	-	-	-
Dresden	632,000	,, 13	135	7	121	10·0	-	?	-	-	-	-	1
Frankfort-on-Main	540,000	,, 13	117	4	86	8·3	-	?	-	-	-	-	1
Hamburg	1,144,000	,, 13	347	10	201	9·1	-	?	1	1	1	1	2
Leipzig	719,000	,, 13	146	3	130	9·4	-	?	-	-	-	-	1
Munich	730,000	,, 13	144	5	143	10·2	-	?	-	-	1	-	-
Budapest	1,009,069	,, 20	266	9	213	11·0	-	-	1	-	2	-	1
Warsaw	1,115,651	,, 13	?	7	299	14·0	1	-	-	-	1	2	36
Madrid	825,471	,, 6	359	22	265	16·7	1	-	2	-	4	-	17
Cairo	1,160,700	Mar. 18	1048	18	490	22·0	7	-	5	-	?	8	78
Alexandria	629,900	,, 18	567	15	281	23·3	2	-	10	-	?	2	26
New York	7,090,089	June 13	2294	122	1320	9·7	2	-	7	3	4	2	5
Chicago	3,457,375	,, 19	992	57	657	9·9	-	-	8	5	1	6	6
New Orleans	466,000	Mar. 31 (31 days)	692	20	698	18·0	2	-	-	1	4	1	4
Rio de Janeiro ..	1,729,799	Apr. 25											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras and Oslo and to *children under* 1 *year of a* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 32 deaths from Cholera in Calcutta and 1 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 11th July, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	27,374	30,780	763	54	8	10	11	38	40	31	105	138	165	163
Enteric fever	11	14	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	977	30	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	80	35	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	91	193	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	269	151	2	1	-	1	-	-	-	-	-	-	-	-
Influenza	229	902	3	-	-	-	-	-	1	-	-	-	1	1
Erysipelas	93	107	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	32	27	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	59	90	3	1	-	-	-	-	1	1	-	-	-	-
Tuberculosis :—														
Respiratory system	1996	2188	59	1	1	1	1	12	18	5	15	4	1	-
Nervous system	138	135	5	-		2	1	1	-	-	1	-	-	-
Intestines and peritoneum	29	33	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	111	141	2	-	-	-	-	1	-	-	1	-	-	-
Venereal diseases	104	104	3	-	-	-	-	-	-	-	2	1	-	-
Cancer	3459	3633	125	1	-	-	-	1	2	6	23	35	39	18
Rheumatic fever	107	69	2	-	-	-	-	2	-	-	-	-	-	-
Diabetes	221	298	8	-	-	-	-	-	-	1	1	2	1	3
Alcoholism	8	9	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	46	52	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1090	1142	34	-	-	-	-	-	-	1	2	7	11	13
Epilepsy	112	95	4	-	1	-	-	1	1	-	1	-	-	-
"Convulsions" (not puerperal)	36	36	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	674	627	22	-	1	-	2	1	-	3	2	5	6	2
Pericarditis	12	9	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	106	102	5	-	-	-	-	3	-	1	1	-	-	
Other diseases of heart	5650	7128	169	-	-	-	-	3	5	3	22	36	51	49
Other diseases of circulatory system	1147	1250	42	-	-	-	-	-	-	1	5	8	10	18
Bronchitis	1170	1818	16	-	-	-	-	-	-	-	1	4	7	4
Broncho-pneumonia	1130	1735	20	4	2	1	-	-	-	-	2	2	7	2
Lobar pneumonia	656	781	14	1	-	-	-	2	-	1	4	4	2	-
Pneumonia (type not distinguished)	243	274	8	3	-	-	-	-	-	1	-	2	-	2
Other diseases of respiratory system	271	375	4	-	-	-	-	-	-	-	1	-	2	1
Diarrhœa and enteritis	392	353	9	8	-	-	-	-	1	-	-	-	-	-
Appendicitis, Typhlitis	166	154	10	-	-	-	3	1	-	2	1	1	-	2
Hernia, Intestinal obstruction	264	294	11	1	-	-	-	-	-	-	2	4	3	1
Cirrhosis of liver	108	124	7	-	-	-	-	-	-	-	-	3	1	3
Other diseases of digestive system	699	641	18	-	-	2	-	-	2	-	4	5	1	4
Acute nephritis	56	49	2	-	-	-	-	1	-	-	-	-	1	-
Chronic Bright's disease	914	981	24	-	-	-	-	-	2	1	2	4	6	9
Other diseases of genito-urinary system	415	474	12	-	-	1	-	-	-	2	2	1	-	6
Puerperal sepsis	59	64	1	-	-	-	-	1	-	-	-		-	-
Other causes incident to childbirth	47	70	4	-	-	-	-	1	2	1	-	-	-	
Congenital malformations	178	167	6	5	-	-	1	-	-	-	-	-		
Premature birth	525	542	12	12	-	-	-	-	-	-	-	-		
Debility, atrophy (congenital)	106	84	-	-	-	-	-	-	-	-	-	-	-	-
Old age	624	741	18	-		-			-	-	-	-	3	15
Suicide	300	286	10	-		-	-	2	-	1	2	3	1	1
Burns and Scalds	55	85	5	-	3	1	-	-	-	-	-	-	-	1
Drowning	73	52	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	20	17	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	406	361	9	-	-	-	1	2	2	-	1	1	1	1
Other deaths by violence	435	424	10	1	-	-	-		2	-	1	-	1	5
Other specified causes	1096	1229	38	10	-	-	2	3	-	-	6	6	9	2
Ill-defined causes	3	3	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 11th July, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	9	207	171	6	38	C. 7 D. 3 E. 1 G. 1 L. 1 M. 17 N. 22
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	13	–	2	E. 1 M. 2
†BERMONDSEY ...	–	9	5	–	1	C. 1
†BETHNAL GREEN	2	7	11	–	–	–
†CAMBERWELL ...	1	10	5	–	3	C. 1 D. 1 M. 1 N. 2
†CHELSEA	–	3	3	1	–	–
†DEPTFORD ...	–	3	8	–	1	M. 1 N. 1
†FINSBURY ...	–	5	10	–	2	M. 1 N. 2
†FULHAM	–	7	3	–	2	D. 1 M. 1 N. 1
†GREENWICH ...	–	4	10	–	–	–
†HACKNEY... ...	–	13	2	1	–	C. 1 D. 1 M. 2
†HAMMERSMITH ...	–	7	2	–	–	M. 1
†HAMPSTEAD ...	–	1	2	–	1	C. 1 N. 1
Metropolitan Boroughs—*cont.*						
†HOLBORN... ...	–	2	4	–	–	–
†ISLINGTON ...	1	29	18	–	1	C. 1 N. 1
†KENSINGTON ...	–	4	2	–	–	M. 1 N. 1
†LAMBETH ...	–	7	12	–	4	N. 5
†LEWISHAM ...	–	9	7	–	3	N. 1
†PADDINGTON ...	–	5	5	–	4	M. 1 N. 1
†POPLAR	–	10	6	–	5	–
†ST. MARYLEBONE	–	6	1	1	1	M. 1
†ST. PANCRAS ...	–	8	4	–	–	C. 1 L. 1 M. 1 N. 1
†SHOREDITCH ...	3	4	5	–	–	–
†SOUTHWARK ...	–	4	4	1	4	N. 1
†STEPNEY	2	21	8	1	1	N. 1
†STOKE NEWINGTON	–	1	2	–	–	C. 1 M. 1 N. 1
†WANDSWORTH ...	–	11	10	–	2	G. 1 M. 2 N. 1
†WESTMINSTER, CITY OF	–	–	4	–	–	M. 1
†WOOLWICH ...	–	8	5	1	1	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	1	–	2	N. 1
Boroughs and Urban Districts:—						
†Bedford	–	2	–	–	–	N. 1
†Luton	–	2	–	–	–	–
Rural Districts:—						
Ampthill ...	–	1	–	–	–	–
Biggleswade ...	–	–	–	–	2	–
Luton	–	1	1	–	–	–
BERKS	–	6	4	1	–	–
†Reading C.B. ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
†Maidenhead ...		–	1	–	–	–
†New Windsor ...	–	–	–	1	–	–
Wokingham ...	–	1	–	–		–
Rural Districts:—						
Bradfield ...	–	2	–	–		–
Easthampstead		1	–	–		–
Wokingham ...	–	–	1		–	–
BUCKINGHAM ...	–	11	11	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
†Aylesbury ...	–	–	2		–	–
†Chepping Wycombe	–	4	–	–	–	N. 1
†Slough	–	4	3	–	–	M. 1
†Wolverton ...	–	1	–	–	–	–
Rural Districts:—						
Amersham ...	–	1	–		–	–
Buckingham ...	*	*	*	*	*	*
Eton	–	–	1	–	1	–
Hambleden ...	–	–	1	–	–	–
Wycombe ...	–	1	4	–	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...		3	2	–		–
Rural Districts:—						
Chesterton ...	–	3	–	–	–	–
Newmarket ...	–	–	2	–	–	–
CHESTER ...	–	43	26	–	14	N. 2
†Birkenhead C.B.	–	4	5	–	6	–
†Chester C.B. ...	–	–	2	–		–
†Stockport C.B. ...	–	8	2	–	1	N. 1
†Wallasey C.B. ...	–	2	2	–	1	N. 1
Boroughs and Urban Districts:—						
†Altrincham ...	–	3	–	–	–	–
†Bebington and Bromborough	–	4	4	–	–	–
Bredbury and Romiley	–	1	1	–	–	–
†Crewe	–	–	1	–		–
†Ellesmere Port and Whitby	–	–	1	–	–	–
Hoole	–	–	–	–	1	–
†Hyde	–	3		–	2	–
Knutsford ...	–	1	–		–	–
†Macclesfield ...	–	1			–	–
Nantwich ...	–	–	–	–	1	–
†Runcorn	–	3	–	–	–	–
Rural Districts:—						
Bucklow	–	2	–	–	1	–
Congleton ...	–	1	–	–	–	–
Nantwich ...	–	2	–	–	–	–
Northwich ...	–	1	–		–	–
Runcorn	–	4	1	–	1	–
Tarvin	–	2	5	–	–	–
Wirral	–	1	2	–	–	–
CORNWALL ...	–	5	1	–	2	M. 1
Boroughs and Urban Districts:—						
Helston	*	*	*	*	*	*
Redruth ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CORNWALL—*cont.*						
Boroughs and Urban Districts—*cont.*						
ST. AUSTELL ...	–	1	1	–	–	–
SALTASH		–	–	–	1	–
Rural Districts:—						
EAST KERRIER ...	–	1	–	–	–	–
LAUNCESTON ...		1	–	–	–	
LISKEARD ...	–			–	–	M. 1
ST. GERMANS ...	–	–	–	–	1	–
TRURO	–	2	–	–	–	–
CUMBERLAND ...	–	3	5	–	5	D. 1 M. 2
†CARLISLE C.B. ...	–	1	2		2	M. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...			–	–	1	–
KESWICK		–	1	–	–	–
†MARYPORT ...		–	–	–		D. 1
MILLOM		–	–		1	–
†WORKINGTON ...		1	–			–
Rural Districts:—						
CARLISLE ...		1	–	–		–
COCKERMOUTH ...	–	–	2	–	–	M. 1
PENRITH		–	–	–	1	–
DERBY	3	18	16		9	D. 4 M. 2 N. 1
†DERBY C.B. ...		1	9		2	M. 1 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...			–		1	–
†BOLSOVER ...	–	–	–	–	1	–
DERBY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†CHESTERFIELD ...	1	1	–	–	–	D. 1
CLAY CROSS ...	–		1	–	–	–
†HEANOR		1			–	–
NEW MILLS ...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT		1	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	–			1	–
BLACKWELL ...	–	1	–	–	–	D. 1 M. 1
CHAPEL EN LE FRITH	–	1	2	–	–	–
CHESTERFIELD ...	2	9	2	–	1	–
CLOWNE	–	1	–	–	–	D. 2
HARTSHORN AND SEALS	–	–	2	–	1	–
REPTON	–	1				–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	13	10	2	3	N. 3
†EXETER C.B. ...	–	–	–	2	1	–
†PLYMOUTH C.B.	–	9	6	–	–	N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...		1	–	–	–	–
BIDEFORD ...	–	–	2		–	–
†ILFRACOMBE ...			1	–	–	–
†NEWTON ABBOT...	–			–	–	N. 1
†TEIGNMOUTH ...	–	1	–	–	–	
TOTNES	–	–	–	–	–	N. 1
Rural Districts:—						
BARNSTAPLE ...		1		–	–	–
ST. THOMAS ...	–	–	–	–	1	–
TAVISTOCK ...	–	1	–	–	–	–
TIVERTON ...	–		1	–	1	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DORSET	-	7	4		1	C. 1 D. 2 G. 1
Boroughs and Urban Districts:—						
†POOLE	-	2	3	-	-	D. 1
SHAFTESBURY ...	-	3	-	-		D. 1
SHERBORNE ...	-	1	-	-	-	-
†WEYMOUTH AND MELCOMBE REGIS	-	-	1	-	-	-
Rural Districts:—						
BLANDFORD ...	-	-	-	-	-	C. 1
POOLE	*	*	*	*	*	*
WEYMOUTH ...	-	1	-		-	-
WIMBORNE AND CRANBORNE	-	-	-	-	1	G. 1
DURHAM ...	-	59	11	23	42	M. 3 N. 5
†DARLINGTON C.B.	-	4	-	-	2	-
†GATESHEAD C.B.	-	6	-	-	2	N. 2
†SOUTH SHIELDS C.B.	-	1		-	2	
†SUNDERLAND C.B.	-	11	2		14	M. 2
†WEST HARTLEPOOL C.B.	-	3	1	-	3	-
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	-	1	-	2	1	-
BENFIELDSIDE ...	-		-	9		N. 1
†BLAYDON... ...	-	3		-	-	-
†BRANDON AND BYSHOTTLES	-	-	1	-	-	-
†CHESTER LE STREET	-	1	-	-	-	-
†CONSETT	-	-	-	5	-	-
†CROOK	-	-	1		-	-
†DURHAM	-	2		-		-
†FELLING	-	2	-	-	-	-
†HEBBURN ...	-		-	-	1	-
†HOUGHTON LE SPRING	-	-	-	-	1	-
†JARROW	-	-	-	-	2	-
LEADGATE ...	-	-	-	2	-	-
†SEAHAM HARBOUR	-	-	-		2	N. 1
†SHILDON	-	1	-		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*		-				
Boroughs and Urban Districts:— *cont.*						
†SPENNYMOOR ...		-	-	-	2	-
†STANLEY	-	2	1	-	-	-
†STOCKTON ON TEES	-	-	-	-	1	-
†TANFIELD ...	-	-	1	-	-	-
†WHICKHAM ...	-	3	-	-	-	-
Rural Districts:—						
AUCKLAND ...	-	1	-	-	-	-
CHESTER LE STREET	-	3	2	-		-
DURHAM	-	6	-		1	
EASINGTON ...	-	4	1	1	2	N. 1
HOUGHTON LE SPRING	-	3	-	-	3	-
LANCHESTER ...	-	1	1	4	1	-
SEDGEFIELD ...	-	1	-	-	-	-
SOUTH SHIELDS	-	-	-	-	1	-
SUNDERLAND ...	-	-	-	-	1	M. 1
ELY, ISLE OF ...	-	3	-	-	1	-
Boroughs and Urban Districts:—						
†WISBECH	-	2	-	-	1	-
Rural Districts:—						
NORTH WITCHFORD	*	*	*	*	*	*
WISBECH... ...	-	1	-	-	-	-
ESSEX	6	68	66	-	16	C. 3 M. 2 N. 1
†EAST HAM C.B....	-	5	3		1	-
†SOUTHEND ON SEA C.B.	-	4	2	-	1	-
†WEST HAM C.B.	6	17	8	-	5	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	2	–	1	–
BENFLEET ...	–	–	1	–	–	–
BRAINTREE ...	–	1	–	–	–	–
†CHELMSFORD ...	–	–	1	–	–	–
CHINGFORD ...	–	2	–	–	–	–
†CLACTON	–	–	3	–	–	–
†COLCHESTER ...	–	4	2	–	1	C. 2
DAGENHAM ...	–	9	7	–	2	M. 1
†GRAYS THURROCK	–	–	–	–	2	–
†HORNCHURCH ...	–	2	2	–	–	–
†ILFORD	–	5	3	–	–	–
†LEYTON	–	3	14	–	–	M. 1
MALDON	–	1	–	–	–	–
PURFLEET ...	–	1	1	–	–	–
RAYLEIGH ...	–	1	–	–	–	–
†ROMFORD... ...	–	1	2	–	–	–
†WALTHAMSTOW ...	–	9	8	–	1	–
†WOODFORD ...	–	–	2	–	–	–
Rural Districts:—						
EPPING	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	–	4	–	–	C. 1
TENDRING ...	–	2	–	–	2	–
GLOUCESTER ...	–	18	20	1	7	G. 1 N. 4
†BRISTOL C.B. ...		7	17	1	3	G. 1 N. 1
†GLOUCESTER C.B.	–	1	–	–	1	N. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	3	1	–	1	–
CIRENCESTER ...	–	–	1	–	2	–
NAILSWORTH ...	–	4	–			–
TEWKESBURY ...	*	*	*	*	*	*
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	–	N. 1
DURSLEY	–	–	–	–	–	N. 1
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
STROUD	–	1	–	–	–	–
THORNBURY ...	–	–	1	–	–	–
WHEATENHURST	–	1	–	–	–	–
HEREFORD ...	–	3	4	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	1	1		–	C. 1
LEOMINSTER ...	–	–	2	–	–	M. 1
ROSS		1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	1	–	–	2	–
WEOBLEY... ...	–		1	–	–	–
HERTFORD ...	–	10	9	–	–	L. 19 N. 1
Boroughs and Urban Districts:—						
BUSHEY	–	–	3	–	–	–
†CHESHUNT ...	–	1	3	–	–	L. 19
†EAST BARNET VALLEY	–	1	1	–		–
GREAT BERKHAMPSTEAD	–	2	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†HITCHIN	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	–	N. 1
†ST. ALBANS ...	–	2	–	–	–	–
†WATFORD... ...	–	1	1		–	–
WELWYN GARDEN CITY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	2	–	–	1	G. 2
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	–	G. 2
NORMAN CROSS ...	–	–	–	–	1	–
ST. NEOTS ...	–	2	–	–	–	–
KENT	–	38	13	1	9	N. 1
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	2	–	–	–	–
†BECKENHAM ...	–	–	1	1	1	–
†BEXLEY	–	3	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	4	1	–	1	–
†BROMLEY	–	5	2	–	–	–
†DEAL	–	–		–	1	–
†DOVER	–	–	1	–	–	–
†ERITH	–	–	–	–	–	N. 1
†FOLKESTONE ...	–	–	1	–	–	–
†GILLINGHAM ...	–	2	1	–	–	–
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	2	–	–	1	–
NEW ROMNEY ...	–	1		–	–	–
†RAMSGATE ...	–	1	–	–	2	–
†ROCHESTER ...	–	1	–	–	–	–
SANDWICH ...	–	–	1	–	–	–
†SHEERNESS ...	–	–	–	–	1	–
†SITTINGBOURNE AND MILTON	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
DARTFORD ...	–	4	1	–	–	–
EASTRY	–	–	–	–	1	–
FAVERSHAM ...	–	–	1	–	–	–
ISLE OF THANET		2	–	–	–	–
MALLING	–	2	1	–	–	–
ROMNEY MARSH	–	1	–	–	–	–
SEVENOAKS ...	–	3	–	–	–	–
STROOD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	180	110	4	141	C. 5 D. 6 L. 1 M. 26 N. 13
†BARROW IN FURNESS C.B.	–	–	–	–	1	–
†BLACKBURN C.B.	–	2	2	–	5	N. 1
†BLACKPOOL C.B.	–	3	2	–	3	–
†BOLTON C.B. ...	–	4	3	–	1	M. 1
†BOOTLE C.B. ...	–	5	1	–	1	–
†BURNLEY C.B. ...	–	2	–	–	1	M. 1
†BURY C.B. ...	–	–	–	–	4	C. 1
†LIVERPOOL C.B....	–	21	54	1	39	D. 3 M. 19 N. 5
†MANCHESTER C.B.	–	59	10	–	25	C. 2 M. 1 N. 2
†OLDHAM C.B. ...	–	6	1	1	2	–
†PRESTON C.B. ...	–	2	–	–	3	N. 1
†ROCHDALE C.B....	–	3	–	–	1	C. 1
†ST. HELENS C.B.	–	1	2	–	5	N. 1
†SALFORD C.B. ...	–	10	10	–	2	–
†SOUTHPORT C.B.	–	2	3	–	3	–
†WARRINGTON C.B.	–	9	2	–	8	–
†WIGAN C.B. ...		1	1		4	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	1	–	–	–
†ASHTON IN MAKERFIELD	–	2		–	1	–
†ASHTON-UNDER-LYNE	–	3	–	–	3	–
ASPULL	–	–	–	–	1	–
†BACUP	–	–	–		2	–
BILLINGE AND WINSTANLEY	–	–	–		–	L. 1
BRIERFIELD ...	–	–	1	–	–	–
†CHADDERTON ...	–	2	–	1	2	–
†CHORLEY	–	5	–	–	–	–
†CLITHEROE ...	–	–	–	–	2	–
†COLNE	–	–	1	–	1	N. 1
†CROMPTON ...	–	1	–	–	1	–
†DALTON IN FURNESS	–	–	1	–	–	–
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–	2		–	–	–
†FAILSWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	–	1	–	–	N. 1
FORMBY	–	–	–	–	3	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Fulwood ...	–	1	–	–	–	–
Grange	–	–	–	–	–	D. 1
†Great Crosby ...	–	2	1	–	–	–
†Haslingden ...	–	1	–	–	–	–
†Haydock... ...	–	–	–	–	1	–
†Heywood ...	–	–	–		1	–
†Horwich... ...	–	–	1	–	–	–
†Ince in Makerfield	–	1		–	–	–
†Lancaster ...	–	1	–	–	–	–
Lees	–	–	–		1	–
†Leigh	–	–	–	–	1	–
†Litherland ...	–	3	–	–	1	–
Little Crosby...	–	1	–		–	–
†Nelson	–	4	1	–	–	M. 1
†Newton in Makerfield	–	5		–	1	–
Ormskirk ...	–	1	–	1	–	–
†Prestwich ...	–	1	–		–	–
†Radcliffe ...	–	–	–	–	–	C. 1 M. 1
†Ramsbottom ...	–	–	–	–	2	–
†Rawtenstall ...	–	1	1	–		N. 1
Rishton	–	–	–	–	2	–
†Stretford ...	–	1	6	–	–	–
†Swinton and Pendlebury	–	–	–		1	D. 2
Tottington ...	–	–	1	–	–	–
†Tyldesley with Shakerley	–		–		2	–
†Walton le Dale	–	2	–	–	–	–
†Waterloo with Seaforth	–	1	1	–	–	M. 1
†Westhoughton	–	–	–	–	1	–
†Widnes	–	–	–	–	1	M. 1
Rural Districts:—						
Barton upon Irwell	–	1	–	–	–	–
Blackburn ...	–	–	–	–	1	–
Burnley ...	–	1	–	–		–
Garstang ...	–	–	1			–
Limehurst ...	–		–	–	1	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
Preston	–	1	–	–	–	–
Warrington ...	–	1	–	–	–	–
West Lancashire	–	1	–	–	–	–
Wigan	–	–	1	–	–	–
LEICESTER ...	23	10	2	–	7	G. 1 M. 1 N. 1
†Leicester C.B....	17	3	–	–	3	G. 1 N. 1
Boroughs and Urban Districts:—						
Ashby Woulds...	–	1	–	–	2	–
†Coalville ...	4	1	–	–	2	–
†Loughborough	–	1	–	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	–	–	–	–	M. 1
Barrow upon Soar	–	1	–	–	–	–
Blaby	1	–	1	–	–	–
Market Bosworth	1	2	–	–	–	–
Melton Mowbray	–	1	1	–	–	–
LINCOLN (parts of Holland).	–	–	2	–	–	–
Boroughs and Urban Districts:—						
Sutton Bridge	*	*	*	*	*	*
Rural Districts:—						
Spalding ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	2	–	–	1	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...		–	–	–	1	M. 1
Rural Districts:—						
NORTH KESTEVEN	–	1	–	–	–	–
WEST KESTEVEN	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	2	1	–	5	D. 1 M. 1
†GRIMSBY C.B. ...	–	1	–	–	2	D. 1
†LINCOLN C.B. ...	–	–	–		1	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–		–	–	M. 1
MARKET RASEN ...	*	*	*	*	*	*
SKEGNESS... ...	–	1	–	–		–
Rural Districts:—						
GLANFORD BRIGG	–		–	–	2	–
ISLE OF AXHOLME	–		1	–	–	–
MIDDLESEX ...	–	83	48	2	18	C. 2 E. 1 G. 1 M. 5 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	–	1	–	1	G. 1
†BRENTFORD AND CHISWICK	–	2	–	–	2	–
†EALING	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EDMONTON	–	12	3	–	1	–
†ENFIELD	–	6	14	–	–	M. 1
†FELTHAM... ...	–	–	–	–	–	M. 1
†FINCHLEY ...	–	2	–	1	–	–
HAYES AND HARLINGTON	–	2	–	–	–	–
†HENDON	–	5	3	–	1	N. 1
†HESTON AND ISLEWORTH	–	7	2	–	–	M. 1 N. 2
†HORNSEY	–	4	4	–	1	E. 1
KINGSBURY ...	–	2	1	–	–	–
RUISLIP NORTHWOOD	–	2	1	–	–	–
†SOUTHALL NORWOOD	–	–	–	–	1	–
†SOUTHGATE ...	–	–	–	–	1	–
†STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	2	1	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	8	10	1	3	–
†TWICKENHAM ...		2	1	–	–	C. 1
†UXBRIDGE ...	–	6	–	–	–	–
†WEALDSTONE ...	–	1	–		–	–
†WEMBLEY ...	–	2	–	–	–	N. 1
†WILLESDEN ...	–	11	6	–	3	C. 1 M. 2
†WOOD GREEN ...	–	4	–	–	1	–
†YIEWSLEY AND WEST DRAYTON	–	1	–		–	–
Rural Districts—						
HENDON	–	–	1	–	–	–
NORFOLK ...	–	16	4	–	2	M. 1 N. 1
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†NORWICH C.B. ...	–	5	4	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
†KING'S LYNN ...		1	–	–	–	–
SHERINGHAM ...	–	1	–	–	–	–
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	–	1	–	–	1	–
DOCKING	–	2		–	–	–
EAST AND WEST FLEGG	–	1	–	–	–	–
KING'S LYNN ...	–	–	–	–	–	M. 1
ST. FAITH'S ...	–	1	–	–	–	–
SWAFFHAM ...	–	2	–	–	1	–
NORTHAMPTON	–	13	2	1	1	N. 2
†NORTHAMPTON C.B.	–	–	–	1	1	–
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	–	–	–	N. 1
DESBOROUGH ...	–	1		–	–	–
†KETTERING ...	–	2		–	–	–
ROTHWELL ...	–	1			–	–
†RUSHDEN... ...	–	2	–		–	–
†WELLINGBOROUGH	–	2	–	–		–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–		–
HARDINGSTONE ...	–	–	1	–	–	–
KETTERING ...	–	2	–	–	–	N. 1
NORTHAMPTON ...	–	–	1	–		
TOWCESTER ...	*	*	*	*	*	*
WELLINGBOROUGH	–	2	–	–	–	–
NORTHUMBERLAND.	–	31	3	–	31	C. 1 D. 1 L. 1 M. 4 N. 2
†NEWCASTLE UPON TYNE C.B.	–	22	–	–	19	C. 1 L. 1 M. 3
†TYNEMOUTH C.B.	–	1	1	–	–	D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	2	–	–	–	N. 1
†BEDLINGTONSHIRE	–	–	–	–	6	–
†BLYTH	–	–	1	–	–	–
†EARSDON		2	–	–	–	–
NEWBIGGIN BY THE SEA	–	–	–	–	2	
†NEWBURN ...	–	1	–	–	–	–
SEATON DELAVAL	–		–		2	–
†WALLSEND ...	–	1	1	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	1	–
GLENDALE ...	–	1	–	–	–	–
ROTHBURY ...	–	–	–	–	1	–
NOTTINGHAM ...	–	22	29	1	9	C. 1 D. 6 E. 1 N. 1
†NOTTINGHAM C.B.	–	13	14	–	8	D. 1 E. 1
Boroughs and Urban Districts:—						
†CARLTON	–	–	3		–	–
†EAST RETFORD ...	–	–	1	–	–	C. 1
†MANSFIELD ...	–	2	–	–	–	D. 2
†MANSFIELD WOODHOUSE	–	–	–	–	–	D. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SUTTON IN ASHFIELD	–	1	–	–	–	D. 1
†WEST BRIDGFORD	–	1	1	–	–	–
†WORKSOP	–	–	1	–	–	D. 1
Rural Districts:—						
BASFORD	–	4	2	–	–	–
BINGHAM	–	1	3	–	–	–
NEWARK	–	–	1	–	–	N. 1
SKEGBY	–	–	–	–	1	–
SOUTHWELL ...	–	–	1	–	–	–
STAPLEFORD ...	–	–	2	–	–	–
WORKSOP	–	–	–	1	–	–
OXFORD	–	2	–	–	1	C. 1 M. 1 N. 2
†OXFORD C.B. ...	–	–	–	–	1	C. 1 M. 1 N. 2
Rural Districts:—						
BICESTER	–	1	–	–	–	–
HENLEY	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	–	–	–	–	N. 1
Borough:—						
†PETERBOROUGH ...	–	–	–	–	–	N. 1
RUTLAND ...	–	3	–	–	–	–
Urban District:—						
OAKHAM	–	2	–	–	–	–
RUTLAND—*cont.*						
Rural Districts:—						
UPPINGHAM ...	–	1	–	–	–	–
SALOP	–	10	14	–	–	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	M. 1 N. 1
LUDLOW	–	–	1	–	–	–
MARKET DRAYTON	–	–	1	–		–
NEWPORT		–	–	–	–	C. 1
OSWESTRY ...	–	1	1	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	2	–	–	–
†WENLOCK ...	–	1		–	–	–
Rural Districts:—						
ATCHAM	–	1	4	–	–	–
DRAYTON	–	2		–	–	–
LUDLOW	–	1	–		–	–
OSWESTRY ...	–	1		–	–	–
WEM	–	1	3	–		–
WHITCHURCH ...	–	1	1		–	–
SOMERSET ...	–	8	4	–	7	G. 1 M. 1 N. 2
†BATH C.B. ...	–	–	–	–	–	M. 1 N. 1
Boroughs and Urban Districts:—						
HIGHBRIDGE ...	–	–	2	–	–	–
†TAUNTON	–	1	–		–	–
†WESTON SUPER MARE	–	3	–	–	–	–
†YEOVIL	–	–	–	–	1	N. 1
Rural Districts:—						
AXBRIDGE ...	–	1	1	–	3	–
CHARD	–	–	–	–	1	–

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
CLUTTON	–	–	–	–	1	–
KEYNSHAM ...	–	–	1	–	1	–
TAUNTON ...	–	–	–	–	–	G. 1
WINCANTON ...	–	2	–	–	–	–
YEOVIL	–	1	–	–		–
SOUTHAMPTON	–	18	13		3	C. 1 M. 1 N. 3
†BOURNEMOUTH C.B.		2	3			
†PORTSMOUTH C.B.		8	2	–	1	N. 1
†SOUTHAMPTON C.B.	–	1	6	–	–	N. 1
Boroughs and Urban Districts:—						
†FAREHAM ...	–	–	1	–	–	
†GOSPORT	–	1	–	–	–	N. 1
PETERSFIELD ...	–	1	–	–	1	–
†WINCHESTER ...		–	–	–	–	C. 1
Rural Districts:—						
ALRESFORD ...	–	–	1	–	–	–
BASINGSTOKE ...		1	–	–		–
DROXFORD ...	–	1	–		–	–
FAREHAM ...	–	–	–	–	1	–
NEW FOREST ...	–	1	–	–	–	–
PETERSFIELD ...	–	–	–	–	–	M. 1
RINGWOOD ...	–	2	–	–		–
STAFFORD ...	–	31	31	1	31	C. 4 L. 3 M. 9 N. 4
†BURTON UPON TRENT C.B.	–	2		1	–	–
†SMETHWICK C.B.	–	1	4	–	1	C. 2
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.	–	2	8	–	4	M. 2
†WALSALL C.B. ...	–	–	1	–	1	C. 1
†WEST BROMWICH C.B.	–	7	–		4	–
†WOLVERHAMPTON C.B.	–	3	4		1	C. 1 M. 5 N. 1
Boroughs and Urban Districts:—						
†BILSTON	–	1	1	–	1	–
†BRIERLEY HILL...	–			–	1	–
†BROWNHILLS ...	–	–			1	–
†DARLASTON ...	–		–	–		M. 1
KIDSGROVE ...	–	–	1	–	–	–
QUARRY BANK ...	–	–	–		1	–
†ROWLEY REGIS ...	–	–	2	–	1	N. 1
†SEDGLEY	–	–	–	–	2	–
SHORT HEATH ...	–	1	–	–		–
TETTENHALL ...	–	–	1	–		–
†TIPTON	–	3	1		2	–
†WEDNESBURY ...	–	1	–	–		–
†WILLENHALL ...	–	–	–		2	–
†WOLSTANTON UNITED	–	–	1		–	–
Rural Districts:—						
CANNOCK	–		–	–	1	–
CHEADLE... ...	–	2		–	7	L. 3
KINGSWINFORD ...	–	1	1	–	–	–
LICHFIELD ...	–	5	–	–	1	–
NEWCASTLE UNDER LYME	–	–	–	–	–	M. 1 N. 1
STAFFORD ...	–	1	5	–		–
STONE	–	–		–	–	N. 1
TAMWORTH (part)	–	1	1	–		–
SUFFOLK, EAST	–	16	12	1	2	N. 1
†IPSWICH C.B. ...	–	14	11	1	–	–
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	–	–	–	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, EAST *cont.*						
Boroughs and Urban Districts — *cont.*						
WOODBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
EAST STOW ...	–	–	–	–	1	–
HARTISMERE ...	–	–		–	1	–
PLOMESGATE ...	–	1		–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST	–	2	5	1	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	1	1	–	–
NEWMARKET ...	–	2	3	–	–	–
Rural Districts:—						
THINGOE	–		1		–	–
SURREY	2	43	18	4	3	C. 1 M. 2 N. 2
†CROYDON C.B. ...	–	11	3	1	–	M. 1 N. 2
Boroughs and Urban Districts:—						
†BARNES		3	–		–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	1	–
†CHERTSEY ...	–	1	–		–	–
†COULSDON AND PURLEY	2	3	–	–	–	–
EAST AND WEST MOLESEY	–		1	–	–	–
†EPSOM	–	–	–	1	–	C. 1 M. 1
†FARNHAM ...	–	2	–	–	–	–
†GUILDFORD ...	–	1	–	–	1	–
†KINGSTON ON THAMES	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN		4	–	1	–	–
†MITCHAM		3	1		–	–
†REIGATE	–	2	5	–	–	–
†RICHMOND ...		2	1	–	–	–
†SURBITON ...	–	–	–		1	–
†WIMBLEDON ...	–	3	2	–		–
WINDLESHAM ...		1	–	1	–	–
Rural Districts:—						
EPSOM		3	–	–		–
GUILDFORD ...		1	–	–	–	–
HAMBLEDON ...		–	2	–		–
REIGATE	–	1	1	–		–
SUSSEX, EAST...	–	5	1	–	5	C. 1 D. 1 M. 1 N. 1
†BRIGHTON C.B. ...	–	1	–	–	1	D. 1 M. 1 N. 1
†EASTBOURNE C.B.	–	–	–	–	1	–
†HASTINGS C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BEXHILL ...	–	1	–	–	–	–
†HOVE	–	1	–	–	1	C. 1
†LEWES	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	–	–	1	–
SUSSEX, WEST...	–	7	1	–	1	–
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	–	–	1	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Boroughs and Urban Districts—*cont.*						
SOUTHWICK ...	–	–	–	–	1	–
†WORTHING ...	–	3	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
PETWORTH ...	–	1	–	–	–	–
THAKEHAM ...	–	2	–	–	–	–
WARWICK ...	–	71	46	3	35	C. 3 M. 13 N. 3
†BIRMINGHAM C.B.	–	53	31	1	30	C. 2 M. 12 N. 1
†COVENTRY C.B. ...	–	2	4	1	1	C. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
BULKINGTON ...	–	–	1	–		–
†NUNEATON ...	–	–	1	–	1	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	–	–	1	–	–
†STRATFORD ON AVON	–	–	1	–	–	–
†SUTTON COLDFIELD		3	–	–	–	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	4	–	–	–	–
ATHERSTONE ...		2	–	–	–	–
MERIDEN	–	1	–	–	1	–
NUNEATON ...	–	–	2	–	–	–
RUGBY	–	3	5	–	1	–
SOLIHULL ...	–		1	–		–
STRATFORD ON AVON		1	–	–	–	–
WESTMORLAND	–	–	–	–	3	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	3	–
WIGHT, ISLE OF	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	1		–		–
†NEWPORT	–	–	–	–	1	–
WILTS	–	4	4	–	2	E. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	2	–	–	1	–
†SWINDON	–	–	1	–	1	E. 1
†TROWBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
DEVIZES	–	–	1	–	–	–
HIGHWORTH ...	–	–	2	–	–	–
PEWSEY		1	–	–	–	–
WORCESTER ...	–	16	6	3	11	C. 1 D. 1 N. 1
†DUDLEY C.B. ...	–	3	1	–	–	–
†WORCESTER C.B.	–	3	1		1	N. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	–	–	–	3	–
†KIDDERMINSTER	–	1	–	–	1	–
†LYE AND WOLLESCOTE	–	1		–	–	–
†MALVERN	–	1	–		1	D. 1
†OLDBURY	–	2	–	–	2	C. 1
†REDDITCH	–	1	–	–	1	–
†STOURBRIDGE ...	–	1	–	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER— *cont.*						
Rural Districts:—						
BROMSGROVE ...	–	–	–	1	–	–
FECKENHAM ...	–	1	–	–	–	–
KIDDERMINSTER	–	–	1	–	–	–
MARTLEY... ...	–	2	3	–	–	–
PERSHORE ...	–		–	2	–	–
TEWKESBURY (part)	*	*	*	*	*	*
UPTON ON SEVERN	–	–	–	–	2	–
YORKS ... ... (East Riding).	–	20	14	–	7	D. 1 M. 1 N. 2
†KINGSTON UPON HULL C.B.	–	18	14	–	7	D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
HEDON	*	*	*	*	*	*
Rural Districts:—						
DRIFFIELD ...	–	1	–	–	–	–
POCKLINGTON ...	–	1	–	–	–	
RICCALL	–	–	–	–	–	N. 1
YORKS ... ... (North Riding).	–	20	6	–	21	C. 1 M. 3
†MIDDLESBROUGH C.B.	–	7	–	–	8	C. 1 M. 1
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	3	M. 1
GUISBOROUGH ...	–	–	–		2	–
LOFTUS	–	–	–	–	–	M. 1
†REDCAR	–	1	1		4	–
†SCARBOROUGH ...	–	1	2	–	1	–
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	3	–	–	–	–
†WHITBY	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
FLAXTON... ...		1	–			–
GUISBOROUGH ...	–	–	1	–	–	–
REETH	–	–	–	–	1	–
SCARBOROUGH ...	–	–	–	–	1	–
STOKESLEY ...	–	2	2	–	–	–
YORKS ... ... (West Riding).	1	136	81	2	90	C. 2 D. 17 E. 2 L. 2 M. 4 N. 7
†BARNSLEY C.B. ...	–	1			3	D. 2
†BRADFORD C.B. ...	–	26	5		8	–
†DEWSBURY C.B....	–	9	2	–	–	–
†DONCASTER C.B....	–	1	3	–	–	–
†HALIFAX C.B. ...	–	1	3		2	N. 1
†HUDDERSFIELD C.B.	–	1	1	–	7	M. 1
†LEEDS C.B. ...	–	27	19		9	D. 3 N. 1
†ROTHERHAM C.B.	–	3	4	–	2	–
†SHEFFIELD C.B....	–	18	10	1	21	C. 1 E. 1 M. 1 N. 2
†WAKEFIELD C.B.	–	4	5	–	2	D. 1 L. 2
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	3	2	–	1	D. 1
BAILDON	–	–	1	–		–
†BINGLEY	–	–	–	–	1	–
†CASTLEFORD ...	–	4	–	–	–	–
†CONISBROUGH ...	–	–	–	–	–	D. 1
CUDWORTH ...	–	1	–	–	–	–
†DARTON	1	–	1	–	–	–
†ELLAND	–	–	–	–	1	–
†FEATHERSTONE ...	–	1	–	–	–	–
†GOOLE	–	1	–	–	1	–
†HARROGATE ...	–	–	–	–	3	–
†HEMSWORTH ...	–	–	–	–	1	D. 1
HIPPERHOLME ...	–	1	–	–	–	–
HORBURY... ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Horsforth ...	–	2	–	–	1	C. 1
†Hoyland Nether	–	–	–	–	1	–
†Keighley ...	–	6	–	–	1	–
Kirkheaton ...	–	–	–	–	1	–
Knaresborough	–	–	–	–	2	–
Lepton		–	–	–	1	–
Maltby	–	–	–	1		D. 1
†Mexborough ...	–	–		–	–	D. 1
†Morley	–	–		–	1	–
†Normanton ...		1	–	–	6	–
Otley	–		2	–		
†Pontefract ...	–	4	–	–	–	
†Pudsey	–	1	–	–	–	–
†Rawmarsh ...	–	–	1	–	1	–
†Rothwell ...		1	1	–		–
Royston	–	–	2			–
Shelley	–	–	1	–	–	–
†Shipley	–	1	–	–	–	–
†Skipton	–	1	–	–	–	–
†Sowerby			2	–	–	–
†Spenborough ...	–	2	–	–	–	–
Springhead ...		–	1	–	–	–
†Stanley	–	–	2	–	–	–
†Swinton		–	1	–	–	–
Thurnscoe ...		5	2	–	5	D. 1 M. 1
Whitwood ...		1	–	–	–	–
†Wombwell ...	–	–	–	–	2	–
†Worsborough ...	–	1	–	–	1	–
Yeadon	–	–	2	–		–
Rural Districts:—						
Doncaster ...	–	1	–	–	1	D. 1
Great Ouseburn	–	–	–	–		M. 1
Hemsworth ...	–	2	3	–	2	D. 1 N. 1
Kiveton Park ...		–	1		1	
Knaresborough	–	1	–	–	–	–
Pontefract ...	–	–	1	–	–	N. 1
Rotherham ...	–	–	2	–	–	E. 1
Thorne	–	–	–	–		D. 2
Wakefield ...		2	–	–	1	D. 1
Wortley... ...	–	2	–	–		N. 1
YORK, CITY OF...	–	3	3	–	1	M. 1
†York C.B. ...	–	3	3	–	1	M. 1
WALES.						
ANGLESEY ...	–	–	2	–	1	–
Rural Districts:—						
Aethwy... ...	–	–	2	–		–
Twrcelyn ...	–	–	–	–	1	–
BRECKNOCK ...	–	1	–	–	–	–
Rural Districts:—						
Brecknock (Defynnock and Llangorse)	*	*	*	*	*	*
Vaynor and Penderyn	–	1	–	–	–	–
CAERNARVON...	–	–	1	1	–	–
Boroughs and Urban Districts:—						
Conway	–	–	1	1	–	–
CARDIGAN ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†Aberystwyth ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN...	–	3	–	–	1	N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	2	–	–	–	–
†LLANELLY ...	–		–	–	1	–
Rural Districts:—						
LLANDILO FAWR	–	1	–	–	–	–
LLANELLY ...	–	–	–	–		N. 1
DENBIGH ...	–	6	15	1	1	M. 2 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–		M. 1
DENBIGH ...	–	–	1			–
†WREXHAM ...	–	2	1	–	–	M. 1
Rural Districts:—						
RUTHIN	–	–	2	–	–	N. 1
ST. ASAPH (DENBIGH)	–	–	–	1	–	–
WREXHAM ..	–	4	11	–	1	–
FLINT	–	2	1	1	2	N. 1
Boroughs and Urban Districts:—						
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	1		–
HOLYWELL ...	–	–	–	–	2	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	25	27	–	16	C. 2 G. 2 M. 3 N. 3
†CARDIFF C.B. ...	–	8	10	–	5	C. 1 M. 1 N. 1
†MERTHYR TYDFIL C.B.	–	–	–	–	–	G. 1
†SWANSEA C.B. ...	–	2	3	–	2	G. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	2	–	–	–
†BARRY	–	–	–	–	–	N. 1
BRIDGEND ...	–	2	–	–	–	–
†CAERPHILLY ...	–	2	–		1	–
†GELLIGAER ...	–	–	1	–	–	–
†LLWCHWR ...	–	–	–	–	1	–
†MAESTEG... ...	–	–	1	–	–	–
†MOUNTAIN ASH...	–	1	–	–	2	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW		2	1	–	1	–
†PORT TALBOT ...	–	–	1	–	–	–
†RHONDDA ...	–	5	5	–	4	C. 1 N. 1
Rural Districts:—						
CARDIFF	–	3	–	–	–	–
NEATH	–		1	–	–	–
PONTARDAWE ...	–	–	1	–	–	M. 1
MERIONETH ...	–	1	2	–	–	–
Urban Districts:—						
BALA	–	1	–	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	–	2	–		–
MONMOUTH ...	1	38	9	1	3	M. 1 N. 1
†NEWPORT C.B. ...	–	11	3	–	1	N. 1

† Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	–	3	–	–	–
†ABERSYCHAN ...	..	1	–	–		–
†ABERTILLERY ...	–	7	–	–	–	–
BEDWAS AND MACHEN	–	1		–	–	
†BEDWELLTY ...	–	3	–	1	–	M. 1
†BLAENAVON ...	1	–	–	–	–	–
†EBBW VALE ...	–	3	–	–	–	–
LLANTARNAM ...		–	–	–	1	–
MONMOUTH ...		1		–	–	–
†MYNYDDISLWYN		2		–	–	–
†NANTYGLO AND BLAINA	*	*	*	*	*	*
PONTYPOOL ...	–	–	1	–	–	–
†RHYMNEY ...	–	–	1	–		–
†RISCA	–	1	–	–	1	–
†TREDEGAR ...	–	6	1	–	–	
Rural Districts:—						
MAGOR		1	–	–	–	–
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY...	–	1	–	–	–	N. 2
Rural Districts:—						
FORDEN	–	1	–	–	–	N. 1
LLANFYLLIN ...	–	–	–	–	–	N. 1
PEMBROKE ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	1	–	–	–	–
Rural Districts:—						
PEMBROKE ...	–	1	–	–	–	–
Total of Part II....	36	1171	720	55	580	C. 32 D. 41 E. 5 G. 9 L. 26 M. 95 N. 83

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever,

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEAUMARIS	*	*	*	*	*	*	PENZANCE	*	*	*	*	*	*
HULL AND GOOLE ...		–	1	–	–	–	WISBECH	*	*	*	*	*	*
							Total of Part III. ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	9	207	171	6	38	C. 7 D. 3 E. 1 G. 1 L. 1 M. 17 N. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	36	1171	720	55	580	C. 32 D. 41 E. 5 G. 9 L. 26 M. 95 N. 83
Total of Part III.—Port Sanitary Districts	–	–	1	–	–	–
Total (i.e., of returns received), England and Wales ...	45	1378	892	61	618	C. 39 D. 44 E. 6 G. 10 L. 27 M. 112 N. 105

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the EGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

eek ended :—	Apl. 18.	Apl. 25	May 2	May 9.	May 16	May 23.	May 30	June 6.	June 13	June 20	June 27.	July 4.	July 11.	Totals from 1st Week of year. * 1930.	Totals from 1st Week of year. * 1931.
ON :—															
IRTHS	1,471	1,389	1,424	1,369	1,323	1,453	1,227	1,494	1,559	1,383	1,485	1,375	1,463	39,522	37,723
IRTHS	41	31	33	55	47	46	42	61	65	52	37	46	43	1,468	1,313
s (excluding Still-s)—all ages.	981	954	1,002	955	905	871	831	856	761	758	780	794	763	27,374	30,780
s—0 to 1 year ..	78	68	79	71	68	70	74	59	48	48	59	47	54	2,383	2,326
T TOWNS, aggre-(including Lon-:—															
IRTHS	7,028	6,789	6,646	6,447	6,364	6,754	5,553	7,080	7,087	6,603	6,607	6,521	6,682	180,600	175,915
IRTHS	305	270	286	320	273	301	234	287	301	331	275	283	285	7,974	7,830
s (excluding Still-s)—all ages.	4,674	4,590	4,623	4,351	4,127	4,235	4,036	3,872	3,846	3,606	3,674	3,659	3,619	124,027	141,252
s—0 to 1 year ..	416	397	409	404	347	401	352	367	329	293	308	284	287	11,843	13,264
IC FEVER—Cases	14	15	10	15	9	16	11	19	16	12	15	26	19	715	382
„ Deaths	4	3	1	2	2	1	—	1	—	2	1	3	2	61	46
POX—Cases ..	126	162	128	139	108	84	72	57	84	49	38	53	33	6,899	3,367
Deaths ..	—	1	—	—	—	—	—	1	—	—	—	1	—	15	5
ET FEVER—Cases	687	854	869	896	864	832	744	786	798	803	803	854	809	34,027	22,866
„ Deaths	4	5	4	9	11	4	5	5	3	1	3	3	6	269	163
HERIA—Cases ..	513	552	540	578	542	519	412	482	534	569	572	566	585	24,616	16,973
Deaths ..	35	21	22	21	25	21	22	18	21	24	18	23	29	1,154	834
LES—Deaths ..	55	42	46	36	38	28	39	26	38	26	27	16	18	2,301	1,484
ENZA—Deaths ..	110	96	74	40	44	54	46	30	21	20	24	19	20	1,439	5,176

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections g been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 11th July, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON (GREENWICH).	79	49	75·9	54·1	1	HUDDERSFIELD	73	42	67·9	50·7	15
						BRADFORD ..	70	46	65·0	53·0	19
GHTON ..	65	52	64·1	55·9	7	SHEFFIELD ..	73	48	67·7	53·3	20
RTSMOUTH ..	69	52	67·0	55·3	5	YORK (MUSEUM)	72	48	68·7	54·0	18
RWICH (SOUTH-WELL LODGE)	74	49	70·9	54·9	6	HULL (PEARSON PARK).	73	48	70·0	53·9	6
MOUTH ..	67	50	64·7	53·9	27	TYNEMOUTH ..	71	49	61·6	52·3	32
STOL (HORFIELD)	70	48	67·4	52·7	14	CARDIFF	69	48	63·6	52·4	20
MINGHAM (EDGBASTON).	69	49	66·9	51·7	8	EDINBURGH ..	71·0	49·0	62·9	51·3	48
TTINGHAM ..	73	47	69·4	52·6	35	GLASGOW ..	68·6	50·5	64·8	52·8	39
KENHEAD (BIDSTON).	66	52	62·7	53·9	15	DUBLIN (PHŒNIX PARK)	70·2	48·7	64·7	51·0	30
NCHESTER (WHITWORTH PARK).	71	50	66·7	53·6	12	(FITZWILLIAM SQUARE†).	69·5	47·8	64·3	53·6	20
RNLEY	69	47	65·7	50·7	16	BELFAST	74·0	51·0	67·4	53·4	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 11th July, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	5	..	29·652	78·2	57·6	20·6	65·1	+ 2·8	57·2	7·9	22·6	1·1	76	142·0	49·3	55·7	S:SSW	SSW: SW.	2·4	0·0	0·2	240	- 13	0·00
MONDAY -	6	Apogee In Equator Last Quarter.	29·606	74·1	51·6	22·5	60·7	- 1·7	51·2	9·5	23·9	2·1	71	147·4	40·6	55·7	SW: WSW.	SW: SSW.	1·4	0·0	0·1	228	- 27	0·02
TUESDAY -	7		29·550	76·9	49·1	27·8	62·4	- 0·0	47·1	15·3	30 3	1·2	57	145·6	38·2	55·9	Calm: SSW.	SW: NW.	1·6	0·0	0·1	188	- 67	0·00
WEDNESDAY	8	..	29·580	71·4	53·3	18·1	60·0	- 2·4	51·7	8·3	20·2	3·3	74	132·1	47·2	55·9	WSW: W.	W: WSW.	3·5	0·0	0·5	408	+ 154	0·00
THURSDAY -	9	..	29·649	77·1	50·2	26·9	62·8	+ 0·4	52·7	10·1	25·0	2·0	70	142·9	43·6	56·0	WSW	WSW: SW.	3·2	0·0	0·5	371	+ 118	0 00
FRIDAY -	10	..	29·746	74·8	56·1	18·7	63·5	+ 1·0	55·8	7·7	22·6	1·9	76	129·2	46·6	56·0	WSW: SW.	SW	2·6	0·0	0·4	329	+ 78	0·00
SATURDAY -	11	..	29·851	78·9	55·9	23·0	65·1	+ 2·4	53·5	11·6	27·0	2·7	66	138·2	44·0	56·1	SW: WSW.	WSW: SW: SSW.	1·1	0·0	0·2	276	+ 28	0·00
MEANS -		..	29·662	75·9	53·4	22·5	62·8	+ 0·4	52 7	10·1	24·5	2·0	70	139·6	44·2	55·9	SW		..		..	Sum 2040	Sum + 271	Sum 0·02
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	5	wP till 19h. then mP.	3·5	16·5	Very cloudy or nearly overcast. Occasional slight drizzle 4¾h. till 10½h., and 14¾h. till 16½h.
MONDAY ..	6	mP till 4h.; v till 7h.; then variably mP and wP.	10·6	16·5	Nearly overcast till 9h., cloudy generally till 17h., clearing to nearly cloudless by 17½h. Rain 5h. till 6h. and 8h. till 8¾h. Dew at night.
TUESDAY ..	7	mP till 11h.; then variably wP and mP.	7·9	16·5	Nearly cloudless, becoming cloudy by 2h. Partially cloudy 9h. till 15h., nearly overcast by 15½h. Overcast from 20h. Dew in morning.
WEDNESDAY	8	mP throughout	4·5	16·4	Overcast till 5h.; very cloudy till 10½h.; then overcast or nearly so. Slight rain 1h. till 1½h. and 2h. till 2½h. Brisk wind 14h. till 21h.
THURSDAY	9	Variably wP or mP throughout.	8·6	16·4	Cloudy generally till 18½h., clearing to few clouds by 19½h. Dew at night.
FRIDAY ..	10	Variably wP and mP till 20h.; then mP.	5·8	16·4	Few clouds till 3h.; overcast or nearly so, 3h. till 14½h.; cloudy till 17h., then few clouds. Cloudy from 23h. Slight showers 12⅝h. and 13½h. Dew at night.
SATURDAY	11	mP till 12h.; wP till 19h.; then mP.	6·5	16·3	Cloudy or very cloudy till 18h.; little cloud by 19h. Clouding 23h., cloudy by 23½h. Solar halo 11h. till 11½h. Dew at night.
			Sum 47·4	Sum 115·0	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·67 ins. at the beginning of the week to 29·52 ins. by 15h. on July 7th; increased to 29·86 ins. by 11h. on July 11th; decreased and was 29·81 ins. by midnight on the same day.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 28.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 18TH JULY,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the 1921 Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 18TH JULY, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twenty-eighth week of the year numbered 6,477 corresponding to an annual rate of 17·0 per 1,000 living: stillbirths numbered 280 corresponding to a rate of 41 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,538 (81 less than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	June 27.	July 4.	July 11.	July 18.
107 Great Towns	9·7	9·6	9·5	9·3
London	9·3	9·5	9·1	8·8
Birmingham	10·5	9·5	8·4	9·9
Liverpool	9·0	10·6	10·9	9·4
Manchester	10·8	10·6	10·5	10·2
Sheffield	9·7	8·7	11·1	8·8
Leeds	9·2	10·6	11·3	9·9
Bristol	8·9	8·8	9·3	8·5
West Ham	9·1	8·1	7·0	8·3

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 44, against 47, 43, and 44 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,409 live births registered corresponding to an annual rate of 16·8 per 1,000 living: stillbirths numbered 47 corresponding to a rate of 32 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 735 (28 less than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 41, against 42, 33, and 38 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS* registered in the week ended 18th July, 1931.

TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS.	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
107 GREAT TOWNS ..	19,836,440*	6,477	280	3,538	292	2	9	9	25	24	44	
LONDON	4,377,000*	1,409	47	735	58	-	1	2	3	3	10	
TOWNS IN OUTER RING. CROYDON C.B. ..	233,000	77	2	30	1	-	-	-	-	-	-	
WIMBLEDON ..	58,830	4	-	14	-	-	-	-	-	-	-	
EALING	117,400	35	1	25	2	-	-	-	-	-	-	
ACTON	70,400	14	-	6	-	-	-	-	-	-	-	
BRENTFORD AND CHISWICK ..	62,620	11	-	14	1	-	-	-	-	-	-	
WILLESDEN ..	185,300	46	-	28	2	-	-	-	-	-	-	
HENDON	114,600*	50	3	22	1	-	-	-	-	-	-	
HORNSEY	95,440	26	-	9	1	-	-	-	-	-	-	
WOOD GREEN ..	54,460	12	-	11	1	-	-	1	-	-	-	
TOTTENHAM ..	159,100	25	4	27	2	-	-	-	1	-	-	
EDMONTON	77,530	48	4	7	-	-	-	-	-	-	-	
ENFIELD	68,090	24	-	7	2	-	-	-	-	-	1	
WEST HAM C.B. ..	296,900	94	5	47	3	-	-	-	2	-	-	
EAST HAM C.B. ..	142,900	15	1	16	1	-	-	-	-	-	-	
LEYTON	128,600	25	-	27	1	1	-	-	2	-	-	
WALTHAMSTOW ..	134,300	34	-	22	-	-	-	-	-	-	-	
ILFORD	131,300	41	1	17	1	-	-	1	-	-	-	
GILLINGHAM	60,600*	18	-	10	-	-	-	-	-	-	-	
CANTERBURY C.B. ..	24,440*	4	-	5	-	-	-	-	-	-	-	
HASTINGS C.B.	61,870	12	-	11	1	-	-	-	-	-	-	
EASTBOURNE C.B. ..	55,670	16	-	9	-	-	-	-	-	-	-	
BRIGHTON C.B. ..	144,900*	37	2	19	-	-	-	-	-	-	-	
PORTSMOUTH C.B. ..	248,300*	83	2	41	2	-	-	1	-	-	-	
BOURNEMOUTH C.B. ..	108,600	23	2	27	2	-	-	-	-	-	-	
SOUTHAMPTON C.B. ..	175,300	53	1	28	1	-	-	-	-	-	1	
READING C.B.	97,450*	27	1	19	2	-	-	-	-	1	-	
OXFORD C.B.	80,530*	24	2	10	-	-	-	-	-	-		
NORTHAMPTON C.B. ..	92,940*	21	-	12	2	-	-	-	-	-	1	
LUTON	89,030	20	1	8	-	-	-	-	-	-	-	
CAMBRIDGE	66,850	17	-	16	-	-	-	1	-	-	-	
SOUTHEND-ON-SEA C.B.	117,900	25	-	23	3	-	-	-	-	-	-	
IPSWICH C.B.	87,630	41	1	19	-	-	-	-	-	3	-	
GREAT YARMOUTH C.B	56,690	25	-	15	-	-	-	-	-	-	-	
NORWICH C.B.	126,800*	46	1	37	4	-	-	-	-	-	-	
SWINDON	62,600	14	-	6	-	-	-	-	-	-	-	
EXETER C.B.	65,290*	27	-	17	-	-	-	-	-	-	-	
PLYMOUTH C.B. ..	207,600*	76	1	46	5	-	-	-	-	1	-	
BATH C.B	68,120	12	2	11	-	-	-	-	-	-	-	
BRISTOL C.B.	399,500*	126	5	65	10	-	-	-	-	1	-	
GLOUCESTER C.B. ..	52,890	21	3	17	1	-	-	-	-	-	-	
STOKE-ON-TRENT C.B.	279,800	106	6	53	6	-	-	-	1	-	-	
BURTON-UPON-TRENT C.B.	49,920	13	-	10	2	-	-	-	-	-	-	
WOLVERHAMPTON C.B.	134,200	44	1	27	1	-	-	-	-	-	1	
WALSALL C.B.	104,200	33	2	15	2	-	-	-	-	-	1	
WEST BROMWICH C.B.	82,090	29	2	12	2	-	-	-	-	-	2	
DUDLEY C.B.	60,010	21	-	5	-	-	-	-	-	-	-	
WORCESTER C.B. ..	50,540	17	-	11	1	-	-	-	-	-	-	
BIRMINGHAM C.B. ..	1,011,300	325	20	192	20	-	-	-	1	4	5	
SMETHWICK C.B. ..	85,370	28	-	7	1	-	-	-	-	-	-	
COVENTRY C.B. ..	168,500	41	-	23	-	-	-	-	-	-	-	
LEICESTER C.B. ..	241,200	82	-	43	1	-	-	-	-	-	-	
LINCOLN C.B.	66,110*	12	2	9	-	-	-	-	-	-	-	
GRIMSBY C.B.	92,180	30	-	22	4	-	-	-	-	-	-	
NOTTINGHAM C.B. ..	270,900	110	9	67	7	-	-	-	1	1	1	
DERBY C.B.	143,400*	44	3	30	2	-	-	-	-	-	-	
CHESTERFIELD	64,450	24	-	8	-	-	-	-	-	-	-	
STOCKPORT C.B. ..	126,600	36	1	13	2	-	-	-	-	-	-	
CHESTER C.B.	41,370	11	1	3	-	-	-	-	-	-	-	
BIRKENHEAD C.B. ..	148,600	46	1	26	1	-	-	-	-	1	1	
WALLASEY C.B. ..	97,240	17	-	14	-	-	-	-	-	-	-	
LIVERPOOL C.B. ..	862,100	331	11	155	23	1	-	-	4	3	3	
BOOTLE C.B.	77,170	32	-	10	1	-	-	-	-	-	-	
ST. HELENS C.B.	108,200	40	-	21	1	-	-	-	-	-	-	

* Non-civilian deaths are excluded from this table and the comparable civilian populations where differ from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingha 51,360; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Oxf C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193,1 Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B. ..	77,180	15	1	12	-	-	-	-	-	-	-	-
WIGAN C.B.	86,250	39	2	15	2	-	-	-	1	-	-	1
WARRINGTON C.B. ..	80,280*	27	1	14	-	-	-	-	-	-	-	-
BOLTON C.B.	179,300	54	-	38	3	-	-	-	-	-	-	2
BURY C.B.	56,580*	20	1	12	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	773,300	268	15	152	17	-	-	1	2	1	3	-
SALFORD C.B.	226,100	63	5	42	3	-	-	-	-	-	1	-
ASHTON-UNDER-LYNE	51,850	22	2	6	-	-	-	-	-	-	-	-
OLDHAM C.B	142,000	45	9	24	1	-	-	-	-	-	1	-
ROCHDALE C.B. ..	91,190	15	2	23	1	-	-	-	-	-	-	-
BURNLEY C.B	99,300	35	4	18	1	-	-	-	-	-	-	-
BLACKBURN C.B. ..	124,000	33	3	19	1	-	-	-	-	-	-	-
PRESTON C.B.	120,100	31	4	32	3	-	-	-	-	-	-	1
BLACKPOOL C.B. ..	97,880	23	2	24	2	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	66,700	24	-	8	3	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	114,300	35	1	31	2	-	-	-	-	-	-	-
HALIFAX C.B.	98,770*	39	4	25	-	-	-	-	-	-	-	1
BRADFORD C.B. ..	300,800	74	4	62	1	-	-	-	-	-	-	-
LEEDS C.B	486,100	155	11	92	7	-	-	-	1	2	2	1
DEWSBURY C.B. ..	54,430	19	1	13	2	-	-	-	-	-	1	-
WAKEFIELD C.B. ..	59,280	22	-	11	2	-	2	-	-	1	1	1
BARNSLEY C.B. ..	72,090	24	1	18	4	-	2	-	-	-	-	-
SHEFFIELD C.B. ..	517,300	154	9	87	6	-	-	-	-	-	-	-
ROTHERHAM C.B. ..	70,100	25	2	7	2	-	-	-	-	-	-	-
DONCASTER C.B. ..	63,260	29	1	10	1	-	-	-	-	-	-	-
YORK C.B.	85,910*	23	1	19	2	-	-	1	1	-	-	1
HULL C.B.	314,800	122	7	69	4	-	-	-	2	1	2	-
MIDDLESBROUGH C.B.	138,800	71	1	23	2	-	1	-	-	-	1	-
DARLINGTON C.B. ..	72,620	17	2	13	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,350	31	2	16	3	-	-	-	1	-	-	-
WEST HARTLEPOOL C.B.	68,740	28	1	17	2	-	2	-	1	-	-	-
SUNDERLAND C.B. ..	187,500	90	2	35	6	-	-	-	-	-	1	1
SOUTH SHIELDS C.B ..	114,400	29	3	26	2	-	-	-	-	-	-	-
GATESHEAD C.B. ..	123,700	44	3	20	2	-	-	-	-	-	2	-
NEWCASTLE-ON-TYNE C.B.	284,300*	114	4	45	3	-	-	-	-	-	-	-
TYNEMOUTH C.B. ..	64,750	23	-	8	1	-	-	-	-	-	-	-
CARLISLE C.B.	57,430*	23	3	12	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	89,500*	46	2	16	1	-	1	-	-	-	-	-
CARDIFF C.B.	223,700*	66	8	44	2	-	-	-	1	1	-	-
RHONDDA	142,700	66	2	32	6	-	-	1	-	-	2	-
MERTHYR TYDFIL C.B.	71,870	30	1	11	1	-	-	-	-	-	-	1
ABERDARE	49,010	15	-	5	1	-	-	-	-	-	-	-
SWANSEA C.B.	165,400	59	2	21	2	-	-	-	-	-	-	-
GREATER LONDON ..	8,179,740*	2,456	94	1,300	96	1	1	5	8	4	11	3
OUTER RING	3,802,740*	1,047	47	565	38	1	-	3	5	1	1	1
17 GREAT TOWNS IN OUTER RING	2,130,770*	581	21	329	19	1	-	2	5	-	1	1
REMAINDER OF OUTER RING	1,671,970*	466	26	236	19	-	-	1	-	1	-	-
EDINBURGH†	438,998	156	?	90	9	-	-	-	-	-	1	-
GLASGOW†	1,088,417	407	?	214	32	-	9	1	7	3	8	-
DUBLIN†	412,400	204	?	90	7	-	2	-	-	-	3	-
BELFAST†	415,151	159	?	78	12	-	-	-	2	1	1	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition in Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœal Diseases (under 2
London‡	4,377,000	1931. July 18	1409	47	735	8·8	–	–	1	2	5	3	10
Calcutta and Suburbs	1,077,264	June 6	?	?	715‖	34·5	?	12	?	–	?	?	?
Bombay§	1,298,708	„ 20	441	34	430	17·2	8	–	–	–	–	–	17
Madras	528,791	„ 6	572	29	475	46·7	2	–	–	–	–	–	30
Sydney and Suburbs	1,253,560	„ 30 (30 days)	}										
Brisbane (Metropolitan Area).	313,251	Apr. 30 (30 days)	}										
Perth (Metropolitan Area).	204,780	May 9	83	?	48	12·2	–		–	–	–	–	1
Auckland (Urban Area).	215,730	May 31 (31 days)	248	7	158	8·8	–	–	–	–	–	–	–
Wellington (Urban Area)	142,540	May 31 (31 days)	207	7	82	6·9	–	–	–	–	–	–	–
Christchurch (Urban Area).	127,070	May 31 (31 days)	149	4	83	7·9	–	–	–	–	–	–	–
Cape Town	136,748	June 13	51	3	29	11·0	–	–	–	–	–	–	3
Johannesburg	187,326	„ 6	77	4	54	15·0	–	–	1	–	–	1	1
Durban	61,667	„ 6	24	1	11	9·3	–	–	–	–	–	–	1
Paris	2,871,429	May 31 (11 days)	1218	65	1152	14·6	4	–	16	2	2	2	27
Antwerp	295,389	June 15 (15 days)	232	7	95	7·7	–	–	4	–	–	1	3
Amsterdam	753,795	June 27	220	5	109	7·5	–	–	3	–	–	–	2
Copenhagen	615,700	July 4	171	5	133	11·3	–	–	–	–	–	–	–
Stockholm	502,203	June 27	122	3	124	12·8	–	–	–	–	–	–	–
Gothenberg	245,600	„ 13	?	?	55	11·6	–	–	–	–	–	–	–
Oslo	256,353	July 4	41	4	51	10·3	–	–	–	–	–	–	–
Berlin	4,312,000	June 20	779	23	861	10·4	–	?	–	–	–	5	8
Breslau	617,000	„ 20	168	3	137	11·5	–	?	–	–	1	2	2
Cologne	739,000	„ 20	205	8	130	9·1	–	?	–	–	–	1	4
Dresden	632,000	„ 20	119	3	122	10·0	–	?	1	–	–	–	3
Frankfort-on-Main	540,000	„ 20	111	2	93	9·0	–	?	–	–	–	–	–
Hamburg	1,144,000	„ 20	270	16	213	9·7	1	?	–	–	–	1	–
Leipzig	719,000	„ 20	160	1	135	9·8	–	?	–	–	–	–	–
Munich	730,000	„ 20	161	6	158	11·3	–	?	–	–	–	–	–
Budapest	1,009,069	„ 27	385	15	226	11·6	1	–	–	–	3	2	2
Warsaw	1,115,651	„ 20	?	17	239	11·2	3	–	–	–	1	–	14
Madrid	825,471	„ 13	393	29	345	21·8	3	–	14	1	1	2	41
Cairo	1,160,700	Mar. 25	1003	13	510	22·9	6	–	5	–	?	1	86
Alexandria	629,900	„ 25	595	8	232	19·2	1	–	2	–	?	1	38
New York	7,090,089	June 20	?	?	1277	9·4	2	–	6	4	1	3	10
Chicago	3,457,375	„ 26	1186	50	681	10·3	–	–	1	5	–	6	7
New Orleans	466,000	Apr. 30 (30 days)	603	18	366	17·2	1	1	–	–	–	3	7
Rio de Janeiro ..	1,729,799	Apr. 25											

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.

§ The registration of Births in Bombay is incomplete.

‖ Including 57 deaths from Cholera in Calcutta.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 18th July, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	28,104	31,515	735	58	10	7	21	34	38	39	76	148	156	148
Enteric fever	11	14	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	978	31	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	82	37	2	-	2	-	-	-	-	-	-	-	-	-
Whooping cough	93	196	3	2	-	-	1	-	-	-	-	-	-	-
Diphtheria	278	154	3	-	1	-	1	-	-	-	-	1	-	-
Influenza	231	904	2	-	-	-	-	-	-	-	1	-	1	-
Erysipelas	93	109	2	-	-	-	-	-	-	-	-	-	1	1
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	32	27	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	60	92	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—														
Respiratory system	2053	2245	57	-	1	-	-	12	12	11	13	5	3	-
Nervous system	142	137	2	-	-	-	2	-	-	-	-	-	-	-
Intestines and peritoneum	30	35	2	-	-	-	1	-	-	1	-	-	-	-
Other forms	115	147	6	-	1	1	2	-	1	-	-	-	1	-
Venereal diseases	106	108	4	2	-	-	-	-	-	-	1	1	-	-
Cancer	3580	3761	128	-	-	-	1	2	4	7	21	30	41	22
Rheumatic fever	111	77	8	-	-	-	2	1	2	-	-	2	1	-
Diabetes	289	305	7	-	-	-	-	-	-	-	-	3	3	1
Alcoholism	8	10	1	-	-	-		-	-	-	-	1	-	-
Simple meningitis	47	55	3	1	-	-	1	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1121	1180	38	-	-	-	-	-	-	1	2	4	14	17
Epilepsy	116	100	5	-	-	-	-	-	-	1	-	1	1	2
"Convulsions" (not puerperal)	36	36	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	691	644	17	-	-	-	-	3	1	3	1	7	2	-
Pericarditis	13	9	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	110	105	3	-	-	-	2	-	-	-	-	-	1	-
Other diseases of heart	5784	7281	153	-	-	-	2	3	2	5	8	35	46	52
Other diseases of circulatory system	1185	1284	34	-	-	-	-	-	-	-	2	8	11	13
Bronchitis	1187	1834	16	1	-	-	-	-	-	-	1	3	3	8
Broncho-pneumonia	1153	1750	15	4	3	1	-	-	-	-	2	3	-	2
Lobar pneumonia	669	793	12	2	-	1	1	-	1	-	3	2	1	1
Pneumonia (type not distinguished)	247	276	2	-	-	-	1	-	-	-	-	1	-	-
Other diseases of respiratory system	233	382	7	-	-	-	-	1	-	-	1	1	3	1
Diarrhœa and enteritis	404	367	14	8	2	-	-	-	1	-	-	-	1	2
Appendicitis, Typhlitis	168	159	5	-	-	-	-	-	1	1	1	2	-	-
Hernia, Intestinal obstruction	272	308	14	-	-	1	-	-	1	1	3	2	3	3
Cirrhosis of liver	113	131	7	-	-	-	-	-	-	-	2	5	-	-
Other diseases of digestive system	725	660	19	-	-	1	-	-	1	1	1	9	3	3
Acute nephritis	58	49	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	935	997	16	-	-	-	-	1	1	1	1	5	5	2
Other diseases of genito-urinary system	438	488	14	-	-	-	-	-	2	-	-	5	1	6
Puerperal sepsis	59	65	1	-	-	-	-	-	1	-	-		-	-
Other causes incident to childbirth	50	73	3	-	-	-	-	-	1	2	-	-	-	
Congenital malformations	188	179	12	10	-	1	-	1	-	-	-	-	-	
Premature birth	543	555	13	13	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	108	85	1	1	-		-						-	
Old age	642	748	7	-		-	-		-		-	-	1	6
Suicide	309	295	9	-		-	-	-	2	-	3	4	-	-
Burns and Scalds	55	87	2	1	-	-	1	-	-	-	-	-	-	-
Drowning	77	54	2	-	-	-	-	2	-	-	-	-	-	-
Suffocation in bed	20	17	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	414	372	11	-	-	-	2	4	-	1	2	1	-	1
Other deaths by violence	445	440	16	3	-	1	-	1	2	1	2	1	2	3
Other specified causes	1130	1263	34	7	-	-	1	3	1	2	5	6	7	2
Ill-defined causes	3	3	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

} Cases of certain Infectious Diseases notified in the week ended 18th July, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	12	225	158	7	44	C. 4 D. 2 E. 1 G. 1 L. 2 M. 8 N. 16
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	12	1	2	M. 1 N. 1
†BERMONDSEY ...	–	6	3	–	2	–
†BETHNAL GREEN	2	7	3	–	3	E. 1
†CAMBERWELL ...	–	8	7	–	2	–
†CHELSEA	–	2	4	–	–	–
†DEPTFORD ...	–	8	9	–	–	–
†FINSBURY ...	–	3	3	–	1	–
†FULHAM	–	2	5	–	1	N. 3
†GREENWICH ...	–	1	4	–	1	C. 1
†HACKNEY... ...	–	5	2	1	–	N. 2
†HAMMERSMITH ...	–	3	3	–	1	–
†HAMPSTEAD ...	–	3	2	–	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†HOLBORN... ...	–	1	2	–	–	D. 1
†ISLINGTON ...	–	37	19	1	3	M. 1 N. 1
†KENSINGTON ...	–	3	2	–	–	L. 2 N. 1
†LAMBETH ...	–	11	7	–	2	D. 1 N. 1
†LEWISHAM ...	–	12	10	–	2	N. 1
†PADDINGTON ...	–	7	2	1	2	M. 1 N. 1
†POPLAR	–	16	7	–	4	C. 1 M. 1 N. 1
†ST. MARYLEBONE	–	7	1	1	–	N. 1
†ST. PANCRAS ...	–	10	11	1	–	M. 1 N. 1
†SHOREDITCH ...	5	1	2	–	1	M. 1
†SOUTHWARK ...	–	8	6	–	6	–
†STEPNEY	4	25	11	–	2	C. 2
†STOKE NEWINGTON	–	1	–	–	1	M. 1 N. 1
†WANDSWORTH ...	–	13	10	1	2	G. 1 M. 1
†WESTMINSTER, CITY OF	–	3	7	–	–	N. 1
†WOOLWICH ...	1	10	4	–	5	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD ...	–	13	8	1	3	–
Boroughs and Urban Districts:—						
†BEDFORD	–	3	–	–	–	–
DUNSTABLE ...	–	1	–	–	–	–
KEMPSTON ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	2	–	–	–
†LUTON	–	2	3	1	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	2	–
†BEDFORD	–	3	–	–	–	–
BIGGLESWADE ...	–	1	1	–	–	–
EATON BRAY ...	–	1	–	–	–	–
EATON SOCON ...	–	–	–	–	1	–
LUTON	–	–	2	–	–	–
BERKS	–	7	9	–	–	–
†READING C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	3	7	–	–	–
WANTAGE ...	–	2	–	–	–	–
BUCKINGHAM...	–	12	5	–	–	N. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	1	–	–	–
BUCKINGHAM ...	–	2	–	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	–	–
†SLOUGH	–	4	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
ETON	–	3	1	–	–	–
HAMBLEDEN ...	–	–	1	–	–	–
WYCOMBE ...	–	1	–	–		N. 1
CAMBRIDGE ...	–	4	2	–	–	N. 1
Borough:—						
†CAMBRIDGE ...	–	1	1	–	–	N. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	2		–	–	–
CHESTERTON ...	–	1	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER ...	–	37	24	5	17	C. 1 G. 2 N. 3
†BIRKENHEAD C.B.	–	2	4	–	5	–
†CHESTER C.B. ...	–	4	4	–	2	–
†STOCKPORT C.B. ...	–	4	1	–	1	C. 1 N. 1
†WALLASEY C.B. ...	–		1	–	–	N. 1
Boroughs and Urban Districts:—						
ALDERLEY EDGE..	–	1	–	–	–	–
†ALTRINCHAM ...	–	3	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	2	1	–	–	–
BOWDON	–	1				–
†DUKINFIELD ...	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	–	–	1	–
†HYDE	–	4		–	2	–
†MACCLESFIELD ...	–	1	–	–	1	G. 1
NANTWICH ...	–	–	3	–	–	–
†NORTHWICH ...	–	1	–	–	1	N. 1
†RUNCORN	–	3	–	–	–	–
†STALYBRIDGE ...	–	2	–	–	–	–
TARPORLEY ...	–	1	–	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WINSFORD ...	–	1	–	2	–	–
YEARDSLEY CUM WHALEY	–	2	–	–	–	–
Rural Districts:—						
CHESTER	–	1	2	–	–	G. 1
CONGLETON ...	–	–	–	3	–	–
MALPAS	–	1	1	–	1	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN	–	2	1	–	1	–
TARVIN	–	–	–	–	1	
WIRRAL	–	–	4	–	–	–
CORNWALL ...	–	5	2	–	2	D. 1 E. 1 N. 1
Boroughs and Urban Districts:—						
BODMIN	–	–	1	–	–	–
†CAMBORNE ...	–	–	1	–	–	D. 1
ST. AUSTELL ...	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
EAST KERRIER ...	–	1	–	–	–	–
LISKEARD ...	–	2	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. COLUMB MAJOR	–	–	–	–	–	E. 1
ST. GERMANS ...	–	–	–	–	1	N. 1
CUMBERLAND...	–	3	3	–	4	–
†CARLISLE C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
CLEATOR MOOR ...		–	–	–	1	–
MILLOM	–	–	1	–	1	–
†WORKINGTON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
LONGTOWN ...	*	*	*	*	*	*
WHITEHAVEN ...	–	1	–	–	1	–
DERBY	4	22	11	–	8	C. 2 M. 2 N. 2
†DERBY C.B. ...	–	5	6	–	3	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	–	C. 2
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	1	–	–	–	–
†LONG EATON ...		2	–	–	1	–
†SWADLINCOTE DISTRICT	–		–	–	1	N. 1
Rural Districts:—						
BAKEWELL ...	–	1	2	–	–	–
BLACKWELL ...	–	3	–	–	–	–
CHESTERFIELD ...	4	8	2	–	–	–
CLOWNE	–	–	–	–	2	–
GLOSSOP DALE ...	–	1	–	–	–	–
REPTON	–	–	–	–	–	N. 1
SHARDLOW ...	–	–	–	–	1	–
DEVON	–	9	10	3	4	C. 2 N. 3
†EXETER C.B. ...	–	–	2	1	–	–
†PLYMOUTH C.B.	–	8	2	–	1	C. 2 N. 3
Boroughs and Urban Districts:—						
BIDEFORD ...	–	–	1	–	–	–
CREDITON ...	–	–	1	–	–	–
DAWLISH ...	–	–	–	1	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
†TORQUAY	–	1	2	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
CREDITON ...	–	–	–	–	1	–
NEWTON ABBOT	–	–	–	–	1	–
PLYMPTON ST. MARY	–	–	1	–	–	–
ST. THOMAS ...	*	*	*	*	*	*
TIVERTON ...	–	–	1	–	–	–
DORSET	–	2	2	1	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†POOLE	–	–	1	1	1	–
Rural Districts:—						
BEAMINSTER ...	–	2	–	–	–	–
SHAFTESBURY ...	–	–	–	–	–	M. 1 N. 1
WEYMOUTH ...	–	–	1	–	–	–
DURHAM ...	–	40	16	20	53	C. 1 D. 4 M. 3
†DARLINGTON C.B.	–	3	3	–	2	–
†GATESHEAD C.B.	–	7	–	–	6	C. 1 D. 1
†SOUTH SHIELDS C.B.	–	2	1	–	7	D. 1 M. 1
†SUNDERLAND C.B.	–	11	1	2	8	D. 1
†WEST HARTLEPOOL C.B.	–	–	2	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	1	1	–
BENFIELDSIDE ...	–	–	–	4	–	–
BILLINGHAM ...	–	–	1	–	1	–
†BLAYDON	–	1	2	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CONSETT	–	–	–	7	–	–
†CROOK	–	–	1	–	1	–
†DURHAM	–	–	–	–	–	M. 1
†FELLING	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†HEBBURN ...	–	–	1	–	–	–
†HETTON	–	–	–	–	2	–
†HOUGHTON LE SPRING	–	1	–	–	–	–
†JARROW	–	–	–	–	4	–
LEADGATE ...	–	–	–	2	–	–
†RYTON	–	–	–	–	–	D. 1
†SHILDON	–	1	–	–	–	–
†STANLEY	–	–	1	–	1	M. 1
†STOCKTON ON TEES	–	3	–	–	–	–
†TANFIELD ...	–	–	–	–	1	–
†WHICKHAM ...	–	2	–	–	3	–
Rural Districts:—						
CHESTER LE STREET	–	–	–	–	1	–
EASINGTON ...	–	4	1	1	8	–
HOUGHTON LE SPRING	–	1	–	–	1	–
LANCHESTER ...	–	–	–	3	–	–
SOUTH SHIELDS	–	–	–	–	2	–
SUNDERLAND ...	–	–	–	–	2	–
ELY, ISLE OF ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	1	–	–	–
MARCH	–	1	–	–	–	–
WHITTLESEY ...	–	–	–	–	1	–
†WISBECH	–	1	–	–	–	–
ESSEX	11	63	59	4	13	C. 3 E. 1 M. 1 N. 4
†EAST HAM C.B....	–	5	2	–	1	–
†SOUTHEND ON SEA C.B.	–	2	3	–	1	–
†WEST HAM C.B.	7	15	8	1	8	C. 1 M. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	3	7	1	2	-
BENFLEET ...	-	1	-	-	-	-
†CHELMSFORD ...	-	-	-	-	-	C. 1
CHINGFORD ...	-	2	-	-	-	-
†COLCHESTER ...	-	1	2	-	-	-
DAGENHAM ...	-	2	4	-	1	
†GRAYS THURROCK	-	2	-	-	-	-
†HORNCHURCH ...	-	3	2	-	-	E. 1
†ILFORD	-	4	3	-	-	N. 1
†LEYTON	1	3	5	1	-	C. 1
						N. 1
PURFLEET ...	-	1	-	-	-	-
RAYLEIGH ...	-	-	1	-	-	-
†ROMFORD... ...	-	-	2	-	-	-
TILBURY	-	-	3	-	-	-
†WALTHAMSTOW ...	3	10	17	-	-	-
†WANSTEAD ...	-	-	-	1	-	-
WEST MERSEA ...	-	2	-	-	-	-
†WOODFORD ...	-	1	-	-	-	-
Rural Districts:—						
BILLERICAY ...	-	1	-	-	-	-
BRAINTREE ...	-	2	-	-	-	-
LEXDEN AND WINSTREE	-	1	-	-	-	-
MALDON	-	1	-	-	-	-
ONGAR	-	1	-	-	-	N. 1
GLOUCESTER ...	-	19	27	2	6	C. 2
						M. 2
						N. 3
†BRISTOL C.B. ...	-	9	19	-	2	C. 2
						M. 1
†GLOUCESTER C.B.	-	-	-	-	2	N. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	2	5	-	-	N. 1
†KINGSWOOD ...	-	1	1	-	-	-
†MANGOTSFIELD ...	-	1	2	-	-	-
NAILSWORTH ...	-	3	-	-	-	-
GLOUCESTER—*cont.*						
Rural Districts:—						
CIRENCESTER ...	-	-	-	2	1	M. 1
						N. 1
STROUD	-	1	-	-	-	-
THORNBURY ...	-	1	-	-	-	-
WEST DEAN ...	-	-	-	-	1	-
WHEATENHURST	-	1	-	-	-	-
HEREFORD ...	-	1	2	-	-	-
Rural Districts:—						
LEOMINSTER AND WIGMORE	-	-	2	-	-	-
ROSS AND WHITCHURCH	-	1	-	-	-	-
HERTFORD ...	-	9	10	-	5	L. 1
Boroughs and Urban Districts:—						
†BARNET	-	4	3	-	-	-
†CHESHUNT ...	-	-	2	-	-	L. 1
†EAST BARNET VALLEY	-	-	2	-	-	-
†HEMEL HEMPSTEAD	-	1	-	-	-	-
†HITCHIN	-	1	-	-	-	-
HODDESDON ...	-	2	1	-	-	-
†LETCHWORTH ...	-	-	-	-	2	-
Rural Districts:—						
HADHAM	-	-	-	-	2	-
HEMEL HEMPSTEAD	-	-	1	-	-	-
HITCHIN	-	-	1	-	-	-
ST. ALBANS ...	-	1	-	-	1	-

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	4	–	1	–	–
Boroughs and Urban Districts:—						
GODMANCHESTER.	–	–	–	1	–	–
Rural Districts:—						
ST. IVES	–	3	–	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
KENT	–	25	15	3	5	C. 2 G. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	2	–	–	–	–
†BECKENHAM ...	–	3	–	–	1	–
†BEXLEY	–	2	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	–	–
†BROMLEY	–	2	2	–	–	–
†CHATHAM ...	–	1	2	–	–	C. 1 G. 1
CHISLEHURST ...	–	–	–	–	–	
†DARTFORD ...	–	1	–	–	–	–
†DOVER	–	1	–	–	–	–
†ERITH	–	1	–	–	–	M. 1
†FOLKESTONE ...	–	–	1	–	–	–
†GRAVESEND ...	–	–	–	–	1	–
†HERNE BAY ...	–	3	–	–	1	–
†MAIDSTONE ...	–	1	1	–	–	–
†MARGATE ...	–	–	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	–	1	1	1	–
SEVENOAKS ...	–	1	–	–	–	–
†SITTINGBOURNE AND MILTON	–	–	1	–	–	–
†TONBRIDGE ...	–	1		1	–	–
WALMER	–	1	1	–	–	–
Rural Districts:—						
EASTRY	–	1	–	–	–	–
FAVERSHAM ...	–	–	–	1	–	–
HOO		–	1	–		–
ISLE OF THANET		–	2		–	–
MAIDSTONE ...	–	1	–	–	–	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	2	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	191	108	7	113	C. 4 D. 4 G. 2 L. 1 M. 25 N. 12
†BARROW IN FURNESS C.B.	–	1	–	–	3	–
†BLACKBURN C.B.	–	3	1	–	3	N. 1
†BLACKPOOL C.B.	–	1	–	–	1	D. 1 N. 1
†BOLTON C.B. ...	–	5	–	–	3	–
†BOOTLE C.B. ...	–	8	3	–	2	–
†BURNLEY C.B. ...	–	1	2		3	–
†BURY C.B. ...	–	2	–	–	1	–
†LIVERPOOL C.B....	–	10	44	2	16	D. 1 M. 17 N. 3
†MANCHESTER C.B.	–	52	20	–	25	C. 1 G. 2 M. 3 N. 4
†OLDHAM C.B. ...	–	1	1	–	4	–
†PRESTON C.B. ...	–	2	–	1	1	C. 1 M. 1
†ROCHDALE C.B....	–	2	–		1	C. 1 M. 2
†ST. HELENS C.B.	–	3	2	–	2	–
†SALFORD C.B. ...	–	6	6		5	–
†SOUTHPORT C.B.	–	2	4	–	4	N. 1
†WARRINGTON C.B.	–	18	–	–	6	–
†WIGAN C.B. ...	–	1	–	–	5	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	–	–	–	1	–
†ASHTON-UNDER-LYNE	–	6	–	–	1	–
†ATHERTON ...	–	–	–	–	1	N. 1
†BACUP	–	–	–	–	–	M. 1
BARROWFORD ...	–	1	–	–	–	–
BILLINGE AND WINSTANLEY	–	–		–	1	–
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ...	–	1	1		1	–
†CHORLEY	–	2	1	–	–	–
CHURCH	–	–	1	–	–	–
†CLITHEROE ...	–	–	–	–	1	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DENTON	–	1	1	–	–	–
†DROYLSDEN ...	–	1	–	–	2	–
†ECCLES	–	2	1	–	2	–
†FARNWORTH ...	–	–	–	–	1	N. 1
†FLEETWOOD ...	–	1	–	–	–	–
GOLBORNE ...	–	2	–	–	–	–
†GREAT CROSBY ...	–	4	1	–	–	–
†HASLINGDEN ...	–	1	–	–	1	–
†HAYDOCK... ...	–	–	–	1	1	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
IRLAM	–	–	1	–	–	–
KEARSLEY ...	–	–	–	–	–	D. 1
†LANCASTER ...	–	5	1	2	1	–
†LEIGH	–	–	2	–	–	–
LEYLAND... ...	–	1	–	–	–	–
†LITTLEBOROUGH	–	–	–	–	1	–
LONGRIDGE ...	–	–	1	–	–	–
†MIDDLETON ...	–	–	–	1	1	–
MILNROW... ...	–	1	–	–	–	–
†NELSON	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	2	–	–	1	–
ORMSKIRK ...	–	2	1	–	–	–
†OSWALDTWISTLE	–	–	1	–	1	–
†PADIHAM... ...	–	2	–	–	–	–
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	1	–	–	1	–
†RADCLIFFE ...	–	2	–	–	–	–
†RAWTENSTALL ...	–	4	–	–	–	–
†STRETFORD ...	–	6	4	–	–	D. 1
†SWINTON AND PENDLEBURY	–	2	–	–	–	–
THORNTON CLEVELEYS	–	1	–	–	–	–
TOTTINGTON ...	–	1	3	–	–	–
†TURTON	–	1	–	–	–	–
UPHOLLAND ...	–	–	–	–	1	–
†WALTON LE DALE	–	4	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	1	–
†WESTHOUGHTON	–	1	–	–	–	–
†WIDNES	–	3	2	–	2	–
†WORSLEY... ...	–	1	–	–	–	–
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	2	–	–	–	–
CHORLEY... ...	–	3	1	–	1	–
CLITHEROE ...	–	–	–	–	1	L. 1
GARSTANG ...	–	1	1	–	–	–
PRESTON	–	1	–	–	–	C. 1 M. 1
WEST LANCASHIRE	–	–	–	–	1	–
WIGAN	–	–	–	–	1	–
LEICESTER ...	21	16	7	–	2	D. 1 E. 1 N. 2
†LEICESTER C.B....	11	4	–	–	1	D. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	2	–	–	–	–	–
†COALVILLE ...	–	2	1	–	–	–
†LOUGHBOROUGH	–	2	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	–	N. 1
WIGSTON MAGNA	1	–	–	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	4	6	–	–	–
BLABY	2	–	–	–	–	E. 1
HINCKLEY ...	5	–	–	–	–	–
LOUGHBOROUGH	–	–	–	–	1	–
MARKET BOSWORTH	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	5	–	–	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	3	–	–	–	–

† Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
NORTH KESTEVEN	–	2	–	–	–	–
SOUTH KESTEVEN	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	6	9	–	6	D. 1 G. 1 M. 1
†LINCOLN C.B. ...	–	4	1	–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	*	*	*	*	*	*
†CLEETHORPES ...	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	1	D. 1
Rural Districts:—						
GLANFORD BRIGG	–	1	–	–	1	–
ISLE OF AXHOLME	–	–	8	–	–	–
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	–	94	34	2	10	D. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†ACTON	–	2	1	–	–	D. 1
†EALING	–	4	2	–	1	–
†EDMONTON ...	–	7	2	–	1	–
†ENFIELD	–	7	6	–	1	M. 1
†FINCHLEY ...	–	4	–	–	–	–
†FRIERN BARNET...	–	3	–	–	–	–
†HARROW ON THE HILL	–	–	1	–	–	–
HAYES AND HARLINGTON	–	1	–	–	–	–
†HENDON	–	4	1	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HESTON AND ISLEWORTH	–	4	3	–	–	N. 1
†HORNSEY	–	4	1	–	–	–
KINGSBURY ...	–	–	–	–	–	M. 1
RUISLIP NORTHWOOD	–	2	–	1	–	–
†SOUTHALL NORWOOD	–	2	–	–	–	–
SUNBURY ON THAMES	–	2	–	–	–	–
†TEDDINGTON ...	–	3	–	–	–	–
†TOTTENHAM ...	–	16	6	1	1	–
†TWICKENHAM ...	–	1	5	–	–	–
†UXBRIDGE ...	–	1	–	–	2	–
†WEALDSTONE ...	–	2	–	–	–	–
†WEMBLEY ...	–	5	1	–	–	–
†WILLESDEN ...	–	16	4	–	3	N. 1
†WOOD GREEN ...	–	2	–	–	1	–
†YIEWSLEY AND WEST DRAYTON	–	1	–	–	–	–
Rural Districts—						
HENDON	–	1	1	–	–	–
NORFOLK ...	–	4	5	1	2	D. 1 E. 1 N. 1
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†NORWICH C.B. ...	–	–	2	1	1	D. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	2	–	–	–
SHERINGHAM ...	*	*	*	*	*	*
Rural Districts:—						
AYLSHAM... ...	–	–	–	–	–	E. 1
BLOFIELD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
Depwade ...	–	–	1	–	–	–
Docking	–	–	–	–	1	–
Erpingham ...	*	*	*	*	*	*
Mitford and Launditch	–	–	–	–	–	N. 1
Swaffham ...	–	1	–	–	–	–
NORTHAMPTON	–	12	2	–	3	C. 1 M. 2
†Northampton C.B.	–	1	2	–	1	C. 1
Boroughs and Urban Districts:—						
Burton Latimer	–	1	–	–	–	–
Desborough ...	–	1	–	–	–	–
Finedon	–	–	–	–	–	M. 1
†Kettering ...	–	2	–	–	2	–
†Rushden... ...	–	1	–	–	–	–
†Welling-borough	–	4	–	–	–	–
Rural Districts:—						
Kettering ...	–	1	–	–	–	–
Welling-borough	–	1	–	–	–	M. 1
NORTHUMBERLAND.	–	34	9	4	22	D. 3 E. 1 L. 3 M. 1 N. 1
†Newcastle upon Tyne C.B.	–	19	4	–	9	D. 1 E. 1 L. 3 M. 1
†Tynemouth C.B.	–	–	1	–	2	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†Ashington ...	–	3	–	–	–	N. 1
†Bedlington-shire	–	–	–	–	3	–
†Berwick upon Tweed	–	1		–	–	–
†Blyth	–	2	–	–	4	–
Cramlington ...	–	–	–	–	–	D. 1
†Earsdon	–	2	–	–	–	–
†Gosforth ...	–	1	–	1	–	–
†Longbenton ...	–	1	–	–	–	–
Prudhoe... ...	–	–	1	–	–	–
Seaton Delaval	–	2	–	–	2	–
†Wallsend ...	–	–	2	–	1	D. 1
Rural Districts:—						
Bellingham ...	–	–	–	–	1	–
Castle Ward ...	–	1	–	3	–	–
Glendale ...	–	1	–	–	–	–
Norham and Islandshires	–	1	–	–	–	–
Rothbury ...	–	–	1	–	–	–
NOTTINGHAM ...	–	26	13	–	5	D. 2 M. 1 N. 1
†Nottingham C.B.	–	14	5	–	3	M. 1 N. 1
Boroughs and Urban Districts:—						
†Arnold	–	–	–	–	1	–
†Carlton	–	1	2	–	–	–
†East Retford ...	–	–	1	–	–	–
†Hucknall ...	–	–	1	–	–	–
†Kirkby in Ashfield	–	–	1	–	–	–
†Mansfield ...	–	2	–	–	–	–
†Sutton in Ashfield	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	3	2	–	–	–
NEWARK	–	1	1	–	–	–
SKEGBY	–	1	–	–	–	D. 1
SOUTHWELL ...	–	2	–	–	–	D. 1
WORKSOP... ...	–	1	–	–	–	–
OXFORD	–	3	4	–	–	M. 2 N. 4
†OXFORD C.B. ...	–	–	3	–	–	M. 1 N. 4
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	1	–	–	–
HENLEY ON THAMES	–	2	–	–	–	M. 1
Rural Districts:—						
HENLEY	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	–	–		1	N. 1
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	N. 1
SALOP	–	10	22	2	1	N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	3	–	–	–
MARKET DRAYTON	–	1	–	–	–	–
OSWESTRY ...	–	–	2	–	–	–
†SHREWSBURY ...	–	3	–	–	–	N. 1
WELLINGTON ...	–	–	5	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	2	1	2	–	–
BRIDGNORTH ...	–	1	1	–	–	–
CLEOBURY MORTIMER	–	2	1	–	–	–
DRAYTON	–	1	2	–	–	–
OSWESTRY ...	–	–	2	–	–	–
SHIFNAL	–	–	3	–	–	–
WELLINGTON ...	–	–	1	–	–	–
WEM	–	–	–	–	1	–
WHITCHURCH ...	–	–	1	–	–	–
SOMERSET ...	–	9	5	–	4	M. 1 N. 2
†BATH C.B. ...	–	3	2		–	–
Boroughs and Urban Districts:—						
GLASTONBURY ...	–	1	–	–	–	–
HIGHBRIDGE ...	–	–	1	–	–	–
ILMINSTER ...	–	2	–	–	–	–
MIDSOMER NORTON	–	–			2	–
SHEPTON MALLET	*	*	*	*	*	*
STREET	–	1	–	–	–	–
†TAUNTON... ...	–	2	–	–	–	–
Rural Districts:—						
AXBRIDGE ...		–	–	–	1	N. 1
CLUTTON	–	–	–	–	1	–
DULVERTON ...	–	–	–	–	–	M. 1 N. 1
KEYNSHAM ...	–	–	1	–	–	–
LONG ASHTON ...	–	–	1	–	–	–
SHEPTON MALLET	*	*	*	*	*	*
SOUTHAMPTON	–	28	19	–	–	C. 1 G. 1 M. 1
†BOURNEMOUTH C.B.	–	3	1	–	–	G. 1
†PORTSMOUTH C.B.	–	10	5	–	–	–
†SOUTHAMPTON C.B.	–	5	8	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
†Aldershot ...	–	1	–	–	–	–
Andover... ...	–	–	3	–	–	–
Christchurch ...	–	1	–	–	–	–
†Eastleigh and Bishopstoke	–	1	–	–	–	–
†Fareham ...	–	–	1	–	–	–
†Farnborough ...	–	–	–	–	–	M. 1
†Gosport	–	1	–	–	–	C. 1
Warblington ...	*	*	*	*	*	*
Rural Districts:—						
Alton	–	2	–	–	–	–
Basingstoke ...	–	1	–	–	–	–
Droxford ...	–	1	1	–	–	–
New Forest ...	–	1	–	–	–	–
Ringwood ...	*	*	*	*	*	*
South Stoneham	–	1	–	–	–	–
STAFFORD ...	–	38	25	1	28	C. 1 D. 2 G. 1 L. 1 M. 8 N. 5
†Burton upon Trent C.B.	–	–	–	–	–	D. 1 M. 1
†Smethwick C.B.	–	2	–	–	3	M. 1
†Stoke on Trent C.B.	–	3	6	–	3	M. 4
†Walsall C.B. ...	–	3	2	–	–	M. 1 N. 1
†West Bromwich C.B.	–	1	3	–	2	N. 1
†Wolverhampton C.B.	–	6	1	–	–	M. 1
Boroughs and Urban Districts:—						
†Audley	–	1	–	–	–	–
†Brierley Hill...	–	–	3	–	–	–
STAFFORD—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†Brownhills ...	–	–	–	–	1	–
†Cannock	–	–	–	–	1	–
†Coseley	–	–	–	–	1	–
†Darlaston ...	–	–	–	–	5	–
†Newcastle under Lyme	–	–	2	–	–	–
Quarry Bank ...	–	–	1	–	–	–
†Rowley Regis ...	–	–	1	–	–	–
†Sedgley	–	1	–	–	1	–
Short Heath ...	*	*	*	*	*	*
Tamworth ...	–	–	–	–	–	G. 1
†Tipton	–	5	–	–	2	–
†Wednesbury ...	–	1	–	–	1	–
Wednesfield ...	–	–	1	–	–	–
†Willenhall ...	–	1	1	–	–	N. 1
†Wolstanton United	–	–	–	–	2	–
Rural Districts:—						
Blore Heath ...	–	1	–	–	–	–
Cannock	–	2	1	1	1	–
Cheadle... ...	–	6	–	–	1	C. 1 L. 1 N. 1
Kingswinford ...	–	2	2	–	2	–
Lichfield ...	–	–	–	–	–	D. 1
Mayfield ...	–	1	–	–	–	–
Seisdon	–	1	1	–	1	N. 1
Stone	–	–	–	–	1	–
Uttoxeter ...	–	1	–	–	–	–
SUFFOLK, EAST	–	12	14	–	1	G. 1
†Ipswich C.B. ...	–	5	12	–	–	–
Boroughs and Urban Districts:—						
†Felixstowe ...	–	–	1	–	–	–
Leiston cum Sizewell	–		1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST *cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	5	–	–	–	–
EAST STOW ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	–	–	–	–	G. 1
SAMFORD	–	1	–	–	–	–
WANGFORD ...	–	1	–	–	–	–
SUFFOLK, WEST	–	3	2	–	–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	1	–	–	N. 1
NEWMARKET ...	–	1	1	–	–	–
SUDBURY... ...	*	*	*	*	*	*
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
MELFORD... ...	*	*	*	*	*	*
MOULTON ...	–	1	–	–	–	–
SURREY	–	24	20	1	4	C. 1 M. 1 N. 3
†CROYDON C.B. ...	–	6	5	1	2	C. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CATERHAM AND WARLINGHAM	–	1	–	–	–	–
†FARNHAM ...	–	–	3	–	–	–
†FRIMLEY AND CAMBERLEY	–	2	–	–	–	–
†KINGSTON ON THAMES	–	3	1	–	–	–
†MERTON AND MORDEN	–	1	2	–	–	N. 1
†REIGATE	–	–	5	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RICHMOND ...	–	2	1	–	–	–
†THE MALDENS AND COOMBE	–	1	1	–	1	N. 1
†WALTON UPON THAMES	–	2	–	–	–	–
†WIMBLEDON ...	–	1	–	–	–	M. 1
WINDLESHAM ...	–	2	–	–	–	–
†WOKING	–	–	–	–	–	N. 1
Rural Districts:—						
†EPSOM	–	1	–	–	–	–
HAMBLEDON ...	–	–	1	–	–	–
REIGATE	–	–	–	–	1	–
SUSSEX, EAST...	–	13	2	–	4	G. 1 M. 3 N. 1
†BRIGHTON C.B. ...	–	4	1	–	1	G. 1 M. 3 N. 1
†EASTBOURNE C.B.	–	1	1	–	1	–
†HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†HOVE	–	3	–	–	–	–
†LEWES	–	2	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	2	–
Rural Districts:—						
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST...	–	6	–	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	–	–	–	1	–
†CHICHESTER ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Boroughs and Urban Districts—*cont.*						
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	2	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
PETWORTH ...	–	1	–	–	–	–
THAKEHAM ...	–	–	–	–	–	N. 1
WARWICK ...	–	77	67	2	41	C. 1 D. 1 G. 1 M. 18 N. 5
†BIRMINGHAM C.B.	–	62	55	2	26	D. 1 G. 1 M. 18 N. 5
†COVENTRY C.B. ...	–	5	2	–	2	–
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	1	1	–	5	–
†ROYAL LEAMINGTON SPA	–	–	–		–	C. 1
†RUGBY	–	1	–	–	1	–
†STRATFORD ON AVON	–	–	–	–	1	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	4	–	–		–
FOLESHILL ...	–	–	–	–	1	–
MERIDEN	–	–	–	–	1	–
NUNEATON ...	–	1	4	–	–	–
RUGBY	–	2	5	–	1	–
STRATFORD ON AVON	–	–	–		1	–
TAMWORTH (part)	–	–	–	–	1	–
WESTMORLAND	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
WILTS	–	9	6	–	4	E. 1 N. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	N. 1
†SALISBURY ...	–	3	1	–	–	E. 1
†SWINDON	–	–	1	–	3	–
WARMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CHIPPENHAM ...	–	–	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	1	–		–
DEVIZES	–	–	2	–	–	–
MALMESBURY ...	–	1	–	–	–	–
MELKSHAM ...	–	–	–	–	1	–
WARMINSTER ...	–	1	–	–	–	–
WORCESTER ...	–	18	6	–	2	N. 2
†DUDLEY C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
EVESHAM	–	2	1	–	–	–
†HALESOWEN ...	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	2	–	–	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OLDBURY	–	2	–		–	–
†REDDITCH ...	–	3	–	–		–
STOURPORT ...	–	–	–	–	–	N. 2
Rural Districts:—						
MARTLEY	–	–	2	–	–	–
PERSHORE ...	–	–	1	–	2	–
ROCK	–	4	–	–		–
TENBURY	–	2	1	–		–
UPTON ON SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	27	20	–	5	M. 1
†KINGSTON UPON HULL C.B.	–	19	17	–	5	M. 1
Boroughs and Urban Districts:—						
COTTINGHAM ...	–	1	–	–	–	–
HESSLE	–	–	2	–	–	–
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
HOWDEN	–	1	–	–	–	–
NORTON	*	*	*	*	*	*
POCKLINGTON ...	–	6	–	–	–	–
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	–	15	4	1	7	M. 1 N. 1
†MIDDLESBROUGH C.B.	–	1	–	–	5	–
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	1	–
MALTON	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDCAR	–	–	–	–	1	–
SALTBURN BY THE SEA	–	3	–	–	–	–
†SCARBOROUGH ...	–	2	–	–	–	N. 1
†SKELTON AND BROTTON		–	–	–	–	M. 1
†THORNABY ON TEES	–	2	–	–	–	–
†WHITBY	–	1	–	–	–	–
Rural Districts:—						
BEDALE	–	–	–	1	–	–
FLAXTON	–	1	2	–	–	–
GUISBOROUGH ...	–	2	–	–	–	–
MALTON	*	*	*	*	*	*
NORTHALLERTON	*	*	*	*	*	*
STOKESLEY ...	–	–	2	–	–	–
YORKS ... ... (West Riding).	1	118	68	2	73	C. 1 D. 20 E. 5 M. 7 N. 9
†BARNSLEY C.B. ...	–	2	–	–	3	D. 2 M. 1 N. 1
†BRADFORD C.B. ...	–	20	4	–	4	–
†DEWSBURY C.B....	–	7	1	–	–	–
†DONCASTER C.B....	–	1	2	–	–	M. 1
†HALIFAX C.B. ...	–	2	1	–	2	N. 1
†HUDDERSFIELD C.B.	–	1	2	–	3	–
†LEEDS C.B. ...	–	31	15	–	11	E. 1 M. 1 N. 1
†ROTHERHAM C.B.	–	2	17	–	–	M. 1
†SHEFFIELD C.B....	–	15	8	–	25	D. 2 E. 3 M. 2 N. 4
†WAKEFIELD C.B.	–	4	4	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	*	*	*	*	*	*
BAILDON	–	1	–	–	–	–
†BATLEY	–	–	2	–	–	–
†BENTLEY WITH ARKSEY	*	*	*	*	*	*
†BINGLEY	–	2	–	–	1	–
BIRKENSHAW ..	–	1	1	–	–	–
†BOLTON UPON DEARNE	–	–	–	–	–	D. 1
†BRIGHOUSE ...	1	–	–	–	–	–
†CASTLEFORD ...	–	2	–	–	–	–
CUDWORTH ...	–	1	–	–	–	–
†DARTON	–	1	–	–	1	–
DRIGHLINGTON ...	–	–		–	1	–
†FEATHERSTONE ...	–	1	–	–	–	–
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ...	–	–	–	–	1	E. 1 M. 1 N. 1
HECKMONDWIKE	–	–	1	–	–	–
†HEMSWORTH ...	–	1		–	1	D. 2
HORBURY... ...	–	2	–	–	–	–
HORSFORTH ...	*	*	*	*	*	*
†HOYLAND NETHER	–	–	1	–	–	D. 1
LEPTON	–	–	–	–	1	–
MALTBY	–	–	–	–		C. 1 D. 3
METHLEY ...	–	1	–	–	–	
†MEXBOROUGH ...	–	–	–	–	–	D. 1
MIDGLEY... ...	–	1	–	–	–	–
†NORMANTON ...	–	1	1	–	–	–
†PUDSEY	–	2	–	–	–	–
†RAWMARSH ...	–	–	–	–	1	D. 1
†ROTHWELL ...	–	–	1	–	–	–
†SADDLEWORTH ...	*	*	*	*	*	*
†SHIPLEY	–	2	1	–	–	–
†SKIPTON	–	1	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	1	–
†STANLEY	–	1	–	–	3	–
†SWINTON	–	–	–	2	1	–
THURNSCOE ...	–	–	–	–	3	D. 1
†WATH UPON DEARNE	–	–	–	–	–	D. 1
WHITLEY UPPER	–	–	–		1	–
WHITWOOD ...	–	–	–	–	1	–
YEADON	–	–	1	–	–	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	3	–	–	2	–
HEMSWORTH ...	–	1	–	–	–	D. 5 N. 1
KIVETON PARK ...	–	–	1	–	–	–
PONTEFRACT ...	–	1	1	–	–	–
SELBY	–	–	–	–	1	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	–	2	–	–	–
THORNE	–	–	1	–	–	–
WETHERBY ...	–	3	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY... ...	–	1	–	–	1	–
YORK, CITY OF ..	–	4	1	–	1	C. 1 G. 1
†YORK C.B. ...	–	4	1	–	1	C. 1 G. 1
WALES.						
ANGLESEY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	*	*	*	*	*	*
Rural Districts:—						
VALLEY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
Brecknock ...	*	*	*	*	*	*
Rural Districts:—						
Brecknock (Merthyr Cynog)	*	*	*	*	*	*
Hay	–	1	–	–	–	–
Ystradgynlais	–	–	1	–	–	–
CAERNARVON...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†Bangor	–	1	–	–	–	–
Conway	–	–	1	–	–	–
CARDIGAN ...	–	1	–	–	–	–
Rural Districts:—						
Aberystwyth (North)	–	1	–	–	–	–
CARMARTHEN...	–	7	1	–	3	–
Boroughs and Urban Districts:—						
Ammanford ...	–	1	–	–	1	–
†Carmarthen ...	–	3	–	–		–
Cwmamman ...	–	1	–	–	1	–
Kidwelly ...	–	1	1	–	–	–
†Llanelly ...	–	–	–	–	1	–
Rural Districts:—						
Carmarthen ...	–	1	–	–	–	–
Llanelly ...	*	*	*	*	*	*
DENBIGH ...	–	4	15	–	–	M. 1
Boroughs and Urban Districts:—						
†Colwyn Bay ...	–	1	3	–	–	–
Llangollen ...	–	–	–	–	–	M. 1
Ruthin	–	–	1	–	–	–
†Wrexham ...	–	2	–	–	–	–
Rural Districts:—						
St. Asaph (Denbigh)	–	–	1	–	–	–
Wrexham ...	–	1	10	–	–	–
FLINT	–	1	1	2	–	–
Boroughs and Urban Districts:—						
Connah's Quay	–	–	–	2	–	–
†Rhyl	–	–	1	–	–	–
Rural Districts:—						
Hawarden ...	–	1	–	–	–	–
GLAMORGAN ...	–	34	28	–	17	C. 2 M. 5 N. 5
†Cardiff C.B. ...	–	9	5	–	2	C. 1 N. 4
†Merthyr Tydfil C.B.	–	2	2	–	1	C. 1 M. 1 N. 1
†Swansea C.B. ...	–	–	8	–	1	M. 1
Boroughs and Urban Districts:—						
†Aberdare ...	–	–	–	–	1	–
†Barry	–	1	1	–	–	–
†Caerphilly ...	–	–	1	–	–	–
†Gelligaer ...	–	1	1	–	2	–
†Llwchwr ...	–	–	2	–	–	–
†Mountain Ash...	–	6	1	–	1	–
†Neath	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OGMORE AND GARW	–	2	–	–	1	M. 1
†PONTYPRIDD ...	–	–	–	–	1	–
PORTHCAWL ...	–	1	–	–	–	–
†RHONDDA ...	–	10	4	–	5	M. 2
Rural Districts:—						
CARDIFF	–	1	1	–	–	–
NEATH	–	–	1	–	1	–
PONTARDAWE ...		1		–		–
MERIONETH ...	–	1	4	–	–	–
Urban Districts:—						
FFESTINIOG ...	–	–	2	–	–	–
Rural Districts:—						
DEUDRAETH ...		1	1	–	–	–
DOLGELLEY ...	–		1	–		–
MONMOUTH ...	1	29	9	–	2	C. 2 N. 1
†NEWPORT C.B. ...	–	8	4	–	–	C. 1
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	–	1	–	–	–
†ABERSYCHAN ...	–	2	1	–	–	–
†ABERTILLERY ...	–	2	–	–	–	
†BEDWELLTY ...	–	2	–	–	–	N. 1
†BLAENAVON ...	1	1	–	–	–	–
†EBBW VALE ...	–	3	1	–	–	–
LLANTARNAM ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PANTEG	–	–	1	–	–	–
PONTYPOOL ...	–	–	–	–	–	C. 1
†TREDEGAR ...	–	9	–	–	–	–
Rural Districts:—						
MAGOR	–	1	–	–	–	–
ST. MELLONS ...	–	–	1	–	–	–
MONTGOMERY...	–	3	–	–	2	N. 1
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	1	–	–	2	–
Rural Districts:—						
FORDEN	–	1	–	–	–	N. 1
LLANFYLLIN ...	–	1	–	–	–	–
PEMBROKE ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST	–	–	–	–	1	–
Total of Part II....	38	1163	739	65	488	C. 28 D. 41 E. 11 G. 12 L. 6 M. 92 N. 82

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever,

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	‖Pneumonia.	Other Diseases (*see* ‡ note below).
HARWICH	–	–	1	–	–	–	PORT OF LONDON ...	–			–	1	–
LIVERPOOL	–	1		–									
PENZANCE	*	*	*	*	*	*							
PLYMOUTH	–	–		1	–	–	**Total of Part III.** ...	–	1	1	1	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
Total of Part I.—London	12	225	158	7	44	C. D. E. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	38	1163	739	65	488	C. D. E. G. L. M. N.
Total of Part III.—Port Sanitary Districts		1	1	1	1	
Total (i.e., of returns received), England and Wales ...	50	1389	898	73	533	C. D. E. G. L. M. N.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Gregate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	Apl. 25	May 2	May 9.	May 16.	May 23.	May 30	June 6.	June 13	June 20.	June 27.	July 4	July 11.	July 18.	Totals from 1st Week of year. * 1930.	1931.
DON :—															
Births	1,389	1,424	1,369	1,323	1,453	1,227	1,494	1,559	1,383	1,485	1,375	1,463	1,409	41,011	39,132
LBIRTHS	31	33	55	47	46	42	61	65	52	37	46	43	47	1,525	1,360
THS (excluding Still-ths)—all ages.	954	1,002	955	905	871	831	856	761	758	780	794	763	735	28,104	31,515
THS—0 to 1 year ..	68	79	71	68	70	74	59	48	48	59	47	54	58	2,443	2,384
AT TOWNS, aggre-e (including Lon-n) :—															
Births	6,789	6,646	6,447	6,364	6,754	5,553	7,080	7,087	6,603	6,607	6,521	6,682	6,477	187,166	182,392
LBIRTHS	270	286	320	273	301	234	287	301	331	275	283	285	280	8,301	8,110
THS (excluding Still-ths)—all ages.	4,590	4,623	4,351	4,127	4,235	4,036	3,872	3,846	3,606	3,674	3,659	3,619	3,538	127,449	144,790
THS—0 to 1 year ..	397	409	404	347	401	352	367	329	293	308	284	287	292	12,140	13,556
ERIC FEVER—Cases	15	10	15	9	16	11	19	16	12	15	26	19	23	771	405
„ Deaths	3	1	2	2	1	—	1	—	2	1	3	2	2	61	48
LL POX—Cases ..	162	128	139	108	84	72	57	84	49	38	53	33	34	7,001	3,401
„ Deaths ..	1	—	—	—	—	—	1	—	—	—	1	—	—	15	5
RLET FEVER—Cases	854	869	896	864	832	744	786	798	803	803	854	809	815	35,109	23,681
„ Deaths	5	4	9	11	4	5	5	3	1	3	3	6	9	274	172
HTHERIA—Cases ..	552	540	578	542	519	412	482	534	569	572	566	585	573	25,398	17,546
„ Deaths ..	21	22	21	25	21	22	18	21	24	18	23	29	24	1,186	858
ASLES—Deaths ..	42	46	36	38	23	39	26	38	26	27	16	18	9	2,317	1,493
LUENZA—Deaths ..	96	74	40	44	54	46	30	21	20	24	19	20	22	1,457	5,198

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ing been made for changes in boundary. The live births are derived from the weekly returns furnished by the istrars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 18th July, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON' (GREENWICH).	81	53	70·7	55·6	23	HUDDERSFIELD	69	50	65·7	53·6	38
						BRADFORD ..	66	52	62·9	54·3	44
RIGHTON ..	67	55	64·9	57·9	55	SHEFFIELD ..	70	51	65·4	55·1	52
ORTSMOUTH ..	70	55	66·0	57·6	39	YORK (MUSEUM)	70	51	66·3	54·7	36
ORWICH(SOUTH-WELL LODGE)	75	52	67·3	54·1	38	HULL (PEARSON PARK).	72	52	67·8	55·7	54
LYMOUTH ..	66	53	63·6	56·0	37	TYNEMOUTH ..	70	50	62·9	53·6	65
RISTOL (HORFIELD)	68	53	65·6	55·6	47	CARDIFF	67	54	64·6	56·4	26
IRMINGHAM (EDGBASTON).	68	53	64·0	54·4	36						
						EDINBURGH ..	66·0	51·0	64·0	52·6	13
OTTINGHAM ..	71	53	66·4	55·4	48	GLASGOW ..	68·3	51·3	64·7	53·0	12
IRKENHEAD (BIDSTON).	69	53	63·7	54·3	21	DUBLIN (PHŒNIX PARK)	70·0	47·8	66·6	51·6	34
ANCHESTER (WHITWORTH PARK).	68	53	64·6	54·9	36	(FITZWILLIAM SQUARE†).	69·2	51·1	66·2	54·3	54
URNLEY	67	52	62·1	54·0	36	BELFAST	71·0	48·0	67·7	51·9	27

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 18th July, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	12	..	29·590	81·2	56·0	25·2	66·8	+ 3·9	56·5	10·3	22·1	4·0	70	144·2	44·1	56·1	S: SSE	SW	3·4	0·0	0·5	317	+ 72	0·00
MONDAY -	13	..	29·577	72·9	55·7	17·2	62·5	- 0·6	55·2	7·3	18·5	2·8	77	129·7	47·4	56·3	SW: SSW.	SW	3·7	0·0	0·5	343	+ 100	0·04
TUESDAY -	14	Greatest Declination N.	29·408	67·4	55·1	12·3	60·2	- 3·1	54·7	5·5	10 7	0·2	82	120·9	46·9	56·3	SSW	SSW: SE:.E.	1·5	0·0	0·2	246	+ 4	0·35
WEDNESDAY	15	New	29·363	63·6	53·5	10·1	58·2	- 5·2	55·1	3·1	6·3	0·2	89	58·3	45·0	56·3	Calm: NW.	NW: WNW.	3·1	0·0	0·3	297	+ 54	0·35
THURSDAY -	16	..	29·777	73·9	56·2	17·7	63·3	- 0·1	52·1	11·2	23·8	1·0	67	129·2	49·1	56·5	W: WNW.	W: WSW.	2·4	0·0	0·3	346	+ 102	0·00
FRIDAY -	17	..	29·735	71·1	55·2	15·9	60·3	- 3·1	53 7	6·6	22·0	1·3	79	128·1	46·7	56·5	SW: W	WSW: SW.	4·4	0·0	0·7	406	+ 161	0·16
SATURDAY -	18	Perigee	29·646	65·1	55·2	9·9	59·0	- 4·3	52·0	7·0	13·0	3·0	77	87·9	48·9	56·5	WSW: W.	WSW	3·7	0·0	0·8	442	+ 197	0·01
MEANS -		..	29·585	70·7	55·3	15·5	61·5	- 1·8	54·2	7·3	16·6	1·8	77	118·3	46·9	56·4	Westerly		..		..	Sum 2397	Sum + 690	Sum 0·91
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	12	mP till 1h.; wP till 20h., then mP.	5·8	16·3	Cloudy till 4½h.. nearly overcast till 9h. then very cloudy. Few clouds from 15h. Damping 5¾h. and at 8h. Dew at night.
MONDAY ..	13	mP throughout	6·0	16·3	Little cloud till 2¾h. then very cloudy generally. Occasional showers 5h. till 10¾h. Solar halo 12½h., 15h. and at 17¾h.
TUESDAY ..	14	mP till 11h.; variably mP and wP till 21h.; then vN.	2·2	16·3	Very cloudy till 7½h., then overcast or nearly so. Slight shower 4¼h., occasional showers 11½h. till 15¼h., then continuous rain from 16¼h.
WEDNESDAY	15	v till 1h., mP till 8h.; sP till 11h., then mP.	0·0	16·2	Overcast throughout except for cloudy period 2½h. till 4h. Rain or heavy rain till 1¼h. Rain or drizzle at times 9¼h. till 21h.; damping from 22h.
THURSDAY	16	mP till 8h.; sP till 11h., then mP.	6·2	16·2	Overcast till 8h., cloudy or very cloudy till 17½h. then overcast. Clearing 20½h. to little cloud by 23h. Damping till 2h.
FRIDAY ..	17	mP till 14h., then variably wP and mP.	0·7	16·1	Little cloud till 1h., cloudy till 5h., then overcast or nearly so. Cloudy from 22h. Rain 13¾h. till 18h., then drizzle till 22h. Brisk wind from 22h.
SATURDAY	18	wP till 6h.; then mP.	0·6	16·1	Very cloudy till 6h., overcast till 18½h., clearing to few clouds by 20h. Overcast from 23h. Occasional slight rain or drizzle 12h. till 16h. Brisk wind till 13h.
			Sum 21·5	Sum 113·5	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·81 ins. at the beginning of the week to 29·12 ins. by 4h. on July 15th; increased to 29·82 ins. by 0h. on July 17th; decreased to 29·58 ins. by 4h. on July 18th; increased to 29·67 ins. by 21½h. on July 18th; decreased and was 29·65 ins. by midnight of the same day

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 29.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 25TH JULY,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000 according to the 1921 Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 25TH JULY, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the twenty-ninth week of the year numbered 6,616 corresponding to an annual rate of 17·4 per 1,000 living: stillbirths numbered 247 corresponding to a rate of 36 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,548 (10 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	July 4.	July 11.	July 18.	July 25.
107 Great Towns	9·6	9·5	9·3	9 4
London	9·5	9·1	8·8	9·2
Birmingham	9·5	8·4	9·9	9·2
Liverpool	10·6	10·9	9·4	9·9
Manchester	10·6	10·5	10·2	10·0
Sheffield	8·7	11·1	8·8	7·3
Leeds	10·6	11·3	9·9	9·3
Bristol	8·8	9·3	8·5	9·0
West Ham	8·1	7·0	8·3	8·6

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 46, against 43, 44, and 44 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,415 live births registered corresponding to an annual rate of 16·9 per 1,000 living: stillbirths numbered 42 corresponding to a rate of 29 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 768 (33 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 44, against 33, 38, and 41 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in the week ended 25th July, 1931.

	Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
							Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
	107 Great Towns ..	19,836,440*	6,616	247	3,548	303	1	18	2	13	19	39	14
	London	4,377,000*	1,415	42	768	62	-	1	-	3	3	11	1
Towns in Outer Ring.	Croydon C.B. ..	233,000	74	1	30	2	-	-	-	-	-	-	-
	Wimbledon ..	58,830	20	3	8	1	-	-	-	-	-	-	-
	Ealing	117,400	38	-	14	-	-	-	-	-	-	-	-
	Acton	70,400	8	1	12	-	-	-	-	-	-	-	-
	Brentford and Chiswick ..	62,620	5	2	15	1	-	-	-	-	-	-	-
	Willesden ..	185,300	40	2	18	2	-	-	-	-	-	-	-
	Hendon	114,600*	32	1	12	-	-	-	-	-	-	-	-
	Hornsey	95,440	16	-	17	-	-	-	-	-	-	-	-
	Wood Green ..	54,460	12	-	5	1	-	-	-	-	-	-	-
	Tottenham ..	159,100	30	-	20	1	-	-	-	-	-	-	-
	Edmonton	77,530	45	2	17	1	-	-	1	-	-	-	-
	Enfield	68,090	19	-	12	1	-	-	-	-	1	1	-
	West Ham C.B. ..	296,900	113	5	49	4	-	-	-	-	-	-	-
	East Ham C.B. ..	142,900	31	1	19	-	-	-	-	-	-	-	-
	Leyton	128,600	32	1	18	1	-	-	-	-	-	-	-
	Walthamstow ..	134,300	34	1	23	3	-	-	-	-	-	-	-
	Ilford	131,300	42	1	23	2	-	-	-	-	-	1	-
	Gillingham	60,600*	29	-	7	-	-	-	-	-	-	-	-
	Canterbury C.B. ..	24,440*	9	-	9	-	-	-	-	-	-	-	-
	Hastings C.B.	61,870	18	-	13	1	-	-	-	-	-	-	-
	Eastbourne C.B. ..	55,670	15	1	11	-	-	-	-	-	-	-	-
	Brighton C.B. ..	144,900*	42	2	29	2	-	-	-	-	-	-	-
	Portsmouth C.B. ..	248,300*	83	2	36	4	-	-	-	-	-	-	-
	Bournemouth C.B. ..	108,600	25	2	23	-	-	-	-	-	-	-	-
	Southampton C.B. ..	175,300	75	3	29	1	-	-	-	-	-	-	-
	Reading C.B.	97,450*	33	2	11	-	-	-	-	-	-	-	-
	Oxford C.B.	80,530*	37	1	14	-	-	-	-	-	-	-	-
	Northampton C.B. ..	92,940*	31	3	14	1	-	1	-	-	-	-	-
	Luton	69,030	22	-	10	2	-	-	-	-	-	1	-
	Cambridge	66,850	12	-	9	-	-	-	-	-	-	-	-
	Southend-on-Sea C.B.	117,900	18	-	22	-	1	-	-	-	-	-	-
	Ipswich C.B.	87,630	27	-	18	-	-	-	-	-	-	-	-
	Great Yarmouth C.B.	56,690	13	1	9	1	-	-	-	-	-	-	-
	Norwich C.B.	126,800*	43	3	21	1	-	-	-	-	-	-	-
	Swindon	62,600	29	-	10	3	-	-	-	-	-	-	-
	Exeter C.B.	65,290*	24	-	9	1	-	-	-	-	-	-	-
	Plymouth C.B. ..	207,600*	67	3	43	2	-	-	-	-	-	-	-
	Bath C.B.	68,120	18	3	14	-	-	-	-	-	-	-	-
	Bristol C.B.	399,500*	126	4	69	3	-	-	-	-	-	-	-
	Gloucester C.B. ..	52,890	19	2	8	-	-	-	-	-	-	-	-
	Stoke-on-Trent C.B.	279,800	97	3	68	3	-	-	-	-	-	-	-
	Burton-upon-Trent C.B.	49,920	19	1	9	-	-	-	-	-	-	-	-
	Wolverhampton C.B.	134,200	53	2	28	2	-	-	-	-	-	-	-
	Walsall C.B.	104,200	48	1	12	1	-	-	-	-	-	-	-
	West Bromwich C.B.	82,090	31	1	16	2	-	1	-	-	-	2	-
	Dudley C.B.	60,010	27	-	6	3	-	-	-	-	-	-	-
	Worcester C.B. ..	50,540	16	-	7	3	-	-	-	-	-	-	-
	Birmingham C.B. ..	1,011,300	379	10	179	20	-	-	-	2	2	1	-
	Smethwick C.B. ..	85,370	24	1	8	1	-	-	-	-	-	-	-
	Coventry C.B. ..	168,500	65	2	17	-	-	-	-	-	-	-	-
	Leicester C.B. ..	241,200	61	2	31	4	-	-	-	-	-	-	-
	Lincoln C.B.	66,110*	21	1	13	1	-	-	-	-	-	-	-
	Grimsby C.B.	92,180	33	2	22	1	-	-	-	-	-	1	-
	Nottingham C.B. ..	270,900	79	-	52	4	-	-	-	-	-	1	-
	Derby C.B.	143,400*	59	3	27	2	-	-	-	-	-	-	-
	Chesterfield	64,450	29	-	9	-	-	-	-	-	-	-	-
	Stockport C.B. ..	126,600	31	2	23	1	-	-	-	-	-	-	-
	Chester C.B.	41,370	15	1	6	1	-	-	-	-	-	-	-
	Birkenhead C.B. ..	148,600	54	1	24	2	-	-	-	1	-	-	-
	Wallasey C.B. ..	97,240	25	3	22	-	-	-	-	-	1	-	-
	Liverpool C.B. ..	862,100	390	10	163	17	-	4	-	2	3	5	-
	Bootle C.B.	77,170	40	1	15	2	-	-	-	-	-	-	-
	St. Helens C.B. ..	108,200	48	1	21	3	-	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where diff from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gilling 51,360; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; O C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 19 Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
UTHPORT C.B. ..	77,180	23	-	29	2	-	-	-	-	-	1	-
GAN C.B.	86,250	36	2	20	4	-	-	-	-	-	-	-
ARRINGTON C.B. ..	80,280*	30	1	21	2	-	-	-	-	-	-	-
OLTON C.B.	179,300	53	2	37	4	-	-	-	-	-	-	-
RY C.B.	56,580*	21	-	7	1	-	-	1	-	-	-	-
ANCHESTER C.B. ..	773,300	250	14	148	16	-	-	-	1	1	2	2
LFORD C.B.	226,100	76	5	41	3	-	-	-	-	1	-	-
HTON-UNDER-LYNE	51,850	18	4	4	-	-	-	-	-	-	-	-
LDHAM C.B	142,000	42	1	26	1	-	-	-	-	-	-	-
OCHDALE C.B. ..	91,190	11	-	16	3	-	-	-	-	-	-	-
RNLEY C.B	99,300	28	1	12	-	-	-	-	-	-	-	-
ACKBURN C.B. ..	124,000	28	1	27	-	-	-	-	-	-	-	-
ESTON C.B.	120,100	46	-	23	2	-	-	-	1	-	-	-
ACKPOOL C.B. ..	97,880	14	2	25	-	-	-	-	-	-	-	-
ARROW-IN-FURNESS C.B.	66,700	24	2	9	3	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	114,300	40	-	26	2	-	-	-	-	-	-	-
ALIFAX C.B.	98,770*	31	-	21	2	-	-	-	-	1	-	-
RADFORD C.B. ..	300,800	83	4	69	3	-	-	-	-	-	-	-
EEDS C.B	486,100	151	7	88	10	-	1	-	-	1	1	-
EWSBURY C.B. ..	54,430	23	1	15	1	-	-	-	-	-	-	-
AKEFIELD C.B. ..	59,280	18	1	16	1	-	-	-	-	1	1	-
ARNSLEY C.B. ..	72,090	23	2	25	3	-	5	-	-	-	-	-
IEFFIELD C.B. ..	517,300	164	5	72	8	-	-	-	-	-	4	-
OTHERHAM C.B. ..	70,100	17	-	8	-	-	-	-	-	-	-	-
ONCASTER C.B. ..	63,260	26	3	12	3	-	1	-	-	-	-	-
ORK C.B.	85,910*	33	1	14	-	-	-	-	-	1	-	-
ULL C.B.	314,800	118	7	49	6	-	-	-	-	1	-	-
IDDLESBROUGH C.B.	138,800	63	6	31	4	-	2	-	-	-	-	-
ARLINGTON C.B. ..	72,620	19	-	10	2	-	-	-	1	-	-	-
OCKTON-ON-TEES ..	68,350	20	-	8	1	-	1	-	-	-	-	-
EST HARTLEPOOL C.B.	68,740	26	3	18	4	-	-	-	-	-	2	-
UNDERLAND C.B. ..	187,500	78	2	33	7	-	-	-	-	-	3	1
OUTH SHIELDS C.B ..	114,400	49	2	23	1	-	1	-	-	-	-	-
ATESHEAD C.B. ..	123,700	46	1	22	4	-	-	-	-	-	-	-
EWCASTLE-ON-TYNE C.B.	284,300*	91	11	67	7	-	-	-	1	-	1	-
YNEMOUTH C.B. ..	64,750	20	-	14	-	-	-	-	-	-	-	-
ARLISLE C.B.	57,430*	25	-	13	1	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	89,500*	47	1	21	5	-	-	-	-	-	-	-
ARDIFF C.B.	223,700*	105	4	62	6	-	-	-	1	1	-	1
HONDDA	142,700	50	3	20	1	-	-	-	-	-	-	-
ERTHYR TYDFIL C.B.	71,670	20	1	12	1	-	-	-	-	1	-	1
BERDARE	49,010	18	2	11	2	-	-	-	-	-	-	-
WANSEA C.B.	165,400	47	2	27	-	-	-	-	-	-	-	1
REATER LONDON ..	8,179,740*	2,557	79	1,515	101	-	1	1	3	4	14	3
UTER RING	3,502,740*	1,142	37	547	39	-	-	1	-	1	3	2
GREAT TOWNS IN OUTER RING	2,130,770*	591	21	312	20	-	-	1	-	1	2	1
EMAINDER OF OUTER RING	1,671,970*	551	16	235	19	-	-	-	-	-	1	1
DINBURGH†	438,998	136	?	87	6	-	-	-	-	-	1	-
LASGOW†	1,088,417	491	?	246	30	-	9	1	3	5	6	1
UBLIN†	412,400	208	?	88	17	-	-	-	-	2	2	1
ELFAST† ..	415,151	223	?	91	3	-	-	-	-	-	-	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition in Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	*Diphtheria.	Diarrhœal
		1931.											
London‡	4,377,000	July 25	1415	42	768	9·2	–	–	1	–	3	3	1
Calcutta and Suburbs	1,077,264	June 13	?	?	821‖	39·6	?	18	?	–	?	?	
Bombay§	1,298,708	„ 27	475	34	446	17·8	4	–	1	–	2	–	1
Madras	528,791	„ 13	622	31	683‖	67·1	3	–	–	–	2	–	2
Sydney and Suburbs	1,253,560	„ 30 (30 days)											
Brisbane (Metropolitan Area).	313,251	Apr. 30 (30 days)											
Perth (Metropolitan Area).	204,760	May 16	64	?	29	7·3	–	–	–	–	–	–	
Auckland (Urban Area).	215,730	June 30 (30 days)											
Wellington (Urban Area)	142,540	June 30 (30 days)											
Christchurch (Urban Area).	127,070	June 30 (30 days)											
Cape Town	136,748	June 20	54	1	40	15·2	–	–	–	–	–	–	
Johannesburg	187,326	„ 13	90	2	36	10·0	–	–	–	–	–	–	
Durban	61,667	„ 13	23	–	13	11·0	2	–	–	–	–	–	
Paris	2,871,429	June 10 (10 days)	1172	77	890	11·3	5	–	6	–	1	3	2
Antwerp	295,389	June 30 (15 days)	180	10	89	7·2	–	–	3	–	1	–	
Amsterdam	754,470	July 4	237	7	113	7·8	1	–	2	–	–	–	
Copenhagen	615,700	„ 11	170	2	117	9·9	–	–	–	–	2	–	
Stockholm	502,203	„ 4	111	4	99	10·3	–	–	–	–	–	–	
Gothenberg	245,600	June 20	?	?	45	9·5	–	–	–	–	–	–	
Oslo	256,353	July 11	41	2	37	7·5	–	–	–	–	–	–	
Berlin	4,312,000	June 27	719	19	745	9·0	–	?	3	–	1	8	6
Breslau	617,000	„ 27	135	5	122	10·3	–	?	–	–	1	3	1
Cologne	739,000	„ 27	199	2	126	8·9	–	?	1	–	1	–	–
Dresden	632,000	„ 27	135	5	123	10·1	–	?	1	–	–	–	1
Frankfort-on-Main	540,000	„ 27	94	4	84	8·1	–	?	–	–	–	–	–
Hamburg	1,144,000	„ 27	261	8	227	10·3	–	?	1	–	–	–	1
Leipzig	718,000	„ 27	162	9	125	9·1	–	?	–	–	–	–	2
Munich	730,000	„ 27	162	6	124	8·8	–	?	–	–	–	1	–
Budapest	1,009,069	July 4	332	8	225	11·6	1	–	–	2	–	1	5
Warsaw	1,115,651	June 27	?	10	204	9·5	1	–	–	–	2	–	8
Madrid	634,103	„ 20	371	33	338	21·1	5	–	12	–	1	–	37
Cairo	1,160,700	Apr. 1	888	19	483	21·7	4	–	6	–	?	5	76
Alexandria	629,900	„ 1	524	8	263	21·8	1	–	7	–	?	–	39
New York	7,090,089	June 27	?	?	1410	10·4	1	–	2	2	3	5	13
Chicago	3,457,375	July 3	1179	28	1222	18·4	–	–	5	9	2	8	5
New Orleans	466,000	May. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Apr. 25	646	56	473	14·3	3	–	13	–	5	3	66

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 47 deaths from Cholera in Calcutta and 4 in Madras.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 25th July, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	28,848	32,283	768	62	10	2	15	44	34	45	84	158	161	153
Enteric fever	12	14	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	985	32	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	83	37	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	95	199	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	287	157	3	1	-	-	2	-	-	-	-	-	-	-
Influenza	234	905	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas	96	110	1	-	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	32	28	1	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	63	95	3	1	-	-	-	1	1	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2100	2301	56	-	-	-	1	15	11	12	7	8	-	2
Nervous system	144	139	2	-	1	1	-	-	-	-	-	-	-	-
Intestines and peritoneum	30	35	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	122	150	3	-	-	-	1	-	-	-	2	-	-	-
Venereal diseases	107	111	3	-	-	-	-	1	-	1	-	1	-	-
Cancer	3696	3889	128	-	-	-	-	-	3	9	23	42	36	15
Rheumatic fever	113	83	6	-	-	-	2	2	1	1	-	-	-	-
Diabetes	295	309	4	-	-	-	-	-	1	-	1	1	-	1
Alcoholism	9	10	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	48	56	1	-	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1155	1202	22	-	-	-	-	-	-	-	3	9	7	3
Epilepsy	120	104	4	-	1	-	-	-	-	-	-	2	-	1
"Convulsions" (not puerperal)	36	38	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	707	664	20	-	1	-	1	2	1	2	-	5	5	3
Pericarditis	13	11	2	-	-	-	-	-	-	-	1	-	1	-
Acute endocarditis	118	107	2	-	-	-	-	1	-	-	1	-	-	-
Other diseases of heart	5942	7460	179	-	-	-	-	6	5	3	13	33	51	68
Other diseases of circulatory system	1219	1310	26	-	-	-	-	-	-	1	1	8	9	7
Bronchitis	1199	1849	15	-	-	-	-	-	-	1	2	2	5	5
Broncho-pneumonia	1168	1764	14	4	1	-	-	-	-	-	-	2	3	4
Lobar pneumonia	683	802	9	1	1	-	-	-	-	-	1	4	1	1
Pneumonia (type not distinguished)	251	278	2	-	-	-	-	-	-	-	-	1	-	1
Other diseases of respiratory system	286	388	6	-	-	1	-	-	-	-	1	2	1	1
Diarrhœa and enteritis	419	380	13	11	-	-	-	-	-	-	1	-	-	1
Appendicitis, Typhlitis	172	165	6	-	-	-	1	1	-	2	2	-	-	-
Hernia, Intestinal obstruction	286	317	9	2	-	-	-	-	-	-	1	4	2	-
Cirrhosis of liver	116	138	7	-	-	-	-	-	-	-	1	3	3	-
Other diseases of digestive system	757	678	18	1	-	-	-	1	2	1	3	3	6	1
Acute nephritis	59	50	1	-	-	-	-	-	-	-	-	-	1	-
Chronic Bright's disease	961	1,027	30	-	-	-	-	1	1	1	6	6	9	6
Other diseases of genito-urinary system.	451	511	23	-	-	-	-	1	-	-	1	8	5	8
Puerperal sepsis	63	69	4	-	-	-	-	1	2	1	-	-	-	-
Other causes incident to childbirth	51	75	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	194	188	9	7	1	-	-	1	-	-	-	-	-	-
Premature birth	559	563	13	13	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	110	89	4	4	-	-	-	-	-	-	-	-	-	-
Old age	858	769	21	-	-	-	-	-	-	-	-	1	4	16
Suicide	325	304	9	-	-	-	-	-	-	2	4	2	1	-
Burns and Scalds	56	88	1	-	1	-	-	-	-	-	-	-	-	-
Drowning	78	55	1	-	-	-	-	1	-	-	-	-	-	-
Suffocation in bed	21	17	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	423	393	21	-	-	-	1	3	2	3	2	5	2	3
Other deaths by violence	455	454	14	2	-	-	-	1	1	-	-	1	5	4
Other specified causes	1167	1306	43	10	2	-	5	5	2	4	5	5	3	2
Ill-defined causes	3	3	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 25th July, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	12	258	160	4	48	C. 7 D. 2 E. 1 G. 1 L. 2 M. 17 N. 12
Metropolitan Boroughs:—						
†BATTERSEA ...	–	13	7	–	1	M. 1 N. 1
†BERMONDSEY ...	–	8	6	–	–	D. 1 M. 1
†BETHNAL GREEN	5	17	2	–	2	M. 1
†CAMBERWELL ...	1	19	8	–	–	D. 1 M. 1 N. 2
†CHELSEA	–	2	1	–	1	–
†DEPTFORD ...	–	1	2	–	1	M. 1
†FINSBURY ...	–	4	10	–	2	M. 2 N. 1
†FULHAM	–	7	5	–	1	M. 1
†GREENWICH ...	–	1	10	–	2	–
†HACKNEY... ...	–	6	3	–	1	N. 1
†HAMMERSMITH ...	–	8	4	–	2	N. 1
†HAMPSTEAD ...	–	1	–	–	–	L. 1
Metropolitan Boroughs—*cont.*						
†HOLBORN... ...	–	2	–	–	1	–
†ISLINGTON ...	–	22	17	–	2	C. 3 M. 3
†KENSINGTON ...	–	14	4	1	3	L. 1 N. 2
†LAMBETH ...	1	14	11	–	8	M. 1
†LEWISHAM ...	–	21	5	–	2	M. 1 N. 1
†PADDINGTON ...	–	12	1	–	1	C. 2
†POPLAR	1	13	12	1	1	–
†ST. MARYLEBONE	–	10	3	1	1	N. 1
†ST. PANCRAS ...	–	8	4	–	1	G. 1
†SHOREDITCH ...	–	9	3	1	–	–
†SOUTHWARK ...	–	7	13	–	4	M. 3
†STEPNEY	4	23	5	–	3	E. 1 M. 1
†STOKE NEWINGTON	–	3	–	–	–	–
†WANDSWORTH ...	–	5	14	–	3	C. 2 N. 1
†WESTMINSTER, CITY OF	–	3	3	–	–	–
†WOOLWICH ...	–	5	7	–	5	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	2	1	–	C. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	–	–	–	C. 1
†BEDFORD	–	2		–	–	–
LEIGHTON BUZZARD	–	–	–	1	–	–
†LUTON	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BEDFORD	–	3	–	–	–	–
LUTON	–	–	2	–	–	–
BERKS	–	5	3	–	1	E. 2
†READING C.B. ...	–	3	1	–	–	–
Boroughs and Urban District:—						
†MAIDENHEAD ...	–	–	1	–	–	–
Rural Districts:—						
COOKHAM ...	–	–	1	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WINDSOR		1	–	–	1	E. 2
BUCKINGHAM ...	–	8	–	–		G. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	–	–	–	–	G. 1
†SLOUGH	–	1	–	–		–
Rural Districts:—						
AYLESBURY ...	–	1	–	–	–	–
ETON	–	3		–	–	–
WYCOMBE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	8	5	–	1	–
Borough:—						
†CAMBRIDGE ...	–	3	1	–	1	–
Rural Districts:—						
CHESTERTON ...	–	4	–	–	–	–
NEWMARKET ...	–	1	4	–	–	–
CHESTER ...	–	34	15	2	11	C. 1 M. 3 N. 4
†BIRKENHEAD C.B.	–	4	2	–	3	M. 1 N. 3
†CHESTER C.B. ...	–	1	3	–	1	M. 1 N. 1
†STOCKPORT C.B. ...	–	2	1	–	2	C. 1
†WALLASEY C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	2	–	–		–
†CONGLETON ...	–	1	1	–	–	–
†CREWE	–	2	3	–	–	–
†DUKINFIELD ...	–	6	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	–	–	–	–	M. 1
†HOYLAKE AND WEST KIRBY	–	–	–	–	1	–
†HYDE	–	2	1	–	1	–
KNUTSFORD ...	–	–	–	1	–	–
†RUNCORN	–	1	–	–	–	–
WILMSLOW ...	–	2	–	–	–	–
Rural Districts:—						
BUCKLOW	–	2	–	–	–	–
MACCLESFIELD ...	–	–	–	1	–	–
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	1	1	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
RUNCORN	–	–	2	–	1	–
TARVIN	–	–	1	–	1	–
TINTWISTLE ...	–	1	–	–	–	–
CORNWALL ...	–	4	1	–	1	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	–	M. 1
HAYLE	–	1	–	–	–	–
LOOE	*	*	*	*	*	*
ST. AUSTELL ...	–	–	1	–	–	–
ST. IVES	–	2	–	–	1	–
SALTASH	–	1	–	–	–	–
CUMBERLAND...	–	–	3	–	2	M. 2
†CARLISLE C.B. ...	–	–	1	–	–	M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
MILLOM	–	–	–	–	1	
†WORKINGTON ...		–	–	–	1	M. 1
Rural Districts:—						
CARLISLE ...	–	–	1		–	–
DERBY	1	21	10	2	13	C. 2 D. 1 M. 2
†DERBY C.B. ...	–	6	8		5	C. 1 D. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...					1	–
†BOLSOVER ...	–	1	–	–	–	–
†BUXTON	–	–	–	–	–	C. 1
†CHESTERFIELD ...	1	1	–	–	–	–
†LONG EATON ...		3	–	–	2	–
†SWADLINCOTE DISTRICT	–	–	–	2	1	–
Rural Districts:—						
ASHBOURNE ...	–	–		–	1	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	2	–	–	–	–
CHESTERFIELD ...	–	5	2	–	3	M. 1
CLOWNE	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	17	21	3	3	M. 1 N. 1
†EXETER C.B ...	–		2	1	–	N. 1
†PLYMOUTH C.B.	–	10	12	–	–	M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	–
BRIXHAM	–	–		–	1	–
CREDITON ...	–	–	1		–	–
DARTMOUTH ...	–	–	–	–	1	
NORTHAM ...	–	1	–	–	–	–
OTTERY ST. MARY	–	–		1		–
TIVERTON ...	–	1		–		–
†TORQUAY	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...		–	–	1	–	–
BIDEFORD ...	–	–	–	–	1	–
CULMSTOCK ...	–	–	1	–	–	–
HOLSWORTHY (part)	–	–	1	–	–	–
OKEHAMPTON ...	–	–	2	–	–	–
PLYMPTON ST. MARY	–	4	–	–	–	–
TAVISTOCK ...	–		1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	4	4	–	2	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–	–	1	–
†POOLE	–	2	3	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	1	–	–	–
Rural Districts:—						
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM ...	–	57	10	6	46	D. 2 M. 3 N. 4
†DARLINGTON C.B.	–	3	1	–	3	–
†GATESHEAD C.B.	–	4	–	–	5	–
†SOUTH SHIELDS C.B.	–	1		–	8	D. 2 M. 1
†SUNDERLAND C.B.	–	5	–	–	6	N. 1
†WEST HARTLEPOOL C.B.	–	4	–	–	–	–
Boroughs and Urban Districts:—						
BARNARD CASTLE	–	–	–	–	–	N. 1
BENFIELDSIDE ...	–	1	–	1	–	–
BILLINGHAM ...	–	–	1	–	–	–
†BLAYDON	–	10	1	–	–	–
†CHESTER LE STREET	–	2	–	–	1	–
†CONSETT	–	–	–	1	–	–
†CROOK	–	–	–	–	1	N. 1
†FELLING	–	11	–	–	2	–
†HEBBURN ...	–		–	–	1	–
†HETTON	–	–	–	–	1	–
†JARROW	–	–	–	–	2	–
LEADGATE ...	–	–	–	1	–	–
†RYTON	–	2	–	1	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:— *cont.*						
STANHOPE ...	–	–	–	–	2	–
†STANLEY	–	1	–	–	–	–
†STOCKTON ON TEES	–	–	–	–	2	–
†TANFIELD ...	–	2	–	–	–	–
TOW LAW ...	–	–	–	–	1	–
†WHICKHAM ...	–	5	1	–	–	M. 1
WILLINGTON ...	–	–	–	–	1	N. 1
Rural Districts:—						
AUCKLAND ...	–	1	1	–	1	–
DURHAM	–	–	–	–	1	–
EASINGTON ...	–	1	2	1	4	–
HOUGHTON LE SPRING	–	2	–	–	2	–
LANCHESTER ...	–	–	2	1	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	1	–	1	–
ELY, ISLE OF ...	–	1	2	1	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	1	–	–	–
†WISBECH	–	–	–	1	–	–
Rural Districts:—						
WISBECH... ...	–	1	1	–	–	–
ESSEX	7	88	49	5	21	C. 4 J. 1 N. 4
†EAST HAM C.B....	–	8	7	1	–	–
†SOUTHEND ON SEA C.B.	–	4	2	–	1	–
†WEST HAM C.B.	5	13	8	1	9	J. 1 N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	4	–	1	–
BRAINTREE ...	–	–		–	–	C. 1
BRENTWOOD ...	–	1	–	1	–	–
BRIGHTLINGSEA...	–	1	–	–	–	–
†CHELMSFORD ...	–	2	–	–	–	–
†CLACTON	–	1	–	–	1	–
†COLCHESTER ...	–	10	1	1	1	–
DAGENHAM ...		9	6	–	2	–
FRINTON-ON-SEA	–	1	–	–	–	–
†GRAYS THURROCK	–	2	–	–	–	–
†HORNCHURCH ...	–	1	1	–	–	–
†ILFORD	–	3	2	1	–	N. 1
†LEYTON	1	7	2	–	–	C. 1
						N. 1
RAYLEIGH ...	–	1	–	–	–	–
†ROMFORD... ...	–	4	3	–	–	–
TILBURY	–	–	3	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW ...	1	5	6	–	3	C. 2
						N. 1
†WANSTEAD ...	–	1	1	–	–	–
†WOODFORD ...		–	3	–	–	–
Rural Districts:—						
BILLERICAY ...	–	3	–	–	1	–
CHELMSFORD ...	–	1	–	–	–	–
EPPING	–	1	–	–	1	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	2	–	–	–	–
ORSETT	–	1	–	–	–	–
TENDRING ...	–	1	–	–	1	–
GLOUCESTER ...	–	23	27	3	6	C. 2
						N. 2
†BRISTOL C.B. ...	–	12	21	1	4	C. 2
†GLOUCESTER C.B.	–	2	2	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...		3	1	–	–	N. 1
CIRENCESTER ...	–	–	1	–	–	–
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSWOOD ...	–	–	1	–	–	–
NAILSWORTH ...	–	1	–	–	1	–
Rural Districts:—						
CHELTENHAM ...	–	1	–	–	–	–
CHIPPING SODBURY	–	–	–	–	–	N. 1
EAST DEAN AND UNITED PARISHES	–	–	–	1	–	–
STOW ON THE WOLD	–	1	–	–	–	–
STROUD	–	1	–	1	–	–
TEWKESBURY (part)	–	2	1	–	–	–
THORNBURY ...	–	–	–	–	1	–
HERTFORD ...	–	3	5	–	1	N. 3
Boroughs and Urban Districts:—						
†BARNET	–	–	1	–	–	N. 2
†CHESHUNT ...	–	1	1	–	–	–
HODDESDON ...	–	1	–	–	–	–
WARE	–	–	–	–	1	–
†WATFORD... ...	–	1	1	–	–	–
WELWYN GARDEN CITY	–	–	2	–	–	–
Rural Districts:—						
WATFORD ...	–	–	–	–	–	N. 1
HUNTINGDON ...	–	–	–	1	–	–
Rural Districts:—						
ST. NEOTS ...	–	–	–	1	–	–

† Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT	–	28	9	4	5	C. 2 M. 1
Boroughs and Urban Districts:—						
†Beckenham ...	–	2	–	–	–	–
†Bexley	–	1	1	–	–	–
†Bromley	–	3	–	–	–	–
†Chatham ...	–	–	–	–	1	–
Chislehurst ...	–	–	–	–	–	M. 1
†Crayford ...	–	–	1	–	–	–
†Deal	–	2	–	–	–	–
†Dover	–	–	1	–	–	–
†Faversham ...	–	–	–	–	–	C. 1
†Gillingham ...	–	3	–	–	–	–
†Herne Bay ...	–	2	–	–	–	–
†Maidstone ...	–	2	–	–	–	–
†Margate ...	–	–	–	1	–	–
†Ramsgate ...	–	–	1	–	1	–
†Rochester ...	–	1	–	–	–	–
†Royal Tunbridge Wells	–	–	–	2	–	–
Sandgate ...	*	*	*	*	*	*
Sandwich ...	–	3	–	–	–	–
†Sheerness ...	–	3	–	–	1	–
Tenterden ...	–	1	–	–	–	–
Whitstable ...	–	–	–	–	–	C. 1
Rural Districts:—						
Bromley	–	1	2	–	1	–
Dartford ...	–	1	–	–	–	–
Eastry	–	2	–	1	1	–
Isle of Thanet	–	–	2	–	–	–
Malling	–	1	1	–	–	–
LANCASTER ...	–	182	87	5	125	C. 5 D. 2 G. 5 L. 1 M. 31 N. 11
†Barrow in Furness C.B.	–	–	1	–	–	–
†Blackburn C.B.	–	2	2	–	4	–
†Blackpool C.B.	–	4	1	–	–	–
†Bolton C.B. ...	–	6	–	–	1	–
†Bootle C.B. ...	–	2	1	–	3	–
†Burnley C.B. ...	–	3	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER—*cont.*						
†Bury C.B. ...	–	–	–	–	4	–
†Liverpool C.B....	–	19	37	–	24	C. 2 D. 1 G. 1 L. 1 M. 24 N. 4
†Manchester C.B.	–	44	6	–	30	C. 1 D. 1 M. 7 N. 1
†Oldham C.B. ...	–	3	1	–	4	–
†Preston C.B. ...	–	3	–	–	3	–
†Rochdale C.B....	–	1	–	–	2	–
†St. Helens C.B.	–	4	–		5	C. 1
†Salford C.B. ...	–	11	17	1	3	N. 1
†Southport C.B.	–	–	2	–	1	–
†Warrington C.B.	–	21	1	–	4	–
†Wigan C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†Accrington ...	–	1	–	–	–	–
†Ashton in Makerfield	–	–	–	–	1	–
†Ashton-under-Lyne	–	4	1	–	2	–
†Atherton ...	–	–	–	–	1	–
Barrowford ...	–	1	–	–	–	–
†Chadderton ...	–	–	–	–	1	–
†Chorley	–	1	1	–	–	–
Church	–	1	–	–	–	–
Clayton le Moors	–	–	–	–	–	G. 1
†Clitheroe ...	–	–	–	–	1	–
†Colne	–	1	1		2	–
†Crompton ...	–	1	–	–	1	–
Croston	–	1	–	–	–	–
†Dalton in Furness	–	–	–	–	–	G. 1
†Denton	–	–	–		2	–
†Droylsden ...	–	–	1	–	–	–
†Eccles	–	7	1	–	–	–
†Farnworth ...	–	1	–	–	–	–
†Fleetwood ...	–	2	1	–	–	–
Formby	–	–	1	–	1	–
Fulwood ...	–	–	–	–	–	N. 1
Golborne ...	–	1	1	–		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GREAT CROSBY ...	–	5	–	–	–	–
†HEYWOOD ...	–	–	–	–	1	–
†HINDLEY	–	1	–	–	1	–
†HORWICH		1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
IRLAM	–	1	–	–	–	–
†LANCASTER ...	–	1	1	–	–	–
†LEIGH	–	1	–	–	–	N. 1
LEYLAND	–	–	1	–	–	–
†LITHERLAND ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	–	1	–	1	N. 1
†MORECAMBE AND HEYSHAM	–	2	–	–	–	N. 1
†NEWTON IN MAKERFIELD	–	2	–	–	2	–
ORMSKIRK ...	–	–	–	–	1	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	–	1	–	–	–
†RADCLIFFE ...	–	–	1	–	–	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	3	–	–	–	–
†ROYTON	–	–	–	–	1	N. 1
SKELMERSDALE ...	–	–	1	–	–	–
†STRETFORD ...	–	–	1	–	–	–
†SWINTON AND PENDLEBURY	–	–	–	–	1	–
†TURTON	–	–	–	1	–	–
†WALTON LE DALE	–	2	–	–	1	–
†WESTHOUGHTON	–	1	1	–	1	–
WHITEFIELD ...	–	1	–	–	1	–
†WIDNES	–	–	1	1	3	G. 1
†WORSLEY	–	4	–	–		–
Rural Districts:—						
CHORLEY	–	–	–	–	–	C. 1
CLITHEROE ...	–	1	–	–	1	–
FYLDE	–	–	1	–	–	–
GARSTANG ...		2	–	–	–	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON		–	–	–	1	–
†ULVERSTON ...	–	1	–	–	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
WARRINGTON ...	–	1	–	2	1	–
WEST LANCASHIRE	–	1	–	–	–	G. 1
WHISTON	–	1	1	–	1	–
LEICESTER ...	14	25	12	–	2	D. 1 N. 2
†LEICESTER C.B....	12	12	5	–	1	N. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	2	1	2	–	–	–
†LOUGHBOROUGH	–	2	–	–	–	–
QUORNDON ...	–	2	–	–	–	–
SHEPSHED ...	–	–	1	–	–	–
WIGSTON MAGNA	–	–	3	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	4	–	–	–	–
BLABY	–	2	–	–	–	–
CASTLE DONINGTON	–	2	1	–	–	N. 1
LUTTERWORTH ...	–	–	–	–	1	–
MARKET BOSWORTH	–	–	–	–	–	D. 1
LINCOLN (parts of Holland).	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	1	–	1	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–

† Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	1	–	–	–	–
Rural Districts:—						
South Kesteven	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	1	12	1	3	6	C. 1 M. 2 N. 2
†Grimsby C.B. ...	–	2	–	–	–	M. 1 N. 1
†Lincoln C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
Barton upon Humber	–	–	–	–	–	N. 1
Brigg	–	–	–	–	1	–
†Cleethorpes ...	–	1	–	1	2	C. 1
Louth	–	1	–	–	–	–
†Scunthorpe and Frodingham	–	1	1	–	–	M. 1
Rural Districts:—						
Caistor	–	–	–	1	–	–
Gainsborough ...	1	–	–	–	1	–
Glanford Brigg	–	2	–	1	2	–
Grimsby	–	1	–	–	–	–
Sibsey	–	1	–	–	–	–
MIDDLESEX ...	–	89	43	1	11	C. 1 D. 1 G. 1 M. 3 N. 4
Boroughs and Urban Districts:—						
†Acton	–	3	1	–	–	–
†Brentford and Chiswick	–	–	1	–	1	–
†Ealing	–	1	1	–	–	–
†Edmonton ...	–	7	1	–	–	N. 1
†Enfield	–	5	6	–	–	–
†Finchley ...	–	7	2	–	–	–
†Friern Barnet...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hampton ...	–	2	–	–	–	–
Hampton Wick...	–	1	–	–	–	–
†Harrow on the Hill	–	–	–	–	1	–
†Hendon	–	6	1	–	–	–
†Heston and Isleworth	–	5	4	–	1	C. 1 M. 1
†Hornsey	–	5	4	–	–	–
Kingsbury ...	–	1	1	–	–	–
Ruislip Northwood	–	1	–	–	–	–
†Southgate ...	–	4	–	1	–	–
†Staines	–	2	–	–	–	–
Sunbury on Thames	–	3	2	–	–	–
†Teddington ...	–	2	1	–	–	–
†Tottenham ...	–	9	5	–	2	M. 1 N. 2
†Twickenham ...	–	2	2	–	–	–
†Uxbridge ...	–	2	1	–	–	–
†Wealdstone ...	–	2	–	–	–	–
†Wembley ...	–	2	1	–	1	–
†Willesden ...	–	12	6	–	1	M. 1 N. 1
†Wood Green ...	–	1	1	–	2	–
†Yiewsley and West Drayton	–	1	–	–	1	–
Rural Districts—						
Hendon	–	–	1	–	1	D. 1
South Mimms ...	–	–	–	–	–	G. 1
NORFOLK ...	–	9	7	–	3	E. 1 N. 3
†Great Yarmouth C.B.	–	1	–	–	–	–
†Norwich C.B. ...	–	3	4	–	–	E. 1 N. 1
Boroughs and Urban Districts:—						
†King's Lynn ...	–	3	–	–	–	–

† Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM	–	1	–	–	–	–
DEPWADE ...	–	–	–	–	1	N. 1
DOCKING	–	1	1	–	–	N. 1
FREEBRIDGE LYNN	–	–	–	–	1	–
HENSTEAD ...	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	1	–
SWAFFHAM ...	–	–	1	–	–	–
NORTHAMPTON	–	13	7	4	–	–
†NORTHAMPTON C.B.	–	4	–	4	–	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	*	*	*	*	*	*
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN... ...		4	3	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	1	–	–	–
KETTERING ...	–	1	–	–	–	–
NORTHAMPTON ...	–	–	2	–	–	–
WELLINGBOROUGH	–	1	1	–	–	–
NORTHUMBERLAND.	–	29	6	1	14	C. 3 M. 2
†NEWCASTLE UPON TYNE C.B.	–	16	3	–	11	C. 3 M. 1
†TYNEMOUTH C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	–	–	–	1	–
†BEDLINGTONSHIRE	–	1	1	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
MORPETH... ...	–	–	1	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	*	*	*	*	*	*
†WALLSEND ...	–	3	1	–	1	M. 1
†WHITLEY AND MONKSEATON	–	–	–	–	1	–
Rural Districts:—						
CASTLE WARD ...	–	1		–	–	–
GLENDALE ...	–	2	–	–		–
HALTWHISTLE ...	*	*	*	*	*	*
MORPETH ..	–	1		–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	–	22	15	–	9	L. 1 M. 1 N. 3
†NOTTINGHAM C.B.	–	10	12	–	5	N. 1
Boroughs and Urban Districts:—						
†BEESTON	–	1	–	–	–	–
†CARLTON	–	–	–	–	1	–
†HUCKNALL ...	–	–	1	–	–	–
†KIRKBY IN ASHFIELD	–	2	–	–	–	–
†MANSFIELD ...	–	–	–	–	–	M. 1 N. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	–	–	–	–	N. 1
†WEST BRIDGFORD	–	2	–	–	–	–
Rural Districts:—						
BASFORD	–	3	2	–	1	–
BINGHAM... ...	–	–	–	–	–	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
SKEGBY	–	–	–	–	1	–
STAPLEFORD ...	–	1	–	–	–	–
WORKSOP... ...	–	2	–	–	1	–
OXFORD	–	5	1	–	1	M. 1 N. 1
†OXFORD C.B. ...	–	–	1	–	–	M. 1 N. 1
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	3	–	–	–	–
Rural Districts:—						
HENLEY	–	2	–	–	1	–
PETERBOROUGH (Soke of).	–	1	–	–	1	C. 1
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	C. 1
RUTLAND ...	–	1	–	–	–	–
Rural Districts:—						
UPPINGHAM ...	–	1	–	–	–	–
SALOP	–	6	12	–	2	E. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	2	–	–	1	–
CHURCH STRETTON	–	1	–	–	–	–
DAWLEY	–	–	3	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	1	–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
BRIDGNORTH ...	–	–	–	–	1	–
CHIRBURY ...	–	1	–	–	–	–
OSWESTRY ...	–	–	2	–	–	–
SHIFNAL	–	–	3	–	–	–
WELLINGTON ...	–	–	2	–		–
WHITCHURCH ...	–	–	1	–	–	–
SOMERSET ..	–	10	5	1	2	N. 1
†BATH C.B. ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	4	–	–	–	–
BURNHAM ON SEA	–	–	–	1	–	–
†TAUNTON... ...	–	1	–	–	1	–
†WESTON SUPER MARE	–	–	2	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	–	–	–	–	N. 1
KEYNSHAM ...	–	–	–	–	1	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	–	2	–	–	–
SOUTHAMPTON	–	37	22	2	3	M. 4 N. 1
†BOURNEMOUTH C.B.	–	6	2	1	–	–
†PORTSMOUTH C.B.	–	18	3	–	–	–
†SOUTHAMPTON C.B.	–	4	6	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
ANDOVER... ...	–	–	7	–	1	–
†BASINGSTOKE ...	–	–	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–

† Population over 10,000

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAREHAM ...	-	-	-	1	-	-
†GOSPORT	-	2	-	-	-	-
HAVANT	-	-	1	-	-	-
Rural Districts:—						
ALRESFORD ...	-	1	-	-	-	-
ALTON	-	1	-	-	-	-
ANDOVER... ...	-	-	-	-	-	M. 3
DROXFORD ...	-	2	-	-	-	-
RINGWOOD ...	-	-	1	-	-	-
SOUTH STONEHAM	-	-	1	-	-	-
STOCKBRIDGE ...	-	-	1	-	-	-
STAFFORD ...	-	45	36	-	25	C. 1 D. 1 M. 1 N. 6
†BURTON UPON TRENT C.B.	-	5	-	-	-	C. 1 N. 1
†SMETHWICK C.B.	-	-	8	-	2	-
†STOKE ON TRENT C.B.	-	3	3	-	6	M. 1 N. 1
†WALSALL C.B. ...	-	2	2	-	4	-
†WEST BROMWICH C.B.	-	5	3	-	2	-
†WOLVERHAMPTON C.B.	-	4	2	-	3	N. 1
Boroughs and Urban Districts:—						
†AUDLEY	-	-	-	-	2	N. 1
BIDDULPH ...	-	-	1	-	-	-
†BILSTON	-	2	2	-	-	-
†BRIERLEY HILL...	-	1	1	-	-	-
†BROWNHILLS ...	-	-	-	-	1	-
†DARLASTON ...	-	-	1	-	2	-
KIDSGROVE ...	-	-	1	-	-	-
†LEEK	-	-	-	-	-	N. 1
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWCASTLE UNDER LYME	-	1	1	-	-	-
†ROWLEY REGIS ...	-	-	1	-	2	-
RUGELEY... ...		-	1	-	-	-
†SEDGLEY	-	1	-	-	-	-
†STAFFORD ...	-	-	-	-	-	D. 1
TAMWORTH ...	-	1	-	-	-	-
†TIPTON	-	4	4	-	-	-
†WOLSTANTON UNITED	-	2	-	-	-	-
Rural Districts:—						
CANNOCK	-	-	1	-	-	-
CHEADLE... ...	-	9	-	-	-	-
KINGSWINFORD ...	-	-	-	-	1	-
LICHFIELD ...	-	4	4	-	-	-
STONE	-	-	-	-	-	N. 1
TUTBURY... ...	-	1	-	-	-	-
SUFFOLK, EAST	-	15	14	-	1	M. 1 N. 2
†IPSWICH C.B. ...	-	6	10	-	-	N. 2
Boroughs and Urban Districts:—						
†LOWESTOFT ...	-	1	1	-	1	M. 1
Rural Districts:—						
BOSMERE AND CLAYDON	-	1	-	-	-	-
HARTISMERE ...	-	1	3	-	-	-
PLOMESGATE ...	-	1	-	-	-	-
SAMFORD... ...	-	3	-	-	-	-
WANGFORD ...	-	1	-	-	-	-
WOODBRIDGE ...	-	1	-	-	-	-

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	1	1	1	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–			1	–	–
HAVERHILL ...	–		–	–	1	–
NEWMARKET ...	–	–	1	–	–	–
Rural Districts:—						
MELFORD... ...	–	1		–	–	–
SURREY	1	40	19	1	4	M. 1 N. 3
†CROYDON C.B. ...	–	8	3	–	–	N. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	–	1	–	–
†CARSHALTON ...		2	5		2	–
†COULSDON AND PURLEY	1	1	–			–
†EGHAM	–	–	1	–	–	–
†ESHER AND THE DITTONS	–	2	–	–	–	–
†FARNHAM ...	–	–	1	–	–	–
†GUILDFORD ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	2	–	–	–	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	4	–	–	1	–
†MITCHAM... ...	–	5	–	–	1	–
†REIGATE	–	1	6	–	–	–
†SURBITON ...	–	–		–	–	M. 1
†SUTTON AND CHEAM	–	1	–	–	–	N. 2
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WIMBLEDON ...	–	–	2	–	–	–
WINDLESHAM ...	–	6	–	–	–	–
Rural Districts:—						
†CHERTSEY ...	–	3	–	–	–	–
†EPSOM	–	1	–	–	–	–
SURREY—*cont.*						
Rural Districts—*cont.*						
GUILDFORD ...	–	1	–	–		–
HAMBLEDON ...	–	–	1			–
SUSSEX, EAST...	–	8	5	1	2	N. 5
†BRIGHTON C.B. ...	–	1	3	1	1	N. 3
†EASTBOURNE C.B.	–	1	1	–	–	–
†HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BEXHILL	–	3		–	–	–
†HOVE	–	1	–	–	–	–
RYE	–	–	1	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
EASTBOURNE ...	–	–	–		–	N. 1
EAST GRINSTEAD	–	–	–		1	–
TICEHURST ...	–	–		–	–	N. 1
SUSSEX, WEST...	–	5	3	–	1	–
Boroughs and Urban Districts:—						
†BOGNOR REGIS ...	–	1	1	–	1	–
Rural Districts:—						
HORSHAM ...	–	–	1	–	–	–
PETWORTH ...	–	1	–	–	–	–
STEYNING WEST...	–	3	–	–	–	–
WESTHAMPNETT	–	–	1	–	–	–
WARWICK ...	–	87	37	–	26	C. 1 M. 18 N. 6
†BIRMINGHAM C.B.	–	63	31	–	19	C. 1 M. 17 N. 5

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
†COVENTRY C.B. ...	–	10	3	–	2	N. 1
Boroughs and Urban Districts:—						
†BEDWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	4	–	–	1	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	–	1	–	–	–
†SUTTON COLDFIELD	–	3	–	–	–	–
†WARWICK ...	–	1	–	–	–	M. 1
Rural Districts:—						
ATHERSTONE ...	–	1	–	–	1	–
MERIDEN	–	1	1	–	–	–
NUNEATON ...	–	–	–	–	2	–
RUGBY	–	–	1	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	2	–	–	–	–
WESTMORLAND	–	–	2	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	1	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	1	–	–	–
WIGHT, ISLE OF	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	–	1	–	–	–	–
WILTS	–	8	4	–	2	F. 1 L. 3 M. 1 N. 2
Boroughs and Urban Districts:—						
BRADFORD ON AVON	*	*	*	*	*	*
CHIPPENHAM ...	–	1	–	–	–	–
MARLBOROUGH ...	–	1		–	–	–
†SALISBURY ...	–	–	1		1	M. 1 N. 1
†SWINDON	–	2	1	–	–	–
†TROWBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
BRADFORD ON AVON	*	*	*	*	*	*
CALNE	–	–	–		–	N. 1
CRICKLADE AND WOOTTON BASSETT	–	–	2	–	–	–
DEVIZES	–	–	–	–	–	L. 3
HIGHWORTH ...	–	–	–	–	1	–
PEWSEY	–	–	–	–	–	F. 1
WARMINSTER ...	–	3	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	17	6	1	2	–
†DUDLEY C.B. ...	–	–	2	–	–	–
†WORCESTER C.B.	–	3	–	–		–
Boroughs and Urban Districts:—						
BEWDLEY ...	*	*	*	*	*	*
†KIDDERMINSTER	–	4	–	1	1	–
†OLDBURY	–	2	–	–	–	–
†REDDITCH ...	–	3	–	–	–	–
†STOURBRIDGE ...	–	1	1	–	–	–
Rural Districts:—						
MARTLEY	–	–	–	–	1	–
PERSHORE ...	–	1	3	–	–	–
ROCK	–	2	–	–	–	–
UPTON ON SEVERN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
YORKS ... ... (East Riding).	–	17	14	–	6	D. 1 M. 1 N. 1
†KINGSTON UPON HULL C.B.	–	15	11	–	5	D. 1 M. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	1	–	1	–
WITHERNSEA ...	–	–	2	–	–	–
Rural Districts:—						
BEVERLEY ...		1	–		–	–
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN	–	–	–	–	–	N. 1
YORKS ... ... (North Riding).	–	22	2	–	20	C. 1
†MIDDLESBROUGH C.B.	–	3	2	–	7	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	3	–
†REDCAR	–	4	–		1	–
SALTBURN BY THE SEA	–	1	–		–	–
†SCARBOROUGH ...	–	–	–	–	1	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY ON TEES	–	3	–	–	4	–
†WHITBY	–	3	–	–		–
Rural Districts:—						
EASINGWOLD ...		–	–	–	1	–
FLAXTON	–	2	–	–	–	–
HELMSLEY ...	–	–	–	–	1	–
STOKESLEY ...		1	–	–	1	–
THIRSK	–	1	–	–		–
WHITBY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
YORKS ... ... (West Riding).	–	148	71	3	68	C. 7 D. 19 E. 4 M. 4 N. 5
†BARNSLEY C.B. ...	–	1	3	–	4	D. 3
†BRADFORD C.B. ...	–	27	1	–	10	C. 2 M. 1
†DEWSBURY C.B....	–	2	1	–	1	C. 1
†DONCASTER C.B....	–	–	1	–	1	–
†HALIFAX C.B. ...	–	3	3	–	–	–
†HUDDERSFIELD C.B.	–	3	1	–	1	C. 1 N. 1
†LEEDS C.B. ...	–	29	18	–	10	C. 1 N. 3
†ROTHERHAM C.B.	–	3	4	–	1	D. 1
†SHEFFIELD C.B....	–	20	9	–	18	D. 2 E. 2 N. 1
†WAKEFIELD C.B.	–	3	4	–	1	D. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	2	–	1	D. 2
ARDSLEY, EAST AND WEST	–	–		–	2	–
†BARNOLDSWICK ...	–	2	–	–	–	–
†BATLEY	–	–	6	–	–	–
†BENTLEY WITH ARKSEY	–	–	1	–	–	–
†BINGLEY	–	–	1	–	1	–
BIRKENSHAW ..	–	1	1	–	–	–
†BOLTON UPON DEARNE	–	–	–	–	–	D. 3
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	4	1	–	–	–
†CONISBROUGH ...	–	–	1	–	–	D. 2 M. 1
DARFIELD ...	–	–	1		1	D. 1
†DARTON	–	–	–	–	2	–
DENHOLME ...	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
†GOOLE	–	–	–	–	1	–
†HARROGATE ...	–	–	–	–	–	C. 1
HECKMONDWIKE	–	–	–	–	–	D. 1
†HEMSWORTH ...	–	2	–	–	–	–
†HOLMFIRTH ...	–		1	–	–	–
HORBURY... ...		1	–	–	–	–

† Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
ILKLEY	–	–	–	1	–	D. 1
†KEIGHLEY ...	–	1	–	–	–	
KNOTTINGLEY ...	–	1		–	–	–
MALTBY	–	–	–	–	–	D. 1
MIDGLEY	–	1	–		–	–
†MORLEY	–	1	–	–	1	C. 1
†NORMANTON ...	–	3	–	–	–	–
†OSSETT	–	6	–	–	1	–
†PONTEFRACT ...	–	2	–	–	–	
†PUDSEY	–	1		–	–	–
†RAWMARSH ...	–	1	–	–	–	–
RIPON	–	2	–	–	–	–
†ROTHWELL ...	–	1	–	–		–
ROYSTON	–	2	–	–	–	–
†SOWERBY	–	1	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	–	–
†STANLEY	–	1	–	–		–
STOCKSBRIDGE ...	–	–	–	–	2	–
†SWINTON	–	2		1	–	–
THURSTONLAND AND FARNLEY TYAS	–	–	–	–	1	–
†TODMORDEN ...	–	–	–	–	1	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	2	2	–	–	–
†WORSBOROUGH ...	–	3	–		–	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...		2	1	–	1	
HEMSWORTH ...	–	1	–	1	1	–
KIVETON PARK ...	–	–	1	–	–	–
ROTHERHAM ...	–	–	2	–	–	–
SETTLE	–	–	–	–	1	–
SKIPTON	–	1	–	–	–	E. 2
TADCASTER ...	–	1	–	–	–	–
THORNE	–	–	3	–	1	D. 1
WAKEFIELD ...	–	2	–	–	1	M. 2
WETHERBY ...	–	2	1	–	1	–
WORTLEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK, CITY OF ..	–	3	2	–	1	N. 1
†YORK C.B. ...	–	3	2	–	1	N. 1
WALES.						
ANGLESEY ...	–	5		–	2	–
Boroughs and Urban Districts:—						
AMLWCH	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	4	–	–	–	–
VALLEY	–	–	–	–	2	–
BRECKNOCK ...	–	–	2	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	–	–	–	E. 1
BRYNMAWR ...	–	–	–	–	1	M. 1
Rural Districts:—						
YSTRADGYNLAIS	–	–	2	–	–	–
CAERNARVON...	–	–	2	–	1	–
Boroughs and Urban Districts:—						
CONWAY	–	–	2	–	–	–
PWLLHELI ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†Aberystwyth ...	–	1	–	–	–	–
Rural Districts:—						
Aberystwyth (North)	–	1	–	–	–	–
Llandyssil ...	*	*	*	*	*	*
CARMARTHEN...	–	1	2	–	–	N. 1
Boroughs and Urban Districts:—						
Burry Port ...	–	–	1	–	–	–
†Carmarthen ...	–	1	–	–	–	–
†Llanelly ...	–	–	1	–	–	–
Rural Districts:—						
Llandilo Fawr	–	–	–	–	–	N. 1
DENBIGH ...	–	6	19	–	–	–
Boroughs and Urban Districts:—						
†Colwyn Bay ...	–	–	2	–	–	–
Denbigh ...	–	1	–	–	–	–
Ruthin	–	–	2	–	–	–
†Wrexham ...	–	1	3	–	–	–
Rural Districts:—						
Chirk	–	1	–	–	–	–
Ruthin	–		1	–	–	–
Wrexham ...	–	3	11	–	–	–
FLINT	–	3	2	–	1	M. 1
Boroughs and Urban Districts:—						
Connah's Quay	–	1	–	–	–	–
Holywell ...	*	*	*	*	*	*
†Rhyl	–	–	1	–	–	–
Rural Districts:—						
Hawarden ...	–	2	–	–	–	–
Holywell ...	–	–	1	–	1	M. 1
Overton	*	*	*	*	*	*
GLAMORGAN ...	–	38	32	–	12	C. 3 G. 1 M. 2 N. 4
†Cardiff C.B. ...	–	8	11	–	1	C. 3 M. 1
†Merthyr Tydfil C.B.	–	2	1	–	3	N. 1
†Swansea C.B. ...	–	1	7	–	–	–
Boroughs and Urban Districts:—						
†Aberdare ...	–	3	–	–	–	–
†Barry	–	–	1	–	–	N. 1
†Caerphilly ...	–	–	–	–	–	M. 1
†Gelligaer ...	–	2	1	–	–	N. 1
†Llwchwr ...	–	–	2	–	–	–
†Maesteg	–	1	–	–	–	–
†Mountain Ash...	–	2	–	–	2	–
†Ogmore and Garw	–	1	–	–	–	–
†Penarth	–	–	1	–	2	–
†Pontypridd ...	–	1	–	–	–	–
Porthcawl ...		1	–	–	–	–
†Rhondda ...	–	15	4	–	4	G. 1 N. 1
Rural Districts:—						
Cardiff	*	*	*	*	*	*
Llantrisant and Llantwitfardre	–	1	2	–	–	–
Neath	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MERIONETH ...	-	-	-	1	-	-
Rural Districts:—						
EDEIRNION ...	-	-	-	1	-	-
MONMOUTH ...	-	41	16	-	3	M. 1
†NEWPORT C.B. ...	-	14	5	-	1	-
Boroughs and Urban Districts—						
†ABERCARN ...		1	-	-	-	-
ABERGAVENNY ...	-	1	2	-	-	-
†ABERSYCHAN ...	-	2	-	-	-	-
†ABERTILLERY ...	-	6	-	-	1	-
BEDWAS AND MACHEN	-	-	1	-	1	-
†BEDWELLTY ...	-	2	2	-	-	-
†BLAENAVON ...	-	-	1	-	-	-
†EBBW VALE ...	-	2	-	-	-	-
LLANTARNAM ...	-	1	-	-	-	-
MONMOUTH ...	-	-	2	-	-	-
†MYNYDDISLWYN	-	1	1	-	-	-
†NANTYGLO AND BLAINA	-	-	-	-		M. 1
†PANTEG	*	*	*	*	*	*
†RHYMNEY ...	-	-	1	-	-	-
†RISCA	-	2	-	-	-	-
†TREDEGAR ...	-	6	-	-	-	-
Rural Districts:—						
ABERGAVENNY ...	-	1	-	-	-	-
MAGOR	-	1	-	-	-	-
MONMOUTH— *cont.*						
Rural Districts— *cont.*						
ST. MELLONS ...	-	1	1	-	-	-
MONTGOMERY...	-	-	1	-	-	
Rural Districts:—						
LLANFYLLIN ...	-	-	1	-	-	-
PEMBROKE ...	-	2	-	-	1	-
Boroughs and Urban Districts:—						
HAVERFORDWEST	-	-	-	-	1	-
MILFORD HAVEN	-	1	-	-	-	-
Rural Districts:—						
LLANFYRNACH ...	-	1	-	-	-	-
Total of Part II....	24	1268	677	53	473	C. 36 D. 28 E. 9 F. 1 G 8 J. 1 L. 5 M. 89 N. 82

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever,

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

t Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ARWICH	–	–	1	–	–	–	Port of London ...	–	–	–	1		–
IVERPOOL	–	–	–	1									
ENZANCE	*	*	*	*	*	*	**Total of Part III.** ...	–	–	1	2		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
Total of Part I.—London	12	258	160	4	48	C. D. E. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	24	1268	677	53	473	C. D. E. F. G. J. L. M. N.
Total of Part III.—Port Sanitary Districts	-	-	1	2	-	-
Total (i.e., of returns received), England and Wales ...	36	1526	838	59	521	C. D. E. F. G. J. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended:—	May 2.	May 9.	May 16.	May 23.	May 30	June 6.	June 13	June 20.	June 27.	July 4.	July 11.	July 18.	July 25	Totals from 1st Week of year. * 1930.	1931.
DON:—															
BIRTHS	1,424	1,369	1,323	1,453	1,227	1,494	1,559	1,383	1 485	1,375	1,463	1,409	1,415	42,481	40,547
BIRTHS	38	55	47	46	42	61	65	52	37	46	43	47	42	1,575	1,402
THS (excluding Still-ths)—all ages.	1,002	955	905	871	831	856	761	758	780	794	763	735	768	28,848	32,283
THS—0 to 1 year ..	79	71	68	70	74	59	48	48	59	47	54	58	62	2,489	2,446
AT TOWNS, aggre-e (including Lon-):—															
BIRTHS	6,646	6,447	6,364	6,754	5,553	7,080	7,087	6,603	6,607	6,521	6,682	6,477	6,616	193,679	189,008
BIRTHS	286	320	273	301	234	287	301	331	275	283	285	280	247	8,568	8,357
THS (excluding Still-ths)—all ages.	4,623	4,351	4,127	4,235	4,036	3,872	3,846	3,606	3,674	3,659	3,619	3,538	3,548	131,011	148,338
THS—0 to 1 year ..	409	404	347	401	352	367	329	293	308	284	287	292	303	12,420	13,859
ERIC FEVER—Cases	10	15	9	16	11	19	16	12	15	26	19	23	16	817	421
„ Deaths	1	2	2	1	—	1	—	2	1	3	2	2	1	64	49
LL POX—Cases ..	128	139	108	84	72	57	84	49	38	53	33	34	32	7,084	3,433
„ Deaths ..	—	—	—	—	—	1	—	—	—	1	—	—	—	16	5
LET FEVER—Cases	869	896	864	832	744	786	798	803	803	854	809	815	894	36,159	24,575
„ Deaths	4	9	11	4	5	5	3	1	3	3	6	9	2	281	174
ITHERIA—Cases ..	540	578	542	519	412	482	534	569	572	566	585	573	533	26,179	18,084
„ Deaths ..	22	21	25	21	22	18	21	24	18	23	29	24	19	1,225	877
SLES—Deaths ..	46	36	38	28	39	26	38	26	27	16	18	9	18	2,339	1,511
UENZA—Deaths ..	74	40	44	54	46	30	21	20	24	19	20	22	14	1,474	5,212

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ng been made for changes in boundary. The live births are derived from the weekly returns furnished by the strars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 25th July, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡
	°	°	°	°			°	°	°	°	
NDON (GREENWICH).	80	48	72·3	53·3	17	HUDDERSFIELD	74	45	65·4	52·6	10
						BRADFORD ..	72	46	65·1	52·7	15
IGHTON ..	69	48	66·3	55·3	21	SHEFFIELD ..	74	48	66·3	53·7	20
RTSMOUTH ..	71	49	68·4	55·5	7	YORK (MUSEUM)	76	46	66·4	54·1	20
RWICH(SOUTH-WELL LODGE)	77	45	70·0	52·6	25	HULL (PEARSON PARK).	69	46	64·6	54·9	29
YMOUTH ..	68	48	64·4	54·9	31	TYNEMOUTH ..	73	48	63·1	53·3	8
ISTOL (HORFIELD)	71	46	67·1	53·6	16	CARDIFF	67	48	64·0	54·1	22
RMINGHAM (EDGBASTON).	71	46	63·6	52·6	21	EDINBURGH ..	68·0	47·0	62·7	52·0	13
TTINGHAM ..	75	45	67·3	53·3	11	GLASGOW ..	67·8	47·3	63·0	52·1	14
RKENHEAD (BIDSTON).	71	52	63·3	54·9	4	DUBLIN (PHŒNIX PARK)	67·7	48·7	64·4	51·9	18
NCHESTER (WHITWORTH PARK).	74	49	65·3	54·3	17	(FITZWILLIAM SQUARE†).	69·0	50·9	63·9	54·0	12
RNLEY	72	45	64·7	52·3	7	BELFAST	71·0	48·0	65·0	51·8	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 25th July, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	19	..	29·524	68·1	53·3	14·8	58·1	- 5·1	54·1	4·0	11·5	2·4	86	122·1	46·4	56·5	Calm: SW.	NW: WSW.	3·2	0·0	0·3	253	+ 7	0·34
MONDAY -	20	In Equator	29·750	64·0	51·5	12·5	56·3	- 6·9	50·1	6·2	14·6	2·9	80	110·0	45·5	56·3	W: NW.	N: Calm: NNW.	2·1	0·0	0·2	243	- 4	0·03
TUESDAY -	21	..	29·960	66·8	47·7	19·1	57·4	- 5·8	46·3	11·1	21·5	3·2	67	116·7	36·8	56·3	W: NW.	NW: W: SW.	0·9	0·0	0·1	206	- 43	0·00
WEDNESDAY	22	First Quarter.	29·917	75·7	54·9	20·8	62·6	- 0·5	56·8	5·8	16·5	3·6	81	133·2	46·0	56·4	SW.	SW: SSW.	2·1	0·0	0·3	317	+ 65	0·00
THURSDAY -	23	..	29·801	79·6	53·9	25·7	65·9	+ 2·9	54·2	11·7	23·6	1·7	66	138·3	42·9	56·5	SSW.	SW: Calm.	1·7	0·0	0·2	220	- 34	0·00
FRIDAY -	24	..	29·608	73·9	52·3	27·6	66·1	+ 3·2	51·4	14·7	26·5	0·9	59	142·2	40·0	56·7	Calm: SW.	SW: Calm.	2·5	0·0	0·2	210	- 44	0·00
SATURDAY -	25	..	29·269	70·9	57·0	13·9	60·6	- 2·1	58·0	2·6	13·6	0·9	91	138·5	52·1	56·7	Calm: SSE: SSW.	SW: WSW.	3·0	0·0	0·3	273	+ 21	0·30
MEANS -		..	29·690	72·1	52·9	19·2	61·0	- 2·0	53·0	8·0	18·3	2·2	76	128·7	44·2	56·5	Westerly		..		..	Sum 1722	Sum - 32	Sum 0·67
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	19	mP till 9h.; v till 19h.; sP till 22h., then mP.	2·9	16·1	Overcast or nearly so till 15h., then very cloudy. Shower 5h., and frequent rain, heavy at times, from 9h. till 17½h. Thunder 10¾h. till 11h.
MONDAY ..	20	mP throughout	1·2	16·0	Very cloudy till 7h., overcast generally till 22½h., then very cloudy. Rain 17¼h. till 18½h. and 19¼h. till 19¾h.
TUESDAY ..	21	mP throughout	4·5	16·0	Very cloudy generally till 9h., then nearly overcast. Partial solar halo with parhelion at 18¾h.
WEDNESDAY	22	mP till 4h.; wP till 7h., then mP.	7·4	16·0	Nearly overcast till 9h.; very cloudy till 15h.; slowly clearing to little cloud by 18½h. Dew at night.
THURSDAY	23	mP throughout	11·0	15·9	Partially cloudy generally till 16½h.; nearly overcast but cloud thin, from 17h.; little cloud from 23½h. Dew in morning and at night. Occasional solar halo 10h. till 19½h.
FRIDAY ..	24	mP throughout	10·4	15·9	Little cloud till 2h., thin cloud prevalent till 9h. becoming partially cloudy by 10½h. Clouding at 20½h.; overcast from 22h. Dew in morning and at night.
SATURDAY	25	wP till 4h.; loss of register till 9h., mP till 15h., then vv.	1·0	15·8	Overcast or nearly so. Drizzle 3½h. till 4½h. and 7½h. till 9½h. Rain 11¾h. till 12½h., at 12½h., 15½h. till 16½h. and generally from 17½h.
			Sum 38·4	Sum 111·7	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·65 ins. at the beginning of the week to 29·50 ins. by 12h. on July 19th; increased to 29·97 ins. by 23h. on July 21st; decreased to 29·19 ins. by 14h. on July 25th; increased and was 29·36 ins. by midnight of the same day

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 30.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 1ST AUGUST,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 1st AUGUST, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirtieth week of the year numbered 6,653 corresponding to an annual rate of 17·5 per 1,000 living: stillbirths numbered 275 corresponding to a rate of 40 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,486 (62 less than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	July 11.	July 18.	July 25.	Aug. 1.
107 Great Towns	9·5	9·3	9·4	9·2
London	9·1	8·8	9·2	9·3
Birmingham	8·4	9·9	9·2	8·2
Liverpool	10·9	9·4	9·9	9·7
Manchester	10·5	10·2	10·0	9·7
Sheffield	11·1	8·8	7·3	7·6
Leeds	11·3	9·9	9·3	11·5
Bristol	9·3	8·5	9·0	9·1
West Ham	7·0	8·3	8·6	9·0

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 46, against 44, 44, and 46 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,453 live births registered corresponding to an annual rate of 17·3 per 1,000 living: stillbirths numbered 57 corresponding to a rate of 38 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 780 (12 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 40, against 38, 41, and 44 in the preceding three weeks.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There were no deaths from small-pox in the returns from areas outside Greater London, the County Boroughs and Great Towns, for the month of June last.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths* registered in th week ended 1st August, 1931.**

Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,836,440*	6,663	275	3,486	301	–	18	4	16	22	41
London	4,377,000*	1,453	57	780	56	–	2	1	3	4	10
Towns in Outer Ring. Croydon C.B. ..	233,000	79	5	32	2	–	–	–	–	1	1
Wimbledon ..	58,830	15	–	11	–	–	–	–	–	–	–
Ealing	117,400	38	–	17	1	–	–	–	–	–	–
Acton	70,400	18	–	10	–	–	1	–	–	–	–
Brentford and Chiswick ..	62,620	12	–	5	2	–	–	–	–	–	–
Willesden ..	185,300	44	1	29	–	–	–	–	–	–	–
Hendon	114,600*	37	2	9	–	–	–	–	–	–	–
Hornsey	95,440	24	2	18	–	–	–	–	–	–	–
Wood Green ..	54,460	12	–	8	1	–	–	–	–	1	–
Tottenham ..	159,100	33	–	24	–	–	–	–	–	–	–
Edmonton	77,530	42	–	11	–	–	–	–	–	–	–
Enfield	68,090	14	–	10	–	–	–	–	–	–	–
West Ham C.B. ..	296,900	130	3	51	9	–	–	1	–	–	1
East Ham C.B. ..	142,900	22	3	19	2	–	–	–	–	1	–
Leyton	128,600	22	–	18	–	–	–	–	–	1	–
Walthamstow ..	134,300	36	1	16	1	–	–	–	–	–	–
Ilford	131,300	31	1	12	3	–	–	–	–	–	–
Gillingham	60,600*	30	1	16	3	–	–	–	–	–	1
Canterbury C.B. ..	24,440*	5	–	4	1	–	–	–	–	–	–
Hastings C.B.	61,870	14	–	6	–	–	–	–	–	–	–
Eastbourne C.B. ..	55,670	10	–	14	–	–	–	–	–	–	1
Brighton C.B. ..	144,900*	31	3	38	1	–	–	–	–	–	–
Portsmouth C.B. ..	248,300*	84	3	41	6	–	–	–	–	–	–
Bournemouth C.B. ..	108,600	26	–	22	2	–	–	–	–	1	1
Southampton C.B. ..	175,300	69	–	34	–	–	–	–	–	–	–
Reading C.B.	97,450*	30	1	17	–	–	–	–	–	–	–
Oxford C.B	80,530*	23	3	7	1	–	–	–	–	–	–
Northampton C.B. ..	92,940*	23	3	11	–	–	–	–	–	–	–
Luton	69,030	19	–	18	3	–	–	–	–	–	–
Cambridge	66,850	14	–	11	1	–	–	–	–	–	–
Southend-on-Sea C.B.	117,900	20	1	21	–	–	–	–	–	–	–
Ipswich C.B.	87,630	30	1	20	1	–	–	–	–	1	–
Great Yarmouth C.B.	56,630	17	1	12	1	–	–	–	–	–	–
Norwich C.B.	126,800*	41	3	22	1	–	–	–	–	–	–
Swindon	62,600	21	1	5	1	–	–	–	–	–	–
Exeter C.B.	65,290*	21	1	14	–	–	–	–	–	–	–
Plymouth C.B. ..	207,600*	81	2	34	4	–	–	–	–	–	–
Bath C.B.	68,120	21	–	10	3	–	–	–	–	–	1
Bristol C.B.	399,500*	117	8	70	6	–	–	–	1	2	1
Gloucester C.B. ..	52,890	23	–	10	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	279,800	94	6	64	3	–	–	–	–	–	1
Burton-upon-Trent C.B.	49,920	10	–	10	1	–	–	–	–	–	–
Wolverhampton C.B.	134,200	61	4	23	2	–	–	–	–	1	–
Walsall C.B.	104,200	50	–	18	3	–	–	–	–	–	1
West Bromwich C.B.	82,090	48	3	17	2	–	–	–	–	–	–
Dudley C.B.	60,010	20	3	10	–	–	2	–	–	–	–
Worcester C.B. ..	50,540	23	2	7	–	–	–	–	–	–	–
Birmingham C.B. ..	1,011,300	364	16	159	20	–	–	–	2	1	3
Smethwick C.B. ..	85,370	29	–	7	–	–	–	–	–	–	–
Coventry C.B. ..	168,500	54	2	33	4	–	–	–	–	–	–
Leicester C.B. ..	241,200	94	1	53	6	–	–	–	–	–	–
Lincoln C.B.	66,110*	18	3	17	–	–	–	–	–	–	–
Grimsby C.B.	92,180	26	1	13	2	–	–	–	–	–	1
Nottingham C.B. ..	270,900	92	–	44	3	–	–	–	–	1	1
Derby C.B.	143,400*	52	1	22	1	–	–	–	–	–	–
Chesterfield	64,450	25	5	16	2	–	–	–	–	–	–
Stockport C.B. ..	126,600	38	4	26	1	–	–	–	–	–	–
Chester C.B.	41,370	17	1	10	–	–	–	–	–	1	–
Birkenhead C.B. ..	148,600	56	–	24	3	–	–	–	–	–	1
Wallasey C.B. ..	97,240	30	2	14	–	–	–	–	–	–	–
Liverpool C.B. ..	862,100	387	15	161	22	–	1	2	4	2	5
Bootle C.B.	77,170	32	–	19	4	–	–	–	–	–	–
St. Helens C.B. ..	108,200	48	3	26	4	–	–	–	–	–	1

* Non-civilian deaths are excluded from this table and the comparable civilian populations where dif from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillin 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; C C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 1 Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B. ..	77,180	13	-	11	1	-	-	-	-	-	-	-
WIGAN C.B.	86 250	29	2	18	3	-	-	-	1	-	-	1
WARRINGTON C.B. ..	80.280*	37	-	13	1	-	-	-	-	-	-	-
BOLTON C.B	179,300	39	3	28	2	-	-	-	-	-	1	-
BURY C.B.	56,580*	13	1	6	1	-	-	-	-	-	-	-
MANCHESTER C.B. ..	773,300	269	19	144	13	-	-	-	1	1	4	1
SALFORD C.B.	226,100	54	1	45	1	-	1	-	-	-	-	-
ASHTON-UNDER-LYNE	51,250	15	-	5	1	-	-	-	-	-	-	-
OLDHAM C.B	142,000	38	2	22	2	-	-	-	-	1	-	-
ROCHDALE C.B. ..	91,190	22	2	18	-	-	-	-	-	-	-	-
BURNLEY C.B	99,300	38	-	23	3	-	-	-	-	-	-	-
BLACKBURN C.B ..	124,000	45	1	19	-	-	-	-	-	-	-	-
PRESTON C.B.	120,100	36	2	22	3	-	-	-	1	-	-	-
BLACKPOOL C.B. ..	97,880	28	3	16	-	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	66,700	24	-	9	1	-	1	-	-	-	1	-
HUDDERSFIELD C.B ..	114,300	31	2	22	1	-	-	-	-	-	-	1
HALIFAX C.B.	98,770*	26	-	11	1	-	1	-	-	-	-	-
BRADFORD C.B. ..	300,800	86	5	56	1	-	-	-	-	-	-	1
LEEDS C.B	486,100	171	4	107	10	-	1	-	-	-	-	-
DEWSBURY C.B. ..	54,430	10	1	13	-	-	-	-	-	-	2	-
WAKEFIELD C.B ..	59,280	20	1	13	2	-	-	-	-	-	-	-
BARNSLEY C.B. ..	72,090	28	2	20	3	-	4	-	-	-	-	-
SHEFFIELD C.B. ..	517,300	158	6	75	-	-	-	-	-	-	-	-
ROTHERHAM C.B. ..	70,100	33	1	20	6	-	-	-	-	-	-	-
DONCASTER C.B ..	63,260	32	3	12	-	-	1	-	-	-	-	-
YORK C.B.	85,910*	18	1	17	1	-	-	-	-	-	-	-
KINGSTON-UPON-HULL C.B.	314,800	120	5	66	4	-	-	-	1	2	-	-
MIDDLESBROUGH C.B.	138,800	58	4	29	-	-	-	-	-	-	-	1
DARLINGTON C.B. ..	72,620	21	1	7	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,350	28	-	8	1	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	68,740	28	-	11	-	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	187,500	75	1	43	8	-	2	-	1	-	-	-
SOUTH SHIELDS C.B ..	114,400	39	1	18	3	-	-	-	-	-	-	-
GATESHEAD C.B. ..	123,700	44	1	17	4	-	-	-	-	-	1	1
NEWCASTLE-ON-TYNE C.B.	284,300*	120	3	44	4	-	-	-	1	-	1	-
TYNEMOUTH C.B. ..	64,750	35	1	12	1	-	-	-	-	-	-	-
CARLISLE C.B.	57,430*	13	-	10	2	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	89,500*	34	2	17	2	-	-	-	-	-	-	-
CARDIFF C.B.	223,700*	78	3	43	4	-	-	-	-	-	-	-
RHONDDA	142,700	42	5	20	2	-	1	-	-	-	-	-
MERTHYR TYDFIL C.B.	71,670	43	3	16	1	-	-	-	-	-	-	1
ABERDARE	49,010	12	1	6	-	-	-	-	-	-	-	-
SWANSEA C.B.	165,400	50	3	24	2	-	-	-	-	-	-	-
GREATER LONDON ..	8,179,740*	2,581	86	1,511	99	-	3	2	4	8	13	2
OUTER RING	3,802,740*	1,128	29	531	43	-	1	1	1	4	3	2
17 GREAT TOWNS IN OUTER RING	2,130,770*	609	18	300	21	-	-	1	-	4	2	-
REMAINDER OF OUTER RING	1,671,970*	519	11	231	22	-	1	-	1	-	1	2
EDINBURGH†	438,998	150	?	84	8	-	-	-	-	1	1	-
GLASGOW†	1,088,417	428	?	224	34	-	3	1	2	1	4	1
DUBLIN†	412,400	272	?	76	8	-	-	1	1	1	1	1
BELFAST†	415,151	207	?	79	5	1	-	-	-	-	-	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases from
		1931.											
London‡	4,377,000	Aug. 1	1453	57	780	9·3	–	–	2	1	3	4	1
Calcutta and Suburbs	1,077,264	June 20	?	?	624‖	30·1	?	11	?	–	?	?	
Bombay§	1,298,708	July 4	497	40	402	16·1	5	–	–	–	–	–	1
Madras	528,791	June 20	526	30	570	56·0	1	–	–	–	1	–	3
Sydney and Suburbs	1,253,560	„ 30 (30 days)											
Brisbane (Metropolitan Area).	313,251	Apr. 30 (30 days)											
Perth (Metropolitan Area).	204,780	May 23	103	?	49	12·4	–	–	–	–	–	–	
Auckland (Urban Area).	215,730	June 30 (30 days)											
Wellington (Urban Area)	142,540	June 30 (30 days)											
Christchurch (Urban Area).	127,070	June 30 (30 days)											
Cape Town	136,748	June 27	68	2	32	12·2	–	–	–	–	–	1	
Johannesburg	187,326	„ 20	72	6	38	10·6	–	–	–	–	–	2	
Durban	61,667	„ 20	28	1	13	11·0	–	–	–	–	–	–	
Paris	2,871,429	June 20 (10 days)	1058	56	940	11·9	1	–	8	–	3	8	1
Antwerp	295,389	July 15 (15 days)											
Amsterdam	754,470	July 11	251	8	121	8·4	–	–	1	–	1	–	
Copenhagen	615,700	„ 18	180	1	120	10·2	–	–	–	–	–	1	
Stockholm	502,203	„ 11	115	–	127	13·2	1	–	–	–	–	–	
Gothenberg	245,600	June 27											
Oslo	256,353	July 18	36	2	55	11·5	–	–	–	–	–	–	1
Berlin	4,312,000	„ 4	707	24	924	11·1	–	?	3	–	1	7	
Breslau	617,000	„ 4	156	7	96	8·1	–	?	1	–	1	–	
Cologne	739,000	„ 4	182	6	135	9·5	–	?	–	–	–	–	
Dresden	632,000	„ 4	123	7	108	8·9	–	?	–	–	–	1	
Frankfort-on-Main	540,000	„ 4	104	5	89	8·6	–	?	–	–	–	1	
Hamburg	1,144,000	„ 4	242	8	200	9·1	–	?	–	–	1	1	
Leipzig	718,000	„ 4	136	6	144	10·4	–	?	–	–	–	–	
Munich	730,000	„ 4	155	3	157	11·2	–	?	–	–	–	1	
Budapest	1,009,069	„ 11	356	12	232	12·0	2	–	1	–	1	1	
Warsaw	1,115,651	„ 4	?	8	217	10 1	1	–	–	–	1	–	1
Madrid	834,103	June 27	508	28	247	15·4	3	–	3	1	1	–	1
Cairo	1,160,700	Apr. 8	911	31	566	25·4	11	–	10	–	?	5	10
Alexandria	629,900	„ 8	558	7	277	22·9	3	–	7	–	?	–	3
New York	7,090,089	July 4	?	?	1267	9·3	2	–	–	–	5	11	1
Chicago	3,457,375	„ 10	844	52	691	10·4	–	–	2	–	2	3	
New Orleans	466,000	May 31 (31 days)											
Rio de Janeiro ..	1,729,799	May 2	648	53	492	14·8	–	–	7	–	1	2	6
		„ 9	721	45	447	13·5	5	–	6	–	–	2	4

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* or Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 26 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 1st August, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	29,667	33,063	780	56	10	2	23	38	37	47	76	137	184	170
Enteric fever	12	14	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	986	34	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet fever	86	38	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough	95	202	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	304	161	4	-	1	1	2	-	-	-	-	-	-	-
Influenza	234	905	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	99	112	2	-	-	-	-	-	-	-	-	-	1	1
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	34	29	1	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	64	95	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2154	2360	59	1	2	-	-	11	14	9	10	8	3	1
Nervous system	147	145	6	-	-	-	3	3	-	-	-	-	-	-
Intestines and peritoneum	31	36	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	132	157	7	1	-	-	1	2	1	-	1	-	-	1
Venereal diseases	110	117	6	-	-	-	-	-	1	1	-	2	2	-
Cancer	3857	4013	124	-	-	-	-	1	4	6	15	35	40	23
Rheumatic fever	114	85	2	-	-	-	-	1	-	1	-	-	-	-
Diabetes	301	316	7	-	-	-	1	-	-	1	-	2	3	-
Alcoholism	10	10	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	49	53	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1200	1237	35	-	-	-	-	-	-	-	4	11	13	7
Epilepsy	123	106	2	-	-	-	-	-	-	-	-	1	-	1
"Convulsions" (not puerperal) ..	36	38	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	738	680	16	2	-	-	2	2	-	3	1	3	3	-
Pericarditis	13	11	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	123	109	2	-	-	-	-	1	1	-	-	-	-	-
Other diseases of heart	6105	7619	159	-	-	-	1	3	4	7	11	29	48	56
Other diseases of circulatory system	1263	1357	47	-	-	-	-	-	-	-	4	7	16	20
Bronchitis	1208	1867	18	1	-	-	2	-	-	1	-	1	5	8
Broncho-pneumonia	1183	1779	15	2	1	-	2	-	-	1	3	2	2	2
Lobar pneumonia	694	816	14	-	-	-	-	2	2	1	2	3	4	-
Pneumonia (type not distinguished)	254	283	5	-	-	-	-	-	1	-	-	1	2	1
Other diseases of respiratory system	296	389	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa and enteritis	427	391	11	10	-	-	-	-	-	-	1	-	-	-
Appendicitis, Typhlitis	181	167	2	-	-	-	1	-	-	-	-	-	-	1
Hernia, Intestinal obstruction	293	324	7	-	-	-	-	-	-	-	3	-	2	2
Cirrhosis of liver	120	142	4	-	-	-	-	-	-	-	2	1	1	-
Other diseases of digestive system ..	776	697	19	-	-	-	-	1	3	3	5	6	1	
Acute nephritis	59	53	3	-	-	-	2	-	-	-	1	-	-	-
Chronic Bright's disease	991	1059	32	-	-	-	-	-	-	2	1	8	11	10
Other diseases of genito-urinary system.	468	525	14	-	-	-	-	-	-	1	1	2	4	6
Puerperal sepsis	66	71	2	-	-	-	-	-	1	1	-	-	-	-
Other causes incident to childbirth ..	52	76	1	-	-	-	-	-	1	-	-	-	-	
Congenital malformations	202	191	3	3	-	-	-	-	-	-	-	-	-	
Premature birth	579	589	21	21	-	-	-	-	-	-		-	-	
Debility, atrophy (congenital)	113	94	5	5	-	-	-					-	-	
Old age	678	791	22	-	-	-	-					-	2	20
Suicide	332	315	11	-	-	-	-	-	2	2	3	3	1	-
Burns and Scalds	57	90	2	-	-	-	-	-	-	1	-	-	-	1
Drowning	78	57	2	-	-	-	-	1	-	-	-	-	1	-
Suffocation in bed	21	17	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	435	410	17	-	1	1	3	3	1	1	-	4	2	1
Other deaths by violence	467	471	17	-	1	-	2	1	1	2	1	3	4	2
Other specified causes	1198	1352	46	7	1	-	1	6	2	3	8	6	8	4
Ill-defined causes	3	3	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 1st August, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	6	233	156	2	49	C. 5 D. 2 E. 1 G. 2 M. 18 N. 23
Metropolitan Boroughs:—						
BATTERSEA ...	–	11	4	–	2	–
BERMONDSEY ...	–	6	6	–	–	N. 4
BETHNAL GREEN	1	14	5	–	3	M. 1
CAMBERWELL ...	1	13	3	–	–	D. 1 N. 2
CHELSEA	–	1	–	–	1	–
DEPTFORD ...	–	4	13	–	–	M. 2
FINSBURY ...	–	3	1	–	2	M. 1
FULHAM	–	6	2	–	2	N. 3
GREENWICH ...	–	5	15	–	1	M. 1
HACKNEY... ...	–	7	5	–	1	N. 2
HAMMERSMITH ...	–	4	1	–	2	C. 1
HAMPSTEAD ...	–	5	–	–	1	–
HOLBORN... ...	–	2	–	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	–	32	15	–	2	C. 2 M. 3 N. 1
KENSINGTON ...	–	5	9	–	1	D. 1 N. 1
LAMBETH ...	1	14	4	–	1	G. 1 M. 2 N. 1
LEWISHAM ...	–	12	3	–	6	–
PADDINGTON ...	–	5	2	–	2	N. 1
POPLAR	1	17	10	–	1	M. 1 N. 2
ST. MARYLEBONE	–	2	2	1	–	M. 1
ST. PANCRAS ...	–	4	6		–	M. 2 N. 1
SHOREDITCH ...	–	7	2	–	–	G. 1 N. 1
SOUTHWARK ...	–	6	6	–	6	M. 2 N. 1
STEPNEY	2	28	13	–	7	C. 1
STOKE NEWINGTON	–	–	2	–	1	–
WANDSWORTH ...	–	10	8	1	3	M. 1 N. 1
WESTMINSTER, CITY OF	–	3	3	–	–	–
WOOLWICH ...	–	7	16	–	4	C. 1 E. 1 M. 1 N. 2

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	3	–	1	C. 1
Boroughs and Urban Districts:—						
BEDFORD	–	1	–	–	–	–
DUNSTABLE ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	1	–	–	–
LUTON	–	2	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	1	–	–	C. 1
BEDFORD	–	2	–	–	–	–
EATON BRAY ...	–	–	–	–	1	–
LUTON	*	*	*	*	*	*
BERKS	–	5	2	–	1	F. 1 N. 1
READING C.B. ...	–	3	1	–	1	–
Boroughs and Urban District:—						
MAIDENHEAD ...	–	–	1	–	–	–
NEWBURY ...	–	–	–	–	–	N. 1
Rural Districts:—						
EASTHAMPSTEAD	–	1	–	–	–	F. 1
WINDSOR	–	1	–	–	–	–
BUCKINGHAM ...	–	22	–	1	–	C. 2 N. 1
Boroughs and Urban Districts:—						
AYLESBURY ...	–	2	–	–	–	–
NEWPORT PAGNELL	–	–	–	–	–	C. 1
SLOUGH	–	7	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	–	4	–	–	–	N. 1
ETON	–	9	–	–	–	–
NEWPORT PAGNELL	–	–	–	1	–	–
WYCOMBE ...	–	–	–	–	–	C. 1
CAMBRIDGE ...	–	4	11	1	–	–
Borough:—						
CAMBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	2	–	–	–	–
CHESTERTON ...	–	–	–	1	–	–
NEWMARKET ...	–	–	11	–	–	–
CHESTER ...	–	32	22	1	10	C. 1 D. 1 G. 1 M. 2 N. 4
BIRKENHEAD C.B.	–	1	2	–	5	N. 1
CHESTER C.B. ...	–	4	2	–	–	D. 1 M. 1
STOCKPORT C.B. ...	–	3	7	–	1	–
WALLASEY C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	–	–	–	1	–
BOWDON	–	1	–	–	–	–
BUGLAWTON ...	–	1	–	–	–	–
CHEADLE AND GATLEY	–	2	–	–	1	–
CREWE	–	2	–	–	–	–
DUKINFIELD ...	–	3	–	–	1	–
ELLESMERE PORT AND WHITBY	–	–	–	–	–	N. 2
HALE	–	2	–	–	–	–
HOOLE	–	–	–	–	–	M. 1

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J. Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HYDE	–	3	–	–	–	N. 1
MACCLESFIELD ...	–	1	–	–	–	–
MIDDLEWICH ...	*	*	*	*	*	*
RUNCORN	–	–	1	–	–	–
SALE	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW	–	2	–		–	–
CHESTER	–	1	3	–	–	–
NANTWICH ...	–	1	1	–	–	G. 1
NORTHWICH ...	–	–	–	–	–	C. 1
RUNCORN	–	2	3	1	1	–
TARVIN	–	–	1	–	–	–
WIRRAL	–	1	–	–	–	–
CORNWALL ...	–	1	3	–	2	C. 1 D. 1
Boroughs and Urban Districts:—						
FALMOUTH ...	–	–	–	–	1	D. 1
HELSTON	*	*	*	*	*	*
PENZANCE ...	–	–	2	–	–	–
REDRUTH ...	–	–	–	–	1	–
TRURO	–	–	1	–	–	–
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
ST. COLUMB MAJOR	*	*	*	*	*	*
TRURO	–	–	–	–	–	C. 1
CUMBERLAND...	–	2	1	2	2	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–		1	–
HOLME CULTRAM	–	–	–	1	–	–
KESWICK	–	–	1	–	–	–
†WORKINGTON ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
COCKERMOUTH ...	–	–	–	1	–	–
WIGTON	–	–	–	–	1	–
DERBY	1	16	11	–	10	D. 2 E. 1 G. 1 M. 1
DERBY C.B. ...	–	2	3	–	7	D. 1 M. 1
Boroughs and Urban Districts:—						
ALFRETON ...	–	1	–	–	–	–
ALVASTON AND BOULTON	–	1	–	–	–	–
BOLSOVER ...	–	1	–	–	2	–
BUXTON	*	*	*	*	*	*
CHESTERFIELD ...	1	–	–		–	E. 1
NORTH DARLEY...	–	1	–	–	–	–
SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	–	1	–	–	–
BLACKWELL ...		2	1	–	–	–
CHAPEL EN LE FRITH	–	2	–	–	–	–
CHESTERFIELD ...	–	1	5	–		D. 1 G. 1
CLOWNE	–	2	–	–	1	–
HAYFIELD ...	–	–	1	–	–	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	4	14	1	6	G. 1 M. 3
EXETER C.B ...	–	–	–	1	–	–
PLYMOUTH C.B.	–	3	7	–	2	M. 2
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	1	–	–	G. 1
BIDEFORD ...	–	–	2	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
BUCKFASTLEIGH	*	*	*	*	*	*
CREDITON ...	–	–	2	–	–	–
DARTMOUTH ...	–	–	–	–	1	–
DAWLISH ...	–	–	1		–	–
NEWTON ABBOT...	–		–		–	M. 1
OTTERY ST. MARY	*	*	*	*	*	*
PAIGNTON ...	–	–	–	–	1	–
SEATON	–	–	–	–	1	–
TAVISTOCK ...	–	1	–	–	–	–
Rural Districts:—						
BIDEFORD ...	–	–	–	–	1	–
TIVERTON ...	–	–	1	–	–	–
DORSET	–	2	3	–	–	D. 1
Boroughs and Urban Districts:—						
POOLE	–	2	2	–	–	–
WEYMOUTH AND MELCOMBE REGIS	–	–		–	–	D. 1
Rural Districts:—						
BRIDPORT ...	*	*	*	*	*	*
WEYMOUTH ...	–	–	1	–	–	–
DURHAM ...	–	64	14	9	35	C. 2 D. 1 M. 5 N. 3
DARLINGTON C.B.	–	4	1	–	1	–
GATESHEAD C.B.	–	8	1	–	2	M. 1
SOUTH SHIELDS C.B.	–	2	–	–	5	C. 1
SUNDERLAND C.B.	–	14	2	1	6	D. 1
WEST HARTLEPOOL C.B.	–	4	–	1	3	–
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	–	1	–	–	M. 1
BENFIELDSIDE ...	–	–	–	1	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
BILLINGHAM ...	–	–	1	–	–	–
BLAYDON... ...	–	14	–	–	–	M. 1
BRANDON AND BYSHOTTLES	–	–	–	–	–	N. 1
CHESTER LE STREET	–	1	–	–	1	–
CONSETT	–	–	–	3	–	–
CROOK	–	–	1		1	N. 1
FELLING	–	4	–	–	–	–
HEBBURN ...	–	1	–	–	1	–
JARROW	–	1	–	–	3	–
LEADGATE ...	–	–	–	2	–	–
RYTON	–	1	–	–	–	–
SEAHAM HARBOUR	–	–	–	–	1	–
STANHOPE ...	–	–	–	–	–	C. 1
STANLEY	–	2	1	1	–	–
STOCKTON ON TEES	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	1	2	–	–	M. 2
CHESTER LE STREET	–	–	–	–	2	–
DARLINGTON ...	–	1	–	–	–	–
EASINGTON ...	–	1	4	–	2	N. 1
HOUGHTON LE SPRING	–	2	–	–	2	–
LANCHESTER ...	–	–	–	–	3	–
STOCKTON ...	–	2	–	–	–	–
SUNDERLAND ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	2	–	–	–
WISBECH	–	1	–	–	–	–
ESSEX	7	70	38	4	8	C. 1 M. 3 N. 7
EAST HAM C.B....	–	2	3	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
SOUTHEND ON SEA C.B.	–	1	2	–	1	M. 2
WEST HAM C.B.	7	15	7	–	–	N. 1
Boroughs and Urban Districts:—						
BARKING TOWN...	–	2	4	–	1	–
BENFLEET ...	–	1	–	–	–	–
BRENTWOOD ...	–	–	–	–	–	M. 1
CHELMSFORD ...	–	–	1	–	–	–
CHINGFORD ...	–	–	1	–	–	N. 1
CLACTON	–	3	–	–	–	–
COLCHESTER ...	–	7	2	–	–	–
DAGENHAM ...	–	10	1	–	–	N. 1
EPPING	–	4	–	–	–	–
GRAYS THURROCK	–	1	–	–	–	–
HORNCHURCH ...	–	1	–	–	–	–
ILFORD	–	4	1	1	–	–
LEYTON	–	3	3	–	1	N. 2
RAYLEIGH ...	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	–	–	–	–	C. 1
WALTHAMSTOW ...	–	7	5	–	3	N. 2
WANSTEAD ...	–	1	–	–	–	–
WEST MERSEA ...	–	2	–	–	–	–
WOODFORD ...	–	1	4	–	1	–
Rural Districts:—						
BRAINTREE ...	–	–	2	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	2	–	–
MALDON	–	1	–	1	–	–
ONGAR	–	1	–	–	–	–
ORSETT	–	2	–	–	–	–
ROCHFORD ...	–	–	1	–	–	–
GLOUCESTER ...	–	13	23	1	8	D. 1 G. 2 M. 1 N. 1
BRISTOL C.B. ...	–	4	20	1	2	D. 1 G. 2
GLOUCESTER C.B.	–	1	1	–	2	M. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	1	2	–	1	–
CIRENCESTER ...	–	1	–	–	1	–
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	1	–
GLOUCESTER ...	–	1	–	–	–	–
STROUD	–	3	–	–	–	–
WEST DEAN ...	–	–	–	–	1	–
HEREFORD ...	–	1	1	–	2	M. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	1	–	–	–	–
HEREFORD ...	–	–	–	–	2	–
Rural Districts:—						
DORE	–	–	1	–	–	–
HEREFORD ...	*	*	*	*	*	*
WEOBLEY... ...	–	–	–	–	–	M. 1
HERTFORD ...	–	6	5	1	1	N. 2
Boroughs and Urban Districts:—						
BALDOCK	–	1	–	–	–	–
BARNET	*	*	*	*	*	*
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	–	–	1	–	N. 1
HITCHIN	–	–	–	–	–	N. 1
RICKMANSWORTH	–	–	2	–	–	–
ROYSTON	–	1	–	–	–	–
WATFORD... ...	–	2	2	–	1	–
WELWYN GARDEN CITY	–	–	1	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
HITCHIN	–	1	–	–	–	–
HUNTINGDON ...	–	–	–	–	1	–
Rural Districts:—						
ST. NEOTS ...	–	–	–	–	1	–
KENT	–	35	20	2	4	G. 1 M. 2 N. 1
CANTERBURY C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
ASHFORD	–	1	–	–	–	–
BECKENHAM ...	–	–	1	–	–	M. 1
BEXLEY	–	–	3	–	–	–
BROMLEY	–	5	3	–	–	–
CHATHAM ...	–	2	2	–	–	–
CRAYFORD ...	–	–	–	–	–	M. 1
DARTFORD ...	–	2	–	–	–	–
DOVER	–	–	1	–	–	–
ERITH	–	–	1	–	1	–
FOLKESTONE ...	–	–	1	–	–	–
GILLINGHAM ...	–	3	2	–	–	–
HERNE BAY ...	–	3	–	–	–	–
HYTHE	–	–	–	1	–	–
MARGATE ...	–	1	–	–	–	–
PENGE	–	1	1	–	–	–
RAMSGATE ...	–	2	–	–	–	G. 1
ROCHESTER ...	–	2	–	–	–	–
ROYAL TUNBRIDGE WELLS	–	–	–	1	2	–
SANDWICH ...	–	1	–	–	–	–
SHEERNESS ...	–	1	–	–	–	–
TENTERDEN ...	–	3	–	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
WALMER	*	*	*	*	*	*
Rural Districts:—						
BLEAN	–	–	–	–	1	N. 1
BROMLEY	–	–	1	–	–	–
DOVER	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
FAVERSHAM ...	–	1	–	–	–	–
ISLE OF THANET	–	2	1	–		
MALLING	*	*	*	*	*	*
SEVENOAKS ...	–	2	–	–	–	–
STROOD	–	1	–	–	–	–
TONBRIDGE ...	–	1	1	–	–	–
LANCASTER ...	–	175	96	4	90	C. 5 D. 2 E. 1 M. 17 N. 15
BARROW IN FURNESS C.B.	–	–	–	–	3	–
BLACKBURN C.B.	–	2	1	–	3	N. 1
BLACKPOOL C.B.	–	6	2	–	1	M. 1 N. 1
BOLTON C.B. ...	–	9	–	–	1	–
BOOTLE C.B. ...	–	4	2	–	–	–
BURNLEY C.B. ...	–	3	1	–	–	M. 1
BURY C.B. ...	–	3	–	–	–	–
LIVERPOOL C.B....	–	4	41	–	21	C. 2 E. 1 M. 9 N. 3
MANCHESTER C.B.	–	48	12	1	29	C. 2 M. 2 N. 2
OLDHAM C.B. ...	–	12	1	–	3	M. 1
PRESTON C.B. ...	–	3	3	–	–	M. 1 N. 1
ROCHDALE C.B....	–	6	4	–	–	–
ST. HELENS C.B.	–	–	1	–	3	–
SALFORD C.B. ...	–	8	10	–	5	M. 1
SOUTHPORT C.B.	–	2	2	–	–	–
WARRINGTON C.B.	–	16	–	1	1	–
WIGAN C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
ACCRINGTON ...	–	–	1	–	–	–
ASHTON IN MAKERFIELD	–	–	–	–	4	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Ashton-under-Lyne	–	6	1	–	1	N. 1
Aspull	–	–	–	–	1	–
Audenshaw ...	–	2	–	–	–	–
Chadderton ...	–	–	–	–	1	–
Chorley	–	3	–	–	–	–
Church	–	1	–	–	1	–
Colne	–	–	–	–	–	M. 1
Darwen	–	–	1	–	–	–
Denton	–	2	–	–	1	–
Droylsden ...	–	3	–	–	–	–
Eccles	–	1	–	–	–	–
Failsworth ...	–	2	–	–	–	–
Farnworth ...	–	–	1	–	–	–
Fleetwood ...	–	–	1	–	–	–
Great Crosby ...	–	1	–	–	1	–
Great Harwood	–	1	–	–	–	–
Haslingden ...	–	1	–	–	–	–
Hindley	–	–	–	–	–	D. 2
Horwich	–	–	1	–	–	N. 1
Irlam	–	1	1	–	–	–
Lancaster ...	–	–	1	–	–	–
Leigh	–	–	–	1	–	–
Litherland ...	–	–	–	–	1	C. 1
Lytham St. Anne's	–	1	–	–	–	–
Middleton ...	–	1	1	–	–	–
Morecambe and Heysham	–	3	–	–	1	–
Nelson	–	1	–	–	–	N. 1
Newton in Makerfield	–	1	–	–	–	–
Norden	–	–	1	–	–	–
Oswaldtwistle	–	1	–	–	2	–
Prestwich ...	–	1	2	–	–	–
Rishton	–	–	–	–	1	–
Stretford ...	–	4	1	–	–	–
Swinton and Pendlebury	–	2	–	–	–	–
Turton	–	–	–	–	–	N. 1
Ulverston ...	–	–	–	1	–	–
Walton le Dale	–	3	–	–	–	–
Waterloo with Seaforth	–	1	1	–	–	–
Widnes	–	1	1	–	1	N. 1
Worsley	–	1	–	–	–	–
LANCASTER— *cont.*						
Rural Districts:—						
Burnley ...	–	–	1	–	1	N. 1
Clitheroe ...	–	–	–	–	1	–
Fylde	–	1	–	–	–	–
Limehurst ...	–	–	–	–	–	N. 1
Warrington ...	–	1	–	–	–	–
Whiston	–	2	–	–	–	–
Wigan	–	–	–	–	1	–
LEICESTER ...	10	29	6	–	10	M. 1
Leicester C.B....	7	12	5	–	4	–
Boroughs and Urban Districts:—						
Coalville ...	2	1	–	–	–	–
Loughborough	–	4	–	–	–	–
Quorndon ...	–	3	–	–	–	–
Shepshed ...	–	2	–	–	–	–
Wigston Magna	–	2	–	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	–	–	–	–	M. 1
Barrow upon Soar	–	–	–	–	1	–
Blaby	1	3	–	–	–	–
Hinckley ...	–	–	–	–	1	–
Loughborough	–	1	–	–	–	–
Market Bosworth	–	1	–	–	–	–
Melton Mowbray	–	–	1	–	4	–
LINCOLN (parts of Holland).	–	4	1	–	–	M. 1
Boroughs and Urban Districts:—						
Boston	–	–	1	–	–	–
Rural Districts:—						
Boston	–	4	–	–	–	M. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LINCOLN (parts of Kesteven).	–	3	–	–	–	–
Boroughs and Urban Districts:—						
GRANTHAM ...	–	2	–	–	–	–
Rural Districts:—						
NORTH KESTEVEN	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	4	2	1	6	C. 1 G. 1 M. 1
GRIMSBY C.B. ...	–	–	–	–	1	C. 1
LINCOLN C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	–	–	1	–
CLEETHORPES ...	–	1	–	–	–	–
GAINSBOROUGH ...	–	1	–	–	1	–
SCUNTHORPE AND FRODINGHAM	–	–	1	–	2	G. 1
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	–
GLANFORD BRIGG	–	–	1	1	–	–
GRIMSBY	–	1	–	–	–	–
HORNCASTLE ...	*	*	*	*	*	*
SPILSBY	–	–	–	–	–	M. 1
MIDDLESEX ...	2	55	31	4	11	C. 1 G. 1 M. 2 N. 9
Boroughs and Urban Districts:—						
BRENTFORD AND CHISWICK	–	1	–	–	–	–
EALING	–	–	3	–	1	–
EDMONTON ...	1	8	1	–	–	G. 1 N. 1
ENFIELD	–	3	2	1	1	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
FINCHLEY ...	–	7	1	–	–	–
HAMPTON WICK...	–	1	–	–	–	–
HARROW ON THE HILL	1	1	–	–	–	N. 2
HENDON	–	2	1	3	1	N. 1
HESTON AND ISLEWORTH	–	2	2	–	1	N. 1
HORNSEY	–	5	1	–	–	N. 2
KINGSBURY ...	–	–	–	–	–	C. 1
RUISLIP NORTHWOOD	–	1	–	–	–	–
SOUTHALL NORWOOD	–	1	–	–	–	–
SOUTHGATE ...	–	2	1	–	–	–
SUNBURY ON THAMES	–	1	–	–	–	–
TEDDINGTON ...	–	1	–	–	–	–
TOTTENHAM ...	–	6	4	–	3	N. 1
TWICKENHAM ...	–	–	3	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
WEALDSTONE ...	–	3	–	–	–	N. 1
WILLESDEN ...	–	6	9	–	3	M. 2
WOOD GREEN ...	–	1	–	–	–	–
YIEWSLEY AND WEST DRAYTON	–	2	1	–	–	–
Rural Districts—						
HENDON	–	1	1	–	1	–
NORFOLK ...	–	13	5	2	2	–
GREAT YARMOUTH C.B.	–	–	–	1	1	–
NORWICH C.B. ...	–	4	2	1	1	–
Boroughs and Urban Districts:—						
CROMER	–	1	–	–	–	–
KING'S LYNN ...	–	3	–	–	–	–
WALSOKEN ...	–	1	–	–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM	–	1	–	–	–	–
BLOFIELD ...	–	1	–	–	–	–
DOCKING	–	–	1	–	–	–
EAST AND WEST FLEGG	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	1	–	–	–
HENSTEAD ...	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
NORTHAMPTON	–	17	2	3	1	C. 1 E. 1
NORTHAMPTON C.B.	–	6	–	3	–	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	1	–	–	–	–
FINEDON	–	–	–	–	–	C. 1
IRTHLINGBOROUGH	–	1	–	–	–	–
ROTHWELL ...	–	1	1	–	–	–
RUSHDEN... ...	–	4	–	–	1	E. 1
WELLINGBOROUGH	–	3	1	–	–	–
Rural Districts:—						
NORTHAMPTON ...	–	1	–	–	–	–
NORTHUMBERLAND.	–	28	4	–	20	D. 1 L. 2 M. 2 N. 1
NEWCASTLE UPON TYNE C.B.	–	17	1	–	6	D. 1 L. 1 N. 1
TYNEMOUTH C.B.	–	1	–	–	4	–
Boroughs and Urban Districts:—						
ASHINGTON ...	–	–	–	–	1	–
BEDLINGTONSHIRE	–	–	–	–	3	L. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:— *cont.*						
BLYTH	–	1	–	–	3	–
EARSDON	–	–	–	–	1	M. 1
PRUDHOE... ...	–	–	2	–	–	–
SEATON DELAVAL	–	1	–	–	–	–
WALLSEND ...	–	3	–	–	–	M. 1
WHITLEY AND MONKSEATON	–	1	1	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	2	–	–	1	–
GLENDALE ...	–	1	–	–	–	–
HEXHAM	–	1	–	–	–	–
NOTTINGHAM ...	–	26	11	5	19	D. 1 M. 2 N. 2
NOTTINGHAM C.B.	–	14	3	–	14	M. 1
Boroughs and Urban Districts:—						
BEESTON	–	2	–	–	–	–
CARLTON	–	–	1	–	–	–
HUCKNALL ...	–	–	–	–	1	–
KIRKBY IN ASHFIELD	–	2	–	–	1	–
MANSFIELD ...	–	1	2	–	–	D. 1 M. 1
MANSFIELD WOODHOUSE	–	1	–	–	–	–
NEWARK	–	–	–	3	–	–
WEST BRIDGFORD	–	–	–	–	–	N. 1
WORKSOP... ...	–	–	–	–	1	N. 1
Rural Districts:—						
BASFORD	–	4	4	–	1	–
SKEGBY	–	–	–	–	1	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
SOUTHWELL ...	-	1	-	2	-	-
STAPLEFORD ...	-	-	1	-	-	-
WORKSOP... ...	-	1	-	-	-	-
OXFORD	-	4	2	-	1	N. 1
OXFORD C.B. ...	-	1	1	-	1	-
Boroughs and Urban Districts:—						
HENLEY ON THAMES	-	3	-	-	-	-
Rural Districts:—						
BANBURY... ...	-	-	-	-	-	N. 1
CULHAM	-	-	1	-	-	-
PETERBOROUGH (Soke of).	-	1	-	-	-	M. 1
Borough:—						
PETERBOROUGH...	-	1	-	-	-	M. 1
SALOP	-	8	15	-	4	C. 1 M. 2
Boroughs and Urban Districts:—						
CHURCH STRETTON	-	1	-	-	-	-
OAKENGATES ...	-	-	1	-	-	-
SHREWSBURY ...	-	2	-	-	-	M. 1
WELLINGTON ...	-	-	1	-	-	-
WENLOCK ...	-	-	-	-	-	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	-	1	3	-	1	-
CLEOBURY MORTIMER	-	3	-	-	-	-
DRAYTON... ...	-	-	1	-	-	-
LUDLOW	-	-	1	-	-	-
NEWPORT... ...	-	-	-	-	3	-
OSWESTRY ...	-	-	-	-	-	C. 1
SHIFNAL	-	-	5	-	-	-
WELLINGTON ...	-	1	-	-	-	-
WHITCHURCH ...	-	-	3	-	-	-
SOMERSET ...	-	16	2	1	2	C. 1 N. 1
BATH C.B. ...	-	2	-	-	-	N. 1
Boroughs and Urban Districts:—						
BURNHAM ON SEA	-	1	-	-	-	-
CLEVEDON ..	-	-	1	-	-	-
FROME	-	4	-	-	-	-
MIDSOMER NORTON	-	-	-	-	1	-
RADSTOCK ...	-	-	1	-	-	-
WESTON SUPER MARE	-	1	-	-	1	-
YEOVIL	-	-	-	1	-	-
Rural Districts:—						
AXBRIDGE ...	-	2	-	-	-	-
BATH	-	-	-	-	-	C. 1
CLUTTON... ...	-	1	-	-	-	-
LONG ASHTON ...	-	1	-	-	-	-
SHEPTON MALLET	-	1	-	-	-	-
WILLITON ...	-	1	-	-	-	-
WINCANTON ...	-	1	-	-	-	-
YEOVIL	-	1	-	-	-	-
SOUTHAMPTON	-	20	19	1	2	C. 1 D. 1 M. 2
BOURNEMOUTH C.B.	-	2	2	-	1	-
PORTSMOUTH C.B.	-	7	2	1	-	-

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Southampton C.B.	–	–	8	–	–	M. 2
Boroughs and Urban Districts:—						
Aldershot ...	–	2	–	–	–	–
Basingstoke ...	–	–	1	–	–	–
Farnborough ...	–	1	–	–	–	–
Fleet	–	–	–	–	1	–
Gosport	–	4	2	–	–	–
Lymington ...	–	1	2	–	–	–
Romsey	*	*	*	*	*	*
Rural Districts:—						
Basingstoke ...	–	–	2	–	–	–
Fareham ...	–	1	–	–	–	D. 1
Fordingbridge	–	1	–	–	–	C. 1
Kingsclere ...	–	1	–	–	–	–
Romsey	*	*	*	*	*	*
STAFFORD ...	–	45	32	1	30	C. 2 D. 1 E. 1 G. 1 L. 2 M. 4 N. 3
Burton upon Trent C.B.	–	2	–	–	–	N. 1
Smethwick C.B.	–	3	4	–	1	–
Stoke on Trent C.B.	–	4	5	–	9	C. 1 E. 1
Walsall C.B. ...	–	–	5	–	1	N. 1
West Bromwich C.B.	–	7	–	–	–	–
Wolverhampton C.B.	–	4	2	–	2	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
Amblecote ...	–	1	–	–	–	–
Bilston	–	–	–	–	1	M. 1
Brownhills ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
Darlaston ...	–	2	–	–	2	–
Kidsgrove ...	–	–	–	–	–	M. 1
Newcastle under Lyme	–	–	1	1	1	D. 1
Quarry Bank ...	–	1	1	–		
Rowley Regis ...	–	1	1	–	2	–
Sedgley	–	1	–	–	1	–
Stafford ...	–	–	1	–	–	–
Tamworth ...	–	2	–	–	2	–
Tipton	–	5	2	–	2	–
Wednesbury ...	–	2	–	–	1	–
Willenhall ...	–	3	–	–	–	M. 1
Rural Districts:—						
Cheadle... ...	–	4	1	–	–	L. 1
Kingswinford ...	–	1	–	–	2	–
Lichfield ...	–	1	4	–	–	–
Mayfield ...	–	–	–	–	–	C. 1
Seisdon	–	–	–	–	1	–
Stafford ...	–	–	1	–	1	–
Tamworth (part)	–	–	3	–	–	L. 1
Tutbury... ...	–	–	1	–	–	–
Walsall... ...	–	–	–	–	1	–
SUFFOLK, EAST	–	9	22	–	2	N. 1
Ipswich C.B. ...	–	6	16	–	–	–
Boroughs and Urban Districts:—						
Felixstowe ...	–	–	1	–	–	–
Lowestoft ...	–	–	–	–	2	–
Rural Districts:—						
Blything ...	–	–	–	–	–	N. 1
Bosmere and Claydon	–	1	–	–	–	–
Hartismere ...	–	–	5	–	–	–
Plomesgate ...	–	1	–	–	–	–
Woodbridge ...	–	1		–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	2	2	1	–	–
Boroughs and Urban Districts:—						
HADLEIGH ...	*	*	*	*	*	*
NEWMARKET ...	–	–	2	–	–	–
Rural Districts:—						
MELFORD... ...	–	2	–	–	–	–
MILDENHALL ...	–	–	–	1	–	–
THINGOE	*	*	*	*	*	*
SURREY	–	39	10	–	1	E. 2 M. 3 N. 4
CROYDON C.B. ...	–	16	1	–	1	E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BARNES	–	1	1	–	–	–
CATERHAM AND WARLINGHAM	–	1	–	–	–	–
CHERTSEY ...	–	1	–	–	–	N. 1
COULSDON AND PURLEY	–	2	–	–	–	–
EGHAM	–	1	–	–	–	–
HASLEMERE ...	–	1	–	–	–	–
KINGSTON ON THAMES	–	–	–	–	–	M. 1
MERTON AND MORDEN	–	3	–	–	–	–
MITCHAM... ...	–	–	1	–	–	–
REIGATE	–	1	5	–	–	–
RICHMOND ...	–	2	1	–	–	E. 1
SUTTON AND CHEAM	–	1	–	–	–	N. 1
THE MALDENS AND COOMBE	–	1	–	–	–	–
WALTON UPON THAMES	–	–	–	–	–	N. 1
WIMBLEDON ...	–	2	–	–	–	M. 1
WINDLESHAM ...	–	2	–	–	–	–
WOKING	–	1	–	–	–	–
Rural Districts:—						
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	2	–	–	–	–
HAMBLEDON ...	–	–	1	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST...	–	11	13	–	2	M. 4
BRIGHTON C.B. ...	–	3	7	–	–	M. 4
EASTBOURNE C.B.	–	–	2	–	1	–
HASTINGS C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
HOVE	–	2	–	–	–	–
LEWES		1	–	–	–	–
UCKFIELD ...	–	2	–	–	–	–
Rural Districts:—						
CHAILEY	–	1	–	–	–	–
CUCKFIELD ...	–	1	–	–	–	–
HAILSHAM ...	–		4	–	–	–
SUSSEX, WEST...	–	4	4	–	1	G. 1 N. 1
Boroughs and Urban Districts:—						
BOGNOR REGIS ...	–	1	1	–	–	–
WORTHING ...	–	1	1	–	1	G. 1 N. 1
Rural Districts:—						
EAST PRESTON ...	–	–	2	–	–	–
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST...	–	1	–	–	–	–
WARWICK ...	–	84	34	1	22	C. 4 G. 1 L. 20 M. 11 N. 7
BIRMINGHAM C.B.	–	59	29	1	18	C. 4 G. 1 M. 9 N. 5
COVENTRY C.B. ...	–	7	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
Bedworth ...	–	1	–	–	–	–
Bulkington ...	–	–	1	–	–	
Nuneaton ...	–	2	1	–	1	M. 1
Royal Leamington Spa	–	2	–	–	2	M. 1
Rugby	–	–	1	–	–	L. 20
						N. 1
Warwick ...	–	1	–	–	–	–
Rural Districts:—						
Atherstone ...	–	1	–	–	–	–
Foleshill ...	–	1	–	–	–	–
Meriden	–	1	–	–	–	–
Rugby	–	1	2	–	–	–
Shipston on Stour	–	–	–	–	–	N. 1
Solihull ...	–	4	–	–	–	–
Stratford on Avon	–	1	–	–	–	–
Tamworth (part)	–	3	–	–	–	–
WESTMORLAND	–	1	–	–	1	N. 1
Boroughs and Urban Districts:—						
Kendal	–	–	–	–	1	–
Rural Districts:—						
East Westmorland	–	–	–	–	–	N. 1
South Westmorland	–	1	–	–	–	–
WIGHT, ISLE OF	–	2	–	–	–	–
Boroughs and Urban Districts:—						
Ryde	–	1	–	–	–	–
Sandown ...	–	1	–	–	–	–
WILTS	–	12	4	–	3	N. 4
Boroughs and Urban Districts:—						
Devizes	–	1	–	–	–	–
Marlborough ...	–	1	–	–	–	–
Salisbury ...	–	1	1	–	1	N. 1
Swindon	–	1	1	–	–	N. 2
Trowbridge ...	–	4	2	–	–	–
Rural Districts:—						
Calne	–	–	–	–	–	N. 1
Devizes	–	–	–	–	1	–
Malmesbury ...	–	3	–	–	–	–
Marlborough ...	–	–	–	–	1	–
Ramsbury ...	–	1	–	–	–	–
WORCESTER ...	–	14	2	–	5	D. 1
						M. 1
						N. 2
Dudley C.B. ...	–	1	–	–	1	–
Worcester C.B.	–	2	–	–	–	N. 2
Boroughs and Urban Districts:—						
Bromsgrove ...	–	–	–	–	2	–
Halesowen ...	–	3	–	–	1	–
Kidderminster	–	–	–	–	–	M. 1
Oldbury	–	2	1	–	1	D. 1
Stourbridge ...	–	3	–	–	–	–
Rural Districts:—						
Evesham	–	1	–	–	–	–
Pershore ...	–	1	–	–	–	–
Rock	–	1	–	–	–	–
Tenbury	–	–	1	–	–	–
YORKS ... ... (East Riding).	–	23	24	–	5	C. 2
						G. 1
						M. 1
						N. 4
Kingston upon Hull C.B.	–	17	22	–	5	C. 2
						G. 1
						M. 1
						N. 3

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	1	–	–	–
GREAT DRIFFIELD	–	1	–	–	–	–
HEDON	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
BRIDLINGTON ...	–	1	–		–	–
HOWDEN	–	–	–	–	–	N. 1
NORTON	–	1	–	–	–	–
POCKLINGTON ...	–	2	–	–	–	–
SHERBURN ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	–	24	3	–	12	C. 1 N. 2
MIDDLESBROUGH C.B.	–	8	1	–	4	N. 1
Boroughs and Urban Districts:—						
ESTON	–	5	–	–	4	–
REDCAR	–	3	–	–	–	–
SALTBURN BY THE SEA	–	1	–	–	–	–
SCARBOROUGH ...	–	3	–	–	3	N. 1
THORNABY ON TEES	–	1	–	–	–	–
WHITBY	–	2	–	–	–	–
Rural Districts:—						
FLAXTON	–	–	1	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
HELMSLEY ...	–	–	–	–	–	C. 1
STOKESLEY ...	–	–	1	–	–	–
THIRSK	–	–	–	–	1	–
YORKS ... ... (West Riding).	–	128	63	6	38	C. 3 D. 16 E. 4 M. 9 N. 7
BARNSLEY C.B. ...	–	–	1	–	3	D. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
BRADFORD C.B. ...	–	19	9	–	3	N. 1
DEWSBURY C.B....	–	3	3	–	–	–
DONCASTER C.B....	–	1	1	–	–	D. 1 N. 1
HALIFAX C.B. ...	–	3	7	–	–	–
HUDDERSFIELD C.B.	–	–	–	–	–	M. 3 N. 1
LEEDS C.B. ...	–	21	15	–	4	M. 1 N. 1
ROTHERHAM C.B.	–	1	3	–	–	C. 1
SHEFFIELD C.B....	–	17	2	–	9	D. 1 E. 4 M. 4 N. 1
WAKEFIELD C.B.	–	10	1	–	1	D. 1
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	3	–	–	2	–
BARNOLDSWICK ...	–	2	1	–	–	–
BATLEY	–	2	–	–	–	–
BENTLEY WITH ARKSEY	–	–	–	–	–	D. 1
BINGLEY	–	1	–	–	–	–
BIRSTAL	–	–	–	1	–	–
BRIGHOUSE ...	–	–	2		–	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
CASTLEFORD ...	–	3	–	–	–	–
CUDWORTH ...	–	1	–	–	–	M. 1
DARFIELD ...	–	–	2	–	–	D. 1
DARTON	*	*	*	*	*	*
FARSLEY	–	1	–	–	–	–
GREASBROUGH ...	–	1	–	–	–	–
HARROGATE ...	–	1	–	–	–	–
HEMSWORTH ...	–	1	–	–	–	D. 2
HORBURY... ...	–	2	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
KEIGHLEY ...	–	1	–	–	–	–
KNOTTINGLEY ...	–	1	–	1	1	–
MALTBY	–	–	–	1	–	–
MORLEY	–	–	–	–	1	–
NORMANTON ...	–	1	–	–	1	–
OSSETT	–	–	1	–	–	–
PONTEFRACT ...	–	1	–	–	1	–
PUDSEY	–	3	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHIPLEY	–	4	–	–	–	–
SKELMANTHORPE	–	–	–	3	–	–
SOWERBY... ...	–	–	1	–	–	–
SPENBOROUGH ...	–	–	–	–	1	–
STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	–	–	–	–	C. 1
SWINTON	–		–	–	–	D. 1
THURNSCOE ...	–	–	1	–	2	–
TODMORDEN ...	–	2	–	–	–	–
WATH UPON DEARNE	–	–	–	–	–	D. 1
						N. 1
WHITWOOD ...	–	4	–	–	–	
WOMBWELL ...	–	1	–	–	1	D. 1
YEADON		–	1	–	–	
Rural Districts:—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	2	3	–	–	–
GOOLE	–	2	–	–	–	–
GREAT OUSEBURN	–	–	–	–	–	N. 1
HALIFAX	–	–	1	–	–	–
HEMSWORTH ...	–	3	2	–	1	–
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	–	2	–	2	D. 1
KNARESBOROUGH	–	1	–	–	–	
PATELEY BRIDGE	*	*	*	*	*	*
PENISTONE ...	–	1	–	–	–	–
ROTHERHAM ...	–	1	1	–	1	D. 2
SETTLE	–	–	–	–	–	C. 1
WAKEFIELD ...	–	3	1	–	1	D. 1
WETHERBY ...	–	–	2	–	–	–
WORTLEY... ...	–	1	–	–	1	–
YORK, CITY OF ..	–	6	1	–	1	D. 1
YORK C.B. ...	–	6	1	–	1	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	1	1	–	–	–
Rural Districts:—						
AETHWY... ...	–	–	1	–	–	–
TWRCELYN ...	–	1	–	–	–	–
BRECKNOCK ...	–	–	3	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	3	–	1	–
CAERNARVON...	–	1	4	1	–	E. 1
						M. 1
Boroughs and Urban Districts:—						
BANGOR	–	–	2	–	–	–
CAERNARVON ...	–	–	–	–	–	M. 1
CONWAY	–	1	1	1	–	–
Rural Districts:—						
GEIRIONYDD ...	–	–	1	–	–	–
GWYRFAI... ...	–	–	–	–	–	E. 1
CARDIGAN ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–	1	–	–	–	–
CARDIGAN ...	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN...	–	2	2	–	1	N. 1
Boroughs and Urban Districts:—						
BURRY PORT ...	*	*	*	*	*	*
CWMAMMAN ...	–	1	–	–	–	–
LLANELLY ...	–	–	–	–	1	N. 1
Rural Districts:—						
LLANELLY ...	–	1	2	–	–	–
DENBIGH ...	–	7	25	–	2	–
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	–	1	–	–	–
DENBIGH ...	–	–	1	–	–	–
WREXHAM ...	–	4	–	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
LLANGOLLEN ...	–	–	3	–	–	–
RUTHIN	–	–	2	–	–	–
WREXHAM ...	–	3	18	–	2	–
FLINT	–	–	2	1	1	N. 2
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	–	N. 1
FLINT	–	–	–	1	–	
HOLYWELL ...	–	–	–	–	–	N. 1
MOLD	*	*	*	*	*	*
RHYL	–	–	–	–	1	–
Rural Districts:—						
HOLYWELL ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	28	44	1	22	C. 1 M. 7 N. 2
CARDIFF C.B. ...	–	6	14	–	5	M. 1 N. 2
MERTHYR TYDFIL C.B.	–	3	1	–	–	–
SWANSEA C.B. ...	–	3	6	–	2	M. 1
Boroughs and Urban Districts:—						
ABERDARE ...	–	3	3	–	–	–
BARRY	–	–	1	–	–	–
GELLIGAER ...	–	–	–	–	2	–
GLYNCORWG ...	–	–	2	–	2	–
MAESTEG	–	–	2	–	–	–
MOUNTAIN ASH...	–	–	–	–	–	M. 1
OGMORE AND GARW	–	1	–	1	3	–
PONTYPRIDD ...	–	1	1	–	4	C. 1 M. 1
PORT TALBOT ...	–	–	3	–	–	–
RHONDDA ...	–	11	5	–	3	M. 2
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT-FARDRE	–	–	1	–	–	–
NEATH	–	–	3	–	1	M. 1
PONTARDAWE ...	–	–	2	–	–	–
MERIONETH ...	–	2	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	2	–	–	–	–
MONMOUTH ...	–	45	11	1	3	D. 1 E. 1 M. 1 N. 1
NEWPORT C.B. ...	–	20	2	1	1	N. 1

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	1	2	–	–	–
ABERTILLERY ...	–	2	1	–	–	–
BEDWAS AND MACHEN	–	–	1	–	–	–
BEDWELLTY ...	–	4	–	–	–	M. 1
BLAENAVON ...	–	–	–	–	–	E. 1
EBBW VALE ...	–	4	2	–	1	–
LLANTARNAM ...	–	1	–	–	–	–
RHYMNEY ...	–	1	–	–	–	–
RISCA	–	–	1	–	–	–
TREDEGAR ...	–	4	–	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	2	–	–	–	–
MAGOR	–	–	1	–	–	D. 1
MONMOUTH ...	–	–	1	–	–	–
PONTYPOOL ...	–	1	–	–	–	–
ST. MELLONS ...	–	5	–	–	1	–
MONTGOMERY...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	–	–	–	1	–
WELSHPOOL ...	–	2	–	–	–	–
MONTGOMERY—*cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
PEMBROKE ...	–	3	–	1	–	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	1	–	–	–	
PEMBROKE ...	–	1	–	1	–	–
Rural Districts:—						
HAVERFORDWEST	–	1	–	–	–	–
RADNOR	–	–	–	–	–	
Urban Districts:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Total of Part II....	20	1183	675	58	415	C. 32 D. 32 E. 12 F. 1 G. 12 L. 24 M. 91 N. 91

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever,

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

t Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ARNSTAPLE	*	*	*	*	*	*	PENZANCE	*	*	*	*	*	*
							Total of Part III. ...	–	–		–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
Total of Part I.—London	6	233	156	2	49	C. D. E. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	20	1183	675	58	415	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts	-	-	-	-	-	
Total (i.e., of returns received), England and Wales ...	26	1416	831	60	464	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu
Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

).—LONDON and GREAT TOWNS in the EGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

ok ended :—	May 9.	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Totals from 1st Week of year. * 1930.	1931.
N :—															
ATHS	1,369	1,323	1,453	1,227	1,494	1,559	1,383	1,485	1,375	1,463	1,409	1,415	1,453	44,027	42,000
THS	55	47	46	42	61	65	52	37	46	43	47	42	57	1,620	1,459
(excluding Still- —all ages. —0 to 1 year ..	955	905	871	831	856	761	758	780	794	763	735	768	780	29,667	33,063
	71	68	70	74	59	48	48	59	47	54	58	62	56	2,539	2,502
TOWNS, aggre- (including Lon-															
RTHS	6,447	6,364	6,754	5,553	7,080	7,087	6,603	6,607	6,521	6,682	6,477	6,616	6,653	200,578	195,661
ATHS	320	273	301	234	287	301	331	275	283	285	280	247	275	8,833	8,632
(excluding Still-)—all ages. —0 to 1 year ..	4,351	4,127	4,235	4,036	3,872	3,846	3,606	3,674	3,659	3,619	3,538	3,548	3,486	134,579	151,824
	404	347	401	352	367	329	293	308	284	287	292	303	301	12,715	14,160
) FEVER—Cases	15	9	16	11	19	16	12	15	26	19	23	16	21	853	442
,, Deaths	2	2	1	—	1	—	2	1	3	2	2	1	—	64	49
POX—Cases ..	139	108	84	72	57	84	49	38	53	33	34	32	22	7,145	3,455
Deaths ..	—	—	—	—	1	—	—	—	1	—	—	—	—	16	5
T FEVER—Cases	896	864	832	744	786	798	803	803	854	809	815	894	830	37,188	25,405
Deaths	9	11	4	5	5	3	1	3	3	6	9	2	4	288	178
ERIA—Cases ..	578	542	519	412	482	534	569	572	566	585	573	533	524	26,840	18,608
Deaths ..	21	25	21	22	18	21	24	18	23	29	24	19	22	1,260	899
ES—Deaths ..	36	38	28	39	26	33	26	27	16	18	9	18	18	2,352	1,529
NZA—Deaths ..	40	44	54	46	30	21	20	24	19	20	22	14	11	1,486	5,223

he figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the ars and differ from those published for the towns in the Quarterly Return which are corrected for births ng away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 1st August, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ON	75	50	69·9	53·3	23	HUDDERSFIELD	73	46	68·7	51·0	3
REENWICH).						BRADFORD ..	70	51	65·4	54·3	5
HTON ..	74	54	65·7	55·7	14	SHEFFIELD ..	§	§	§	§	§
SMOUTH ..	75	54	66·5	56·3	27	YORK (MUSEUM)	70	53	66·6	54·1	5
WICH(SOUTH-	71	50	66·1	53·7	16	HULL (PEARSON	71	49	63·0	54·0	4
ELL LODGE)						PARK).					
OUTH ..	§	§	§	§	§	TYNEMOUTH ..	72	51	64·0	53·7	11
OL	74	51	66·6	53·4	12	CARDIFF	71	50	64·7	53·3	16
(HORFIELD)											
INGHAM	71	49	64·1	53·0	5						
DGBASTON).						EDINBURGH ..	67·0	51·0	63·3	53·0	16
INGHAM ..	71	50	66·3	53·7	4	GLASGOW ..	69·2	51·9	62·8	53·4	13
ENHEAD	67	51	62·6	54·1	6	DUBLIN					
(BIDSTON).						(PHŒNIX					
CHESTER	69	50	63·9	53·7	20	PARK)	69·0	47·0	65·6	51·0	3
WHITWORTH						(FITZWILLIAM					
PARK).						SQUARE†).	68·0	52·6	65·0	54·2	4
NLEY	71	46	63·1	52·7	13	BELFAST	71·5	48·5	67·4	52·9	18

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Returns not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 1st August, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	26	Greatest Declination S.	29·375	65·8	57·5	8·3	59·8	− 2·7	56·1	3·7	13·9	0·5	87	94·9	55·8	56·8	SW	SSW: Calm: SW.	2·2	0·0	0·3	306	+ 56	0·39
MONDAY -	27	..	29·516	71·8	53·0	18·8	59·3	− 3·1	52·1	7·2	19·7	0·7	77	135·8	46·2	56·9	NW: W: WSW.	WNW.: WSW.	3·7	0·0	0·4	347	+ 101	0·56
TUESDAY -	28	..	29·774	69·2	52·1	17·1	59·4	− 2·9	49·0	10·4	20·5	4·2	69	120·1	45·6	56·9	WSW: W.	W: WSW.	3·5	0·0	0·6	437	+ 195	0·00
WEDNESDAY	29	Full	29·834	67·3	50·2	17·1	58·8	− 3·5	51·3	7·5	17·2	1·2	76	112·0	41·6	57·0	WSW: SW.	SW	2·0	0·0	0·2	278	+ 38	0·03
THURSDAY -	30	..	29·643	70·9	55·6	15·3	61·8	− 0·5	56·9	4·9	17·5	0·7	84	118·7	51·0	57·0	SSW: SW.	W: SW.	1·5	0·0	0·2	289	+ 49	0·08
FRIDAY -	31	..	29·700	68·8	52·9	15·9	58·8	− 3·4	55·0	3·8	12·6	0·8	87	106·0	42·8	57·0	SW: Calm.	Calm: SSW.	0·3	0·0	0·0	140	− 101	0·00
AUGUST. SATURDAY -	1	..	29·706	75·0	50·2	24·8	63·5	+ 1·3	52·8	10·7	20·0	0·8	68	134·4	40·2	57·1	Calm: NE.	ENE: NE.	1·7	0·0	0·2	219	− 24	0·00
MEANS -		..	29·650	69·8	53·1	16·8	60·2	− 2·1	53·3	6·9	17·3	1·3	78	117·4	46·2	57·0	Westerly		..		..	Sum 2016	Sum + 314	Sum 0·86
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	26	wP till 7h.; mP till 11h.; wP till 22½h., then v.	0·4	15·8	Overcast generally. Rain till 0½h. Frequent rain or drizzle 11½h. till 20¼h.; rain from 21¼h.; heavy rain from 22½h.
MONDAY ..	27	v. till 5h.; mP till 15h.; v till 19h., then mP,	6·2	15·7	Overcast till 5h.; very cloudy or nearly overcast till 17h., then partially cloudy. Heavy rain till 2½h., then rain till 4¼h. Shower 10½h., and slight showers between 15h. and 16h.
TUESDAY ..	28	mP throughout	3·4	15·7	Very cloudy generally till 9h.; nearly overcast till 23½h., then little cloud.
WEDNESDAY	29	mP till 2h.; wP till 5h., then mP.	3·3	15·6	Little cloud till 4h.; very cloudy till 9h., then overcast or nearly so. Drizzle 12½h. till 14½h., and 19½h. till 21h. Dew in morning.
THURSDAY	30	Variably mP and wP till 5h., then mP.	1·3	15·6	Overcast or nearly so. Occasional rain till 5½h. Showers 10h. 10m. and 11h. 10m., at 18½h. and about 21h.
FRIDAY ..	31	mP till 21½h., then wP.	1·3	15·5	Overcast till 17h., very cloudy till 21h., then cloudy. Dew at night.
AUGUST. SATURDAY	1	wP till 7h.; mP till 10h.; wP till 18h.; mP till 23h., then wP.	6·7	15·5	Cloudy or partially cloudy till 16½h., then very cloudy. Sky hazy during day. Mist 5h. till 8h. Partial solar halo 13¾h. till 14½h.
			Sum 22·6	Sum 109·4	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·36 ins. at the beginning of the week to 29·44 ins. by 9h. on July 26th; decreased to 29·29 ins. by 19h. on July 26th; increased to 29·88 ins. by 7½h. on July 29th; decreased to 29·62 ins. by 11h. on July 30th; increased generally and was 29·74 ins. by midnight on August 1st.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 31.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 8TH AUGUST,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 8TH AUGUST, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirty-first week of the year numbered 5,544 corresponding to an annual rate of 14·6 per 1,000 living: stillbirths numbered 266 corresponding to a rate of 46 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,386 (100 less than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	July 18.	July 25.	Aug. 1.	Aug. 8.
107 Great Towns	9·3	9 4	9·2	8·9
London	8·8	9·2	9·3	8·6
Birmingham	9·9	9·2	8·2	8·7
Liverpool	9·4	9·9	9·7	9·1
Manchester	10·2	10·0	9 7	10·3
Sheffield	8·8	7·3	7·6	6·7
Leeds	9·9	9·3	11·5	7·5
Bristol	8·5	9·0	9·1	7·1
West Ham	8·3	8·6	9 0	11·1

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 44, against 44, 46, and 46 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,221 live births registered corresponding to an annual rate of 14·5 per 1,000 living: stillbirths numbered 58 corresponding to a rate of 45 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 718 (62 less than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 45, against 41, 44, and 40 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths* registered in the week ended 8th August, 1931.**

Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	I…
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	1
107 Great Towns ..	19,836,440*	5,514	266	3,386	287	1	12	1	15	25	33	
London	4,377,000*	1,221	58	718	63	1	1	–	6	4	7	
Towns in Outer Ring.												
Croydon C.B. ..	233,000	58	2	40	4	–	–	–	1	–	–	
Wimbledon ..	58,830	11	–	6	–	–	–	–	–	–	–	
Ealing	117,400	45	–	23	1	–	–	–	–	–	–	
Acton	70,400	17	1	7	1	–	–	–	–	–	–	
Brentford and Chiswick ..	62,620	10	–	13	1	–	–	–	–	–	–	
Willesden ..	185,300	32	2	33	–	–	–	–	–	–	–	
Hendon	114,600*	40	1	10	1	–	–	–	–	–	–	
Hornsey	95,440	15	1	13	2	–	–	–	–	–	–	
Wood Green ..	54,460	12	1	6	–	–	–	–	–	–	–	
Tottenham ..	159,100	39	1	18	3	–	–	–	–	2	–	
Edmonton	77,530	44	3	12	1	–	–	–	1	–	–	
Enfield	68,090	13	–	8	–	–	–	–	–	–	–	
West Ham C.B. ..	296,900	110	6	63	7	–	–	–	–	–	1	
East Ham C.B. ..	142,900	42	–	15	1	–	–	–	–	–	–	
Leyton	128,600	24	–	17	3	–	–	–	–	–	1	
Walthamstow ..	134,300	39	1	21	–	–	–	–	–	–	–	
Ilford	131,300	33	1	16	1	–	–	–	–	1	–	
Gillingham	60,600*	22	1	9	–	–	–	–	–	–	–	
Canterbury C.B. ..	24,440*	5	–	8	–	–	1	–	–	–	–	
Hastings C.B. ..	61,870	13	–	8	–	–	–	–	–	–	–	
Eastbourne C.B. ..	55,670	14	1	14	–	–	–	–	–	–	–	
Brighton C.B. ..	144,900*	32	2	27	3	–	–	–	–	–	–	
Portsmouth C.B. ..	248,300*	81	4	43	4	–	–	–	–	–	1	
Bournemouth C.B. ..	108,600	24	3	21	1	–	–	–	–	–	–	
Southampton C.B. ..	175,300	54	–	21	1	–	–	–	–	–	–	
Reading C.B.	97,450*	27	1	20	1	–	–	–	–	–	–	
Oxford C.B.	80,530*	37	1	14	1	–	–	–	–	–	–	
Northampton C.B. ..	92,940*	14	2	17	1	–	–	–	–	–	–	
Luton	69,030	14	1	6	–	–	–	–	–	–	–	
Cambridge	66,850	17	–	11	1	–	–	–	–	–	–	
Southend-on-Sea C.B.	117,900	21	–	28	1	–	–	–	–	–	–	
Ipswich C.B.	87,630	30	3	9	–	–	–	–	–	–	–	
Great Yarmouth C.B.	56,690	12	–	10	–	–	–	–	–	–	–	
Norwich C.B.	126,800*	38	2	27	2	–	–	–	–	1	–	
Swindon	62,600	26	–	12	–	–	–	–	–	2	–	
Exeter C.B.	65,290*	18	1	12	–	–	–	–	–	–	–	
Plymouth C.B. ..	207,600*	62	4	49	5	–	–	–	–	1	–	
Bath C.B.	68,120	14	1	11	–	–	–	–	–	–	–	
Bristol C.B.	399,500*	109	8	54	3	–	–	–	–	2	–	
Gloucester C.B. ..	52,890	11	–	14	–	–	–	–	–	–	–	
Stoke-on-Trent C.B.	279,800	76	3	54	6	–	–	–	–	–	1	
Burton-upon-Trent C.B.	49,920	24	1	9	–	–	–	–	–	–	–	
Wolverhampton C.B.	134,200	50	2	24	1	–	–	–	–	–	–	
Walsall C.B.	104,200	22	2	15	1	–	–	–	–	1	–	
West Bromwich C.B.	82,090	38	1	17	2	–	1	–	–	–	1	
Dudley C.B.	60,010	13	–	9	1	–	–	–	–	–	–	
Worcester C.B. ..	50,540	22	–	8	–	–	–	–	–	–	–	
Birmingham C.B. ..	1,011,300	254	20	169	22	–	–	–	–	1	6	
Smethwick C.B. ..	85,370	14	–	13	2	–	–	–	–	–	1	
Coventry C.B. ..	168,500	45	2	13	–	–	–	–	–	–	–	
Leicester C.B. ..	241,200	67	–	51	2	–	–	–	–	–	–	
Lincoln C.B.	66,110*	22	2	14	1	–	–	–	–	–	–	
Grimsby C.B.	92,180	33	–	8	2	–	–	–	–	1	–	
Nottingham C.B. ..	270,900	77	6	48	5	–	–	–	–	–	–	
Derby C.B.	143,400*	37	1	29	–	–	–	–	–	1	–	
Chesterfield	64,450	21	–	7	–	–	–	–	–	–	–	
Stockport C.B. ..	126,600	17	3	19	3	–	–	–	–	–	1	
Chester C.B.	41,370	15	–	5	–	–	–	–	–	–	–	
Birkenhead C.B. ..	148,600	55	–	20	1	–	–	–	–	–	–	
Wallasey C.B. ..	97,240	19	–	15	–	–	–	–	–	–	–	
Liverpool C.B. ..	862,100	291	9	151	23	–	1	–	5	4	1	
Bootle C.B.	77,170	22	2	20	4	–	–	–	2	–	1	
St. Helens C.B. ..	108,200	39	3	18	1	–	–	–	–	–	–	

* Non-civilian deaths are excluded from this table and the comparable civilian populations where differ… from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingh… 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Oxf… C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193,… Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B. ..	77,180	17	-	16	1	-	-	-	-	-	-	-
WIGAN C.B.	86 250	29	-	18	2	-	-	-	-	-	1	-
WARRINGTON C.B. ..	80,280*	25	2	18	2	-	-	-	-	-	1	-
BOLTON C.B	179,300	31	3	26	1	-	-	-	-	-	-	-
BURY C.B.	56,580*	17	1	10	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	773,300	223	12	153	14	-	-	-	-	-	3	-
SALFORD C.B.	226,100	63	2	44	3	-	-	1	-	1	-	-
ASHTON-UNDER-LYNE	51,850	22	1	12	-	-	-	-	-	-	-	1
OLDHAM C.B	142,000	28	4	22	1	-	1	-	-	-	-	1
ROCHDALE C.B. ..	91,190	16	-	25	2	-	-	-	-	-	-	-
BURNLEY C.B	99,300	29	-	20	2	-	-	-	-	-	-	-
BLACKBURN C.B ..	124,000	20	6	24	1	-	-	-	-	-	1	-
PRESTON C.B.	120,100	46	3	18	2	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	97,880	16	1	24	2	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	66,700	7	1	13	1	-	1	-	-	-	-	-
HUDDERSFIELD C.B ..	114,300	28	2	32	1	-	-	-	-	-	-	1
HALIFAX C.B.	98,770*	19	-	24	2	-	1	-	-	-	-	-
BRADFORD C.B. ..	300,800	57	2	58	3	-	-	-	-	-	-	1
LEEDS C.B	486,100	118	6	70	6	-	-	-	-	-	-	-
DEWSBURY C.B. ..	54,430	15	2	12	1	-	-	-	-	1	-	-
WAKEFIELD C.B ..	59,280	11	-	7	-	-	-	-	-	-	-	-
BARNSLEY C.B. ..	72,090	35	4	17	3	-	2	-	-	-	-	-
SHEFFIELD C.B. ..	517,300	130	6	66	4	-	1	-	-	-	1	-
ROTHERHAM C.B. ..	70,100	24	2	6	-	-	-	-	-	-	-	-
DONCASTER C.B ..	63,260	15	1	16	-	-	-	-	-	-	-	-
YORK C.B.	85,910*	18	-	11	-	-	-	-	-	-	-	-
KINGSTON-UPON-HULL C.B.	314,800	105	4	54	7	-	-	-	-	1	-	-
MIDDLESBROUGH C.B.	138,800	44	-	33	7	-	-	-	-	-	1	-
DARLINGTON C.B. ..	72,620	26	3	10	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,350	19	-	11	-	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	68,740	11	1	14	2	-	-	-	-	-	2	-
SUNDERLAND C.B. ..	187,500	83	4	27	2	-	1	-	-	-	-	-
SOUTH SHIELDS C.B ..	114,400	39	-	20	2	-	-	-	-	-	-	-
GATESHEAD C.B. ..	123,700	40	-	21	3	-	-	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	284,300*	107	5	55	5	-	-	-	-	-	-	-
TYNEMOUTH C.B. ..	64,750	23	1	15	-	-	-	-	-	-	1	-
CARLISLE C.B.	57,430*	29	2	8	3	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	89,500*	26	1	10	-	-	-	-	-	-	-	-
CARDIFF C.B.	223,700*	59	3	44	4	-	-	-	-	1	-	-
RHONDDA	142,700	35	5	21	3	-	1	-	-	-	-	-
MERTHYR TYDFIL C.B.	71,670	14	1	17	1	-	-	-	-	-	-	1
ABERDARE	49,010	10	-	16	-	-	-	-	-	-	-	-
SWANSEA C.B.	165,400	42	5	30	2	-	-	-	-	-	-	1
GREATER LONDON ..	8,179,740*	2,263	88	1,297	105	1	1	1	8	7	11	2
OUTER RING	3,802,740*	1,042	30	579	42	-	-	1	2	3	4	1
17 GREAT TOWNS IN OUTER RING	2,130,770*	584	20	321	26	-	-	-	2	3	2	-
REMAINDER OF OUTER RING	1,671,970*	458	10	258	16	-	-	1	-	-	2	1
EDINBURGH†	438,998	143	?	82	2	-	-	1	-	2	-	-
GLASGOW†	1,088,417	438	?	231	13	-	5	2	-	-	5	1
DUBLIN†	412,400	141	?	96	24	-	-	-	-	-	5	-
BELFAST†	415,151	193	?	93	5	-	2	-	-	-	-	1

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
London‡	4,377,000	1931. Aug. 8	1221	58	718	8·6	1	–	1	–	6	4	7
Calcutta and Suburbs	1,077,264	June 27	?	?	582‖	28·1	?	1	?	–	?	?	1
Bombay§	1,298,708	July 11	485	39	429	17·2	4	1	–	–	–	–	13
Madras	528,791	June 27	555	78	479	47·0	6	1	–	–	1	–	17
Sydney and Suburbs	1,253,560	„ 30 (30 days)	1814	?	959	9·2	–	–	–	–	5	8	4
Brisbane (Metropolitan Area).	313,251	Apr. 30 (30 days)											
Perth (Metropolitan Area).	204,780	May 30	76	?	34	8·6	–	–	–	–	–	–	2
Auckland (Urban Area).	215,730	June 30 (30 days)											
Wellington (Urban Area).	142,540	June 30 (30 days)											
Christchurch (Urban Area).	127,070	June 30 (30 days)											
Cape Town	136,748	July 4	68	–	49	18·6	–	–	–	–	–	1	1
Johannesburg	187,326	June 27	85	3	53	14·7	–	–	–	–	–	1	1
Durban	61,667	„ 27	16	1	14	11·8	–	–	–	–	–	–	–
Paris	2,871,429	„ 30 (10 days)	1100	64	936	11·9	3	–	3	1	2	7	28
Antwerp	295,389	July 15 (15 days)											
Amsterdam	754,470	July 18	236	6	99	6·8	–	–	–	–	–	–	–
Copenhagen	615,700	„ 25	188	4	100	8·5	–	–	–	–	–	–	–
Stockholm	502,203	„ 18	108	6	91	9·4	–	–	–	–	–	–	–
Gothenberg	245,600	June 27											
Oslo	256,353	July 25	38	2	40	8·1	–	–	–	–	–	–	1
Berlin	4,312,000	„ 11	776	34	853	10·3	–	?	–	–	1	8	4
Breslau	617,000	„ 11	137	4	124	10·5	–	?	2	–	1	–	1
Cologne	739,000	„ 11	197	5	114	8·0	–	?	1	–	–	1	–
Dresden	632,000	„ 11	108	5	115	9·5	–	?	–	–	–	–	–
Frankfort-on-Main	540,000	„ 11	97	4	87	8·4	–	?	–	–	–	–	–
Hamburg	1,143,000	„ 11	249	9	190	8·6	1	?	–	–	–	–	1
Leipzig	718,000	„ 11	161	7	144	10·4	–	?	–	–	–	–	3
Munich	730,000	„ 11	163	4	124	8·8	–	?	–	–	–	–	1
Budapest	1,009,069	„ 18	292	10	221	11·4	1	–	–	–	1	1	6
Warsaw	1,115,651	„ 11	?	10	260	12·2	2	–	–	1	5	2	19
Madrid	834,103	„ 4	302	28	297	18·6	2	–	7	–	2	1	34
Cairo	1,160,700	Apr. 15	902	28	618	27·8	7	–	15	–	?	2	154
Alexandria	629,900	„ 15	525	10	285	23·6	1	–	15	–	?	1	32
New York	7,090,089	July 11	?	?	1277	9·4	5	–	4	–	2	–	17
Chicago	3,457,375	„ 17	1122	23	638	9·6	–	–	1	3	1	4	8
New Orleans	466,000	June 30 (30 days)	657	22	582	15·0	4	–	1	–	–	–	14
Rio de Janeiro ..	1,729,799	May 16	703	47	477	14·4	4	–	8	–	3	4	54
		„ 23	669	64	461	13·9	1	–	9	–	5	3	51

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.

§ The registration of Births in Bombay is incomplete.

‖ Including 38 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 8th August, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
			ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
	1930.	1931.												
ALL CAUSES	30,389	33,781	718	63	5	11	13	26	32	44	77	125	176	146
Enteric fever	13	15	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox	10	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	994	35	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	86	38	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	96	208	6	5	1	-	-	-	-	-	-	-	-	-
Diphtheria	309	165	4	-	-	1	2	1	-	-	-	-	-	-
Influenza	235	908	1	-	1	-	-	-	-	-	3	-	1	-
Erysipelas	101	116	4	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	35	29	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	65	95	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2205	2411	51	-	-	-	-	10	13	9	10	7	3	-
Nervous system	147	147	2	1	-	-	-	-	1	-	-	-	-	-
Intestines and peritoneum	31	37	1	-	-	-	-	-	1	-	-	-	-	-
Other forms	135	160	3	-	-	-	-	2	-	-	-	-	1	-
Venereal diseases	115	118	1	-	-	-	-	-	-	-	-	1	-	-
Cancer	3975	4139	126	-	-	-	-	-	2	10	16	41	39	18
Rheumatic fever	115	87	2	-	-	-	1	-	1	-	-	-	-	-
Diabetes	309	322	6	-	-	-	-	-	-	-	1	1	4	-
Alcoholism	10	10	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	51	60	4	1	-	1	-	1	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1235	1264	27	-	-	-	-	-	-	-	1	8	12	6
Epilepsy	124	108	2	-	-	-	-	-	-	2	-	-	-	-
"Convulsions" (not puerperal) ..	39	41	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	758	704	24	2	-	-	1	1	1	1	4	3	9	2
Pericarditis	13	12	1	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	127	112	3	-	-	-	-	1	-	1	-	-	1	-
Other diseases of heart	6249	7750	131	-	-	-	2	2	2	4	11	22	49	39
Other diseases of circulatory system	1293	1401	44	-	-	-	-	-	-	-	3	6	11	25
Bronchitis	1228	1883	16	1	-	-	-	-	1	-	-	1	4	9
Broncho-pneumonia	1194	1795	16	1	1	1	-	-	-	-	2	4	4	3
Lobar pneumonia	705	831	15	2	1	-	-	-	2	-	1	4	3	2
Pneumonia (type not distinguished)	257	285	2	-	-	-	-	-	-	1	-	1	-	-
Other diseases of respiratory system	306	393	4	-	-	-	-	-	-	-	1	1	2	-
Diarrhœa and enteritis	432	401	10	6	1	-	1	-	-	-	-	-	2	-
Appendicitis, Typhlitis	188	175	8	-	-	1	-	-	-	1	2	2	2	-
Hernia, Intestinal obstruction	303	332	8	1	-	-	-	1	-	2	2	1	-	-
Cirrhosis of liver	126	148	6	-	-	-	-	-	-	2	2	2	2	3
Other diseases of digestive system ..	802	722	25	1	-	4	-	-	-	2	4	2	5	7
Acute nephritis	60	54	1	-	-	-	-	-	1	-	-	-	-	-
Chronic Bright's disease	1017	1083	24	-	-	-	-	-	2	-	3	5	9	5
Other diseases of genito-urinary system,	486	534	9	-	-	-	-	-	-	-	1	-	5	3
Puerperal sepsis	67	73	2	-	-	-	-	-	1	1	-	-	-	-
Other causes incident to childbirth ..	54	78	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	205	194	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	591	608	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	114	100	6	6	-	-	-	-	-	-	-	-	-	-
Old age	896	909	18	-	-	-	-	-	-	-	-	-	1	17
Suicide	341	324	9	-	-	-	-	-	1	2	2	3	-	1
Burns and Scalds	58	90	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	82	61	4	-	-	-	3	-	-	-	1	-	-	-
Suffocation in bed	21	17	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	450	423	13	-	-	1	1	7	-	-	-	-	2	2
Other deaths by violence	484	488	17	2	-	-	-	-	1	1	1	5	4	3
Other specified causes	1237	1385	33	9	-	1	2	-	1	4	7	5	2	2
Ill-defined causes	3	3	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 8th August, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	12	175	120	3	37	C. 5 G. 1 M. 12 N. 13
CITY OF LONDON	–	–	1	–	1	–
Metropolitan Boroughs:—						
BATTERSEA ...	–	5	3	1	1	M. 1 N. 1
BERMONDSEY ...	–	4	5	–	–	–
BETHNAL GREEN	2	12	5	–	2	–
CAMBERWELL ...	1	8	4	–	2	M. 1 N. 1
CHELSEA	–	2	2	–	–	–
DEPTFORD ...	–	3	1	–	–	M. 1
FINSBURY ...	–	1	2	–	–	–
FULHAM	–	5	4	–	–	N. 1
GREENWICH ...	–	6	5	–	1	–
HACKNEY... ...	–	5	5	–	–	N. 1
HAMMERSMITH ...	–	1	3	–	2	–
HAMPSTEAD ...	–	2	–	–	–	M. 1
HOLBORN... ...	–	1	1	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	1	15	6	–	2	C. 1 M. 3 N. 3
KENSINGTON ...	–	1	2	–	1	C. 1
LAMBETH ...	2	7	7	–	–	C. 1 N. 1
LEWISHAM ...	–	12	4	–	–	N. 2
PADDINGTON ...	–	5	2	–	–	–
POPLAR	3	8	9	–	3	C. 1
ST. MARYLEBONE	–	6	3	–	–	M. 1
ST. PANCRAS ...	–	6	6		2	C. 1 M. 1 N. 2
SHOREDITCH ...	1	6	5	–	1	M. 1
SOUTHWARK ...	1	7	11	–	11	
STEPNEY	1	30	6	–	–	–
STOKE NEWINGTON	–	1	–	–	–	M. 1
WANDSWORTH ...	–	9	5	–	5	G. 1 M. 1
WESTMINSTER, CITY OF	–	–	6	1	–	N. 1
WOOLWICH ...	–	7	7	1	3	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	3	–	–	–
Boroughs and Urban Districts:—						
BEDFORD	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	1	–	–	–
LUTON	–	1	2	–	–	–
Rural Districts:—						
BEDFORD	–	1	–	–	–	–
BERKS	–	4	3	–	1	–
READING C.B. ...	–	1	2	–	–	–
Boroughs and Urban District:—						
ABINGDON ...	–	1	–	–	–	–
MAIDENHEAD ...	–	–	1	–	–	–
NEWBURY ...	–	1	–	–	–	–
Rural Districts:—						
FARINGDON (part)	–	1	–	–	1	–
BUCKINGHAM ...	–	8	2	–	2	C. 2
Boroughs and Urban Districts:—						
AYLESBURY ...	–	–	–	–	1	
BEACONSFIELD ...	–	–	–	–	–	C. 1
CHESHAM	–	1	–	–	–	–
SLOUGH	–	3	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	C. 1
AYLESBURY ...	–	–	1	–	–	–
ETON	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	1	7	–	2	–
Borough:—						
CAMBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	1	–	–	–	–
NEWMARKET ...	–	–	7	–	–	–
CHESTER ...	–	21	26	–	14	D. 1 L. 2 M. 2 N. 2
BIRKENHEAD C.B.	–	3	2	–	3	M. 1
CHESTER C.B. ...	–	–	–	–	2	D. 1
STOCKPORT C.B. ...	–	1	3	–	–	–
WALLASEY C.B. ...	–	2	–		–	–
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	–	–	–	1	–
BEBINGTON AND BROMBOROUGH	–	1	1	–	1	–
BUGLAWTON ...	–	–	–	–	1	–
CHEADLE AND GATLEY	–	1	–	–	–	–
CONGLETON ...	–	–	1	–	–	M. 1
CREWE	–	–	1	–	–	–
DUKINFIELD ...	–	1	–	–	1	–
HOOLE	–	–	–	–	1	–
HYDE	–	4	2	–	1	–
KNUTSFORD ...	–	1	–	–	–	N. 1
LYMM	–	–	1	–	–	–
MACCLESFIELD ...	–	–	–	–	–	L. 2
NANTWICH ...	–	–	7	–	–	–
SALE	–	1	2	–	–	–
STALYBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
MALPAS	–	1	–	–	1	–
NANTWICH ...	–	1	1	–	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
RUNCORN	–	2	1		1	N. 1
TARVIN	–	–	1	–	1	–
WIRRAL	–	1	3	–	–	–
CORNWALL ...	–	10	5	–	3	D. 1
Boroughs and Urban Districts:—						
FOWEY	–	2	1	–	–	–
LOSTWITHIEL ...	–	1	–	–	–	–
NEWQUAY ...	–	4	–	–	–	–
ST. IVES	–	1	–	–	–	–
ST. JUST	–	–		–	1	–
TRURO		–	1	–	–	–
Rural Districts:—						
CALSTOCK ...	–	1		–	–	–
LISKEARD ...	–	–	–	–		D. 1
ST. AUSTELL ...		–	–	–	1	–
ST. COLUMB MAJOR	–	–	2	–	–	–
TRURO	–	1	–	–	1	–
WEST PENWITH...	–	–	1	–	–	–
CUMBERLAND...	–	8	–	–	2	G. 1 M. 1 N. 1
CARLISLE C.B. ...		2	–		1	G. 1
Boroughs and Urban Districts:—						
HARRINGTON ...	–	1	–	–	–	–
MILLOM		1		–		N. 1
PENRITH	–	1	–		–	–
WHITEHAVEN ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
ALSTON WITH GARIGILL...	–	1	–	–	–	–
CARLISLE ...	–			–	1	–
COCKERMOUTH ...		1		–		–
LONGTOWN ...	*	*	*	*	*	*
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	4	15	9	1	9	D. 1 M. 6
DERBY C.B. ...	–	3	2	–	3	M. 4
Boroughs and Urban Districts:—						
BOLSOVER ...	–		–	–	1	M. 1
CHESTERFIELD ...	1	–	1	–	–	D. 1
HEANOR	–	–	–	–	1	–
ILKESTON... ...	–	1	–	–	–	–
LONG EATON ...	–	1	–	–	–	
NORTH DARLEY...	–	–	1	–	–	–
RIPLEY	–	1	–	–	–	–
SWADLINCOTE DISTRICT	–	–		–	3	–
Rural Districts:—						
BLACKWELL ...	1	–	–	–	–	–
CHAPEL EN LE FRITH	–	–	3	–	–	M. 1
CHESTERFIELD ...	2	3	2	–	1	–
CLOWNE	–	3	–	–	–	–
REPTON		1	–	–	–	–
SHARDLOW ...	–	2	–	1	–	–
DEVON	–	8	17	2	6	M. 2 N. 1
EXETER C.B ...	–	–	1	1	1	M. 1
PLYMOUTH C.B.	–	6	8	–	1	M. 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
BIDEFORD ...	–	–	1	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
CREDITON ...		–	2		–	–
EXMOUTH ...	–	1	–		–	–
PAIGNTON ...	–	–	–	1	1	
SALCOMBE ...	–	–	–		1	–
TEIGNMOUTH ...		–	–	–	1	–
TORQUAY	–	–	–		1	–
Rural Districts:—						
CREDITON ...		–	3	–		–
CULMSTOCK ...	*	*	*	*	*	*
NEWTON ABBOT...	–	–	–	–	–	N. 1
PLYMPTON ST. MARY	–	1	1	–	–	–
DORSET	–	5	8	–	2	M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	1	–
POOLE	–	1	2	–	1	–
WAREHAM ...	–	–	1	–	–	–
WEYMOUTH AND MELCOMBE REGIS	–	–	4	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	1	–	–	–
BRIDPORT ...	–	–	–	–	–	M. 1
DORCHESTER ...	–	1	–		–	–
WAREHAM AND PURBECK	–	2	–	–	–	–
DURHAM ...	1	42	21	5	33	C. 3 D. 2 G. 1 M. 3 N. 3
DARLINGTON C.B.	–	2	1	–	–	C. 1 N. 1
GATESHEAD C.B.	–	7	–	–	4	D. 1
SOUTH SHIELDS C.B.	–	4	–		3	
SUNDERLAND C.B.	–	7	1	–	5	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
WEST HARTLEPOOL C.B.	–	–	2	2	2	–
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	1	2	–	–	N. 1
BENFIELDSIDE ...	–	–	2	1	–	–
BLAYDON... ...	–	4	1	–	–	M. 2
BRANDON AND BYSHOTTLES	–	2	–	–	–	–
CHESTER LE STREET	–	2	–	–	–	–
CONSETT	–		–	–	1	–
CROOK	–	–	1		–	–
FELLING	–	2	–	–	2	–
HEBBURN ...	–	2		–	–	–
HETTON	–	–		–	1	–
JARROW	–	–	–	–	4	–
LEADGATE ...	–	–	1	–	–	–
SPENNYMOOR ...	–	–	–	–	–	M. 1
STANLEY	–	1	–	1	–	–
STOCKTON ON TEES	–	3			1	D. 1
TANFIELD ...	–	–	1	–	–	C. 1
TOW LAW ...	–	–	–	–	1	–
WASHINGTON ...	–	1	–	–	–	–
WHICKHAM ...	–	–	1	–	–	–
Rural Districts:—						
AUCKLAND ...	1	1	2	1	–	–
CHESTER LE STREET	–	–	1	–	1	–
DURHAM	–	–	–	–	1	–
EASINGTON ...	–	–	5	–	3	C. 1
HOUGHTON LE SPRING	–	–	–	–	1	–
LANCHESTER ...	–	1		–	–	–
SEDGEFIELD ...	–	–	–	–	–	G. 1
SOUTH SHIELDS	–	–	–	–	2	–
SUNDERLAND ...	–	–	–	–	1	–
WEARDALE ...	–	2	–	–	–	–
ELY, ISLE OF ...	–	3	1	2	–	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	2	–	–	–	–
WISBECH	–	–	1	1	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
ELY	-	-	-	1	-	-
WISBECH	-	1	-	-	-	-
ESSEX	5	78	45	5	20	E. 1 G. 1 M. 4 N. 9
EAST HAM C.B. ...	-	2	3	1	-	E. 1
SOUTHEND ON SEA C.B.		5	-	-	2	M. 2
WEST HAM C.B.	2	11	3		7	M. 2
Boroughs and Urban Districts:—						
BARKING TOWN ...	-	3	3	-	2	-
BENFLEET ...	-	-	1	-	-	-
BRENTWOOD ...	-	2	2	-	-	-
CANVEY ISLAND	-	1	-	-	-	-
CHINGFORD ...	-	-	1	-	-	-
CLACTON	-	-	-	-	1	-
COLCHESTER ...	-	5	-	-	1	-
DAGENHAM ...	-	10	4	-	-	-
EPPING	-	-	2	-	-	N. 1
GRAYS THURROCK	-	-	-	-	1	G. 1
HORNCHURCH ...	-	-	1	-	-	-
ILFORD	-	3	1	3	1	-
LEYTON	1	3	5	-	1	N. 2
MALDON	-	1	-	-	-	-
PURFLEET ...	-	-	2	-	-	-
ROMFORD	-	2		-	-	-
TILBURY	-	-	4	-	-	-
WALTHAM HOLY CROSS	-	1	-	-	-	-
WALTHAMSTOW ...	2	10	2	-	2	N. 2
WANSTEAD ...	-	-	-	-	1	N. 1
WITHAM	-	1	-	-		-
WOODFORD ...	-	3	1	-	1	-
Rural Districts:—						
BILLERICAY ...	-	3	-	-	-	-
BRAINTREE ...	-	2	2	-	-	N. 1
CHELMSFORD ...	-	2	-	1	-	-
DUNMOW	-	6	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
EPPING	-	1	-	-	-	-
LEXDEN AND WINSTREE	-	-	-	-	-	N. 1
MALDON	-	1	-	-	-	-
ONGAR	-	-	1	-	-	N. 1
ORSETT	-	-	2	-	-	-
ROMFORD	-	-	3	-	-	-
TENDRING ...	-	-	1	-	-	-
GLOUCESTER ...	-	18	17	3	3	M. 1
BRISTOL C.B. ...	-	11	14	-	2	-
GLOUCESTER C.B.	-	1	2	-	1	M. 1
Boroughs and Urban Districts:—						
CHELTENHAM ...	-	1	1	-	-	-
NAILSWORTH ...	-	3	-	-	-	-
Rural Districts:—						
CIRENCESTER ...	-	1	-	2	-	-
GLOUCESTER ...	-		-	1	-	-
THORNBURY ...	-	1	-	-	-	-
HEREFORD ...	-	1	1	-	2	N. 1
Rural Districts:—						
BROMYARD ...	-	-	-	-	1	-
LEDBURY	-		1		-	-
LEOMINSTER AND WIGMORE	-	1	-	-	-	-
WEOBLEY	-	-	-	-	1	N. 1
HERTFORD ...	-	19	3	1	2	N. 2
Boroughs and Urban Districts:—						
CHESHUNT ...	-	-	-	1	-	N. 1
HITCHIN	-	5	-	-	-	-

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Hoddesdon ...	–	7	–	–	–	–
St. Albans ...	–	–	–	–	–	N. 1
Watford... ...	–	3	2	–	1	–
Welwyn Garden City	–	2	–	–	1	–
Rural Districts:—						
Berkhampstead	–	1	–		–	–
Hitchin	–	1	–	–	–	–
Watford ...	–	–	1	–	–	–
KENT	–	39	19	1	10	C. 1 G. 1 M. 4 N. 4
Canterbury C.B.	–	–	–	–	–	M. 2
Boroughs and Urban Districts:—						
Beckenham ...	–	–	–	–	–	C. 1
Bexley	–	2	–	–	1	N. 1
Broadstairs and St. Peter's	–	–	1	–	1	–
Bromley... ...	–	2	–	–		–
Chatham ...	–	1	1	–	–	–
Chislehurst ...	–	1	–	–	–	–
Crayford ...	–	1	1	–	–	–
Dartford ...	–	4	–	–	–	–
Deal	*	*	*	*	*	*
Dover	–	–	1	–		–
Erith	–	–	2	–	1	
Folkestone ...	–		1	–	–	M. 1
Gillingham ...	–	2	–	–	1	–
Gravesend ...	–	1	–	–	–	–
Herne Bay ...	–	7	1	–	–	–
Hythe	–	1	–	1	–	–
Maidstone ...	–	1	–	–	–	N. 1
Margate ...	–	1	–	–	–	–
New Romney ...	–	–	–	–	–	M. 1
Northfleet ...	–	–	3	–	–	–
Ramsgate ...	–	2	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
Rochester ...	–	4	–	–	–	–
Royal Tunbridge Wells	–	–	–	–	1	
Sevenoaks ...	–	1	–	–	–	
Sheerness ...	–	–	–	–	–	N. 1
Sidcup	–	1	–	–	–	
Sittingbourne and Milton	–	1	–	–	–	–
Whitstable ...	–	–		–	1	–
Rural Districts:—						
Blean	–	–	2		–	–
Bridge	–	–	–	–	–	N. 1
Bromley... ...	–	1	–	–	–	–
Dartford ...	–	1	–		–	–
Eastry	–	–	–	–	1	–
Elham	–	–	1	–	–	–
Hollingbourne	–	–	–	–	1	–
Isle of Thanet	–	1	–	–	–	–
Maidstone ...	–	–	1	–	–	–
Milton	–	1		–	–	–
Romney Marsh	–	–	1		–	–
Sevenoaks ...	–	–		–	1	–
Strood	–	1	1	–	–	–
Tonbridge ...	–	–	2	–	1	–
West Ashford...	–	1	–	–	–	–
LANCASTER ...	–	177	91	14	102	C. 3 D. 3 G. 1 L. 1 M. 15 N. 8
Barrow in Furness C.B.	–	–	1	–	4	–
Blackburn C.B.	–	–	–	–	2	
Blackpool C.B.	–	4	4	–	–	M. 1 N. 1
Bolton C.B. ...	–	8	–	–	1	–
Bootle C.B. ...	–	7	1	–	5	–
Burnley C.B. ...	–	2	–		4	M. 2
Bury C.B. ...	–	–	–	–	1	–
Liverpool C.B....	–	18	38	–	21	L. 1 M. 9 N. 2

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Manchester C.B.	–	43	7	1	21	C. 3 D. 2 M. 2 N. 2
Oldham C.B. ...	–	8	–	2	2	–
Preston C.B. ...	–	1	–	–	1	–
Rochdale C.B....	–	3	–	–	1	M. 1
St. Helens C.B.	–	1	2	1	5	–
Salford C.B. ...	–	8	9	–	2	–
Southport C.B.	–	6	6	2	–	–
Warrington C.B.	–	11	1	4	1	N. 1
Wigan C.B. ...	–	3	–	–	6	–
Boroughs and Urban Districts:—						
Ashton in Makerfield	–	1	–	–	–	–
Ashton-under-Lyne	–	5	–	–	–	–
Aspull	–	–	–	1	–	–
Atherton ...	–	–	–	–	–	D. 1 N. 1
Chadderton ...	–	1	–	–	–	–
Chorley	–	2	–	–	1	–
Colne	–	1	–	–	2	–
Darwen	–	1	1	–	–	–
Denton	–	1	2		1	–
Droylsden ...	–	1	–	–	–	–
Eccles	–	1	–	–	2	–
Failsworth ...	–	–	1	–		–
Farnworth ...	–	1		–	–	N. 1
Fleetwood ...	–	–		–	1	–
Great Crosby ...	–	–	1	–		–
Haslingden ...	–	–	2	–	–	–
Haydock... ...	–	1	–		1	–
Hindley... ...	–	–	–	–	3	–
Horwich... ...	–	1		–	1	–
Ince in Makerfield	–	–	1	–	–	–
Kearsley ...	–	–	–	–	1	–
Lancaster ...	–	4	–	–	1	–
Leigh		2	1	–	–	–
Litherland ...	–	–	1	–	–	–
Lytham St. Anne's	–	1	–	–	–	–
Middleton ...	–	7	4	–	1	–
Morecambe and Heysham	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Nelson	–	2	–	–	–	–
Newton in Makerfield	–	2	–	1	1	–
Ormskirk ...	–	–	1	–	–	–
Poulton le Fylde	*	*	*	*	*	*
Prestwich ...	–	1	–	1	–	–
Radcliffe ...	–	2	–	–	–	–
Rishton	–	1	–	–	–	–
Royton	–	–	–	–	1	–
Stretford ...	–	1	1	–	1	G. 1
Swinton and Pendlebury	–	3	1	–	1	–
Ulverston ...	–	–	–	1	–	–
Wardle	–	–	1	–	–	–
Waterloo with Seaforth	–	1	–	–		–
Widnes		2	–	–	2	–
Worsley... ...	–	1	–	–	–	–
Rural Districts:—						
Barton upon Irwell	–	2	–	–	–	–
Blackburn ...	–	1	–	–	–	–
Burnley ...	–	2	–	–	–	–
Preston	–	–	1	–	–	–
Warrington ...	–	–		–	1	–
West Lancashire	–	–	1	–	2	–
Whiston... ...	–	–	2	–	–	–
LEICESTER ...	2	20	5	–	4	–
Leicester C.B....	2	9	3	–	2	–
Boroughs and Urban Districts:—						
Loughborough	–	2	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
BARROW UPON SOAR	–	4	1	–	–	–
BLABY	–	2	–	–	–	–
CASTLE DONINGTON	–		–	–	1	–
HALLATON ...	–	2	–	–	–	–
HINCKLEY ...	–	–	1	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	5	1	–	–	–
Boroughs and Urban Districts:—						
SPALDING ...	–	2	1	–	–	–
Rural Districts:—						
BOSTON	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	5		–	–	–
Boroughs and Urban Districts:—						
GRANTHAM ...	–	3	–	–	–	–
Rural Districts:—						
NORTH KESTEVEN	*	*	*	*	*	*
WEST KESTEVEN	–	2		–	–	–
LINCOLN (parts of Lindsey).	–	8	2	1	5	C. 1 D. 1 M. 1
GRIMSBY C.B. ...	–	3	1	1	–	M. 1
LINCOLN C.B. ...	–	3	–			–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BRIGG	–	–	–		1	–
CLEETHORPES ...	–	2	–	–	1	–
GAINSBOROUGH ...	–	–	–	–	2	–
HORNCASTLE ...	–	–	1		–	–
SCUNTHORPE AND FRODINGHAM	–	–	–	–	–	C. 1
Rural Districts:—						
GLANFORD BRIGG	–	–	–	–	–	D. 1
HORNCASTLE ...	–	–	–	–	1	–
MIDDLESEX ...	–	66	36	3	8	C. 3 M. 2 N. 6
Boroughs and Urban Districts:—						
ACTON	–	2		–	–	–
BRENTFORD AND CHISWICK	–	2	–	–	–	–
EALING	–	–	–	–	–	N. 1
EDMONTON ...	–	11	4	–	–	–
ENFIELD	–	1	2	1	–	–
FINCHLEY ...		5	2		–	N. 1
FRIERN BARNET...	–	1	1		–	–
HARROW ON THE HILL		1	–	–	–	C. 1
HAYES AND HARLINGTON	–	2		–	–	–
HENDON	–	4	2	1	1	C. 1 N. 3
HESTON AND ISLEWORTH	–	4	3	1	–	–
HORNSEY	–	3	–	–	1	–
KINGSBURY ...		1		–	–	M. 1
RUISLIP NORTHWOOD	–	–	–	–	1	–
SOUTHALL NORWOOD	–	1	1	–	1	–
SOUTHGATE ...		1			–	–
STAINES		–	4	–	1	C. 1

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
Sunbury on Thames	–	–	1	–	–	–
Teddington ...	–	–	1	–	–	–
Tottenham ...	–	6	6	–	1	M. 1
Twickenham ...	–	1	3	–	–	–
Uxbridge ...	–	1		–	1	–
Wealdstone ...	–	2	–	–	–	–
Wembley ...	–	4		–	–	–
Willesden ...	–	4	4	–	1	N. 1
Wood Green ...	..	3	2	–	–	–
Yiewsley and West Drayton	–	2	–	–	–	–
Rural Districts—						
Hendon		1	–	–	–	–
South Mimms ...	–	3	–	–	–	–
NORFOLK ...	–	14	6	–	–	D. 1 M. 1 N. 4
Great Yarmouth C.B.	–	–	1	–	–	–
Norwich C.B. ...	–	4	3	–	–	D. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
Cromer	–	1	1	–	–	–
East Dereham...	–	–	–	–	–	N. 1
King's Lynn ...	–	5	–	–	–	–
Rural Districts:—						
Blofield ...	–	1	–	–	–	–
Depwade ...	–	2	–	–	–	–
Downham ...	–	–	1	–	–	–
East and West Flegg	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	9	1	1	3	C. 1 N. 1
Northampton C.B.	–	1	–	1	–	C. 1
Boroughs and Urban Districts:—						
Kettering ...	–	1	1	–	–	–
Rothwell ...	–	1	–	–	–	–
Rushden... ...	–	1	–	–	1	–
Wellingborough	–	1	–	–	–	–
Rural Districts:—						
Brixworth ...	–	1	–	–	–	N. 1
Daventry ...	–	–	–	–	1	–
Northampton ...	–	–	–	–	1	–
Wellingborough	–	3	–	–	–	–
NORTHUMBERLAND.	–	28	6	1	11	C. 2 D. 3 M. 1 N. 3
Newcastle upon Tyne C.B.	–	15	2	–	4	C. 2 D. 2 M. 1 N. 1
Tynemouth C.B.	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
Ashington ...	–	–	–	1	–	D. 1
Bedlingtonshire	–	–	–	–	1	–
Blyth	–	–	–	–	4	–
Cramlington ...	–	–	–	–	1	–
Earsdon	–	1	–	–	–	–
Gosforth ...	–	1	–	–	–	–
Newburn ...	–	1	–	–	–	–
Prudhoe... ...	*	*	*	*	*	*
Seaton Delaval	–	1	–		–	–
Wallsend ...	–	3	1	–	–	N. 1
Whitley and Monkseaton	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK	-	-	1	-	-	-
BELFORD	-	-	-	-	1	-
BELLINGHAM ...	*	*	*	*	*	*
CASTLE WARD ...	-	1	-	-	-	-
HALTWHISTLE ...	-	1	-	-	-	-
MORPETH ..	-	1	1	-	-	-
NORHAM AND ISLANDSHIRES	-	-	1	-	-	-
NOTTINGHAM ...	-	21	2	-	9	D. 1 M. 4
NOTTINGHAM C.B.	-	10	-	-	6	-
Boroughs and Urban Districts:—						
CARLTON	-	-	1	-	-	M. 1
EAST RETFORD ...	-	1	-	-	-	-
HUCKNALL ...	-	1	1	-	1	-
KIRKBY IN ASHFIELD	-	1	-	-	-	-
MANSFIELD ...	-	2	-	-	-	-
†SUTTON IN ASHFIELD	-	2	-	-	-	-
WEST BRIDGFORD		1	-	-	-	-
Rural Districts:—						
BASFORD	-	-	-	-	-	M. 2
SKEGBY	-	-	-	-	1	-
SOUTHWELL ...	-	3	-	-	1	D. 1 M. 1
OXFORD	-	4	-	-	-	L. 1
OXFORD C.B. ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
†BANBURY... ...	-	1	-		-	L. 1
HENLEY ON THAMES	-	1	-	-	-	-
SALOP	-	4	6	-	1	N. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	-	1	-	-	-	-
DAWLEY	-	-	1	-	-	-
NEWPORT... ...	-	-	-	-	-	N. 1
SHREWSBURY ...	-	1	-	-	-	-
WELLINGTON ...	-	-	1	-	-	-
Rural Districts:—						
CLUN	-	1	-	-	-	-
NEWPORT... ...	-	-	-	-	1	-
OSWESTRY ...	-	1	1	-	-	-
SHIFNAL	-	-	1	-	-	-
WELLINGTON ...	-	-	1	-	-	-
WEM	-	-	-	-	-	N. 1
WHITCHURCH ...	-	-	1	-	-	-
SOMERSET ...	-	6	6	1	6	G. 1 N. 1
Boroughs and Urban Districts:—						
FROME	-	2	-	-	-	G. 1
HIGHBRIDGE ...	-	-	1	-	-	-
MIDSOMER NORTON	-	-	2	-	2	-
RADSTOCK ...	-	-	2	-	-	-
WESTON SUPER MARE	-	1		-	1	-
YEOVIL	-	-	-	1	-	-
Rural Districts:—						
AXBRIDGE ...	-	-	1	-	1	-
CHARD	-	-		-	-	N. 1
CLUTTON	-	-		-	1	-
DULVERTON ...	-	-	-	-	1	-
KEYNSHAM ...	-	1	-	-	-	-
WILLITON ...	-	1	-	-	-	-
WINCANTON ...	-	1	-		-	-
SOUTHAMPTON	-	28	19	2	2	C. 2 D. 1 M. 1 N. 2
BOURNEMOUTH C.B.	-	1	-	-	1	N. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOUTHAMPTON —*cont.*						
PORTSMOUTH C.B.	–	5	6	1	1	C. 1
SOUTHAMPTON C.B.	–	3	7	–	–	–
Boroughs and Urban Districts:—						
ALDERSHOT ...	–	4	–		–	–
ANDOVER... ...	–	1	2	–	–	–
EASTLEIGH AND BISHOPSTOKE	–	1	–	–		–
FARNBOROUGH ..	–	–			–	D. 1 N. 1
GOSPORT	–	2	–	–		–
HAVANT	–	1	–	–	–	–
LYMINGTON ...	–	–	1			–
PETERSFIELD ...	–	–	–	–	–	M. 1
ROMSEY	–	1	–	–	–	–
WINCHESTER ...	–	2	–	–	–	–
Rural Districts:—						
ALTON	–	2	–	–	–	–
ANDOVER... ...	–	–	1	–	–	–
BASINGSTOKE ...	–	1	1	–	–	–
CATHERINGTON ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	1	–	–
FAREHAM ...	–	–	1	–	–	–
NEW FOREST ..	–	–	–	–	–	C. 1
WHITCHURCH ...	–	1		–	–	–
WINCHESTER ...	–	2	–	–	–	–
STAFFORD ...	–	29	22	–	23	C. 2 G. 1 M. 11 N. 1
BURTON UPON TRENT C.B.	–	1	–	–	–	–
SMETHWICK C.B.	–	6	2	–	–	–
STOKE ON TRENT C.B.	–	–	2	–	7	C. 2 M. 3
WALSALL C.B. ...	–	1	3	–	4	M. 1
WEST BROMWICH C.B.	–	2	–	–	–	–
STAFFORD—*cont.*						
WOLVERHAMPTON C.B.	–	5	1	–	–	M. 2
Boroughs and Urban Districts:—						
AUDLEY	–	–		–	2	M. 1
BRIERLEY HILL...	–	–	4		–	–
BROWNHILLS ...	–	1	–	–	–	G. 1 M. 1
CANNOCK	–	1	–		1	M. 1
COSELEY	–	–	1	–	1	–
DARLASTON ..	–	1	–	–	–	–
KIDSGROVE ...	–	–	1	–	1	–
QUARRY BANK ...	–	1	1	–	–	–
ROWLEY REGIS ...	–	1	1	–	–	M. 1
SEDGLEY	–	–	–		2	–
STAFFORD ...	–	1	1	–	–	N. 1
TIPTON	–	3	1	–	2	–
WEDNESBURY ...	–	–	–	–	1	M. 1
WOLSTANTON UNITED	–	–	1	–	–	–
Rural Districts:—						
BLORE HEATH ...	–	1		–	–	–
CANNOCK	–	1	–	–	1	–
CHEADLE... ...		3	–	–		–
KINGSWINFORD ...	–	–	1	–	–	–
LEEK	*	*	*	*	*	* *
LICHFIELD ...	–	–	1	–	1	–
STAFFORD ...	–	–	1	–	–	–
SUFFOLK, EAST	–	23	8	–	–	C. 2 N. 1
IPSWICH C.B. ...	–	14	5	–	–	C. 2 N. 1
Boroughs and Urban Districts:—						
LOWESTOFT ...	–	2	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST *cont.*						
Rural Districts—*cont.*						
PLOMESGATE ...	–	3	–	–	–	–
SAMFORD	–	–	3	–	–	–
WOODBRIDGE ...	–	2	–	–	–	–
SUFFOLK, WEST	–	1	–	–	–	–
Rural Districts:—						
MILDENHALL ...	–	1	–	–	–	–
SURREY	–	33	21	2	7	C. 1 M. 4 N. 2
CROYDON C.B. ...	–	11	3	–	–	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
CARSHALTON ...	–	–	–	–	–	N. 1
CATERHAM AND WARLINGHAM	–	1	–	–	–	–
CHERTSEY ...	–	1	–	–	1	–
COULSDON AND PURLEY	–	–	–	–	–	M. 1
EGHAM	–	–	6	1	1	–
ESHER AND THE DITTONS	–	–	1	–	1	–
FARNHAM ...	–	3	–	–		M. 1
FRIMLEY AND CAMBERLEY	–	1	–	–	–	–
KINGSTON ON THAMES			–		1	M. 1
MERTON AND MORDEN	–		2	–	–	–
MITCHAM	–	1	–	–	1	–
REIGATE	–	2	4	–	–	–
RICHMOND ...	–	1	1	–	–	–
SURBITON ...	–	4	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
SUTTON AND CHEAM	–	1	–	1	–	–
WINDLESHAM ...	–	5	–	–	–	–
Rural Districts:—						
EPSOM	–	–	–	–	1	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	–	1	–	–	–
REIGATE	–	–	1	–	1	–
SUSSEX, EAST...	–	9	16	–	1	C. 1 M. 1 N. 4
BRIGHTON C.B. ...	–	3	10	–	–	C. 1 M. 1 N. 2
EASTBOURNE C.B.	–	1	–	–	–	–
HASTINGS C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BEXHILL ...	–	–	–	–	1	–
HOVE	–	1	–	–	–	N. 1
NEWHAVEN ...		1	–	–	–	–
Rural Districts:—						
CHAILEY	–	–	–	–	–	N. 1
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	5	–	–	–
TICEHURST ...	–	1	–	–	–	–
SUSSEX, WEST...	–	2	7	–	–	C. 1 N. 1
Boroughs and Urban Districts:—						
BOGNOR REGIS ...	–	–	3	–	–	–
LITTLEHAMPTON	–	1	–	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	N. 1
WORTHING ...	–	–	1	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
HORSHAM ...	–	–	3	–	–	–
STEYNING WEST...	–	–	–	–	–	C. 1
WARWICK ...	–	59	37	1	42	C. 2 D. 3 G. 1 M. 14 N. 4
BIRMINGHAM C.B.	–	45	31	1	25	C. 1 D. 2 M. 14 N. 3
COVENTRY C.B. ...	–	3	5	–	5	N. 1
Boroughs and Urban Districts:—						
NUNEATON ...	–	–	–	–	4	D. 1 G. 1
ROYAL LEAMINGTON SPA	–	–	–	–	3	–
STRATFORD ON AVON	–	–	–	–	–	C. 1
SUTTON COLDFIELD	–	3	–	–	3	–
WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	–	–	–	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	1	–	–	–	–
SOUTHAM... ...	–	2	–	–	–	–
STRATFORD ON AVON	–	–	1	–	–	–
TAMWORTH (part)	–	3	–	–	–	–
WIGHT, ISLE OF	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
NEWPORT... ...	–	–	–	–	–	N. 1
WILTS	–	6	4	–	3	E. 2 L. 1 N. 1
Boroughs and Urban Districts:—						
MARLBOROUGH ...	–	1	–	–	–	–
SALISBURY ...	–	2	–	–	–	–
SWINDON... ...	–	–	2	–	–	E. 1
TROWBRIDGE ...	–	1	–	–	–	–
WESTBURY ...	–	–	–	–	–	N. 1
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	3	–
DEVIZES	–	–	1	–	–	L. 1
MELKSHAM ...	–	–	1	–	–	–
RAMSBURY ...	–	–	–	–	–	E. 1
WILTON	–	2	–	–	–	–
WORCESTER ...	–	7	5	–	4	G. 1 M. 1 N. 2
DUDLEY C.B. ...	–	–	3	–	–	–
WORCESTER C.B.	–	1	–	–	–	N. 1
Boroughs and Urban Districts:—						
EVESHAM... ...	–	1	–	–	–	–
HALESOWEN ...	–	–	–	–	1	–
KIDDERMINSTER	–	–	1	–	–	–
MALVERN ...	–	–	–	–	1	–
OLDBURY... ...	–	2	1	–	2	G. 1
STOURBRIDGE ...	–	1	–	–	–	–
STOURPORT ...	*	*	*	*	*	*
Rural Districts:—						
KIDDERMINSTER	–	–	–	–	–	M. 1 N. 1
PERSHORE ...	–	1	–	–	–	–
TENBURY... ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	11	20	–	2	–
KINGSTON UPON HULL C.B.	–	9	15	–	2	–
Boroughs and Urban Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
WITHERNSEA ...	–	–	4	–	–	–
Rural Districts:—						
PATRINGTON ...	–	–	1	–	–	–
POCKLINGTON ...		1	–	–	–	–
YORKS ... ... (North Riding).	–	25	4	–	12	D. 1
MIDDLESBROUGH C.B.	–	9	2	–	10	D. 1
Boroughs and Urban Districts:—						
ESTON	*	*	*	*	*	*
REDCAR	–	1	–	–	–	–
SALTBURN BY THE SEA	–	2	–	–	–	–
SCARBOROUGH ...	–	2	1	–	–	–
SKELTON AND BROTTON	–	1		–	1	–
WHITBY	–	2		–		–
Rural Districts:—						
FLAXTON	–	–	1	–	–	–
KIRKBY MOORSIDE	–	1	–	–	1	–
REETH	–	1	–	–	–	–
STOKESLEY ...	–	1	–	–	–	–
WHITBY	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	1	108	56	11	64	C. 6 D. 6 E. 5 G. 1 M. 8 N. 13
BARNSLEY C.B. ...	–	–	4	–	2	–
BRADFORD C.B. ...	–	17	3	–	8	N. 1
DEWSBURY C.B....	–	9	1	–		–
DONCASTER C.B....	–	5	3	–	1	D. 1
HALIFAX C.B. ...	–	2	3	–	–	N. 1
HUDDERSFIELD C.B.	–	1	–	1	5	N. 2
LEEDS C.B. ...	–	8	11	–	6	C. 3 G. 1 M. 2 N. 2
ROTHERHAM C.B.	–	–	1	–	1	–
SHEFFIELD C.B....	–	17	2	–	17	C. 1 E. 4 M. 1 N. 3
WAKEFIELD C.B.	–	2	1	–	4	C. 1
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	–	–	–	–	M. 2
ARDSLEY, EAST AND WEST	–	–	1	–	–	–
BARNOLDSWICK ...	*	*	*	*	*	*
BATLEY	–	1	2	–	1	–
BINGLEY	–	1	–	–	–	N. 1
BIRKENSHAW ...	–	–	–	–	1	–
BRIGHOUSE ...	1	1	–	1		M. 1
CASTLEFORD ...		4	2	–	–	–
CLAYTON WEST ...	*	*	*	*	*	*
CUDWORTH ...	–	–	1	–	–	–
DARFIELD ...	–	–	1	–	–	–
DENBY AND CUMBERWORTH	–	–	–	1	–	–
GARFORTH ...	–	–		2	–	–
GREETLAND ...	*	*	*	*	*	*
HARROGATE ...	–	2	–	–	1	–
HEMSWORTH ...	–	–	1	–	2	–
HORBURY... ...	–	3	–	–	1	–
HUNSWORTH ...	–	–	–	–	1	–
KEIGHLEY ...	–	6	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
MALTBY	–	–	1	–	–	–
MEXBOROUGH ...	–	1	–			–
NORMANTON ...	–	1		–	2	–
OSSETT		–	1		–	–
OTLEY		1		–	–	–
PONTEFRACT ...	–	2	1	–		
PUDSEY	–	3	–	–	1	E. 1
RAWDON	–	–	1		–	–
RAWMARSH ...		–	1	–	1	–
ROTHWELL ...	–	–	–	–	3	–
SILSDEN	–	3	–	–	–	
SKELMANTHORPE		–	–	6	–	–
SKIPTON	–	1	–	–	–	–
SOYLAND		–	1	–	–	–
SPENBOROUGH ...	–	3	–	–	–	–
STANLEY	–		–		1	D. 1
THURNSCOE ...	–	–	1	–	–	D. 1
TODMORDEN ...	–	2	–	–	1	–
WHITWOOD ...	*	*	*	*	*	*
WOMBWELL ...	–	–	–	–	1	M. 1
WORSBOROUGH ...		–	–	–	–	D. 1
YEADON		–	9	–	–	
Rural Districts:—						
DONCASTER ...	–	1	–	–	2	–
GOOLE	–	1	–			–
GREAT OUSEBURN	–	1	–	–	–	N. 1
HEMSWORTH ...	–	3	–	–	1	D. 1 N. 1
KEIGHLEY ...	–	1		–	–	–
KNARESBOROUGH	–	1	–	–	–	
PATELEY BRIDGE		–	–	–	1	–
ROTHERHAM ...	–	–	1	–	–	–
TADCASTER ...	–	–	–	–	1	–
THORNE	–	–	–			C. 1 D. 1
WAKEFIELD ...	–	2	2	–		–
WETHERBY ...	–	1	–		–	–
WHARFEDALE (NORTH)	–	–	–	–	–	M. 1
WORTLEY... ...	–	1	–	–		N. 1
YORK, CITY OF ..	–	–	1	–	–	C. 1
YORK C.B. ...	–	–	1	–	–	C. 1
WALES.						
ANGLESEY ...	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
HOLYHEAD ...	–	–	1	–	–	M. 1
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
BRECKNOCK ...		–	1	–	–	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	1	–		–
CAERNARVON...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	2	1	–	–	–
PENMAENMAWR ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIGAN ...	-	-	6	-	-	C. 1
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	-	-	1	-	-	-
CARDIGAN ...	-	-	5	-	-	-
Rural Districts:—						
TREGARON ...	-	-	-	-	-	C. 1
CARMARTHEN...	-	1	3	-	1	M. 1 N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	-	-	-	-	1	-
CWMAMMAN ...		-	1	-		-
LLANELLY ...	-	-	1	-	-	-
Rural Districts:—						
CARMARTHEN ...	-	1		-	-	-
LLANDILO FAWR	-		1	-	-	M. 1
LLANELLY ...	-	-	-	-	-	N. 1
DENBIGH ...		11	11	-	1	M. 2
Boroughs and Urban Districts:—						
COLWYN BAY ...	-	-	1	-	-	-
DENBIGH ...	-	-	-	-	1	-
LLANGOLLEN ...	-	1	-	-	-	-
WREXHAM ...	-	-	1	-	-	-
Rural Districts:—						
CHIRK	-	-	-	-		M. 1
LLANRWST ...	-	-	-			M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DENBIGH—*cont.*						
Rural Districts—*cont.*						
RUTHIN	-	1	-	-	-	-
WREXHAM ...	-	9	9	-		-
FLINT	-	3	3	-	-	-
Boroughs and Urban Districts:—						
HOLYWELL ...		1		-	-	-
RHYL	-		2	-	-	-
Rural Districts:—						
HAWARDEN ...	-	1	-	-	-	-
HOLYWELL ...	-	-	1	-	-	-
OVERTON		1	-			-
GLAMORGAN ...	-	28	32	1	9	M. 4 N. 1
CARDIFF C.B. ...	-	13	13	1	1	M. 1
MERTHYR TYDFIL C.B.	-	2	1	-	-	-
SWANSEA C.B. ...		1	2	-	-	M. 1
Boroughs and Urban Districts:—						
ABERDARE ...	-	1	2	-	1	M. 1
BARRY	-	1	-	-	-	-
CAERPHILLY ...	-	-			1	-
GELLIGAER ...	-	1	2	-	-	-
LLWCHWR ...	-	-	1	-	-	-
MAESTEG	-	-	1		-	-
MOUNTAIN ASH...	-	1	1		1	-
OGMORE AND GARW	-	1	-	-	-	M. 1
PONTYPRIDD ...		1	-	-	-	-
PORT TALBOT ...	-	1	3		1	-
RHONDDA ...	-	4	3	-	3	N. 1

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Rural Districts:—						
Cardiff	–	–	–	–	1	–
Llantrisant and Llantwitfardre	–	1	1	–	–	–
Neath	–	–	1	–	–	–
Pontardawe ...	–	–	1	–	–	–
MERIONETH ...		1	–	–	–	–
Rural Districts:—						
Deudraeth ...	–	1	–	–	–	–
MONMOUTH ...	–	35	11	1	2	C. 1 M. 1 N. 2
Newport C.B. ...	–	18	2	–	1	M. N. 2
Boroughs and Urban Districts—						
Abercarn ...	–	2	–	–	–	–
Abergavenny ...	–	1	1	–	–	–
Abertillery ...	–	3	2	–	–	–
Bedwas and Machen	–	2	1	–	–	–
Bedwellty ...	–	1	1	–	–	–
Blaenavon ...	–	–	–	–	–	C. 1
Ebbw Vale ...	–	5	–	–	1	–
Mynyddislwyn	*	–	2	–	–	–
MONMOUTH— *cont.*						
Boroughs and Urban Districts— *cont.*						
Rhymney ...	–	–	–	1	–	–
Risca	–	2	1	–	–	–
Usk	–	1	–	–	–	–
Rural Districts:—						
St. Mellons ...	–	–	1	–	–	–
MONTGOMERY...	–	1	–	–	–	–
Rural Districts:—						
Llanfyllin ...	–	1	–	–	–	–
PEMBROKE ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
Milford Haven	–	–	1	–	–	–
Total of Part II....	13	1075	639	59	433	C. 36 D. 25 E. 8 G. 10 L. 5 M. 97 N. 84

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever,

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Bristol	–	–	–	–	–	L. 1	Port of London ...	–	–	–	–	1	–
Cardiff	–	–	–	–	1	–							
Colchester	*	*	*	*	*	*							
Deal	*	*	*	*	*	*	**Total of Part III.** ...	–	–	–	–	2	L. 1

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	12	175	120	3	37	C. 5 G. 1 M. 12 N. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	13	1075	639	59	433	C. 36 D. 25 E. 8 G. 10 L. 5 M. 97 N. 84
Total of Part III.—Port Sanitary Districts		–	–	–	2	L. 1
Total (i.e., of returns received), England and Wales ...	25	1250	759	62	472	C. 41 D. 25 E. 8 G. 11 L. 6 M. 109 N. 97

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Legate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

eek ended :—	May 16.	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Totals from 1st Week of year. * 1930.	Totals from 1st Week of year. * 1931.
ON :—															
IRTHS	1,323	1,453	1,227	1,494	1,559	1,383	1,485	1,375	1,463	1,409	1,415	1,453	1,221	45,316	43,221
IRTHS	47	46	42	61	65	52	37	46	43	47	42	57	58	1,675	1,517
s (excluding Still-s)—all ages.	905	871	831	856	761	758	780	794	763	735	768	780	718	30,389	33,781
s—0 to 1 year ..	68	70	74	59	48	48	59	47	54	58	62	56	63	2,584	2,565
T TOWNS, aggre- (including Lon- :—															
IRTHS	6,364	6,754	5 553	7,080	7,087	6,603	6,607	6 521	6,682	6,477	6,616	6,653	5,544	206,473	201,205
IRTHS	273	301	234	287	301	331	275	283	285	280	247	275	266	9,121	8,898
s (excluding Still-s)—all ages.	4,127	4,235	4,036	3,872	3,846	3,606	3,674	3,659	3,619	3,538	3,548	3,486	3,386	137,984	155,210
s—0 to 1 year ..	347	401	552	367	329	293	308	284	287	292	303	301	287	13,004	14,447
IC FEVER—Cases	9	16	11	19	16	12	15	26	19	23	16	21	28	7,218	479
„ Deaths	2	1	—	1	—	2	1	3	2	2	1	—	1	68	50
POX—Cases ..	108	84	72	57	84	49	38	53	33	34	32	22	20	589	3,475
Deaths ..	—	—	—	1	—	—	—	1	—	—	—	—	—	17	5
ET FEVER—Cases	864	832	744	786	798	803	803	854	809	815	894	826	700	38,065	26,105
„ Deaths	11	4	5	5	3	1	3	3	6	9	2	4	1	291	179
HERIA—Cases ..	542	519	412	482	534	569	572	566	585	573	538	524	423	27,398	19,031
Deaths ..	25	21	22	18	21	24	18	23	29	24	19	22	25	1,288	924
LES—Deaths ..	38	28	39	26	38	26	27	16	18	9	18	18	12	2,366	1,541
ENZA—Deaths ..	44	54	46	30	21	20	24	19	20	22	14	11	16	1,496	5,239

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections g been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 8th August, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON (GREENWICH).	79	54	73·9	58·4	77
GHTON ..	79	58	72·3	61·0	12
TSMOUTH ..	77	57	72·4	60·3	16
RWICH (SOUTH-WELL LODGE)	77	52	69·7	57·9	55
MOUTH ..	75	53	71·6	59·6	7
STOL (HORFIELD)	76	52	68·7	57·1	29
MINGHAM (EDGBASTON).	74	50	64·7	55·0	45
TTINGHAM ..	73	52	66·1	55·9	29
KENHEAD (BIDSTON).	74	51	64·6	55·3	49
NCHESTER (WHITWORTH PARK).	73	50	64·4	57·9	50
RNLEY	69	49	63·1	53·0	23
HUDDERSFIELD	76	46	68·0	50·9	52
BRADFORD ..	68	50	62·7	54·3	28
SHEFFIELD ..	74	50	64·6	54·7	74
YORK (MUSEUM)	73	49	66·0	54·4	27
HULL (PEARSON PARK).	73	50	64·6	55·7	61
TYNEMOUTH ..	61	52	58·7	54·7	21
CARDIFF	75	51	63·0	53·7	25
EDINBURGH ..	72·0	49·0	60·0	50·9	14
GLASGOW ..	71·3	50·7	67·5	52·2	1
DUBLIN (PHŒNIX PARK)	72·3	49·3	67·4	51·6	19
(FITZWILLIAM SQUARE†).	72·3	51·1	67·3	55·2	32
BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 8th August, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	2	In Equator Apogee.	29·758	69·2	57·2	12·0	61·9	- 0·2	59·5	2·4	8·4	2·2	92	86·6	53·9	57·0	NNE.	NNE.	3·3	0·0	0·4	356	+ 109	0·06
MONDAY -	3	..	29·903	76·6	60·0	16·6	66·6	+ 4·5	58·1	8·5	18·7	0·9	74	135·0	56·7	57·2	NNE: NE.	NE: NNE.	5·5	0·0	1·3	500	+ 250	0·10
TUESDAY -	4	..	29·928	79·2	60·3	18·9	67·5	+ 5·4	65·1	2·4	11·8	0·3	92	138·7	59·3	57·1	NNE: NE.	ENE: E.	1·7	0·0	0·2	232	- 20	0·09
WEDNESDAY	5	..	29·772	78·6	62·0	16·6	67·3	+ 5·2	64·7	2·6	12·3	0·3	92	130·9	57·6	57·1	Calm: ENE.	Calm: Var.	1·0	0·0	0·0	110	- 144	2·20
THURSDAY -	6	Last Quarter.	29·689	68·7	58·7	10·0	62·2	- 0·0	59·0	3·2	9·2	0·6	89	105·7	54·5	57·7	N: NNW.	NNW: WNW.	0·3	0·0	0·1	155	- 100	0·01
FRIDAY -	7	..	29·655	74·3	55·7	18·6	63·6	+ 1·4	53·9	9·7	17·7	3·0	71	131·3	48·2	58·0	NW: WSW.	WNW: W: WSW.	1·8	0·0	0·2	274	+ 18	0·00
SATURDAY -	8	..	29·302	68·9	50·1	18·8	57·4	- 4·9	53·7	3·7	11·8	1·4	88	123·3	45·3	58·0	Calm: SSW.	WSW: NNW.	6·8	0·0	0·6	353	+ 97	0·55
MEANS -		..	29·715	73·6	57·7	15·9	63·8	+ 1·6	59·1	4·6	12·8	1·2	85	121·6	53·6	57·4	Variable		..		..	Sum 1981	Sum + 210	Sum 3·01
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	2	wP till 4½h.; v till 6h.; wP till 12h., then variably wP and mP.	0·7	15·4	Overcast generally. Rain or drizzle 4¾h. till 11h., and occasional drizzle 12h. till 16½h.
MONDAY ..	3	wP till 21½h., then v.	4·5	15·4	Overcast till 7h.; partially cloudy till 11½h.; few clouds till 13h., then overcast. Rain from 22h. Thunder and lightning 21½h. till 23¾h. Brisk wind 8h. till 19h.
TUESDAY ..	4	v. till 2h.; mP till 12h., then wP.	2·5	15·3	Overcast till 11h., very cloudy till 15h., then overcast or nearly so. Rain till 0¾h. and at 2h. Occasional slight rain 15h. till 20½h., then rain till 21½h. Slight rain 22h. till 22½h. Mist in morning.
WEDNESDAY	5	Insulation failed till 9h.; mP till 16½h.; v till 21h., then mP.	2·2	15·3	Overcast generally. Heavy thunderstorm 18h. till 20½h., very heavy rain 18h. till 18¾h., then rain till 20½h. Thunder till 20¾h., and lightning till 22¾h. Mist at night.
THURSDAY	6	mP till 3h.; wP till 8h., then mP.	0·2	15·2	Overcast. Slight drizzle 1h. till 4h., and shower 18h. Mist in morning.
FRIDAY ..	7	mP throughout	4·4	15·1	Overcast, clearing to few clouds by 0½h. Cloudy 5h. till 13h., nearly overcast till 15½h., then very cloudy.
SATURDAY	8	mP till 3h.; v till 7h.; mP till 10h.; v till 13h.; mP till 20h., then v.	5·9	15·1	Very cloudy or nearly overcast till 16½h., then overcast. Heavy rain 3h. 10m. till 6hr. 45m., then occasional showers till 11½h. Heavy shower about 12h., and rain from 19¾h. Occasional thunder 11h. till 12½h. Brisk wind 12h. till 17h.
			Sum 20·4	Sum 106·8	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·74 ins. at the beginning of the week to 29·95 ins. by 11h. on August 4th; decreased to 29·24 ins. by 11h. on August 8th; increased and was 29·45 ins. by midnight on the same day.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.
POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 32.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 15TH AUGUST,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 15TH AUGUST, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirty-second week of the year numbered 6,431 corresponding to an annual rate of 16·9 per 1,000 living: stillbirths numbered 280 corresponding to a rate of 42 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,427 (41 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

	July 25.	Aug. 1.	Aug. 8.	Aug. 15.
107 Great Towns	9·4	9·2	8·9	9·0
London	9·2	9·3	8·6	8·7
Birmingham	9·2	8·2	8·7	7·5
Liverpool	9·9	9·7	9·1	9·6
Manchester	10·0	9·7	10·3	9·0
Sheffield	7·3	7·6	6·7	7·4
Leeds	9·3	11·5	7·5	9·5
Bristol	9·0	9·1	7·1	10·1
West Ham	8·6	9·0	11·1	7·9

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 46, against 46, 46, and 44 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,387 live births registered corresponding to an annual rate of 16·5 per 1,000 living: stillbirths numbered 47 corresponding to a rate of 33 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 730 (12 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 39, against 44, 40, and 45 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in the week ended 15th August, 1931.

	Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
							Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
	107 Great Towns ..	19,836,440*	6,431	280	3,427	305	2	9	1	18	21	50	
	London	4,377,000*	1,387	47	730	54	1	2	1	7	2	13	
Towns in Outer Ring.	Croydon C.B. ..	233,000	65	1	36	-	-	-	-	-	-	-	
	Wimbledon ..	58,830	13	1	15	2	-	-	-	-	-	-	
	Ealing	117,400	20	1	18	-	-	-	-	-	-	-	
	Acton	70,400	6	-	8	2	-	-	-	-	-	-	
	Brentford and Chiswick ..	62,620	14	1	17	2	-	-	-	-	-	-	
	Willesden ..	185,300	55	2	28	4	-	-	-	-	-	-	
	Hendon	114,600*	30	1	12	1	-	-	-	-	1	-	
	Hornsey	95,440	24	1	13	2	-	-	-	-	-	-	
	Wood Green ..	54,460	9	1	7	1	-	-	-	-	-	1	
	Tottenham ..	159,100	37	1	19	6	-	-	-	-	-	1	
	Edmonton	77,530	39	3	4	1	1	-	-	-	-	-	
	Enfield	68,090	20	1	8	-	-	-	-	-	-	-	
	West Ham C.B. ..	296,900	111	3	45	6	-	-	-	1	-	-	
	East Ham C.B. ..	142,900	26	2	25	4	-	-	-	-	1	-	
	Leyton	128,600	23	-	24	2	-	-	-	1	-	-	
	Walthamstow ..	134,300	32	-	11	1	-	-	-	-	-	-	
	Ilford	131,300	35	1	18	2	-	-	-	-	1	-	
	Gillingham	60,600*	19	1	10	1	-	-	-	-	-	-	
	Canterbury C.B. ..	24,440*	10	1	4	2	-	-	-	-	-	-	
	Hastings C.B.	61,870	12	3	14	1	-	-	-	-	-	-	
	Eastbourne C.B. ..	55,670	10	-	11	-	-	-	-	-	-	-	
	Brighton C.B. ..	144,900*	32	-	28	1	-	-	-	-	-	-	
	Portsmouth C.B. ..	248,300*	104	2	37	-	-	-	-	-	-	-	
	Bournemouth C.B. ..	108,600	44	2	18	-	-	-	-	-	-	-	
	Southampton C.B. ..	175,300	64	6	30	2	-	-	-	1	-	-	
	Reading C.B.	97,450*	29	-	22	-	-	-	-	-	-	-	
	Oxford C.B	80,530*	14	2	16	1	-	-	-	-	-	-	
	Northampton C.B. ..	92,940*	24	1	12	-	-	-	-	-	-	-	
	Luton	69,030	24	1	12	4	-	-	-	-	-	-	
	Cambridge	66,850	17	-	15	1	-	-	-	-	-	-	
	Southend-on-Sea C.B.	117,900	24	-	21	1	-	-	-	-	-	-	
	Ipswich C.B.	87,630	32	2	18	-	-	-	-	-	1	-	
	Great Yarmouth C.B.	56,690	23	-	15	1	-	-	-	-	-	-	
	Norwich C.B.	126,800*	43	2	17	3	-	-	-	-	-	-	
	Swindon	62,600	16	-	10	1	-	-	-	-	-	-	
	Exeter C.B.	65,290*	13	2	14	1	-	-	-	-	-	1	
	Plymouth C.B. ..	207,600*	66	-	44	2	-	-	-	-	-	-	
	Bath C.B.	68,120	16	1	15	1	-	-	-	-	-	-	
	Bristol C.B.	399,500*	113	5	77	4	-	-	-	-	2	-	
	Gloucester C.B. ..	52,890	18	2	13	1	-	-	-	-	-	-	
	Stoke-on-Trent C.B.	279,800	126	6	53	7	-	-	-	-	1	2	
	Burton-upon-Trent C.B.	49,920	15	-	9	-	-	-	-	-	-	-	
	Wolverhampton C.B.	134,200	56	4	19	1	-	-	-	-	-	-	
	Walsall C.B.	104,200	44	1	20	4	-	-	-	-	-	1	
	West Bromwich C.B.	82,090	27	2	10	2	-	-	-	-	-	-	
	Dudley C.B.	60,010	23	-	8	1	-	-	-	-	-	-	
	Worcester C.B. ..	50,540	15	-	13	-	-	-	-	-	-	-	
	Birmingham C.B. ..	1,011,300	338	12	146	13	-	-	-	-	-	6	
	Smethwick C.B. ..	85,370	22	-	6	3	-	-	-	-	-	1	
	Coventry C.B. ..	168,500	50	6	28	-	-	-	-	-	1	-	
	Leicester C.B. ..	241,200	86	5	42	1	-	-	-	-	-	1	
	Lincoln C.B.	66,110*	22	-	17	-	-	-	-	-	-	-	
	Grimsby C.B.	92,180	29	-	19	2	-	-	-	-	-	-	
	Nottingham C.B. ..	270,900	101	4	56	5	-	-	-	-	-	2	
	Derby C.B.	143,400*	58	2	20	4	-	-	-	-	-	-	
	Chesterfield	64,450	23	2	10	1	-	-	-	-	-	-	
	Stockport C.B. ..	126,600	28	2	19	4	-	-	-	-	-	-	
	Chester C.B.	41,370	9	3	8	-	-	-	-	-	-	-	
	Birkenhead C.B. ..	148,600	46	1	17	3	-	-	-	1	-	-	
	Wallasey C.B. ..	97,240	27	-	18	1	-	-	-	-	-	-	
	Liverpool C.B. ..	862,100	385	19	158	17	-	-	-	3	2	4	
	Bootle C.B.	77,170	42	2	13	2	-	-	-	-	-	-	
	St. Helens C.B.	108,200	53	3	14	2	-	-	-	-	-	2	

* Non-civilian deaths are excluded from this table and the comparable civilian populations where diffe
from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingh
51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Ox
C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193,
Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
...ITHPORT C.B. ..	77,180	15	-	9	-	-	-	-	-	-	-	-
...GAN C.B.	86,250	42	1	23	4	-	-	-	-	-	-	1
...RRINGTON C.B. ..	80,280*	26	2	8	-	-	-	-	-	-	-	-
...TON C.B	179,300	42	3	32	4	-	-	-	-	-	3	-
...RY C.B.	56,580*	8	2	12	-	-	-	-	-	-	-	-
...NCHESTER C.B. ..	773,300	260	9	133	12	-	-	-	-	1	2	2
...LFORD C.B.	226,100	68	2	42	1	-	-	-	-	2	1	-
...ITON-UNDER-LYNE	51,850	19	1	8	-	-	-	-	-	-	-	-
...DHAM C.B	142,000	28	2	30	2	-	-	-	-	-	1	-
...CHDALE C.B. ..	91,190	7	-	16	-	-	1	-	-	-	-	-
...RNLEY C.B	99,300	18	1	13	-	-	-	-	-	-	-	-
...ACEBURN C.B ..	124,000	25	-	32	-	-	-	-	-	-	-	2
...ESTON C.B.	120,100	10	3	21	1	-	-	-	-	-	1	-
...ACKPOOL C.B. ..	97,880	17	1	23	1	-	-	-	-	-	-	-
...RROW-IN-FURNESS C.B.	66,700	14	-	13	1	-	-	-	-	-	-	-
...DDERSFIELD C.B. ..	114,300	38	4	24	1	-	-	-	-	-	-	-
...LIFAX C.B.	98,770*	22	-	11	-	-	-	-	-	-	-	-
...ADFORD C.B. ..	300,800	66	6	61	5	-	-	-	-	-	-	1
...EDS C.B	486,100	153	8	89	4	-	1	-	-	3	-	-
...WSBURY C.B. ..	54,430	16	-	14	1	-	-	-	-	-	-	-
...AKEFIELD C.B ..	59,280	22	1	19	2	-	2	-	-	-	-	-
...RNSLEY C.B. ..	72,090	23	-	14	2	-	1	-	-	-	-	-
...FFIELD C.B. ..	517,300	153	4	73	5	-	-	-	-	-	1	1
...THERHAM C.B. ..	70,100	38	-	13	-	-	-	-	-	-	-	-
...NCASTER C.B ..	63,260	34	2	6	1	-	-	-	-	-	-	-
...RK C.B.	85,910*	24	1	17	3	-	-	-	-	-	-	-
...NGSTON-UPON-HULL C.B.	314,800	139	6	51	9	-	-	-	1	2	1	-
...DDLESBROUGH C.B.	138,800	66	3	30	14	-	1	-	-	-	-	-
...RLINGTON C.B. ..	72,620	25	4	15	-	-	-	-	-	-	-	-
...OCKTON-ON-TEES ..	68,350	37	-	7	1	-	-	-	-	-	-	-
...ST HARTLEPOOL C.B.	68,740	38	1	10	-	-	1	-	-	-	-	-
...NDERLAND C.B. ..	187,500	79	2	37	7	-	-	-	2	-	1	1
...UTH SHIELDS C.B ..	114,400	44	3	27	2	-	-	-	1	-	-	-
...TESHEAD C.B. ..	123,700	43	3	26	2	-	-	-	-	-	1	-
...WCASTLE-ON-TYNE C.B.	284,300*	125	3	67	11	-	-	-	-	-	1	1
...NEMOUTH C.B. ..	64,750	25	4	18	-	-	-	-	-	-	-	-
...RLISLE C.B.	57,430*	25	5	10	1	-	-	-	-	-	-	-
...WPORT (MON.) C.B.	89,500*	31	4	16	-	-	-	-	-	-	1	-
...RDIFF C.B.	223,700*	81	5	43	7	-	-	-	-	1	1	-
...ONDDA	142,700	52	5	36	4	-	-	-	-	-	-	-
...ERTHYR TYDFIL C.B.	71,670	21	2	11	-	-	-	-	-	-	-	1
...ERDARE	49,010	11	-	12	-	-	-	-	-	-	-	-
...ANSEA C.B.	165,400	55	3	21	6	-	-	-	-	-	-	-
REATER LONDON ..	8,179,740*	2,440	79	1,261	105	2	2	2	9	5	15	3
UTER RING	3,802,740*	1,053	32	531	51	1	-	1	2	3	2	1
GREAT TOWNS IN OUTER RING	2,130,770*	559	20	308	36	1	-	-	2	3	2	1
EMAINDER OF OUTER RING	1,671,970*	494	12	223	15	-	-	1	-	-	-	-
DINBURGH†	438,998	116	?	82	4	-	-	-	-	-	1	-
LASGOW†	1,088,417	425	?	204	27	-	6	-	3	-	5	-
UBLIN†	412,400	235	?	81	6	-	1	1	1	-	4	-
ELFAST†	415,151	182	?	99	15	-	-	-	-	-	2	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,620; Bury C.B., 56,370; Halifax C.B., 98,500; York C.B., 84,460; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,530; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
		1931.											
London‡	4,377,000	Aug. 15	1387	47	730	8·7	1	-	2	1	7	2	13
Calcutta and Suburbs	1,077,264	July 4	?	?	550‖	26·5	?	9	?	-	?	?	?
Bombay§	1,298,708	„ 18	455	50	491‖	19·7	2	3	-	-	-	-	31
Madras	528,791	„ 4	499	28	401	37·5	2	-	-	-	1	-	24
Sydney and Suburbs	1,253,560	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Apr. 30 (30 days)	390	?	226	8·6	1	-	-	1	-	-	1
Perth (Metropolitan Area).	204,780	June 6	80	?	43	10·9	-	-	-	-	-	-	-
Auckland (Urban Area).	215,730	June 30 (30 days)											
Wellington (Urban Area).	142,540	June 30 (30 days)											
Christchurch (Urban Area).	127,070	June 30 (30 days)											
Cape Town	136,748	July 11	90	1	36	13·7	-	-	-	-	-	-	-
Johannesburg	187,326	„ 4	120	1	49	13·6	-	-	-	-	-	-	-
Durban	61,667	„ 4	30	-	11	9·3	-	-	-	-	-	-	-
Paris	2,871,429	„ 10 (10 days)	1175	59	954	12·1	5	-	10	2	6	7	35
Antwerp	295,389	July 15 (15 days)											
Amsterdam	754,470	July 25	262	9	113	7·8	2	-	1	-	1	1	1
Copenhagen	615,700	Aug. 1	173	6	117	9·9	-	-	-	-	-	-	1
Stockholm	502,203	July 25	113	-	93	9·6	-	-	-	-	-	-	-
Gothenberg	245,600	June 27	?	?	45	9·5	-	-	-	-	-	-	-
Oslo	256,353	Aug.	41	2	55	11·2	-	-	-	-	-	-	-
Berlin	4,312,000	July 18	699	16	731	8·8	1	?	2	1	-	3	6
Breslau	617,000	„ 18	125	4	125	10·5	-	?	-	-	1	1	2
Cologne	739,000	„ 18	189	6	108	7·6	-	?	-	-	-	-	4
Dresden	632,000	„ 18	122	-	124	10·2	-	?	-	-	1	-	1
Frankfort-on-Main	540,000	„ 18	106	3	78	7·5	-	?	-	-	-	-	-
Hamburg	1,143,000	„ 18	235	10	176	8·0	-	?	-	-	-	-	-
Leipzig	718,000	„ 18	156	3	123	8·9	-	?	-	-	1	-	1
Munich	730,000	„ 18	154	3	148	10·5	-	?	-	-	-	1	2
Budapest	1,009,069	„ 25	294	14	207	10·7	1	-	-	2	1	-	12
Warsaw	1,115,651	„ 18	?	7	235	11·0	2	-	-	1	1	-	15
Madrid	834,103	„ 11	353	36	263	16·4	4	-	3	-	2	-	29
Cairo	1,160,700	Apr. 22	1098	13	655	29·4	6	-	15	-	?	2	159
Alexandria	629,900	„ 22	529	7	342	28·3	-	-	25	-	?	-	48
New York	7,090,089	July 18	2268	108	1273	9·4	-	-	1	-	5	3	16
Chicago	3,457,375	„ 24	1190	40	623	9·4	-	-	-	3	1	1	10
New Orleans	466,000	„ 31 (31 days)											
Rio de Janeiro ..	1,729,799	May 30	560	58	453	13·7	1	-	10	-	1	4	41

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 35 deaths from Cholera in Calcutta and 6 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 15th August, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	31,169	34,511	730	54	8	10	15	36	50	42	71	109	183	152
Enteric fever	14	16	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox	10	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	995	37	2	1	-	-	1	-	-	-	-	-	-	-
Scarlet fever	87	39	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough	99	215	7	5	1	1	-	-	-	-	-	-	-	-
Diphtheria	319	167	2	-	-	-	2	-	-	-	-	-	-	2
Influenza	236	908	2	-	-	-	-	-	-	-	-	1	-	-
Erysipelas	105	118	2	1	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	7	1	1	-	1	-	-	-	2	-	-	-	-	-
Encephalitis lethargica	26	31	2	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	66	95	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2250	2468	57	-	-	1	1	14	15	12	9	3	2	-
Nervous system	154	152	5	1	1	2	-	1	-	-	-	-	-	-
Intestines and peritoneum	33	38	1	-	-	1	-	-	-	-	-	-	-	-
Other forms	138	164	4	-	-	1	-	2	-	1	-	-	-	-
Venereal diseases	115	122	4	-	-	-	-	-	1	1	1	-	1	-
Cancer	4117	4263	124	-	-	-	-	1	6	21	27	46	23	
Rheumatic fever	117	89	2	-	-	-	1	1	-	-	-	-	-	-
Diabetes	321	332	10	-	-	-	1	-	2	-	-	2	3	2
Alcoholism	12	10	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	51	61	1	-	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1265	1296	32	-	-	-	-	-	2	-	4	6	13	7
Epilepsy	124	119	2	-	-	-	-	-	-	1	1	-	-	-
"Convulsions" (not puerperal)	41	41	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	779	726	22	-	1	-	1	3	4	2	2	2	6	1
Pericarditis	14	12	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	129	117	5	-	-	-	-	-	1	-	3	-	1	
Other diseases of heart	6407	7903	153	-	-	-	-	1	6	5	10	26	57	48
Other diseases of circulatory system	1329	1436	35	-	-	-	-	-	-	-	1	9	14	11
Bronchitis	1239	1803	10	-	-	-	-	-	-	1	-	-	3	6
Broncho-pneumonia	1210	1805	10	-	1	-	1	1	-	-	-	-	3	4
Lobar pneumonia	715	839	8	1	-	1	-	2	-	-	2	1	1	-
Pneumonia (type not distinguished)	262	286	1	-	-	-	-	-	1	-	-	-	-	-
Other diseases of respiratory system	314	398	5	2	-	-	1	-	-	-	-	-	1	1
Diarrhœa and enteritis	444	416	15	13	-	-	-	-	-	-	-	-	1	1
Appendicitis, Typhlitis	185	179	4	-	-	-	-	1	-	-	1	2	-	-
Hernia, Intestinal obstruction	314	343	11	-	-	-	-	-	-	-	1	3	3	4
Cirrhosis of liver	137	153	5	-	-	-	-	-	-	-	-	3	1	1
Other diseases of digestive system	822	741	19	1	-	1	1	-	2	2	3	3	4	2
Acute nephritis	60	56	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease	1048	1108	25	-	-	-	-	1	-	3	1	5	8	7
Other diseases of genito-urinary system,	502	548	14	-	-	-	-	-	-	-	-	4	8	2
Puerperal sepsis	67	75	2	-	-	-	-	1	-	1	-	-	-	-
Other causes incident to childbirth	57	80	2	-	-	-	-	1	1	-	-	-	-	
Congenital malformations	210	199	5	5	-	-	-	-	-	-	-	-	-	
Premature birth	610	626	18	18	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	118	100	-	-	-							-	-	
Old age	717	930	21			-	-					2	1	18
Suicide	354	340	16	-		-	-	2	2	1	3	6	1	1
Burns and Scalds	59	91	1	-	1	-	-	-	-	-	-	-	-	-
Drowning	83	64	3	-	-	-	1	1	1	-	-	-	-	-
Suffocation in bed	21	17	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	464	438	15	-	1	2	2	-	1	2	2	-	-	5
Other deaths by violence	498	499	11	-	-	-	-	1	3	1	1	1	2	2
Other specified causes	1275	1415	30	6	-	-	2	2	4	2	5	2	3	4
Ill-defined causes	4	4	1	-	-	-	-	-	-	-	-	1	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 15th August, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	4	180	108	6	35	C. 9 D. 3 E. 1 L. 1 M. 11 N. 25
Metropolitan Boroughs:—						
BATTERSEA ...	–	11	6	–	4	C. 2 N. 2
BERMONDSEY ...	–	6	2	–	–	D. 1 M. 1 N. 1
BETHNAL GREEN	1	9	3	–	–	N. 1
CAMBERWELL ...	–	14	13	1	–	M. 3 N. 1
CHELSEA	–	1	2	–	1	–
DEPTFORD ...	–	2	1	–	–	N. 1
FINSBURY ...	–	5	3	–	2	N. 1
FULHAM	–	5	2	–	1	–
GREENWICH ...	–	5	4	2	1	–
HACKNEY... ...	–	5	9	–	–	N. 1
HAMMERSMITH ...	–	3	2	–	1	–
HAMPSTEAD ...	–	2	–	–	1	–
HOLBORN... ...	–	1	1	–	1	D. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	–	14	9	1	1	M. 1 N. 1
KENSINGTON ...	–	1	2	–	2	C. 3 M. 1 N. 1
LAMBETH ...	–	5	4	–	4	N. 2
LEWISHAM ...	–	3	8	1	1	M. 1 N. 2
PADDINGTON ...	–	8	6	–	1	C. 1 M. 1
POPLAR	–	9	1	–	4	–
ST. MARYLEBONE	–	6	3	–	1	D. 1
ST. PANCRAS ...	–	7	4	–	1	C. 1 M. 1 N. 2
SHOREDITCH ...	2	5	2	–	–	M. 2 N. 1
SOUTHWARK ...	–	9	9	–	3	N. 2
STEPNEY	1	25	8	–	2	C. 1 N. 1
STOKE NEWINGTON	–	1	–	–	–	–
WANDSWORTH ...	–	8	2	1	3	N. 1
WESTMINSTER, CITY OF	–	3	1	–	–	L. 1 N. 1
WOOLWICH ...	–	7	1	–	–	C. 1 E. 1 N. 3

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	1	2	1	2	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	1	–	–	–
DUNSTABLE ...	–	–	–	–	1	–
LUTON	–	–	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	1	–	–
BIGGLESWADE ...	–	–	–	–	1	–
BERKS	–	2	2	–	–	–
READING C.B. ...	–	1	1	–	–	–
Boroughs and Urban District:—						
MAIDENHEAD ...	–	1	1	–	–	–
BUCKINGHAM...	–	13	2	–	–	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
CHESHAM... ...	–	1	–	–		–
ETON	–	3	–	–	–	–
SLOUGH	–	2	–	–	–	–
Rural Districts:—						
ETON	–	4	2	–	–	–
WYCOMBE ...	–	2	–	–	–	–
CAMBRIDGE ...	–	2	3	–	2	M. 1
Borough:—						
CAMBRIDGE ...	–	–	2	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE—*cont.*						
Rural Districts:—						
CAXTON AND ARRINGTON	*	*	*	*	*	*
CHESTERTON ...	–	1	–	–	1	M. 1
LINTON	–	1	–	–		–
NEWMARKET ...	–	–	1	–		–
CHESTER ...	–	20	22	2	10	M. 1 N. 8
BIRKENHEAD C.B.	–	1	–	1	5	N. 3
CHESTER C.B. ...		–	5	–	–	–
STOCKPORT C.B. ...	–		3		2	N. 1
WALLASEY C.B. ...	–	5	–	1		N. 3
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	2	–		–	–
BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
CREWE	–	1	–	–	–	–
DUKINFIELD ...	–	1	–	–	–	–
ELLESMERE PORT AND WHITBY	–	–	2	–	–	–
HANDFORTH ...	–	–	–	–	1	–
HOOLE	–	–	3	–	–	–
HYDE	–	2	–	–	–	N. 1
MACCLESFIELD ...	–	2	1	–	–	–
MIDDLEWICH ...		2	–	–	–	–
NANTWICH ...	–	–	4	–	–	–
RUNCORN... ...	–	2	–		–	–
STALYBRIDGE ...	–	–	–	–	1	M. 1
Rural Districts:—						
BUCKLOW... ...	–	–	1	–	–	–
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	*	*	*	*	*	*
RUNCORN... ...	–	–	2	–	–	–
WIRRAL	–	–	–	–	1	–

* Returns not received

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J. Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	12	1	1	3	–
Boroughs and Urban Districts:—						
FALMOUTH ...	–	–	–	–	2	–
HAYLE	*	*	*	*	*	*
NEWQUAY ...	–	1	–	–	–	–
PENRYN	–	–	1	–	–	–
PENZANCE ...	–	3	–	–	–	–
REDRUTH ...	–	2	–	–	1	–
ST. IVES	–	3	–	1	–	–
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
CAMELFORD ...	–	1	–	–	–	–
TRURO	–	1	–	–	–	–
CUMBERLAND...	–	1	1	–	1	J. 1 M. 4
CARLISLE C.B. ...	–	1	–	–	–	M. 3
Boroughs and Urban Districts:—						
WHITEHAVEN ...	–	–	1	–	–	J. 1
WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BRAMPTON ...	–	–	–	–	–	M. 1
DERBY	1	18	16	1	8	C. 2 E. 1 M. 3 N. 3
DERBY C.B. ...	–	5	3	–	6	M. 2 N. 1
Boroughs and Urban Districts:—						
ALFRETON ...	–	–	–	–	–	C. 1
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
BOLSOVER ...	–	1	–	–	1	E. 1
CHESTERFIELD ...	1	1	3	1	–	–
CLAY CROSS ...		1	–	–	–	–
GLOSSOP	–	1	1		1	–
HEANOR	–	1	1	–	–	–
LONG EATON ...	–	1	–	–	–	–
SWADLINCOTE DISTRICT	–	–	–	–	–	C. 1
Rural Districts:—						
BAKEWELL ...	–	1	1	–	–	–
BLACKWELL ...	–	1	1	–	–	N. 2
CHESTERFIELD ...	–	2	6	–	–	–
CLOWNE	–	3	–	–	–	M. 1
DEVON	–	14	11	4	4	C. 1 M. 1 N. 1
EXETER C.B ...	–	–	1	2	–	–
PLYMOUTH C.B.	–	7	5	–	–	N. 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
EXMOUTH ...	–	2	1	–	–	–
GREAT TORRINGTON	–	1	–	–	–	–
ILFRACOMBE ...	–	–	1	–	–	–
NORTHAM ...	–	–	1	–	–	–
PAIGNTON ...	–	–	–	1	2	–
TAVISTOCK ...	–	2	–	–	–	–
TIVERTON ...	–	–	–	–	1	–
TORQUAY	–	–	–	–	–	M. 1
Rural Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
CREDITON ...	–	–	–	–	–	C. 1

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
Kingsbridge ...	–	1	–		–	–
Plympton St. Mary	–	–	–	1	–	–
Tiverton ...	–	–	–	–	1	–
Torrington ...	–	1	–	–	–	–
DORSET	–	3	1	–	1	–
Boroughs and Urban Districts:—						
Weymouth and Melcombe Regis	–	–	1	–	–	–
Rural Districts:—						
Blandford ...	–	–	–	–	1	–
Bridport ...	–	2	–	–	–	–
Wareham and Purbeck	–	1	–	–	–	–
DURHAM ...	–	48	10	4	32	C. 2 D. 6 M. 4 N. 2
Darlington C.B.	–	–	1	–	–	–
Gateshead C.B.	–	14	–	–	2	D. 1
South Shields C.B.	–	2	–	–	5	–
Sunderland C.B.	–	5	2	–	7	N. 1
West Hartlepool C.B.	–	2	1	–	–	D. 1 M. 1
Boroughs and Urban Districts:—						
Annfield Plain	–	2	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
Benfieldside ...	–	–	–	1	1	M. 1
Billingham ...	–	2		–	–	–
Blaydon	–	4		–	1	D. 1 M. 1
Brandon and Byshottles	–	–		–	–	C. 1 M. 1
Chester le Street	–	3	–	–	–	–
Crook	–	1	–	–	–	–
Durham	–		–	1		–
Felling	–	2	–	–	1	–
Hebburn ...	–	1	–	–	1	–
Hetton	–	–	1	–	2	–
Houghton le Spring	–	–	–	–	1	–
Jarrow	–	–	–		3	–
Ryton	–	1	–	–	–	–
Seaham Harbour	–	–	–	–	1	–
Stanley	–	–	–	1	1	D. 1
Tanfield ...	–	–	–	–	–	C. 1
Tow Law ...	–	–	–	–	1	–
Washington ...	–	2	–	–	–	–
Whickham ...	–	2	–	–	–	–
Rural Districts:—						
Chester le Street	–	–	1	–	2	D. 2
Easington ...	–	–	1	1	2	–
Houghton le Spring	–	3	–	–	–	–
Lanchester ...	–	1	2	–	–	–
South Shields	–	–	–	–	–	N. 1
Stockton ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
Wisbech	–	–	1	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	4	66	37	1	14	C. 4 M. 1 N. 3
East Ham C.B....	-	2	5	1	1	N. 1
Southend on Sea C.B.	-	3	-	-	1	C. 1
West Ham C.B.	4	18	6	-	4	M. 1
Boroughs and Urban Districts:—						
Barking Town...	-	3	4	-	-	-
Chelmsford ...	-	1	-	-	-	-
Colchester ...	-	3	1	-	-	-
Dagenham ...	-	6	2	-	1	-
Epping	-	1	-	-	-	-
Grays Thurrock	-	1	-	-	-	-
Ilford	-	1	6	-	-	-
Leyton	-	3	4	-	-	-
Maldon	-	2	-	-	-	-
Romford... ...	-	-	1	-	-	-
Walthamstow ...	-	9	5		5	C. 2 N. 1
Walton on the Naze	-	-	-	-	1	-
Woodford ...	-	-	1	-	-	-
Rural Districts:—						
Belchamp ...	-	2	-	-	-	-
Billericay ...	-	2	-	-	-	-
Braintree ...	-	2		-	-	-
Epping	-		1		-	-
Lexden and Winstree	-	2	-	-	-	-
Maldon	-	1	-	-	-	-
Orsett	-	1	-	-	-	N. 1
Rochford ...	-	1	1	-	-	-
Tendring ...	-	2	-	-	1	C. 1
GLOUCESTER ...	-	16	18	-	3	M. 2 N. 1
Bristol C.B. ...	-	6	15	-	-	M. 2
Gloucester C.B.	-	1	-	-		-
Boroughs and Urban Districts:—						
Cheltenham ...	-	3	-	-	1	-
Cirencester ...	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:— *cont.*						
Kingswood ...	-	-	1	-	-	-
Nailsworth ...	-	3	-	-	-	-
Tewkesbury ...	-	-	-	-	1	-
Rural Districts:—						
Cirencester ...	-	-	1	-	-	N. 1
East Dean and United Parishes	-	1	-	-	-	-
Tetbury	-	1	-	-	-	-
Thornbury ...	-	1	-	-	-	-
Warmley ...	-	-	1	-	-	-
HEREFORD ...	-	-	1	1	1	-
Boroughs and Urban Districts:—						
Leominster ...	-	-	-	-	1	-
Rural Districts:—						
Hereford ...	-	-	-	1	-	-
Weobley... ...	-	-	1	-	-	-
HERTFORD ...	-	3	2	1	1	C. 1 N. 1
Boroughs and Urban Districts:—						
Cheshunt ...	-	-	-	-	1	-
East Barnet Valley	-	-	1	-	-	-
Great Berkhampstead	-	1	-	-	-	-
Harpenden ...	-	-	-	-	-	N. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Hoddesdon ...	–	1	–	–	–	–
Watford... ...	–	–	1	–	–	–
Welwyn Garden City	–	1	–	–	–	–
Rural Districts:—						
Barnet	–	–	–	–	–	C. 1
Ware	–	–	–	1	–	–
HUNTINGDON ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
Ramsey	–	–	–	–	1	–
Rural Districts:—						
Norman Cross ...	–	–	–	–	1	–
KENT	–	43	18	2	3	E. 1 N. 3
Canterbury C.B.	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
Beckenham ...	–	–	–	–	–	N. 1
Bexley	–	1	–	–	–	–
Broadstairs and St. Peter's	–	1	1	–	–	–
Bromley... ...	–	2	–	–	–	–
Chatham ...	–	2	1	–	–	–
Crayford ...	–	–	1	–	–	–
Dartford ...	–	1	–	–	–	N. 1
Deal	–	–	1	–	1	–
Dover	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
Erith	–	–	1	–	1	–
Folkestone ...	–	–	2		–	–
Gillingham ...	–	2	–	–	–	–
Gravesend ...	–	–	1	–	–	–
Herne Bay ...	–	1	–	–		–
Hythe	–	1	–	–	–	–
Maidstone ...	–	3	–	–	–	–
Margate ...	–	3	–	–	–	–
Northfleet ...	–	–	2	–	–	–
Penge	–	1		–	–	–
Ramsgate ...	–	2	–	–	–	–
Sevenoaks ...	–	4	–	–	–	–
Sidcup	–	1	–		–	–
Sittingbourne and Milton	–	2	–	–	–	–
Walmer	–	1	–	–	–	–
Rural Districts:—						
Bridge	–	–		2	–	–
Dartford ...	–	–	2		–	–
Eastry	–	1	–	–	–	–
Elham	–	2	3	–	–	–
Hollingbourne	–	1	–	–	–	–
Isle of Thanet	–	1	–	–	–	–
Maidstone ...	–	–	1	–	–	–
Malling ...	–	–	–	–	–	E. 1
Sevenoaks ...	–	3	1	–	1	–
Strood	–	1	–	–	–	–
Tenterden ...	–	1	–	–		–
Tonbridge ...	–	2	1	–	–	–
LANCASTER ...	–	156	93	7	104	C. 1 D. 4 G. 3 M. 21 N. 8
Barrow in Furness C.B.	–	1	–	–	9	–
Blackburn C.B.	–	2	3	–	–	M. 1
Blackpool C.B.	–	–	2	–	1	N. 1
Bolton C.B. ...	–	9	–	–	–	M. 1
Bootle C.B. ...	–	2	2	–	3	–
Burnley C.B. ...	–	3	1		4	M. 1 N. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
LIVERPOOL C.B....	–	20	45	3	25	D. 1 G. 3 M. 12 N. 1
MANCHESTER C.B.	–	40	5	1	22	D. 2 M. 3 N. 1
OLDHAM C.B. ...	–	4	5	1	1	–
PRESTON C.B. ...	–	–	2	–	3	N. 1
ROCHDALE C.B....	–	3	1	–	3	–
ST. HELENS C.B.	–	2	1	–	–	–
SALFORD C.B. ...	–	6	8	–	2	M. 1
SOUTHPORT C.B.	–	1	4	–	–	–
WARRINGTON C.B.	–	10	1	–	–	–
WIGAN C.B. ...	–	2	–	–	1	M. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
ASHTON-UNDER-LYNE	–	4	–	–	1	D. 1
ATHERTON ...	*	*	*	*	*	*
BLACKROD ...	–	–	1	–	–	–
BRIERFIELD ...	–	–	2	–	–	–
CHORLEY	–	5	–	–	–	–
CLITHEROE ...	*	*	*	*	*	*
COLNE	–	–	1	–	–	–
CROMPTON ...	–	1	–	–	–	–
DROYLSDEN ...	–	2	–	–	1	–
FAILSWORTH ...	–	1	–	–	2	–
FARNWORTH ...	–	–	–	–	6	N. 1
FLEETWOOD ...	–	–	–	–	1	–
GOLBORNE ...	–	2	1	–	–	–
HAYDOCK... ...	–	–	–	–	2	N. 1
HINDLEY	–	–	1	–	–	–
HORWICH... ...	–	1	–	–	–	–
INCE IN MAKERFIELD	–	–	–	1	–	–
KIRKHAM ...	–	2	–	–	–	–
LANCASTER ...	–	5	–	–	2	–
LEES	–	–	–	–	1	–
LEIGH	–	1	–	–	–	–
LITHERLAND ...	–	1	–	–	–	–
LYTHAM ST. ANNE'S	–	2	–	–	2	N. 1
MIDDLETON	–	–	–	–	1	C. 1
MORECAMBE AND HEYSHAM	–	–		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
MOSSLEY		1	–	–	1	–
NELSON	–	3	–	–	–	–
NEWTON IN MAKERFIELD	–	3	–	–	1	–
ORMSKIRK ...	–	–	1	–	–	–
PRESCOT	–	1	–	–	–	–
RAMSBOTTOM ...	–	–	1	–	–	–
RAWTENSTALL ...	–	5	1	–	1	–
ROYTON	–	1	–	–	1	–
STRETFORD ...	–	2	1	–	–	–
SWINTON AND PENDLEBURY	–	1	–	–	–	–
THORNTON CLEVELEYS	–	–	1	–	–	–
TOTTINGTON ...	–	–	–	–	1	–
TURTON	–	1	–	–	–	–
ULVERSTON ...	–	–	–	1	–	–
UPHOLLAND ...	–	1	–	–	1	–
WARDLE	–	–	1	–	–	M. 1
WATERLOO WITH SEAFORTH	–	1	–	–	–	–
WHITEFIELD ...	–	–	–	–	1	–
WIDNES	–	–	–	–	1	–
Rural Districts:—						
BURNLEY ...	–	3	–	–	–	–
BURY	–	–	1	–	–	–
GARSTANG ...	–	1	–	–	1	–
PRESTON	–	1	–	–	–	–
WARRINGTON ...	–	2	–	–	–	–
LEICESTER ...	8	28	2	–	2	D. 1 M. 1 N. 1
LEICESTER C.B....	7	7	1	–	1	M. 1
Boroughs and Urban Districts:—						
COALVILLE ...	–	3	–	–	–	–
LOUGHBOROUGH	–	–	–	–	–	N. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	10	–	–	1	–
BLABY	–	2	–	–	–	–
HINCKLEY ...	1	–	–	–	–	–
LUTTERWORTH ...	–	–	–	–	–	D. 1
MARKET BOSWORTH	–	6	–	–	–	–
LINCOLN (parts of Holland).	–	5	1	–	–	N. 1
Boroughs and Urban Districts:—						
SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
BOSTON	–	2	–	–	–	–
CROWLAND ...	–	–	–	–	–	N. 1
EAST ELLOE ...	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	–	–
Boroughs and Urban Districts:—						
GRANTHAM ...	–	1	–	–	–	–
Rural Districts:—						
SOUTH KESTEVEN	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	–	9	5	–	4	M. 1 N. 1
GRIMSBY C.B. ...	–	1	–	–	–	M. 1
LINCOLN C.B. ...	–	1	1	–	–	–
LINCOLN (parts of Lindsey)— *cont.*						
Boroughs and Urban Districts:—						
BRIGG	–	–	–	–	1	–
CLEETHORPES ...	–	2	–	–	–	–
CROWLE	–	–	3		–	–
GAINSBOROUGH ...	–	1	–	–	–	–
SKEGNESS... ...	–	1	–	–	2	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	–
GRIMSBY	–	1	–	–	–	–
HORNCASTLE ...	–	2	–	–	–	N. 1
ISLE OF AXHOLME	–	–	1		–	–
MIDDLESEX ...	1	48	42	2	5	C. 2 M. 2 N. 4
Boroughs and Urban Districts:—						
ACTON	–	1	2	–	–	N. 1
BRENTFORD AND CHISWICK	–	1	–	1	–	N. 1
EALING	–	4	2	–	–	M. 1 N. 1
EDMONTON ...	1	10	2	1	–	–
ENFIELD	–	1	6	–	–	–
FINCHLEY ...	–	1	1	–	–	–
FRIERN BARNET...	–	1	–	–	–	–
HAMPTON ...	–	–	1	–	–	–
HARROW ON THE HILL	–	–	1	–	–	–
HAYES AND HARLINGTON	–	3	–	–	–	–
HENDON	–	1	6	–	–	C. 1 N. 1
HESTON AND ISLEWORTH	–	4	3	–	–	–
HORNSEY	–	2	2	–	1	–
KINGSBURY ...	–	4	–	–	–	C. 1
RUISLIP NORTHWOOD	–	–	1	–	–	–
STAINES	–	1	1	–	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
Sunbury on Thames	–	1	–	–	–	–
Tottenham ...	–	4	1	–	2	–
Twickenham ...	–	1	1	–	–	M. 1
Uxbridge ...	–	1	–	–	–	–
Wealdstone ...	–	–	1	–	–	–
Wembley ...	–	1	–	–	–	–
Willesden ...	–	3	7	–	2	–
Wood Green ...	–	–	3	–	–	–
Yiewsley and West Drayton	–	1	1	–	–	–
Rural Districts—						
Hendon	–	2	–	–	–	–
NORFOLK ...	–	12	5	2	3	E. 2 M. 1 N. 2
Great Yarmouth C.B.	–	–	–	1	1	–
Norwich C.B. ...	–	3	3	1	–	M. 1 N. 1
Boroughs and Urban Districts:—						
King's Lynn ...	–	2	–	–	1	–
Rural Districts:—						
Blofield ...	–	5	–	–	–	–
Depwade ...	–	1	–	–	–	–
Downham ...	–	–	1	–	–	–
Henstead ...	–	1	–	–	–	–
Marshland ...	–	–	–	–	1	–
Mitford and Launditch	–	–	–	–	–	N. 1
Swaffham ...	–	–	1	–	–	–
Walsingham ...	–	–	–	–	–	E. 1
Wayland ...	–	–	–	–	–	E. 1
NORTHAMPTON	–	14	2	1	1	M. 1
Northampton C.B	–	6	–	–	–	–
Boroughs and Urban Districts:—						
Burton Latimer	–	–	–	–	–	M. 1
Desborough ...	–	1	–	–	–	–
Kettering ...	–	4	–	–	1	–
Rushden... ...	–	1	–	–	–	–
Rural Districts:—						
Daventry ...	–	–	1	–	–	–
Northampton ...	–	–	–	1	–	–
Wellingborough	–	2	1	–	–	–
NORTHUMBERLAND.	–	29	10	–	16	C. 1 D. 4 M. 1 N. 8
Newcastle upon Tyne C.B.	–	22	5	–	10	C. 1 D. 3 M. 1 N. 8
Tynemouth C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
Ashington ...	–	3	–	–	–	–
Bedlingtonshire	–	–	–	–	2	–
Blyth	–	–	–	–	1	–
Earsdon	–	1	–	–	–	D. 1
Longbenton ...	–	–	–	–	1	–
Seaton Delaval	–	–	–	–	1	–
Wallsend ...	–	3	2	–	–	–
Whitley and Monkseaton	–	–	1	–	–	–
Rural Districts:—						
Alnwick... ...	–	–	1	–	–	–
Hexham	–	–	1	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	–	18	8	1	7	D. 1 N. 1
Nottingham C.B.	–	10	5	–	3	–
Boroughs and Urban Districts:—						
Beeston	–	1	–	–	1	–
East Retford ...	–	–	–	–	1	–
Hucknall ...	–	–	1	–	–	–
Mansfield ...	–	2	–	–	–	–
Newark	–	–	–	1	–	–
Sutton in Ashfield	–	–	1	–	–	–
Warsop	–	1	–	–	–	–
Worksop... ...	–	–	–	–	–	D. 1
Rural Districts:—						
Basford	–	3	1	–	1	–
East Retford ...	–	–	–	–	1	–
Southwell ...	–	1	–	–	–	–
Worksop... ...	–	–	–	–	–	N. 1
OXFORD	–	4	3	–	–	C. 1 G. 1 N. 2
Oxford C.B. ...	–	–	–	–	–	C. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
Bicester... ...	–	–	–	–	–	N. 1
Henley on Thames	–	1	–	–	–	–
Rural Districts:—						
Banbury... ...	–	1	–	–	–	–
Bicester... ...	–	1	–	–	–	–
Culham	–	1	–	–	–	–
Headington ...	–	–	1	–	–	–
Henley	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND ...		–	4	–		–
Rural Districts:—						
Ketton	–	–	4	–	–	–
SALOP	–	2	5	–	3	M. 1
Boroughs and Urban Districts:—						
Bridgnorth ...	–		–	–	1	–
Church Stretton	–	–	–	–	1	–
Dawley	–	–	2	–	–	–
Ludlow	–	–	1		1	–
Shrewsbury ...	–	1	1	–	–	–
Wenlock ...	–		–	–	–	M. 1
Rural Districts:—						
Atcham	–	1	1	–	–	–
SOMERSET ...	–	6	6	1	3	D. 1 N. 1
Bath C.B. ...	–	1	–	–	–	N. 1
Boroughs and Urban Districts:—						
Burnham on Sea	–	–	1	–	–	–
Clevedon ..	–	–	–	–	1	–
Frome	–	1	–	–	–	D. 1
Shepton Mallet	–	–	–	1	–	–
Weston super Mare	–	1	3	–	–	–
Rural Districts:—						
Axbridge ...	–	1	2	–	–	–
Bath	–	1	–	–	–	–
Clutton	–	–	–	–	1	–
Dulverton ...	–	–	–	–	1	–
Keynsham ...	–	1	–	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON	–	23	15	–	3	M. 2
Bournemouth C.B.	–	3	1	–	2	–
Portsmouth C.B.	–	11	6	–	–	–
Southampton C.B.	–	1	7	–	–	M. 1
Boroughs and Urban Districts:—						
Christchurch ...	–	1	–	–	–	–
Fareham ...	–	1	–	–	–	–
Gosport	–	2	–	–	1	–
Rural Districts:—						
Andover... ...	–	–	–	–	–	M. 1
Christchurch ...	–	2	–	–	–	–
Hartley Wintney	–	2	–	–	–	–
Lymington ...	–	–	1	–	–	–
STAFFORD ...	–	30	17	1	16	C. 3 D. 1 E. 1 L. 1 M. 13 N. 3
Burton upon Trent C.B.	–	2	–	–	–	C. 1
Smethwick C.B.	–	3	2	–	–	–
Stoke on Trent C.B.	–	3	2	–	2	M. 6 N. 1
Walsall C.B. ...	–	–	–	–	3	M. 1
West Bromwich C.B.	–	2	1	1	1	–
Wolverhampton C.B.	–	2	2	–	3	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
Audley	–	–	–	–	–	M. 1
Brierley Hill...	–	–	1	–	–	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
Darlaston ...	–	–	–	–	–	M. 1
Kidsgrove ...	–	–	–	–	1	–
Rowley Regis ...	–	1	2		2	M. 2
Rugeley... ...	–	2	–	–	–	–
Tamworth ...	–	2	–	–	–	–
Tipton	–	2	2	–	–	–
Wednesbury ...	–	1	–	–	1	N. 1
Willenhall ...	–	2	–	–	–	–
Rural Districts:—						
Cannock	–	1	1	–	–	M. 1
Cheadle... ...	–	3	2	–	–	L. 1
Leek	–	–	–	–	1	–
Lichfield ...	–	–	1	–	2	D. 1
Seisdon	–	1	1	–	–	C. 1
Stone	–	–	–	–	–	E. 1
Tamworth (part)	–	3	–	–	–	–
SUFFOLK, EAST	–	10	13	–	2	–
Ipswich C.B. ...	–	7	12	–	–	–
Boroughs and Urban Districts:—						
Leiston cum Sizewell	–	2	–	–	–	–
Lowestoft ...	–	1	1	–	1	–
Rural Districts:—						
Bosmere and Claydon	–	–	–	–	1	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	–	–	–	1	–
Boroughs and Urban Districts:—						
GLEMSFORD ...	–	–	–	–	1	–
SURREY	–	34	14	2	9	M. 1 N. 8
CROYDON C.B. ...	–	6	5	1	–	N. 1
Boroughs and Urban Districts:—						
BARNES	–	3	–	–	1	–
BEDDINGTON AND WALLINGTON	–	–		–	–	N. 1
CATERHAM AND WARLINGHAM	–	1	–	–	–	–
CHERTSEY ...	–	–	–	–	2	–
COULSDON AND PURLEY	–	–	–	1	–	–
DORKING	–	1		–	–	–
EAST AND WEST MOLESEY	–	–	–	–	2	–
EGHAM	–	1	2	–	–	–
EPSOM	–	1	–	–	–	–
ESHER AND THE DITTONS	–	–	1	–	–	–
FARNHAM ...	–	1	–	–	–	N. 1
FRIMLEY AND CAMBERLEY	–	2	–	–	1	–
HAM	–	1	–	–	–	–
HASLEMERE ...		1	–	–	–	–
MERTON AND MORDEN	–	2	–	–	–	–
MITCHAM	–	2	1	–	1	–
REIGATE	–		2	–	–	–
RICHMOND ...	–	5	–	–	–	M. 1
SURBITON ...	–	1	–	–	1	–
WALTON UPON THAMES		1	–	–	–	–
WINDLESHAM ...	–	3	–	–	1	–
WOKING	–	1	–		–	N. 2
Rural Districts:—						
CHERTSEY ...	–	–	–	–		N. 1
EPSOM	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts—*cont.*						
FARNHAM	–	–	3	–	–	N. 1
REIGATE	–	–	–	–	–	N. 1
SUSSEX, EAST ...	–	8	6	–	–	C. 1 D. 1 M. 1 N. 2
BRIGHTON C.B. ...	–	–	2	–	–	D. 1 M. 1 N. 2
EASTBOURNE C.B.	–	4	–	–	–	C. 1
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
BEXHILL ...	–	–	2	–	–	–
HOVE	–	1	–	–	–	–
LEWES	–	1	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	1	–	–	–
UCKFIELD ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	5	3	2	1	N. 1
Boroughs and Urban Districts:—						
BOGNOR REGIS ...	–	–	1	–	1	–
HORSHAM ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	–	1	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
WORTHING ...	–	1	–	2	–	–
Rural Districts:—						
MIDHURST ...	–	–	–	–	–	N. 1
STEYNING WEST ...	–	1	–	–	–	–
WESTBOURNE ...	–	–	1	–	–	–
WESTHAMPNETT	–	1	–	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexis.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	-	40	30	1	28	C. 2 D. 1 M. 13 N. 6
BIRMINGHAM C.B.	-	30	26	1	19	C. 2 D. 1 M. 12 N. 2
COVENTRY C.B. ...	-	3	-	-	3	M. 1
Boroughs and Urban Districts:—						
BULKINGTON ...	-	-	-	-	-	N. 1
NUNEATON ...	-	-	-	-	1	-
ROYAL LEAMINGTON SPA	-	1	-	-	-	-
RUGBY	-	-	1	-	-	N. 1
STRATFORD ON AVON	-	-	2	-	-	-
WARWICK ...	-	-	-	-	3	-
Rural Districts:—						
ALCESTER ...	-	-	-		-	N. 1
ATHERSTONE ...	-	-	-	-	1	-
NUNEATON ...	-	1	-	-	-	-
RUGBY	-	1	1	-	1	-
SOUTHAM... ...	-	2	-	-	-	-
TAMWORTH (part)	-	2	-	-	-	-
WARWICK ...	-	-	-	-	-	N. 1
WESTMORLAND	-	1	2	-	1	-
Boroughs and Urban Districts:—						
KENDAL	-	1	1	-	-	-
Rural Districts:—						
SOUTH WESTMORLAND	-	-	1	-	1	-
WIGHT, ISLE OF		3	-	-	-	-
Boroughs and Urban Districts:—						
RYDE	-	1	-	-	-	-
Rural Districts:—						
ISLE OF WIGHT ...	-	2	-	-	-	-
WILTS	-	6	2	-	-	E. 1 G. 1 L. 1
Boroughs and Urban Districts:—						
SALISBURY ...	-	2		-	-	-
SWINDON... ...	-	-	2		-	G. 1
TROWBRIDGE ...	-	1	-		-	-
WARMINSTER ...		1	-	-	-	-
Rural Districts:—						
BRADFORD ON AVON		1	-	-	-	-
CRICKLADE AND WOOTTON BASSETT	-	-	-	-	-	E. 1
DEVIZES	-	1	-	-	-	L. 1
WORCESTER ...	-	8	2	1	4	C. 1 N. 1
DUDLEY C.B. ...	-	1	1	-	-	-
WORCESTER C.B.	-	1	-	-	-	-
Boroughs and Urban Districts:—						
DROITWICH ...	*	*	*	*	*	*
HALESOWEN ...	-	2	-	-	-	N. 1
KIDDERMINSTER	-	1	-	-	-	-
MALVERN ...			-	-	1	-
OLDBURY... ...	-	-	-	-	2	-
REDDITCH ...	-	-	1	1	1	-
STOURBRIDGE ...	-	1	-	-	-	-

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	–	–	–	–	C. 1
PERSHORE ...	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	18	39	2	–	M. 1 N. 2
KINGSTON UPON HULL C.B.	–	16	33	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
WITHERNSEA ...	–	–	2		–	–
Rural Districts:—						
BRIDLINGTON ...	–	–	–	1	–	–
NORTON	–	1	–	–	–	–
POCKLINGTON ...	–	–	–	1	–	–
RICCALL	–	–	1	–	–	–
SHERBURN ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	–	10	9	–	11	C. 1 M. 1
MIDDLESBROUGH C.B.	–	2	3	–	7	C. 1
Boroughs and Urban Districts:—						
ESTON	–	1		–	1	–
LOFTUS	–	–	–	–	–	M. 1
REDCAR	–	1	–		1	–
SCARBOROUGH ...	–	–	2		–	–
SKELTON AND BROTTON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
BEDALE	–	1	–	–	–	–
FLAXTON	–	–	3	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
MIDDLESBROUGH	–	–	–	–	1	–
REETH	–	–	–	–	1	–
RICHMOND ...	–	1	–	–	–	–
THIRSK	–	–	1	–	–	–
WATH	–	1	–	–	–	–
YORKS ... ... (West Riding).		91	63	8	48	D. 11 E. 4 G. 1 M. 4 N. 5
BARNSLEY C.B. ...	–	3	–	–	2	G. 1
BRADFORD C.B. ...	–	11	3	–	4	N. 1
DEWSBURY C.B....	–	4	1	1	–	–
DONCASTER C.B....	–	2	7	–	1	D. 3
HALIFAX C.B. ...	–	–	1	1	–	–
HUDDERSFIELD C.B.	–	–	–	–	3	N. 1
LEEDS C.B. ...	–	16	12	–	5	–
ROTHERHAM C.B.	–	2	1	–	–	D. 2
SHEFFIELD C.B....	–	10	5	1	11	D. 2 E. 3 N. 3
WAKEFIELD C.B.	–	1	–	–	3	–
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	3	1	–	1	–
ALTOFTS	–	–	–	–	1	–
BARKISLAND ...	–	–	–	1	–	–
BATLEY	–	–	4		–	–
BENTLEY WITH ARKSEY	–	–	1	–	–	D. 1
BIRSTAL	–	–	–	–	–	M. 1
BRIGHOUSE ...	–	–	1	–	1	–
BURLEY IN WHARFEDALE	–	1	–	–	–	–
CUDWORTH ...	–	–	–	–	1	D. 1
DARTON	–	1	–	–	2	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
FARSLEY	–	1	–	–	–	–
GOOLE	–	1	–	–	–	–
GUISELEY ...	–	1	–	–	–	–
HARROGATE ...	–	1	2	1		M. 1
HEMSWORTH ...	–	1	–	–	1	–
HONLEY	–	1	–	–	–	–
HORBURY... ...	–	2	–	–	–	–
HOYLAND NETHER	–	–	–	–	1	–
ILKLEY	–		3	–	–	–
KEIGHLEY ...	–	2	–	–		–
KNOTTINGLEY ...	–	–	–	–	1	–
MALTBY	–	1	–	–	–	M. 1
METHLEY ...	–	–	1	–	–	–
MEXBOROUGH ...	–	1	–	–	1	
MIRFIELD ...	*	*	*	*	*	*
MORLEY	–	1	–	–	–	–
NORMANTON ...	–	2	–	–	–	–
OSSETT	–	–	–	–	2	–
PUDSEY	–	2	–	–	–	–
RAWMARSH ...	–	2	–	–	–	
SADDLEWORTH ...	*	*	*	*	*	*
SELBY	–	–	1	–	–	–
SHELF	–	1	–	–	–	–
SHIPLEY	–	1	–	–	–	–
SILSDEN	–	1	–			–
SKELMANTHORPE	–	–	–	1	–	–
SOWERBY... ...	–	1	–	–	–	–
SOYLAND	–	–	2		–	–
SPENBOROUGH ...	–	2	–	–	–	–
THURNSCOE ...	–	–	1	–	–	–
WOMBWELL ...	–	–	–	–	1	–
YEADON	–	–	9	–	–	–
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	3	–	1	–	D. 1
GREAT OUSEBURN	–	–	–	–	1	–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	–	1	–	–	D. 1 M. 1
KIVETON PARK ...		1	2	–	–	–
KNARESBOROUGH	–	2	–	–	1	–
PATELEY BRIDGE		–	–	–	1	–
PONTEFRACT ...		2	–	1		–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	1	1	–	–	–
SETTLE		–	1	–	1	–
TADCASTER ...	–	–	1	–	1	–
THORNE	–	1	–	–	1	–
WETHERBY ...	–	–	1	–		–
WORTLEY... ...	–	–	–	–	–	E 1
YORK, CITY OF ..	–	4	2	1	2	–
YORK C.B. ...	–	4	2	1	2	–
WALES.						
ANGLESEY ...	–	–	–	–	1	–
Rural Districts:—						
TWRCELYN ...	–		–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
Conway	–	–	2	–	–	–
Penmaenmawr ...	–	–	1	–	–	–
CARDIGAN ...	–	–	2	–	–	G. 2
Boroughs and Urban Districts:—						
Aberystwyth ...	–	–	2	–	–	–
Lampeter ...	–	–	–	–	–	G. 1
Rural Districts:—						
Lampeter ...	–	–	–	–	–	G. 1
CARMARTHEN...	–	3	–	–	–	G. 1
Boroughs and Urban Districts:—						
Ammanford ...	–	1	–	–	–	–
Cwmamman ...	–	1	–	–	–	–
Rural Districts:—						
Llanelly ...	–	1	–	–	–	–
Llanybyther ...	–	–	–	–	–	G. 1
DENBIGH ...	–	7	5	2	–	–
Boroughs and Urban Districts:—						
Wrexham ...	–	–	1	–	–	–
DENBIGH—*cont.*						
Rural Districts:—						
Uwchaled ...	–	–	–	2	–	–
Wrexham ...	–	7	4	–	–	–
FLINT	–	6	5	–	4	C. 2
Boroughs and Urban Districts:—						
Connah's Quay	–	–	1	–	–	–
Holywell ...	–	–	–	–	1	–
Mold	*	*	*	*	*	*
Prestatyn ...	–	1	–	–	–	–
Rhyl	–	4	2	–	2	–
Rural Districts:—						
Hawarden ...	–	–	–		1	C. 1
Holywell ...	–	1	2	–	–	–
Overton	–	–		–	–	C. 1
GLAMORGAN ...	–	22	33	1	22	C. 2 M. 3 N. 7
Cardiff C.B. ...	–	5	12	1	3	C. 2 M. 1
Merthyr Tydfil C.B.	–	2	1	–	1	N. 1
Swansea C.B. ...	–	–	9	–	–	–
Boroughs and Urban Districts:—						
Barry	–	1	1	–	–	M. 1 N. 1
Caerphilly ...	–	1	–	–	3	–
Gelligaer ...	–	–	3	–	1	M. 1
Maesteg	–	–	–	–	1	–
Mountain Ash...	–	3	–	–	2	–
Neath	–	1	–	–	–	–
Ogmore and Garw	–	3	–	–	–	–
Penarth	–	–	2	–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
PONTYPRIDD ...	-	1	-	-	2	N. 3
PORTHCAWL ...	-	-	1	-	-	-
RHONDDA ...	-	3	4	-	8	N. 2
Rural Districts:—						
COWBRIDGE ...	-	1	-	-	1	-
LLANTRISANT AND LLANTWIT-FARDRE	-	1	-	-	-	-
MERIONETH ...	-	-	-	3	-	-
Rural Districts:—						
PENLLYN	-	-	-	3	-	-
MONMOUTH ...	1	39	7	1	3	C. 1 G. 1
NEWPORT C.B. ...	-	24	3	-	2	C. 1
Boroughs and Urban Districts—						
ABERGAVENNY ...	-	4	-	-	-	-
ABERSYCHAN ...	-	1	-	-	-	-
ABERTILLERY ...	-	1	-	-	-	-
BEDWAS AND MACHEN	-	1	1	-	-	-
EBBW VALE ...	-	3	1	-	-	G. 1
RISCA	-	2	-	-	-	-
TREDEGAR ...	-	1	2	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
ABERGAVENNY ...	1	-	-	-	-	-
CHEPSTOW ...	-	-	-	1	-	-
ST. MELLONS ...	-	2	-	-	-	-
MONTGOMERY...	-	-	-	-	2	-
Rural Districts:—						
NEWTOWN AND LLANIDLOES	-	-	-	-	2	-
PEMBROKE ...	-	2	-	-	-	-
Rural Districts:—						
HAVERFORDWEST	-	1	-	-	-	-
LLANFYRNACH ...	-	1	-	-	-	-
Total of Part II....	15	966	606	57	393	C. 2 D. 3 E. 1 G. 1 J. - L. - M. 8 N. 8

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ERNSTAPLE	*	*	*	*	*	*	HAYLE	*	*	*	*	*	*
STON	–	–	–	1	–	–	LIVERPOOL	–	–	1	–	–	–
RWICH	–	–	1	–		–	**Total of Part III.** ..	–	–	2	1		–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (‡)
Total of Part I.—London	4	180	108	6	35	C. D. E. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	15	966	606	57	393	C. D. E. G. J. L. M. N.
Total of Part III.—Port Sanitary Districts		–	2	1	–	
Total (i.e., of returns received), England and Wales ...	19	1146	716	64	428	C. D. E. G. J. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

.—London and Great Towns in the GATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

k ended :—	May 23.	May 30.	June 6.	June 13.	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Totals from 1st Week of year. * 1930.	1931.
N :—															
RTHS	1,453	1,227	1,494	1,559	1,383	1,485	1,375	1,463	1,409	1,415	1,453	1,221	1,387	46,906	44,608
THS	46	42	61	65	52	37	46	43	47	42	57	58	47	1,730	1,564
(excluding Still- —all ages.	871	831	856	761	758	780	794	763	735	768	780	718	730	31,169	34,511
—0 to 1 year ..	70	74	59	48	48	59	47	54	58	62	56	63	54	2,648	2,619
TOWNS, aggre- (including Lon-															
RTHS	6,754	5,553	7,080	7,087	6,603	6,607	6,521	6,682	6,477	6,616	6,653	5,544	6,431	213,632	207,636
THS	301	234	287	301	331	275	283	285	280	247	275	266	280	9,405	9,178
(excluding Still-)—all ages.	4,235	4,036	3,872	3,846	3,606	3,674	3,659	3,619	3,538	3,548	3,486	3,386	3,427	141,475	158,637
—0 to 1 year ..	401	352	367	329	293	308	284	287	292	303	301	287	305	13,322	14,752
O FEVER—Cases	16	11	19	16	12	15	26	19	23	16	21	28	29	620	499
„ Deaths	1	—	1	—	2	1	3	2	2	1	—	1	2	70	52
POX—Cases ..	84	72	57	84	49	38	53	33	34	32	22	20	17	7,289	3,492
Deaths ..	—	—	1	—	—	—	1	—	—	—	—	—	—	17	5
T FEVER—Cases	832	744	786	798	803	803	854	809	815	894	820	700	639	38,906	26,744
„ Deaths	4	5	5	3	1	3	3	6	9	2	4	1	1	296	180
ERIA—Cases ..	519	412	482	534	569	572	566	585	573	538	524	423	469	27,977	19,500
Deaths ..	21	22	18	21	24	18	23	29	24	19	22	25	21	1,317	945
ES—Deaths ..	28	39	26	33	26	27	16	18	9	18	18	12	9	2,372	1,550
ENZA—Deaths ..	54	46	30	21	20	24	19	20	22	14	11	16	15	1,512	5,254

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the ars and differ from those published for the towns in the Quarterly Return which are corrected for births ng away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 15th August, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†
	°	°	°	°	
DON	74	46	67·6	52·4	52
GREENWICH).					
GHTON ..	69	46	65·3	54·0	11
TSMOUTH ..	69	48	66·2	54·2	7
WICH(SOUTH- VELL LODGE)	71	45	60·9	49·4	12
MOUTH ..	67	48	64·6	53·4	14
STOL	70	45	66·3	51·9	21
(HORFIELD)					
MINGHAM (EDGBASTON).	67	43	61·9	49·9	50
TTINGHAM ..	§	§	§	§	§
KENHEAD (BIDSTON).	68	48	59·9	52·0	57
NCHESTER (WHITWORTH PARK).	68	45	62·6	51·4	54
RNLEY	67	40	61·7	48·4	36

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†
	°	°	°	°	
HUDDERSFIELD	68	41	62·3	47·0	34
BRADFORD ..	66	42	62·1	49·0	28
SHEFFIELD ..	68	45	63·3	49·7	34
YORK (MUSEUM)	69	43	62·6	49·1	38
HULL (PEARSON PARK).	69	43	59·9	49·9	12
TYNEMOUTH ..	66	46	59·3	51·0	16
CARDIFF	70	47	65·1	53·4	18
EDINBURGH ..	67·0	42·0	59·9	48·1	15
GLASGOW ..	66·9	42·9	62·5	49·2	14
DUBLIN (PHŒNIX PARK)	68·0	43·0	63·9	48·1	32
(FITZWILLIAM SQUARE†).	67·0	47·4	62·8	53·1	29
BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Returns not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 15th August, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	9	..	29·751	63·8	47·8	16·0	54·2	− 8·1	43·7	10·5	19·8	1·4	68	123·1	35·3	58·0	NNW	N: NNW: NW.	3·0	0·0	0·5	318	+ 62	0·02
MONDAY -	10	Greatest Declination N.	29·824	59·8	45·9	13·9	53·5	− 8·8	51·4	2·1	10·1	1·3	92	83·5	33·2	58·0	WSW: SW.	SW: W: N.	2·7	0·0	0·2	276	+ 19	0·19
TUESDAY -	11	..	30·120	68·6	48·1	20·5	57·9	− 4·5	46·1	11·8	20·7	2·7	64	119·7	41·1	58·0	NNW	WNW: NW.	1·5	0·0	0·2	244	− 13	0·00
WEDNESDAY	12	..	29·951	73·9	55·0	18·9	63·5	+ 1·0	54·3	9·2	23·3	1·6	72	135·2	50·0	57·9	WSW: WNW.	W: NW.	1·6	0·0	0·2	269	+ 12	0·11
THURSDAY -	13	New	29·734	67·6	56·8	10·8	59·9	− 2·6	59·2	0·7	5·2	1·0	98	114·3	54·5	57·8	NW: Calm.	E	0·8	0·0	0·1	180	− 77	0·11
FRIDAY -	14	..	29·371	60·3	53·8	6·5	56·8	− 5·7	55·9	0·9	2·8	0·6	97	74·0	44·9	57·8	E	E: SW.	3·1	0·0	0·2	240	− 15	1·16
SATURDAY -	15	Perigee	29·345	72·1	53·6	18·5	61·9	− 0·5	54·8	7·1	15·5	0·6	77	132·1	44·6	58·0	SW	SW: SSW: S.	3·7	0·0	0·3	285	+ 33	0·01
MEANS -		..	29·728	66·6	51·6	15·0	58·2	− 4·2	52·2	6·0	13·9	1·3	81	111·7	43·4	57·9	Westerly		..		..	Sum 1812	Sum + 21	Sum 1·60
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	9	wP till 2h.; mP till 12h.: variably wP and mP till 17h., then mP.	8·9	15·0	Overcast till 4h.; few clouds by 6h. Very cloudy 12h. till 17½h., then little cloud. Rain till 1½h. Dew at night.
MONDAY ..	10	mP till 17h.; v till 18½h., then mP.	0·1	15·0	Little cloud till 4h.; cloudy till 7h., then overcast. Rain or drizzle 8½h. till 13½h.: rain 16⅜h. till 18½h., and drizzle 21¼h. till 22h.
TUESDAY ..	11	mP throughout.	6·7	14·9	Overcast till 3h.: cloudless 3h. till 7h., partially cloudy till 11h., then overcast or nearly so. Dew in morning.
WEDNESDAY	12	mP throughout.	7·2	14·9	Overcast till 7½h.; cloudy or very cloudy till 15h., then overcast generally. Damping 4h. till 6h., and rain or heavy rain 19⅜h. till 20¼h.
THURSDAY	13	mP till 11h., then wP.	0·9	14·8	Overcast till 12h.; nearly overcast period 12h. till 15h. Occasional slight drizzle 8⅜h. till 10½h., then rain till 11⅜h. Drizzle from 20h. Gloomy 8¾h. till 11¾h.
FRIDAY ..	14	wP till 9h.; v till 10½h., then mP.	0·0	14·7	Overcast or nearly so till 18⅜h.: cloudy till 23h.; then few clouds. Frequent heavy rain 10h. till 18h. Thunder and lightning 15½h. till 16½h. Mist in morning.
SATURDAY	15	mP throughout.	10·8	14·7	Partially cloudy till 14h.: cloudy till 19h., becoming nearly cloudless by 20h. Clouding 22h. to overcast by 0h. Slight drizzle 1h. till 5h., and slight showers 9¼h. till 15½h.
			Sum 34·6	Sum 104·0	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·45 ins. at the beginning of the week to 29·88 ins. by 0h. on August 10th; decreased to 29·79 ins. by 17h. on August 10th; increased to 30·13 in. by 21h. on August 11; decreased to 29·32 in. by 6h. on August 15; increased and was 29·35 in. by midnight on the same day,

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 33.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 22ND AUGUST,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 22ND AUGUST, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirty-third week of the year numbered 6,562 corresponding to an annual rate of 17·2 per 1,000 living: stillbirths numbered 313 corresponding to a rate of 46 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,447 (20 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.
107 Great Towns	9·2	8·9	9·0	9·1
London	9·3	8·6	8·7	9·0
Birmingham	8·2	8·7	7·5	7·7
Liverpool	9·7	9·1	9·6	8·6
Manchester	9·7	10·3	9·0	9·2
Sheffield	7·6	6·7	7·4	10·8
Leeds	11·5	7·5	9·5	9·5
Bristol	9·1	7·1	10·1	8·1
West Ham	9·0	11·1	7·9	8·1

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 44, against 46, 44, and 46 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,401 live births registered corresponding to an annual rate of 16·7 per 1,000 living: stillbirths numbered 52 corresponding to a rate of 36 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 757 (27 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 36, against 40, 45, and 39 in the preceding three weeks.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There were no deaths from small-pox in the returns from areas outside Greater London, the County Boroughs and Great Towns, for the month of July last.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths* registered in the week ended 22nd August, 1931.**

	TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Infl…
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	1
	107 Great Towns ..	19,836,440*	6,562	313	3,447	286	4	13	3	11	18	37	
	London	4,377,000*	1,401	52	757	50	1	–	1	3	–	6	
Towns in Outer Ring.	Croydon C.B. ..	233,000	86	7	43	1	–	–	–	–	–	–	
	Wimbledon ..	58,830	9	–	16	–	–	–	–	–	–	–	
	Ealing	117,400	43	2	15	1	–	–	–	–	–	1	
	Acton	70,400	23	1	9	2	–	–	–	–	–	–	
	Brentford and Chiswick ..	62,620	11	–	8	–	–	–	–	–	–	–	
	Willesden ..	185,300	37	1	20	1	–	–	–	–	–	–	
	Hendon	114,600*	38	–	9	–	–	–	–	–	–	–	
	Hornsey	95,440	20	1	15	–	–	–	–	–	–	–	
	Wood Green ..	54,460	9	–	4	–	–	–	–	–	–	–	
	Tottenham ..	159,100	27	–	27	–	–	–	–	–	2	–	
	Edmonton	77,530	50	2	14	4	–	–	–	–	–	–	
	Enfield	68,090	15	–	11	1	–	–	–	–	1	1	
	West Ham C.B. ..	296,900	151	4	46	5	–	–	–	–	–	–	
	East Ham C.B. ..	142,900	25	2	15	1	–	–	–	–	–	1	
	Leyton	128,600	31	–	9	–	–	–	–	–	–	–	
	Walthamstow ..	134,300	42	–	25	4	–	–	–	–	–	–	
	Ilford	131,300	55	1	21	4	–	–	–	–	–	–	
	Gillingham	60,600*	19	1	7	–	–	–	–	–	–	–	
	Canterbury C.B. ..	24,440*	5	–	1	–	–	–	–	–	–	–	
	Hastings C.B.	61,870	18	1	13	1	–	–	–	–	–	–	
	Eastbourne C.B. ..	55,670	20	–	4	–	–	–	–	–	–	–	
	Brighton C.B. ..	144,900*	50	1	28	1	–	–	–	–	–	–	
	Portsmouth C.B. ..	248,300*	79	5	47	3	2	–	–	–	–	–	
	Bournemouth C.B. ..	108,600	30	–	22	3	–	–	–	–	–	–	
	Southampton C.B. ..	175,300	62	3	23	3	–	–	–	1	–	1	
	Reading C.B.	97,450*	29	1	18	2	–	–	–	–	–	–	
	Oxford C.B	80,530*	21	–	19	3	–	–	–	–	–	–	
	Northampton C.B. ..	92,940*	38	2	16	–	–	–	–	–	–	–	
	Luton	69,030	19	–	16	2	–	–	–	–	1	–	
	Cambridge	66,850	17	1	11	–	–	–	–	–	–	–	
	Southend-on-Sea C.B.	117,900	24	1	27	1	–	–	–	–	–	1	
	Ipswich C.B.	87,630	35	2	12	–	–	–	–	–	1	–	
	Great Yarmouth C.B	56,690	20	1	12	1	–	–	–	–	–	–	
	Norwich C.B.	126,800*	55	4	21	–	–	–	–	–	–	–	
	Swindon	62,600	21	1	13	–	–	–	–	–	1	–	
	Exeter C.B.	65,290*	22	1	14	2	–	–	–	–	–	–	
	Plymouth C.B. ..	207,600*	70	4	46	3	–	–	–	–	1	1	
	Bath C.B.	68,120	13	1	13	–	–	–	–	–	–	–	
	Bristol C.B.	399,500*	129	7	62	2	–	–	–	–	–	1	
	Gloucester C.B. ..	52,890	19	2	9	–	–	–	–	–	–	–	
	Stoke-on-Trent C.B.	279,800	106	5	42	2	–	1	–	–	–	–	
	Burton-upon-Trent C.B.	49,920	18	–	13	1	–	–	–	–	–	–	
	Wolverhampton C.B.	134,200	51	5	19	1	–	–	–	–	–	–	
	Walsall C.B.	104,200	50	1	13	1	–	–	–	–	–	–	
	West Bromwich C.B.	82,090	42	2	14	3	–	–	–	–	–	–	
	Dudley C.B.	60,010	18	1	8	2	–	–	–	1	–	–	
	Worcester C.B. ..	50,540	17	1	9	–	–	–	–	–	–	–	
	Birmingham C.B. ..	1,011,300	365	23	150	18	–	1	–	–	1	4	
	Smethwick C.B. ..	85,370	24	–	11	3	–	–	–	1	–	–	
	Coventry C.B ..	168,500	60	3	27	2	–	–	–	–	–	1	
	Leicester C.B. ..	241,200	71	4	48	2	–	–	–	–	–	–	
	Lincoln C.B.	66,110*	27	–	9	1	–	–	–	–	–	–	
	Grimsby C.B.	92,180	29	1	26	1	–	–	–	–	–	–	
	Nottingham C.B. ..	270,900	119	4	58	4	1	–	–	–	–	–	
	Derby C.B.	143,400*	52	1	26	1	–	–	–	–	–	–	
	Chesterfield	64,450	28	1	8	1	–	–	–	–	–	–	
	Stockport C.B ..	126,600	41	2	20	–	–	–	–	–	–	–	
	Chester C.B.	41,370	20	–	7	–	–	–	–	–	–	–	
	Birkenhead C.B. ..	148,600	55	1	23	4	–	–	–	1	–	1	
	Wallasey C.B. ..	97,240	27	1	9	1	–	–	–	–	–	–	
	Liverpool C.B. ..	862,100	396	15	143	22	–	–	–	2	1	8	
	Bootle C.B.	77,170	31	2	11	4	–	–	–	–	–	1	
	St. Helens C.B.	108,200	42	1	14	3	–	–	–	–	1	–	

* Non-civilian deaths are excluded from this table and the comparable civilian populations where diffe… from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingh… 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Ox… C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193… Bristol C.B., 398,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
...THPORT C.B ..	77,180	12	3	24	2	-	-	-	-	-	-	-
...AN C.B.	86,250	32	1	20	1	-	-	-	-	-	-	-
...RRINGTON C.B. ..	80,280*	27	1	11	1	-	-	-	-	-	-	-
...LTON C.B	179,300	34	4	29	1	-	-	-	-	-	-	-
...RY C.B.	56,580*	14	-	16	-	-	-	-	-	-	-	-
...NCHESTER C.B. ..	773,300	252	23	136	14	-	1	-	2	-	1	-
...LFORD C.B.	226,100	61	-	40	2	-	-	-	-	-	-	-
...ETON-UNDER-LYNE ...DHAM C.B	142,000	39	-	34	7	-	1	-	-	-	-	-
...CHDALE C.B. ..	91,190	14	3	15	3	-	-	-	-	-	-	-
...RNLEY C.B	99,300	34	1	18	1	-	-	-	-	-	-	-
...ACKBURN C.B ..	124,000	34	2	28	1	-	-	-	-	-	-	-
...ESTON C.B.	120,100	48	2	24	-	-	-	-	-	1	-	-
...ACKPOOL C.B. ..	97,880	15	3	22	-	-	-	-	-	1	-	-
...RROW-IN-FURNESS ...B.	66,700	15	4	14	1	-	-	-	-	-	-	-
...DDERSFIELD C.B. ..	114,300	27	2	27	1	-	-	-	-	-	-	1
...LIFAX C.B.	98,770*	27	-	25	2	-	-	-	-	-	-	-
...ADFORD C.B. ..	300,800	86	4	58	2	-	2	-	-	-	-	1
...EDS C.B	486,100	138	13	89	3	-	3	-	-	-	-	-
...WSBURY C.B. ..	54,430	19	-	10	-	-	-	-	-	-	-	-
...AKEFIELD C.B ..	59,280	24	4	14	1	-	-	-	-	-	-	-
...RNSLEY C.B. ..	72,090	27	1	9	1	-	1	-	-	-	-	-
...EFFIELD C.B. ..	517,300	152	8	107	8	-	-	-	-	-	-	1
...THERHAM C.B. ..	70,100	21	-	13	3	-	-	-	-	-	-	1
...NCASTER C.B ..	63,260	26	1	8	-	-	-	-	-	-	-	-
...RK C.B.	85,910*	27	-	16	-	-	-	-	-	-	-	-
...NGSTON-UPON-HULL ...B.	314,800	107	6	54	5	-	-	-	-	4	-	-
...DDLESBROUGH C.B.	138,800	40	5	26	-	-	1	-	-	-	-	1
...RLINGTON C.B. ..	72,620	12	2	9	1	-	-	-	-	-	-	-
...OCKTON-ON-TEES ..	68,350	15	-	9	1	-	-	-	-	-	-	-
...EST HARTLEPOOL C.B.	68,740	22	-	9	2	-	1	-	-	-	-	-
...NDERLAND C.B. ..	187,500	77	4	33	6	-	1	-	-	-	1	-
...UTH SHIELDS C.B ..	114,400	50	3	24	3	-	-	-	-	-	1	1
...ATESHEAD C.B. ..	123,700	48	1	28	4	-	-	1	-	-	-	-
...EWCASTLE-ON-TYNE ...B.	284,300*	117	6	61	13	-	-	-	-	-	3	-
...NEMOUTH C.B. ..	64,750	21	1	7	2	-	-	-	-	-	-	-
...RLISLE C.B.	57,430*	17	3	10	-	-	-	-	-	1	-	-
...EWPORT (MON.) C.B.	89,500*	38	2	18	3		-	1	-	-	1	-
...RDIFF C.B.	223,700*	69	5	47	3	-	-	-	-	1	1	1
...ONDDA	142,700	45	3	20	3	-	-	-	-	-	1	-
...ERTHYR TYDFIL C.B.	71,670	25	-	10	2	-	-	-	-	-	-	-
...BERDARE	49,010	12	1	9	1	-	-	-	-	-	-	-
...VANSEA C.B.	165,400	58	4	31	4	-	-	-	-	-	-	-
...REATER LONDON ..	8,179,740*	2,648	87	1,323	96	1	-	1	4	5	12	3
...UTER RING	3,802,740*	1,247	35	566	46	-	-	-	1	5	6	2
...GREAT TOWNS IN ...UTER RING	2,130,770*	672	21	307	24	-	-	-	-	3	3	1
...EMAINDER OF OUTER ...RING	1,671,970*	575	14	259	22	-	-	-	1	2	3	1
...DINBURGH†	438,998	116	?	72	3	-	-	-	-	-	-	-
...LASGOW†	1,088,417	390	?	243	32	-	4	-	2	2	4	-
...UBLIN†	412,400	193	?	86	10	-	1	-	1	1	6	-
...ELFAST†	415,151	153	?	76	11	-	-	-	1		-	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases†(un-
		1931.											
London‡	4,377,000	Aug. 22	1401	52	757	9·0	1	–	–	1	3	–	6
Calcutta and Suburbs	1,077,264	July 11	?	?	530‖	25·6	?	4	?	–	?	?	?
Bombay§	1,298,708	„ 25	497	55	552‖	22·1	1	2	–	–	–	2	28
Madras	528,791	„ 11	463	23	375	36·9	2	–	–	–	1	–	25
Sydney and Suburbs	1,253,560	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	May 31 (31 days)											
Perth (Metropolitan Area).	204,780	June 13	85	?	40	10·2	–	–	–	–	1	–	3
Auckland (Urban Area).	215,730	June 30 (30 days)											
Wellington (Urban Area).	142,540	June 30 (30 days)											
Christchurch (Urban Area).	127,070	June 30 (30 days)											
Cape Town	136,748	July 18	99	1	38	14·5	–	–	–	–	–	–	–
Johannesburg	187,326	„ 11	83	5	45	12·5	–	–	–	–	–	–	–
Durban	61,667	„ 11	19	1	15	12·7	–	–	–	–	–	–	–
Paris	2,871,429	„ 20 (10 days)	1133	64	801	10·2	–	–	2	1	3	2	16
Antwerp	295,389	July 15 (15 days)	197	9	89	7·1	1	–	1	–	–	–	3
Amsterdam	754,470	Aug. 1	259	8	108	7·5	–	–	–	–	–	1	–
Copenhagen	615,700	„ 8	207	8	127	10·8	–	–	–	–	–	–	–
Stockholm	502,203	„ 1	112	3	102	10·6	–	–	–	–	–	–	–
Gothenberg	245,600	July 4	?	?	39	8·2	–	–	–	–	–	–	–
Oslo	256,353	Aug. 8	43	1	41	8·3	–	–	–	–	–	–	–
Berlin	4,312,000	July 25	692	29	774	9·3	–	?	1	2	–	2	5
Breslau	617,000	„ 25	139	3	101	8·5	–	?	1	–	3	1	–
Cologne	739,000	„ 25	176	4	114	8·0	–	?	1	1	–	–	–
Dresden	632,000	„ 25	104	5	118	9·7	–	?	–	–	–	–	–
Frankfort-on-Main	540,000	„ 25	99	8	81	7·8	–	?	–	–	–	–	–
Hamburg	1,143,000	„ 25	191	8	190	8·6	–	?	–	–	–	2	–
Leipzig	718,000	„ 25	157	2	129	9·3	–	?	–	–	–	1	–
Munich	730,000	„ 25	131	4	133	9·5	–	?	–	–	1	–	–
Budapest	1,009,069	Aug. 1	292	7	233	12·0	1	–	–	–	7	–	–
Warsaw	1,115,651	July 25	?	10	250	11·7	3	–	–	1	–	–	2
Madrid	834,103	„ 18	481	31	289	18·1	–	–	5	–	2	–	2
Cairo	1,160,700	Apr. 29	631	18	716	32·1	5	–	17	–	?	4	19
Alexandria	629,900	„ 29	359	6	311	25·7	2	–	17	–	?	2	4
New York	7,090,089	July 25	?	?	1265	9·3	3	–	1	2	1	2	–
Chicago	3,457,375	„ 31	789	45	673	10·1	–	–	2	1	5	4	–
New Orleans	466,000	„ 31 (31 days)											
Rio de Janeiro ..	1,729,799	June 6	686	46	462	13·9	–	–	5	–	2	1	6

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.

§ The registration of Births in Bombay is incomplete.

‖ Including 34 deaths from Cholera in Calcutta and 10 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 22nd August, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	31,909	35,269	757	50	9	10	7	38	36	46	89	127	171	174
Enteric fever	14	17	1	–	–	–	–	–	–	–	1	–	–	–
Small-pox	10	2	–	–	–	–	–	–	–	–	–	–	–	–
Measles	995	37	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	87	40	1	–	–	–	–	1	–	–	–	–	–	–
Whooping cough	100	218	3	3	–	–	–	–	–	–	–	–	–	–
Diphtheria	330	167	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	237	909	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	107	118	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	7	1	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	36	31	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	66	95	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—														
Respiratory system	2311	2527	59	–	1	–	–	18	15	8	8	5	1	3
Nervous system	159	153	1	–	–	1	–	–	–	–	–	–	–	–
Intestines and peritoneum	33	39	1	–	–	–	–	–	–	1	–	–	–	–
Other forms	141	168	4	–	–	2	1	–	1	–	–	–	–	–
Venereal diseases	119	125	3	–	–	–	–	–	–	–	1	1	1	–
Cancer	4220	4397	134	–	–	–	–	–	2	8	20	32	42	30
Rheumatic fever	119	90	1	–	–	–	–	1	–	–	–	–	–	–
Diabetes	331	334	2	–	–	–	–	–	–	–	1	–	–	1
Alcoholism	12	10	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	52	32	1	–	–	–	–	–	–	–	–	1	–	–
Cerebral hæmorrhage, &c., Apoplexy	1300	1330	34	–	–	–	–	–	–	1	2	8	7	16
Epilepsy	129	111	1	–	–	–	–	–	–	–	1	–	–	–
"Convulsions" (not puerperal)	42	42	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	791	742	16	–	–	–	–	1	1	3	5	1	3	2
Pericarditis	14	12	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	130	119	2	–	–	–	–	1	–	–	–	–	1	–
Other diseases of heart	6564	8081	178	–	–	–	–	5	1	3	15	38	62	54
Other diseases of circulatory system	1364	1477	41	1	–	–	–	–	–	1	1	8	18	12
Bronchitis	1245	1904	11	–	–	–	–	–	–	1	–	2	1	7
Broncho-pneumonia	1227	1824	19	2	1	–	1	–	1	1	2	3	4	4
Lobar pneumonia	724	849	10	–	2	1	1	1	–	1	1	–	3	–
Pneumonia (type not distinguished)	265	288	2	–	–	–	–	1	–	–	–	–	–	1
Other diseases of respiratory system	319	405	7	–	–	–	–	–	–	1	1	4	–	1
Diarrhœa and enteritis	461	428	12	6	–	–	2	–	–	1	1	–	–	2
Appendicitis, Typhlitis	200	184	5	–	–	–	–	1	–	–	2	1	1	–
Hernia, Intestinal obstruction	326	352	9	1	–	–	–	1	–	–	–	2	4	1
Cirrhosis of liver	139	154	1	–	–	–	–	–	–	–	1	–	–	–
Other diseases of digestive system	841	765	24	1	–	2	–	–	1	2	8	3	5	2
Acute nephritis	63	55	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	1084	1134	26	–	–	–	–	1	2	2	–	7	5	9
Other diseases of genito-urinary system	521	562	14	–	–	–	–	1	–	2	–	2	4	5
Puerperal sepsis	69	78	3	–	–	–	–	–	3	–	–	–	–	–
Other causes incident to childbirth	58	84	4	–	–	–	–	1	2	–	1	–	–	–
Congenital malformations	216	208	9	9	–	–	–	–	–	–	–	–	–	
Premature birth	628	642	16	16	–	–	–	–	–	–	–	–	–	
Debility, atrophy (congenital)	118	102	2	2	–			–				–	–	–
Old age	739	843	13	–	–	–	–				–	–	1	12
Suicide	363	352	12	–	–	–	–	1	1	3	5	2	–	–
Burns and Scalds	59	92	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	87	64	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	21	18	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	452	455	17	–	–	2	1	–	–	2	2	4	1	5
Other deaths by violence	510	514	15	1	2	1	–	–	–	–	4	3	3	1
Other specified causes	1320	1454	39	6	1	1	1	3	6	5	6	–	4	6
Ill-defined causes	4	4	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

} Cases of certain Infectious Diseases notified in the week ended 22nd August, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	4	177	118	7	39	C. 7 D. 4 E. 2 F. 2 G. 2 M. 14 N. 14
CITY OF LONDON	-	2			-	-
Metropolitan Boroughs:—						
BATTERSEA ...		11	11	-	1	-
BERMONDSEY ...	-	2	5	-	2	C. 2
BETHNAL GREEN	1	6	6	-	-	-
CAMBERWELL ...	1	19	5	-	-	M. 1
CHELSEA	-	1		-	-	-
DEPTFORD ...	-	7	5	-	1	-
FINSBURY ...		3	3	-	1	N. 2
FULHAM	-	7	2		2	N. 1
GREENWICH ...	-	2	3	2		-
HACKNEY... ...	-	6	8	-	1	G. 2 M. 2 N. 2
HAMMERSMITH ...	-	2	1	-	1	D. 1 E. 1 N. 2
HAMPSTEAD ...	-	2	1	-	-	-
Metropolitan Boroughs—*cont.*						
HOLBORN... ...		-	-	-	-	-
ISLINGTON ...	-	7	10	1	3	C. 1 M. 1 N. 1
KENSINGTON ...	-	4	3	-	1	N. 1
LAMBETH ...		19	8	-	3	C. 1 D. 1 M. 2
LEWISHAM ...	-	5	4	2	2	C 1 F. 1 M. 1
PADDINGTON ..		2	3	1	2	M. 1
POPLAR	2	8	5	1	2	M. 1 N. 2
ST. MARYLEBONE	-	9	1	-	2	C. 1
ST. PANCRAS ...		4	3		-	M. 2
SHOREDITCH ...	-	5	5		1	-
SOUTHWARK ...	-	12	8		2	E. 1
STEPNEY	-	19	6	-	6	F. 1 M. 1
STOKE NEWINGTON	-	1	2	-	-	D. 1
WANDSWORTH ..	-	5	4	-	2	C. 1 M. 2 N. 3
WESTMINSTER, CITY OF	-	3	2	-	2	-
WOOLWICH ...	-	4	4	-	2	D. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	4	–	–	–
Boroughs and Urban Districts:—						
DUNSTABLE ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	1	–	–	–
LUTON	–	1	3	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BEDFORD	–	1	–	–	–	–
BERKS	–	14	3	–	1	E. 1 M. 1
READING C.B. ...	–	2	2	–	1	–
Boroughs and Urban District:—						
MAIDENHEAD ...	–	2	–	–	–	–
NEWBURY ...	–	5	–	–	–	–
Rural Districts:—						
EASTHAMPSTEAD	–	–	–	–	–	E. 1
NEWBURY ...	–	–	1	–	–	–
WANTAGE ...	–	4	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	M. 1
BUCKINGHAM ...	–	7	2	–	1	N. 1
Boroughs and Urban Districts:—						
AYLESBURY ...	–	–	–	–	–	N. 1.
CHEPPING WYCOMBE	–	1	–	–	–	–
SLOUGH	–	2	1	–	1	–
WOLVERTON ...	–	–	1	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	1	–	–	–	–
ETON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	–	8	–	2	N. 1
Borough:—						
CAMBRIDGE ...	–	–	2	–	1	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	–	N. 1.
CHESTERTON ...	–	–	5	–	–	–
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER ...	–	21	23	–	9	G. 1 M. 3 N. 6
BIRKENHEAD C.B.	–	3	1	–	4	M. 3 N. 1
CHESTER C.B. ...	–	–	1	–	–	N. 1
STOCKPORT C.B. ...	–	1	2	–	1	N. 3
WALLASEY C.B. ...	–	3	–	–	1	N. 1
Boroughs and Urban Districts:—						
ALDERLEY EDGE ..	*	*	*	*	*	*
ALTRINCHAM ...	–	2	1	–	–	G. 1
BEBINGTON AND BROMBOROUGH	–	1	–	–	1	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
CREWE	–	1	4	–	–	–
DUKINFIELD ...	–	2	–	–	–	–
HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	–	1	–	1	–
HYDE	–	–	1	–	–	–
NANTWICH ...	–	–	2	–	–	–
RUNCORN	–	2	–	–	–	–
SALE	–	1	–	–	–	–
STALYBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
CHESTER	–	–	1	–	–	–
CONGLETON ...	–	1	1	–	–	–
MACCLESFIELD ...	–	–	1	–	–	–
MALPAS	–	1	–	–	–	–
RUNCORN	–	–	5	–	–	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	–	2	–	–	–

* Returns not received

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	1	1	–	3	N. 1
Boroughs and Urban Districts:—						
LOSTWITHIEL ...	–	–	–	–	–	N. 1
NEWQUAY ...	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
SALTASH	–	–	–	–	1	–
Rural Districts:—						
REDRUTH ...	–	–	–	–	1	–
ST. AUSTELL ...	*	*	*	*	*	*
ST. GERMANS ...	–	–	1	–	1	–
CUMBERLAND...	–	5	6	2	2	N. 1
CARLISLE C.B. ...	–	2	5	1	2	N. 1
Boroughs and Urban Districts:—						
HOLME CULTRAM	–	1	–	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
Rural Districts:—						
ALSTON WITH GARIGILL...	–	1		–	–	–
CARLISLE ...	–	–	1	1	–	–
DERBY	2	15	12	–	8	D. 1 G. 1 M. 1 N. 3
DERBY C.B. ...	–	2	2	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
BOLSOVER ...	–	–	–	–	1	–
BUXTON	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHESTERFIELD ...	1	3	–	–	1	–
CLAY CROSS ...	–	1	–	–	–	–
GLOSSOP	–	2	–	–	1	–
HEANOR	–	1	–	–	2	–
THE MATLOCKS...	–	–	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	1	2	–	–	–
BLACKWELL ...	1	3	1	–	–	D. 1
CHESTERFIELD ...	–	1	6	–	–	N. 1
CLOWNE	–	1	–	–	–	N. 1
HARTSHORN AND SEALS	–	–	–	–	1	–
DEVON	–	14	15	3	3	M. 3 N. 3
EXETER C.B ...	–	1	1	2	–	–
PLYMOUTH C.B.	–	5	7		–	M. 2 N. 2
Boroughs and Urban Districts:—						
CREDITON ...	*	*	*	*	*	*
GREAT TORRINGTON	–	1	–	–	–	–
IVYBRIDGE ...	–	1	–	–	–	–
NEWTON ABBOT...	–	2	–	1	–	–
OKEHAMPTON ...	–	–	1		–	–
SOUTH MOLTON...	–	1	–	–	–	–
TORQUAY		–	2	–	–	–
Rural Districts:—						
CREDITON ...	–	–	3	–	–	–
KINGSBRIDGE ...	–	1	–		–	–
NEWTON ABBOT	–	–		–	–	M. 1

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
Plympton St. Mary	–	2	1	–	–	–
St. Thomas ...	–	–	–	–	2	N. 1
South Molton...	–	–	–	–	1	–
DORSET	–	5	2	1	–	N. 1
Boroughs and Urban Districts:—						
Blandford Forum	–	–	–	–	–	N. 1
Poole	–	2	–	–	–	–
Sherborne ...	–	1		–	–	–
Weymouth and Melcombe Regis	–	–	2	–	–	–
Rural Districts:—						
Bridport ...	–	1	–	–	–	–
Shaftesbury ...	–	1	–	–	–	–
Wareham and Purbeck	–		–	1	–	–
DURHAM ...	-	56	13	4	30	C. 1 D. 1 M. 7 N. 1
Darlington C.B.	–	7	1	–	1	–
Gateshead C.B.	–	6	3	–	1	–
South Shields C.B.	–	1	1	–	1	M. 1
Sunderland C.B.	–	5	4	–	6	M. 2
West Hartlepool C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
Annfield Plain	–	–	1	–	–	–
Blaydon... ...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
Chester le Street	–	3	–	–	1	–
Consett	–	1	–	1	–	–
Felling	–	4	–	–	–	–
Hebburn ...	–	1	–	–	–	–
Houghton le Spring	–	2	–	2	3	–
Jarrow	–	1			7	M. 1
Seaham Harbour	–	–	–	–	1	–
Spennymoor ...	–	1	–	–	–	M. 1
Stanley	–	1	1	–	–	M. 1
Stockton on Tees	–	1	–	–	–	–
Tow Law ...	–	1	–	–		–
Washington ...	–	1	–	–	–	–
Rural Districts:—						
Auckland ...	–	1	–	–	–	–
Chester le Street	–	1	1	–	–	–
Darlington ...	–	1	–	–	–	–
Durham	–	1	–	–	–	–
Easington ...	–	3	–	–	3	C. 1 N. 1
Houghton le Spring	–	5	–	–	3	–
Lanchester ...	–	1	–	1	–	–
Sedgefield ...	–	1	–	–		–
Sunderland ...	–	–	–	–	3	D. 1 M. 1
ELY, ISLE OF ...	–	1	–	–	–	–
Rural Districts:—						
Ely	–	1	–	–	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	4	77	33	4	12	C. 1 E. 1 G. 1 M. 4 N. 5
EAST HAM C.B....	–	–	3	–	–	–
SOUTHEND ON SEA C.B.	–	2	5	1	–	M. 1
WEST HAM C.B.	3	12	5	–	4	M. 1 N. 5
Boroughs and Urban Districts:—						
BARKING TOWN...	–	10	2	1	–	–
BENFLEET ...	–	1	–	–	–	–
CHINGFORD ...	–	3	–	–	–	–
CLACTON	–	1	–	1	–	–
COLCHESTER ...	–	5	–	–	2	E. 1
DAGENHAM ...	–	8	–	–	–	–
GRAYS THURROCK	–	–	1	–	–	–
HORNCHURCH ...	–	–	1	1	–	–
ILFORD	–	8	1	–	–	M. 1
LEYTON	1	4	3	–	1	–
MALDON	–	–	–	–	–	M. 1
PURFLEET ...	–	–	2	–		–
RAYLEIGH ...	–	1	–	–	–	–
ROMFORD... ...	–	3	–	–	–	–
TILBURY	–	1	1		–	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
WALTHAMSTOW ...	–	5	5		2	–
WANSTEAD ...	–	1	–	–	–	–
WITHAM	–	–	–	–	1	–
WOODFORD ...	–	1	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	1	–	–	–
BRAINTREE ...	–	–	1	–	1	–
DUNMOW	–	1	–	–	–	G. 1
EPPING	–	1	1	–		–
HALSTEAD ...	–	–	–	–	–	C. 1
LEXDEN AND WINSTREE	–	1	–	–	–	–
ORSETT	–	–	–	–	1	–
ROMFORD... ...	–	2	–	–		–
TENDRING ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	17	8	1	6	N. 1
BRISTOL C.B. ...	–	10	8	1	4	–
GLOUCESTER C.B.	–	3	–	–	1	N. 1
Boroughs and Urban Districts:—						
KINGSWOOD ...	–	1	–	–	–	–
MANGOTSFIELD ...	–	1	–	–		–
NAILSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	–	–	–	1	–
GLOUCESTER ...	–	1	–	–		–
HEREFORD ...	–	3	–	–	4	N. 2
Boroughs and Urban Districts:—						
HEREFORD ...		–	–	–	1	N. 1
ROSS ON WYE ...	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	–
HEREFORD ...	–	1	–	–	1	–
LEDBURY... ...	–	–	–	–	2	–
LEOMINSTER AND WIGMORE	–	–	–	–	–	N. 1
HERTFORD ...	–	15	1	1	–	N. 4
Boroughs and Urban Districts:—						
BARNET	–	–	–	–	–	N. 3
BUSHEY	–	–	1	–	–	–
HARPENDEN ...	–	2	–	–	–	–
HERTFORD ...	–	2	–	–	–	–
HODDESDON ...	–	1	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
STEVENAGE ...	–	1	–	–	–	–
WATFORD... ...	–	3	–	–	–	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
Berkhampstead	–	1	–	–	–	–
Buntingford ...	–	1	–	–	–	–
Hadham	–	1	–	–	–	–
Hemel Hempstead	–	–	–	–	–	N. 1
Hertford ...	–	1	–	–	–	–
Hitchin	–	–	–	1	–	–
Watford ...	–	1	–	–	–	–
HUNTINGDON ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
Huntingdon ...	–	–	1	–	–	–
Ramsey	–	–	–	–	2	–
Rural Districts:—						
Norman Cross ...	–	1	–	–	–	–
KENT		50	16	–	5	D. 1 N. 1
Boroughs and Urban Districts:—						
Ashford	–	1	–	–	–	–
Beckenham ...	–	–	1	–	–	N. 1
Broadstairs and St. Peter's	–	–	–	–	–	D. 1
Bromley	–	2	–	–	1	–
Chislehurst ...	–	–	1	–	–	–
Erith	–	–	1	–	–	–
Folkestone ...	–	–	2	–	–	–
Gillingham ...	–	4	–	–	–	–
Gravesend ...	–	3	–	–	–	–
Herne Bay ...	–	4	–	–	–	–
Hythe	–	1	–	–	–	–
Maidstone ...	–	4	–	–	–	–
Margate ...	–	2	1	–	–	–
Northfleet ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts — *cont.*						
Queenborough	–		1	–	–	–
Ramsgate ...	–	1	1	–	1	–
Rochester ...	–	1	–	–	–	–
Royal Tunbridge Wells	–	–	2	–	–	–
Sheerness ...	–	2	–	–	–	–
Sittingbourne and Milton	–	1	–	–	1	–
Tenterden ...	–	1	–	–	–	–
Tonbridge ...	–	1	–	–	–	–
Walmer	*	*	*	*	*	*
Whitstable ...	–		1	–	–	–
Rural Districts:—						
Bromley... ...	–	8	1	–	–	–
Eastry	–	5	1	–	–	–
Elham	–	–	1	–	–	–
Faversham ...	–	–	–	–	1	–
Hollingbourne	–	4	–	–	–	–
Isle of Thanet	–	1	–	–	–	–
Maidstone ...	–	–	–	–	1	–
Milton	–	–	1	–	–	–
Sevenoaks ...	–	2	–	–	–	–
Strood	–	2	–	–	–	–
LANCASTER ...	–	144	86	8	75	C. 1 D. 5 M. 21 N. 16
Barrow in Furness C.B.	–	–	–	–	2	–
Blackburn C.B.	–	1	1	–	1	–
Blackpool C.B.	–	3	1	2	–	–
Bolton C.B. ...	–	6	1	–	–	–
Bootle C.B. ...	–	5	3		2	N. 1
Burnley C.B. ...	–	6	1	–	3	M. 1 N. 1
Bury C.B. ...	–	–	–	–	2	–
Liverpool C.B....	–	24	44	2	13	D. 1 M. 17 N. 2
Manchester C.B.	–	37	4	–	23	M. 2 N. 5

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Oldham C.B. ...	–	3	–	–	–	M. 1 N. 2
Preston C.B. ...	–	2	2	–	2	D. 1
Rochdale C.B....	–	4	1	–	–	–
St. Helens C.B.	–	2	2	–	2	–
Salford C.B. ...	–	8	9	1	1	C. 1 N. 1
Southport C.B.	–	–	2	–	2	–
Warrington C.B.	–	8	3	–	4	–
Wigan C.B. ...	–	3	–	–	3	N. 1
Boroughs and Urban Districts:—						
Abram	–	–	–	1	–	–
Ashton in Makerfield	–	–	–	–	2	–
Ashton-under-Lyne	–		–	–	1	–
Atherton ...	–	–	–	–	1	–
Barrowford ...	–	1	–	–	–	–
Brierfield ...	–	1	1	–	–	–
Clitheroe ...	–	–	–	–	1	–
Colne	–		–	–	–	N. 1
Dalton in Furness	–	1	–	–	–	–
Darwen	–	1	–	–	–	–
Denton	–	3	1	–	–	–
Droylsden ...	–	2	–	–	–	–
Eccles	–	–	1	–	1	–
Failsworth ...	–	1	–	–	–	–
Farnworth ...	–	–	–	–	–	D. 1
Fleetwood ...	–	–	–		1	–
Great Harwood	*	*	*	*	*	*
Haslingden ...	–	2	–		–	–
Heywood ...		1	–	–	1	–
Ince in Makerfield	–	1		–		–
Lancaster ...	–	–	–	1	2	–
Leigh	–	–	1	–	–	–
Litherland ...	–	–	1	–	–	N. 1
Lytham St. Anne's	–	1	–	–	–	–
Middleton ...	–		1		–	–
Morecambe and Heysham	–	1	–	–	–	–
Newton in Makerfield	–	1	–	–	–	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Ormskirk ...	–	–	1	–	–	–
Padiham... ...	–	1	–	–	1	–
Prestwich ...	*	*	*	*	*	*
Rawtenstall ...	–		–	–	1	–
Stretford ...	–	–	2	–	–	–
Swinton and Pendlebury	–	2	–	–	1	D. 1
Tottington ...	–	–	1	–	–	–
Tyldesley with Shakerley	–	–	–	1	–	–
Upholland ...	–	1	–	–	–	–
Widnes	–	2	–	–	1	–
Rural Districts:—						
Barton upon Irwell	–	2	1	–	–	–
Bury	–	1	–	–	–	–
Chorley	–	1	–	–	–	–
Fylde	–	–	–	–	–	D. 1
Garstang ...	–	–	1	–	–	–
Preston	–	2	–	–	–	–
Ulverston ...	–	1	–	–	–	–
Warrington ...	–	1	–	–	–	–
West Lancashire	–	1	1	–	1	N. 1
LEICESTER ...	10	21	1	–	4	G. 1 M. 1
Leicester C.B....	1	9	1	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
Coalville ...	–	2	–	–	–	–
Hinckley ...	3	–	–	–	–	–
Loughborough	–	3	–	–	–	–
Market Harborough	–	–	–	–	1	–
Quorndon ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts:—						
Ashby de la Zouch	–	–	–	–	1	–
Barrow upon Soar	1	2	–	–	–	–
Blaby	1	1	–	–	–	–
Castle Donington	2	–	–	–	1	–
Hinckley ...	1			–		–
Market Bosworth		2	–	–	–	–
Melton Mowbray	1	1		–	–	–
LINCOLN (parts of Holland).	–	2	–	–	1	–
Boroughs and Urban Districts:—						
Sutton Bridge	*	*	*	*	*	*
Rural Districts:—						
Boston	–	2	–	–	1	–
LINCOLN (parts of Kesteven).	–	1	–	–		M. 1
Boroughs and Urban Districts:—						
Grantham ...	–	1	–	–	–	M. 1
LINCOLN (parts of Lindsey).	–	6	7	1	4	N. 1
Grimsby C.B. ...	–	1	1	–	2	N. 1
Lincoln C.B. ...	–	2		–	–	–
LINCOLN (parts of Lindsey)— *cont.*						
Boroughs and Urban Districts:—						
Crowle	–	–	1	–	–	–
Horncastle ...	–	–	1	–	–	–
Louth	–	2	–	–	–	–
Mablethorpe and Sutton	–	–	1	–	–	–
Scunthorpe and Frodingham	–	–	1	–	2	–
Skegness... ...	–	–	–	1	–	–
Rural Districts:—						
Isle of Axholme	–	1	2	–	–	–
MIDDLESEX ...	–	50	44	–	6	C. 2 D. 1 E. 1 G. 1 M. 2 N. 5
Boroughs and Urban Districts:—						
Acton	–	–	–	–	–	N. 1
Brentford and Chiswick	–	1	1	–	1	N. 1
Ealing	–	6	1	–	1	–
Edmonton ...	–	6	2	–	–	–
Enfield	–	1	7	–	–	E. 1
Feltham... ...	–	1		–	–	–
Finchley ...		2	2	–	–	
Hampton ...	–	–	1	–	–	–
Harrow on the Hill	–	1	3	–	–	N. 1
Hayes and Harlington	–	–	1	–	–	–
Hendon	–	7	1	–	–	–
Heston and Isleworth	–	1	1	–	–	–
Hornsey	–	5	–	–	1	M. 1
Southall Norwood	–	2	–	–	–	–
Southgate ...	–	–	1	–	–	–
Staines	–	1	–	–	–	–
Teddington ...	–		–	–	–	N. 1
Tottenham ...	–	3	5	–	1	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
TWICKENHAM ...	–	1	1	–	–	–
UXBRIDGE ...	–	–		–	1	–
WEALDSTONE ...	–	1	–	–	–	N. 1
WEMBLEY ...	–	–	5	–	–	–
WILLESDEN ...	–	9	10	–	–	C. 1
						M. 1
WOOD GREEN ...	–	1	–	–	–	D. 1
						G. 1
YIEWSLEY AND WEST DRAYTON	–	–	–	–	1	–
Rural Districts—						
HENDON	–	1	1	–	–	C. 1
SOUTH MIMMS ...	–	–	1	–	–	–
NORFOLK ...	–	15	2	–	9	C. 1
						D. 1
						M. 1
						N. 3
GREAT YARMOUTH C.B.	–	1	1	–	–	–
NORWICH C.B. ...	–	6	1	–	3	C. 1
						D. 1
						M. 1
						N. 1
Boroughs and Urban Districts:—						
KING'S LYNN ...	–	2	–	–	1	–
Rural Districts:—						
AYLSHAM... ...	–	2	–	–	–	–
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	1	–	–	1	–
FOREHOE	–	1	–	–		N. 1
KINGS LYNN ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	–	–	–	–	N. 1
ST. FAITH'S ...	–	–	–	–	1	–
SMALLBURGH ...	–	–	–	–	2	
WAYLAND ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON	–	14	2	–	4	E. 1
						N. 1
NORTHAMPTON C.B.	–	4	–	–	1	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	1	–	–	–
DESBOROUGH ...	–	1	–		–	–
FINEDON	–	1	–	–		N. 1
KETTERING ...	–	4	1	–	2	E. 1
RUSHDEN... ...	–	3	–	–	1	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND.		30	7	–	3	C. 4
						D. 2
						L. 2
						M. 2
						N. 8
NEWCASTLE UPON TYNE C.B.	–	17	2	–	2	C. 2
						D. 1
						M. 1
						N. 8
TYNEMOUTH C.B.	–	–	1	–	1	M. 1
Boroughs and Urban Districts:—						
ASHINGTON ...	–	2	–	–	–	–
BEDLINGTONSHIRE	–	1	–	–	–	C. 1
EARSDON	–	1	–	–	–	C. 1
GOSFORTH ...	–	1	–	–	–	–
HEXHAM		3	–	–	–	–
NEWBIGGIN BY THE SEA	–	–	–	–	–	L. 2
PRUDHOE... ...	–	–	1	–	–	–
ROTHBURY ...	–	1	–	–	–	–
WALLSEND ...	–	2	1	–	–	D. 1
WHITLEY AND MONKSEATON	–	1	2	–	–	–
Rural Districts:—						
GLENDALE ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	–	20	7	1	8	D. 3 M. 1 N. 2
Nottingham C.B.	–	12	4	–	3	N. 2
Boroughs and Urban Districts:—						
Beeston	–	–	1	–	–	–
Carlton	–	–	–	–	–	M. 1
Mansfield ...	–	1	–	–	–	–
Worksop... ...	–	–	–	–	1	D. 1
Rural Districts:—						
Basford	–	3	2	–	2	–
Bingham... ...	–	1	–	–	2	–
Newark	–	–	–	1	–	–
Southwell ...	–	2	–	–	–	D. 1
Stapleford ...	–	1	–	–	–	–
Worksop... ...	–	–	–	–	–	D. 1
OXFORD	–	4	1	–	–	M. 3 N. 3
Oxford C.B. ...	–	2	–	–	–	M. 2 N. 3
Boroughs and Urban Districts:—						
Wheatley ...	–	1	–	–	–	–
Rural Districts:—						
Henley	–	1	1	–	–	–
Woodstock ...	–	–	–	–	–	M. 1
PETERBOROUGH (Soke of).	–	3	–	–	–	–
Borough:—						
Peterborough...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND ...	–	–	1	–	–	–
Rural Districts:—						
Ketton	–	–	1	–	–	–
SALOP	–	7	3	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
Bridgnorth ...	–	2	–	–	–	C. 1
Church Stretton	–	1	–	–	–	–
Market Drayton	–	1	–	–	–	–
Newport... ...	–	–	–	–	1	–
Shrewsbury ...	–	–	–	–	–	N. 1
Wellington ...	–	–	1	–	–	–
Wem	–	1	–	–	–	–
Rural Districts:—						
Bridgnorth ...	–	2	–	–	–	–
Cleobury Mortimer	–	–	1		–	–
Teme	–	–	–	–	1	–
Whitchurch ...	–	–	1	–	–	–
SOMERSET ...	–	7	3	–	3	G. 1 M. 1 N. 4
Bath C.B. ...	–	2	–	–	1	N. 1
Boroughs and Urban Districts:—						
Bridgwater ...	–	1	–	–		–
Burnham on Sea	–	1	–	–	–	–
Frome		–	–	–	1	–
Taunton ...		–	–	–	1	–
Wells	–	1	–	–	–	–
Weston super Mare	–	–	2	–	–	–
Yeovil	–	–		–	–	N. 1

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	-	1	-	-	-	-
CHARD	-	-	1	-	-	-
CLUTTON	-	1	-	-	-	-
KEYNSHAM ...	-	-	-	-	-	G. 1
SHEPTON MALLET	-	-	-	-	-	N. 1
WINCANTON ...	-	-	-	-	-	N. 1
YEOVIL	-	-	-	-	-	M. 1
SOUTHAMPTON	-	22	7	2	5	M. 3 N. 4
BOURNEMOUTH C.B.	-	5	4	-	-	-
PORTSMOUTH C.B.	-	13	-	-	-	N. 1
SOUTHAMPTON C.B.	-	1	2	2	1	M. 2 N. 1
Boroughs and Urban Districts:—						
ANDOVER... ...	-	1	-	-	-	-
CHRISTCHURCH ...	-	-	1	-	-	N. 1
GOSPORT	-	1	-	-		-
MILTON	-	1	-	-	-	-
PETERSFIELD ...	-	-	-	-	1	-
Rural Districts:—						
ALTON	-	-	-	-	-	N. 1
DROXFORD ...	-	-	-	-	2	-
FAREHAM ...	-	-	-	-	1	-
LYMINGTON ...	-	-	-	-	-	M. 1
STAFFORD ...	-	48	25	-	19	C. 3 D. 1 M. 5 N. 2
BURTON UPON TRENT C.B.	-	-	1	-	2	M. 1 N. 1
SMETHWICK C.B.	-	5	3	-	-	M. 1
STAFFORD—*cont.*						
STOKE ON TRENT C.B.	-	6	3	-	7	C. 1
WALSALL C.B. ...	-	4	1	-	-	M. 1
WEST BROMWICH C.B.	-	4	-	-	1	-
WOLVERHAMPTON C.B.	-	3	2	-	-	C. 1
Boroughs and Urban Districts:—						
AUDLEY	-	-	-	-	1	-
BIDDULPH ...	-	2	-	-	-	-
BILSTON	-	1	1	-	1	-
BRIERLEY HILL...	-	-	1	-	-	-
DARLASTON ...	-	1	-	-	-	-
KIDSGROVE ...	-	-	1	-	-	N. 1
LEEK	-	-	-	-	1	M. 1
NEWCASTLE UNDER LYME	-	-	-	-	1	-
QUARRY BANK ...	-	1	-	-	-	-
ROWLEY REGIS ...	-	-	4	-	1	-
SEDGLEY	-	1	1	-	-	-
TAMWORTH ...	-	1	-	-	-	-
TIPTON	-	2	2	-	2	-
WEDNESBURY ...	-	1	-	-	-	D. 1
WILLENHALL ...	-	2	1	-	-	-
Rural Districts:—						
CANNOCK	-	-	1	-	-	C. 1
CHEADLE... ...	-	3	-	-	1	-
KINGSWINFORD ...	-	1	2	-	-	-
LEEK	-	1	-	-	-	-
LICHFIELD ...	-	-	-	-	1	M. 1
STAFFORD ...	-	1	1	-	-	-
TAMWORTH (part)	-	5	-	-	-	-
UTTOXETER ...	-	1	-	-	-	-
WALSALL... ...	-	2	-	-	-	-
SUFFOLK, EAST	-	6	18	-	-	C. 1 M. 1 N. 3
IPSWICH C.B. ...	-	4	15	-	-	C. 1 N. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUFFOLK, EAST *cont.*						
Boroughs and Urban Districts:—						
FELIXSTOWE ...	–	–	1	–	–	
LOWESTOFT ...	–	–	1	–	–	M. 1 N. 1
Rural Districts:—						
BLYTHING ...	–	–	1	–	–	–
HOXNE	*	*	*	*	*	*
WOODBRIDGE ...	–	2		–	–	N. 1
SUFFOLK, WEST	–	–	1	1	–	–
Rural Districts:—						
THEDWASTRE ...	–	–	1	–	–	–
THINGOE	–	–	–	1	–	–
SURREY	–	23	13	2	6	C. 1 N. 5
CROYDON C.B. ...	–	6	3	1	1	C. 1 N. 3
Boroughs and Urban Districts:—						
BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
CATERHAM AND WARLINGHAM	–	–	1	–	–	–
COULSDON AND PURLEY	–	–	–	–	1	–
DORKING	–		–		1	–
EGHAM	*	*	*	*	*	*
EPSOM	–	–	1	–	–	–
ESHER AND THE DITTONS	–	–	1		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts— *cont.*						
KINGSTON ON THAMES	–	1	–	1	1	–
LEATHERHEAD ...	–	1	–	–	–	–
MERTON AND MORDEN	–	5	3	–	–	–
MITCHAM	–	1	–	–	–	N. 1
RICHMOND ...	–		1	–	–	
SURBITON ...	–	1	1	–	–	–
SUTTON AND CHEAM	–	–	1	–	1	N. 1
WIMBLEDON ...	–	2	1	–	–	–
WINDLESHAM ...	–	2	–	–		–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING	–	–	–	–	1	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
SUSSEX, EAST...	–	6	7	3	3	N. 3
BRIGHTON C.B. ...	–	1	7	–	1	N. 2
EASTBOURNE C.B.	–	–	–	1		–
HASTINGS C.B. ...	–	3		–	–	–
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
HOVE	–	–	–	–	1	–
NEWHAVEN ...	–	–	–	–	1	–
Rural Districts:—						
BATTLE	–	–		–	–	N. 1
CHAILEY	–		–	1	–	–
CUCKFIELD ...	–	1	–		–	–
HAILSHAM ...	–	–	–	1	–	–

* Returns not received

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	5	4	–	2	N. 4
Boroughs and Urban Districts:—						
BOGNOR REGIS ...	–	1	1	–	–	–
CHICHESTER ...	–	–	–	–	1	–
SHOREHAM BY SEA	–	–	–	–	–	N. 4
WORTHING ...	–	1	2	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	1	–	–	–
MIDHURST ...	–	1	–	–	–	–
STEYNING WEST...	–	1	–	–	–	–
WESTBOURNE ...	–	–	–	–	1	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK ...	–	58	33	2	28	C. 2 D. 1 M. 19 N. 5
BIRMINGHAM C.B.	–	43	24	2	23	C. 2 D. 1 M. 16 N. 4
COVENTRY C.B. ...	–	7	3	–	1	M. 1
Boroughs and Urban Districts:—						
BEDWORTH ...	–	1	–	–	–	–
BULKINGTON ...	–	1	1	–	1	–
NUNEATON ...	–	–	–	–	1	N. 1
ROYAL LEAMINGTON SPA	–	–	–	–	–	M. 1
RUGBY	–	1	–	–	–	–
STRATFORD ON AVON	–	–	–	–	–	M. 1
WARWICK ...	–	–	1	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	–	–	–	2	–
FOLESHILL ...	–	–	1	–	–	–
MERIDEN... ...	–	–	1	–	–	–
NUNEATON ...	–	1	1	–	–	–
SOUTHAM... ...	–	1	1	–	–	–
TAMWORTH (part)	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	1	1	–	1	–
Boroughs and Urban Districts:—						
KENDAL	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	–	1	–	–	–
WIGHT, ISLE OF	–	2	–	–	–	M. 2
Boroughs and Urban Districts:—						
COWES	–	1	–	–	–	–
NEWPORT... ...	–	–	–	–	–	M. 1
ST. HELENS ...	–	–	–	–	–	M. 1
Rural Districts:—						
ISLE OF WIGHT ...	–	1	–	–	–	–
WILTS	–	9	3	–	2	–
Boroughs and Urban Districts:—						
MELKSHAM ...	–	1	–	–	–	–
SWINDON... ...	–	1	1	–	2	–
WARMINSTER ...	–	1	–	–	–	–
WESTBURY ...	–	2	–	–	–	–
Rural Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	2	–	–	–
MALMESBURY ...	–	1	–	–	–	–
PEWSEY	–	1	–	–	–	–
RAMSBURY ...	–	1	–	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	6	2	–	2	D. 2 N. 1
Worcester C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
Halesowen ...	–	2	–	–	–	–
North Bromsgrove	–	–	1	–	–	–
Oldbury	–	–	–	–	1	N. 1
Redditch ...	–	–	1	–	–	–
Rural Districts:—						
Feckenham ...	–	1	–	–	–	–
Martley	–	–	–	–	1	–
Pershore ...	–	–	–	–	–	D. 2
YORKS ... ... **(East Riding).**	–	13	26	1	2	C. 2 L. 1 M. 1
Kingston upon Hull C.B.	–	7	26	1	1	C. 2 L. 1 M. 1
Boroughs and Urban Districts:—						
Bridlington ...	–	1	–	–	–	–
Cottingham ...	–	1	–	–	–	–
Hedon		1	–	–	–	–
Norton	–	1	–	–	–	–
Rural Districts:—						
Beverley ...	*	*	*	*	*	*
Howden	–	1	–	–	1	–
Pocklington ...	–	1		–	–	–
YORKS ... ... **(North Riding).**	–	12	3	1	8	C. 1
Middlesbrough C.B.	–	2	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
Eston	–	4	–	–	–	–
Hinderwell ...	–	1	–		–	–
Scarborough ...	–	2	–	1	–	–
Skelton and Brotton	–	–	–	–	1	–
Whitby	–	1	–	–	1	–
Rural Districts:—						
Easingwold ...	–	–	–	–	1	–
Flaxton	–	–	1	–	–	–
Guisborough ...		2		–	–	–
Northallerton	–	–	1	–	1	–
Richmond ...	–	–	–	–	–	C. 1
Stokesley ...	–	–	–	–	1	–
YORKS ... ... **(West Riding).**	1	95	37	3	48	C. 6 D. 6 E. 2 L. 1 M. 7 N. 11
Barnsley C.B. ...	–	3		1	1	C. 1 D. 2
Bradford C.B. ...	–	17	2		2	M. 2 N. 2
Dewsbury C.B....	–	3	2	–		–
Doncaster C.B....	–	–	1		1	–
Halifax C.B. ...	–	1	–		1	M. 2
Huddersfield C.B.	–	3		–	2	–
Leeds C.B. ...	–	19	6	–	8	D. 1 M. 1 N. 1
Rotherham C.B.	–	1	2	–	1	
Sheffield C.B....	–	15	7	–	16	C. 3 E. 2 L. 1 M. 1 N. 4
Wakefield C.B.		2	2	–	1	N. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
Adwick le Street	–	3	–	–	–	N. 1
Batley	–	1	–	–	–	–
Bolton upon Dearne	–	1	–	–	–	–
Brighouse ...	*	*	*	*	*	*
Castleford ...	–	1	–	–		C. 1
Conisbrough ...	–	–	–	–	1	D. 1
Cudworth ...	–	–	1	–	–	–
Darfield ...	–	–	–	–	–	C. 1
Darton	–	–	–	–	–	M. 1
Dodworth ...	–	–	–	–	1	–
Elland	–	–	–	–	1	–
Goole	1	–	–	–	–	–
Guiseley ...	–	1	–	–	–	–
Harrogate ...	–	1	–	–	–	N. 1
Heckmondwike	–	1	–	–	–	–
Hemsworth ...	–	1	1	–	1	–
Hipperholme ...	*	*	*	*	*	*
Hoyland Nether	–	–	–	–	1	–
Maltby	–	–	–	–	–	D. 1
Morley	–	1	–	–		–
Normanton ...	–	2	1	–	–	–
Pontefract ...	–	1	–	–	–	–
Pudsey	–	3	–	–	–	–
Rawmarsh ...	–	1	–	–	–	–
Rothwell ...	–	–	–	–	1	N. 1
Shelley	*	*	*	*	*	*
Skelmanthorpe	–	1	–	–	–	–
Sowerby	–	–	1	–	–	–
Spenborough ...	–	1	–	–	–	–
Stanley	–	–	–	–	2	–
Stocksbridge ...	–	3	–	–	–	–
Thurnscoe ...	–	–	1	–	–	–
Thurstonland and Farnley Tyas	–	–	–	–	1	–
Wombwell ...	–	–	1	–	–	–
Worsborough ...	–	1	–	–	–	–
Yeadon	–	–	1	–	–	–
Rural Districts:—						
Halifax	*	*	*	*	*	*
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
Hemsworth ...	–	3	3	–	–	–
Kiveton Park ...	–	1	1	–	3	–
Knaresborough	–	–	–	–	1	–
Pontefract ...	–	2	–	–	1	–
Rotherham ...	–	–	1	1	–	D. 1
Tadcaster ...	–	–	1	–	–	–
Wakefield ...	–	1	1	1	–	–
Wetherby ...	–	–	–	–	1	–
Wharfedale (South)	–	–	1	–	–	–
YORK, CITY OF ..	–	1	1	–	–	–
York C.B. ...	–	1	1	–		–
WALES.						
ANGLESEY ...		–	–	–		–
Rural Districts:—						
Valley	*	*	*	*	*	*
BRECKNOCK ...	–	2	1	–		N. 1
Boroughs and Urban Districts:—						
Brecknock ...	*	*	*	*	*	*

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
Builth	–	2	–	–	–	–
Vaynor and Penderyn	–	–	1	–	–	N. 1
CAERNARVON...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
Llanfairfechan	–	–	–	–	1	–
Rural Districts:—						
Gwyrfai... ...	–	2	–	–	–	–
CARDIGAN ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
Aberystwyth ...	–	1	1	–	1	–
Rural Districts:—						
Tregaron ...	–	–	–	–	1	–
CARMARTHEN...	–	2	1	–	5	C. 1
Boroughs and Urban Districts:—						
Carmarthen ...	–	–	–	–	1	–
Cwmamman ...	–	1	–	–	1	–
Kidwelly ...	*	*	*	*	*	*
Llandilo ...	–	–	–	–	1	–
Llanelly ...	–	–	1	–	1	–
Rural Districts:—						
Carmarthen ...	–	–		–	–	C. 1
Llanelly ...	–	1	–	–	1	–
DENBIGH ...	–	8	9	2	2	–
Boroughs and Urban Districts:—						
Denbigh ...	–	–	–	1	–	–
Llangollen ...	–	–		–	1	–
Wrexham ...	–	2	2	–	–	–
Rural Districts:—						
Chirk	–	1	–	–	–	–
Llangollen ...	–	–	–	–	1	–
Ruthin		1	–	–	–	–
Wrexham ...	–	4	7	1		–
FLINT	–	3	3	–	–	N. 1
Boroughs and Urban Districts:—						
Holywell ...	–	1	–	–	–	–
Rhyl	–	1	1	–		–
Rural Districts:—						
Hawarden ...	–	1	1	–		–
Holywell ...		–	1	–	–	N. 1
GLAMORGAN ...	–	26	19	1	10	C. 4 M. 5 N. 7
Cardiff C.B. ...	–	4	2	1	3	C. 1 M. 1 N. 1
Merthyr Tydfil C.B.	–	1		–	1	C. 1 N. 1
Swansea C.B. ...	–	–	2	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
Aberdare ...	–		2	–	–	–
Caerphilly ...	–		–	–	–	M. 2
Cowbridge ...	*	*	*	*	*	*
Gelligaer ...		3	2	–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
MAESTEG	–	–	1		–	N. 1
MOUNTAIN ASH...	–	2	1	–	–	–
NEATH		–	3	–	1	–
OGMORE AND GARW	–	4	2	–	–	–
PENARTH	–	1	–	–	–	–
PONTYPRIDD ...		–			2	–
PORTHCAWL ...		1	–	–	–	–
RHONDDA ...	–	7	2		3	C. 2 M. 1 N. 2
Rural Districts:—						
COWBRIDGE ...	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
PENYBONT ...	–	1	1	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
MERIONETH ...	–	1	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
MONMOUTH ...	–	41	7	–	1	G. 2
NEWPORT C.B. ...	–	20	2	–		G. 1
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	–	1	–	–	–
ABERSYCHAN ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
ABERTILLERY ...	–	2	1	–	–	–
BEDWAS AND MACHEN	–	2	1	–	–	–
BEDWELLTY ...	–	2	1	–	–	–
BLAENAVON ...	–	–	–	–	1	–
EBBW VALE ...	–	2	1	–	–	G. 1
TREDEGAR ...	–	7	–	–	–	–
Rural Districts:—						
ST. MELLONS ...	–	3	–	–	–	–
PEMBROKE ...	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
NARBERTH ...	–	–	–	–	–	M. 1
Total of Part II....	17	1023	534	44	351	C. 32 D. 25 E. 6 G. 8 L. 4 M. 96 N. 122

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

t Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YMOUTH	–	–	–	–	–	L. 1
NE	–	–	–	1	–	–

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WISBECH	*	*	*	*	*	*
Total of Part III. ..	·	–	–	1	-	L. 1

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡)
Total of Part I.—London	4	177	118	7	39	C. D. E. F. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	17	1023	534	44	354	C. D. E. G. L. M. N.
Total of Part III.—Port Sanitary Districts		–	–	1	–	L.
Total (i.e., of returns received), England and Wales ...	21	1200	652	52	393	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the REGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

eek ended :—	May 30.	June 6.	June 13.	June 20	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Totals from 1st Week of year. * 1930.	1931.
ON :—															
BIRTHS	1,227	1,494	1,559	1,383	1,485	1,375	1,463	1,409	1,415	1,453	1,221	1,387	1,401	48,352	46,009
IRTHS	42	61	65	52	37	46	43	47	42	57	58	47	52	1,779	1,616
IS (excluding Still-is)—all ages.	831	856	761	758	780	794	763	735	768	780	718	730	757	31,909	35,268
IS—0 to 1 year ..	74	59	48	48	59	47	54	58	62	56	63	54	50	2,706	2,669
T TOWNS, aggre- (including Lon- :—															
BIRTHS	5,553	7,080	7,087	6,603	6,607	6,521	6,682	6,477	6,616	6,653	5,544	6,431	6,562	220,246	214,198
BIRTHS	234	287	301	331	275	283	285	280	247	275	266	280	313	9,697	9,491
HS (excluding Still-is)—all ages.	4,036	3,872	3,846	3,606	3,674	3,659	3,619	3,538	3,548	3,486	3,386	3,427	3,447	144,924	162,084
HS—0 to 1 year ..	352	367	329	293	308	284	287	292	303	301	287	305	286	13,637	15,038
RIC FEVER—Cases	11	19	16	12	15	26	19	23	16	21	28	29	26	645	525
„ Deaths	—	1	—	2	1	3	2	2	1	—	1	2	4	73	56
L POX—Cases ..	72	57	84	49	38	53	33	34	32	22	20	17	10	7,369	3,502
„ Deaths ..	—	1	—	—	—	1	—	—	—	—	—	—	—	17	5
LET FEVER—Cases	744	786	798	803	803	854	809	815	894	820	700	639	692	39.751	27,436
„ Deaths	5	5	3	1	3	3	6	9	2	4	1	1	3	298	183
THERIA—Cases ..	412	482	534	569	572	566	585	573	538	524	423	469	423	28,588	19,923
„ Deaths ..	22	18	21	24	18	23	29	24	19	22	25	21	18	1,345	963
SLES—Deaths ..	39	26	38	26	27	16	18	9	18	18	12	9	13	2,377	1,563
UENZA—Deaths ..	46	30	21	20	24	19	20	22	14	11	16	15	17	1,531	5,271

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ng been made for changes in boundary. The live births are derived from the weekly returns furnished by the strars and differ from those published for the towns in the Quarterly Return which are corrected for births rring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd August, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ONDON (GREENWICH).	75	51	69·1	54·6	28
RIGHTON ..	66	54	64·4	57·6	14
ORTSMOUTH ..	70	52	65·8	56·5	35
ORWICH(SOUTH-WELL LODGE)	68	50	65·9	52·6	11
LYMOUTH ..	67	49	63·3	55·4	55
RISTOL (HORFIELD)	69	44	64·7	52·7	47
IRMINGHAM (EDGBASTON).	69	48	64·0	51·7	24
OTTINGHAM ..	73	50	65·3	51·6	23
IRKENHEAD (BIDSTON).	66	51	62·1	53·6	37
IANCHESTER (WHITWORTH PARK).	70	48	64·3	52·9	82
URNLEY	66	43	62·1	50·6	53
HUDDERSFIELD	§	§	§	§	§
BRADFORD ..	67	46	61·9	50·9	28
SHEFFIELD ..	70	50	63·3	51·7	37
YORK (MUSEUM)	70	45	65·1	51·9	21
HULL (PEARSON PARK).	69	47	64·3	52·6	29
TYNEMOUTH ..	68	44	60·4	51·7	73
CARDIFF	69	49	64·0	53·7	69
EDINBURGH ..	64·0	45·0	58·7	50·3	111
GLASGOW ..	66·3	48·1	61·7	51·9	39
DUBLIN (PHŒNIX PARK)	69·0	42·0	66·1	49·9	22
(FITZWILLIAM SQUARE†).	68·2	47·0	63·9	52·7	18
BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 22nd August, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	16	In Equator	29·362	69·2	55·0	14·2	60·6	- 1·7	55·5	5·1	11·6	1·6	83	133·2	47·1	57·9	SSW : SW.	SW	6·0	0·0	0·9	408	+ 159	0·72
MONDAY -	17	..	29·592	70·8	54·7	16·1	60·5	- 1·6	51·7	8·8	21·2	2·2	73	127·8	43·4	58·0	SW : WSW.	WSW	6·8	0·0	1·6	537	+ 291	0·01
TUESDAY -	18	..	29·676	74·7	51·2	23·5	61·9	- 0·0	52·3	9·6	22·0	0·5	71	137·4	40·1	58·1	WSW: SW.	SW : SSW.	1·0	0·0	0·1	216	- 27	0·00
WEDNESDAY	19	..	29·318	72·6	55·6	17·0	62·3	+ 0·6	60·6	1·7	10·3	0·2	94	131·4	51·5	58·0	SE : S	SSW : SW.	5·0	0·0	0·6	316	+ 74	0·63
THURSDAY -	20	First Quarter.	29·216	67·3	53·8	13·5	58·7	- 2·8	52·6	6·1	14·6	2·3	80	119·7	46·0	58·1	SW	SW: WSW.	8·5	0·0	1·7	525	+ 284	0·16
FRIDAY -	21	..	29·522	65·1	54·9	10·2	57·9	- 3·4	51·2	6·7	13·2	1·1	78	103·1	51·6	58·0	WSW : W.	WNW : W.	3·7	0·0	0·9	487	+ 247	0·02
SATURDAY -	22	..	29·622	63·8	49·3	14·5	55·9	- 5·2	49·9	6·0	14·2	2·3	80	104·0	39·6	58·0	W: Calm.	Calm: NE : ENE.	0·5	0·0	0·1	161	- 81	0·00
MEANS -		..	29·473	69·1	53·5	15·6	59·7	- 2·0	53·4	6·3	15·3	1·5	80	122·4	45·6	58·0	Westerly		..	.	..	Sum 2660	Sum + 947	Sum 1·54
No. of Column			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	16	mP till 0½h.; v till 2h., wP till 6h.; v till 18h.; then wP.	5·9	14·6	Overcast till 3h.; few clouds till 5½h.; nearly overcast till 12h.; very cloudy till 20½h., then nearly cloudless. Frequent rain or heavy rain till 16¾h. Brisk wind 12h. till 18h.
MONDAY ..	17	wP till 7h., then mP.	6·8	14·6	Cloudy generally till 16h., becoming cloudless by 16¾h. Slight drizzle 3h. till 4h.; showers at 11h. and 12h. Heavy dew at night. Brisk wind 1h. till 19h.
TUESDAY ..	18	mP throughout.	9·5	14·5	Cloudless till 4h.; partially cloudy till 15h.; very cloudy till 17h., then overcast. Heavy dew in morning. Solar halo 16¾h. till 18¼h.
WEDNESDAY	19	mP till 4h.; v till 9h.; mP till 10¾h.; v till 12h., then mP.	1·6	14·4	Overcast or nearly so. Continuous rain 3¼h. till 9h. Drizzle 10¾h. till 11½h. Shower 15¾h. Brisk wind from 21h.
THURSDAY	20	mP till 12h.; v till 17h., then mP.	4·6	14·4	Cloudy till 1h., then few clouds. Cloudy 7h. till 12h., then overcast generally. Shower 7½h.; frequent showers 10h. till 15h., then rain or drizzle till 17h Brisk wind till 2h., and 8h. till 20h.
FRIDAY ..	21	wP till 3h., then mP.	0·3	14·3	Overcast or nearly so. Showers 1h. 20m.; 13h. 40 m. and rain 20h. 20m. till 20h. 40m. Brisk wind 1h. till 18h.
SATURDAY	22	mP till 9h.; wP till 11h.; mP till 20h.; then variably mP and wP.	0·6	14·3	Overcast or nearly so. Clearing 21h. to little cloud by 21½h. Haze during day. Dew at night.
			Sum 29·3	Sum 101·1	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·35 ins. at the beginning of the week to 29·69 ins. by 12h. on August 18th; decreased to 29·12 ins. by 17h. on August 20th; increased generally and was 29·62 ins. by midnight on August 22nd.

The Registrar-General's

DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 34.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 29TH AUGUST,

1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 29TH AUGUST, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirty-fourth week of the year numbered 6,749 corresponding to an annual rate of 17·7 per 1,000 living: stillbirths numbered 265 corresponding to a rate of 38 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,309 (138 less than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.
107 Great Towns	8·9	9·0	9·1	8·7
London	8·6	8·7	9·0	8·6
Birmingham	8·7	7·5	7·7	7·8
Liverpool	9·1	9·6	8·6	10·1
Manchester	10·3	9·0	9·2	9·9
Sheffield	6·7	7·4	10·8	7·6
Leeds	7·5	9·5	9·5	12·0
Bristol	7·1	10·1	8·1	9·0
West Ham	11·1	7·9	8·1	6·5

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 46, against 44, 46, and 44 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,421 live births registered corresponding to an annual rate of 16·9 per 1,000 living: stillbirths numbered 49 corresponding to a rate of 33 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 726 (31 less than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 44, against 45, 39, and 36 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS* registered in th week ended 29th August, 1931.

	TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
							Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
	107 GREAT TOWNS ..	19,836,440*	6,749	265	3,309	305	1	6	1	19	30	29
	LONDON	4,377,000*	1,421	49	726	62	1	–	–	3	6	9
TOWNS IN OUTER RING.	CROYDON C.B. ..	233,000	67	2	29	1	–	–	–	–	–	–
	WIMBLEDON ..	58,830	18	–	7	–	–	–	–	–	–	–
	EALING	117,400	49	–	18	2	–	–	–	–	–	–
	ACTON	70,400	19	–	9	–	–	–	–	–	–	–
	BRENTFORD AND CHISWICK ..	62,620	4	–	13	–	–	–	–	–	–	–
	WILLESDEN ..	185,300	30	–	25	1	–	–	–	–	–	–
	HENDON	114,600*	26	1	9	2	–	–	–	–	–	–
	HORNSEY	95,440	24	–	13	1	–	–	–	–	–	1
	WOOD GREEN ..	54,460	10	1	9	–	–	–	–	–	–	–
	TOTTENHAM ..	159,100	39	2	24	4	–	–	–	1	1	1
	EDMONTON ..	77,530	54	3	10	–	–	–	–	–	1	–
	ENFIELD	68,090	21	–	10	2	–	–	–	–	–	–
	WEST HAM C.B. ..	296,900	124	5	37	–	–	–	–	–	–	–
	EAST HAM C.B. ..	142,900	40	–	20	–	–	–	–	–	1	–
	LEYTON	128,600	16	1	19	–	–	–	–	–	–	1
	WALTHAMSTOW ..	134,300	36	1	20	3	–	–	–	–	–	–
	ILFORD	131,300	39	2	22	4	–	–	–	–	–	–
	GILLINGHAM	60,600*	30	–	11	1	–	–	–	–	–	–
	CANTERBURY C.B. ..	24,440*	16	–	2	–	–	–	–	–	–	–
	HASTINGS C.B.	61,870	17	1	10	2	–	–	–	–	–	–
	EASTBOURNE C.B. ..	55,670	18	–	10	–	–	–	–	–	–	–
	BRIGHTON C.B. ..	144,900*	40	1	24	1	–	–	–	–	–	–
	PORTSMOUTH C.B. ..	248,300*	94	4	36	1	–	–	–	–	–	–
	BOURNEMOUTH C.B. ..	108,600	30	–	18	–	–	–	–	–	–	–
	SOUTHAMPTON C.B. ..	175,300	62	3	22	3	–	–	1	–	–	–
	READING C.B.	97,450*	33	3	16	–	–	–	–	–	1	–
	OXFORD C.B.	80,530*	21	–	9	1	–	–	–	–	–	–
	NORTHAMPTON C.B. ..	92,940*	29	–	21	2	–	–	–	–	–	–
	LUTON	69,030	22	–	6	2	–	–	–	1	–	–
	CAMBRIDGE	66,850	20	1	10	1	–	–	–	–	–	–
	SOUTHEND-ON-SEA C.B.	117,900	22	–	39	2	–	–	–	–	–	–
	IPSWICH C.B.	87,630	38	–	12	–	–	–	–	–	–	–
	GREAT YARMOUTH C.B.	56,690	20	–	11	1	–	–	–	–	–	–
	NORWICH C.B.	126,800*	52	2	24	–	–	–	–	–	–	–
	SWINDON	62,600	18	–	5	1	–	–	–	–	–	–
	EXETER C.B.	65,290*	26	–	13	–	–	–	–	–	–	–
	PLYMOUTH C.B. ..	207,600*	61	1	28	1	–	–	–	1	–	–
	BATH C.B.	68,120	22	–	10	–	–	–	–	–	–	–
	BRISTOL C.B.	399,500*	127	3	69	4	–	–	–	–	1	–
	GLOUCESTER C.B. ..	52,890	15	1	10	–	–	–	–	–	–	–
	STOKE-ON-TRENT C.B.	279,800	113	6	48	9	–	1	–	–	–	1
	BURTON-UPON-TRENT C.B.	49,920	15	–	4	–	–	–	–	–	–	–
	WOLVERHAMPTON C.B.	134,200	55	3	18	2	–	–	–	–	–	1
	WALSALL C.B.	104,200	38	1	25	3	–	–	–	–	–	–
	WEST BROMWICH C.B.	82,090	27	1	15	2	–	–	–	–	–	1
	DUDLEY C.B.	60,010	14	–	8	1	–	–	–	–	–	–
	WORCESTER C.B. ..	50,540	10	–	5	–	–	–	–	–	–	–
	BIRMINGHAM C.B. ..	1,011,300	396	14	151	24	–	1	–	–	–	2
	SMETHWICK C.B. ..	85,370	28	1	5	–	–	–	–	–	–	–
	COVENTRY C.B ..	168,500	55	2	23	2	–	–	–	–	–	–
	LEICESTER C.B. ..	241,200	91	2	42	2	–	–	–	–	–	–
	LINCOLN C.B.	66,110*	20	1	10	2	–	–	–	–	–	–
	GRIMSBY C.B.	92,180	30	–	14	–	–	–	–	–	–	–
	NOTTINGHAM C.B. ..	270,900	104	8	44	7	–	–	–	–	–	4
	DERBY C.B.	143,400*	48	3	18	–	–	–	–	–	–	–
	CHESTERFIELD ..	64,450	23	2	11	2	–	–	–	–	–	1
	STOCKPORT C.B ..	126,600	29	2	23	1	–	–	–	–	–	–
	CHESTER C.B.	41,370	16	2	5	–	–	–	–	–	–	–
	BIRKENHEAD C.B. ..	148,600	54	3	23	1	–	–	–	–	–	–
	WALLASEY C.B. ..	97,240	26	1	16	–	–	–	–	–	–	–
	LIVERPOOL C.B. ..	862,100	386	17	167	27	–	–	–	2	9	5
	BOOTLE C.B.	77,170	28	1	10	2	–	–	–	–	1	–
	ST. HELENS C.B.	108,200	39	2	7	–	–	–	–	–	–	–

* Non-civilian deaths are excluded from this table and the comparable civilian populations where diffe from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290: Gillingl 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Ox C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193 Bristol C.B., 399,200: Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B ..	77,180	16	1	13	–	–	–	–	–	–	–	–
WIGAN C.B.	86 250	24	2	15	2	–	–	–	1	–	–	–
WARRINGTON C.B. ..	80,280*	34	3	17	5	–	–	–	–	–	–	–
WOLTON C.B	179,300	39	4	31	2	–	–	–	–	–	1	1
WURY C.B.	56,580*	9	1	5	–	–	–	–	–	–	–	–
WANCHESTER C.B. ..	773,300	296	17	147	15	–	1	–	–	–	1	–
WALFORD C.B.	226,100	76	1	28	1	–	–	–	–	1	–	–
WASHTON-UNDER-LYNE	51,850	24	–	13	1	–	–	–	–	–	–	–
WOLDHAM C.B	142,000	39	3	33	4	–	1	–	–	–	–	–
WOCHDALE C.B. ..	91,190	14	–	17	–	–	–	–	–	–	–	–
WURNLEY C.B	99,300	27	1	21	2	–	–	–	–	–	–	1
WLACKBURN C.B ..	124,000	31	3	23	–	–	–	–	–	–	–	–
WRESTON C.B.	120,100	48	2	17	3	–	–	–	1	–	–	–
WLACKPOOL C.B. ..	97,880	32	1	20	2	–	–	–	–	1	1	–
WBARROW-IN-FURNESS C.B.	66,700	17	1	15	1	–	1	–	–	–	–	–
WHUDDERSFIELD C.B ..	114,300	23	–	22	–	–	–	–	–	–	–	–
WHALIFAX C.B.	98,770*	33	–	11	2	–	1	–	–	1	–	–
WBRADFORD C.B. ..	300,800	84	3	64	3	–	–	–	2	–	–	–
WLEEDS C.B.	486,100	151	6	112	10	–	–	–	1	1	4	–
WDEWSBURY C.B. ..	54,430	18	–	13	1	–	–	–	–	1	–	–
WWAKEFIELD C.B. ..	59,280	26	2	10	2	–	–	–	–	1	–	–
WBARNSLEY C.B. ..	72,090	17	–	14	2	–	–	–	–	–	–	–
WSHEFFIELD C.B. ..	517,300	170	6	75	8	–	–	–	1	–	–	–
WROTHERHAM C.B. ..	70,100	22	–	5	1	–	–	–	–	–	–	–
WDONCASTER C.B ..	63,260	27	2	12	1	–	–	–	–	–	–	–
WYORK C.B.	85,910*	26	–	7	–	–	–	–	–	–	–	–
WKINGSTON-UPON-HULL C.B.	314,800	113	8	52	10	–	–	–	2	2	3	–
WMIDDLESBROUGH C.B.	138,800	77	4	24	3	–	–	–	–	–	–	–
WDARLINGTON C.B. ..	72,620	39	1	16	1	–	–	–	–	–	–	–
WSTOCKTON-ON-TEES ..	68,350	23	–	15	1	–	–	–	–	–	–	–
WWEST HARTLEPOOL C.B.	68,740	32	1	16	3	–	–	–	1	–	1	1
WSUNDERLAND C.B. ..	187,500	90	5	29	2	–	–	–	1	–	–	–
WSOUTH SHIELDS C.B ..	114,400	50	–	30	3	–	–	–	–	–	–	–
WGATESHEAD C.B. ..	123,700	45	1	23	3	–	–	–	–	–	–	–
WNEWCASTLE-ON-TYNE C.B.	284,300*	124	12	56	8	–	–	–	1	–	–	1
WTYNEMOUTH C.B. ..	64,750	22	1	8	–	–	–	–	–	–	–	–
WCARLISLE C.B.	57,430*	21	1	16	–	–	–	–	–	–	–	–
WNEWPORT (MON.) C.B.	89,500*	31	2	18	1	–	–	–	–	–	–	–
WCARDIFF C.B.	223,700*	99	5	31	4	–	–	–	–	–	–	–
WRHONDDA	142,700	38	3	32	–	–	–	–	–	–	–	1
WMERTHYR TYDFIL C.B.	71,670	24	–	18	3	–	–	–	–	–	1	–
WABERDARE	49,010	12	–	8	–	–	–	–	–	1	–	–
WSWANSEA C.B.	165,400	66	3	29	3	–	–	–	–	–	–	–
WGREATER LONDON ..	8,179,740*	2,553	84	1,261	105	1	–	–	4	9	14	4
WOUTER RING	3,802,740*	1,132	35	535	43	–	–	–	1	3	5	2
W7 GREAT TOWNS IN OUTER RING	2,130,770*	616	18	294	20	–	–	–	1	3	3	2
WREMAINDER OF OUTER RING	1,671,970*	516	17	241	23	–	–	–	–	–	2	–
WEDINBURGH†	438,998	113	?	106	10	–	–	–	–	1	1	–
WGLASGOW†	1,088,417	435	?	223	18	–	5	–	5	–	1	–
WDUBLIN†	412,400	199	?	96	18	–	2	–	–	1	3	1
WBELFAST†	415,151	191	?	80	13	–	–	–	–		4	–

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows :—Warrington C.B., 80,020 ; Bury C.B., 56,370 ; Halifax C.B., 98,560 ; York C.B., 84,450 ; Newcastle-on-Tyne C.B., 283,700 ; Carlisle C.B., 57,250 ; Newport (Mon.) C.B., 89,270 ; Cardiff C.B., 223,500 ; Greater London, 8,164,610 ; Outer Ring, 3,798,610 ; 17 Great Towns, 2,130,460 ; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures, That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa
		1931.											
London‡	4,377,000	Aug. 29	1421	49	726	8·6	1	-	-	-	3	6	
Calcutta and Suburbs	1,077,264	July 18	?	?	532‖	25·7	?	3	?	-	?	?	
Bombay§	1,268,708	Aug. 1	476	39	606‖	24·2	2	1	1	-	-	1	
Madras	528,791	July 18	605	27	344	33·8	6	-	-	-	-	-	
Sydney and Suburbs	1,253,560	" 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	May 31 (31 days)											
Perth (Metropolitan Area).	204,780	June 20	94	?	46	11·7	-	-	-	-	-	-	
Auckland (Urban Area).	215,730	June 30 (30 days)	272	3	151	8·4	-	-	-	-	-	-	
Wellington (Urban Area).	142,540	June 30 (30 days)	215	3	116	9·8	-	-	-	-	-	1	
Christchurch (Urban Area).	127,070	June 30 (30 days)	155	6	92	8·7	-	-	-	-	-	-	
Cape Town	136,748	July 25	55	-	30	11·4	-	-	-	-	1	-	
Johannesburg	187,326	" 18	111	5	44	12·2	-	-	-	-	-	-	
Durban	61,667	" 18	26	1	14	11·8	-	-	-	-	-	-	
Paris	2,871,429	" 31 (11 days)	1287	65	863	10·9	2	-	1	1	5	3	
Antwerp	295,534	July 31 (16 days)	218	12	85	6·9	1	-	-	-	-	-	
Amsterdam	754,816	Aug. 8	278	4	120	8·3	-	-	-	-	-	-	
Copenhagen	615,700	" 15	166	3	104	8·8	-	-	-	-	-	2	
Stockholm	502,203	" 8	99	2	87	9·0	-	-	-	-	-	-	
Gothenberg	245,600	July 11	?	?	45	9·5	-	-	-	-	-	-	
Oslo	256,353	Aug. 15	51	-	40	8·1	-	-	-	-	-	-	
Berlin	4,312,000	" 1	723	24	795	9·6	2	?	1	-	-	5	
Breslau	617,000	" 1	134	-	99	8·3	-	?	-	-	1	-	
Cologne	739,000	" 1	191	3	124	8·7	-	?	-	-	-	-	
Dresden	632,000	" 1	114	4	134	11·0	-	?	-	-	-	-	
Frankfort-on-Main	540,000	" 1	101	8	87	8·4	-	?	-	-	-	-	
Hamburg	1,143,000	" 1	283	9	211	9·6	1	?	1	-	1	2	
Leipzig	718,000	" 1	155	1	111	8·0	-	?	-	-	-	-	
Munich	730,000	" 1	146	3	139	9·9	-	?	-	1	2	-	
Budapest	1,009,069	" 8	316	12	230	11·9	-	-	-	-	2	-	
Warsaw	1,115,651	" 1	?	13	291	13·6	4	-	-	-	7	-	
Madrid	834,103	July 25	329	39	274	17·1	5	-	2	-	-	-	
Cairo	1,160,700	May 6	979	17	772	34·7	6	-	16	-	?	3	2
Alexandria	629,900	" 6	507	5	366	30·3	1	-	24	-	?	1	
New York	7,090,089	Aug. 1	?	?	1387	10·2	3	-	2	2	8	1	
Chicago	3,457,375	" 7	1203	39	627	9·5	-	-	-	1	2	1	
New Orleans	466,000	July 31 (31 days)											
Rio de Janeiro ..	1,729,799	June 13	749	52	432	13·0	-	-	6	-	1	3	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 yea for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 10 deaths from Cholera in Calcutta and 4 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 29th August, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	32,921	35,995	726	62	9	8	19	30	33	36	79	127	172	151
Enteric fever	16	18	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	10	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	996	37	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	88	40	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	162	221	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	334	173	6	-	1	4	1	-	-	-	-	1	1	-
Influenza	240	911	2	-	-	-	-	-	-	-	-	1	-	-
Erysipelas	111	120	2	1	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	7	1	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	38	32	1	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	67	98	3	-	2	-	-	-	-	-	-	1	-	-
Tuberculosis :—														
Respiratory system	2376	2575	48	1	-	-	1	8	10	3	8	10	5	2
Nervous system	162	156	3	-	-	-	1	2	-	-	-	-	-	-
Intestines and peritoneum	34	40	1	-	1	-	-	-	-	-	-	-	-	-
Other forms	145	174	6	-	-	-	-	2	1	-	1	1	1	-
Venereal diseases	121	129	4	-	-	-	1	-	1	-	2	-	-	-
Cancer	4379	4537	140	-	-	-	1	-	2	11	21	33	44	28
Rheumatic fever	125	94	4	-	-	-	3	-	-	1	-	-	-	-
Diabetes	343	346	12	-	-	-	-	-	-	-	1	1	7	3
Alcoholism	12	10	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	53	34	2	1	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1351	1358	28	-	-	-	-	-	-	-	2	7	13	6
Epilepsy	131	115	4	-	-	-	1	1	-	-	2	-	-	-
"Convulsions" (not puerperal) ..	43	42	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	822	765	23	3	-	-	2	1	3	5	2	5	2	-
Pericarditis	14	12	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	134	124	5	-	-	-	-	2	3	-	-	-	-	-
Other diseases of heart	6796	8234	152	-	-	-	1	1	3	3	16	30	47	51
Other diseases of circulatory system	1419	1504	27	-	-	-	-	-	-	-	1	5	3	18
Bronchitis	1267	1911	7	-	-	-	-	1	-	1	-	-	-	5
Broncho-pneumonia	1244	1839	15	6	1	-	-	1	-	1	1	1	3	1
Lobar pneumonia	739	855	6	1	-	-	-	-	-	-	1	3	1	-
Pneumonia (type not distinguished)	270	289	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of respiratory system	337	409	4	-	-	-	-	-	-	-	-	1	1	2
Diarrhœa and enteritis	478	437	9	8	1	-	-	-	-	-	-	-	-	-
Appendicitis, Typhilitis	204	191	7	-	1	-	-	3	-	-	1	1	1	-
Hernia, Intestinal obstruction	343	359	7	-	-	-	-	1	-	-	1	2	3	-
Cirrhosis of liver	142	156	2	-	-	-	-	-	-	-	-	2	-	-
Other diseases of digestive system ..	865	781	16	-	-	1	-	-	-	1	4	4	4	2
Acute nephritis	63	56	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease	1128	1159	25	-	-	-	1	-	-	2	4	5	8	5
Other diseases of genito-urinary system.	533	584	22	-	-	-	-	-	-	-	3	2	8	9
Puerperal sepsis	71	79	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth ..	61	85	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	223	220	12	11	-	1	-	-	-	-	-	-	-	-
Premature birth	649	653	11	11	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	122	107	5	5	-	-	-	-	-	-	-	-	-	-
Old age	763	858	15	-	-	-	-	-	-	-	-	-	2	13
Suicide	376	370	18	-	-	-	-	-	2	3	2	4	5	2
Burns and Scalds	63	93	1	-	-	-	-	-	-	-	1	-	-	-
Drowning	88	67	3	-	-	-	1	-	-	1	-	-	1	-
Suffocation in bed	22	19	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	496	466	11	-	-	-	4	3	-	1	-	1	2	-
Other deaths by violence	531	524	10	1	-	-	-	-	2	-	1	1	3	2
Other specified causes	1370	1492	38	10	1	2	1	2	3	2	4	5	6	2
Ill-defined causes	4	4	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 29th August, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	3	190	155	3	36	C. 1 D. 1 E. 3 G. 1 M. 13 N. 10
Metropolitan Boroughs:—						
BATTERSEA ...	–	5	5	–	1	E. 1
BERMONDSEY ...	–	8	7	–	1	–
BETHNAL GREEN	1	11	5	–	1	–
CAMBERWELL ...	–	11	6	–	1	M. 1 N. 1
CHELSEA	–	–	3	–	–	–
DEPTFORD ...	–	6	2	–	–	–
FINSBURY ...	–	3	1	–	–	–
FULHAM	–	3	5	–	2	E. 1 M. 1
GREENWICH ...	–	4	7	1	1	–
HACKNEY... ...	–	4	6	–	1	N. 1
HAMMERSMITH ...	–	4	2	–	1	–
HAMPSTEAD ...	–	1	–	–	1	M. 1
HOLBORN... ...	–	1	1	–	–	M. 1 N. 1
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	–	18	18	–	3	M. 1 N. 1
KENSINGTON ...	–	6	4	–	2	–
LAMBETH ...	–	12	1	–	1	–
LEWISHAM ...	–	4	6	1	–	–
PADDINGTON ...	–	7	5	–	–	N. 1
POPLAR	1	12	3		2	E. 1 M. 3
ST. MARYLEBONE	–	9	4	–		M. 1 N. 1
ST. PANCRAS ...	–	5	17	–	–	–
SHOREDITCH ...	–	5	7	–	4	–
SOUTHWARK ...	–	6	10	1	3	M. 1 N. 3
STEPNEY	1	27	15	–	5	D. 1 G. 1 N. 1
STOKE NEWINGTON	–	–	3	–	–	–
WANDSWORTH ...	–	13	8	–	5	C. M. 1
WESTMINSTER, CITY OF	–	2	1	–	1	M. 1
WOOLWICH ...	–	3	3	–	–	M. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica · H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
BEDFORD	–	1	–	–	–	–
Rural Districts:—						
BIGGLESWADE ...	–	1		–	–	–
EATON BRAY ...	–	1	–	–	–	–
BERKS	–	9	6	–	–	–
READING C.B. ...	–	1	–	–	–	–
Boroughs and Urban District:—						
ABINGDON ...	–	2	–	–	–	–
MAIDENHEAD ...	–	–	3	–	–	–
NEW WINDSOR ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	2	1	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	2		–	–
BUCKINGHAM ...	–	11	1	1	–	–
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	1	–	–		–
CHEPPING WYCOMBE	–	–	1	–		–
MARLOW	–	–	–	1	–	–
SLOUGH	–	1	–	–	–	–
Rural Districts:—						
ETON	–	7	–	–	–	–
WING	–	1	–	–	–	–
WINSLOW	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	6	2	1	–	G. 1
Borough:—						
CAMBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	3	1	1	–	–
NEWMARKET ...	–	–	1	–	–	G. 1.
CHESTER ...	–	27	15	2	7	C. 1 G. 1 L. 1 M. 1 N. 2
BIRKENHEAD C.B.	–	4	2	–	1	–
CHESTER C.B. ...	–	–	1	–	–	–
STOCKPORT C.B. ...	–	1	3	1	–	–
WALLASEY C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	2	–	–		–
BOLLINGTON ...	–	–	–	–	1	N. 1
BREDBURY AND ROMILEY	–	1	–	–	–	–
CHEADLE AND GATLEY	–	4	–	–	–	–
CREWE	–	1	–			–
ELLESMERE PORT AND WHITBY	–	–	1	–	1	–
HALE	–	–	–	–	1	–
HOYLAKE AND WEST KIRBY	–	2	–		–	–
HYDE	–	–	1	–	1	–
MACCLESFIELD ...	–	2	–	–	1	L. 1 N. 1
MIDDLEWICH ...	–	–	–	–	1	–
NANTWICH ...	–	–	1	–	–	–
SALE	–	1	–	–	–	–
STALYBRIDGE ...	–	1	–	–	–	M. 1
WILMSLOW ...	–	–	–	1	–	–
Rural Districts:—						
MACCLESFIELD ...	–	1	–	–	–	–
MALPAS	–	2	–	–	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J. Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NANTWICH ...	–	–	–	–	–	C. 1
NORTHWICH ...	–	2	1		–	G. 1
RUNCORN	–	1	3	–	–	–
WIRRAL	–	1	–	–	–	–
CORNWALL ...	–	4	3	2	2	D. 1 N. 2
Boroughs and Urban Districts:—						
LAUNCESTON ...	*	*	*	*	*	*
LOOE	–	–	–	–	–	N. 1
LOSTWITHIEL ...	–	1	–		–	–
PADSTOW	–	2	–	–	–	–
REDRUTH ...	–	1	–	–	–	–
ST. IVES	–	–	–	–	1	–
Rural Districts:—						
LAUNCESTON ...	–			–	1	N. 1
LISKEARD ...	*	*	*	*	*	*
ST. AUSTELL ...	–	–	–	–	–	D. 1
ST. GERMANS ...	–	–	–	2	–	–
TRURO		–	3	–		–
CUMBERLAND ...	–	3	2	–	1	E. 1 M. 1 N. 1
CARLISLE C.B. ...	–	3	1	–	–	N. 1
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
MILLOM	–	–	–	–	–	E. 1
WIGTON	–	–	–	–	–	M. 1
Rural Districts:—						
CARLISLE ...	–		–	–	1	–
LONGTOWN ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	1	13	12	2	9	D. 2 E. 2 M. 2 N. 1
DERBY C.B. ...	–	3	5	–	1	M. 1
Boroughs and Urban Districts:—						
CHESTERFIELD ...	–	–	1	1	1	D. 1
HEANOR	–	–	–	–	1	
LONG EATON ...	–	2	–	–	–	N. 1
RIPLEY	–	–	–	–	1	–
SWADLINCOTE DISTRICT	–	–	–	–	1	–
Rural Districts:—						
BELPER	–	1		–	–	–
BLACKWELL ...	–	2	–	–	1	D. 1
CHESTERFIELD ...	1	4	4	1	2	E 2 M. 1
CLOWNE	–	1	–	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
SHARDLOW ...	–	–	2			–
DEVON	–	14	11	–	1	C. 2 M. 5 N. 2
EXETER C.B ...		2	–	–	–	C. 1
PLYMOUTH C.B.	–	6	5		–	M. 2 N. 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...			2	–		–
BUCKFASTLEIGH	*	*	*	*	*	*
CREDITON ...	–		3	–	–	
IVYBRIDGE ...	–	1	–	–	–	–
TEIGNMOUTH ...	–	–	1	–	–	–
TIVERTON ...	–	1	–	–	–	–
TORQUAY	–	–	–	–	–	M. 1
Rural Districts:—						
BIDEFORD ...	–	–	–	–	1	–
BROADWOOD WIDGER	–	1	–	–	–	–
HONITON	–	–	–	–	–	C. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
NEWTON ABBOT	–	–		–	–	M. 1
PLYMPTON ST. MARY	–	2	–		–	–
TAVISTOCK ...	–	–	–	–		M. 1 N. 1
TOTNES	–	1	–	–	–	–
DORSET		4	6	–	–	C. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	–	C. 1.
POOLE	–	1	4	–	–	–
SHERBORNE ...	–	1	–	–	–	–
WEYMOUTH AND MELCOMBE REGIS	–	–	2	–	–	–
Rural Districts:—						
BRIDPORT ...	–	1	–	–	–	–
SHAFTESBURY ...	–	1	–	–	–	–
DURHAM ...	–	44	16	6	24	D. 3 E. 1 L. 1 M. 4 N. 5
DARLINGTON C.B.	–	3	–	–	–	N. 1
GATESHEAD C.B.	–	8	3	–	3	L. 1 M. 1
SOUTH SHIELDS C.B.	–	1	1	–	2	–
SUNDERLAND C.B.	–	9	2	–	2	–
WEST HARTLEPOOL C.B.	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
BENFIELDSIDE ...	–		–	1	–	–
BILLINGHAM ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
BRANDON AND BYSHOTTLES	–	1	–	–	–	–
CHESTER LE STREET	–	1	1	–	–	–
CONSETT	–	–	–	1	–	–
CROOK	–	–	1	–	–	N. 1
DURHAM	–	1	–	–	–	N. 1
FELLING	–	5	–	–	1	–
HEBBURN ...	–	5	–	1	3	–
JARROW	–	–	–	–	–	N. 1
SEAHAM HARBOUR	–	–	–	–	1	–
SHILDON	–	1	–	–	–	–
STANLEY	–	1	1	–	–	M. 1
STOCKTON ON TEES	–	–	–	–	2	D. 1
TANFIELD ...	–	–	–	–	–	N. 1
TOW LAW ...	–	–	–	–	1	–
WHICKHAM ...	–	–	1	1	–	E. 1
Rural Districts:—						
AUCKLAND ...	–	1	–	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER LE STREET	–	–	1	–	2	–
DARLINGTON ...	–	1	–	–	–	–
EASINGTON ...	–	2	3	–	5	D. 1
HOUGHTON LE SPRING	–	1	–	1	1	–
LANCHESTER ...	–	–	2	1	–	–
SEDGEFIELD ...	–	1	–	–	–	M. 1
SOUTH SHIELDS	–	–	–	–	–	D. 1
ELY, ISLE OF ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
WISBECH	–	1	–	–	–	–
Rural Districts:—						
ELY	–	–	–	–	1	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	4	68	46	–	7	D. 1 G. 1 M. 4 N. 5
EAST HAM C.B....	–	–	2	–	–	–
SOUTHEND ON SEA C.B.	–	6	4	–	1	G. 1
WEST HAM C.B.	3	19	5	–	2	M. 1 N. 2
Boroughs and Urban Districts:—						
BARKING TOWN...	–	1	6	–	–	–
COLCHESTER ...	–	–	–	–	–	D. 1
DAGENHAM ...	–	8	1	–	1	–
EPPING	–		1		–	–
GRAYS THURROCK	–	2	–	–	–	–
HORNCHURCH ...	–	1	3	–	–	–
ILFORD	–	3	3		–	N. 1
LEYTON	1	5	7	–	–	–
PURFLEET ...	–	–	1	–	–	M. 1
ROMFORD... ...	–	4	2		–	–
TILBURY	–	–	3	–	1	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
WALTHAMSTOW ...	–	11	3	–	1	N. 1
WOODFORD ...	–	1	1	–	–	N. 1
Rural Districts:—						
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	1	–	–		
DUNMOW... ...	–	–	–	–	1	M. 2
EPPING	–	–	2	–		–
ONGAR	–	4	–	–	–	–
ROCHFORD ...	–	–	1	–	–	–
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ...	–	22	14	-	3	C. 1 M. 1 N. 1
BRISTOL C.B. ...	–	6	13	-	2	–
GLOUCESTER C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
CHELTENHAM ...	-	1	–	–	–	C. 1
CIRENCESTER ...	–	3	–	–	1	–
MANGOTSFIELD ...	-	2	–	–	–	–
NAILSWORTH ...	–	2	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–		M. 1 N. 1
EAST DEAN AND UNITED PARISHES	–	2	–	–	–	–
STROUD	–	1	–	–	–	–
WEST DEAN ...	–	3	–	–	–	–
WHEATENHURST	–	1	–	–	–	–
HEREFORD ...	–	5	2	1	1	–
Boroughs and Urban Districts:—						
HEREFORD ...	–	1	2	–	–	–
Rural Districts:—						
DORE	–	3	–	–	–	–
HEREFORD ...	–	1	–	–	1	–
LEOMINSTER AND WIGMORE	–	–	–	1		–
HERTFORD ...	–	13	3	2	3	C. 1 D. 1 N. 1
Boroughs and Urban Districts:—						
BARNET	–	1	–	–	–	C. 1
BUSHEY	–	1	–	–	–	–
CHESHUNT ...	–	–	–	–	1	–
GREAT BERKHAMPSTEAD	–	1	–	1	–	–
HARPENDEN ...	–	–	1	–	–	–
HEMEL HEMPSTEAD	–	–	1	–	–	–
HITCHIN	–	2	–	–	–	–
HODDESDON ...	–	2	–	–	–	–
LETCHWORTH ...	–	–	–	–	1	–
ST. ALBANS ...	–	–	1	–	1	–
STEVENAGE ...	–	1	–	1	–	–
WATFORD... ...	–	–	–	–	–	D. 1
WELWYN GARDEN CITY	–	1	–	–	–	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
Berkhampstead	–	2	–	–	–	–
Hitchin	–	1	–	–	–	–
St. Albans ...	–	1	–	–	–	–
Ware	–	–	–	–	–	N. 1
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Huntingdon ...	–	1	–	–	–	–
KENT	–	50	17	4	5	C. 1 D. 1 E. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
Ashford	–	1	–	–	–	–
Beckenham ...	–	–	1	–	1	M. 1 N. 1
Bexley	–	–	1	–	–	–
Broadstairs and St. Peter's	–	1	–	1	1	–
Bromley... ...	–	6	–	–	–	–
Chatham ...	–	2	–	–	1	N. 1
Cheriton ...	–	1	–		–	–
Chislehurst ...	–	–	1	–	–	–
Crayford ...	–	2	–	–		–
Dartford ...	–	–	–		–	D. 1
Dover	–	3	2	–	–	–
Erith	–	1	1	–	1	E. 1
Folkestone ...	–	1	1	–	–	–
Gillingham ...	–	1	–	–	–	–
Gravesend ...	–	2	1	–	–	–
Herne Bay ...	–	3	–	–	–	–
Maidstone ...	–	2	1	–	–	–
Margate ...	–	–	1	1	–	–
Northfleet ...	–	2	–	–	–	–
Penge	–	1	–	–	–	–
Ramsgate ...	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
Sandgate ...	*	*	*	*	*	*
Sidcup	–	–	–	–	1	–
Sittingbourne and Milton	–	2	–	–	–	–
Whitstable ...	–	1	–	–	–	–
Rural Districts:—						
Bromley... ...	–	1	–	1	–	–
Dartford ...	–	4	1	–	–	–
Dover	–	2	1	–	–	–
East Ashford ...		–	–	1		–
Eastry		1	1		–	–
Elham	–	1	4	–	–	–
Malling	–	2	–	–	–	–
Romney Marsh	–	1	–	–	–	–
Sevenoaks ...	–	–	–	–	–	C. 1
Tenterden ...	–	1	–	–	–	–
LANCASTER ...	–	197	114	6	79	C. 3 D. 3 E. 1 G. 3 L. 3 M. 20 N. 6
Barrow in Furness C.B.	–	–	1		1	–
Blackburn C.B.	–	1	4	–	1	–
Blackpool C.B.		2	2	–	2	–
Bolton C.B. ...	–	13	–	–	1	G. 1
Bootle C.B. ...	–	4	1		1	–
Burnley C.B. ...	–	4	6	–	7	–
Bury C.B. ...	–	3	1	–	1	–
Liverpool C.B....	–	28	51	1	17	C. 1 L. 1 M. 16 N. 4
Manchester C.B.	–	37	5	2	22	D. 1 G. 1 M. 1
Oldham C.B. ...	–	6	4	–	–	–
Preston C.B. ...	–	4	2	–	–	–
Rochdale C.B....	–	3	4	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
ST. HELENS C.B.	–	5	1	–	–	–
SALFORD C.B. ...	–	13	3	–	2	M. 1
SOUTHPORT C.B.	–	–	2	–	2	L. 1
						N. 1
WARRINGTON C.B.	–	20	–	–	1	C. 1
						G. 1
WIGAN C.B. ...	–	1	–	–	3	M. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	3	–
ACCRINGTON ...	–	1	–	–	–	–
ASHTON IN MAKERFIELD	–	–	–	–	–	D. 1
ASHTON-UNDER-LYNE	–	2	–	–	–	–
ATHERTON ...	–	–	1	–	–	–
AUDENSHAW ...	–	–	1	–	–	–
BRIERFIELD ...	–	1	1	–	–	–
CHORLEY	–	1	2	–	–	–
CROMPTON ...	–	1	–	–	–	–
DALTON IN FURNESS	–	1	–	–	–	–
DARWEN	–	–	1	–	1	–
DENTON		1	1	–	–	–
DROYLSDEN ...	–	1	–	–	–	–
ECCLES	–	–	1	–	–	–
FAILSWORTH ...	–	2	–	–	–	–
FARNWORTH ...	–	–	–	–	–	D. 1
FLEETWOOD ...	–	–	1	–	1	–
FULWOOD ...	–	–	–	–		N. 1
GOLBORNE ...	–	–	1	–	–	–
GREAT CROSBY ...	–	1	–	–	1	–
HASLINGDEN ...	–	1	–	–	–	–
HAYDOCK... ...	–	1	–	–	–	–
HINDLEY	–	–	–	1	–	–
HORWICH... ...	–	–	1	–	–	–
INCE IN MAKERFIELD	–	–	–	–	4	–
IRLAM	–	2	–	–	–	–
LANCASTER ...	–	5	1	–	–	
LITHERLAND ...	–	3	–	–		–
LITTLEBOROUGH	–	1	–	–		–
LYTHAM ST. ANNE'S	–	2	–		–	–
MIDDLETON ...	–	–	–	–	2	–
MILNROW... ...		1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
MORECAMBE AND HEYSHAM	–	–	–	–	1	–
NELSON	–	3	–	1	–	–
NEWTON IN MAKERFIELD	–	1	–	–	–	–
PREESALL ...	–	–	1	–	–	–
PRESTWICH ...	–	–	–	–	–	E. 1
RADCLIFFE ...	–	1	1	–	–	–
RAMSBOTTOM ...	–	–	1	–	1	–
RAWTENSTALL ...	–	2	2	–	–	–
STRETFORD ...	–	2	–	–	–	–
SWINTON AND PENDLEBURY	–	3	–	–	–	–
THORNTON CLEVELEYS	–	–	–	–	–	C. 1
TOTTINGTON ...	–	1	1	–	–	–
TYLDESLEY WITH SHAKERLEY	–	–	–		1	–
ULVERSTON ...	–	2	–	–	–	–
UPHOLLAND ...	–	–	–		1	–
WATERLOO WITH SEAFORTH	–	2	3	–	–	–
WESTHOUGHTON	–	1	–	–	–	–
WIDNES	–	2	–	–	–	M. 1
Rural Districts:—						
BARTON UPON IRWELL	–	1	1	–	–	–
BURNLEY ...	–	2	–	–	–	–
CHORLEY	–	2	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 1
GARSTANG ...	–	–	2	1	–	–
LEIGH	–	–	2	–	–	–
LIMEHURST ...	*	*	*	*	*	*
PRESTON	–	–	–	–	1	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	–	1	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LEICESTER ...	12	19	1	-	5	N. 1
LEICESTER C.B....	6	6	1	–	3	N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	-	1	–
COALVILLE ...	–	1	–	–	–	–
LOUGHBOROUGH	–	4	–	–	–	–
QUORNDON ...	–	2	–	–	–	–
SHEPSHED ...	1	-	–	–	-	-
Rural Districts:—						
BARROW UPON SOAR	–	6	–	–	-	–
BLABY	3	–	–	–	–	-
CASTLE DONINGTON	2	–	–	–	-	–
HINCKLEY ...	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	1	–	–		M. 2 N. 1
Boroughs and Urban Districts:—						
BOSTON	–	-	–	–		N. 1
Rural Districts:—						
BOSTON	–	1	–	–		–
SPALDING ...	–	–	–	–		M. 2
LINCOLN (parts of Kesteven).	–	2	–	1	–	-
Boroughs and Urban Districts:—						
GRANTHAM ...	–	1	–	–	–	-
SLEAFORD ...	–	–	–	1	–	–
Rural Districts:—						
WEST KESTEVEN	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LINCOLN (parts of Lindsey).	1	8	2	1	4	D. 1
GRIMSBY C.B. ...	–	2	–	–	–	D. 1
LINCOLN C.B. ...		–	1		–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	*	*	*	*	*	*
BRIGG	–	–	–	–	1	–
GAINSBOROUGH ...	-	1	–	–	–	–
MABLETHORPE AND SUTTON	–	2	–		-	–
SCUNTHORPE AND FRODINGHAM	–	–	1	–	1	–
SKEGNESS... ...	–	1	–	–	1	–
Rural Districts:—						
GAINSBOROUGH ...	–	–			1	–
GLANFORD BRIGG	–	-	–	1	-	-
GRIMSBY	–	1		-	–	–
HORNCASTLE ...	1	-	-	–	-	-
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	–	62	34	3	5	M. 4 N. 3
Boroughs and Urban Districts:—						
ACTON	–	3	-	-	-	–
BRENTFORD AND CHISWICK	–	3	–	–		–
EALING	–	2	1	1	1	M. 1
EDMONTON ...		9	4	-	–	–
ENFIELD	-	5	6	–	–	–
FELTHAM... ...	–	1	1	–	–	–
FINCHLEY ...	-	4	2	–	–	–
FRIERN BARNET...	–	1	–	–	–	–
HAYES AND HARLINGTON	–	2	–	–	–	–
HENDON	–	3	2	–	–	N. 1
HESTON AND ISLEWORTH	–	1	2	–	–	–
HORNSEY	–	3	3	–	–	–
SOUTHGATE ...	–	–	1	–	–	–
STAINES	–	3	–	–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX— *cont.*						
Boroughs and Urban Districts— *cont.*						
TEDDINGTON ...		2	1			-
TOTTENHAM ...	-	11	1	-	-	M. 1
TWICKENHAM ...	-	-	1	-	-	
UXBRIDGE ...	-	1	-	-	-	-
WEALDSTONE ...	-	1	-	-		-
WILLESDEN ...	-	6	9	2	2	M. 1 N. 1
WOOD GREEN ...		1		-	-	M. 1
Rural Districts—						
HENDON	-		-	-	2	N. 1
SOUTH MIMMS ...	*	*	*	*	*	*
NORFOLK ...	-	11	5	2	3	E. 2 M. 2 N. 3
GREAT YARMOUTH C.B.	-	3	1	-	1	-
NORWICH C.B. ...	-	-		1	-	M. 2 N. 2
Boroughs and Urban Districts:—						
DOWNHAM MARKET	-	-	-	1	-	-
KING'S LYNN ...	-	1	-	-	-	-
Rural Districts:—						
AYLSHAM... ...	-	3	-	-	-	-
BLOFIELD ...	-	2	1	-		-
DEPWADE ...	-	1	-	-	-	-
FREEBRIDGE LYNN	-	-	-	-	1	-
MARSHLAND ...	-	-	-	-	-	E. 1 N. 1
ST. FAITH'S ...	-	-		-	-	E. 1
THETFORD ...	-	1	-	-	-	-
WALSINGHAM ...	-	-	-	-	1	-
WAYLAND ...	-	-	3	-	-	-
NORTHAMPTON	-	8	-	-	3	C. 2 M. 1
NORTHAMPTON C.B.	-	4	-	-	-	C. 1
Boroughs and Urban Districts:—						
KETTERING ...	-	-	-	-	2	-
RAUNDS	-	-	-	-	-	M. 1
WELLINGBOROUGH	-	3	-	-	-	-
Rural Districts:—						
BRIXWORTH ...	-	-	-	-	1	-
DAVENTRY ...	-	-	-	-	-	C. 1
KETTERING ...	-	1	-		-	-
NORTHUMBERLAND.	-	191	6	-	8	M. 3 N. 5
NEWCASTLE UPON TYNE C.B.	-	16	1	-	5	M. 2 N. 5
TYNEMOUTH C.B.	-	2	1		-	-
Boroughs and Urban Districts:—						
ASHINGTON ...	-	1	-		-	-
BEDLINGTONSHIRE	-	2	-	-	1	-
BERWICK UPON TWEED	-	-	1	-	-	-
BLYTH	-	1	-		1	-
EARSDON	-	1	-	-	-	-
PRUDHOE... ...	-	3	-	-	-	-
WALLSEND ...	-	1	1	-	1	M. 1
Rural Districts:—						
BELFORD	-	-	1	-		-
CASTLE WARD ...	-	162	1	-	-	-
GLENDALE ...	-	2	-	-	-	-

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	–	27	13	7	5	C. 1 D. 1 M. 3
Nottingham C.B.		13	7	–	3	M. 2
Boroughs and Urban Districts:—						
Beeston	–	–	1	–	–	–
Carlton	–		–	–	1	–
Hucknall ...		–	1	–		–
Kirkby in Ashfield	–	2	–	–	–	–
Mansfield ...	–		–	1	–	D. 1
Sutton in Ashfield	–	1	–	–	–	–
Worksop... ...	–	1	3	–	–	–
Rural Districts:—						
Basford	–	1	1	–	–	–
Bingham... ...	–	1	–		1	–
Newark	–	–		6	–	–
Skegby	–	3	–	–	–	M. 1
Southwell ...	–	1			–	C. 1
Stapleford ...	–	1	–	–	–	–
Worksop... ...	–	3			–	–
OXFORD	–	1	–	–	–	N. 3
Oxford C.B. ...		–	–	–	–	N. 2
Rural Districts:—						
Witney	–	–	–		–	N. 1
Woodstock ...	–	1	–	–	–	–
SALOP	–	1	3	1	2	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
Bridgnorth ...		–	–	1	1	–
Dawley	–	–	1	–	–	–
Ellesmere ...	*	*	*	*	*	*
Wellington ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
Atcham	–	–	–	–	–	M. 1
Drayton	–		–	–	–	N. 1
Ellesmere ...	*	*	*	*	*	*
Newport... ...		1		–	–	–
Oswestry ...	–	–	1	–	1	–
Wem		–	–	–	–	C. 1
SOMERSET ...	–	7	2	1	5	M. 1
Bath C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
Ilminster ...	–	1	–	–		–
Shepton Mallet	–	1	–	–	–	–
Taunton ...		–	–	–	–	M. 1
Weston super Mare	–	–		–	1	–
Rural Districts:—						
Axbridge ...	–	–	–		2	–
Bridgwater ...		–	1		–	–
Langport ...	–	–	–	1	–	–
Long Ashton ...			–	–	1	–
Taunton... ...	–	1	–	–	–	–
Wells	–	2	–	–	–	–
Wincanton ...	*	*	*	*	*	*
Yeovil		–		–	1	–
SOUTHAMPTON	–	24	11	1	2	G. 1 M. 2 N. 2
Bournemouth C.B.	–	6	1	1	–	–
Portsmouth C.B		10	4	–	–	–
Southampton C.B.	–	1	3	–	1	G. 1 N. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
ALDERSHOT ...	–	–	1	–		–
FAREHAM ...	–	2	–	–	–	–
LYMINGTON ...	–	–	1	–	–	–
PETERSFIELD ...	–	–	1	–	–	–
WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
FAREHAM ...	–	–	–	–	1	–
HARTLEY WINTNEY	–	–	–	–	–	M. 1
KINGSCLERE ...	–	1	–	–		–
NEW FOREST ...	–	1		–	–	–
ROMSEY	–	–	–	–	–	M. 1
WHITCHURCH ...	–	–	–	–		N. 1
STAFFORD ...	–	46	16	1	6	C. 3 D. 1 G. 1 L. 1 M. 15 N. 4
SMETHWICK C.B.	–	7		–	–	N. 1
STOKE ON TRENT C.B.	–	4	1	–	3	C. 1 G. 1 M. 4 N. 1
WALSALL C.B. ...	–	2	3	–	–	M. 1
WEST BROMWICH C.B.	–	7	–		–	M. 1
WOLVERHAMPTON C.B.	–	4	2	–	–	M. 2
Boroughs and Urban Districts:—						
BILSTON	–	2	–	–	1	M. 1
BRIERLEY HILL...	–	–	2	–	–	–
BROWNHILLS ...	–	–	1	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
CANNOCK	–	–	–	–	1	M. 1
COSELEY	–	–		–	–	M. 1
DARLASTON ...	–	1	–	–	–	M. 1
LEEK	–	1	–	–	–	–
NEWCASTLE UNDER LYME	–	–	1	–	–	–
QUARRY BANK ...	–	1	–	–	–	
ROWLEY REGIS ...	–	1	–	–		M. 1
SHORT HEATH ...	–	1	–	–	–	–
STAFFORD ...	–	–		–	–	N. 1
STONE	–	1	1	–	–	–
TIPTON	–	1	–	–	–	–
WEDNESBURY ...	–	3	–	–	1	–
WEDNESFIELD ...	–	–	–	–	–	N. 1
WILLENHALL ...	–	1	–	–	–	–
WOLSTANTON UNITED	–	1	–	–	–	C. 1
Rural Districts:—						
CHEADLE... ...	–	2	–	–	–	L. 1 M. 1
KINGSWINFORD ...	–	–	1	–	–	–
LEEK	–	2	–	1	–	–
SEISDON	–	–	2	–	–	–
STAFFORD ...	–	1	1	–	–	–
TAMWORTH (part)	–	3	–	–	–	M. 1
TUTBURY... ...	–	–	1	–	–	–
UTTOXETER ...	–	–	–	–	–	D. 1
SUFFOLK, EAST	–	10	13	–	1	C. 1 M. 2
IPSWICH C.B. ...	–	3	13	–	–	M. 1
Boroughs and Urban Districts:—						
LOWESTOFT ...	–	–	–	–	–	M. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST *cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ...	–	1	–	–	1	C. 1
HOXNE	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–		–
SAMFORD	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST	–	5	2	–	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	1	2	–	–	–
Rural Districts:—						
COSFORD	–	3	–	–		–
MELFORD... ...	–	1	–	–	–	–
SURREY		21	12	1	5	C. 1 G. 1 M. 1 N. 6
CROYDON C.B. ...	–	2	6	–	–	–
Boroughs and Urban Districts:—						
BARNES	–	1	–	–	–	–
BEDDINGTON AND WALLINGTON	–	–	–	–	1	–
CARSHALTON ...	–	1	1	1	1	–
CHERTSEY ...	–	–	–	–	–	C. 1
EPSOM	–	–	–	–	1	–
ESHER AND THE DITTONS	–	1	–	–	–	–
FARNHAM ...	–	1	1	–	–	–
FRIMLEY AND CAMBERLEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
KINGSTON ON THAMES	–	1	–	–	1	N. 6
LEATHERHEAD ...	–	1	–	–	–	–
MERTON AND MORDEN		–	1	–	–	–
MITCHAM... ...	–	2	1	–	–	–
RICHMOND ...		1	–	–	–	–
SUTTON AND CHEAM	–	2	–	–	–	–
WALTON UPON THAMES	–	1	–	–	–	–
WIMBLEDON ...	–	2	1	–	–	–
WINDLESHAM ...	–	1	–	–	–	–
WOKING	–	–	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–		–
GODSTONE ...	–	1	–		–	–
HAMBLEDON ...	–	1	–	–	1	G. 1 M. 1
SUSSEX, EAST...	–	9	13	1	–	D. 1 F. 1 N. 2
BRIGHTON C.B. ...	–	4	3	–	–	D. 1 N. 1
EASTBOURNE C.B.	–	1	–	–	–	–
HASTINGS C.B. ...	–	–	4	–	–	–
Boroughs and Urban Districts:—						
BATTLE	*	*	*	*	*	*
BURGESS HILL ...	–	1	–	–	–	F. 1
HOVE	–	1	1	–	–	N. 1
NEWHAVEN ...	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
HAILSHAM ...	–	–	4	1	–	–
TICEHURST ...	–	–	1	–	–	–

* Returns not received

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	5	3		2	–
Boroughs and Urban Districts:—						
BOGNOR REGIS ...	–	–	–	–	1	–
WORTHING ...	–	5	2	–	1	–
Rural Districts:—						
WESTBOURNE ...		–	1	–	–	–
WARWICK ...		66	36	2	27	G. 1 L. 1 M. 20 N. 4
BIRMINGHAM C.B.	–	48	27	2	16	G. 1 L. 1 M. 16 N. 2
COVENTRY C.B. ...	–	6	3	–	1	M. 1
Boroughs and Urban Districts:—						
BEDWORTH ...	–	–	–	–	1	–
BULKINGTON ...		–	1	–	–	–
NUNEATON ...	–	3	–	–	1	M. 1
ROYAL LEAMINGTON SPA	–	–	–	–	2	–
RUGBY	–	–	2	–	–	–
STRATFORD ON AVON	–	–	–	–	2	–
SUTTON COLDFIELD	–	1	1	–	1	–
WARWICK ...	–	1	–	–	1	M. 1 N. 1
Rural Districts:—						
ALCESTER ...	–	2	1	–	–	–
ATHERSTONE ...	–	1	–	–	–	N. 1
MERIDEN... ...	–	–	–	–	–	M. 1
NUNEATON ...		–	1	–	–	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	4	–	–	1	–
WESTMORLAND	–	–	1	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	1	–	–	–
WIGHT, ISLE OF	–	–	1	–	–	–
Rural Districts:—						
ISLE OF WIGHT ...	–	–	1	–	–	–
WILTS	–	11	4	–	1	M. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
SALISBURY ...	–	3	1	–	–	–
SWINDON... ...	–	–	2		1	–
WARMINSTER ...	–	2	–	–	–	–
WESTBURY ...	–	1	–	–	–	–
Rural Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
DEVIZES		1	–	–	–	–
MALMESBURY ...		–	–	–	–	M. 1
PEWSEY	–	1	–		–	–
TISBURY	–	–	1	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	14	4	–	3	–
DUDLEY C.B. ...	–	5	2	–	–	–
WORCESTER C.B.	–	1	–	–	2	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
EVESHAM	–	1	–	–	–	–
OLDBURY	–	1	–	–	1	–
REDDITCH ...	–	–	1	–	–	–
STOURPORT ...	*	*	*	*	*	*
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
MARTLEY	–	1	1	–	–	–
PERSHORE ...		4	–		–	–
YORKS ... ... (East Riding).	–	13	17	–	4	N. 4
KINGSTON UPON HULL C.B.	–	10	16	–	1	N. 3
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	–	–	1	–
BRIDLINGTON ...	–	–	–	–	2	–
COTTINGHAM ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
Rural Districts:—						
HOWDEN	–	1	–	–	–	N. 1
NORTON	*	*	*	*	*	*
POCKLINGTON ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	14	10	–	9	C. 1 M. 2 N. 1
MIDDLESBROUGH C.B.	–	6	–	–	7	M. 1 N. 1
Boroughs and Urban Districts:—						
ESTON	–	2	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
HINDERWELL ...	–	–	1	–	–	–
LOFTUS	–	–	–	–	–	M. 1
MALTON	*	*	*	*	*	*
PICKERING ...	–	–	–	–	1	–
REDCAR		1	–	–	–	–
RICHMOND ...	–	–	1	–	–	–
SCARBOROUGH ...	–	–	4	–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	1		–	–	–
LEYBURN	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
MIDDLESBROUGH	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	–	C. 1
THIRSK	–	1	–	–	–	–
WHITBY	–	1	4	–	–	–
YORKS ... ... (West Riding).	12	107	49	9	43	C. 5 D. 7 E. 3 G. 1 M. 5 N. 10
BARNSLEY C.B. ...	–	2	1	–	–	–
BRADFORD C.B. ...	–	9	5	–	1	M. 1
DEWSBURY C.B....	–	4	1	–	–	–
DONCASTER C.B....	–	2	–	–	–	–
HALIFAX C.B. ...	–	–	2	1	2	–
HUDDERSFIELD C.B.	–	1	3	1	1	–
LEEDS C.B. ...	–	34	12	–	1	M. 1 N. 1
ROTHERHAM C.B.	–	3	2	–	1	M. 1
SHEFFIELD C.B....	–	17	5	–	17	C. 3 D. 3 E. 3 N. 6
WAKEFIELD C.B.	–	1	1	–	2	N. 2
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	1	1	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
ARDSLEY, EAST AND WEST	–	–	1	–	–	–
BAILDON	–	1	1	–	–	–
BATLEY	–	3	1	–	–	–
BINGLEY	–	–	–	–	1	–
CASTLEFORD ...	–	2	–		1	–
DARTON	12	–	–	–	–	–
EARBY	–	1	–	–	–	–
FLOCKTON ...	–	–	–	–	1	–
GOOLE	–	–		–	1	–
HARROGATE ...	–	2	–		–	–
HEMSWORTH ...		–	–	–	3	–
HOLMFIRTH ...	–	–	–	–	1	–
HORBURY... ...	–	2	–	–	–	–
HORSFORTH ...	–	1	–	–		–
HOYLAND NETHER	–		–	–	2	–
ILKLEY	–		2	–		–
KEIGHLEY ...	–	3		–	–	M. 1
KNARESBOROUGH	–	1	–	–	–	–
KNOTTINGLEY ...	–	–	–	1	–	–
MORLEY	–	1	–	–		–
PENISTONE ...	–	1	–	–	–	–
PUDSEY	–	1	1	–	–	–
QUEENSBURY ...	–	1	–	–	–	–
RAWMARSH ...	–	–	–	–	2	–
RIPON	–	–	–	–	–	G. 1
RISHWORTH ...	–	–	1	–	–	–
ROTHWELL ...	–	1	–	–	–	–
SHIPLEY	–	1	–	–		–
SKELMANTHORPE		–	–	2	–	–
SOWERBY... ...		–	1	–		–
STAINLAND ...		–	1	–		–
STOCKSBRIDGE ...		–		–	1	–
SWINTON	*	*	*	*	*	*
WATH UPON DEARNE	–	–	–	–	–	D. 1
WOMBWELL ...	–	1	–	–	1	D. 1
WORSBOROUGH ...	–	–	1	–	–	–
Rural Districts:—						
DONCASTER ...	–	1	1	–	–	D. 2
GREAT OUSEBURN	–	1	–	–	–	–
HALIFAX	–	–	1	1	–	–
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
HEMSWORTH ...	–	1	–	1	2	C. 2 N. 1
KIVETON PARK ...	–	1	–	–	1	–
PATELEY BRIDGE	–	1	–	–	–	–
ROTHERHAM ...	–	–	2	1	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	1	1	–	1	–
THORNE	–	2				M. 1
WAKEFIELD ...	*	*	*	*	*	*
WHARFEDALE (NORTH)	–	–	1	–	–	–
WORTLEY... ...	–	1	–	1		–
YORK, CITY OF ..	–	3	2	–		–
YORK C.B. ...	–	3	2	–	–	–
WALES.						
ANGLESEY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
BEAUMARIS ...	*	*	*	*	*	*
Rural Districts:—						
VALLEY	–	–	1	–	–	–
BRECKNOCK ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
Brecknock (Merthyr Cynog)	–	–	–	–	1	–
Crickhowell ...	–	1		–	–	–
CAERNARVON...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
Conway	–	–	2	–	–	–
Llandudno ...		1	–	–	–	–
CARDIGAN ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
Aberystwyth ...	–	–	3	–	–	–
Rural Districts:—						
Lampeter ...	–	1	–	–	–	–
CARMARTHEN...	–	2	4	–	2	–
Boroughs and Urban Districts:—						
Cwmamman ...	–	2	2	–	2	–
Rural Districts:—						
Carmarthen ...		–	1	–	–	–
Llanelly ...	–	–	1	–	–	–
DENBIGH ...	–	9	15	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
Colwyn Bay ...		1	–	–	–	–
DENBIGH—*cont.*						
Rural Districts:—						
Ruthin	–	–	–	–	–	N. 1
St. Asaph (Denbigh)	–	2	–	–	–	N. 1
Wrexham ...	–	5	15	–	–	M. 1
Llanelian yn Rhôs and Llansantffraid Glan Conway (parishes)	–	1	–		–	–
FLINT	–	3	1	–	–	N. 1
Boroughs and Urban Districts:—						
Connah's Quay	–	–	1	–	–	–
Flint	–	–	–	–	–	N. 1
Rhyl	–	2	–	–	–	–
Rural Districts:—						
St. Asaph (Flint)	–	1	–	–	–	–
GLAMORGAN ...	–	26	30	1	6	C. 5 L. 2 M. 3 N. 5
Cardiff C.B. ...	–	4	8	–	–	L. 2 N. 2
Swansea C.B. ...	–	3	5	–	1	N. 1
Boroughs and Urban Districts:—						
Aberdare ...	–	–	1	–	1	–
Barry	–	–	–	–	1	–
Gelligaer ...	–	–	1	–	1	–
Glyncorwg ...	–	1	–	–	–	–
Llwchwr ...	–	1	–	–	–	M. 1
Maesteg	–	2	1	–	–	–
Mountain Ash...	–	2	1	–	–	–
Ogmore and Garw	–	4	1	1	1	–
Penarth	–	–	3			–
Pontypridd ...	–	2	–	–	–	–
Porthcawl ...	–	–	1	–	–	–

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Boroughs and Urban Districts— *cont.*						
PORT TALBOT ...	-	-	1	-	-	-
RHONDDA ..	-	6	2			C. 5 M. 1 N. 2
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT-FARDRE	-		1	-	1	M. 1
NEATH	-	1	4	-	-	-
MERIONETH ...	-	-	2	-	-	-
Rural Districts:—						
DOLGELLEY ...	-	-	1		-	-
PENNAL (PARISH)	-	-	1	-	-	-
MONMOUTH ...	-	35	12	1	6	N. 1
NEWPORT C.B. ...	-	14	3		2	N. 1
Boroughs and Urban Districts—						
ABERCARN ...	-	2	-	-	-	-
ABERGAVENNY ...	-	1	-		-	-
ABERSYCHAN ...	-	2	1	-	-	-
ABERTILLERY ...	-	1	2	-	-	-
BEDWAS AND MACHEN	-	1	-	-	1	-
BEDWELLTY ...	-	5	-	-	-	-
BLAENAVON ...	-	-	-	-	2	-
EBBW VALE ...	-	6	1	-	-	-
MONMOUTH ...	-	1				-
MYNYDDISLWYN	-		1		-	-
NANTYGLO AND BLAINA	-	-	-	-	1	-
PANTEG	-	-	2	-	-	-
PONTYPOOL ...			1	-	-	-
TREDEGAR ...	-	1	1	-		-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONMOUTH— *cont.*						
Rural Districts:—						
ABERGAVENNY ...	-	-	-	1	-	-
ST. MELLONS ...	-	1	-	-	-	-
MONTGOMERY...	-	2	-	-	2	M.
Boroughs and Urban Districts:—						
LLANFYLLIN ...	-	-	-	-	1	-
LLANIDLOES ...	*	*	*	*	*	*
WELSHPOOL ...	-	1	-	-	-	-
Rural Districts:—						
LLANFYLLIN ...	-	1	-	-	1	M.
PEMBROKE ...	-	-	4	-	-	-
Boroughs and Urban Districts:—						
MILFORD HAVEN	-	-	2	-	-	-
Rural Districts:—						
PEMBROKE ...	-	-	1	-	-	-
ST. DOGMELLS ...	-	-	1	-	-	-
RADNOR	-	-	-	-	1	-
Rural Districts:—						
PAINSCASTLE ...	-	-	-	-	1	-
Total of Part II....	30	1261	604	60	304	C. 30 D. 23 E. 11 F. 1 G. 11 L. 9 M.109 N. 87

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

t Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ARNSTAPLE	*	*	*	*	*	–
ARWICH	–	1	–	–	–	–
LYMOUTH	–	–	–	–	1	–

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PORT OF LONDON ...	*	*	*	*	*	*
Total of Part III.	·	1	–	-	1	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	
Total of Part I.—London	3	190	155	3	36	
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	30	1261	604	60	304	
Total of Part III.—Port Sanitary Districts		1	-	–	1	
Total (i.e., of returns received), England and Wales ...	33	1452	759	63	341	

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po
encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin
Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Regate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

eek ended :—	June 6.	June 13.	June 20	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8	Aug. 15.	Aug. 22.	Aug. 29.	Totals from 1st Week of year. * 1930.	1931.
ON :—															
IRTHS	1,494	1,559	1,383	1,485	1,375	1,463	1,409	1,415	1,453	1,221	1,387	1,401	1,421	49,708	47,430
IRTHS	61	65	52	37	46	43	47	42	57	58	47	52	49	1,821	1,665
s (excluding Still-s)—all ages.	856	761	758	780	794	763	735	768	780	718	730	757	726	32,921	35,994
s—0 to 1 year ..	59	48	48	59	47	54	58	62	56	63	54	50	62	2,789	2,731
T TOWNS, aggre- (including Lon-															
IRTHS	7,080	7,087	6,603	6,607	6,521	6,682	6,477	6,616	6,653	5,544	6,431	6,562	6,749	226,569	220,947
IRTHS	287	301	331	275	283	285	280	247	275	266	280	313	265	9,982	9,756
s (excluding Still-s)—all ages.	3,872	3,846	3,606	3,674	3,659	3,619	3,538	3,548	3,486	3,386	3,427	3,447	3,309	149,147	165,393
s—0 to 1 year ..	367	329	293	308	284	287	292	303	301	287	305	286	305	14,001	15,343
IC FEVER—Cases	19	16	12	15	26	19	23	16	21	28	29	26	17	682	542
„ Deaths	1	—	2	1	3	2	2	1	—	1	2	4	1	77	57
POX—Cases ..	57	84	49	38	53	33	34	32	22	20	17	10	13	7,448	3,515
Deaths ..	1	—	—	—	1	—	—	—	—	—	—	—	—	17	5
ET FEVER—Cases	786	798	803	803	854	809	815	894	820	700	639	692	759	40,639	28,195
„ Deaths	5	3	1	3	3	6	9	2	4	1	1	3	1	304	184
HERIA—Cases ..	482	534	569	572	566	585	573	538	524	423	469	423	488	29,151	20,411
Deaths ..	18	21	24	18	23	29	24	19	22	25	21	18	30	1,365	993
ES—Deaths ..	26	38	26	27	16	18	9	18	18	12	9	13	6	2,384	1,569
ENZA—Deaths ..	30	21	20	24	19	20	22	14	11	16	15	17	15	1,548	5,286

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ; been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ing away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 29th August, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.‡
	°	°	°	°			°	°	°	°	
DON	69	42	64·7	46·6	2	HUDDERSFIELD	67	—	62·9	—	1
GREENWICH).						BRADFORD ..	66	38	61·3	44·6	0
GHTON ..	73	46	65·6	50·7	14	SHEFFIELD ..	68	44	62·1	46·6	0
TSMOUTH ..	69	44	64·5	50·9	11	YORK (MUSEUM)	67	39	62·1	45·1	1
WICH(SOUTH-	67	36	62·6	43·9	0	HULL (PEARSON	67	39	63·3	44·3	1
/ELL LODGE)						PARK).					
MOUTH ..	67	46	63·7	51·9	21	TYNEMOUTH ..	63	43	59·0	46·9	0·3
TOL	69	46	63·6	48·1	2	CARDIFF	67	43	62·7	48·6	4
(HORFIELD)											
MINGHAM	69	43	62·4	47·0	1						
EDGBASTON).						EDINBURGH ..	65·0	40·0	60·4	46·7	1
TINGHAM ..	68	42	63·3	47·6	0	GLASGOW ..	65·9	41·2	61·9	47·2	0
KENHEAD	67	47	61·9	49·3	0	DUBLIN					
(BIDSTON).						(PHŒNIX	64·9	37·0	61·0	44·4	0
ICHESTER	69	41	62·4	47·0	0	PARK)					
(WHITWORTH						(FITZWILLIAM	64·2	44·2	61·2	50·0	0
PARK).						SQUARE†).					
NLEY	66	39	61·7	44·6	0	BELFAST	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 29th August, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	23	Greatest Declination S.	29·644	62·6	41·7	20·9	52·1	- 8·8	43·2	8·9	19·2	1·5	71	119·9	29·4	58·0	ENE: NE.	N: Calm: ENE.	0·2	0·0	0·0	134	- 111	0·00
MONDAY -	24	..	29·469	53·9	44·3	12·6	51·4	- 9·4	42·8	8·6	12·5	0·4	73	76·5	31·6	58·0	ENE	ENE: NE.	3·6	0·0	0·7	393	+ 144	0·06
TUESDAY -	25	..	29·802	62·8	46·4	16·4	54·2	- 6·5	43·0	11·2	22·7	2·2	66	113·3	34·2	57·9	NE: NNE.	N: NNW.	4·9	0·0	1·0	414	+ 167	0·00
WEDNESDAY	26	..	30·198	67·8	43·5	24·3	55·1	- 5·6	46·7	8·4	19·1	0·4	74	115·3	31·1	57·7	SW: Calm.	Calm: SE.	0·2	0·0	0 0	196	- 130	0·00
THURSDAY -	27	..	30·192	64·6	42·0	22·6	54·8	- 5·8	46·8	8·0	15·9	0·2	74	124·1	28·7	57·4	Calm: E.	E: ENE.	3·0	0·0	0·4	254	- 18	0 00
FRIDAY -	28	Full	30·058	65·9	50·7	15·2	57·8	- 2·6	52·8	5·0	11·1	1·0	83	118·8	41·0	57·2	ENE: E.	E: ENE.	3·2	0·0	0·5	332	+ 57	0·00
SATURDAY -	29	..	29·902	69·0	53·0	16·0	61·1	+ 0 8	52·5	8·6	17·4	1·0	73	127·0	44·1	57·1	ENE: E.	E: ENE.	6·7	0·0	0·9	385	+ 109	0·00
MEANS -		..	29·895	64·2	45·9	18·3	55·2	- 5·4	46·8	8·4	16·8	1·0	73	113·6	34·3	57·6	NE		..		..	Sum 2048	Sum + 208	Sum 0·06
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	23	wP till 5h.; mP till 17h., then wP.	5·4	14·2	Little cloud till 7½h., becoming nearly overcast by 8h. Clearing 22h. to nearly cloudless by 22⅔h. Haze during day. Hoar frost in morning.
MONDAY ..	24	wP till 7h., then mP.	0·0	14·1	Nearly cloudless till 5h., overcast by 6½h. Dew in morning. Occasional drizzle 15⅔h. till 20½h. and rain 22h. till 23h. Brisk wind from 15h.
TUESDAY ..	25	wP till 5h., then mP	6·2	14·1	Overcast or nearly so till 15h.; partially cloudy till 20h., then cloudless. Solar halo 8½h. Brisk wind till 11h. Slight shower 12½h. Dew at night.
WEDNESDAY	26	mP till 17h., then wP.	8·8	14·0	Cloudless till 10½h., partially cloudy till 15h. then few clouds. Mist 6h. till 9h., then sky hazy. Dew in morning and at night.
THURSDAY	27	wP till 7h., then mP	10·1	14·0	Partially cloudy till 5h., few clouds till 9h., cloudy by 9½h. Thin cloud from 14½h. Hoar frost and mist in morning. Dew at night. Lunar halo from 22h.
FRIDAY ..	28	mP till 10h., then wP	2·7	13·9	Thin cloud till 9h., overcast or nearly so mainly thin cloud till 20h., clearing to few clouds by 21h. Cloudy period 21½h. till 22½h. Solar halo general 8½h. till 18½h. and lunar halo 20½h. Dew in morning and at night.
SATURDAY	29	wP till 8h.; mP till 16h., then wP.	11·2	13·8	Few clouds till 22h.; becoming very cloudy by 23h. Dew in morning and at night. Brisk wind 10h. till 17h.
			Sum 44·4	Sum 98·1	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·62 ins. at the beginning of the week to 29·65 ins. by 21h. on August 23rd; decreased to 29·43 ins. by 18½h. on August 24th; increased to 30·24 ins. by 23½h. on August 26th.; decreased and was 29·87 ins. by midnight on August 29th.

The Registrar-General's DECENNIAL SUPPLEMENT

1921.

PART TWO.

Occupational Mortality, Fertility and Infantile Mortality.

A volume dealing with occupational mortality in England and Wales based upon the deaths in the three years around each Census is issued decennially.

The present volume contains 116 pages of abstracts showing the deaths and death-rates at several age groups from certain causes in upwards of 170 occupations, and 102 pages of letterpress with 5 diagrams in which the variations of the mortality, fertility and infantile mortality in the several occupations and social classes are fully discussed.

PRICE 7s. 6d. NET.

POST FREE 8s. 0d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 35.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 5TH SEPTEMBER, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 5TH SEPTEMBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirty-fifth week of the year numbered 5,832 corresponding to an annual rate of 15·3 per 1,000 living: stillbirths numbered 238 corresponding to a rate of 39 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,455 (146 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.
107 Great Towns	9·0	9·1	8·7	9·1
London	8·7	9·0	8·6	8·7
Birmingham	7·5	7·7	7·8	8·2
Liverpool	9·6	8·6	10·1	11·0
Manchester	9·0	9·2	9·9	8·4
Sheffield	7·4	10·8	7·6	8 8
Leeds	9·5	9·5	12·0	11·5
Bristol	10·1	8·1	9 0	8·6
West Ham	7·9	8·1	6·5	7·0

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 41, against 46, 44, and 46 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,200 live births registered corresponding to an annual rate of 14·3 per 1,000 living: stillbirths numbered 32 corresponding to a rate of 26 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 729 (3 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 34, against 39, 36, and 44 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS* registered in week ended 5th September, 1931.

TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 GREAT TOWNS ..	19,836 440*	5,832	238	3,455	268	-	13	4	24	19	49
LONDON	4,377,000*	1,200	32	729	48	-	5	2	7	4	3
TOWNS IN OUTER RING. CROYDON C.B. ..	233,000	64	5	35	-	-	-	-	1	-	-
WIMBLEDON ..	58,830	5	-	6	1	-	-	-	-	-	-
EALING	117,400	40	1	20	-	-	-	-	-	-	-
ACTON	70,400	13	2	12	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	62,620	14	2	8	1	-	-	-	-	-	-
WILLESDEN ..	185,300	39	2	24	2	-	-	-	1	-	-
HENDON	114,600*	28	2	12	1	-	-	-	-	-	-
HORNSEY	95,440	17	-	16	1	-	-	-	-	-	-
WOOD GREEN ..	54,460	8	-	5	-	-	-	-	-	-	-
TOTTENHAM ..	159,100	30	3	28	2	-	-	-	-	-	1
EDMONTON ..	77,530	35	-	13	-	-	-	1	-	-	-
ENFIELD	68,090	17	1	10	-	-	-	-	-	-	-
WEST HAM C.B. ..	296,900	101	7	40	7	-	-	-	-	-	2
EAST HAM C.B. ..	142,900	27	-	19	1	-	-	-	-	-	-
LEYTON	128,600	28	1	16	1	-	-	-	-	-	-
WALTHAMSTOW ..	134,300	25	-	18	1	-	-	-	-	-	-
ILFORD	131,300	37	1	15	1	-	-	-	-	-	-
GILLINGHAM	60,600*	17	-	4	-	-	-	-	-	-	-
CANTERBURY C.B. ..	24,440*	10	-	4	1	-	-	-	-	-	-
HASTINGS C.B. ..	61,870	19	-	15	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	55,670	15	1	16	1	-	-	-	-	-	-
BRIGHTON C.B. ..	144,900*	42	2	41	3	-	-	-	-	-	1
PORTSMOUTH C.B. ..	248,300*	97	2	29	2	-	-	-	1	-	-
BOURNEMOUTH C.B. ..	108,600	31	-	21	1	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	175,300	56	2	44	1	-	-	-	-	1	-
READING C.B.	97,450*	28	2	22	1	-	-	-	-	1	-
OXFORD C.B.	80,530*	26	3	17	1	-	-	-	-	-	-
NORTHAMPTON C.B. ..	92,940*	30	1	16	-	-	-	-	-	-	-
LUTON	69,030	15	-	9	1	-	-	-	-	-	-
CAMBRIDGE	66,850	12	-	8	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	117,900	22	1	13	-	-	-	-	-	-	-
IPSWICH C.B.	87,630	25	2	12	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	56,690	18	-	6	-	-	-	-	-	-	-
NORWICH C.B.	126,800*	47	3	20	-	-	-	-	-	-	-
SWINDON	62,600	14	1	13	1	-	-	-	-	-	-
EXETER C.B.	65,290*	25	1	8	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	207,600*	81	3	37	4	-	-	-	-	-	-
BATH C.B.	68,120	20	-	14	1	-	-	-	-	-	-
BRISTOL C.B.	399,500*	127	2	66	5	-	-	1	-	-	1
GLOUCESTER C.B. ..	52,890	19	1	10	1	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	279,800	110	3	53	6	-	-	-	1	-	1
BURTON-UPON-TRENT C.B.	49,920	22	-	10	1	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,200	41	-	21	4	-	1	-	-	-	1
WALSALL C.B.	104,200	26	2	15	-	-	-	-	-	-	-
WEST BROMWICH C.B.	82,090	28	-	9	-	-	-	-	-	-	-
DUDLEY C.B.	60,010	24	1	15	1	-	-	-	-	-	-
WORCESTER C.B. ..	50,540	16	1	8	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	1,011,300	336	12	159	14	-	-	-	2	1	6
SMETHWICK C.B. ..	85,370	27	-	14	1	-	-	-	-	-	-
COVENTRY C.B ..	168,500	34	4	23	1	-	-	-	-	-	-
LEICESTER C.B. ..	241,200	77	2	45	-	-	-	-	-	-	-
LINCOLN C.B.	66,110*	16	-	11	1	-	-	-	-	-	-
GRIMSBY C.B.	92,180	26	3	19	1	-	-	-	-	-	-
NOTTINGHAM C.B. ..	270,900	65	2	37	3	-	-	-	-	-	1
DERBY C.B.	143,400*	60	3	35	2	-	-	-	1	2	1
CHESTERFIELD	64,450	26	-	10	-	-	-	-	-	-	-
STOCKPORT C.B ..	126,600	40	4	19	1	-	-	-	-	-	-
CHESTER C.B.	41,370	11	1	6	-	-	-	-	-	1	-
BIRKENHEAD C.B. ..	148,600	45	1	35	3	-	-	-	-	-	1
WALLASEY C.B. ..	97,240	18	-	14	-	-	-	-	-	1	-
LIVERPOOL C.B. ..	862,100	358	21	182	23	-	-	-	2	-	6
BOOTLE C.B.	77,170	23	-	11	1	-	-	-	-	-	-
ST. HELENS C.B. ..	108,200	29	1	18	1	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where di from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillin 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; C C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 1 Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
THPORT C.B ..	77,180	16	1	17	1	-	-	-	-	-	-	-
AN C.B.	86 250	29	2	11	1	-	-	-	1	-	-	1
RRINGTON C.B. ..	80 280*	27	1	14	4	-	-	-	-	-	-	-
TON C.B	179,300	30	-	27	1	-	-	-	-	-	-	-
Y C.B.	56,580*	12	1	8	1	-	-	-	-	-	-	1
NCHESTER C.B. ..	773,300	235	8	124	14	-	-	-	1	-	4	-
FORD C.B.	226,100	75	1	41	2	-	-	-	-	-	1	1
TON-UNDER-LYNE	51,850	21	2	12	1	-	-	-	-	-	-	-
HAM C.B	142,000	19	2	27	1	-	-	-	-	-	-	-
HDALE C.B. ..	91,190	16	-	14	2	-	-	-	-	-	-	-
NLEY C.B	99,300	28	-	10	1	-	-	-	-	-	-	-
CKBURN C.B ..	124,000	25	2	31	3	-	-	-	1	-	-	1
STON C.B.	120,100	31	1	36	3	-	-	-	-	-	-	-
CKPOOL C.B. ..	97,880	18	-	28	2	-	-	-	-	-	-	1
ROW-IN-FURNESS B.	66,700	10	1	23	-	-	-	-	-	-	-	-
DDERSFIELD C.B ..	114,300	23	3	20	1	-	-	-	-	-	-	-
LIFAX C.B.	98,770*	30	1	19	-	-	-	-	-	-	-	-
DFORD C.B. ..	300,800	66	6	82	7	-	2	-	-	-	4	-
DS C.B	486,100	122	13	107	13	-	1	-	-	4	4	-
WSBURY C.B. ..	54,430	10	1	10	1	-	-	-	-	-	1	-
KEFIELD C.B. ..	59,280	13	-	15	-	-	-	-	-	-	-	-
NSLEY C.B. ..	72,090	25	-	10	1	-	1	-	-	-	-	-
FFIELD C.B. ..	517,300	137	5	87	9	-	-	-	2	-	-	1
HERHAM C.B. ..	70,100	23	3	9	1	-	-	-	-	-	-	-
NCASTER C.B ..	63,260	29	1	7	1	-	-	-	-	-	-	-
E C.B.	85,910*	20	2	14	-	-	-	-	-	-	-	-
NGSTON-UPON-HULL B.	314,800	117	5	54	5	-	-	-	-	3	4	1
DDLESBROUGH C.B.	138,800	52	2	26	5	-	1	-	-	-	1	-
RLINGTON C.B. ..	72,620	11	3	16	-	-	-	-	-	-	-	-
CKTON-ON-TEES ..	68,350	21	1	9	1	-	-	-	-	-	-	-
ST HARTLEPOOL C.B.	68,740	21	1	8	2	-	-	-	1	-	-	-
NDERLAND C.B. ..	187,500	57	5	32	4	-	1	-	-	-	1	-
TH SHIELDS C.B ..	114,400	61	1	25	9	-	-	-	-	-	3	-
TESHEAD C.B. ..	123,700	37	2	20	-	-	-	-	-	-	-	1
WCASTLE-ON-TYNE B.	284,300*	97	6	42	5	-	-	-	1	-	-	-
NEMOUTH C.B. ..	64,750	30	-	11	-	-	-	-	-	1	-	-
RLISLE C.B.	57,430*	24	-	6	-	-	-	-	-	-	-	-
WPORT (MON.) C.B.	89,500*	24	1	25	2	-	1	-	-	-	-	-
RDIFF C.B.	223,700*	74	2	45	4	-	-	-	-	-	1	-
ONDDA	142,700	49	2	36	2	-	-	-	-	-	-	-
RTHYR TYDFIL C.B.	71,670	16	1	12	-	-	-	-	-	-	-	-
ERDARE	49,010	12	-	14	1	-	-	-	-	-	-	-
ANSEA C.B.	165,400	57	2	31	2	-	-	-	1	-	-	-
EATER LONDON ..	8,179,740*	2,213	68	1,283	90	-	5	3	10	5	8	-
TER RING	3,802,740*	1,013	36	554	42	-	-	1	3	1	5	-
GREAT TOWNS IN UTER RING	2,130,770*	528	27	297	19	-	-	1	2	-	3	-
MAINDER OF OUTER ING	1,671,970*	485	9	257	23	-	-	-	1	1	2	-
INBURGH†	438,998	121	?	92	6	-	-	-	-	-	1	-
ASGOW†	1,088,417	389	?	236	37	-	7	-	-	1	7	-
BLIN†	412,400	156	?	82	13	-	2	-	-	-	5	-
LFAST†	415,151	164	?	94	16	-	-	-	-	-	5	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 3,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 9,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,377,000	1931. Sept. 5	1200	32	729	8·7	-	-	5	2	7	4	
Calcutta and Suburbs	1,077,264	July 25	?	?	547‖	26·4	?	2	?	-	?	?	
Bombay§	1,298,708	Aug. 8	502	43	623‖	24·9	3	-	1	-	1	1	2
Madras	528,791	July 25	569	33	372	36·6	3	-	-	-	2	1	1
Sydney and Suburbs	1,253,560	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	May 31 (31 days)	410	?	199	7·7	-	-	-	-	-	-	
Perth (Metropolitan Area).	204,780	June 27	83	?	56	14·2	-	-	-	-	-	-	
Auckland (Urban Area).	215,730	July 31 (31 days)											
Wellington (Urban Area).	142,540	July 31 (31 days)											
Christchurch (Urban Area).	127,070	July 31 (31 days)											
Cape Town	136,748	Aug. 1	60	2	30	11·4	1	-	1	-	-	1	2
Johannesburg	187,326	July 25	83	5	37	10·3	-	-	-	-	-	-	-
Durban	61,667	„ 25	18	-	11	9·3	-	-	-	-	-	1	-
Paris	2,871,429	Aug. 10 (10 days)	1080	74	847	10·8	5	-	2	-	7	8	30
Antwerp	295,534	Aug. 15 (15 days)											
Amsterdam	754,816	Aug. 15	261	8	90	6·2	-	-	-	-	-	-	1
Copenhagen	615,700	„ 22	191	3	110	9·3	-	-	-	-	-	-	-
Stockholm	502,203	„ 15	95	4	85	8·8	-	-	-	-	-	-	-
Gothenberg	245,600	July 18	?	?	43	9·1	-	-	-	-	-	-	-
Oslo	256,353	Aug. 22	45	-	46	9·3	-	-	-	-	-	-	-
Berlin	4,302,000	„ 8	755	20	866	10·5	2	?	-	-	1	5	4
Breslau	616,000	„ 8	123	3	113	9·5	-	?	-	-	2	-	2
Cologne	739,000	„ 8	181	4	126	8·9	1	?	-	-	-	1	3
Dresden	631,000	„ 8	110	6	132	10·9	-	?	-	-	-	-	-
Frankfort-on-Main	539,000	„ 8	91	1	80	7·7	-	?	-	-	-	-	-
Hamburg	1,142,000	„ 8	256	9	182	8·3	-	?	-	-	-	-	8
Leipzig	718,000	„ 8	124	1	122	8·8	-	?	-	-	-	-	3
Munich	730,000	„ 8	136	3	161	11·5	-	?	-	-	-	1	1
Budapest	1,009,069	„ 15	266	6	205	10·6	3	-	-	-	8	1	13
Warsaw	1,115,651	„ 8	?	11	224	10·5	4	-	-	-	3	-	23
Madrid	834,103	„ 1	546	29	266	16·6	3	-	4	-	-	1	18
Cairo	1,160,700	May 13	867	26	796	35·8	10	-	19	-	?	2	235
Alexandria	629,900	„ 13	448	7	381	31·5	-	-	19	-	?	1	86
New York	7,090,089	Aug. 8	2196	108	1360	10·0	2	-	1	-	6	3	16
Chicago	3,457,375	„ 14	1154	29	603	9·1	2	-	1	-	2	3	16
New Orleans	466,000	July 31 (31 days)											
Rio de Janeiro ..	1,729,799	June 20	652	49	465	13·9	1	-	5	-	3	2	48

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of* for Amsterdam, Copenhagen Stockholm Gothenberg, and the German Cities.
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 28 deaths from Cholera in Calcutta and 9 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 5th September, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	33,818	36,723	729	48	11	10	16	39	23	44	75	121	165	177
Enteric fever	16	18	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	10	2	–	–	–	–	–	–	–	–	–	–	–	–
Measles	997	42	5	–	3	2	–	–	–	–	–	–	–	–
Scarlet fever	90	42	2	–	–	–	–	2	–	–	–	–	–	–
Whooping cough	103	228	7	3	3	1	–	–	–	–	–	–	–	–
Diphtheria	341	177	4	–	–	2	2	–	–	–	–	–	–	–
Influenza	246	911	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	113	122	2	1	–	–	–	–	–	–	–	1	–	1
Acute Poliomyelitis, Polioencephalitis	7	1	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	41	33	1	–	–	–	–	–	–	–	1	–	–	–
Meningococcal meningitis	67	98	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—														
Respiratory system	2434	2624	49	–	2	–	1	17	10	6	6	4	2	1
Nervous system	168	160	4	–	1	–	1	1	–	1	–	–	–	–
Intestines and peritoneum	35	40	–	–	–	–	–	–	–	–	–	–	–	–
Other forms	149	178	4	1	–	–	–	1	1	–	1	–	–	–
Venereal diseases	124	131	2	1	–	–	–	–	–	–	–	1	–	–
Cancer	4483	4678	141	–	–	–	1	–	–	13	21	41	44	21
Rheumatic fever	130	96	2	–	–	–	1	–	1	–	–	–	–	–
Diabetes	350	353	7	–	–	–	–	–	–	–	1	2	2	2
Alcoholism	13	11	1	–	–	–	–	–		–	–	1	–	–
Simple meningitis	54	67	3	2	–	–	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	1392	1382	24	–	–	–	–	–	–	2	2	5	8	7
Epilepsy	136	115	–	–	–	–	–	–	–	–	–	–	–	–
"Convulsions" (not puerperal)	44	43	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	854	783	18	–	–	1	–	–	1	3	5	2	4	2
Pericarditis	14	13	1	–	–	1	–	–	–	–	–	–	–	–
Acute endocarditis	135	128	4	–	–	–	–	1	2	–	1	–	–	–
Other diseases of heart	6990	8402	169	–	–	–	–	2	3	3	15	25	51	70
Other diseases of circulatory system	1461	1537	33	–	–	–	–	–	1	–	3	5	10	14
Bronchitis	1294	1920	9	1	–	–	–	–	–	–	–	–	3	5
Broncho-pneumonia	1265	1857	18	9	2	–	–	–	–	–	–	3	1	3
Lobar pneumonia	750	867	12	1	–	–	–	2	–	2	2	1	2	2
Pneumonia (type not distinguished)	276	280	1	–	–	–	–	–	–	–	–	1	–	–
Other diseases of respiratory system	346	413	4	–	–	–	–	–	–	–	1	–	2	1
Diarrhœa and enteritis	490	445	8	3	–	–	–	1	–	–	2	–	–	2
Appendicitis, Typhlitis	216	194	3	–	–	–	–	–	–	1	–	1	1	–
Hernia, Intestinal obstruction	351	364	5	1	–	–	–	–	–	–	–	–	2	2
Cirrhosis of liver	147	161	5	–	–	–	–	–	–	–	–	3	2	–
Other diseases of digestive system	887	891	20	1	–	–	1	2	–	3	4	1	5	3
Acute nephritis	67	59	3	–	–	–	–	–	–	–	–	1	2	–
Chronic Bright's disease	1160	1183	24	–	–	–	–	1	2	1	3	5	3	9
Other diseases of genito-urinary system	553	606	22	1	–	–	–	–	–	1	1	4	8	7
Puerperal sepsis	74	81	2	–	–	–	–	2	–	–	–	–	–	–
Other causes incident to childbirth	63	86	1	–	–	–	–	–	–	1	–	–	–	
Congenital malformations	227	228	8	8	–	–	–	–	–	–	–	–	–	
Premature birth	660	662	9	9	–	–	–	–	–	–	–	–		
Debility, atrophy (congenital)	125	108	1	1	–	–	–	–	–	–	–	–	–	
Old age	793	877	19	–	–	–	–				–	1	4	14
Suicide	394	382	12	–	–	–	–	–	–	3	2	5	1	1
Burns and Scalds	66	93	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	92	67	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	22	19	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	518	486	20	–	–	1	4	4	1	1	2	1	2	4
Other deaths by violence	561	535	11	1	–	–	2	–	–	–	–	4	2	2
Other specified causes	1420	1519	27	3	–	2	2	2	1	3	3	3	4	4
Ill-defined causes	4	5	1	–	–	–	–	1	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 5th September, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	9	233	141	7	54	C. 7 D. 6 E. 5 G. 2 M. 14 N. 15
CITY OF LONDON	-	1	-	-	-	-
Metropolitan Boroughs:—						
BATTERSEA ...	-	10	5	-	3	D. 1 N. 1
BERMONDSEY ...	-	6	3	-	2	N. 1
BETHNAL GREEN	3	12	6	-	3	-
CAMBERWELL ...	3	21	9	-	2	-
CHELSEA	-	1	-	-	-	M. 1
DEPTFORD ...	-	6	2	-	2	M. 2
FINSBURY ...	-	2	5	-	2	-
FULHAM	-	6	6	-	3	E. 1
GREENWICH ...	-	4	3	-	1	-
HACKNEY... ...	1	3	5	1	3	N. 2
HAMMERSMITH ...	-	7	2	-	-	-
HAMPSTEAD ...	-	1	-	1	2	-
HOLBORN... ...	-	2	1	-	-	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	-	18	11	1	3	C. 1 M. 2 N. 2
KENSINGTON ...	-	7	9	1	4	M. 1 N. 1
LAMBETH ...	-	8	5	2	3	C. 1 N. 2
LEWISHAM ...	-	5	7	-	4	-
PADDINGTON ...	-	3	3	-	1	D. 1
POPLAR	2	16	8	-	2	E. 2 G. 1 M. 1 N. 3
ST. MARYLEBONE	-	3	4	-	-	C. 1 N. 1
ST. PANCRAS ...	-	7	2	-	2	C. 1 D. 3 E. 1
SHOREDITCH ...	-	7	6	-	-	M. 2
SOUTHWARK ...	-	8	8	-	1	C. 2
STEPNEY	-	35	7	1	4	M. 1 N. 1
STOKE NEWINGTON	-	4	2	-	-	-
WANDSWORTH ...	-	19	11	-	6	C. 1 D. 1 G. 1 M. 2
WESTMINSTER, CITY OF	-	3	5	-	-	-
WOOLWICH ...	-	8	6	-	1	E. 1 M. 1 N. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
BEDFORD	–	1	–	–	–	–
LUTON	–	2	–	–	–	–
Rural Districts:—						
BIGGLESWADE ...	–	–	–	–	1	–
EATON BRAY ...	–	1	–	–	–	–
BERKS	–	5	3	–	1	–
* READING C.B. ...	–	3	1	–	–	–
Boroughs and Urban District:—						
MAIDENHEAD ...	–	–	1	–	–	–
NEW WINDSOR ...	–	1	–	–	–	–
Rural Districts:—						
COOKHAM ...	–	–	1	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WANTAGE ...	–	–	–	–	1	–
BUCKINGHAM ...	–	14	1	–	1	–
Boroughs and Urban Districts:—						
AYLESBURY ...	–	3	–	–	–	–
CHEPPING WYCOMBE	–	–	–	–	1	–
SLOUGH	–	4	–	–	–	–
WOLVERTON ...	–	3	–	–	–	–
Rural Districts:—						
AYLESBURY ...	–	–	1	–	–	–
ETON	–	2	–	–	–	–
WING	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CAMBRIDGE ...	–	4	5	1	–	N. 1
Borough:—						
CAMBRIDGE ...	–	3	3	1	–	N. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	1	–		–
CHESTERTON ...	–	1	1	–	–	–
CHESTER ...		34	30	–	16	C. 1 L. 1 M. 3 N. 4
BIRKENHEAD C.B.	–	3	4	–	8	M. 1 N. 1
CHESTER C.B. ...	–	1	4	–	–	C. 1
STOCKPORT C.B. ...	–	2	2	–	2	N. 1
WALLASEY C.B. ...	–	5	2	–	1	–
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	2	–	–	–	–
BEBINGTON AND BROMBOROUGH		2	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
CHEADLE AND GATLEY	–	1	–		–	–
CONGLETON ...	–	1	–	–	–	–
DUKINFIELD ...	–	3	–	–	1	–
ELLESMERE PORT AND WHITBY	–	1	2	–	–	–
HOYLAKE AND WEST KIRBY	–	1	1	–	–	–
MACCLESFIELD ...	–	3	1	–	2	L. 1
MIDDLEWICH ...	–	1	–	–	–	–
NANTWICH ...	–	–	5	–	–	–
NORTHWICH ...	–	–	–	–	–	N. 1
RUNCORN	–	1	1	–	–	–
SALE	–	1	–		–	–
STALYBRIDGE ...	–	2	–	–	–	–
WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW... ...	*	*	*	*	*	*
CHESTER		–	3	–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J. Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
CONGLETON	–	–	–	–	1	M. 1
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
RUNCORN	–	1	4	–	–	M. 1 N. 1
TARVIN	–	1	–	–	–	–
WIRRAL	–	–	1	–	–	–
CORNWALL ...	–	3	3	–	–	D. 1
Boroughs and Urban Districts:—						
FALMOUTH ...	–	–	–	–	–	D. 1
FOWEY	–	1	–	–	–	–
PADSTOW	–	1	–	–	–	–
PENRYN	–	1	–	–	–	–
Rural Districts:—						
HELSTON	–	–	3	–	–	–
ST. AUSTELL ...	*	*	*	*	*	*
CUMBERLAND ...	–	11	3	–	2	M. 3 N. 1
CARLISLE C.B. ...	–	4	1	–	2	–
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	M. 1
HOLME CULTRAM	–	3	–	–	–	–
MILLOM	–	4	–	–	–	–
WHITEHAVEN ...	–	–	–	–	–	M. 2 N. 1
Rural Districts:—						
LONGTOWN ...	–	–	1	–	–	–
DERBY	10	15	5	–	6	C. 2 E. 1 M. 2 N. 2
DERBY C.B. ...	–	4	1	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
ALFRETON ...	10	1	–	–	–	–
CHESTERFIELD ...	–	3	–	–	–	–
HEANOR	–	1	–	–	2	–
NORTH DARLEY ...	–	–	–	–	1	–
RIPLEY	*	*	*	*	*	*
Rural Districts:—						
BAKEWELL ...	–	1	1	–	–	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	–	–	–	–	M. 1
CHAPEL EN LE FRITH	–	1	–	–	–	C. 1
CHESTERFIELD ...	–	1	2	–	2	E. 1 N. 2
CLOWNE	–	1	–	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
NORTON	–	1	–	–	–	–
REPTON	–	–	1	–	–	–
DEVON	–	15	10	2	4	C. 1 L. 1 N. 2
EXETER C.B. ...	–	–	–	–	1	–
PLYMOUTH C.B.	–	7	5	–	–	C. 1 N. 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	2	1	–	–	–
BRIXHAM	–	–	–	–	1	–
NEWTON ABBOT ...	–	3	–	–	–	
NORTHAM ...	–	1	–	–	–	–
SEATON	–	–	–	–	1	–
TEIGNMOUTH ...	–	–	–	1	–	–
TORQUAY	–	–	–	1	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	–	L. 1
BARNSTAPLE ...	–	–	–	–	–	N. 1
CULMSTOCK ...	–	–	2	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
Newton Abbot	–	–	1	–	1	–
Plympton St. Mary	–	–	1	–	–	–
Totnes	–	2		–	–	–
DORSET	–	3	3	–	1	M. 1
Boroughs and Urban Districts:—						
Poole	–	2	2	–	–	–
Weymouth and Melcombe Regis	–	–	–	–	–	M. 1
Rural Districts:—						
Weymouth ...	–	1	1	–	–	–
Wimborne and Cranborne	–	–	–	–	1	–
DURHAM ...	1	61	11	4	28	C. 1 D. 3 M. 4 N. 3
Darlington C.B.	–	1	–	–		M. 1
Gateshead C.B.	–	11	2	–	1	–
South Shields C.B.	–	3	–	–	3	D. 1
Sunderland C.B.	–	9	4	1	9	N. 1
West Hartlepool C.B.	–	2	1	–	1	–
Boroughs and Urban Districts:—						
Annfield Plain	–	–	1	–	–	–
Barnard Castle	–	1	–	–	–	–
Billingham ...	–	3	–	–	–	–
Bishop Auckland	–	–	–	1	–	–
Blaydon... ...	–	2	–	–	–	D. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
Brandon and Byshottles	–	–	–	–	–	C. 1
Consett	–	1	–	–	–	–
Durham	–	–	–	–	1	–
Felling	–	6	–	–	–	–
Hebburn ...	–	1	–	–	1	–
Hetton	–	–	–	–	2	–
Jarrow	–	–	–	–	1	D. 1 M. 2
Leadgate ...	–	1	–	1		–
Seaham Harbour	–	–	–	–	–	N. 1
Spennymoor ...	*	*	*	*	*	*
Stockton on Tees	–	2	–	–	1	–
Washington ...	–	1	–	–	–	–
Whickham ...	1	1	–	–	1	–
Willington ...	–	1	–	–	–	–
Rural Districts:—						
Barnard Castle	–	3	–	–	1	–
Chester le Street	–	1	–	–	1	–
Easington ...	–	2	–	–	–	–
Houghton le Spring	–	5	–	–	1	–
Lanchester ...	–	1	1	1	2	–
Sedgefield ...	–	1	1	–	–	–
South Shields	–	1	–	–	–	–
Stockton ...	–	1	–	–	–	N. 1
Sunderland ...	–	–	1	–	2	–
ELY, ISLE OF ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
March	–	1	–	–	–	–
Rural Districts:—						
North Witchford	–	1	–	–	–	–
Wisbech	–	–	1	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	13	81	48	5	6	C. 5 D. 1 M. 1 N. 4
EAST HAM C.B....	–	11	2	1	–	N. 1
SOUTHEND ON SEA C.B.	–	5	2	1	–	–
WEST HAM C.B.	6	15	7	1	2	N. 1
Boroughs and Urban Districts:—						
BARKING TOWN...	–	2	7	1	–	–
BENFLEET ...	–	1	–	–	–	–
BUCKHURST HILL	–	1	–	–	–	–
CHELMSFORD ...	–	2	–	–	1	N. 1
CHINGFORD ...	–	1	–	–	–	–
CLACTON	–	4	–	–	–	–
COLCHESTER ...	–	5	–	–	–	C. 1
DAGENHAM ...	–	6	2	–	1	M. 1
GRAYS THURROCK	–	1	–	1	1	–
HORNCHURCH ...	–	–	2	–	–	–
ILFORD	–	1	7	–	1	C. 1 D. 1 N. 1
LEYTON	4	7	6	–	–	–
ROMFORD... ...	–	2	2	–	–	–
TILBURY	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
WALTHAMSTOW ...	1	5	10	–	–	C. 2
WOODFORD ...	–	2	–	–	–	C. 1
Rural Districts:—						
BILLERICAY ...	2	–	–	–		–
BRAINTREE ...	–	2	–	–	–	
HALSTEAD ...	–	3	–	–	–	–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	2	–	–	–	–
GLOUCESTER ...	–	19	16	–	2	M. 1 N. 1
BRISTOL C.B. ...	–	7	10	–	1	M. 1
GLOUCESTER C.B.	–	1	1	–	1	N. 1
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	–	1	–	–	–
KINGSWOOD ...	–	2	–	–	–	–
GLOUCESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
MANGOTSFIELD ...	–	1	–	–	–	–
NAILSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
WARMLEY ...	–	3	1	–	–	–
WEST DEAN ...	–	–	2	–	–	–
WINCHCOMB (part)	–	2	–	–	–	–
HEREFORD ...	–	8	1	–	2	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	2	–	–	–	–
KINGTON	*	*	*	*	*	*
LEOMINSTER	–	–	1	–	–	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	–
HEREFORD ...	–	3	–	–	1	–
KINGTON	*	*	*	*	*	*
ROSS AND WHITCHURCH	–	1	–	–	–	–
WEOBLEY... ...	–	1	–	–	–	–
HERTFORD ...	–	14	3	–	–	N. 1
Boroughs and Urban Districts:—						
CHESHUNT ...	–	–	1	–	–	–
GREAT BERKHAMPSTEAD	–	4	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Hemel Hempstead	–	1	–	–	–	N. 1
Hoddesdon ...	–	1	–	–	–	–
Stevenage ...	–	2	–	–	–	–
Watford... ...	–	1	–	–	–	–
Rural Districts:—						
Berkhampstead	–	3	–	–	–	–
Hadham	–	1	–	–	–	–
Hemel Hempstead	–		1	–	–	–
Ware	–	1	–	–	–	–
Watford ...	–	–	1	–	–	–
HUNTINGDON ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
Huntingdon ...	–	–	–	–	1	–
Rural Districts:—						
St. Ives	–	1		–	–	–
KENT	–	22	24	2	5	C 1 M. 1 N. 1
Boroughs and Urban Districts:—						
Beckenham ...	–	–	1	–	1	N. 1
Bexley	–	–	1	–	–	C. 1
Broadstairs and St. Peter's	–	–	1	–	–	–
Bromley... ...	–	4	1	–	–	–
Chislehurst ...	–	–	1	–	–	–
Dartford ...	–	–	1	–	–	–
Dover	–	1	1	–	–	M. 1
Folkestone ...	–	–	–	1	–	–
Gillingham ...	–	4	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts — *cont.*						
Maidstone ...	–	–	1		–	–
Margate ...	–	–	–	–	1	–
Northfleet ...	–	1	1	–	–	–
Ramsgate ...	–	–	1	–	–	–
Sandgate ...	–	–	1	–	–	–
Sandwich ...	–	1	–	–	–	–
Sevenoaks ...	–	1	–	–	–	–
Sidcup	–	–	1	–	–	–
Sittingbourne and Milton	–	–	1	–	–	–
Tonbridge ...	*	*	*	*	*	*
Whitstable ...	–	–	–	–	2	–
Rural Districts:—						
Bridge	–	1	–	–	–	–
Bromley... ...	–	2	–	–	–	–
Dartford ...	–	–	2	–	–	–
Eastry	–	1	–	–	–	–
Elham	–	–	1	–	–	–
Maidstone ...	–	2	–	–	–	–
Malling	–	1	1	–	1	–
Milton	–	1	1	–	–	–
Romney Marsh	–	1	–	–	–	–
Strood		–	2	–	–	–
Tonbridge ...	–		1	1	–	–
West Ashford...	–	1	–	–		–
LANCASTER ...	–	217	126	2	130	C. 9 D. 4 G. 2 M. 18 N. 11
Barrow in Furness C.B.	–	2	1	–	1	–
Blackburn C.B.	–	1	3	–	2	–
Blackpool C.B.	–	2	1	–	4	N. 1
Bolton C.B. ...	–	12	–	–	1	G. 1
Bootle C.B. ...	–	6	2		6	–
Burnley C.B. ...	–	5	1	–	9	N. 1
Bury C.B. ...	–	–	–	–	1	–
Liverpool C.B....	–	20	44	1	43	D. 2 G. 1 M. 13 N. 3

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
MANCHESTER C.B.	–	52	21	1	25	C. 7 D. 2 M. 2
OLDHAM C.B. ...	–	4	–	–	–	–
PRESTON C.B. ...	–	6	4	–	2	C. 1 M. 1 N. 3
ROCHDALE C.B....	–	1	3	–	5	–
ST. HELENS C.B.	–	2	3	–	1	–
SALFORD C.B. ...	–	8	15	–	4	C. 1
SOUTHPORT C.B.	–	2	1	–	1	–
WARRINGTON C.B.	–	23	–	–	2	–
WIGAN C.B. ...	–	2	–	–	4	–
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	–	–
ACCRINGTON ...	–	–	1	–	–	–
ASHTON IN MAKERFIELD	–	1	–	–	1	–
ASHTON-UNDER-LYNE	–	5	–	–	1	M. 1
ATHERTON ...	–	–	–	–	1	–
BLACKROD ...	–	2	–	–	–	–
CHORLEY	–	3	–	–		–
DARWEN	–	2	1	–	–	–
DENTON	–	–	–	–	–	N. 1
FAILSWORTH ...	–	1	1	–	–	–
FARNWORTH ...	–	–	–	–	2	M. 1 N. 1
GOLBORNE ...	–	–	1	–	–	–
GREAT CROSBY ...	–	1	2	–	–	–
GREAT HARWOOD	–	–	–	–	1	–
HASLINGDEN ...	–	1	–	–	–	–
HEYWOOD ...	–	2	–	–	–	–
HORWICH... ...	–	1	1	–	1	–
INCE IN MAKERFIELD	–	1	–	–	1	–
LANCASTER ...	–	5	2	–	–	–
LYTHAM ST. ANNE'S	–	3	–	–	–	–
MIDDLETON ...	–	3	–		–	–
MORECAMBE AND HEYSHAM	–	1	1	–	–	–
NELSON	–	3	1	–	–	–
NEWTON IN MAKERFIELD	–	4	–	–	1	–
ORMSKIRK ...	–	–	–	–	1	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
PRESCOT	–	–	1	–	–	–
PRESTWICH ...	–	1	1	–	1	–
RADCLIFFE ...	–	–	2	–	1	–
RAMSBOTTOM ...	–	1	1	–	–	–
RAWTENSTALL ...	–	1	–	–	–	–
ROYTON	–	–	–	–	1	–
STRETFORD ...	–	4	4	–	1	–
SWINTON AND PENDLEBURY	–	2	–	–	1	–
THORNTON CLEVELEYS	–	–	–	–	1	–
UPHOLLAND ...	–	1	–	–	–	–
WATERLOO WITH SEAFORTH	–	3	–	–	–	–
WESTHOUGHTON	–	–	1	–	–	N. 1
WHITWORTH ...	–	1	–	–	–	–
WIDNES	–	3	–	–	–	–
Rural Districts:—						
BURNLEY ...	–	3	1	–	–	–
CHORLEY	–	6	–	–		–
GARSTANG ...	–	1	4	–	1	–
LEIGH	–	–	–	–	1	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	1	–	–	–	–
WARRINGTON ...		1	1	–	–	–
WEST LANCASHIRE	–	–	–	–	1	–
LEICESTER ...	14	21	1	–	7	C. 1
LEICESTER C.B....	9	9	–	–	3	–
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	1	–	–	1	–
COALVILLE ...	–	–	–	–	1	–
QUORNDON ...	–	2	–	–	–	C. 1
WIGSTON MAGNA	1	2	–	–	1	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LEICESTER— *cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	1	–
BARROW UPON SOAR	1	3	–	–	–	–
BLABY	–	2	–	–	–	–
CASTLE DONINGTON	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
MELTON MOWBRAY	3	–	–	–	–	–
LINCOLN (parts of Holland).	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BOSTON	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	1	5	2	–	8	C. 1 N. 2
GRIMSBY C.B. ...	–	1	–	–	2	C. 1
LINCOLN C.B. ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	–	–	1	–
CLEETHORPES ...	1	–	1	–	–	–
GAINSBOROUGH ...	–	1	–	–	1	–
LOUTH	–	–	1	–	–	N. 1
MABLETHORPE AND SUTTON	–	1	–	–	–	–
MARKET RASEN ...	–	–	–	–	1	–
SCUNTHORPE AND FRODINGHAM	–	–	–	–	–	N. 1
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
GRIMSBY	*	*	*	*	*	*
MIDDLESEX ...	1	75	38	–	12	C. 1 N. 6
Boroughs and Urban Districts:—						
ACTON	–	1	3	–	–	–
BRENTFORD AND CHISWICK	–	5	–	–	–	–
EALING	–	4	3	–	1	N. 2
EDMONTON ...	1	7	4	–	1	N. 1
ENFIELD	–	6	1	–		–
FELTHAM... ...	–	–	1	–	–	–
FINCHLEY ...	–	2	1	–	–	–
FRIERN BARNET...	–	3	–	–	–	–
HAMPTON WICK...	–	–	–	–	1	–
HARROW ON THE HILL	–	–	1	–	–	–
HAYES AND HARLINGTON	–	2	–	–	–	–
HENDON	–	2	3	–	1	–
HESTON AND ISLEWORTH	–	1	–	–	1	–
HORNSEY	–	8	2	–	–	–
SOUTHALL NORWOOD	–	–	–	–	1	–
SOUTHGATE ...	–	3	–	–	–	–
SUNBURY ON THAMES	–	2	1	–	–	–
TOTTENHAM ...	–	11	5	–	3	C. 1 N. 1
TWICKENHAM ...	–	–	1	–	–	–
UXBRIDGE ...	–	5	–	–	–	–
WEMBLEY ...	–	–	1	–	1	–
WILLESDEN ...	–	10	6	–	2	–
WOOD GREEN ...	–	–	2	–	–	–
YIEWSLEY AND WEST DRAYTON	–	2	–	–	–	–
Rural Districts—						
HENDON	–	1	3	–	–	N. 2
NORFOLK ...	–	14	3	3	–	–
GREAT YARMOUTH C.B.	–	1	–	–	–	–
NORWICH C.B. ...	–	3	2	2	–	–
Boroughs and Urban Districts:—						
KING'S LYNN ...	–	2	1	–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	2	–	–	–	–
FOREHOE	–	1	–	–	–	–
HENSTEAD ...			–	1	–	–
MARSHLAND ...	–	3	–	–	–	–
WAYLAND ...	–	2	–	–	–	–
NORTHAMPTON	–	7	2	–	1	–
NORTHAMPTON C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
FINEDON	–	1	–		–	–
KETTERING ...	–	1	–	–	–	–
RAUNDS	–	–	–	–	1	–
RUSHDEN... ...	–	2	–	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1	1	–	–	–
KETTERING ...	–	1		–	–	–
NORTHUMBERLAND.	–	42	8	1	20	L. 3
NEWCASTLE UPON TYNE C.B	–	19	1	–	11	L. 2
TYNEMOUTH C.B.	–	1	–		1	–
Boroughs and Urban Districts:—						
ASHINGTON ...	–	1	–	–	1	–
BEDLINGTONSHIRE	–	1	–	–	1	–
BERWICK UPON TWEED	–	1	2	–	1	–
BLYTH	–	1	–	–	–	–
HEXHAM	–	1	–	–	1	–
NEWBURN ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
PRUDHOE... ...	–	–	3	–	–	–
ROTHBURY ...	–	1	–	–	–	–
SEATON DELAVAL	–	–	–	–	1	–
WALLSEND ...	–	2	2	–	1	–
Rural Districts:—						
CASTLE WARD ...	–	11	–	–	1	L. 1
MORPETH ...	–	–	–	1	–	–
ROTHBURY ...	–	2	–	–	–	–
NOTTINGHAM ...	–	23	10	4	7	C. 2 D. 1 M. 1 N. 1
NOTTINGHAM C.B.	–	8	1	–	3	C. 2
Boroughs and Urban Districts:—						
BEESTON	–	1	–	–	–	–
CARLTON	–	–	2	–	2	–
HUCKNALL ...	–	–	1	–	–	–
KIRKBY IN ASHFIELD	–	1	–	–	–	–
MANSFIELD ...	–	4	–	–	2	M. 1
MANSFIELD WOODHOUSE	–	–	2	–	–	–
NEWARK	–	–	–	1	–	–
SUTTON IN ASHFIELD	–	3	–	–		–
WARSOP	–	–	1	–	–	D. 1 N. 1
WORKSOP... ...	–	1	2	–	–	–
Rural Districts:—						
BASFORD	–	2	1	–	–	–
BINGHAM... ...	*	*	*	*	*	*
NEWARK	–	–	–	2	–	–
SOUTHWELL ...	–	1	–	1	–	–
STAPLEFORD ...	–	1	–	–	–	–
WORKSOP... ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
OXFORD	-	3	1	-	-	E. 1 M. 1 N. 2
Oxford C.B. ...	-	-	-	-	-	N. 2
Boroughs and Urban Districts:—						
Banbury... ...	-	1	1	-	-	M. 1
Rural Districts:—						
Bicester... ...	-	1	-	-	-	-
Culham	-	-	-	-	-	E. 1
Goring	-	1		-	-	-
PETERBOROUGH (Soke of).	-	-	-	1	-	-
Borough:—						
Peterborough...	-	-	-	1		-
SALOP	-	5	6	2	1	C. 1 N. 1
Boroughs and Urban Districts:—						
Bridgnorth ...	-		-	-	-	N. 1
Church Stretton		1		-	-	-
Dawley	-	-	1	-	-	-
Ludlow	-	-		-	1	-
Oakengates ...	-	-	1	-	-	-
Shrewsbury ...	-	2	-	-	-	C. 1
Wellington ...	-	-	1	-	-	-
Rural Districts:—						
Atcham	-	2	-	-		-
Drayton	-		-	1	-	-
Shifnal	-	-	2	1	-	-
Wellington ...	-	-	1		-	-
SOMERSET ...	-	9	6	-	6	M. 1 N. 3
Bath C.B. ...	-	3	-	-	-	N. 1
SOMERSET— *cont.*						
Boroughs and Urban Districts:—						
Bridgwater ...	-	1	-	-	1	-
Frome	-	-	1	-	-	-
Glastonbury ...	-	-	-	-	1	-
Taunton ...	-	-	2	-	-	M. 1
Weston super Mare	-	1	3	-	1	-
Rural Districts:—						
Axbridge ...	-	3	-	-	1	-
Bridgwater ...		-	-	-	1	-
Clutton	-	1	-	-	-	-
Taunton... ...		-	-	-		N. 1
Wincanton ...		-		-	1	-
Yeovil	-		-	-		N. 1
SOUTHAMPTON	-	16	19	2	2	E. 1 M. 1 N. 3
Bournemouth C.B.	-	2	2	-	1	-
Portsmouth C.B.	-	8	10	-	-	E. 1 M. 1 N. 1
Southampton C.B.	-	1	2	1	-	N. 1
Boroughs and Urban Districts:—						
Aldershot ...	-	1	-	-	-	-
Gosport		-	1		-	-
Lymington ...				1	-	-
Romsey	*	*	*	*	*	*
Rural Districts:—						
Andover... ...	-	1	1	-	-	-
Basingstoke ...	-	1	-		-	-
Catherington ...	-	-	1	-	-	-
Fareham ...	-	-	1	-		-
Fordingbridge	-	-	-	-	1	-
New Forest ..	-	-	-	-	-	N. 1
Romsey	*	*	*	*	*	*
South Stoneham	-	1	1	-		-
Winchester ...	-	1	-	-	-	-

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	–	32	30	–	27	C. 1 G. 1 M. 6 N. 4
BURTON UPON TRENT C.B.	–	1	1	–	–	N. 1
SMETHWICK C.B.	–	1	3		3	M. 2
STOKE ON TRENT C.B.	–	–	2	–	10	N. 1
WALSALL C.B. ...	–	3	–	–	1	C. 1
WEST BROMWICH C.B.	–	7	2	–	1	–
WOLVERHAMPTON C.B.	–	8	7	–	1	M. 1
Boroughs and Urban Districts:—						
BILSTON	–	–	1	–	–	
COSELEY	*	*	*	*	*	*
LEEK	–	1	–	–	1	–
LICHFIELD ...	–	–	1	–	1	–
QUARRY BANK ...	–	–	1	–	–	
ROWLEY REGIS ...	–	–	4	–	2	G. 1
RUGELEY	–	1	–	–	–	–
SHORT HEATH ...	–	1	–	–	–	–
STAFFORD ...	–	–	–	–		M. 1
TAMWORTH ...	–	1	–	–	1	–
TIPTON	–	2	–	–	1	M. 1
WEDNESBURY ...	–	1		–	2	N. 1
WILLENHALL ...	–	–	2	–	–	N. 1
WOLSTANTON UNITED	–	–	1	–	–	–
Rural Districts:—						
CANNOCK	–	–	1	–	–	–
CHEADLE	–	1	–	–	1	–
KINGSWINFORD ...	–	1	1	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	–	–	–	–	M. 1
STAFFORD ...	–	1	1	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
WALSALL	–	–	2	–	1	–
SUFFOLK, EAST	–	5	14	–	1	–
IPSWICH C.B. ...	–	1	12	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST *cont.*						
Boroughs and Urban Districts:—						
EYE	–	–	1	–	–	–
LOWESTOFT ...	–	1	1	–	–	–
Rural Districts:—						
HARTISMERE ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST	–	2	1	–	1	N. 1
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	1	–	–	1	–
NEWMARKET ...	–	–	1	–	–	–
Rural Districts:—						
MELFORD... ...	–	1	–	–	–	–
THINGOE	–	–		–	–	N. 1
SURREY	–	19	22	2	5	C. 1 D. 2 M. 3 N. 8
CROYDON C.B. ...	–	5	3	2	–	C. 1 D. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
BEDDINGTON AND WALLINGTON	–	–		–	–	D. 1
CARSHALTON ...	–	2	1	–	1	–
COULSDON AND PURLEY	–	1	–	–	–	–
EGHAM	–	–	–	–	1	–
ESHER AND THE DITTONS	–	1	1	–	–	–
FARNHAM ...	–	–	1	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
GODALMING ...	–	1	–	–	–	–
GUILDFORD ...	–	–	–	–	–	N. 1
KINGSTON ON THAMES	–	–	1	–	–	N. 2
MERTON AND MORDEN	–	2	5	–	–	–
MITCHAM	–	–	1	–	–	N. 1
REIGATE	–	–	1	–	–	–
RICHMOND ...	–	1	–	–	–	–
SURBITON ...	–	1	1	–	–	M. 2
SUTTON AND CHEAM	–	–	1	–	–	–
THE MALDENS AND COOMBE	–				1	–
WIMBLEDON ...	–	1	4	–	–	–
WOKING	–	1	–	–	–	N. 1
Rural Districts:—						
DORKING	–	1	–	–	–	–
EPSOM	–	–	1	–	1	–
GUILDFORD ...	–	1	–	–	1	–
HAMBLEDON ...	–	1	1	–	–	–
SUSSEX, EAST...	–	5	6	1	–	N. 4
BRIGHTON C.B. ...	–	–	5	1	–	N. 4
HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	2	–	–	–	–
HOVE	–	2	1	–	–	–
Rural Districts:—						
RYE	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST...	–	4	2	2	1	N. 1
Boroughs and Urban Districts:—						
BOGNOR REGIS ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	–	–	–	1	N. 1
WORTHING ...	–	–	2	–	–	–
Rural Districts:—						
MIDHURST ...	–	2	–	–	–	–
STEYNING WEST...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	2	–	–
WARWICK ...	–	87	39	5	26	C. 2 D. 1 G. 1 M. 16 N. 1
BIRMINGHAM C.B.	–	70	25	2	21	C. 1 D. 1 M. 14 N. 1
COVENTRY C.B. ...	–	4	5	–	–	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	1	–	–
NUNEATON ...	–	1	1	1	1	–
ROYAL LEAMINGTON SPA	–	–	–	–	–	C. 1
RUGBY	–	–	1	–	1	–
SUTTON COLDFIELD	–	2	1	–	–	G. 1
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	2	1	–	–	–
FOLESHILL ...	–	1	–	–	–	–
MERIDEN... ...	–	1	–	–	–	–
NUNEATON ...	–	–	2	–	1	M. 1
SHIPSTON ON STOUR	–	1	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts—*cont.*						
SOLIHULL ...	–	1	1	1	–	–
SOUTHAM... ...	–	–	2	–	–	M. 1
STRATFORD ON AVON	–	–	–	–	1	–
TAMWORTH (part)	–	4	–	–	–	–
WESTMORLAND	–	1	–	–	–	–
Rural Districts:—						
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF	–	1	–	1	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	–	–	1	–	–
SHANKLIN ...	–	1	–	–	–	–
WILTS	–	14	4	–	–	C. 1 G. 2 N. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
SALISBURY ...	–	1	–	–	–	G. 1
SWINDON... ...	–	4	–		–	–
TROWBRIDGE ...	–	–	1	–	–	–
WESTBURY ...		–	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–		–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
CRICKLADE AND WOOTTON BASSETT		–	1		–	N. 1
HIGHWORTH ...	–	1	–	–	–	–
MALMESBURY ...	–	3		–	–	C. 1
MELKSHAM ...	–	1	–	–	–	–
MERE	–	1		–	–	–
TISBURY	–	–	1	–	–	–
WESTBURY AND WHORWELLSDOWN	–	2	–		–	–
WORCESTER ...	–	11	5	–	2	M. 1 N. 1
DUDLEY C.B. ...	–	1	2	–	–	–
WORCESTER C.B.	–	2	1		–	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
HALESOWEN ...		1	–	–	–	–
KIDDERMINSTER	–	2		–	–	–
NORTH BROMSGROVE	*	*	*	*	*	*
OLDBURY... ...	–	–	1		2	–
STOURBRIDGE ...		1	1	–	–	–
STOURPORT ...	–		–	–		N. 1
Rural Districts:—						
EVESHAM... ...	–	2	–	–	–	–
PERSHORE ...		2	–		–	M. 1
YORKS ... ... (East Riding).	–	20	24	–	9	C. 1 N. 1
KINGSTON UPON HULL C.B.	–	9	22		6	C. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
Beverley ...	–	–	–	–	1	–
Cottingham ...	–	1	–	–	–	–
Great Driffield	–	–	–	–	1	–
Hessle	*	*	*	*	*	*
Withernsea ...	–	1	–	–	–	–
Rural Districts:—						
Beverley ...		1	–	–	–	–
Bridlington ...	–	2	1	–	–	–
Howden	–	1	–	–	–	–
Norton	–	–	1	–	–	–
Patrington ...	–	1	–	–	–	N. 1
Pocklington ...	–	2	–	–	1	–
Riccall	–	1	–	–	–	–
Sculcoates ...	*	*	*	*	*	*
Skirlaugh ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	12	3	–	11	D. 1 M. 1 N. 1
Middlesbrough C.B.	–	4	–	–	4	–
Boroughs and Urban Districts:—						
Eston	–	2	–	–	2	–
Guisborough ...	–	1	–	–	1	–
Loftus	–	–	1	–	1	M. 1
Scarborough ...	–	1	1	–	1	D. 1
Thornaby on Tees	–	–	–	–	2	–
Rural Districts:—						
Flaxton	–	3	–	–	–	–
Richmond ...	–	1	–	–	–	–
Scarborough ...	–	–	1	–	–	–
Thirsk	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	11	105	75	2	50	C. 6 D. 10 E. 3 M. 7 N. 13
Barnsley C.B. ...	–	–	4	–	1	M. 1 N. 1
Bradford C.B. ...	–	15	4	–	7	N. 2
Dewsbury C.B....	–	–	2	–	–	–
Doncaster C.B....	–	1	–	–	–	N. 1
Halifax C.B. ...	–	1	2	–	1	–
Huddersfield C.B.	–	2	1	–	1	M. 1
Leeds C.B. ...	–	19	22	–	5	C. 4 M. 2 N. 5
Rotherham C.B.	–	4	4	–	1	N. 1
Sheffield C.B....	–	14	6	–	15	C. 1 D. 3 E. 3 M. 2 N. 3
Wakefield C.B.	–	6	1	–	–	–
Boroughs and Urban Districts:—						
Adwick le Street	*	*	*	*	*	*
Barnoldswick ...	–	1	–	–	–	–
Batley	–	–	1	–	–	–
Bingley	–	1	1	–	–	–
Bolton upon Dearne	–	1	–	–	–	D. 1
Castleford ...	–	1	–	–	–	–
Conisbrough ...	–	–	3	–	–	–
Darton	11	–	–	–	–	–
Featherstone ...	–	2	–	–	–	–
Flockton ...	–	–	–	–	1	–
Garforth ...	–	1	–	–	–	–
Harrogate ...	–	1	1	–	–	–
Hemsworth ...	–	2	–	–	2	D. 1
Holmfirth ...	–	–	1	–	–	–
Honley	–	–	–	–	1	–
Horbury... ...	–	1	1	–	–	–
Ilkley	–	1	1	–	–	–
Keighley ...	–	4	–	–	–	–
Knaresborough	–	1	–	–	–	–
Knottingley ...	–	–	–	–	1	–
Morley	–	1	1	–	1	–
Mytholmroyd ...	–	1	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORMANTON ...	–	2	–	–	–	–
OAKWORTH ...	–	–	–	–	1	–
OTLEY	–	1	–	–	2	–
RAWMARSH ...	–	–	2	–	–	–
ROTHWELL ...	–	2	1	–	–	–
SHIPLEY	–	1	–	1	–	–
SILSDEN	–	1	–	–	–	–
SKIPTON	–	2	–	–	–	–
SOWERBY... ...	–	1	–	–	–	–
STAINLAND ...	–	–	1	–	–	–
STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	–	–	–	1	C. 1
SWINTON	–	–	–	–	1	
THURNSCOE ...	–	1	–	–	–	D. 1
TODMORDEN ...	–	–	–	–	–	M. 1
WOMBWELL ...	–	–	–	–	2	–
WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts:—						
BISHOPTHORPE ...	–	–	–	1	–	–
HEMSWORTH ...	–	1	1	–	4	D. 1
KIVETON PARK ...	–	2	1	–	–	–
ROTHERHAM ...	–	1	10	–	–	D. 1
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	–	1	–	–	
THORNE	–	2	1	–	1	D. 2
WAKEFIELD ...	–	3	–	–	–	–
WETHERBY ...	–	2	–	–	–	–
WHARFEDALE (SOUTH)	–	–	1	–	–	–
YORK, CITY OF ..	–	8	2	–	1	M. 1
YORK C.B. ...	–	8	2	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	2	–	–	–	–
Rural Districts:—						
TWRCELYN ...		1	–	–	–	–
VALLEY		1	–	–	–	–
BRECKNOCK ...	–	1	1	–	1	C. 1
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	1	–	–	–	–
HAY	–	–	1	–	1	–
YSTRADGYNLAIS	–	–	–	–	–	1
CARDIGAN ...	–	–	1	–	1	C. 1
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	1	–	1	–
Rural Districts:—						
ABERAYRON ...	–	–	–	–	–	C. 1
CARMARTHEN...	–	6	–	1	–	–
Boroughs and Urban Districts:—						
LLANELLY ...	–	–	–	1	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts:—						
Llandilo Fawr	-	1	-	-	-	-
Llandovery ...	*	*	*	*	*	*
Llanelly ...	-	5	-	-	-	-
DENBIGH ...	-	10	20	1	2	G. 1 N. 1
Boroughs and Urban Districts:—						
Colwyn Bay ...		1	2	-	-	-
Llangollen ...	*	*	*	*	*	*
Ruthin	-	-	-	-	-	N. 1
Wrexham ...	-	1	1	-	-	G. 1
Rural Districts:—						
Llangollen ...	*	*	*	*	*	*
Llanrwst ...	-	-	-	1	-	-
St. Asaph (Denbigh)	-	1	-		-	-
Wrexham ...	-	7	17		2	-
FLINT	-	5	2	-	-	-
Boroughs and Urban Districts:—						
Holywell ...	-	-	1	-	-	-
Mold	*	*	*	*	*	*
Rhyl	-	3	-	-	-	-
Rural Districts:—						
Overton... ...	-	2	-	-	-	-
St. Asaph (Flint)	-	-	1	-	-	-
GLAMORGAN ...	3	20	34	-	5	C. 1 D. 1 M. 4 N. 2
Cardiff C.B. ...	-	7	10	-	1	M. 1 N. 1
GLAMORGAN—*cont.*						
Merthyr Tydfil C.B.	-	1	1	-	-	-
Swansea C.B. ...	-	-	8	-	1	N. 1
Boroughs and Urban Districts:—						
Aberdare ...	-	1	1	-	1	-
Barry	-	1	2	-	-	-
Caerphilly ...	-	-	-	-	-	M. 1
Gelligaer ...	-	-	-	-	-	M. 1
Llwchwr ...	-	1	1	-	-	-
Mountain Ash...	-	1	-	-	-	-
Neath	-	2	-	-	-	-
Ogmore and Garw	-	1	-	-	-	-
Penarth	-	-	1	-	-	-
Pontypridd ...	3	-	-	-	1	-
Rhondda ...	-	4	2	-	1	C. 1 D. 1 M. 1
Rural Districts:—						
Llantrisant and Llantwit-fardre	-	1	4	-	-	-
Neath	-	-	2	-	-	-
Penybont ...	-	-	1	-	-	-
Pontardawe ...	-	-	1	-	-	-
MERIONETH ...	-	2	-	-	-	N. 1
Urban Districts:—						
Ffestiniog ...	-	2	-	-	-	-
Towyn	-	-	-	-	-	N. 1
MONMOUTH ...	-	43	9	-	1	-
Newport C.B. ...	-	20	2	-	-	-

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH— *cont.*						
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	1	–	–		–
ABERSYCHAN ...	–	3	–			–
ABERTILLERY ...	–	2	1	–	–	–
BEDWAS AND MACHEN	–	3	2	–	–	–
BEDWELLTY ...	–	6	2	–	–	–
BLAENAVON ...	–	–	–	–	1	–
EBBW VALE ...	–	2	–	–	–	–
MYNYDDISLWYN		–	2	–	–	–
PANTEG	–	1	–	–	–	–
RHYMNEY ...	–	2	–	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY...	–	2	1	–		N. 1
Boroughs and Urban Districts:—						
LLANIDLOES ...			1		–	–
WELSHPOOL ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONTGOMERY— *cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	2	–	–	–	–
PEMBROKE ...	–	–	1	–	–	–
Rural Districts:—						
HAVERFORDWEST	*	*	*	*	*	*
ST. DOGMELLS ...	–	–	1		–	–
Total of Part II....	54	1170	685	44	416	C. 41 D. 25 E. 6 G. 7 L. 5 M. 77 N. 90

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
UMARIS	*	*	*	*	*	*
DIFF	–	–	–	–	–	L. 2
STOW	–	1	–		–	–

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PLYMOUTH	–			–	2	–
PORT OF LONDON ...			–	–	1	–
Total of Part III. ..	–	1	–	–	3	L. 2

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
Total of Part I.—London	9	233	141	7	54	C. D. E. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	54	1170	685	44	416	C. D. E. G. L. M. N.
Total of Part III.—Port Sanitary Districts		1	-	-	3	L.
Total (i.e., of returns received), England and Wales ...	63	1404	826	51	473	C. D. E. G. L. M. N. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Regate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

eek ended :—	June 13.	June 20	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Totals from 1st Week of year. * 1930.	1931.
ON :—															
IRTHS	1,559	1,383	1,485	1,375	1,463	1,409	1,415	1,453	1,221	1,387	1,401	1,421	1 200	51,057	48,630
IRTHS	65	52	37	46	43	47	42	57	58	47	52	49	32	1,865	1,697
s (excluding Still-s)—all ages.	761	758	780	794	763	735	768	780	718	730	757	726	729	33,818	36,723
s—0 to 1 year ..	48	48	59	47	54	58	62	56	63	54	50	62	48	2,838	2,779
T TOWNS, aggre-(including Lon-:—															
IRTHS	7,087	6,603	6,607	6,521	6,682	6,477	6,616	6,653	5,544	6,431	6,562	6,749	5,832	233,310	226,779
IRTHS	301	331	275	283	285	280	247	275	266	280	313	265	238	10,246	9,994
s (excluding Still-s)—all ages.	3,846	3,606	3,674	3,659	3,619	3,538	3,548	3,486	3,386	3,427	3,447	3,309	3,455	152,736	168,848
s—0 to 1 year ..	329	293	308	284	287	292	303	301	287	305	286	305	268	14,294	15,611
IC FEVER—Cases	16	12	15	26	19	23	16	21	28	29	26	17	20	709	562
„ Deaths	—	2	1	3	2	2	1	—	1	2	4	1	—	79	57
POX—Cases ..	84	49	38	53	33	34	32	22	20	17	10	13	30	7,532	3,545
Deaths ..	—	—	—	1	—	—	—	—	—	—	—	—	—	17	5
ET FEVER—Cases	798	803	803	854	809	815	894	820	700	639	692	759	844	41,501	29,039
„ Deaths	3	1	3	3	6	9	2	4	1	1	3	1	4	312	188
HERIA—Cases ..	534	569	572	566	585	573	538	524	423	469	423	488	531	29,850	20,942
Deaths ..	21	24	18	23	29	24	19	22	25	21	18	30	19	1,379	1,012
LES—Deaths ..	38	26	27	16	18	9	18	18	12	9	13	6	13	2,394	1,582
ENZA—Deaths ..	21	20	24	19	20	22	14	11	16	15	17	15	10	1,558	5,296

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections g been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 5th September, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON	70	51	65·1	54·3	20	HUDDERSFIELD	73	44	61·7	47·4	93
GREENWICH).						BRADFORD ..	69	44	58·7	49·3	78
GHTON ..	73	52	63·6	57·4	37	SHEFFIELD ..	71	48	61·0	50·3	78
TSMOUTH ..	72	51	63·1	56·3	34	YORK (MUSEUM)	68	45	61·9	49·4	68
RWICH(SOUTH-WELL LODGE)	69	47	64·4	52·6	42	HULL (PEARSON PARK).	70	45	62·3	49·4	71
MOUTH ..	68	50	62·9	55·1	25	TYNEMOUTH ..	64	41	57·1	50·3	71
STOL (HORFIELD)	66	50	63·0	52·3	53	CARDIFF	65	48	62·9	53·9	27
MINGHAM (EDGBASTON).	67	48	61·3	51·3	41	EDINBURGH ..	69·0	44·0	55·3	46·7	30
TTINGHAM ..	71	46	62·9	51·0	56	GLASGOW ..	65·9	40·1	59·2	46·6	10
KENHEAD (BIDSTON).	68	46	60·1	50·1	46	DUBLIN (PHŒNIX PARK)	63·0	38·0	59·4	44·9	97
NCHESTER (WHITWORTH PARK).	70	45	62·7	49·1	46	(FITZWILLIAM SQUARE†).	64·0	45·0	59·8	49·6	101
RNLEY	70	39	60·1	46·9	79	BELFAST	70·0	41·0	63·2	47·8	20

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 5th September, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	30	In Equator Apogee.	29·823	70·1	55·7	14·4	61·3	+ 1·2	57·1	4·2	11·5	1·7	86	119·1	49·1	57·1	NE: ENE.	ENE: NE.	3·0	0·0	0·4	319	+ 46	0·03
MONDAY -	31	..	29·826	64·9	55·7	9·2	58·4	- 1·5	56·4	2·0	7·3	0·9	93	76·4	52·0	57·0	NNE	N: NNE.	1·4	0·0	0·2	246	- 22	0·01
SEPTEMBER. TUESDAY -	1	..	29·765	69·6	54·7	14·9	61·0	+ 1·2	56·5	4·5	10·3	0·3	85	107·1	50·0	57·1	Calm: SW.	SW: SSW.	1·1	0·0	0·1	171	- 92	0·00
WEDNESDAY	2	..	29·435	63·6	53·1	10·5	57·5	- 2·2	57·2	0·3	7·0	0·0	99	91·0	42·1	57·0	SW	SSW: SW.	4·0	0·0	0·3	282	+ 23	0·30
THURSDAY -	3	..	29·328	69·3	51·9	17·4	60·1	+ 0·5	55·3	4·8	11·6	0·5	85	124·3	40·0	57·1	SSE: SSW.	SW: SSW.	3·2	0·0	0·2	250	- 3	0·25
FRIDAY -	4	..	29·196	62·0	50·8	11·2	55·1	- 4·4	50·7	4·4	11·3	0·5	85	95·0	44·6	57·0	S: SSW	SSW: Calm.	2·7	0·0	0·2	217	- 32	0·15
SATURDAY -	5	Last Quarter.	29·495	54·4	50·7	3·7	51·8	- 7·6	46·9	4·9	10·7	1·9	83	63·6	47·2	57·0	NNW: NW.	NNW: WNW.	3·4	0·0	0·7	384	+ 138	0·03
MEANS -		..	29·553	64·8	53·2	11·6	57·9	- 1·8	54·3	3·6	10·0	0·8	88	96·6	46·4	57·0	North-east at first; then Westerly		..		..	Sum 1869	Sum + 58	Sum 0·77
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	30	wP throughout.	1·1	13·8	Very cloudy till 1h., then overcast or nearly so. Slight shower 14¾h., general drizzle from 19h.
MONDAY ..	31	Insulation failed till 15h. then mP.	0·0	13·7	Overcast or nearly so. Drizzle till 3¼h. Dew at night.
SEPTEMBER. TUESDAY ..	1	mP till 1h., wP till 9h.; mP till 18h.; then wP.	0·7	13·6	Overcast or nearly so. Dew and mist in morning.
WEDNESDAY	2	wP till 15h., then mP.	1·3	13·6	Overcast or nearly so till 17½h., then little cloud. Drizzle 1h. 10m. till 3h. 20m. and rain 3h. 5m. till 14h. 15m. Dew at night.
THURSDAY	3	mP till 10h.; v till 14h.; mP till 22½h. then v.	7·5	13·5	Little cloud till 3h., cloudy generally till 17½h., then little cloud. Clouding 21h., overcast or nearly so by 22h. Showery 3h. till 14h. and rain from 22¾h. Dew in morning and at night.
FRIDAY ..	4	v till 3h.; mP till 8h.; mN till 9h.; wP till 14h.; then mP.	0·2	13·5	Overcast or nearly so. Rain till 0h. 20m., occasional rain or drizzle 2h. till 12h.
SATURDAY	5	wP till 9h., then mP.	0·0	13·4	Overcast. Drizzle 2h. 40m. till 3h. 20m. and 9h. till 11h. Occasional damping 15¼h. till 0h. with drizzle 16¾h. till 17¼h. and 23¼h. till 23¾h.
			Sum 10·8	Sum 95·1	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·87 ins. at the beginning of the week to 29·35 ins. by 14½h. on September 2nd; increased to 29·45 ins. by 23h. on September 2nd; decreased to 29·19 ins. by 16h. on September 4th.; increased and was 29·76 ins. by midnight on September 5th.

MANUAL OF THE INTERNATIONAL LIST OF CAUSES OF DEATH

New Edition based on the fourth decennial revision by the International Commission, Paris, 1929.

THIS Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 3s. Post Free 3s. 4d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 36.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 12TH SEPTEMBER, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 12TH SEPTEMBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirty-sixth week of the year numbered 6,378 corresponding to an annual rate of 16·8 per 1,000 living: stillbirths numbered 262 corresponding to a rate of 39 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,457 (2 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.
107 Great Towns	9·1	8·7	9·1	9·1
London	9·0	8·6	8·7	8·5
Birmingham	7·7	7·8	8·2	8·5
Liverpool	8·6	10·1	11·0	10·0
Manchester	9·2	9·9	8·4	11·3
Sheffield	10·8	7·6	8·8	8·0
Leeds	9·5	12·0	11·5	10·4
Bristol	8·1	9·0	8·6	9·1
West Ham	8·1	6·5	7·0	9·7

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 43, against 44, 46 and 41 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,290 live births registered corresponding to an annual rate of 15·4 per 1,000 living: stillbirths numbered 45 corresponding to a rate of 34 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 713 (16 less than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 28, against 36, 44 and 34 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS* registered in the week ended 12th September, 1931.

TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,836,440*	6,378	262	3,457	285	-	8	3	15	23	44	2
LONDON	4,377,000*	1,290	45	713	39	-	1	1	1	-	5	-
TOWNS IN OUTER RING. CROYDON C.B. ..	233,000	93	4	36	2	-	-	-	-	-	-	-
WIMBLEDON ..	58,830	5	-	9	-	-	-	-	-	-	-	-
EALING	117,400	35	-	19	-	-	-	-	-	-	-	-
ACTON	70,400	17	1	9	-	-	-	-	-	1	-	-
BRENTFORD AND CHISWICK ..	62,620	7	-	9	-	-	-	-	-	-	-	-
WILLESDEN ..	185,300	48	2	22	1	-	-	-	-	-	-	-
HENDON	114,600*	62	2	12	1	-	-	-	-	-	-	-
HORNSEY	95,440	19	-	18	2	-	-	-	-	-	-	-
WOOD GREEN ..	54,460	14	-	6	1	-	-	-	-	-	-	1
TOTTENHAM ..	159,100	32	-	21	-	-	-	-	-	-	-	1
EDMONTON	77,530	46	4	7	-	-	-	-	-	-	-	-
ENFIELD	68,090	8	-	16	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	296,900	129	6	55	5	-	-	-	-	-	3	-
EAST HAM C.B. ..	142,900	34	-	20	5	-	-	-	-	-	1	-
LEYTON	128,600	22	2	19	1	-	-	-	-	-	-	-
WALTHAMSTOW ..	134,300	29	-	26	-	-	-	-	-	-	-	1
ILFORD	131,300	33	1	15	1	-	-	-	-	-	-	-
GILLINGHAM	60,600*	27	1	10	-	-	-	-	-	-	-	-
CANTERBURY C.B. ..	24,440*	12	1	6	-	-	-	-	-	-	-	-
HASTINGS C.B.	61,870	7	1	12	1	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	55,670	13	1	6	1	-	-	-	-	-	-	-
BRIGHTON C.B. ..	144,900*	42	-	30	2	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	248,300*	81	2	48	4	-	-	-	-	-	1	-
BOURNEMOUTH C.B. ..	108,600	20	1	15	-	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	175,300	75	4	21	1	-	-	-	-	-	1	-
READING C.B.	97,450*	21	3	7	-	-	-	-	-	-	-	-
OXFORD C.B.	80,530*	27	-	3	-	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	92,940*	32	-	15	-	-	-	-	-	-	-	1
LUTON	69,030	14	1	18	2	-	-	-	-	-	-	-
CAMBRIDGE	66,850	18	-	13	1	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	117,900	20	-	10	1	-	-	-	-	-	-	-
IPSWICH C.B.	87,630	16	2	14	-	-	-	-	-	1	-	-
GREAT YARMOUTH C.B.	56,690	18	-	10	-	-	-	-	-	-	-	-
NORWICH C.B.	126,800*	39	3	14	-	-	-	-	-	-	-	-
SWINDON	62,600	17	-	14	-	-	-	-	-	-	-	-
EXETER C.B.	65,290*	19	2	11	2	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	207,600*	77	1	39	3	-	-	-	1	-	-	-
BATH C.B.	68,120	23	-	15	-	-	-	-	-	-	-	-
BRISTOL C.B.	399,500*	119	7	70	7	-	-	-	-	1	1	1
GLOUCESTER C.B. ..	52,890	19	-	9	-	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	279,800	110	5	57	5	-	1	-	-	-	-	-
BURTON-UPON-TRENT C.B.	49,920	8	2	11	2	-	-	-	-	-	-	1
WOLVERHAMPTON C.B.	134,200	45	3	28	4	-	-	-	-	-	-	-
WALSALL C.B.	104,200	36	3	21	5	-	-	-	-	-	-	-
WEST BROMWICH C.B.	82,090	38	1	19	-	-	-	-	-	-	-	-
DUDLEY C.B.	60,010	15	3	7	2	-	-	-	-	-	-	-
WORCESTER C.B. ..	50,540	8	-	8	-	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	1,011,300	358	9	184	10	-	-	-	2	1	1	-
SMETHWICK C.B. ..	85,370	22	1	8	-	-	-	-	-	-	-	-
COVENTRY C.B ..	168,500	58	2	24	1	-	-	-	-	3	-	-
LEICESTER C.B. ..	241,200	81	-	45	3	-	-	-	-	-	2	-
LINCOLN C.B.	66,110*	21	-	11	-	-	-	-	-	-	-	1
GRIMSBY C.B.	92,180	26	1	14	-	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	270,900	93	3	46	3	-	-	-	-	-	-	-
DERBY C.B.	143,400*	48	7	21	2	-	-	-	-	-	-	-
CHESTERFIELD	64,450	34	1	16	3	-	-	-	-	-	-	-
STOCKPORT C.B ..	126,600	41	1	27	3	-	-	-	-	2	-	-
CHESTER C.B.	41,370	13	3	6	1	-	-	-	-	-	1	-
BIRKENHEAD C.B. ..	148,600	59	4	26	-	-	-	-	-	-	-	-
WALLASEY C.B. ..	97,240	27	-	27	2	-	-	-	-	-	-	1
LIVERPOOL C.B. ..	862,100	348	11	165	26	-	-	-	3	1	7	1
BOOTLE C.B.	77,170	37	-	14	1	-	-	-	-	-	-	-
ST. HELENS C.B.	108,200	48	5	13	2	-	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where differen from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingham 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Oxfor C.B., 80,230; Northampton C.B., 92,730; Norwich C.B., 125,200; Exeter C.B., 64,800; Plymouth C.B., 193,100 Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
UTHPORT C.B ..	77,180	12	-	14	1	-	-	-	-	-	-	1
GAN C.B.	86 250	41	-	22	2	-	-	-	1	-	-	-
ARRINGTON C.B. ..	80.280*	25	1	15	1	-	-	-	-	-	-	-
LTON C.B	179.300	41	2	29	4	-	-	-	-	-	-	-
RY C.B.	56,580*	21	-	10	-	-	-	-	-	-	-	-
NCHESTER C.B. ..	773,300	260	21	168	20	-	1	-	3	3	6	1
LFORD C.B.	226,100	75	3	40	6	-	-	-	-	1	3	1
HTON-UNDER-LYNE	51,850	23	-	9	-	-	-	-	-	-	-	-
DHAM C.B	142,000	40	3	32	3	-	-	-	2	-	-	1
OCHDALE C.B. ..	91,190	23	-	22	2	-	-	-	-	-	-	-
RNLEY C.B	99,300	18	2	16	2	-	-	-	-	-	-	-
ACKBURN C.B. ..	124,000	34	-	16	-	-	-	-	-	-	-	-
ESTON C.B.	120,100	47	1	25	4	-	-	-	-	-	-	-
ACKPOOL C.B. ..	97,880	15	-	19	-	-	-	-	-	-	-	-
RROW-IN-FURNESS C.B.	66,700	14	1	13	1	-	-	-	-	-	-	-
DDERSFIELD C.B. ..	114,300	28	1	24	1	-	-	-	-	-	-	-
LIFAX C.B.	98,770*	36	1	19	2	-	-	-	-	-	1	1
ADFORD C.B. ..	300,800	96	1	68	3	-	3	-	1	-	-	1
EDS C.B	486,100	121	7	97	13	-	-	-	-	1	2	-
WSBURY C.B. ..	54,430	14	1	13	1	-	-	-	-	1	-	-
AKEFIELD C.B. ..	59,280	22	-	18	3	-	-	-	-	1	-	-
RNSLEY C.B. ..	72,090	23	1	10	1	-	-	-	-	-	-	-
EFFIELD C.B. ..	517,300	176	4	79	5	-	-	-	-	-	-	1
THERHAM C.B. ..	70,100	28	-	14	1	-	-	-	-	-	-	-
NCASTER C.B ..	63,260	15	2	12	2	-	2	-	-	1	-	-
RK C.B.	85,910*	25	-	15	-	-	-	-	-	-	-	1
NGSTON-UPON-HULL C.B.	314,800	127	5	49	7	-	-	-	-	2	2	-
DDLESBROUGH C.B.	138,800	66	4	29	5	-	-	-	-	-	2	1
RLINGTON C.B. ..	72,820	26	1	15	1	-	-	-	-	-	-	-
OCKTON-ON-TEES ..	68.350	25	1	7	-	-	-	-	-	-	-	-
ST HARTLEPOOL C.B.	68,740	31	2	17	2	-	-	-	1	-	1	-
NDERLAND C.B. ..	187,500	92	3	35	3	-	-	-	-	-	-	-
UTH SHIELDS C.B ..	114,400	51	3	21	2	-	-	-	-	-	-	-
TESHEAD C.B. ..	123,700	36	4	28	4	-	-	1	-	-	-	-
WCASTLE-ON-TYNE C.B.	284,300*	103	10	53	9	-	-	1	-	-	3	-
NEMOUTH C.B. ..	64,750	28	-	10	-	-	-	-	-	-	1	-
RLISLE C.B.	57,430*	19	2	12	1	-	-	-	-	-	-	-
WPORT (MON.) C.B.	89,500*	34	-	11	1	-	-	-	-	-	-	-
RDIFF C.B.	223,700*	87	2	39	4	-	-	-	-	-	-	-
ONDDA	142,700	48	1	36	6	-	-	-	-	3	-	3
RTHYR TYDFIL C.B.	71,670	21	2	14	1	-	-	-	-	-	-	1
ERDARE	49,010	9	1	5	-	-	-	-	-	-	-	-
ANSEA C.B.	165,400	69	7	34	3	-	-	-	-	-	-	1
EATER LONDON ..	8,179,740*	2,400	75	1,269	72	-	1	1	3	3	11	8
TER RING	3,802,740*	1.110	30	556	33	-	-	-	2	3	6	4
GREAT TOWNS IN UTER RING	2,130,770*	633	22	319	19	-	-	-	-	1	4	4
MAINDER OF OUTER ING	1,671,970*	477	8	237	14	-	-	-	2	2	2	-
INBURGH†	438,998	113	?	86	6	-	-	-	1	1	-	-
ASGOW†	1,088,417	405	?	233	32	-	7	1	1	4	7	3
BLIN†	412,400	275	?	85	15	-	-	-	-	-	4	-
LFAST†	415,151	180	?	90	18	-	-	-	-	-	7	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where ifferent from those of Col. (1) are as follows :—Warrington C.B., 80,020 ; Bury C.B., 56,370 ; Halifax C.B., ,560 ; York C.B., 84,450 ; Newcastle-on-Tyne C.B., 283,700 ; Carlisle C.B., 57,250 ; Newport (Mon.) C.B., ,270 ; Cardiff C.B., 223,500 ; Greater London, 8,164,610 ; Outer Ring, 3,796,610 ; 17 Great Towns, 2,130,460 ; emainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been dis-ntinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths non-residents domiciled in Scotland and by the addition of Deaths of residents reported from else-here in Scotland during the week ; those in Dublin and Belfast are corrected by the exclusion of aths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. Births and Deaths for last available peri

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
London‡	4,377,000	1931. Sept. 12	1290	45	713	8·5	-	-	1	1	1	-	5
Calcutta and Suburbs	1,077,264	Aug. 1	?	?	566‖	27·3	?	-	?	-	?	?	?
Bombay§	1,298,708	„ 15	426	47	692‖	27·7	4	-	-	-	-	1	34
Madras	647,533	„ 1	540	23	402	32·3	3	-	-	-	1	-	10
Sydney and Suburbs	1,256,210	July 31 (31 days)	1739	?	1089	10·4	3	-	-	4	8	6	7
Brisbane (Metropolitan Area).	313,251	June 30 (30 days)											
Perth (Metropolitan Area).	204,780	July 4	83	?	49	12·4	-	-	-	-	-	-	-
Auckland (Urban Area).	215,730	July 31 (31 days)											
Wellington (Urban Area).	142,540	July 31 (31 days)											
Christchurch (Urban Area).	127,070	July 31 (31 days)											
Cape Town	136,748	Aug. 8	53	1	33	12·6	-	-	-	-	-	-	1
Johannesburg	187,326	„ 1	91	4	50	13·9	1	-	-	-	-	-	-
Durban	61,667	„ 1	34	-	15	12·7	-	-	-	-	-	-	-
Paris	2,871,429	Aug. 20 (10 days)	1080	41	785	10·0	4	-	-	-	2	3	23
Antwerp	295,534	Aug. 15 (15 days)											
Amsterdam	754,816	Aug. 22	242	7	87	6·0	1	-	-	-	-	2	1
Copenhagen	615,700	„ 29	176	3	97	8·2	-	-	-	-	-	-	-
Stockholm	502,203	„ 22	122	3	90	9·3	-	-	-	-	-	-	-
Gothenberg	245,600	July 25	?	?	35	7·4	-	-	-	-	-	-	-
Oslo	256,353	Aug. 29	47	1	30	6·1	-	-	-	-	-	-	-
Berlin	4,302,000	„ 15	692	27	743	9·0	1	?	-	-	-	2	3
Breslau	616,000	„ 15	121	4	112	9·5	-	?	-	-	2	-	2
Cologne	739,000	„ 15	185	6	104	7·3	-	?	1	-	-	-	1
Dresden	631,000	„ 15	125	3	92	7·6	-	?	-	-	-	-	-
Frankfort-on-Main	539,000	„ 15	100	2	78	7·5	-	?	-	-	-	-	1
Hamburg	1,142,000	„ 15	263	9	181	8·3	-	?	-	-	-	2	-
Leipzig	718,000	„ 15	135	6	121	8·8	-	?	-	-	-	-	5
Munich	730,000	„ 15	155	4	122	8·7	1	?	-	-	-	-	1
Budapest	1,009,069	„ 22	293	5	184	9·5	-	-	2	1	4	-	7
Warsaw	1,115,651	„ 15	?	5	254	11·9	5	-	-	-	-	-	25
Madrid	834,103	„ 8	352	26	239	14·9	3	1	7	-	-	-	22
Cairo	1,160,700	May 20	749	21	875	39·3	8	-	25	-	?	4	265
Alexandria	629,900	„ 20	391	6	399	33·0	1	-	33	-	?	-	104
New York	7,090,089	Aug. 15	2378	127	1235	9·1	1	-	-	-	3	-	15
Chicago	3,457,375	„ 21	892	27	553	8·3	-	-	-	1	1	2	17
New Orleans	466,000	July 31 (31 days)											
Rio de Janeiro ..	1,729,799	June 27	629	45	441	13·3	3	-	5	-	4	5	51

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.

§ The registration of Births in Bombay is incomplete.

‖ Including 10 deaths from Cholera in Calcutta and 7 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 12th September, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	34,527	37,436	713	39	8	6	9	27	37	41	84	135	178	149
Enteric fever	18	18	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	10	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	999	43	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever	91	43	1	-	-	-	-	-	-	1	-	-	-	-
Whooping cough	103	229	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria	347	177	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	248	915	4	-	-	-	-	-	-	-	1	1	2	-
Erysipelas	116	123	1	-	1	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	8	1	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	42	33	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	68	100	2	-	-	-	-	1	-	-	1	-	-	-
Tuberculosis :—														
Respiratory system	2495	2671	47	-	-	1	2	11	7	11	8	4	3	-
Nervous system	172	161	1	-	-	-	1	-	-	-	-	-	-	-
Intestines and peritoneum	36	40	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	153	182	4	-	-	1	-	1	-	-	-	1	1	-
Venereal diseases	127	134	3	-	-	-	-	-	-	1	-	1	1	-
Cancer	4603	4797	119	-	-	-	-	-	2	7	20	35	33	22
Rheumatic fever	133	100	4	-	-	1	2	-	-	-	1	-	-	-
Diabetes	357	361	8	-	-	-	-	-	2	-	1	3	1	1
Alcoholism	13	11	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	54	68	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1423	1404	22	-	-	-	-	-	-	-	2	2	11	7
Epilepsy	139	118	3	-	-	-	-	-	1	1	1	-	-	-
"Convulsions" (not puerperal) ..	44	43	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	871	799	16	-	-	-	1	1	1	2	3	4	3	1
Pericarditis	14	13	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	140	132	4	-	-	-	-	1	2	-	1	-	-	-
Other diseases of heart	7150	8576	174	-	-	-	-	2	3	4	17	28	62	58
Other diseases of circulatory system	1484	1575	38	-	-	-	-	-	-	-	3	9	13	13
Bronchitis	1309	1940	20	1	-	-	-	1	-	1	3	4	5	5
Broncho-pneumonia	1279	1873	16	5	2	-	-	-	1	-	-	2	3	3
Lobar pneumonia	761	880	13	-	1	-	-	-	2	1	3	4	2	-
Pneumonia (type not distinguished)	282	297	7	-	-	-	-	-	1	-	1	1	3	-
Other diseases of respiratory system	352	418	5	-	-	-	-	-	-	-	1	1	1	2
Diarrhœa and enteritis	504	455	10	5	-	2	-	-	-	2	-	1	-	-
Appendicitis, Typhlitis	223	197	3	-	-	-	1	-	-	-	1	1	-	-
Hernia, Intestinal obstruction	357	368	4	-	-	1	-	-	-	-	1	1	-	1
Cirrhosis of liver	151	165	4	-	-	-	-	-	-	-	-	1	2	1
Other diseases of digestive system ..	907	819	18	1	-	-	1	1	-	2	1	7	4	1
Acute nephritis	67	60	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease	1188	1210	27	-	-	-	-	-	1	-	3	11	6	6
Other diseases of genito-urinary system,	568	623	17	1	-	-	-	-	-	-	3	2	6	5
Puerperal sepsis	75	85	4	-	-	-	-	-	2	2	-	-	-	-
Other causes incident to childbirth ..	65	89	3	-	-	-	-	-	2	1	-	-	-	
Congenital malformations	231	230	2	2	-	-	-	-	-	-	-	-	-	
Premature birth	668	680	18	18	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	129	109	1	1	-	-	-	-	-	-	-	-	-	
Old age	813	891	14	-	-	-	-	-	-	-	-	-	2	12
Suicide	405	391	9	-	-	-	-	-	2	2	1	1	3	-
Burns and Scalds	70	96	3	-	-	-	-	2	-	-	-	-	1	-
Drowning	93	70	3	-	-	-	-	1	-	-	2	-	-	-
Suffocation in bed	22	19	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	529	499	13	-	-	-	-	1	2	1	1	4	-	4
Other deaths by violence	571	552	17	-	1	-	1	-	1	-	2	3	4	5
Other specified causes	1446	1544	25	5	1	-	-	3	5	1	1	3	4	2
Ill-defined causes	4	7	2	-	-	-	-	-	-	-	-	-	2	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 12th September, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	5	199	149	5	57	C. 2 D. 1 E. 2 M. 9 N. 10
Metropolitan Boroughs:—						
BATTERSEA ...	–	7	4	–	4	–
BERMONDSEY ...	–	3	4	–	3	–
BETHNAL GREEN	4	10	3	–	4	M. 1
CAMBERWELL ...	–	11	8	–	–	–
CHELSEA	–	1	2	–	1	–
DEPTFORD ...	–	8	3	–	1	–
FINSBURY ...	–	2	3	–	2	C. 1
FULHAM	–	4	8	–	3	N. 2
GREENWICH ...	–	5	2	–	2	E. 1 N. 1
HACKNEY... ...	–	9	9	–	1	M. 1
HAMMERSMITH ...	–	1	4	–	3	N. 1
HAMPSTEAD ...	–	2	1	–	–	E. 1
HOLBORN... ...	–	2	–	1	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	–	22	15	–	3	M. 1 N. 1
KENSINGTON ...	–	7	4	1	1	N. 2
LAMBETH ...	1	6	7	–	5	C. 1
LEWISHAM ...	–	10	7	–	2	N. 1
PADDINGTON ...	–	6	2	–	2	–
POPLAR	–	10	9	1	1	–
ST. MARYLEBONE	–	7	2	–	–	–
ST. PANCRAS ...	–	8	9	–	1	M. 2 N. 1
SHOREDITCH ...	–	3	10	–	2	M. 2
SOUTHWARK ...	–	13	10	–	3	D. 1
STEPNEY	–	19	10	–	3	–
STOKE NEWINGTON	–	2	–	–	1	–
WANDSWORTH ...	–	17	7	–	6	M. 2 N. 1
WESTMINSTER, CITY OF	–	2	2	2	–	–
WOOLWICH ...	–	2	4	–	2	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	1	–	–	–
Boroughs and Urban Districts:—						
BEDFORD	–	1	–	–	–	–
LUTON	–	1	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BIGGLESWADE ...		2		–	–	–
EATON BRAY ...	–	1	–	–	–	–
BERKS	–	11	3	1	–	C. 1 N. 2
READING C.B. ...	–	6	1	1	–	C. 1 N. 2
Boroughs and Urban District:—						
ABINGDON ...	–	1	–	–	–	–
MAIDENHEAD ...	–	1	2		–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	1	–			
WANTAGE ...	–	1				–
BUCKINGHAM ...	–	11	3	1	–	–
Boroughs and Urban Districts:—						
AYLESBURY ...			–	1		–
BLETCHLEY ...	–	–	1	–		–
BUCKINGHAM ...	–	1	–	–		–
LINSLADE ...	–	1	–	–	–	–
MARLOW	–	–	1	–	–	–
SLOUGH	–	1	–	–	–	–
WOLVERTON ...	–	2	–	–	–	–
Rural Districts:—						
ETON	–	6		–	–	–
HAMBLEDEN ...	*	*	*	*	*	*
WYCOMBE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	5	–	1	–
Borough:—						
CAMBRIDGE ...	–	2		–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	3	–	–	–
NEWMARKET ...	–		2	–	1	–
CHESTER ...	–	27	31	2	11	D. 1 M. 1 N. 2
BIRKENHEAD C.B.	–	2	1		3	
CHESTER C.B. ...	–	2	3	–	–	N. 1
STOCKPORT C.B. ...	–	2	6	–	1	D. 1
WALLASEY C.B. ...	–	–	3	1	2	–
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	1	–		–	–
BEBINGTON AND BROMBOROUGH	–	2	1	–	1	–
BREDBURY AND ROMILEY	–		–	–	1	–
CHEADLE AND GATLEY	–	–	–	1		–
CONGLETON ...	–	2	–	–	–	–
CREWE	–	1	1	–	–	–
DUKINFIELD ...	–	1		–	1	–
ELLESMERE PORT AND WHITBY	–	1	–		1	–
HALE	–	1	–	–	–	–
HOLLINGWORTH...	–	2	–	–	–	–
HOYLAKE AND WEST KIRBY	–	–	4	–	–	–
LYMM	–	1	–	–	–	–
MACCLESFIELD ...	–	1	–		–	–
NANTWICH ...	–	–	3	–		–
NORTHWICH ...	–	–		–	–	N. 1
STALYBRIDGE ...	–	4	–	–	–	–
TARPORLEY ...	–	1	–	–	–	–
WINSFORD ...	–	–	1	–		–
Rural Districts:—						
CONGLETON ...	–	–	2	–	–	M. 1
NORTHWICH ...	–	1	–	–	–	–

* Returns not received.

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
Runcorn	–	2	5		–	–
Wirral	–	–	1	–	1	–
CORNWALL ...	–	3	1	1	1	C. 1 N. 1
Boroughs and Urban Districts:—						
Helston	*	*	*	*	*	*
Looe	–		–	–	1	–
Penzance ...	–	1		–		–
St. Ives	–	–	–	1	–	–
Rural Districts:—						
Liskeard ...		2	–	–		–
Redruth ...	–	–	–	–	–	N. 1
St. Germans ...	–	–	1	–	–	C. 1
CUMBERLAND...	–	7	1	1	2	M. 2 N. 1
Carlisle C.B. ...	–	–	1	1	–	M. 2
Boroughs and Urban Districts:—						
Maryport ...	–	1	–	–	–	–
Millom	–	1	–	–	1	–
Whitehaven ...		2	–	–	–	
Rural Districts:—						
Bootle	–	2	–	–	–	–
Carlisle ...	–	–	–	–	–	N. 1
Penrith	–	–	–	–	1	–
Whitehaven ...	–	1	–	–	–	–
DERBY	4	22	12	1	8	D. 2 F. 1 M. 3 N. 3
Derby C.B. ...	–	6	9	–	3	M. 2
DERBY—*cont.*						
Boroughs and Urban Districts:—						
Alfreton ...	4	3	–	–	1	–
Bonsall	*	*	*	*	*	*
Chesterfield ...	–	3	1	–	–	D. 1
Long Eaton ...	–	1	–	–	–	–
New Mills ...	–			–	1	N. 1
Ripley	–	1	–	–		–
Wirksworth ...	–	–			–	N. 1
Rural Districts:—						
Bakewell ...	–	–	–	–	1	–
Blackwell ...	–	2	1	–	–	D. 1
Chesterfield ...	–	5	1	1	–	M. 1
Clowne	–	1	–	–	1	–
Norton	–	–		–	–	F. 1
Repton	–	–	–	–	1	N. 1
DEVON	–	23	25	1	3	N. 1
Exeter C.B ...	–	1	1	–	–	–
Plymouth C.B.	–	13	4	1	2	–
Boroughs and Urban Districts:—						
Barnstaple ...	–	–	6			–
Bideford ...		–	1	–	–	–
Brixham... ...	–	1	–	–	–	–
Crediton ...	–	–	2	–	–	–
Lynton	*	*	*	*	*	*
Newton Abbot...	–	1	–	–	–	–
Salcombe ...	*	*	*	*	*	*
South Molton...	–	–	2	–	–	
Tavistock ...	–	1	–	–	–	
Torquay	–	–	1	–	–	–
Rural Districts:—						
Axminster ...	–	–	1	–	–	–
Barnstaple ...	–	3	1		–	–
Kingsbridge ...		2		–	–	–
Plympton St. Mary	–	1	2	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
St. Thomas ...	-	-	-	-	1	N. 1
Tavistock ...	-	-	1	-		-
Tiverton ...	-	-	3	-	-	-
DORSET	-	5	7	-	-	C. 1
Boroughs and Urban Districts:—						
Dorchester ...	-	1	-	-		-
Portland ...		-	3	-		-
Shaftesbury ...	-	1	-	-	-	-
Swanage ...	-	-	-		-	C. 1
Weymouth and Melcombe Regis	-		2	-		-
Rural Districts:—						
Dorchester ...	-	1	-	-	-	-
Shaftesbury ...	-	1	-	-	-	-
Weymouth ...	-	1	2	-	-	-
DURHAM ...	-	59	13	4	35	C. 4 D. 5 M. 7 N. 2
Darlington C.B.	-	3	1	1	2	-
Gateshead C.B.	-	7	2	-	2	M. 1
South Shields C.B.	-	2	-	-	5	-
Sunderland C.B.	-	16	1		7	C. 1 M. 2
West Hartlepool C.B.	-	3	-	-	3	D. 1 M. 1
Boroughs and Urban Districts:—						
Billingham ...	-	1	1	-	-	-
Blaydon	-	3	1	-	-	-
Brandon and Byshottles	-	-	-	-		C. 2
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
Consett	-	-	-	1	-	-
Crook	-	1	2	-	-	-
Durham	-	-	-	-	-	M. 1
Felling	-	4	-	-	1	D. 1
Hebburn ...	-	-	-	-	-	D. 1
Jarrow	-	-	-	-	1	D. 1
Ryton		1	-	-	1	-
Shildon	-	1	-	-	-	-
Stanley	-	1	-	-		M. 1 N. 1
Stockton on Tees	-	2	1	2	2	-
Tanfield ...	-	1	-	-	1	-
Washington ...	-	1	-	-	-	-
Whickham ...	-	3	-	-	1	-
Rural Districts:—						
Auckland ...	-	5	1	-	-	-
Barnard Castle	-	-	-		-	M. 1
Chester le Street	-	1	2	-	-	-
Durham	-	1	-	-	2	-
Easington ...	-	-	1	-	3	C. 1 N. 1
Houghton le Spring	-	-		-	1	D. 1
Lanchester ...	-	2	-	-		-
Sedgefield ...	-	-	-	-	1	-
South Shields			-	-	1	-
Sunderland ...	-	-	-	-	1	-
ELY, ISLE OF ...	-	1	1	-	1	-
Boroughs and Urban Districts:—						
Chatteris ...	*	*	*	*	*	*
Whittlesey ...	-	-	1	-	1	-
Rural Districts:—						
North Witchford	-	1	-	-	-	-

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum: N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	1	62	35	7	14	C. 1 G. 1 M. 2 N. 7
EAST HAM C.B....	–	6	3		–	M. 1 N. 1
SOUTHEND ON SEA C.B.	–	8	2	2	–	–
WEST HAM C.B.	–	11	6	2	9	M. 1 N. 2
Boroughs and Urban Districts:—						
BARKING TOWN...		3	3		–	–
BENFLEET ...	–	1	–	–	–	–
CHINGFORD ...		1	–	–	1	–
CLACTON	–	1	–		1	–
COLCHESTER ...	–	4		1	–	–
DAGENHAM ...		4	5	–	–	–
GRAYS THURROCK	*	*	*	*	*	*
HORNCHURCH ...	–	–	1	–		–
ILFORD		2	2	–	–	N. 1
LEYTON	1	7	4	–	–	
PURFLEET ...	*	*	*	*	*	*
ROMFORD... ...	–	1	1	–	–	–
WALTHAMSTOW ...	–	6	6	1	2	C. 1 N. 1
WALTON ON THE NAZE	–	–		–	1	–
WANSTEAD ...		3	–		–	–
WOODFORD ...	–		2	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	N. 1
CHELMSFORD ...		–	–	–	–	G. 1
EPPING	–	1	–	–	–	N. 1
HALSTEAD ...		1	–	–	–	–
MALDON		–		1	–	
ORSETT	*	*	*	*	*	*
TENDRING ...		1	–	–		–
GLOUCESTER ...	–	15	21	1	7	D. 1 F. 1 N. 2
BRISTOL C.B. ...	–	10	14	1	5	D. 1 F. 1 N. 1
GLOUCESTER C.B.	–	–	1		2	–
GLOUCESTER— *cont.*						
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	–	1	–	–	–
MANGOTSFIELD ...	–	2	–	–		–
Rural Districts:—						
CHIPPING SODBURY	–	1	1	–	–	–
DURSLEY	–	–	1	–		–
GLOUCESTER ...	–	1	–		–	–
STOW ON THE WOLD (part)	–	1	–	–	–	–
TEWKESBURY (part)	–		1	–	–	–
THORNBURY ...	–	–		–	–	N. 1
WEST DEAN ...	–	–	2	–	–	–
HEREFORD ...	–	6	2	–	–	D. 1
Boroughs and Urban Districts:—						
LEDBURY... ...	–	1	–	–	–	–
LEOMINSTER	–	–	1		–	–
Rural Districts:—						
HEREFORD ...	–	2	–	–	–	–
LEDBURY... ...	–	–	1	–	–	–
LEOMINSTER AND WIGMORE	–	–	–	–	–	D. 1
ROSS AND WHITCHURCH	–	2		–	–	
WEOBLEY... ...	–	1	–	–	–	–
HERTFORD ...	–	16	2	–	4	C. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	1	–	–	–
EAST BARNET VALLEY	–	1		–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
GREAT BERKHAMPSTEAD	–	1	1	–		–
HEMEL HEMPSTEAD	–		–	–		C. 1
HITCHIN	–	1	–	–	–	–
HODDESDON ...	–	1	–	–		–
RICKMANSWORTH	–	1				–
STEVENAGE ...	–	5	–			–
WATFORD... ...	–	1			2	–
WELWYN GARDEN CITY	–	4		–		–
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–	–	–	–
WARE	–	–	–	–	2	–
HUNTINGDON ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
GODMANCHESTER.	–	–	–		1	–
OLD FLETTON ...	–	–	1	–	–	–
KENT	–	41	21	4	6	F. 1 M. 1 N 1
Boroughs and Urban Districts:—						
BECKENHAM ...	–	–	–	–	1	–
BEXLEY		3	–	–	–	–
BROMLEY... ...	–	6	8	–		–
CHATHAM ...	–	–	–	–	–	E. 1
CHERITON ...	–	–	–	–	1	–
DARTFORD ...	–	1	–	–	–	–
DEAL		1	–	–	–	–
DOVER	–	2	1		–	–
ERITH	–	1	–	–	–	–
FOLKESTONE ...	–	1	1	–	–	–
GILLINGHAM ...	–	3	1	–	–	–
HERNE BAY ...	–	–	–	–	2	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
MAIDSTONE ...	–	2	1		–	–
MARGATE ...	–	1	1	–	–	–
NORTHFLEET ...	–	1	–	–	–	–
PENGE	–	1	–	–	–	–
QUEENBOROUGH	–	–	–	1	–	–
RAMSGATE ...	–	2	–	–	–	–
ROCHESTER ...	–	2	2	–	–	–
ROYAL TUNBRIDGE WELLS	–	–	–	–	–	N. 1
SIDCUP	–	1	–	1	–	–
Rural Districts:—						
BRIDGE	–	1	–	–	–	–
BROMLEY... ...	–	1	–	–	–	–
CRANBROOK ...		2	–	–	–	–
DARTFORD ...	–	2	1	–	–	–
EAST ASHFORD ...		–	–	1	–	–
EASTRY	–	2	–	–	–	–
ELHAM	–	–	1	–	–	–
FAVERSHAM ...	–	–	1		–	M. 1
ISLE OF THANET		2	–	–		–
MAIDSTONE ...		3	2	–	–	–
MILTON	–	–	–		1	–
ROMNEY MARSH	–	–	–		1	–
SEVENOAKS ...	–	–	1	1	–	–
LANCASTER ...	–	217	130	4	119	C. 8 D. 1 G. 2 M. 24 N. 9
BARROW IN FURNESS C.B	–	1	–	–	1	–
BLACKBURN C.B.	–	3	1	1	1	–
BLACKPOOL C.B.		4	–	–	1	C. 1 M. 1
BOLTON C.B. ...	–	12	–	–	1	M. 1
BOOTLE C.B. ...	–	5	1		3	–
BURNLEY C.B. ...	–	3	1	–	6	C. 1
BURY C.B. ...		1	1	–	2	–
LIVERPOOL C.B....	–	30	66	1	33	M. 18 N. 1
MANCHESTER C.B.	–	49	17	–	28	C. 4 D. 1 N. 2

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Oldham C.B. ...	–	4	–	–	5	N. 1
Preston C.B. ...	–	4			3	N. 1
Rochdale C.B...	–	6	1	–	1	–
St. Helens C.B.	–	2	–	–	1	G. 1
Salford C.B. ...	–	7	15	–	3	C. 1
Southport C.B.	–	2	3	–	1	–
Warrington C.B.	–	16	4	–	3	–
Wigan C.B. ...	–	3	–	–	3	–
Boroughs and Urban Districts:—						
Abram		–	1	–		–
Accrington ...	–	1	1	–	–	–
Ashton-under-Lyne	–	2	–	–	–	N. 1
Billinge and Winstanley	*	*	*	*	*	*
Blackrod ...		1	–	–	–	–
Brierfield ...	–	–	2	–	–	–
Chadderton ...		–	–	–	1	G. 1
Chorley	–	3	–		–	–
Darwen	–	1	1	–	1	N. 1
Denton	–		1	–	1	–
Droylsden ...	–	1	–	–	–	–
Failsworth ...	–	1	–	–	2	–
Farnworth ...	–	–	–	–		C. 1
Great Crosby ...	–	1	–	–	–	–
Heywood ...	–	4	–	–	–	–
Horwich... ...	–	–	–	–		N. 1
Ince in Makerfield	–	1	–	–	1	–
Lancaster ...	–	3	1	–	–	N. 1
Leigh	–	1	–	–	1	M 1
Litherland ...	–	4	–	–	–	–
Little Lever ...	–	–	–	–	1	–
Middleton ...	–	2	–	–	–	–
Milnrow... ...	–	–	–	–	1	–
Morecambe and Heysham	–	–	–	1	1	–
Mossley	–	1		–	–	–
Nelson	–	4	1	–	1	–
Newton in Makerfield	–	2	–	–	2	–
Norden	–	1	–	–	–	–
Ormskirk ...	–	2	–	1	–	–
Orrell	–	–	–	–	1	–
Padiham... ...	–	–	–	–	1	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Prestwich ...	–	1	–	–	1	–
Rawtenstall ...	–	2	2	–	–	–
Stretford ...	–	4	2	–	–	–
Tottington ...	–	1	1	–	–	–
Turton	–	1	–	–	–	–
Tyldesley with Shakerley	–	–	–	–	–	M. 1
Urmston... ...	*	*	*	*	*	*
Waterloo with Seaforth	–	4	1	–	1	–
Widnes	–	1	4	–	–	M. 1
Withnell ...	–	–	–	–	–	M. 1
Rural Districts:—						
Barton upon Irwell	*	*	*	*	*	*
Blackburn ...	–	1		–	–	–
Burnley ...	–	9	–	–	–	–
Chorley... ...	–	–	–		1	–
Clitheroe ...	–	1	–	–	1	–
Fylde	–	1	–	–	–	–
Garstang ...	–	–	2	–	–	–
Limehurst ...	–	–	–	–	1	–
Preston		1	–	–	–	–
Ulverston ...	–	1	–	–	–	–
Warrington ...	–	–	–	–	1	–
Whiston... ...	–	1	–	–	–	–
Wigan	–	–	–	–	2	–
LEICESTER ...	5	18	6	–	3	N. 1
Leicester C.B....	3	8	1	–	3	N. 1
Boroughs and Urban Districts:—						
Coalville ...	–	2	–	–	–	–
Market Harborough	–	1	5	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts:—						
BARROW UPON SOAR	–	6	–	–	–	–
HINCKLEY ...	1	–	–	–	–	–
MARKET BOSWORTH	1	1	–	–	–	–
LINCOLN (parts of Holland).	–	5	–	–	–	M. 1
Boroughs and Urban Districts:—						
BOSTON	–	1	–	–		–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
EAST ELLOE ...	–	3	–	–	–	–
SPALDING ...	–	–		–	–	M. 1
LINCOLN (parts of Kesteven).		1	–	–	–	–
Rural Districts:—						
WEST KESTEVEN	–	1	–		–	–
LINCOLN (parts of Lindsey).		12	3	–	7	G. 1 M. 2 N. 3
GRIMSBY C.B. ...	–	3	–	–	–	G. 1 M. 1 N. 1
LINCOLN C.B. ...	–	4	1	–	2	–
Boroughs and Urban Districts:—						
CLEETHORPES ...	–	1	–	–	–	–
LOUTH	–	1	–		–	–
MABLETHORPE AND SUTTON	–	1	–	–	1	–
LINCOLN (parts of Lindsey)— *cont.*						
Boroughs and Urban Districts— *cont.*						
SCUNTHORPE AND FRODINGHAM	–	1	2	–	3	M. 1 N. 1
SKEGNESS... ...	–	1		–		–
Rural Districts:—						
GAINSBOROUGH ...					1	–
ISLE OF AXHOLME			–	–	–	N. 1
MIDDLESEX ...	–	76	38	1	11	C. 3 M. 4 N. 7
Boroughs and Urban Districts:—						
ACTON	–	2	–		–	–
BRENTFORD AND CHISWICK	–	1	1		–	–
EALING	–	2	4	–	2	N. 1
EDMONTON ...	–	7	3		1	N. 1
ENFIELD	–	7	3		–	–
FELTHAM... ...	–	–	2	–	–	–
FINCHLEY ...	–	7	2	–		–
HAYES AND HARLINGTON	–	2	2	–	–	–
HENDON	–	1	–		1	N. 3
HESTON AND ISLEWORTH	–	2	1		2	–
HORNSEY	–	4	1		–	C. 2 N. 1
SOUTHALL NORWOOD	–	–	2		–	M. 2
SOUTHGATE ...	–	2	–	–	–	–
SUNBURY ON THAMES	–	1	1	–	–	–
TOTTENHAM ...	–	24	3	–	2	C. 1
TWICKENHAM ...	–	2	1			–
UXBRIDGE ...	–	3				
WEALDSTONE ...	–	1		–	–	–
WEMBLEY ...	–	–	1	–	–	
WILLESDEN ...	–	7	9	–	2	M. 2 N. 1
WOOD GREEN ...	–	–	2	–	1	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts—						
HENDON	–	1	–	1	–	–
NORFOLK ...	–	13	7	–	1	–
GREAT YARMOUTH C.B.	–	–	3	–	–	–
NORWICH C.B. ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
NEW HUNSTANTON	–		1	–	–	–
WALSOKEN ...	–	1	–	–	–	–
WELLS	*	*	*	*	*	*
Rural Districts:—						
AYLSHAM... ...	–	1		–	–	–
DEPWADE ...	–	2	–		–	–
FREEBRIDGE LYNN	–	–	1	–	–	–
HENSTEAD ...	–	1	–	–	–	–
MARSHLAND ...	–	3	–	–		–
ST. FAITH'S ...	–	1	–	–	1	–
NORTHAMPTON	–	18	3	–	4	C. 1
NORTHAMPTON C.B		1	1	–	2	C. 1
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	–	–	–	1	–
KETTERING ...	–	7	1		–	–
OUNDLE	–	1	–		–	–
ROTHWELL ...	–	2	–	–	–	–
RUSHDEN... ...	–	1	–		1	–
Rural Districts:—						
KETTERING ...	–	3		–	–	–
NORTHAMPTON ...		1	–	–	–	–
OUNDLE (part) ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON —*cont.*						
Rural Districts— *cont.*						
OXENDON... ...	–	–	1	–	–	–
TOWCESTER ...	–	1	–		–	–
NORTHUMBERLAND.	–	40	7	–	11	C. 1 N. 3
NEWCASTLE UPON TYNE C.B.	–	24	2	–	9	C. 1 N. 2
TYNEMOUTH C.B.	–	1	2	–	2	N. 1
Boroughs and Urban Districts:—						
BEDLINGTONSHIRE	–	1	–	–	–	–
BLYTH		1	–	–	–	–
CRAMLINGTON ...	–	–	1	–	–	–
EARSDON	*	*	*	*	*	*
NEWBURN ...		1		–	–	–
WALLSEND ...	–	1	–	–	–	–
WEETSLADE ...	–	2	–	–	–	–
WHITLEY AND MONKSEATON	–	1	2	–	–	–
Rural Districts:—						
ALNWICK... ...	*	*	*	*	*	*
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	–	2		–	–	–
GLENDALE ...	–	1	–	–		–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM		2	–	–		–
MORPETH ..	–	2	–	–	–	–
NOTTINGHAM ..	–	31	12	1	4	D. 3 M. 1 N. 2
NOTTINGHAM C.B.	–	16	4		3	N. 1
Boroughs and Urban Districts:—						
BEESTON		–	–	–	–	N. 1
EAST RETFORD ...	–	1	7	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
Eastwood ...	–	–	–	–		M. 1
Kirkby in Ashfield	–	1	–	–	–	D. 2
Mansfield ...	–	4		–	–	–
Newark	–	1	–	1		–
Sutton in Ashfield	–	1	–	–	–	D. 1
Rural Districts:—						
Basford	–	4	–	–	1	–
Skegby	–	1	–	–	–	–
Southwell ...	–	1	1	–	–	–
Stapleford ...	–	1	–	–	–	–
OXFORD	–	3	–	1	2	M. 1
Oxford C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
Banbury... ...		2	–	–	–	–
Henley on Thames	–	–	–	1	–	–
Rural Districts:—						
Banbury... ...	–	–	–	–	1	–
Henley	–	1	–	–	–	M. 1
SALOP	–	8	9	–	1	N. 1
Boroughs and Urban Districts:—						
Dawley	–	–	2	–		–
Ellesmere ...	–	1	–	–	–	–
Oakengates ...	–	–	6	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
Atcham	–	6	1	–	–	–
Ellesmere ...	–		–	–	–	N. 1
Wellington ...	–	–	–	–	1	–
Wem	–	1	–	–	–	–
SOMERSET ...	–	10	10	–	2	E. 1 M. 1 N. 2
Bath C.B. ...	–	4	2	–		–
Boroughs and Urban Districts:—						
Bridgwater ...	–	1	–	–	1	–
Frome	–	–	1	–	–	–
Midsomer Norton	–	–	–	–	1	–
Taunton ...	–	2	1	–	–	M. 1
Weston super Mare		–	4	–	–	N. 1
Rural Districts:—						
Axbridge ...		3	–	–	–	–
Chard		–	1	–	–	–
Taunton... ...	–	–	–	–	–	N. 1
Wellington ...		–	1	–	–	–
Williton ...	*	*	*	*	*	*
Yeovil	–	–	–	–	–	E. 1
SOUTHAMPTON	–	28	20	4	3	M. 1 N. 3
Bournemouth C.B.	–	2	4	–	–	–
Portsmouth C.B	–	4	3	2	1	N. 2
Southampton C.B.	–	8	2	–	1	–
Boroughs and Urban Districts:—						
Aldershot ...	–	1	–	–	–	–
Eastleigh and Bishopstoke	–	–	1	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
FAREHAM ...	–	2	–	–	–	–
GOSPORT	–	2	–		–	M. 1
WINCHESTER ...	–	–	–	1	–	–
Rural Districts:—						
ANDOVER... ...	–	1				–
BASINGSTOKE ...	–	–	1	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	3	–	–		
FORDINGBRIDGE	–	2	–		–	–
HAVANT	–	–	1	–	–	N. 1
NEW FOREST ..	–	–	2	–	–	
PETERSFIELD ...	–	2	–	1		–
RINGWOOD ...	–	–	4	–	–	–
SOUTH STONEHAM	–	–	2	–	–	–
WINCHESTER ...	–	–	–	–	1	–
STAFFORD ...	–	40	27	2	22	C. 2 E. 1 G. 1 L. 1 M. 7 N. 4
BURTON UPON TRENT C.B.	–	–		–	1	–
SMETHWICK C.B.	–	4	3		1	M. 2 N. 1
STOKE ON TRENT C.B.	–	2	1	–	6	C. 2
WALSALL C.B. ...	–	5	1	–	1	M. 1 N. 1
WEST BROMWICH C.B.	–	8	3	1	1	G. 1 N. 1
WOLVERHAMPTON C.B.	–	3	1	1	–	M. 1
Boroughs and Urban Districts:—						
AUDLEY	–			–	1	N. 1
BIDDULPH ...	–	–	–	–		E. 1
BRIERLEY HILL...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
BROWNHILLS ...	–	–	–	–	1	–
CANNOCK	–	1		–	–	–
COSELEY	–	1		–	–	–
DARLASTON ..		1	–	–	–	M. 1
NEWCASTLE UNDER LYME	–	–	1	–	1	–
ROWLEY REGIS ...	–				1	–
RUGELEY... ...	–	–	2	–	–	–
SHORT HEATH ...		1		–	–	–
STAFFORD ...	–	1	1		–	–
TAMWORTH ...		1	–	–	–	–
TIPTON	–	2	1		3	M. 2
WEDNESBURY ...	–	2		–	3	
WEDNESFIELD ...	*	*	*	*	*	*
WILLENHALL ...	–	1	–	–	–	–
Rural Districts:—						
CANNOCK	–	–	3		–	–
CHEADLE... ...	–	5			–	L. 1
KINGSWINFORD ...	–	–	2		–	–
LICHFIELD ...	–	–	4	–	1	–
STAFFORD ...	–	1	–	–	1	–
TAMWORTH (part)	–	1	–	–	–	–
UTTOXETER ...	–	–	2	–	–	–
SUFFOLK, EAST	–	6	10	–	–	N. 1
IPSWICH C.B. ...	–	2	8	–	–	–
Boroughs and Urban Districts:—						
BECCLES	–	2	–	–	–	–
SOUTHWOLD ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON		–	–	–		N. 1
HOXNE	–	1		–	–	–
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
SAMFORD... ...		–	1	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST	–	2	1		1	–
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	–	1			–
SUDBURY	–	2	–	–	–	–
Rural Districts:—						
THEDWASTRE ...	–	–	–	–	1	–
SURREY		29	16	–	4	C. 2 N. 3
CROYDON C.B. ...	–	5	4	–	–	N. 1
Boroughs and Urban Districts:—						
CARSHALTON ...		1	1	–	–	–
EAST AND WEST MOLESEY	–	–	–	–	–	N. 1
EPSOM	–	–	–	–	1	–
FRIMLEY AND CAMBERLEY		1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
GUILDFORD ...		–		–	–	C. 1
KINGSTON ON THAMES	–	3	–	–		–
MERTON AND MORDEN	–	3	6	–	–	C. 1
MITCHAM	–	2	–	–	–	–
REIGATE	–	1	1	–	–	–
RICHMOND ...	–	1		–	2	–
SURBITON ...	–	1	1	–	–	–
WALTON UPON THAMES	–	1	1	–	–	–
WIMBLEDON ...	–	4	1	–	–	–
WINDLESHAM ...	–	2	–	–	–	–
WOKING	–	1	–	–	–	N. 1
Rural Districts:—						
HAMBLEDON ...	–	–	–	–	1	–
REIGATE	–	2	1	–	–	–
SUSSEX, EAST...	–	10	11	1	3	G. 1 M. 2 N. 4
BRIGHTON C.B. ...	–	2	8	–	1	M. 1 N. 1
EASTBOURNE C.B.	–	2	–	–	–	–
HASTINGS C.B. ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BEXHILL	–		–			M. 1 N. 1
BURGESS HILL ...	–	1	–	–	–	–
EAST GRINSTEAD	–	–	–	–	–	N. 1
HOVE	–	1	–	–	1	G. 1
Rural Districts:—						
HAILSHAM ...	–	–	–	1	–	–
TICEHURST ...	–	–	2		–	–
UCKFIELD ...	–	2	–	–	–	N. 1
SUSSEX, WEST...	–	8	–	2	2	D. 1 N. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
BOGNOR REGIS ...	–	1	–	–	–	–
HORSHAM ...	–	–	–	–	–	D. 1
SHOREHAM BY SEA	–	1	–	–	1	N. 1
WORTHING ...	–	2	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST...	–	1	–	–	1	–
THAKEHAM ...	–	1		–	–	–
WESTHAMPNETT	–	–	–	2	–	–
WARWICK ...	–	69	51	4	22	C. 2 D. 1 M. 15 N. 4
BIRMINGHAM C.B.	–	50	30	3	15	C. 2 D. 1 M. 14 N. 3
COVENTRY C.B. ...	–	6	7	–	1	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
Nuneaton ...	–	2	1	–	–	N. 1
Royal Leamington Spa	–	–	–	–	2	–
Sutton Coldfield	–	1	–	1	–	–
Rural Districts:—						
Alcester ...	–	–	1	–	–	–
Atherstone ...	–	–	3	–	2	M. 1
Meriden	–	1	8	–	–	–
Nuneaton ...	–	–	1	–	–	–
Rugby	–	1	–	–	–	–
Shipston on Stour	–	1	–		–	–
Southam	–	1	–	–	2	–
Stratford on Avon	–	1	–	–	–	–
Tamworth (part)	–	5	–	–	–	–
WESTMORLAND	–	2	–	–	1	–
Boroughs and Urban Districts:—						
Kendal	–	1	–	–	1	–
Rural Districts:—						
West Ward ...	–	1	–	–	–	–
WIGHT, ISLE OF	–	1	–	–	–	G. 1
Boroughs and Urban Districts:—						
Ryde	–	–	–	–	–	G. 1
Rural Districts:—						
Isle of Wight ...	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	4	6	–	3	N. 2
Boroughs and Urban Districts:—						
Chippenham ...	*	*	*	*	*	*
Devizes	*	*	*	*	*	*
Salisbury ...		–	–	–	–	N. 1
Swindon	–	–	2	–	2	N. 1
Rural Districts:—						
Calne		1	–	–	–	–
Chippenham ...	*	*	*	*	*	*
Cricklade and Wootton Bassett	–	–	4	–	–	–
Malmesbury ...	–	2	–	–	1	–
Wilton		1	–	–	–	–
WORCESTER ...	–	18	3	1	3	M. 4 N. 1
Dudley C.B. ...	–	1	–	–	–	–
Worcester C.B.	–	4	1	–	–	M. 2
Boroughs and Urban Districts:—						
Bewdley ...	–	1	–	–	–	–
Evesham	–	3	–	–	–	–
Halesowen ...	–	1	–	–	2	–
Kidderminster	–	4	–	–	–	–
Lye and Wollescote	–	–	1	–	–	–
Oldbury	–	–	–	–	–	M. 1
Stourbridge ...	–	–	–	–	–	M. 1
Rural Districts:—						
Bromsgrove ...	–	–	–	1	–	–
Droitwich ...		–	1	–	–	–
Pershore ...	–	4	–	–	1	–
Upton on Severn	–	–		–	–	N. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS ... ... (East Riding).	–	16	23	2	4	E. 1 N. 2
KINGSTON UPON HULL C.B.	–	12	20		3	E. 1 N. 2
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	–	–	1	–
BRIDLINGTON ...	–	1	1	–		–
COTTINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
NORTON	*	*	*	*	*	*
POCKLINGTON ...	–	2	–	1	–	–
SCULCOATES ...	–	–	2	1	–	–
YORKS ... ... (North Riding).	–	17	3	–	15	C. 1
MIDDLESBROUGH C.B.	–	3	–	–	10	C. 1
Boroughs and Urban Districts:—						
ESTON	–	–	1	–	–	–
GUISBOROUGH ...	–	3	–	–	3	
MALTON	*	*	*	*	*	*
SCARBOROUGH ...	–	1	1	–	–	–
Rural Districts:—						
FLAXTON	–	3	1	–	–	–
GUISBOROUGH ...	–	2		–	–	–
HELMSLEY ...	–	1		–	1	–
MALTON	*	*	*	*	*	*
RICHMOND ...	–	4	–	–	–	–
STOKESLEY ...	–	–	–	–	1	–
YORKS ... ... (West Riding).	3	130	59	6	54	C. 5 D. 8 G. 1 M. 5 N. 10
BARNSLEY C.B. ...	1	2	–			D. 1 N. 1
YORKS (West Riding)—*cont.*						
BRADFORD C.B. ...		22	1	1	5	C. 1 N. 2
DEWSBURY C.B....	–	5	4	–	–	–
DONCASTER C.B...	–	2	1	–	–	C. 1
HALIFAX C.B. ...	–	3	1	–	1	–
HUDDERSFIELD C.B	–	3			1	G. 1 N. 1
LEEDS C.B. ...	–	33	20	–	6	M. 2 N. 1
ROTHERHAM C.B.	–	2	1	–	1	N. 2
SHEFFIELD C.B...	1	15	8	2	27	C. 2 D. 2 N. 1
WAKEFIELD C.B.	–	9	2	–	–	–
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	1	1	–	1	–
ARDSLEY, EAST AND WEST	–	–	1	–	–	–
BAILDON	–	1	–		–	–
BATLEY	–	1	1	–	–	–
BRIGHOUSE ...	–	–	–	–	1	–
CASTLEFORD ...	–	2	1	–	1	–
CONISBROUGH ...	–	2	–	–	–	D. 1
DARTON	1	–	–	–	–	–
DRIGHLINGTON ...		1	–	–		–
FEATHERSTONE ...	–	1	–			–
HORBURY... ...		1	–			
HORSFORTH ..	*	*	*	*	*	*
HOYLAND NETHER	–	–	–		1	–
ILKLEY	–	–	1			–
KEIGHLEY ...	–	5		–	–	M. 1
LUDDENDEN FOOT	–	–	2		–	–
MELTHAM ...	–	–	1	–		–
MEXBOROUGH ...	–	–	–	–	1	–
MORLEY	–	–	–	–	1	–
OSSETT	*	*	*	*	*	*
RAWMARSH ...	–	–	1	–	–	–
RIPON	–	–			–	N. 1
ROTHWELL ...	–	1	–		–	–
SHIPLEY	–	–	–	1	–	–
SKIPTON	–	1	–	–	–	–
SOWERBY... ...	–	1	–	–	–	–
SOYLAND	–	–	–	1	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SPENBOROUGH ...	–	–	1	–		–
STAINLAND ...	–	–	1			–
STANLEY	–	–	2	–		–
STOCKSBRIDGE ...	–	–	–	–	1	–
SWINTON	–	2		–	–	–
TODMORDEN ...	–		–		2	–
WOMBWELL ...	–	–	–	–	1	–
WORSBOROUGH ...	–	1	–	–	–	
YEADON	–	–	1	–	–	–
Rural Districts:—						
DONCASTER ...	–	1	1	–	–	D. 2
GOOLE	–	1		–	–	
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	2	1	–	1	–
KIVETON PARK ...	–	1	2	–	1	–
PONTEFRACT ...	–	1	–	1		M. 1
ROTHERHAM ...	–	–	1	–		–
SELBY	–	1	1	–		–
SETTLE	–	–	–	–		C. 1
TADCASTER ...	–	1	1	–	–	N. 1
THORNE	–	1	–	–	–	D. 2
WAKEFIELD ...	–	–	–		–	M. 1
WETHERBY ...	–	3		–	1	
WHARFEDALE (SOUTH)	–	1	–	–	–	–
YORK, CITY OF ..	–	9	8	–	1	N. 1
YORK C.B. ...	–	9	8		1	N. 1
WALES.						
ANGLESEY ...	–	5	–	–		–
Rural Districts:—						
TWRCELYN ...	–	5	–	–	–	–
BRECKNOCK ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*
BRYNMAWR ...	–				1	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	–	–	–	1	–
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CRICKHOWELL ...	–	1	–	–	–	–
YSTRADGYNLAIS	–	1	–	–	–	–
CAERNARVON...	–	9	1	–	–	–
Boroughs and Urban Districts:—						
BANGOR	–	2		–	–	–
BETHESDA ...	–	–	1	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	7	–	–	–	–
CARDIGAN ...	–	1	2	1	–	C. 1
Boroughs and Urban Districts:—						
ABERYSTWYTH	–	–	–	1	–	–
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
LLANDYSSIL	–	–	1	–	–	–
TREGARON ...	–	1	–	–	–	C. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CARMARTHEN...	-	3	5	-		N. 1
Boroughs and Urban Districts:—						
Ammanford ...	-	1	-	-		-
Cwmamman ...	-	1	1			-
Llandilo ...	*	*	*	*	*	*
Llanelly ...	-	-	1	-		-
Rural Districts:—						
Llanelly ...		-	3	-	-	-
Whitland ...	-	1	-		-	N. 1
DENBIGH ...	-	10	26	1	3	-
Boroughs and Urban Districts:—						
Colwyn Bay ...	-	1	1	-	1	-
Denbigh ...	-	1	1		-	-
Wrexham ...	-	-	4	-	-	-
Rural Districts:—						
Llangollen ...			1	-		
Uwchaled ...	-	-	-	1		-
Wrexham ...	-	8	19	-	2	-
FLINT	-	5	3	-	2	C. 1
Boroughs and Urban Districts:—						
Buckley	-		-	-	1	-
Holywell ...	-	1	-	-	-	-
Rural Districts:—						
Hawarden ...	-	1		-	1	C. 1
Holywell ...	-	1	1	-	-	-
Overton... ...	-	2	2	-	-	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN ...	1	31	64	2	13	C. 3 D. 1 M. 2 N. 2
Cardiff C.B. ...		9	11	1	1	C. 2 D. 1 N. 1
Merthyr Tydfil C.B.	-	1	-	-	3	-
Swansea C.B. ...		1	19	-	-	-
Boroughs and Urban Districts:—						
Aberdare ...	-	-	3	-	2	-
Barry		2			-	-
Caerphilly ...			3	-	-	M. 1
Gelligaer ...	-	-	-	-	-	M. 1
Llwchwr ...	-	-	1	-	1	-
Mountain Ash...	-	1	-	-	1	-
Neath		1	7	-	-	-
Ogmore and Garw	-	2	-	-	1	-
Penarth... ...	-	1	1	-	-	-
Pontypridd ...	1	-	3	-	-	-
Porthcawl ...	-	1		-		-
Port Talbot ...	-	1	-		-	-
Rhondda ...	-	8	9		4	C. 1 N. 1
Rural Districts:—						
Cardiff	-	2		-	-	-
Llantrisant and Llantwitfardre			3	-	-	-
Neath	-	-	1	1	-	-
Penybont ...	-	1	-	-		-
Pontardawe ...	-	-	3	-	-	-
MERIONETH ...		-	1	-	-	-
Urban Districts:—						
Ffestiniog ...	-	-	1	-	-	-
MONMOUTH ...		66	11	1	-	E. 1 M. 1
Newport C.B. ...	-	36	3	1	-	E. 1

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—						
ABERGAVENNY ...	-	2	3	-	-	-
ABERSYCHAN ...		1	-	-	-	-
ABERTILLERY ...	-	5	1	-		M. 1
BEDWAS AND MACHEN		3	-			-
BEDWELLTY ...	-	2	1	-	-	-
CHEPSTOW ...	-	1	-	-	-	-
EBBW VALE ...	-	3	-	-		-
TREDEGAR ...	-	4	-	-	-	-
Rural Districts:—						
ABERGAVENNY ...		3	1	-	-	-
MAGOR	-		1	-	-	-
ST. MELLONS ...	-	6	1	-	-	-
MONTGOMERY...	-	2	-	-		M. 1 N. 1
Rural Districts:—						
FORDEN	-		-	-	-	M. 1 N. 1
LLANFYLLIN ...	-	2	-	-	-	-
PEMBROKE ...	-	-	1	-	-	-
Rural Districts:—						
ST. DOGMELLS ...	-	-	1	-	-	-
RADNOR	-	1	-	-	-	-
Rural Districts:—						
PAINSCASTLE ...	-	1	-	-		-
Total of Part II....	14	1293	762	58	417	C. 39 D. 25 E. 5 F. 2 G. 8 L. 1 M. 88 N. 90

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

ort Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ARNSTAPLE	*	*	*	*	*	*	LIVERPOOL	-	-	-	1	-	-
RISTOL	-	-	-	1	-	-	WELLS (NORFOLK) ...	*	*	*	*	*	*
INGSBRIDGE AND SALCOMBE	*	*	*	*	*	*	PORT OF LONDON ...	-	-	1	1	1	-
							Total of Part III. ...	-	-	1	3	1	-

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	‡
Total of Part I.—London	5	199	149	5	57	C. D. E. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	14	1293	762	58	417	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts		–	1	3	1	
Total (i.e., of returns received), England and Wales ...	19	1492	912	66	475	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

.—LONDON and GREAT TOWNS in the GATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

k ended :—	June 20.	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Totals from 1st Week of year. * 1930.	1931.
N :—															
RTHS	1,383	1,485	1,375	1,463	1,409	1,415	1,453	1,221	1,387	1,401	1,421	1,200	1,290	52,433	49,920
THS	52	37	46	43	47	42	57	58	47	52	49	32	45	1,917	1,742
(excluding Still-—all ages.	758	780	794	763	735	768	780	718	730	757	726	729	713	34,527	37,436
—0 to 1 year ..	48	59	47	54	58	62	56	63	54	50	62	48	39	2,884	2,818
TOWNS, aggre-(including Lon-															
RTHS	6,603	6,607	6,521	6,682	6,477	6,616	6,653	5,544	6,431	6,562	6,749	5,832	6,378	239,644	233,157
THS	331	275	283	285	280	247	275	266	280	313	265	238	262	10,521	10,256
(excluding Still-—all ages.	3,606	3,674	3,659	3,619	3,538	3,548	3,486	3,386	3,427	3,447	3,309	3,455	3,457	156,010	172,305
—0 to 1 year ..	293	308	284	287	292	303	301	287	305	286	305	268	285	14,582	15,896
FEVER—Cases	12	15	26	19	23	16	21	28	29	26	17	20	32	741	594
„ Deaths	2	1	3	2	2	1	—	1	2	4	1	—	—	83	57
POX—Cases ..	49	38	53	33	34	32	22	20	17	10	13	30	11	7,583	3,556
Deaths ..	—	—	1	—	—	—	—	—	—	—	—	—	—	17	5
T FEVER—Cases	803	803	854	809	815	894	820	700	639	692	759	844	886	42,463	29,925
Deaths	1	3	3	6	9	2	4	1	1	3	1	4	3	314	191
ERIA—Cases ..	569	572	566	585	573	538	524	423	469	423	488	531	569	30,668	21,511
Deaths ..	24	18	23	29	24	19	22	25	21	18	30	19	23	1,406	1,035
ES—Deaths ..	26	27	16	18	9	18	18	12	9	13	6	13	8	2,405	1,590
NZA—Deaths ..	20	24	19	20	22	14	11	16	15	17	15	10	28	1,570	5,324

he figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the ars and differ from those published for the towns in the Quarterly Return which are corrected for births ng away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 12th September, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†
	°	°	°	°			°	°	°	°	
DON	65	35	60·1	41·4	11	HUDDERSFIELD	61	35	57·0	40·9	9
REENWICH).						BRADFORD ..	60	37	55·8	42·1	13
HTON ..	65	43	61·2	44·3	9	SHEFFIELD ..	60	40	56·7	44·6	8
SMOUTH ..	63	42	61·4	45·1	6	YORK (MUSEUM)	63	39	59·1	42·9	5
WICH(SOUTH-ELL LODGE)	61	37	57·9	41·3	1	HULL (PEARSON PARK).	64	39	58·8	43·0	2
MOUTH ..	66	40	63·0	44·7	9	TYNEMOUTH ..	62	38	55·9	43·0	2
TOL	65	38	62·1	42·4	7	CARDIFF	64	39	60·9	45·1	4
(HORFIELD)											
INGHAM	60	39	56·9	43·4	16						
EDGBASTON).											
TINGHAM ..	62	37	59·0	43·3	11	EDINBURGH ..	60·0	38·0	55·0	42·6	16
KENHEAD	57	45	55·9	46·9	20	GLASGOW ..	57·9	38·4	56·4	42·3	5
(BIDSTON).						DUBLIN					
CHESTER	60	37	57·1	42·4	24	(PHŒNIX PARK)	62·3	33·9	60·4	36·6	9
(WHITWORTH PARK).						(FITZWILLIAM SQUARE†).	61·0	40·9	58·4	43·7	15
NLEY	59	35	55·9	40·7	18	BELFAST	64·5	35·5	60·9	40·6	10

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 12th September, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	6	Greatest Declination N.	29·915	60·9	43·0	17·9	51·5	- 7·7	42·3	9·2	19·6	0·0	70	113·7	32·1	57·1	WNW: NW.	NW: N: Calm.	1·7	0·0	0·2	262	+ 17	0·00
MONDAY -	7	..	29·954	59·0	38·0	21·0	47·7	-11·3	43·6	4·1	13·9	0·0	85	113·3	25·1	57·0	Calm: WSW:	N: NNE:	1·3	0·0	0·1	158	- 86	0·00
TUESDAY -	8	..	29·940	59·3	35·1	24·2	48·2	-10·6	43·5	4·7	16·1	0·0	83	90·9	24·0	56·9	NNW. Calm	Calm. Calm	0·1	0·0	0·0	83	- 164	0·00
WEDNESDAY	9	..	29·890	64·9	39·2	25·7	52·4	- 6·2	43·5	8·9	21·4	0·4	71	124·1	28·6	56·8	Calm :	N:	0·7	0·0	0·0	141	- 109	0·00
THURSDAY -	10	..	29·949	60·8	44·0	16·8	50·3	- 8·1	41·8	8·5	19·4	4·2	73	118·2	29·9	56·5	WSW: NNW. NE:	Calm. ENE	0·8	0·0	0·1	183	- 68	0·00
FRIDAY -	11	..	29·983	58·8	42·0	16·8	49·1	- 9·0	42·0	7·1	16·7	2·5	77	113·3	28·3	56·2	ENE. Calm:	N:	0·6	0·0	0·0	139	- 112	0·00
SATURDAY -	12	New. Perigee.	29·820	57·4	44·3	13·1	50·6	- 7·4	50·6	0·0	5·8	0·0	100	75·7	31·9	56·1	NNE. SW: SSW.	Calm: SW. Calm: ENE: NNE.	2·1	0·0	0·2	265	+ 13	0·43
MEANS -		..	29·922	60·2	40·8	19·4	50·0	- 8·6	43·9	6·1	16·1	1·0	80	107·0	28·6	56·7	Variable		..		..	Sum 1231	Sum - 509	Sum 0·43
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	6	mP.	8·7	13·3	Partially cloudy till 3½h.; nearly cloudless till 9½h.; partially cloudy till 13h. Then variably cloudy. Mist from 13h. Dew at night.
MONDAY ..	7	mP till 8h.; variably mP and sP till 15h.; then mP.	5·0	13·3	Partially cloudy till 6½h.; nearly overcast till 13h.; very cloudy till 15⅔h.; then cloudless. Mist till 11h.; and from 18h. Hoar frost in morning and at night.
TUESDAY ..	8	mP till 9h.; variably mP and sP till 20h.; then variably mP and wP.	3·9	13·2	Nearly cloudless till 12½h.; nearly overcast till 19½h.; cloudless till 22h.: then nearly overcast generally. Fog 5h. till 11h.; and from 23h. Mist till 5h.; and 18h. till 23h. Hoar frost in morning. Dew at night.
WEDNESDAY	9	wP till 7h.; variably mP and sP till 17½h.; then mP.	8·0	13·1	Partially cloudy till 13h.; nearly overcast till 19½h.; then variably cloudy. Fog till 1h.; and from 5h. till 6h. Mist 1h. till 8h.; then haze till 12h. Solar halo 15h. till 15½h. Hoar frost in morning.
THURSDAY	10	wP till 6½h.; then mP.	3·1	13·0	Overcast till 11h.; partially cloudy till 15h.; then variably cloudy. Damping at 8h.; and from 9h. till 9½h. Dew at night.
FRIDAY ..	11	mP.	3·5	13·0	Nearly overcast generally till 14½h.; then variably cloudy. Haze 15h. till 19h.; then fog. Hoar frost in morning and at night.
SATURDAY	12	Variably mP and wN till 11h.; then mP.	0·0	12·9	Overcast till 20½h.; then becoming nearly cloudless by 21h. Rain 2⅔h. till 4h.; and 13h. till 16h. Damping 4h. till 7½h.: from 8⅔h. till 13h.; and 16h. till 20½h. Mist 13h. till 20h. Dew at night.
			Sum 32·2	Sum 91·8	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·76 ins. at the beginning of the week to 30·00 ins. by 0h. on September 8th: decreased to 29·87 ins. by 16h. on September 9th; increased generally to 30·01 ins. by 10h. on September 11th.; decreased to 29·76 ins. by 16h. on September 12th; increased and was 29·98 ins. by midnight on the same day.

MANUAL OF THE INTERNATIONAL LIST OF CAUSES OF DEATH

New Edition based on the fourth decennial revision by the International Commission, Paris, 1929.

THIS Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 3s. Post Free 3s. 4d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 37.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 19TH SEPTEMBER, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 19TH SEPTEMBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirty-seventh week of the year numbered 6,134 corresponding to an annual rate of 16·1 per 1,000 living: stillbirths numbered 277 corresponding to a rate of 43 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,761 (304 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.
107 Great Towns	8·7	9·1	9·1	9·9
London	8·6	8·7	8·5	9·8
Birmingham	7·8	8·2	8·5	8·7
Liverpool	10·1	11·0	10·0	9·9
Manchester	9·9	8·4	11·3	10·5
Sheffield	7·6	8·8	8·0	11·1
Leeds	12·0	11·5	10·4	9·3
Bristol	9·0	8·6	9·1	8·1
West Ham	6·5	7·0	9·7	9·8

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 45, against 46, 41 and 43 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,270 live births registered corresponding to an annual rate of 15·1 per 1,000 living: stillbirths numbered 53 corresponding to a rate of 40 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 819 (106 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 37, against 44, 34, and 28 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in the week ended 19th September, 1931.

	Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
							Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
	107 Great Towns ..	19,836,440*	6,134	207	3,761	296	2	10	3	21	25	44	27
	London	4,377,000*	1,276	53	819	51	1	1	–	4	1	8	5
Towns in Outer Ring.	Croydon C.B. ..	233,000	56	2	40	2	–	–	–	–	–	–	–
	Wimbledon ..	58,830	7	1	7	–	–	–	–	–	–	–	1
	Ealing	117,400	43	1	25	3	–	–	–	–	–	–	–
	Acton	70,400	17	–	19	2	–	–	–	–	–	–	–
	Brentford and Chiswick ..	62,620	12	1	13	–	–	–	–	–	–	–	–
	Willesden ..	185,300	42	–	25	2	–	–	–	–	–	–	–
	Hendon	114,600*	33	3	9	–	–	–	–	–	–	–	–
	Hornsey	95,440	11	–	15	–	–	–	–	–	–	–	–
	Wood Green ..	54,460	13	–	12	–	–	–	–	–	–	–	–
	Tottenham ..	159,100	21	3	25	1	–	–	–	–	–	–	–
	Edmonton	77,530	46	4	16	–	–	–	–	–	–	–	–
	Enfield	68,090	20	1	14	2	–	–	–	–	–	–	–
	West Ham C.B. ..	296,900	125	4	56	4	–	–	1	–	–	2	–
	East Ham C.B. ..	142,900	31	1	21	3	–	–	–	–	1	–	–
	Leyton	128,600	21	–	26	4	–	–	1	–	–	1	–
	Walthamstow ..	134,300	20	–	21	2	–	–	–	–	–	1	–
	Ilford	131,300	37	–	14	3	–	–	–	–	–	–	–
	Gillingham	60,600*	23	1	9	1	–	–	–	–	–	–	–
	Canterbury C.B. ..	24,440*	10	–	7	1	–	–	–	–	–	–	–
	Hastings C.B.	61,870	11	–	18	1	–	–	–	–	–	–	–
	Eastbourne C.B. ..	55,670	16	–	12	–	–	–	–	–	–	–	–
	Brighton C.B. ..	144,900*	44	1	36	2	–	–	–	–	–	–	1
	Portsmouth C.B. ..	248,300*	78	2	54	2	–	–	–	–	1	–	–
	Bournemouth C.B. ..	108,600	31	2	21	1	–	–	–	–	1	–	–
	Southampton C.B. ..	175,300	56	2	31	4	–	–	–	–	–	1	–
	Reading C.B.	97,450*	32	2	24	1	–	–	–	–	–	–	–
	Oxford C.B.	80,530*	31	1	16	3	–	–	–	–	–	–	–
	Northampton C.B. ..	92,940*	24	2	17	–	–	–	–	–	–	–	–
	Luton	69,030	21	–	18	1	–	–	–	–	1	–	–
	Cambridge	66,850	16	1	9	1	–	–	–	–	–	–	–
	Southend-on-Sea C.B.	117,900	33	1	21	1	–	–	–	–	–	–	–
	Ipswich C.B.	87,630	22	1	22	–	–	–	–	–	1	–	–
	Great Yarmouth C.B.	56,690	16	–	16	1	–	–	–	–	–	–	–
	Norwich C.B.	126,800*	42	7	22	1	1	–	–	–	–	–	1
	Swindon	62,600	10	–	15	1	–	–	–	–	–	–	1
	Exeter C.B.	65,290*	18	2	13	–	–	–	–	–	–	–	–
	Plymouth C.B. ..	207,600*	59	5	42	3	–	–	–	–	–	–	–
	Bath C.B.	68,120	11	1	15	–	–	–	–	–	–	–	–
	Bristol C.B.	399,500*	135	15	62	7	–	–	–	–	1	–	–
	Gloucester C.B. ..	52,890	23	–	10	–	–	–	–	–	–	–	–
	Stoke-on-Trent C.B.	279,800	97	6	60	8	–	–	–	–	–	–	1
	Burton-upon-Trent C.B.	49,920	17	2	6	2	–	–	–	–	–	–	–
	Wolverhampton C.B.	134,200	57	1	29	2	–	–	–	–	–	–	–
	Walsall C.B.	104,200	38	–	11	1	–	–	–	–	1	–	–
	West Bromwich C.B.	82,090	36	–	10	–	–	–	–	–	–	–	–
	Dudley C.B.	60,010	15	3	18	1	–	–	–	–	–	1	–
	Worcester C.B. ..	50,540	5	1	15	–	–	–	–	–	–	–	–
	Birmingham C.B. ..	1,011,300	318	9	168	11	–	–	–	2	–	2	2
	Smethwick C.B. ..	85,370	21	1	9	1	–	1	–	1	–	–	–
	Coventry C.B ..	168,500	43	2	28	2	–	–	–	–	1	–	–
	Leicester C.B. ..	241,200	76	5	31	2	–	–	–	–	–	1	–
	Lincoln C.B.	66,110*	17	–	11	–	–	–	–	–	–	–	–
	Grimsby C.B.	92,180	40	1	17	1	–	–	–	–	–	–	1
	Nottingham C.B. ..	270,900	83	2	63	6	–	–	–	–	–	1	–
	Derby C.B.	143,400*	44	2	23	3	–	–	–	–	1	–	–
	Chesterfield	64,450	17	1	9	–	–	–	–	–	–	–	–
	Stockport C.B ..	126,600	34	–	31	1	–	–	–	–	–	–	2
	Chester C.B.	41,370	19	1	6	1	–	–	–	–	–	–	–
	Birkenhead C.B. ..	148,600	61	2	27	2	–	–	–	–	1	–	–
	Wallasey C.B. ..	97,240	31	–	16	3	–	–	–	–	–	–	–
	Liverpool C.B. ..	862,100	364	10	164	37	–	1	–	4	4	6	1
	Bootle C.B.	77,170	25	3	11	1	–	–	–	–	–	1	–
	St. Helens C.B.	108,200	60	4	20	2	–	–	–	–	–	–	–

* Non-civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingham, 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Oxford C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193,100; Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
SOUTHPORT C.B. ..	77,180	15	1	18	-	-	-	-	-	-	-	-
WIGAN C.B.	86,250	33	4	19	4	-	-	-	1	-	-	1
WARRINGTON C.B. ..	80,280*	40	1	15	4	-	-	-	1	-	-	-
BOLTON C.B.	179,300	62	2	43	4	-	-	-	-	-	3	-
BURY C.B.	56,580*	7	-	5	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	773,300	233	12	155	10	-	-	1	3	1	2	-
SALFORD C.B.	226,100	67	1	45	3	-	-	-	-	-	2	-
ASHTON-UNDER-LYNE	51,850	18	3	5	2	-	-	-	-	-	-	-
OLDHAM C.B.	142,000	38	-	26	2	-	1	-	-	-	-	-
ROCHDALE C.B. ..	91,190	12	-	20	-	-	-	-	-	-	-	-
BURNLEY C.B. ..	99,300	19	1	26	3	-	-	-	-	-	-	-
BLACKBURN C.B. ..	124,000	38	4	19	-	-	-	-	-	-	-	1
PRESTON C.B.	120,100	31	1	27	1	-	-	-	-	-	1	-
BLACKPOOL C.B. ..	97,880	22	1	18	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	66,700	20	1	9	-	-	-	-	-	-	-	1
HUDDERSFIELD C.B. ..	114,300	30	1	24	-	-	-	-	-	1	-	-
HALIFAX C.B.	98,770*	35	-	26	1	-	-	-	-	2	-	-
BRADFORD C.B. ..	300,800	87	6	79	6	-	2	-	-	-	-	-
LEEDS C.B.	486,100	125	14	87	5	-	1	-	-	4	1	-
DEWSBURY C.B. ..	54,430	14	-	14	-	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	59,280	15	1	7	-	-	-	-	-	1	-	1
BARNSLEY C.B. ..	72,090	26	-	16	2	-	1	-	-	-	1	1
SHEFFIELD C.B. ..	517,300	163	5	110	11	-	-	-	-	-	-	-
ROTHERHAM C.B. ..	70,100	30	1	12	3	-	-	-	1	-	-	-
DONCASTER C.B. ..	63,260	30	4	8	-	-	-	-	-	-	-	-
YORK C.B.	85,910*	22	1	10	-	-	-	-	-	-	-	-
KINGSTON-UPON-HULL C.B.	314,800	101	5	61	9	-	-	-	-	-	4	-
MIDDLESBROUGH C.B.	138,800	44	2	31	2	-	1	-	-	-	-	-
DARLINGTON C.B. ..	72,620	21	1	12	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,350	28	-	6	1	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	68,740	17	-	13	-	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	187,500	76	2	47	5	-	-	-	-	-	2	1
SOUTH SHIELDS C.B. ..	114,400	31	-	30	3	-	1	-	-	-	-	1
GATESHEAD C.B. ..	123,700	44	3	24	3	-	-	-	1	-	-	-
NEWCASTLE-ON-TYNE C.B.	284,300*	126	10	62	3	-	-	-	2	-	2	-
TYNEMOUTH C.B. ..	64,750	22	-	10	-	-	-	-	-	-	-	-
CARLISLE C.B.	57,430*	13	5	12	2	-	-	-	-	1	1	-
NEWPORT (MON.) C.B.	89,500*	33	-	12	-	-	-	-	-	-	-	-
CARDIFF C.B.	223,700*	83	2	40	1	-	-	-	-	-	-	-
RHONDDA	142,700	60	3	28	2	-	-	-	1	-	-	2
MERTHYR TYDFIL C.B.	71,670	30	-	10	1	-	-	-	-	-	-	2
ABERDARE	49,010	14	2	10	-	-	-	-	-	-	-	-
SWANSEA C.B.	165,400	51	2	30	3	-	-	-	-	-	-	-
GREATER LONDON ..	8,179,740*	2,289	86	1,434	100	1	1	2	5	3	15	7
OUTER RING	3,802,740*	1,019	33	615	49	-	-	2	1	2	7	2
17 GREAT TOWNS IN OUTER RING	2,130,770*	555	20	358	28	-	-	2	-	1	4	1
REMAINDER OF OUTER RING	1,671,970*	464	13	257	21	-	-	-	1	1	3	1
EDINBURGH†	438,998	152	?	105	8	-	-	-	-	-	2	1
GLASGOW†	1,088,417	417	?	251	30	2	3	1	2	1	6	3
DUBLIN†	412,400	180	?	79	13	-	-	1	1	-	2	-
BELFAST†	415,151	181	?	86	9	-	-	-	-	-	2	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available per**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases(un-
		1931.											
London‡	4,377,000	Sept. 19	1270	53	819	9·8	1	-	1	-	4	1	8
Calcutta and Suburbs	1,077,264	Aug. 8	?	?	565‖	27·3	?	4	?	-	?	?	?
Bombay§	1,298,708	„ 22	513	56	591‖	23·7	7	–	-	-	1	-	30
Madras	647,533	„ 8	460	29	385	30·9	4	–	-	-	2	-	21
Sydney and Suburbs	1,256,210	Aug. 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	June 30 (30 days)											
Perth (Metropolitan Area).	204,780	July 11	83	?	32	8·1	-	-	-	-	1	-	1
Auckland (Urban Area).	215,730	July 31 (31 days)											
Wellington (Urban Area).	142,540	July 31 (31 days)											
Christchurch (Urban Area).	127,070	July 31 (31 days)											
Cape Town	136,748	Aug. 15	59	7	33	12·6	-	-	-	-	1	-	1
Johannesburg	187,326	„ 8	96	2	39	10·8	-	-	-	-	-	1	-
Durban	61,667	„ 8	22	2	10	8·4	-	-	-	-	-	-	-
Paris	2,871,429	Aug. 31 (11 days)											
Antwerp	295,534	Aug. 15 (15 days)	216	12	94	7·6	-	-	-	-	-	-	1
Amsterdam	754,816	Aug. 29	251	9	122	8·7	-	-	-	-	1	1	-
Copenhagen	615,700	Sept. 5	156	2	95	8·0	1	-	-	-	-	-	1
Stockholm	502,203	Aug. 29	113	1	82	8·5	-		-	-	-	-	-
Gothenberg	245,600	„ 1	?	?	33	7·0		-	-	-	-	-	-
Oslo	256,353	Sept. 5	43	1	47	9·5	-	-	-	-	-	-	-
Berlin	4,302,000	Aug. 22	740	23	733	8·9	-	?	-	-	2	8	6
Breslau	616,000	„ 22	142	5	112	9·5	-	?	-	-	-	2	2
Cologne	739,000	„ 22	189	4	106	7·5	-	?	-	-	-	-	1
Dresden	631,000	„ 22	120	6	101	8·3	1	?	-	-	-	-	1
Frankfort-on-Main	539,000	„ 22	72	1	99	9·6	-	?	-	-	1	-	-
Hamburg	1,142,000	„ 22	212	8	183	8·3	-	?	-	-	-	-	2
Leipzig	718,000	„ 22	149	6	125	9·1	1	?	-	1	1	-	4
Munich	730,000	„ 22	135	4	151	10·8	1	?	-	-	-	-	-
Budapest	1,009,069	„ 29	355	18	201	10·4	2	-	-	2	5	-	9
Warsaw	1,115,651	„ 22	?	10	241	11·3	9	-	-	1	4	-	31
Madrid	834,103	„ 15	431	38	204	12·8	2	–	-	-	-	-	13
Cairo	1,160,700	May 27	833	22	933	41·9	6	-	18	-	?	4	308
Alexandria	629,900	„ 27	430	1	399	33·0	-	-	19	-	?	-	101
New York	7,090,089	Aug. 22	2552	81	1310	9·6	3	-	1	-	7	1	13
Chicago	3,457,375	„ 28	1130	26	540	8·1	1	-	-	-	2	4	16
New Orleans	466,000	July 31 (31 days)	819	34	649	16·7	7	-	-	-	1	1	14
Rio de Janeiro ..	1,729,799	July 4	628	47	451	13·6	1	-	9	-	4	1	5

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Amsterdam, Copenhagen, Stockholm Gothenberg, and the German Cities
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 7 deaths from Cholera in Calcutta and 5 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 19th September, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	35,281	38,255	819	51	6	8	23	32	24	45	96	151	204	179
Enteric fever	19	19	1	-	-	-	-	-	-	-	-	1	-	-
Small-pox	10	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1003	44	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	92	43	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	105	233	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	350	178	1	-	-	-	1	-	-	-	-	-	-	-
Influenza	249	920	5	-	-	1	-	1	-	1	-	-	-	2
Erysipelas	116	124	1	-	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	9	2	1	1	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	44	33	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	70	101	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2564	2720	49	-	-	-	-	15	9	4	12	5	4	-
Nervous system	176	164	3	-	-	-	2	1	-	-	-	-	-	-
Intestines and peritoneum	37	40	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	155	185	3	-	-	-	1	-	-	2	-	-	-	-
Venereal diseases	130	138	4	3	-	-	-	-	-	1	-	-	-	-
Cancer	4732	4928	131	-	-	-	-	-	1	4	16	39	41	30
Rheumatic fever	133	103	3	-	-	-	2	-	-	1	-	-	-	-
Diabetes	371	374	13	-	-	1	1	-	-	1	2	1	6	1
Alcoholism	13	11	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	56	70	2	1	-	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c.. Apoplexy	1453	1434	30	-	-	-	-	-	-	2	3	6	13	6
Epilepsy	143	121	3	1	-	-	-	-	1	-	-	-	-	1
"Convulsions" (not puerperal) ..	45	43	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	883	814	15	-	-	-	1	2	-	1	6	2	1	2
Pericarditis	15	15	2	-	-	1	-	1	-	-	-	-	-	-
Acute endocarditis	143	137	5	-	-	-	-	2	-	1	1	1	-	-
Other diseases of heart	7314	8779	203	-	-	-	-	2	4	11	18	31	73	64
Other diseases of circulatory system	1511	1616	41	-	-	-	-	1	-	2	-	12	10	16
Bronchitis	1316	1961	21	-	1	-	-	-	1	-	3	4	4	8
Broncho-pneumonia	1294	1902	29	6	-	1	1	-	-	-	4	3	7	7
Lobar pneumonia	774	891	11	-	-	-	-	-	-	1	2	3	5	-
Pneumonia (type not distinguished)	288	300	3	-	1	-	-	-	-	-	-	-	2	-
Other diseases of respiratory system	357	424	6	-	-	-	-	1	1	1	-	-	2	1
Diarrhœa and enteritis	526	465	10	8	-	-	-	-	-	2	-	-	-	-
Appendicitis, Typhlitis	229	206	9	-	-	-	2	-	-	2	2	3	-	-
Hernia, Intestinal obstruction	366	377	9	-	-	-	-	-	-	1	2	2	2	2
Cirrhosis of liver	155	170	5	-	-	-	-	-	-	-	1	1	3	-
Other diseases of digestive system ..	924	832	13	-	-	-	-	1	-	6	4	-	-	2
Acute nephritis	69	61	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease	1218	1239	29	-	-	-	-	-	3	-	4	8	7	7
Other diseases of genito-urinary system.	582	641	18	-	-	-	-	-	-	1	-	5	8	4
Puerperal sepsis	78	86	1	-	-	-	-	-	-	1	-	-	-	-
Other causes incident to childbirth ..	66	91	2	-	-	-	-	2	-	-	-	-	-	
Congenital malformations	234	231	1	1	-	-	-	-	-	-	-	-	-	
Premature birth	686	694	14	14	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	133	110	1	1	-	-	-	-	-		-	-	-	
Old age	822	907	16			-	-				-	-	1	15
Suicide	412	398		-		-	-	-	1	-	1	2	2	1
Burns and Scalds	70	100	4	-	2	-	1	-	-	-	1	-	-	-
Drowning	95	74	4	-	-	-	2	-	-	-	-	2	-	-
Suffocation in bed	22	19	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	548	515	16	-	-	1	3	1	-	1	3	3	4	-
Other deaths by violence	589	565	13	-	1	-	-	-	-	-	3	2	3	4
Other specified causes	1482	1598	54	11	-	1	6	3	2	4	5	10	6	6
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 19th September 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	15	279	142	4	60	C. 6 D. 2 E. 1 F. 2 L. 1 M. 13 N. 12
CITY OF LONDON	-	2	-	-	-	-
Metropolitan Boroughs:—						
BATTERSEA ..	-	10	9	-	5	N. 2
BERMONDSEY ..	-	5	3	-	2	M. 1 N. 1
BETHNAL GREEN	7	12	5	-	2	D. 1
CAMBERWELL ...	-	21	8	-	2	-
CHELSEA	-	2	1	-	-	-
DEPTFORD ...	-	11	5	-	1	M. 1
FINSBURY ...	-	3	2	-	1	M. 1
FULHAM	-	2	3	1	3	-
GREENWICH ...	-	8	-	-	1	-
HACKNEY... ...	-	11	4	-	2	M. 2 N. 1
HAMMERSMITH ...	-	3	3	-	2	-
HAMPSTEAD ...	-	3	1	1	-	-
HOLBORN... ...	-	1	3	-	-	E. 1 F. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	-	31	17	-	4	C. 1 M. 2
KENSINGTON ...	-	8	6	-	2	C. 1 M. 1 N. 2
LAMBETH ..	6	12	5	-	6	L. 1 M. 1
LEWISHAM ..	-	4	6	-	5	C. 1
PADDINGTON .	-	14	4	-	3	-
POPLAR	-	16	8	-	3	C. 1 F. 1 M. 1
ST. MARYLEBONE	-	5	1	-	1	D. 1 M. 1
ST. PANCRAS ...	-	8	5	-	6	C. 1 N. 1
SHOREDITCH ...	2	7	9	-	1	M. 1 N. 1
SOUTHWARK ...	-	15	5	-	1	-
STEPNEY	-	44	12	-	1	N. 1
STOKE NEWINGTON	-	2	-	-	-	M. 1 N. 1
WANDSWORTH ...	-	8	12	-	5	N. 1
WESTMINSTER, CITY OF	-	5	2	-	-	C. 1
WOOLWICH ...	-	6	3	2	1	N. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica] ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	–	6	3	–	1	–
Boroughs and Urban Districts:—						
BEDFORD	–	1	–	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
LUTON	–	3	2	–	1	–
Rural Districts:—						
BEDFORD	–	1	–	–	–	–
BIGGLESWADE ...	.	–	1	–	–	–
LUTON	*	*	*	*	*	*
BERKS	–	11	7	–	1	C. 1
READING C.B. ...	–	3	2	–	1	–
Boroughs and Urban District:—						
MAIDENHEAD ...	–	1	–	–	–	–
NEW WINDSOR ...	–	1	–	–	–	–
WALLINGFORD ...	–	–	1	–	–	–
WANTAGE ...	–	–	–	–	–	C. 1
Rural Districts:—						
ABINGDON ...	–	2	–	–	–	–
COOKHAM ...	–	–	1	–	–	–
FARINGDON (part)	–	–	1	–	–	–
WALLINGFORD ...	–	1	1	–	–	–
WANTAGE ...	–	2	–	–	–	–
WINDSOR	–	1	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM...	–	5	6	–	2	–
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	–	–	–	1	–
CHEPPING WYCOMBE	–	1		–	–	–
CHESHAM... ...	–	–	1	–		
SLOUGH	–	–	1	–	–	–
WOLVERTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AYLESBURY ...	–	1	1	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	2	1	–	–	–
WYCOMBE ...	–	–	2	–	–	–
CAMBRIDGE ...	–	5	3	–	–	–
Borough:—						
CAMBRIDGE ...	–	2	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	2	1	–	–	–
NEWMARKET ...	–	1	1	–	–	–
CHESTER ...	–	29	28	2	15	L. 1 N. 4
BIRKENHEAD C.B.	–	3	–	–	7	N. 1
CHESTER C.B. ...	–	3	4		1	
STOCKPORT C.B. ...	–	5	5	1	2	N. 2
WALLASEY C.B. ...	–	1	4	–	–	–
Boroughs and Urban Districts:—						
BEBINGTON AND BROMBOROUGH	–	2	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
CREWE	–	4	2		–	–
ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
HOOLE	–	–	–	–	1	–
HOYLAKE AND WEST KIRBY	–	–	4	–	–	–
MACCLESFIELD ...	–	2	–	–	–	L. 1
MIDDLEWICH ...		–	1	–	–	–
NANTWICH ...	–	–	1	–		–
NORTHWICH ...	–	–	2	1	1	–
RUNCORN	–	1		–	2	–
SALE	–	1	–	–	–	–
STALYBRIDGE ...	–	1	–		1	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-J. Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW	*	*	*	*	*	*
CHESTER		–	2	–	–	–
CONGLETON ...	–	–	1	–	–	–
RUNCORN	–	2	1	–	–	N. 1
WIRRAL		2	1	–	–	–
CORNWALL ...	–	4	3	2	2	M. 1
Boroughs and Urban Districts:—						
BODMIN	–	–	–	1	–	–
FOWEY	–	–	2	–		–
LISKEARD ...	–	–	1	–		–
MADRON		2	–	–		–
ST. IVES	–	–	–	1	1	–
Rural Districts:—						
LISKEARD ...	–	2	–	–	–	–
REDRUTH ...	–		–	–	–	M. 1
STRATTON ...	–	–	–	–	1	–
CUMBERLAND...	–	6	6	1	6	M. 3 N. 2
CARLISLE C.B. ...	–	2	2	–	–	M. 1
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
HOLME CULTRAM	–	1	–	1	1	M. 1
MARYPORT ...	–	–		–	1	–
PENRITH	–	3	1	–	–	–
WHITEHAVEN ...	–	–	–	–	3	–
Rural Districts:—						
CARLISLE ...	–	–	–	–	–	N. 1
COCKERMOUTH ...	–	–	–	–	–	M. 1 N. 1
LONGTOWN ...	–	–	1	–	–	–
PENRITH	–	–	1	–	1	–
DERBY	–	14	15	2	12	C. 1 D. 1 F. 1 M. 1 N. 3
DERBY C.B. ...	–	2	6	–	4	F. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
BOLSOVER ...	–	–	1	–	–	–
BRAMPTON AND WALTON	*	*	*	*	*	*
CHESTERFIELD ...	–	1	–	–	3	–
ILKESTON... ...	–	1	–	–	–	–
LONG EATON ...	–	1	–	–	–	–
RIPLEY	–	1		–	–	–
SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	–	–	–	–	N. 1
BLACKWELL ...	–	2	–	–	–	D. 1
CHESTERFIELD ...	–	3	6	2	3	–
CLOWNE	–	–	–	–	1	–
REPTON		–	1	–		–
SHARDLOW ...	–	1	1		–	C. 1
DEVON	–	26	21	1	4	C. 1 M. 1 N. 1
EXETER C.B ...	–	–	–	–	1	–
PLYMOUTH C.B.	–	21	13	–	–	C. 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	3	–	–	–
NEWTON ABBOT...	–	1	–	–	–	–
NORTHAM ...	–	–	–	–	–	M. 1
SOUTH MOLTON...	–	–	2	–	–	–
TORQUAY	–	–	2	–	–	–
Rural Districts:—						
BIDEFORD ...	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
Broadwood Widger	-	-	-	-	-	N. 1
Newton Abbot	-	1	-	1	-	-
Plympton St. Mary	-	3	1	-	2	-
St. Thomas ...	*	*	*	*	*	*
DORSET	-	9	13	-	2	G. 1
Boroughs and Urban Districts:—						
Poole	-	2	6	-	-	G. 1
Portland ...	-	-	1	-	-	-
Shaftesbury ...	-	1	-	-	-	-
Weymouth and Melcombe Regis	-	-	3	-	-	-
Rural Districts:—						
Blandford ...	-	1	-	-	-	-
Shaftesbury ...		2	-	-	-	-
Wareham and Purbeck	-	2	-	-	-	-
Weymouth ...	-	1	2	-	1	-
Wimborne and Cranborne	-	-	1	-	1	-
DURHAM ...	-	71	16	2	49	C. 1 D. 3 G. 1 M. 4 N 2
Darlington C.B.	-	3	2	-	1	D. 1
Gateshead C.B.	-	13	2	-	1	-
South Shields C.B.	-	1	-	-	7	D. 1
Sunderland C.B.	-	11	1	-	14	M. 1
West Hartlepool C.B.	-	7	-	-	3	C. 1 M. 1
Boroughs and Urban Districts:—						
Annfield Plain	-	-	-	-	1	-
Benfieldside ...	-	-	-	-	1	-
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
Billingham ...	-	1	-	-	-	-
Blaydon... ...	-	3	1	-	-	D. 1 M. 1
Brandon and Byshottles	-	-	1	-	-	-
Chester le Street	-	3	-	-	1	-
Consett	-	1	-	-	1	-
Felling	-	2		-	-	-
Hebburn ...	-	2	-	-	-	-
Hetton	-	-	1	-	-	-
Houghton le Spring	-	-	-	-	-	N 1
Jarrow	-	-	-	-	4	-
Ryton	-	1	1	-	-	-
Spennymoor ...	-	-	-	-	1	-
Stanhope ...	-	-	-	-	1	-
Stanley	-	-	1	-	1	-
Stockton on Tees	-	2	1	-	2	G. 1
Tanfield ...	-	-	1	-	-	-
Rural Districts:—						
Auckland ...	-	1	1	-	-	-
Barnard Castle	-	-	-	1	-	-
Chester le Street	-	11	-	-	1	-
Darlington ...	-	1	-	-	-	-
Durham	-	2	-	-	-	-
Easington ...	-	2	3	-	-	M. 1 N. 1
Houghton le Spring	-	-	-	-	1	-
Lanchester ...	-	1	-	1	-	-
South Shields	-	-	-	-	2	-
Stockton ...	-	1	-	-	-	-
Sunderland ...	-	1	-	-	3	-
Weardale ...	-	1	-	-	-	-
ELY, ISLE OF ...	-	2	1	-	1	-
Boroughs and Urban Districts:—						
Whittlesey ...	-	-	1	-	-	-
Wisbech	-	-	-	-	1	-

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum : N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF— *cont.*						
Rural Districts:—						
ELY	–	1	–	–	–	–
WISBECH	–	1	–	–	–	–
ESSEX	7	91	40	2	16	C. 1 D. 1 E. 1 M. 4 N. 10
EAST HAM C.B. ...	–	3	1	1	2	D. 1
SOUTHEND ON SEA C.B.	–	4	2	–	1	M. 1 N. 2
WEST HAM C.B.	6	26	7	–	6	C. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
BARKING TOWN ...	–	1	5		1	–
BENFLEET ...	–	1	–	–	–	–
COLCHESTER ...	–	7	–	1	2	M. 1
DAGENHAM ...	–	7	3	–	1	–
GRAYS THURROCK	–	2	3		–	–
HORNCHURCH ...	–	2	2	–	–	–
ILFORD	–	6	5	–	1	N. 2
LEYTON	1	12	6	–	1	–
LOUGHTON ...	–	1	–	–	–	–
PURFLEET ...	–	2	–	–	–	–
ROMFORD	–	4	1	–	–	N. 1
WALTHAMSTOW ...	–	8	4	–	–	E. 1
WIVENHOE ...	–	1	–	–	–	–
WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	–	–	–	N. 1
BRAINTREE ...	–	1	–	–	–	–
BUMPSTEAD ...	–	–	–	–	1	–
ROCHFORD ...	–	–		–	–	N. 1
ROMFORD	–	1	1	–	–	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	14	17	1	3	C. 1 G. 1 L. 25 N. 3
BRISTOL C.B. ...	–	6	10	1	3	G. 1 L. 25
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	1	2	–	–	–
MANGOTSFIELD ...	–	2	1	–	–	–
NAILSWORTH ...	–	1	–	–	–	–
TEWKESBURY ...	–	1	1	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	–	–	–	–	N. 1
GLOUCESTER ...	–	–	–	–	–	N. 1
STROUD	–	1	–	–	–	–
TETBURY	–	–	–	–	–	C. 1
TEWKESBURY (part)	–	1	1	–	–	–
THORNBURY ...	–	–	–	–	–	N. 1
WARMLEY ...	–	1	1	–		–
WEST DEAN ...	–	–	1	–	–	–
HEREFORD ...	–	7	2	1	1	M. 1
Boroughs and Urban Districts:—						
HEREFORD ...	–	–	1	1	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	–	1	–	–	–
KINGTON	–	5	–	–	–	–
LEOMINSTER AND WIGMORE	–	–	–	–	–	M. 1
ROSS AND WHITCHURCH	–	1	–	–	–	–
HERTFORD ...	–	12	2	4	2	G. 1 N. 1
Boroughs and Urban Districts:—						
BARNET	–	1	–	–	1	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Cheshunt ...	–	2	–	–	–	–
Great Berkhampstead	–	1	*	–	–	–
Harpenden ...	*	*	*	*	*	*
Hemel Hempstead	–	1	–	1	–	–
Hitchin	–	1	–	–	–	–
Hoddesdon ...	–	1	–	2	–	–
Letchworth ...	–	2	–	–	–	–
St. Albans ...	–	–	–	–	1	–
Stevenage ...	–	2	–	–	–	–
Watford... ...	–	–	1	–	–	G. 1 N. 1
Rural Districts:—						
Hertford ...	–	1	–	–	–	–
St. Albans ...	–	–	1	–	–	–
Ware	–	–	–	1	–	–
HUNTINGDON ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
Godmanchester	–	–	–	–	1	–
Old Fletton ...	–	1	–	–	–	–
Rural Districts:—						
St. Ives	–	2		–	–	–
KENT	1	57	22	1	3	C 1 M. 2 N. 2
Boroughs and Urban Districts:—						
Ashford	–	1	–	–	–	–
Beckenham ...	–	2	1	–	–	N. 1
Bexley	–	5	–	1	–	–
Bromley... ...	–	6	2	–	–	–
Chatham ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
Crayford ...	–	1	1	–	–	–
Dartford ...	–	1	–	–	–	–
Dover	–		–	–	–	M. 1
Erith	–	–	1	–	–	–
Folkestone ...	–	3	1	–	1	–
Gillingham ...	–	1	1	–	–	C. 1
Gravesend ...	–		–	–	1	–
Margate ...	–	3	2	–	–	–
Penge	–	3	1	–	–	–
Ramsgate ...	–	–	–	–	1	–
Rochester ...	–	1	–	–	–	–
Royal Tunbridge Wells	–	1	–	–	–	–
Sandwich ...	–	2	–	–	–	–
Sevenoaks ...	–	2	–	–	–	–
Sheerness ...		1	–	–	–	–
Walmer	–	1	–	–	–	–
Rural Districts:—						
Bridge	–	1	–	–	–	–
Bromley... ...		4	2	–	–	–
Dartford ...	–	1	1	–	–	–
East Ashford ...	–	–	5	–	–	–
Eastry	–	1	–	–	–	–
Elham	–	1	–	–	–	
Isle of Thanet	–	10	–	–	–	–
Maidstone ...	1	–	–	–	–	–
Malling	*	*	*	*	*	*
Milton	–	–	1	–	–	
Sevenoaks ...	–		–	–	–	M. 1
Strood	–	2	2	–	–	–
Tonbridge ...	–	–	1	–	–	N. 1
LANCASTER ...	–	249	130		155	C. 1 D. 1 G. 5 M. 19 N. 17
Barrow in Furness C.B.	–	–	1	–	7	–
Blackburn C.B.	–	3	–	–	1	G. 1
Blackpool C.B.	–	3	–	–	1	M. 1
Bolton C.B. ...	–	9	–	–	1	N. 1
Bootle C.B. ...	–	10	2	–	6	–
Burnley C.B. ...	–	8	1	–	4	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
BURY C.B. ...	–	–	–		1	–
LIVERPOOL C.B....	–	37	60	–	40	G. 1 M. 13 N. 7
MANCHESTER C.B.	–	62	10	–	26	G. 1 M. 2 N. 1
OLDHAM C.B. ...	–	3	2	–	4	N. 1
PRESTON C.B. ...	–	7	2	–	4	N. 2
ROCHDALE C.B....	–	1	6	–	2	–
ST. HELENS C.B.	–	4	2	–	4	–
SALFORD C.B. ...	–	12	10	–	8	–
SOUTHPORT C.B.	–	3	7	–	1	–
WARRINGTON C.B.	–	15	1	–	4	N. 1
WIGAN C.B. ...	–	3	1	–	5	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
ACCRINGTON ...	–	1	1	–	–	–
ASHTON IN MAKERFIELD	–	1	–	–	2	–
ASHTON-UNDER-LYNE	–	2	1	–	–	–
ATHERTON ...	–	–	–	–	1	–
AUDENSHAW ...	–	1	–	–	–	–
BRIERFIELD ...	–	–	1	–	–	–
CHADDERTON ...	–	–	–	–	1	–
CHORLEY	–	2	–	–	1	–
CHURCH	–	1	–	–	1	N. 1
COLNE		1	–	–	–	–
DARWEN	–	1	–	–	1	–
DENTON	–	1	–	–	3	–
DROYLSDEN ...	–	1	1	–	–	–
ECCLES	–	1	1	–	–	–
FAILSWORTH ...	–	1	1	–	–	–
FARNWORTH ...	–	–	2	–	–	N. 1
FLEETWOOD ...	–	1	–	–		C. 1
GOLBORNE ...	–	–	1	–	–	–
GREAT CROSBY ...	–	1	–	–	–	–
GREAT HARWOOD	*	*	*	*	*	*
HASLINGDEN ...	–	1	–	–	–	–
HORWICH... ...	–	2	–	–	–	–
HUYTON WITH RORY	*	*	*	*	*	*
INCE IN MAKERFIELD	–	–	–	–	3	–
IRLAM	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
KEARSLEY ...	–	–	–	–	1	–
LEIGH	–	–	1	–	1	G. 1
LITHERLAND ...	–	1	–	–	1	
LITTLE LEVER ...	–	–	–	–	1	–
LYTHAM ST. ANNE'S	–	1	–	–	–	–
MIDDLETON ...	–	3	2	–	–	–
MOSSLEY	–	1	–	–	–	–
NELSON	–	2	–	–	–	–
NEWTON IN MAKERFIELD	–	–	–	–	2	–
ORMSKIRK ...	–	–	2		–	G. 1
ORRELL	–	–	–	–	1	
PRESTWICH ...	–	2	–	–	1	–
RADCLIFFE ...	–	–	1			–
RAMSBOTTOM ...	–	–	1	–	–	–
RAWTENSTALL ...	–	2	–	–	–	–
ROYTON	–	2	–	–	–	–
STANDISH WITH LANGTREE	–	1	–	–	–	–
STRETFORD ...	–	5	2		–	N. 2
SWINTON AND PENDLEBURY		2	1	–	–	D. 1 M. 1
THORNTON CLEVELEYS	–	1	–	–	–	–
TURTON	–	–	–	–	–	M. 1
TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	–
UPHOLLAND ...	–	1	–	–	–	–
WALTON LE DALE	–	1	–	–	–	–
WATERLOO WITH SEAFORTH	–	12	2	–	–	–
WESTHOUGHTON	–	–	2	–	–	–
WHITWORTH ...	–	2	–	–	–	–
WIDNES	–	–	2	–	3	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	1	M. 1
BLACKBURN ...	–	1	–	–	–	–
BURNLEY ...	–	–	–	–	1	–
CHORLEY	–	5	–	–	1	–
CLITHEROE ...	–	–	–	–	1	–
LEIGH	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
LIMEHURST ...	-	-	-	-	1	-
PRESTON	-	-	-	-	2	-
WARRINGTON ...	-	1	-		-	-
WHISTON	-	-	-	-	1	-
LEICESTER ...	13	23	13	-	8	C. 1 M. 1
LEICESTER C.B....	11	7	3	-	5	-
Boroughs and Urban Districts:—						
ASHBY WOULDS...	-	-	-	-	1	-
COALVILLE ...		1	-	-	-	-
HINCKLEY ...	-	1	-	-	-	-
LOUGHBOROUGH	1	-		-	-	-
MARKET HARBOROUGH	-	-	10	-	-	-
SHEPSHED ...	-	-	-	-	-	C. 1
Rural Districts:—						
BARROW UPON SOAR	1	4	-	-	-	-
BLABY	-	2	-	-	-	M. 1
CASTLE DONINGTON	-	-	-	-	1	-
LOUGHBOROUGH	-	1	-	-	-	-
MARKET BOSWORTH		6	-	-	1	-
MELTON MOWBRAY	-	1	-	-	-	-
LINCOLN (parts of Holland).	-	3	1	-	2	-
Boroughs and Urban Districts:—						
HOLBEACH ...	-	1	-	-	-	-
Rural Districts:—						
BOSTON	-	-	1	-	2	-
EAST ELLOE ...	-	1	-	-	-	-
SPALDING ...	-	1	-	-	-	-
LINCOLN (parts of Kesteven).	-	2	1	-	2	-
Boroughs and Urban Districts:—						
GRANTHAM ...	-	1	-	-	1	-
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
NORTH KESTEVEN	-	-	1	-	-	-
WEST KESTEVEN	-	1	-	-	1	-
LINCOLN (parts of Lindsey).		11	5	3	3	G. 1 N. 1
GRIMSBY C.B. ...	-	7	5	3	1	-
LINCOLN C.B. ...	-	2	-	-	1	-
Boroughs and Urban Districts:—						
CLEETHORPES ...	-	1	-		-	-
SCUNTHORPE AND FRODINGHAM	-		-	-	-	G. 1
SKEGNESS... ...	-	1		-		
WOODHALL SPA...	-	-	-	-		N. 1
Rural Districts:—						
GRIMSBY	-	-	-	-	1	-
MIDDLESEX ...	-	113	38	1	22	C. 3 D. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
ACTON	-	1	2		-	N. 1
BRENTFORD AND CHISWICK	-	-	2	-	1	-
EALING	-	5	-	-	-	C. 1
EDMONTON ...	-	11	2	-	-	-
ENFIELD	-	11	4	-	2	-
FELTHAM... ...	-	-	1	-	-	-
FINCHLEY ...		10	1	-	1	-
HAMPTON WICK...	-	-	1	-	-	-

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
HAYES AND HARLINGTON	–	1	–	–	–	–
HENDON	–	4	2	1		N. 1
HESTON AND ISLEWORTH	–	4	2		2	–
HORNSEY	–	3	2	–		C. 1
KINGSBURY ...	–	1	–	–	–	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
SOUTHALL NORWOOD	–	1		–		N. 1
SOUTHGATE ...	–	7		–	1	N. 1
STAINES	–	–	1	–	–	C. 1
SUNBURY ON THAMES	–	–	3	–	–	–
TEDDINGTON ...	–	–	–	–	2	–
TOTTENHAM ...	–	19	4		3	D. 1
TWICKENHAM ...	–	3	1	–	–	–
UXBRIDGE ...	–	8	–	–	–	–
WEALDSTONE ...		3	–	–	1	–
WILLESDEN ...		10	10	–	6	M. 1
WOOD GREEN ...	–	2	–		2	–
YIEWSLEY AND WEST DRAYTON	–	4	–		–	–
Rural Districts—						
HENDON	–	3	–	–	1	–
SOUTH MIMMS ...	–	1	–	–	–	–
	–	15	8	–	–	E. 1
NORFOLK ...						G. 1
						M. 1
GREAT YARMOUTH C.B.	–	1	3		–	–
NORWICH C.B. ...	–	2	3	–		M. 1
Boroughs and Urban Districts:—						
KING'S LYNN ...	–	2	–	–	–	–
WALSOKEN ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	–
BLOFIELD ...	–	3	–	–	–	–
DEPWADE ...	–	2	–	–	–	–
DOCKING	–	1	1	–	–	E. 1
FREEBRIDGE LYNN	–	–	–	–	–	G. 1
MARSHLAND ...	–	1	–	–	–	–
WALSINGHAM ...	*	*	*	*	*	*
WAYLAND ...	–	–	1	–	–	
NORTHAMPTON	–	19	2	–	3	G. 1
						M. 1
NORTHAMPTON C.B.	–	1	1	–	2	G. 1
						M. 1
Boroughs and Urban Districts:—						
BURTON LATIMER		1	–	–	–	–
DESBOROUGH ...	–	1	–	–	–	–
KETTERING ...	–	4	–	–	–	–
RUSHDEN... ...	–	5	–	–	–	–
WELLING-BOROUGH	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	–	1	–		–
KETTERING ...	–	1	–	–	–	–
TOWCESTER ...	–	2	–	–	1	–
WELLING-BOROUGH	–	2	–	–	–	–
NORTHUMBERLAND.		49	9	1	21	D. 1
						L. 1
						M. 3
						N. 2
NEWCASTLE UPON TYNE C.B	–	33	2	1	10	D. 1
						L. 1
						M. 1
						N. 1
TYNEMOUTH C.B.	–	1	1	–	2	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ASHINGTON ...	–	1	1	–	2	–
BEDLINGTONSHIRE	–	–	1	–	2	–
BERWICK UPON TWEED	–	1	2	–	–	–
BLYTH		1	–	–		M. 1 N. 1
EARSDON	–	2	–	–	–	–
GOSFORTH ...	–	2	–	–	–	–
HEXHAM	–	1	1			–
NEWBIGGIN BY THE SEA	–	1	–	–	1	–
NEWBURN ...	–	1	–	–	–	
WALLSEND ...	–	1	1	–	3	M. 1
Rural Districts:—						
CASTLE WARD ...		1	–	–	1	–
HEXHAM	–	1	–	–		–
MORPETH ..	–	2	–	–	–	–
NOTTINGHAM ...	–	26	16	2	9	D. 3 M. 3 N. 2
NOTTINGHAM C.B.	–	12	11	–	4	M. 2 N. 1
Boroughs and Urban Districts:—						
BEESTON		1	–	–	–	–
CARLTON	–	1	–	–		M. 1
EAST RETFORD ...	–	–	1	–		
EASTWOOD ...	–	–	–	–	1	–
HUCKNALL ...	–	2	1	–	2	–
HUTHWAITE ...	–	–	–	–	–	D. 1
KIRKBY IN ASHFIELD	–	2	–	–	–	–
MANSFIELD ...	–	2	–	–	1	–
MANSFIELD WOODHOUSE	–	1	–	–	–	–
NEWARK	–	1	–	1	–	–
SUTTON IN ASHFIELD	–	–	–	–	–	D. 1
WARSOP	–	–	–	–	–	D. 1
WEST BRIDGFORD	–	1	–	–	–	–
WORKSOP... ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	1	3	–	–	–
EAST RETFORD ...	–	1	–	–	–	–
NEWARK		–	–	1	–	–
SKEGBY	–	1	–	–	–	–
WORKSOP... ...	–	–	–	–	1	–
OXFORD	–	2	2	–	–	M. 1 N. 3
OXFORD C.B. ..	–	1	1	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
BANBURY... ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	–	–	–	–	N. 1
THAME	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	3	–	–	–	–
Rural Districts:—						
BARNACK... ...	–	3	–	–	–	–
RUTLAND ...	–	–	1	–	–	–
Rural Districts:—						
OAKHAM	–	–	1	–	–	–
SALOP	–	3	7	–	–	M. 1
Boroughs and Urban Districts:—						
OAKENGATES ...	–	–	4			–
OSWESTRY ...	–	–	2	–	–	–
SHREWSBURY ...		2	–	–	–	–
WELLINGTON ...	–	–	–	–	–	M. 1

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
OSWESTRY ...	–	–	1	–	–	–
SOMERSET ...	–	13	6	–	3	G. 1 M. 1 N. 2
BATH C.B. ...	–	2	–	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
FROME	–	1	1	–	–	–
STREET	–	–	–	–	1	–
TAUNTON ...	–	–	–	–	–	N. 1
WESTON SUPER MARE	–	1	1	–		–
Rural Districts:—						
AXBRIDGE ...	–	3	–	–	–	–
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	–	–	–	–	N. 1
CHARD		–	1	–	–	–
DULVERTON ...	–	1	–	–		–
KEYNSHAM ...	–		1	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON... ...	–	1	1	–	–	–
WELLINGTON ...	–	2	–	–	–	–
WELLS	–	–	1	–	2	–
SOUTHAMPTON	–	22	19	1	4	C. 1 E. 1 M. 1 N. 3
BOURNEMOUTH C.B.	–	1	2	–	1	–
PORTSMOUTH C.B.	–	6	5	1	1	N. 1
SOUTHAMPTON C.B.	–	–	1	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
ALDERSHOT ...	–	1		–	–	–
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
ANDOVER... ...	–	1	2	–	–	–
EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
FAREHAM ...	–	–	1	–	–	–
ROMSEY	–	1	–	–	–	
WINCHESTER ...	–	2	–	–	–	C. 1
Rural Districts:—						
ALRESFORD ...	–	–	–	–	1	N. 1
BASINGSTOKE ...	–	–	3	–	–	
FAREHAM ...	–	2	–	–	–	N. 1
FORDINGBRIDGE	–	1	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
HURSLEY	–	2	–	–	–	–
NEW FOREST ...	–	–	1	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
RINGWOOD ...	–	–	3	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WINCHESTER ...	–	1	1	–	–	–
STAFFORD ...	–	53	27	1	27	C. 1 E. 2 L. 6 M. 7 N. 4
BURTON UPON TRENT C.B.	–	3	2		2	M. 1
SMETHWICK C.B.	–	5	3	–	3	E. 1
STOKE ON TRENT C.B.	–	5	4	1	9	M. 2 N. 1
WALSALL C.B. ...	–	7	2	–	1	N. 1
WEST BROMWICH C.B.	–	6	–	–	1	–
WOLVERHAMPTON C.B.	–	7	5		–	M. 1
Boroughs and Urban Districts:—						
AUDLEY	–	1	–	–	–	–
BILSTON	–	–	–	–	1	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Brierley Hill...	-	1	-	-	-	-
Brownhills ...						E. 1
Cannock	-	-	1	-		-
Coseley	-	1	-	-	-	-
Darlaston ...	-	1	-		2	-
Kidsgrove ...	-		-	-	-	M. 1
Newcastle under Lyme	-	-	1	-	-	-
Quarry Bank ...	-	1	-	-		
Rowley Regis ...	-	4	1	-	2	N. 1
Sedgley	-	1	1	-	2	
Stone	-	1	-	-		-
Tamworth ...		1	-	-	-	-
Tettenhall ...		-	2			-
Tipton	-	1	-	-	-	N. 1
Wednesbury ...	-	2	1	-		M. 1
Willenhall ...	-	1	-	-	-	-
Wolstanton United	-	-	-	-	1	M. 1
Rural Districts:—						
Cannock	-	-	1	-	-	-
Cheadle... ...			-	-		C. 1
Kingswinford ...	-	1	1	-		-
Seisdon	-	-	1	-	-	-
Stafford ...	-	-	1	-	1	-
Stone		1	-	-	-	-
Tamworth (part)	-	1	-	-	1	L. 5
Walsall... ...	-	1	-	-	1	L. 1
SUFFOLK, EAST	-	16	9	-	2	N. 1
Ipswich C.B. ...	-	11	7	-	-	N. 1
Boroughs and Urban Districts:—						
Halesworth ...	*	*	*	*	*	*
Southwold ...	-	1	-	-	-	-
Rural Districts:—						
Bosmere and Claydon	-	1	1	-	1	-
SUFFOLK, EAST *cont.*						
Rural Districts—*cont.*						
Hartismere ...	-	1	-	-	1	-
Plomesgate ...	-	1	1	-	-	-
Woodbridge ...	-	1	-	-	-	-
SUFFOLK, WEST	-	12	4	-	-	-
Boroughs and Urban Districts:—						
Bury St. Edmunds	-	6	-	-	-	-
Newmarket ...	-	-	1	-	-	-
Sudbury... ...	-	-	1	-	-	-
Rural Districts:—						
Clare	-	3	-	-	-	-
Cosford	-	2	-	-	-	-
Mildenhall ...	-	1	-	-	-	-
Thedwastre ...	-	-	1	-	-	-
Thingoe	-	-	1	-	-	-
SURREY	-	27	12	4	2	C. 2 L. 15 N. 1
Croydon C.B. ...	-	8	-	-	1	C. 1
Boroughs and Urban Districts:—						
Barnes	-	2	-		1	-
Carshalton ...	-	1	-	1	-	-
Caterham and Warlingham	-	-	-	-	-	L. 15
Egham	-	-	1	1	-	N. 1
Kingston on Thames	-	2	-		-	-
Merton and Morden	-	1	3	-	-	-
Mitcham	-	2	-	-	-	C. 1
Reigate	-	1	1	-	-	-
Richmond ...	-	4	1	-	-	-
Sutton and Cheam	-	2	1	-	-	-

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
WALTON UPON THAMES	–	1	–	–	–	–
WIMBLEDON	–	–	2	1	–	–
WOKING	–	1	–	–	–	–
Rural Districts:—						
FARNHAM ...	–	–	2	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	1	1	1	–	–
SUSSEX, EAST ...	–	13	6	–	3	G. 1 M. 2 N. 2
BRIGHTON C.B. ...	–	6	1	–		M. 2 N. 2
HASTINGS C.B. ...	–	–	1	–	–	G. 1
Boroughs and Urban Districts:—						
BATTLE	–	2	–	–	–	–
BEXHILL	–	–	1	–	–	–
BURGESS HILL ...	–	–	1	–	–	–
EAST GRINSTEAD	–	–	1	–	–	–
HOVE	–	2			–	–
NEWHAVEN ...	–	2	–	–	–	–
RYE	*	*	*	*	*	*
Rural Districts:—						
BATTLE	–	–		–	2	–
CHAILEY	–		1		–	–
HAILSHAM ...	–	–	–	–	1	–
UCKFIELD ...	–	1		–	–	–
SUSSEX, WEST ...	–	5	3	1	–	N. 3
Boroughs and Urban Districts:—						
BOGNOR REGIS ...	–	1	1	–	–	–
CHICHESTER ...	–	–	–	1	–	–
WORTHING ...	–	2	2	–	–	N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
PETWORTH ...	–	–	–	–	–	N. 1
STEYNING WEST...	–	2	–	–	–	–
WARWICK ...	–	66	43	1	28	D. 1 M. 13 N. 8
BIRMINGHAM C.B.	–	42	34	–	26	M. 13 N. 6
COVENTRY C.B. ...	–	6	3	–	–	–
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	2	–	–	–
NUNEATON ...	–	–	2	–	1	D. 1
ROYAL LEAMINGTON SPA	–	–	–	1	–	–
RUGBY	–	1	–	–	–	–
SUTTON COLDFIELD	–	–	–	–	–	N. 1
Rural Districts:—						
ALCESTER ...	–	1	–	–	1	–
ATHERSTONE ...	–	6	2	–	–	–
FOLESHILL ...	–	1	–		–	–
SHIPSTON ON STOUR	–	–	–	–	–	N. 1
SOLIHULL ...	–	4	–	–	–	–
SOUTHAM... ...	–	2	–	–	–	–
TAMWORTH (part)		3	–	–	–	
WESTMORLAND	–	3		–	–	–
Boroughs and Urban Districts:—						
KENDAL	–	3	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WIGHT, ISLE OF	–	2	–	–	–	–
Boroughs and Urban Districts:—						
Ryde	–	1	–	–	–	–
St. Helens ...	–	1	–	–	–	–
WILTS	–	6	6	1	–	M. 1 N. 3
Boroughs and Urban Districts:—						
Melksham ...	–	–	–	1	–	–
Salisbury ...	–	–	1	–	–	–
Swindon	–	2	1	–	–	N. 2
Trowbridge ...		1	–	–	–	–
Warminster ...		1	–	–	–	–
Wilton	–	–	–	–	–	N. 1
Rural Districts:—						
Bradford on Avon	–	2	1		–	–
Cricklade and Wootton Bassett	–	–	1	–	–	–
Melksham ...	–	–	1	–	–	–
Pewsey	–	–	–	–	–	M. 1
Tisbury	–	–	1	–	–	–
WORCESTER ...	–	19	7	–	3	C. 1 M. 1 N. 2
Dudley C.B. ...	–	2	1	–	1	–
Worcester C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Bromsgrove ...	–	–	–	–	–	M. 1
Evesham	–	1	–	–	–	–
Halesowen ...	–	1	2	–	–	–
Kidderminster	–	3	–	–	–	C. 1
Oldbury	–	2	–	–	1	–
Stourport ...	–	–	1	–	–	N. 2
Rural Districts:—						
Bromsgrove ...	–	1	–	–	–	–
Evesham	–	1	–	–	–	–
WORCESTER— *cont.*						
Rural Districts— *cont.*						
Martley	–	–	2		1	–
Pershore ...	–	6	–	–	–	–
Tewkesbury (part)	–	1	1	–	–	–
YORKS ... ... **(East Riding).**	–	20	23	–	5	N. 5
Kingston upon Hull C.B.	–	14	23	–	4	N. 3
Boroughs and Urban Districts:—						
Bridlington ...	–	2		–	–	–
Filey	–	–	–	–	1	–
Withernsea ...	–	–	–	–	–	N. 1
Rural Districts:—						
Beverley ...	–	1	–	–	–	–
Bridlington ...	–	1	–	–	–	–
Howden	–	1	–	–	–	–
Patrington ...	–	1	–	–	–	N. 1
YORKS ... ... **(North Riding).**	–	21	3	–	8	D. 1 N. 3
Middlesbrough C.B.	–	4	1	–	5	D. 1 N. 1
Boroughs and Urban Districts:—						
Eston	–	1	–	–	–	–
Guisborough ...	–	–	–	–	1	–
Kirklington cum Upsland	*	*	*	*	*	*
Loftus	–	1	–	–	–	–
Northallerton	–	–	–	–	–	N. 1
Redcar	–	2	–	–	1	–
Scarborough ...	–	1	2	–	1	–

* Returns not received.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Skelton and Brotton	–	1	–	–	–	–
Thornaby on Tees	–	1	–	–	–	–
Rural Districts:—						
Flaxton	–	4	–	–	–	–
Guisborough ...		5	–	–	–	N. 1
Pickering ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	7	141	71	2	61	C. 1 D. 8 L. 2 M. 6 N. 7
Barnsley C.B. ...	–	1	2	–	1	D. 1 M. 1
Bradford C.B. ...	–	23	7	–	7	M. 1
Dewsbury C.B....	–	6	1	–		N. 1
Doncaster C.B....	–	1	–	–	–	–
Halifax C.B. ...	–	2	1	–	1	N. 1
Huddersfield C.B.	–	2	2		2	–
Leeds C.B. ...	–	35	23	–	7	M. 1
Rotherham C.B.	–	2	2	–	3	N. 1
Sheffield C.B....	1	12	6	1	18	C. 1 D. 1 M. 1 N. 1
Wakefield C.B.	–	5	4	–	–	L. 2 N. 1
Boroughs and Urban Districts:—						
Adwick le Street	–	1	1	–	–	–
Ardsley, East and West	–	–	1	–	–	–
Barkisland ...	–	–	1	–	–	–
Barnoldswick ...	–	–	–	–	1	–
Batley	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Bentley with Arksey		1	–	–		–
Birstal	–	1	–	–	–	–
Bolton upon Dearne	–	–	1	–	–	–
Burley in Wharfedale	–	–	–	–	–	N. 1
Conisbrough ...		–	2	–	–	
Darton	5	–	–	–	–	–
Goole		–	1	–	1	M. 1
Harrogate ...	–	–	–	–	–	N. 1
Hemsworth ...	–	2	1	–	3	–
Hipperholme ...	–	–	–	–	1	–
Holmfirth ...	–	–	1	–	–	–
Hoyland Nether	–		–	–	2	M. 1
Keighley ...	–	10	1	–	–	–
Luddenden Foot	–	–	1	–	1	–
Maltby	–	–	–	–		D. 1
Normanton ...	–	1	–	–	1	–
Ossett	–	2	–	–	–	–
Pontefract ...	–	1	–	–	–	–
Rawdon	–	1	–	–	–	–
Rothwell ...	–	–	–	–	1	–
Saddleworth ...	–	1	–	–	–	–
Selby	–	1	–	–		–
Shipley	–	2	–	–	–	–
Silsden	–	–	–	1		–
Skipton	–	3	–	–	–	–
Southowram ...	–	–	–	–	1	–
Spenborough ...	–	4	–	–	–	–
Springhead ...	–	1	–	–	–	–
Stanley	–	–	3	–	1	–
Stocksbridge ...	–	–	–	–	1	–
Swinton	–	1	–	–	1	–
Thurnscoe ...	–	–	1	–	2	D. 3
Tickhill... ...	–	1	–	–	–	–
Todmorden ...	–	1	–	–	1	–
Wombwell ...	–	–	–	–	1	–
Worsborough ...	–	2	–	–	1	–
Yeadon	–	–	1	–	–	–
Rural Districts:—						
Barnsley ...	1	–	–	–	–	–
Doncaster ...	–	2	1	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
Great Ouseburn	*	*	*	*	*	*
Hemsworth ...	–	1			–	D. 1
Keighley ...	–	1	–	–	–	–
Kiveton Park ...	–		1	–	–	–
Knaresborough		1	–	–	–	–
Pontefract ...		–	1	–		–
Rotherham ...		2	2	–	–	D. 1
Tadcaster ...	–	1	–	–	–	–
Thorne	–	1		–	–	–
Wakefield ...		1	1	–		–
Wharfedale (North)	–	1	–	–	–	–
Wharfedale (South)	–	–	–	–	1	–
Wortley... ...	–	3		–	1	–
YORK, CITY OF ..	–	8	2	–	1	–
York C.B. ...	–	8	2	–	1	–
WALES.						
ANGLESEY ...	–	3	–	–		–
Rural Districts:—						
Twrcelyn ...	–	3	–	–	–	–
BRECKNOCK ...	–	–	3	–	2	–
Boroughs and Urban Districts:—						
Brynmawr ...	–	–	–		1	–
Llanwrtyd ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
Crickhowell ...	–	–	–		1	–
Vaynor and Penderyn	–	–	1	–	–	–
Ystradgynlais	–	–	1	–	–	–
CAERNARVON...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
Conway	–	1	1	–	–	–
Penmaenmawr ...	–	–	1	–	–	–
Rural Districts:—						
Gwyrfai... ...	–	–	1	–	–	–
CARDIGAN ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
Aberystwyth	–	–	1	–	–	–
Rural Districts:—						
Tregaron ...	–	–	–	–	1	–
CARMARTHEN...	–	7	2	–	–	–
Boroughs and Urban Districts:—						
Burry Port ...	–	–	1	–	–	–
Cwmamman ...	–	3	1	–	–	–
Kidwelly ...	*	*	*	*	*	*

* Returns not received.

‡, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN— *cont.*						
Rural Districts:—						
Carmarthen ...		3	–	–	–	–
Llandilo Fawr	–	1	–	–	–	–
DENBIGH ...	–	11	19	–	1	M. 1
Boroughs and Urban Districts:—						
Colwyn Bay ...	–	1	3		–	M. 1
Wrexham ...		–	5	–	–	–
Rural Districts:—						
Wrexham ...	–	10	11	–	1	–
FLINT	–	6	2	1	2	N. 1
Boroughs and Urban Districts:—						
Connah's Quay	–	2	1	–	–	–
Flint	–	–	–	–	1	–
Holywell ...	–	2	–	–	–	–
Prestatyn ...	–	–	–	1	–	–
Rural Districts:—						
Hawarden ...	–	1	1	–	1	–
Holywell ...	–	1	–	–	–	N. 1
GLAMORGAN ...	1	42	63	–	17	C. 3 D. 1 E. 1 M. 3 N. 1
Cardiff C.B. ...	–	10	13	–	3	C. 1
Merthyr Tydfil C.B.	–	1	–	–	2	–
Swansea C.B. ...		5	12	–	2	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Boroughs and Urban Districts:—						
Aberdare	–	–	1	–	1	–
Barry	–	3	1	–	1	–
Caerphilly ...	–	–	1	–	–	–
Gelligaer ...		1	1	–	–	–
Llwchwr ...	–	–	1	–	–	–
Maesteg	–	–	1	–	–	M. 2
Mountain Ash ...		3	–	–	5	–
Ogmore and Garw	–	3	–	–	–	–
Penarth	–	1	–	–	–	–
Pontypridd ...	1	1	4	–	–	–
Port Talbot ...	–	2	1	–	–	–
Rhondda ...	–	10	12	–	2	C. 2 D. 1 E. 1 N. 1
Rural Districts:—						
Cardiff	–	1	1	–	–	–
Cowbridge ...	–	–	1	–	1	–
Llantrisant and Llantwit-fardre	–	1	5	–	–	–
Neath	–	–	7	–	–	–
Penybont ...	–	–	1	–	–	–
Pontardawe ...	*	*	*	*	*	*
MERIONETH ...	–	3	2	–	–	–
Urban Districts:—						
Towyn	–	–	1	–	–	–
Rural Districts:—						
Deudraeth ...	–	2	1	–	–	–
Dolgelley ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH ...	1	58	26	-	3	-
NEWPORT C.B. ...	-	23	7		-	-
Boroughs and Urban Districts—						
ABERGAVENNY ...	1	3	3	-	-	-
ABERSYCHAN ...	-	4		-	-	-
ABERTILLERY ...		3	3	-	-	-
BEDWAS AND MACHEN	-	-	2		-	-
BEDWELLTY ...		1	-	-	-	-
CHEPSTOW ...	-	1	1	-	1	-
EBBW VALE ...	-	5	-	-	1	-
MYNYDDISLWYN	-	2	4	-	-	-
PANTEG	-	-	1	-	-	-
RHYMNEY ...	-	3	-	-	-	-
TREDEGAR ...	-	4	-	-	1	-
Rural Districts:—						
ABERGAVENNY ...	-	3	1	-	-	-
MAGOR	-	-	4	-	-	-
MONMOUTH ...	-	1	-	-	-	-
ST. MELLONS ...	-	5	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
PEMBROKE ...	..	1	1	-	-	M. 1 N. 1
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
MILFORD HAVEN	-	1	-	-	-	N. 1
PEMBROKE ...			-	-	-	M. 1
Rural Districts:—						
ST. DOGMELLS ...	-	..	1	-	-	-
Total of Part II....	30	1469	801	38	519	C. 21 D. 22 E. 6 F. 1 G. 14 L. 50 M. 85 N.104

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 *continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see*
CARDIFF	–	–		–	1	–	PLYMOUTH		–	1	–	1	
HARWICH	–	1	–	–	–	–	SOUTHAMPTON ...	–	–	1	–	–	
LIVERPOOL	–	–	1	1	–	–	PORT OF LONDON ...	·	1	2	–	2	
							Total of Part III. ..	–	2	5	1	4	

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague
encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
Total of Part I.—London	15	279	142	4	60	C. 6 D. 2 E. 1 F. 2 L. 1 M. 13 N. 12
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	30	1469	801	38	519	C. 21 D. 22 E. 6 F. 1 G. 14 L. 50 M. 85 N. 104
Total of Part III.—Port Sanitary Districts		2	5	1	4	-
Total (i.e., of returns received), England and Wales ...	45	1750	948	43	583	C. 27 D. 24 E. 7 F. 3 G. 14 L. 51 M. 98 N. 116

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain A and DEATHS of INFANTS under 1 Y AGE) and NOTIFIED CASES of certa FECTIOUS DISEASES in the last TH WEEKS and in the CURRENT YEAR with corresponding figures for previou

Week ended :—	June 27.	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19	Totals 1 Week 1930.
LONDON :—														
LIVE BIRTHS	1,485	1,375	1,463	1,409	1,415	1 453	1,221	1,387	1,401	1,421	1,200	1,290	1,270	53,755
STILLBIRTHS	37	46	43	47	42	57	58	47	52	49	32	45	53	1,977
DEATHS (excluding Still-births)—all ages.	780	794	763	735	768	780	718	736	757	726	729	713	819	35,281
DEATHS—0 to 1 year ..	59	47	54	58	62	56	63	54	50	62	48	39	51	2,951
GREAT TOWNS, aggregate (including London) :—														
LIVE BIRTHS	6,607	6,521	6,682	6,477	6,616	6,653	5,544	6,431	6,562	6,749	5,832	6,378	6,134	245,741
STILLBIRTHS	275	283	285	280	247	275	266	280	313	265	238	262	277	10,786
DEATHS (excluding Still-births)—all ages.	3,674	3,659	3,619	3,538	3,548	3,486	3,386	3,427	3,447	3,309	3,455	3,457	3,761	159,472
DEATHS—0 to 1 year ..	308	284	287	292	303	301	287	305	286	305	268	285	296	14,897
ENTERIC FEVER—Cases	15	26	19	23	16	21	28	29	26	17	20	32	16	766
„ Deaths	1	3	2	2	1	—	1	2	4	1	—	—	2	85
SMALL POX—Cases ..	38	53	33	34	32	22	20	17	10	13	30	11	34	7,637
„ Deaths ..	—	1	—	—	—	—	—	—	—	—	—	—	—	17
SCARLET FEVER—Cases	803	854	809	815	894	830	700	639	692	759	844	886	1,027	43,478
„ Deaths	3	3	6	9	2	4	1	1	3	1	4	3	3	317
DIPHTHERIA—Cases ..	572	566	585	573	538	524	423	469	423	488	531	569	580	31,491
„ Deaths ..	18	23	29	24	19	22	25	21	18	30	19	23	25	1,429
MEASLES—Deaths ..	27	16	18	9	18	18	12	9	13	6	13	8	10	2,415
INFLUENZA—Deaths ..	24	19	20	22	14	11	16	15	17	15	10	28	27	1,581

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corre having been made for changes in boundary. The live births are derived from the weekly returns furnished b Registrars and differ from those published for the towns in the Quarterly Return which are corrected for b occurring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 19th September, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.*				Rainfall in Millimetres.†	TOWNS	Temperature of Air.*				Rain in Mil metr
	Highest.	Lowest.	Mean Maximum.	Mean Minimum.			Highest.	Lowest.	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	71	41	65·1	47·4	5	HUDDERSFIELD	68	34	63·1	48·3	5
						BRADFORD ..	67	35	61·1	49·1	6
BRIGHTON ..	67	43	63·0	48·9	5	SHEFFIELD ..	69	41	64·0	51·0	8
PORTSMOUTH ..	69	52	62·5	51·6	8	YORK (MUSEUM)	72	38	64·3	50·3	8
NORWICH(SOUTHWELL LODGE)	70	38	65·0	46·9	2	HULL (PEARSON PARK).	72	41	64·8	50·7	9
PLYMOUTH ..	68	46	64·6	52·6	5	TYNEMOUTH ..	70	40	62·7	51·1	5
BRISTOL (HORFIELD)	70	40	63·7	52·3	8	CARDIFF	68	43	63·0	53·1	10
BIRMINGHAM (EDGBASTON).	65	38	60·2	50·0	4						
						EDINBURGH ..	65·0	38·0	61·0	49·7	4
NOTTINGHAM ..	69	41	64·3	49·7	4	GLASGOW ..	63·3	38·3	60·4	50·4	12
BIRKENHEAD (BIDSTON).	64	43	58·6	52·7	11	DUBLIN (PHŒNIX PARK)	66·3	38·2	63·9	48·9	5
MANCHESTER (WHITWORTH PARK).	68	35	61·3	50·0	9	(FITZWILLIAM SQUARE†).	65·0	45·0	63·2	54·0	3
BURNLEY	67	31	61·3	48·6	6	BELFAST	67·5	39·5	63·7	50·7	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 19th September, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.	Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 13	In Equator	30·143	60·0	41·0	19·0	50·3	- 7·5	41·8	8·5	18·8	1·9	73	114·3	29·9	55·9	NNE: N.	NNW: Calm.	1·2	0·0	0·2	190	- 60	0·00
MONDAY - 14	..	30·217	64·1	40·7	23·4	52·3	- 5·4	45·1	7·2	19·2	0·5	76	106·1	30·2	55·9	Calm	WSW: Calm.	0·5	0·0	0·0	139	- 110	0·00
TUESDAY - 15	..	30·245	71·5	51·0	20·5	59·4	+ 1·8	54·5	4·9	15·4	0·0	84	125·9	40·0	55·8	SSW: Calm.	SW: Calm.	0·1	0·0	0·0	125	- 122	0·00
WEDNESDAY 16	..	30·131	71·0	50·3	20·7	59·6	+ 2·1	54·5	5·1	14·8	0·3	83	120·1	39·4	55·7	Calm	SW: Calm.	0·1	0·0	0·0	119	- 127	0·00
THURSDAY - 17	..	29·967	62·5	50·2	12·3	55·3	- 1·9	54·4	0·9	6·6	0·0	97	86·1	39·6	55·6	SW	SW: Calm.	0·6	0·0	0·0	156	- 89	0·12
FRIDAY - 18	First Quarter.	30·075	59·2	53·6	5·6	56·4	- 0·5	56·2	0·2	2·9	0·0	99	64·0	43·7	55·6	Calm	Calm	0·0	0·0	0·0	71	- 173	0·02
SATURDAY - 19	..	30·177	68·2	46·7	21·5	57·9	+ 1·4	54·8	3·1	10·6	1·5	89	103·8	36·7	55·7	Calm	Calm: NNE.	1·7	0·0	0·1	152	- 90	0·05
MEANS -	..	30·136	65·2	47·6	17·6	55·9	- 1·4	51·6	4·3	12·6	0·6	86	102·9	37·1	55·7	Calm		..		..	Sum 952	Sum - 771	Sum 0·19
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	13	mP till 7h.; variably sP and mP till 11h.; then variably mP and wP.	8·3	12·9	Nearly cloudless till 9h.; partially cloudy till 11½h.; then variably cloudy. Solar halo about 16h. Dew in morning.
MONDAY ..	14	wP till 9h.; then mP.	8·7	12·8	Nearly overcast till 8h.; partially cloudy till 20½h.; then nearly overcast. Solar halo about 6½h. Haze 10h. till 21h. Dew in morning and at night.
TUESDAY ..	15	mP.	4·1	12·7	Nearly overcast till 9½h.; partially cloudy till 14h.; nearly overcast till 19½h.; then becoming cloudless by 20½h. Haze 9h. till 21½h. Dew in morning. Heavy dew at night.
WEDNESDAY	16	mP.	7·1	12·7	Nearly cloudless till 13½h.; partially cloudy till 19½h.; then cloudless generally. Heavy dew in morning and at night. Haze 9h. till 21h.
THURSDAY	17	mP till 8½h.; wN till 9h.; then mP.	0·0	12·6	Overcast. Rain 4½h. till 5½h.; and 8h. till 8½h. Damping 9h. till 12h.
FRIDAY ..	18	Variably mP and wP.	0·0	12·5	Overcast. Damping 3h. till 10½h.; and 15½h. till 16½h. Mist 3h. till 8h.; and 12½h. till 22h. Fog 8h. till 12½h.
SATURDAY	19	wP till 8h.; mP till 21h.; then wP.	3·7	12·5	Partially cloudy till 9½h.; then overcast generally. Fog 4h. till 9h. Haze 9h. till 16h. Rain from 22½h.
			Sum 31·9	Sum 88·7	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·98 ins. at the beginning of the week to 30·28 ins. by 9h. on 15th; decreased to 29·95 ins. by 15h. on 17th; increased generally and was 30·26 ins. by midnight on the 19th.

FOR OFFICIAL USE

1931. No. 38.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 26TH SEPTEMBER, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 26TH SEPTEMBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirty-eighth week of the year numbered 6,246 corresponding to an annual rate of 16·4 per 1,000 living: stillbirths numbered 252 corresponding to a rate of 39 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,655 (106 less than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.
107 Great Towns	9·1	9·1	9·9	9·6
London	8·7	8·5	9·8	9·6
Birmingham	8·2	8·5	8·7	9·2
Liverpool	11·0	10·0	9·9	12 1
Manchester	8·4	11·3	10·5	9 0
Sheffield	8·8	8·0	11·1	8·6
Leeds	11·5	10·4	9·3	10·5
Bristol	8·6	9·1	8·1	11 2
West Ham	7·0	9·7	9·8	9·1

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 48, against 41, 43 and 45 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,322 live births registered corresponding to an annual rate of 15·7 per 1,000 living: stillbirths numbered 34 corresponding to a rate of 25 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 809 (10 less than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 49, against 34, 28, and 37 in the preceding three weeks.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There was no death from small-pox in the returns received from areas outside Greater London, the County Boroughs and Great Towns, for the month of August last.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in the week ended 26th September, 1931.

	Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12
	107 Great Towns ..	19,836,440*	6,246	252	3,655	317	2	5	5	20	19	51	2
	London	4,377,000*	1,322	34	809	68	–	1	–	7	4	13	
Towns in Outer Ring.	Croydon C.B. ..	233,000	65	1	24	2	–	–	–	–	–	–	
	Wimbledon ..	58,830	9	1	11	1	–	–	–	–	–	–	
	Ealing	117,400	23	1	23	2	–	–	–	–	–	–	
	Acton	70,400	11	–	22	2	–	–	–	–	–	–	
	Brentford and Chiswick ..	62,620	13	–	9	–	–	–	–	–	–	–	
	Willesden ..	185,300	31	2	43	2	–	1	–	–	–	–	
	Hendon	114,600*	27	2	13	2	–	–	–	–	–	–	
	Hornsey	95,440	16	–	19	–	–	–	–	–	–	–	
	Wood Green ..	54,460	14	1	5	–	–	–	–	–	–	–	
	Tottenham ..	159,100	33	1	27	3	–	–	–	–	–	–	
	Edmonton	77,530	61	1	13	1	–	–	1	–	–	–	
	Enfield	68,090	19	–	17	1	–	–	–	–	–	–	
	West Ham C.B. ..	296,900	129	3	52	6	–	–	–	1	–	1	
	East Ham C.B. ..	142,900	21	4	18	1	–	–	–	–	–	1	
	Leyton	128,600	31	–	28	3	–	–	–	–	–	–	
	Walthamstow ..	134,300	31	–	18	2	–	–	–	–	–	–	
	Ilford	131,300	31	1	18	5	–	–	–	–	–	–	
	Gillingham	60,600*	28	–	8	–	–	–	–	–	–	–	
	Canterbury C.B. ..	24,440*	9	–	2	–	–	–	–	–	–	–	
	Hastings C.B. ..	61,870	22	1	19	–	–	–	–	–	–	–	
	Eastbourne C.B. ..	55,670	10	–	14		–	–	–	–	–	–	
	Brighton C.B. ..	144,900*	40	–	27	1	–	–	–	–	1	1	
	Portsmouth C.B. ..	248,300*	96	5	48	3	–	–	–	–	–	1	
	Bournemouth C.B. ..	108,600	28	1	28	1	–	–	–	–	–	–	
	Southampton C.B. ..	175,300	63	3	22	1	–	–	–	–	–	–	
	Reading C.B.	97,450*	26	2	12	–	–	–	–	–	–	–	
	Oxford C.B.	80,530*	40	–	17	2	–	–	–	–	–	–	
	Northampton C.B. ..	92,940*	23	1	15	1	–	–	–	–	–	–	
	Luton	69,030	13	–	13	2	–	–	–	–	–	1	
	Cambridge	66,850	21	–	8	–	–	–	–	–	–	–	
	Southend-on-Sea C.B.	117,900	21	1	21	–	–	–	–	–	–	–	
	Ipswich C.B.	87,630	27	1	14	–	–	–	–	–	–	–	
	Great Yarmouth C.B.	56,630	15	–	14	–	–	–	–	–	1	–	
	Norwich C.B.	126,800*	46	1	31	1	–	–	–	–	–	–	
	Swindon	62,600	22	1	6	–	–	–	–	–	–	–	
	Exeter C.B.	65,290*	22	1	10	–	–	–	–	–	–	–	
	Plymouth C.B. ..	207,600*	49	4	33	1	–	–	–	–	–	–	
	Bath C.B.	68,120	16	–	9	–	–	–	–	–	–	–	
	Bristol C.B.	399,500*	131	6	86	3	–	–	–	–	–	1	
	Gloucester C.B. ..	52,890	18	–	6	–	–	–	–	–	–	–	
	Stoke-on-Trent C.B.	279,800	103	1	63	3	–	1	–	–	–	–	
	Burton-upon-Trent C.B.	49,920	16	–	15	1	1	–	–	–	–	–	
	Wolverhampton C.B.	134,200	51	–	23	5	–	–	–	–	2	–	
	Walsall C.B.	104,200	39	2	16	2	–	–	–	–	–	–	
	West Bromwich C.B.	82,090	39	1	9	3	–	–	–	–	–	–	
	Dudley C.B.	60,010	16	–	13	2	–	–	–	–	–	1	
	Worcester C.B. ..	50,540	22	–	17	1	–	–	–	–	–	–	
	Birmingham C.B. ..	1,011,300	345	23	179	14	–	–	1	1	1	5	
	Smethwick C.B. ..	85,370	20	2	14	2	–	–	–	–	–	–	
	Coventry C.B ..	168,500	42	3	21	–	–	–	–	–	–	–	
	Leicester C.B. ..	241,200	78	1	43	3	–	–	–	–	–	–	
	Lincoln C.B.	66,110*	27	1	11	–	–	–	–	–	–	–	
	Grimsby C.B.	92,180	27	–	12	–	–	–	–	–	1	–	
	Nottingham C.B. ..	270,900	73	3	54	7	–	–	–	–	–	2	
	Derby C.B.	143,400*	53	–	21	1	–	–	–	–	–	–	
	Chesterfield	64,450	16	2	10	–	–	–	–	–	–	–	
	Stockport C.B ..	126,600	29	3	15	1	–	–	–	–	–	–	
	Chester C.B.	41,370	13	–	4	–	–	–	–	–	–	1	
	Birkenhead C.B. ..	148,600	61	2	22	1	–	–	–	–	–	–	
	Wallasey C.B. ..	97,240	20	1	14	1	–	–	–	–	–	–	
	Liverpool C.B. ..	862,100	350	13	200	39	–	–	–	4	4	14	
	Bootle C.B.	77,170	42	1	22	2	–	–	–	1	–	–	
	St. Helens C.B.	108,200	37	2	16	3	–	–	–	–	–	–	

* Non-civilian deaths are excluded from this table and the comparable civilian populations where differ from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingh 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Ox C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193, Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
THPORT C.B	77,180	20	1	15	1	-	-	-	-	-	-	-
GAN C.B.	86,250	32	-	18	1	-	-	-	-	-	-	-
RRINGTON C.B.	80,280*	34	3	17	2	-	-	-	-	-	-	-
LTON C.B	179,300	41	5	34	5	-	-	-	-	-	-	-
RY C.B.	56,580*	19	1	4	1	-	-	-	-	-	-	-
NCHESTER C.B.	773,300	258	20	134	6	-	-	-	2	-	1	-
FORD C.B.	226,100	61	2	34	2	-	-	-	-	-	1	-
ITON-UNDER-LYNE	51,850	23	1	5	1	-	-	-	-	-	-	-
DHAM C.B	142,000	46	3	23	3	-	-	-	-	-	-	2
CHDALE C.B.	91,190	18	-	18	-	-	-	-	-	1	-	-
RNLEY C.B	99,300	26	-	24	1	-	-	-	-	-	-	-
CKBURN C.B.	124,000	33	3	31	4	-	-	-	-	-	-	1
STON C.B.	120,100	29	5	19	1	-	-	-	-	-	-	-
CKPOOL C.B.	97,880	14	2	24	1	-	-	-	-	1	-	2
RROW-IN-FURNESS												
B.	66,700	22	1	16	1	-	1	-	-	-	-	-
DDERSFIELD C.B	114,300	28	1	27	1	-	-	-	-	-	-	-
LIFAX C.B.	98,770*	22	1	19	1	-	-	-	-	-	-	-
DFORD C.B.	300,800	79	2	62	2	-	1	-	-	-	-	-
DS C.B	486,100	147	5	98	8	-	-	1	-	-	-	-
WSBURY C.B.	54,430	16	1	8	1	-	-	-	-	-	-	-
KEFIELD C.B.	59,280	17	1	9	-	-	-	1	-	-	-	-
RNSLEY C.B.	72,090	29	2	8	1	-	-	-	-	-	-	-
FFIELD C.B.	517,300	152	10	85	7	-	-	-	1	-	-	1
THERHAM C.B.	70,100	26	1	16	6	-	-	-		-	1	-
NCASTER C.B.	63,260	34	-	11	1	-	-	-	-	-	-	-
RK C.B.	85,910*	21	1	15	-	-	-	-	-	-	-	-
NGSTON-UPON-HULL												
B.	314,800	122	1	73	6	-	-	-	1	3	1	1
DDLESBROUGH C.B.	138,800	54	2	25	3	-	-	-	-	-	-	1
RLINGTON C.B.	72,620	22	1	9	1	-	-	-	-	-	-	-
CKTON-ON-TEES	68,350	36	-	10	-	-	-	-	-	-	-	-
ST HARTLEPOOL C.B.	68,740	21	1	5	1	-	-	-	-	-	-	-
NDERLAND C.B.	187,500	67	3	52	8	-	-	-	-	-	3	-
TH SHIELDS C.B.	114,400	34	-	29	7	-	-	-	-	-	1	1
TESHEAD C.B.	123,700	41	1	18	3	-	-	-	-	-	1	1
WCASTLE-ON-TYNE												
B.	284,300*	111	7	56	7	1	-	1	2	-	-	-
NEMOUTH C.B.	64,750	21	1	8	-	-	-	-	-	-	-	-
RLISLE C.B.	57,430*	19	3	11	-	-	-	-	-	-	-	-
WPORT (MON.) C.B.	89,500*	31	1	20	5	-	-	-	-	-	-	-
RDIFF C.B.	223,700*	73	9	44	1	-	-	-	-	-	-	-
ONDDA	142,700	58	2	23	4	-	-	-	-	-	-	-
RTHYR TYDFIL C.B.	71,670	20	1	15	4	-	-	-	-	-	-	-
ERDARE	49,010	9	3	7	1	-	-	-	-	-	-	-
ANSEA C.B.	165,400	64	3	27	-	-	-	-	-	-	-	1
EATER LONDON	8,179,740*	2,384	68	1,409	119	-	2	2	11	6	16	10
TER RING	3,802,740*	1,042	32	660	51	-	1	2	4	2	3	4
GREAT TOWNS IN UTER RING	2,130,770*	565	18	360	33	-	1	1	1	-	2	-
MAINDER OF OUTER ING	1,671,970*	477	14	240	18	-	-	1	3	2	1	4
INBURGH†	438,998	136	?	85	7	-	-	-	-	-	1	-
ASGOW†	1,088,417	474	?	229	37	-	10	1	2	1	10	1
BLIN†	412,400	167	?	87	11	-	-	-	-	4	4	-
FAST†	415,151	181	?	93	10	-	-	1	-	-	2	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where fferent from those of Col. (1) are as follows:—Warrington C.B. 80,020; Bury C.B., 56,370; Halifax C.B., 560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,796,610; 17 Great Towns, 2,130,460; emainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of aths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	*Diphtheria.	Diarrhœal
London‡	4,377,000	1931. Sept. 26	1322	34	809	9·6	-	-	1	-	7	4	1
Calcutta and Suburbs	1,077,264	Aug. 15	?	?	596‖	28·8	?	-	?	-	?	?	
Bombay§	1,298,708	„ 29	478	50	616‖	24·7	4	-	-	-	-	-	3
Madras	647,533	„ 15	536	33	423	34·0	2	-	-	-	4	-	2
Sydney and Suburbs	1,256,210	Aug. 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	June 30 (30 days)											
Perth (Metropolitan Area).	204,780	July 18	81	?	43	10·9	-	-	-	-	-	-	
Auckland (Urban Area).	215,730	July 31 (31 days)	274	8	176	9·8	-	-	-	-	-	3	
Wellington (Urban Area).	142,540	July 31 (31 days)	236	8	84	7·1	-	-	-	-	-	-	
Christchurch (Urban Area).	127,070	July 31 (31 days)	181	3	120	11·3	-	-	-	-	-	-	
Cape Town	136,748	Aug. 22	76	-	41	15·6	-	-	-	-	-	-	
Johannesburg	187,326	„ 15	71	3	52	14·4	-	-	-	-	-	-	
Durban	61,667	„ 15	27	-	11	9·3	-	-	-	-	-	1	
Paris	2,871,429	Aug. 31 (11 days)	1167	68	842	10·7	3	-	-	-	4	5	
Antwerp	295,266	Aug. 31 (16 days)	204	11	94	7·7	-	-	-	-	1	1	
Amsterdam	755,277	Sept. 5	249	8	113	7·8	-	-	-	-	-	-	
Copenhagen	615,700	„ 12	168	4	110	9·3	-	-	-	-	1	-	
Stockholm	502,203	„ 5	106	2	96	9·9	-	-	-	-	-	-	
Gothenberg	245,600	Aug. 8	?	?	32	6·8	-	-	-	-	-	-	
Oslo	256,353	Sept. 12	29	2	37	7·5	-	-	-	-	-	-	
Berlin	4,302,000	Aug. 29	627	22	677	8·2	-	?	-	-	1	5	
Breslau	616,000	„ 29	131	4	116	9·8	-	?	-	-	-	2	
Cologne	739,000	„ 29	175	7	129	9·1	-	?	1	-	-	1	
Dresden	631,000	„ 29	130	5	119	9·8	-	?	-	1	-	-	
Frankfort-on-Main	539,000	„ 29	111	3	85	8·2	-	?	-	-	-	-	
Hamburg	1,142,000	„ 29	221	4	192	8·8	-	?	-	-	-	2	
Leipzig	718,000	„ 29	152	4	115	8·3	-	?	-	-	1	-	
Munich	730,000	„ 29	139	4	132	9·4	-	?	-	-	-	2	
Budapest	1,009,069	Sept. 5	306	9	235	12·1	3	-	-	-	6	-	
Warsaw	1,115,651	Aug. 29	?	5	241	11·3	2	-	-	1	2	1	
Madrid	834,103	„ 22	482	35	236	14·8	2	-	-	-	-	1	
Cairo	1,160,700	June 3	893	24	1057	47·5	6	-	31	-	?	4	4
Alexandria	629,900	„ 3	427	3	425	35·2	-	-	14	-	?	2	1
New York	7,090,089	Aug. 29	2172	116	1177	8·7	2	-	-	2	6	-	
Chicago	3,457,375	Sept. 4	1018	62	556	8·4	-	-	-	1	3	2	
New Orleans	466,000	Aug. 31 (31 days)											
Rio de Janeiro ..	1,729,799	July 11	730	75	463	14·0	3	-	12	-	5	4	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 yea for Amsterdam, Copenhagen Stockholm Gothenberg, and the German Cities

‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.

§ The registration of Births in Bombay is incomplete.

‖ Including 7 deaths from Cholera in Calcutta and 9 in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 26th September, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.										
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	36,061	39,064	809	68	11	8	13	28	28	47	95	154	188	169
Enteric fever	20	19	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	10	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1004	46	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	92	43	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	109	240	7	1	4	2	-	-	-	-	-	-	-	-
Diphtheria	339	182	4	-	1	2	1	-	-	-	-	-	-	-
Influenza	254	926	6	-	1	-	-	-	-	-	-	-	2	3
Erysipelas	117	129	5	2	-	-	-	1	-	-	-	1	1	-
Acute Poliomyelitis, Polioencephalitis	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	45	35	2	-	-	-	-	-	-	1	1	-	-	-
Meningococcal meningitis	71	101	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2617	2765	45	-	-	-	-	10	8	8	12	3	4	-
Nervous system	177	166	2	1	-	-	1	-	-	-	-	-	-	-
Intestines and peritoneum	40	40	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	158	188	3	-	-	1	-	-	-	1	-	1	-	-
Venereal diseases	135	139	1	-	-	-	-	-	-	-	1	-	-	-
Cancer	4871	5065	137	1	-	-	3	1	2	5	22	42	42	19
Rheumatic fever	135	104	1	-	-	-	-	1	-	-	-	-	-	-
Diabetes	375	388	14	-	-	-	-	-	1	2	-	4	5	2
Alcoholism	14	12	1	-	-	-		-	-	-	-	-	1	-
Simple meningitis	57	71	1	-	-	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1483	1465	31	-	-	-	-	-	1	2	2	11	8	7
Epilepsy	147	124	3	1	-	-	-	2	-	-	-	-	-	-
"Convulsions" (not puerperal) ..	46	44	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	887	836	22	1	-	-	1	1	-	3	6	4	5	1
Pericarditis	15	15	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	149	140	3	-	-	-	-	-	1	1	-	1	-	-
Other diseases of heart	7475	8980	201	-	-	-	-	5	2	9	18	37	55	75
Other diseases of circulatory system	1540	1652	36	-	-	-	-	-	1	1	-	7	17	10
Bronchitis	1313	1980	19	1	-	-	-	-	-	-	2	6	3	7
Broncho-pneumonia	1314	1931	29	5	2	1	2	2	-	2	2	3	5	5
Lobar pneumonia	781	904	13	1	-	-	-	-	1	3	2	2	2	2
Pneumonia (type not distinguished)	289	303	3	-	-	-	-	-	-	-	2	-	1	-
Other diseases of respiratory system	363	426	2	1	-	-	-	-	-	-	-	1		-
Diarrhœa and enteritis	553	480	15	11	2	-	-	-	1	-	1	-	-	-
Appendicitis, Typhlitis	237	214	8	-	-	-	-	-	1	-	3	2	2	-
Hernia, Intestinal obstruction ..	377	392	15	-	-	-	1	2	1	-	3	2	4	2
Cirrhosis of liver	168	171	1	-	-	-	-	-	-	-	1	-	-	-
Other diseases of digestive system ..	942	854	22	2	1	-	2	-	1	1	4	3	7	1
Acute nephritis	70	63	2	-	-	-	-	-	1	-	1	-	-	-
Chronic Bright's disease	1253	1263	24	-	-	-	-	-	-	-	6	7	6	5
Other diseases of genito-urinary system	594	653	12	-	-	-	-	-	1	-	-	1	8	2
Puerperal sepsis	80	86	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	68	93	2	-	-	-	-	-	1	-	1	-	-	
Congenital malformations	245	234	3	3	-	-	-	-	-	-	-	-	-	
Premature birth	703	715	21	21	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	134	111	1	1	-			-			-	-	-	-
Old age	839	927	20			-	-				-	-	2	18
Suicide	430	410	12	-	-	-	-	-	1	3	-	7	1	-
Burns and Scalds	70	103	3	-	-	-	-	1	-	1	-	-	-	1
Drowning	96	76	2	-	-	-	-	-	1	1	-	-	-	-
Suffocation in bed	24	20	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	563	524	9	-	-	-	2	1	1	1	-	1	2	1
Other deaths by violence	598	575	10	2	-	-	-	-	-	1	-	1	1	5
Other specified causes	1521	1631	33	10	-	1	-	1	1	1	5	7	4	3
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 26th September, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	5	286	153	7	96	C. 2 D. 1 E. 3 G. 3 M. 14 N. 18
CITY OF LONDON	-	-	1	-	1	-
Metropolitan Boroughs:—						
BATTERSEA ...	-	7	6	-	3	G. 1
BERMONDSEY ...	-	6	7	-	1	-
BETHNAL GREEN	3	14	9	-	4	M. 1 N. 1
CAMBERWELL ...	-	14	7	-	2	M. 2
CHELSEA	-	1	-	-	2	-
DEPTFORD ...	-	5	5	-	1	-
FINSBURY ...	-	7	3	-	2	N. 1
FULHAM	-	10	6	-	4	C. 1
GREENWICH ...	-	4	1	1	4	E. 1
HACKNEY... ...	1	6	5	-	3	G. 1 N. 2
HAMMERSMITH ...	-	3	4	1	2	N. 1
HAMPSTEAD ...	-	3	1	-	3	-
HOLBORN... ...	-	1	1	-	1	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	-	32	13	1	6	E. 1 G. 1 M. 3 N. 2
KENSINGTON ...	-	11	10	-	3	N. 1
LAMBETH ...	1	15	7	-	5	C. 1 D. 1
LEWISHAM ...	-	4	11	-	2	-
PADDINGTON ...	-	9	3	-	11	-
POPLAR	-	20	7	1	7	N. 1
ST. MARYLEBONE	-	9	2	1	-	N. 2
ST. PANCRAS ...	-	12	5	-	3	M. 2 N. 2
SHOREDITCH ...	-	7	2	-	-	M. 3 N. 1
SOUTHWARK ...	-	20	10	-	10	M. 1 N. 1
STEPNEY	-	42	8	-	9	M. 1 N. 1
STOKE NEWINGTON	-	2	4	1	1	-
WANDSWORTH ...	-	16	10	-	3	N. 2
WESTMINSTER, CITY OF	-	2	2	1	1	M. 1
WOOLWICH ...	-	4	3	-	2	E. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	6	–	5	–
Boroughs and Urban Districts:—						
BEDFORD	–	1	–	–	1	–
BIGGLESWADE ...	–	1	–	–	2	–
DUNSTABLE ...	–	–	1	–	1	–
LUTON	–	1	3	–	–	–
Rural Districts:—						
BEDFORD	–	1	–	–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
LUTON	–	2	2	–	–	–
BERKS	–	17	6	–	2	C. 1
READING C.B. ...	–	8	1	–	–	C. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
NEW WINDSOR ...	–	–	2	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–		–
BRADFIELD ...	–	4	–	–	–	–
EASTHAMPSTEAD		–	1	–	1	–
HUNGERFORD ...	–	1	–		–	–
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	–	–	–	1	–
WINDSOR	–	1	–	–	–	–
WOKINGHAM ...	–	–	2	–	–	–
BUCKINGHAM...	–	16	4	1	1	N. 2
Boroughs and Urban Districts:—						
AYLESBURY ...	–	–	2	–		–
BUCKINGHAM ...	–	1	–	–	–	–
SLOUGH	–	–	1	–	1	N. 1
WOLVERTON ...		2	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	2	–	1		–
AYLESBURY ...	–	2	1	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts—*cont.*						
ETON	–	7	–	–	–	–
WING	–			–	–	N. 1
WINSLOW... ...		1	–	–	–	–
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE ...	–	7	7	1	–	G. 1
Borough:—						
CAMBRIDGE ...	–	2	3	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	2	–		–	–
CHESTERTON ...	–	2	–	1	–	G. 1
NEWMARKET ...	–	1	4	–	–	–
CHESTER ...	–	37	21	–	21	L. 3 M. 1 N. 2
BIRKENHEAD C.B.	–	2	2	–	7	M. 1 N. 1
CHESTER C.B. ...	–	1	3		–	N. 1
STOCKPORT C.B. ...	–	4	5	–	4	–
WALLASEY C.B. ...	–	5	1	–	1	–
Boroughs and Urban Districts:—						
CHEADLE AND GATLEY	–	1	–	–	–	–
CREWE	–	2	–	–	1	–
DUKINFIELD ...	–	2	–	–	–	–
ELLESMERE PORT AND WHITBY		2	–		1	–
HYDE	–	1	–	–	–	–
LYMM	–	1	–	–	–	–
MACCLESFIELD ...	–	–	–		–	L. 3
NANTWICH ...	–	–	3	–		–
SALE		2	3	–	–	–
STALYBRIDGE ...		2	–	–		–
TARPORLEY ...	–	1	–	–	–	–
WINSFORD ...	–	–	–	–	3	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW	–	3		–	–	–
MACCLESFIELD ...	–	1		–		–
NANTWICH ...	–	2	2	–	1	–
NORTHWICH ...	–	1	–	–	1	–
RUNCORN	–	2	–	–	1	–
TARVIN	–	2	1	–		–
WIRRAL	–	–	1	–	1	–
CORNWALL ...	–	6	–		2	–
Boroughs and Urban Districts:—						
FALMOUTH ...	*	*	*	*	*	*
REDRUTH ...	–	1	–	–	–	–
ST. JUST	–	1	–	–	–	–
TORPOINT ...	–	1		–	–	–
TRURO	–	1	–	–	–	–
Rural Districts:—						
REDRUTH ...	–			–	1	–
TRURO	–	3	–	–	–	–
CUMBERLAND...	–	3	3	–	4	N. 3
CARLISLE C.B. ...	–		–	–	3	–
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
MARYPORT ...	–	1	–	–	–	–
MILLOM	–	1	–	–		–
WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
LONGTOWN ...	–	–	1	–	–	N. 1
PENRITH	–	1	1	–	–	N. 1
WHITEHAVEN ...	–		–	–	–	N. 1
DERBY	3	22	13	1	12	C. 1 D. 1 M. 5 N. 3
DERBY C.B. ...	–	8	6	–	4	M. 2 N. 1
Boroughs and Urban Districts:—						
ALFRETON ...	3	–	–	–	–	–
ASHBOURNE ...	–	–	–	–	2	–
BOLSOVER ...	–	–	–	1	–	N. 1
CHESTERFIELD ...	–	2	–	–	1	M. 1
CLAY CROSS ...	–	–	1		–	–
LONG EATON ...	–	4	–	–	–	–
Rural Districts:—						
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	–	–	–	–	D. 1
CHAPEL EN LE FRITH	–	–	–	–	1	–
CHESTERFIELD ...	–	3	3		–	C. 1
CLOWNE	–	2	–	–	–	–
HARTSHORN AND SEALS	–	–	–	–	2	–
HAYFIELD ...	–	1			–	–
NORTON	–	–	1	–		–
REPTON	–	–	1	–	1	–
SHARDLOW ...	–	1	1	–	1	M. 2 N. 1
DEVON	–	18	26	1	7	C. 1 N. 5
EXETER C.B ...	–	–	1	–	1	N. 1
PLYMOUTH C.B.	–	13	5	–	3	C. 1 N. 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	1	4		–	–
BRIXHAM	–	1	–	–	–	–
CREDITON ...	–	–	1	–	–	
DARTMOUTH ...	–	–	–	–	1	–
HONITON	–	–	1		–	–
PAIGNTON ...		–	–	–	–	N. 1
TEIGNMOUTH ...	–	–	–	–	1	N. 1
TORQUAY	–	–	6		–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	4	–		–
HONITON... ...	–	1	–	1		–
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	3	–		–
ST. THOMAS ...	–	–	–	–	1	–
SOUTH MOLTON...		–	1	–	–	N 1
DORSET	–	5	1	–	3	G. 1
Boroughs and Urban Districts:—						
POOLE		3	1	–	2	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	1	–
SHERBORNE ...	–	–	–	–	–	G. 1
WEYMOUTH ...		2		–	–	–
DURHAM ...	–	78	10	1	39	C. 1 D. 3 L. 1 M. 7 N 4
DARLINGTON C.B.	–	7	–	–		–
GATESHEAD C.B.	–	20	–	–	5	–
SOUTH SHIELDS C.B.	–	2	–	–	3	–
SUNDERLAND C.B.	–	8	–	1	9	D. 2 L. 1 M. 1 N. 1
WEST HARTLEPOOL C.B.	–	6	2	–	3	N. 1
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	1	1	–	–	–
BENFIELDSIDE ...		–	2	–		–
BILLINGHAM ...	–	–	–	–	4	–
BISHOP AUCKLAND	–		1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
BLAYDON... ...	–	1	–		–	–
BRANDON AND BYSHOTTLES	–	2		–	–	–
CHESTER LE STREET	–	1	–	–		–
CROOK	–	–	1	–	–	M. 1
DURHAM	–	1	–	–	–	–
FELLING	–	3	–	–	–	–
HARTLEPOOL ...	–	1	–	–	–	M. 1
HEBBURN ...	–	1	–	–	1	–
HETTON	–	1	–		–	–
HOUGHTON LE SPRING	–	–		–	1	–
JARROW	–	1	–	–	1	–
LEADGATE ...	–	–		–	–	D. 1
RYTON	–	2		–	–	–
SEAHAM HARBOUR	–	1	–	–	–	–
SHILDON	–	–	–	–	–	M. 1
STANHOPE ...	–	–	–	–	1	–
STANLEY	–	–	–	–	1	–
STOCKTON ON TEES	–	1	–	–		M. 1
WHICKHAM ...	–	1	1		1	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	3	–		2	N. 1
CHESTER LE STREET	–	3	1	–	2	C. 1
EASINGTON ...	–	5	–		4	M. 2
LANCHESTER ...	–	2	–	–		–
SEDGEFIELD ...	–	–	–	–	–	N 1
SOUTH SHIELDS	–	1	–		1	–
SUNDERLAND ...	–	2	1			
ELY, ISLE OF ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
WISBECH	–	1	–	–	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum : N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF— *cont.*						
Rural Districts:—						
NORTH WITCHFORD	–	–	–	–	1	–
ESSEX	19	92	35	–	17	C. 2 G. 1 J. 1 M. 1 N. 6
EAST HAM C.B....	–	6	5	–	2	M. 1
SOUTHEND ON SEA C.B.	–	4	3	–	2	–
WEST HAM C.B.	14	21	6	–	5	J. 1 N. 2
Boroughs and Urban Districts:—						
BARKING TOWN...	–	7	3	–	1	C. 1
CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	4	–	–	–	–
CLACTON	–	–	–	–	1	–
COLCHESTER ...	–	3	–	–	–	–
DAGENHAM ...	–	4	6	–	–	G. 1
GRAYS THURROCK	–	1	–	–	1	–
HORNCHURCH ...	–	7	3	–	–	–
ILFORD	–	4	–	–	–	–
LEYTON	5	7	1	–	1	N. 1
PURFLEET ...	–	2	1	–	–	–
ROMFORD... ...	–	2	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
WALTHAMSTOW ...	–	10	4	–	3	C. 1 N. 1
WANSTEAD ...	–	–	–	–	1	–
WIVENHOE ...	–	1	–	–	–	–
WOODFORD ...	–	2	2	–	–	–
Rural Districts:—						
CHELMSFORD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	N. 1
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	1	–	–	–	–
TENDRING ...	–	1	–	–	–	N. 1
GLOUCESTER ...	–	16	17	1	8	G. 1 L. 1 N. 1
BRISTOL C.B. ...	–	8	13	–	4	L. 1
GLOUCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	1	1	–	2	G. 1
KINGSWOOD ...	–	2	–	–	–	–
STROUD	–	–	2	–	–	–
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	1	–
GLOUCESTER ...	–	1	–	–	–	–
STROUD	–	–	–	1	–	N. 1
TETBURY	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
WEST DEAN ...	–	–	1	–	–	–
HEREFORD ...	–	2	2	–		M. 1 N. 1
Boroughs and Urban Districts:—						
HEREFORD ...	–	–	1	–	–	–
KINGTON	–	–	–	–	–	M. 1
LEOMINSTER ...	–	–	–	–	–	N. 1
Rural Districts:—						
DORE	–	–	1	–	–	–
HEREFORD ...	–	2	–	–	–	–
HERTFORD ...	–	12	2	1	3	N. 1
Boroughs and Urban Districts:—						
BARNET	–	1	–	–	1	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
BUSHEY	-	1	-	-	-	-
CHESHUNT ...	-	1		-	-	-
HARPENDEN ...	-	1	-	-	-	-
HEMEL HEMPSTEAD	-	-	1	-	-	-
HERTFORD ...	-	1	-	-	-	-
HODDESDON ...		1	-	1	-	-
RICKMANSWORTH	-	1	-	-		-
ST. ALBANS ...	-	-	-		1	-
STEVENAGE ...		1	-	-		-
WATFORD... ...	-	2	-	-	1	-
WELWYN GARDEN CITY	-	-	1	-	-	-
Rural Districts:—						
BARNET	-	-	-			N. 1
WATFORD ...	-	2			-	-
HUNTINGDON ...	-	-	-	-	1	-
Boroughs and Urban Districts:—						
GODMANCHESTER	-	-	-	-	1	-
Rural Districts:—						
NORMAN CROSS ...	*	*	*	*	*	*
KENT	-	48	12	4	12	E. 1 M. 4 N. 5
Boroughs and Urban Districts:—						
BECKENHAM ...	-	-	-	-	-	E. 1 N. 1
BEXLEY	-	2	-	-	1	-
BROADSTAIRS AND ST. PETER'S	-	1	-	-	-	M. 1
BROMLEY... ...	-	3	-	-	-	-
CHATHAM ...	-	3	-	-	-	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
CRAYFORD ...	-	2	-	-	-	-
DEAL	-	1	-	-	-	-
DOVER	-	-	1	-	1	-
ERITH	-	1	-	-	1	-
FOLKESTONE ...	-	1	1	-	-	M. 1
GILLINGHAM ...	-	3	-	1	-	N. 1
GRAVESEND ...	-	4	1		1	-
HYTHE	-	-	-	2	-	-
MAIDSTONE ...	-	-	1	-	3	-
MARGATE ...	-	1	1		-	-
PENGE	-	-	2	-	-	-
RAMSGATE ...	-	3	-	-	-	-
ROCHESTER ...	-	2	1	-	-	-
SHEERNESS ...	-	4	-	-	-	-
SITTINGBOURNE AND MILTON	-	2	-	-	-	-
SOUTHBOROUGH	-	-	1		-	-
SWANSCOMBE ...	-	1	-	-	-	-
TONBRIDGE ...	-	2	-	-	-	-
WHITSTABLE ...	-	-	-		1	-
Rural Districts:—						
BLEAN	-	1	-	-	-	-
BROMLEY... ...	-	3	-	-	1	-
DARTFORD ...	-	1	-	-	-	-
DOVER	-		-	-	-	M. 1
EASTRY	-	1	-	-	-	-
ELHAM	-	-	-		-	N. 1
HOLLINGBOURNE	-	1		-	1	-
HOO	-	-	1		-	-
ISLE OF THANET		1	-	-	-	N. 1
MAIDSTONE ...	-	-	-	-	1	-
MALLING	-	-	-	-	1	-
MILTON	-	1		-		-
ROMNEY MARSH	-	1		-		M. 1
STROOD	-	1	1	-		-
TONBRIDGE ...	-	1	1	1	-	-
LANCASTER ...	1	192	116	4	157	C. 9 E. 3 F. 1 L. 1 M. 19 N. 6
BARROW IN FURNESS C.B.	-	1	1	-		N. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Blackburn C.B.	–	3	–		5	N. 1
Blackpool C.B.	–	2	4	–	1	–
Bolton C.B. ...	–	10	1	–	1	C. 1
Bootle C.B. ...	–	3	2		2	–
Burnley C.B. ...	–	3	–	–	4	–
Liverpool C.B....	–	19	47	1	46	F. 1
						M. 13
Manchester C.B.	–	43	27	–	39	C. 3
						E. 2
						M. 3
						N. 2
Oldham C.B. ...		5	–	–	–	C. 1
Preston C.B. ...	–	2		–	2	C. 1
Rochdale C.B....	–	1	2	–	–	C. 1
St. Helens C.B.	–	4	1	–	–	–
Salford C.B. ...	–	11	8		6	M. 1
Southport C.B.	–	3	1	1	3	–
Warrington C.B.	–	11	1			–
Wigan C.B. ...	1	2	–		4	–
Boroughs and Urban Districts:—						
Accrington ...	–	2	–	–	–	–
Ashton in Makerfield		1	–	–	1	–
Ashton-under-Lyne	–	3	–	–	1	–
Aspull	–	–	–	–	2	–
Atherton ...	–	1	–	–	4	M. 1
Audenshaw ...	–	1	–	–	1	–
Barrowford ...	–	2	–	–	–	–
Brierfield ...	–	–	1	–	–	–
Chadderton ...	–	1	1	–	–	–
Chorley	–	1	–	–	–	–
Clitheroe ...	*	*	*	*	*	*
Colne	–	–	–	–	1	–
Croston	*	*	*	*	*	*
Darwen	–	2	–	–		–
Denton	–	2	–	–	1	–
Droylsden ...	–	1	–	–	–	–
Eccles	–	2	1	–	–	N. 1
Farnworth ...	–	–		–	3	–
Golborne ...	–	1	–	–	–	–
Great Harwood	*	*	*	*	*	*
Heywood ...	–	1	–	–	2	–
Horwich... ...	–	1	–	–	–	–
Huyton with Roby		1	–	–	–	–
Ince in Makerfield	–	–	1	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Irlam	–	–	–	–	2	–
Kearsley ...	–	–	–	–	1	–
Kirkham ...	–	1	–	–	–	–
Lancaster ...	–	2	–	–	2	C. 1
						N. 1
Leigh	–		–	–	1	–
Litherland ...	*	1	2	1	–	–
Longridge ...	*	*	*	*	*	*
Lytham St. Anne's	–	1	–	–	–	–
Middleton ...	–	4	–	–	1	–
Milnrow... ...	–	–	1			–
Morecambe and Heysham	–	–	1	–	–	M. 1
Nelson	–	1	–	–		–
Newton in Makerfield	–	1	–		–	–
Orrell	–	1	–	–	2	–
Prestwich ...	–	1	1	–	–	–
Ramsbottom ...	*	*	*	*	*	*
Rawtenstall ...	–	–	1		1	–
Skelmersdale ...		–	–	–	1	C. 1
Standish with Langtree	–	–		–	1	–
Stretford ...	–	2	–	–	–	–
Swinton and Pendlebury	–	4	–	–	1	–
Thornton Cleveleys	–	1		–	–	–
Tyldesley with Shakerley		–	–	–	1	–
Urmston... ...	–	1	–	1	2	–
Walton le Dale	–	–	–	–	2	–
Wardle	–	–	–	–		E. 1
Waterloo with Seaforth	–	11	–	–	1	–
Whitworth ...	–	1	1	–	–	–
Widnes	–	3	6	–	1	–
Worsley... ...	–	1	–	–	–	–
Rural Districts:—						
Barton upon Irwell	–	–	3	–	–	–
Blackburn ...	–	1	–	–		–
Burnley ...	–	1	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
Chorley	–	–	1	–	–	–
Clitheroe ...	–	–	–	–	–	L. 1
Fylde	–	1	–	–	–	–
Garstang ...	–	2	–	–	–	–
Limehurst ...	–	1	–	–		–
Preston	–	–	–	–	2	–
Warrington ...	–	1	–	–		–
Whiston	–	2	–	–	–	–
LEICESTER ...	9	13	3	–	3	C. 1 N. 1
Leicester C.B....	8	4	1	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
Coalville ...		1			–	–
Hinckley ...	–	2	1	–	–	–
Market Harborough	–	–	1	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	–	–	–	1	–
Barrow upon Soar	1	1	–	–	–	–
Blaby	–	1	–	–		–
Castle Donington	–	1	–	–		–
Loughborough		1	–	–	–	–
Market Bosworth	–	2	–			–
LINCOLN (parts of Holland).	–	1	1	–	2	–
Boroughs and Urban Districts:—						
Boston	–	–	–		1	–
Long Sutton ...	*	*	*	*	*	*
Spalding ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
Boston	–	1	–	–	1	–
LINCOLN (parts of Kesteven).	–	–	3	–		–
Rural Districts:—						
North Kesteven	–	–	1	–		–
West Kesteven	–	–	2	–	–	–
LINCOLN (parts of Lindsey).	1	14	3	–	9	C. 1 M. 1
Grimsby C.B. ...	–	2	1	–	4	–
Lincoln C.B. ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
Cleethorpes ...	–	5	–	–	1	–
Gainsborough ...	–	1	–		1	–
Horncastle ...	–	–	–	–	1	–
Scunthorpe and Frodingham	–	–	1	–	–	–
Skegness... ...	1	1	–	–		–
Winterton ..	–	–	–	–		C. 1
Rural Districts:—						
Glanford Brigg	–	–	1	–	–	–
Grimsby	–	1		–	–	–
Horncastle ...	–		–	–	–	M. 1
Isle of Axholme	–	–	–	–	1	–
Louth	–	1	–	–	–	–
MIDDLESEX ...	–	79	49	4	26	M. 1 N. 4
Boroughs and Urban Districts:—						
Acton		–	2	–	–	–
Brentford and Chiswick	–	2	2	–	1	M 1

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
EALING	–	1	4		–	N. 1
EDMONTON ...	–	6	2		–	–
ENFIELD	–	12	10	–	3	–
FELTHAM... ...	–	–	1	–	–	–
FINCHLEY ...	–	3	–	–	1	–
FRIERN BARNET...	–	2	–	–	–	–
HAMPTON WICK...	–	1	–	–	–	–
HARROW ON THE HILL	–	1	–	–	1	–
HAYES AND HARLINGTON	–	3	–		–	–
HENDON	–	1	4		3	N. 1
HESTON AND ISLEWORTH	–	3		–	4	N. 1
HORNSEY	–	–	1	–	1	–
KINGSBURY ...	–	–	–	1	1	–
RUISLIP NORTHWOOD	–	–	–	1		–
SOUTHALL NORWOOD	–	3	–	–	–	–
SOUTHGATE ...	–	2			–	–
STAINES	–		–	–	1	–
TEDDINGTON ...	–	1	1		–	–
TOTTENHAM ...	–	13	3		1	–
TWICKENHAM ...	–	5	3		–	–
UXBRIDGE ...	–	4	–	–	–	–
WEALDSTONE ...	–	1	–	–	–	–
WILLESDEN ...	–	12	14	2	5	N. 1
WOOD GREEN ...	–	3	–	–	–	–
YIEWSLEY AND WEST DRAYTON	–	–	–	–	3	–
Rural Districts—						
HENDON	–	–	1	–	1	–
SOUTH MIMMS ...	–	–	1	–	–	–
NORFOLK ...	–	29	7	1	2	C. 1 M. 1 N. 3
GREAT YARMOUTH C.B.	–	1	1		1	N. 1
NORWICH C.B. ...	–	8	–	–	–	N. 1
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
CROMER	–	3	–	–	–	–
NORTH WALSHAM	–	1	–	–		–
WALSOKEN ...	–	2	–	1	–	–
Rural Districts:—						
AYLSHAM... ...	–	2	–	–		M. 1
BLOFIELD ...	–	4	–	–		–
DEPWADE ...	–	4	–	–		–
EAST AND WEST FLEGG	–	–	–	–	–	N. 1
FOREHOE	–	–	–	–	–	C. 1
FREEBRIDGE LYNN	–	1	2	–	–	–
HENSTEAD ...	–	–	1	–		–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
ST. FAITH'S ...		–		–	1	–
WAYLAND ...	–	2	3	–	–	–
NORTHAMPTON	–	13	2	1	7	C. 1 M. 1 N. 1
NORTHAMPTON C.B	–	2	–	–	1	N. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	–	1		–
DESBOROUGH ...	–	–	1	–		–
KETTERING ...	–	3	1	–	1	C. 1
ROTHWELL ...	–	2	–	–	–	–
RUSHDEN... ...	–	2	–		3	–
WELLINGBOROUGH	–	–	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	*	*	*	*	*	*
KETTERING ...	–	1	–		–	–
NORTHAMPTON ...	–	2	–	–	–	–
TOWCESTER ...	–		–	–	1	M. 1
WELLINGBOROUGH	–	1		–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	-	61	7	8	27	D. 2 E. 1 L. 1 M. 3 N. 9
Newcastle upon Tyne C.B.	-	33	1	-	14	D. 2 L. 1 M. 3 N. 9
Tynemouth C.B.	-	6	1	-	3	-
Boroughs and Urban Districts:—						
Ashington ...	-	1	-	-	-	-
Bedlingtonshire	-	1	1	-	2	-
Blyth	-	3	1		5	-
Earsdon	-	2	1	-		-
Hexham	-	2	-	-	-	-
Longbenton ...	-	1	-	-	-	-
Newbiggin by the Sea	-	-		-	-	E. 1
Newburn ...	-	1	1	-	1	-
Prudhoe... ...	*	*	*	*	*	*
Seaton Delaval	-	3	-	-	-	-
Wallsend ...	-	1	1	-	1	-
Whitley and Monkseaton	-	2	-	-	-	-
Rural Districts:—						
Castle Ward ...	-	1	-	-	-	-
Glendale ...	-	1	-	-		-
Hexham	-	2	-	-	-	-
Morpeth ..	-	1		8	1	-
NOTTINGHAM ...	-	15	6	2	14	M. 1 N. 1
Nottingham C.B.	-	8	2	-	9	M. 1
Boroughs and Urban Districts:—						
East Retford ...	-	-	1	-		-
Hucknall ...	-	3	1	-	3	-
Huthwaite ...	-	-	-	-	1	-
Mansfield ...	-	1	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
Basford	-	2	-	-	-	-
Bingham... ...	-	1	-	-	-	-
Newark		-	-	2	-	-
Skegby	-	-	-	-	1	
Southwell ...	-	-	1	-	-	N. 1
OXFORD	-	4	1	-	-	M. 2 N. 1
Oxford C.B. ...		1	-	-	-	M. 2
Boroughs and Urban Districts:—						
Banbury... ...	-	1	-	-		-
Rural Districts:—						
Banbury... ...	-	-	1	-	-	-
Bicester... ...	-	-	-		-	N. 1
Henley		2		-	-	-
PETERBOROUGH (Soke of).		2	-	-	2	G. 1
Borough:—						
Peterborough...	-	1			2	G. 1
Rural Districts:—						
Barnack... ...	-	1	-	-	-	-
SALOP	-	7	8	-	-	-
Boroughs and Urban Districts:—						
Dawley	-		1	-	-	-
Ludlow	-		1	-	-	-
Oakengates ...		-	5	-	-	-
Shrewsbury ...	-	3		-	-	-
Whitchurch ...		-	1	-	-	-

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	-	2	-			-
CHIRBURY ...		1	-	-	-	-
SHIFNAL	-	1	-	-		-
SOMERSET ...	-	10	3	-	3	C. 2 N. 1
BATH C.B. ...		3			-	-
Boroughs and Urban Districts:—						
BRIDGWATER ...		3	-		-	-
FROME	-		1	-	-	-
HIGHBRIDGE ...	-	-	1			-
ILMINSTER ...	-	2	-	-	-	-
TAUNTON ...	-	1	-	-		-
WELLINGTON ...		-	-	-	1	-
WESTON SUPER MARE	-	-	1	-		-
Rural Districts:—						
AXBRIDGE ...	-	-	-	-	-	C. 1
BATH	-	1	-	-	-	-
KEYNSHAM ...	-	-	-	-	-	N. 1
TAUNTON... ...		-	-	-	1	-
WILLITON ...	-	-		-		C. 1
WINCANTON ...	-	-	-	-	1	-
SOUTHAMPTON	-	22	18	2	5	C. 3 M. 1
BOURNEMOUTH C.B.	-	4	1	-	1	-
PORTSMOUTH C.B.	-	8	2	1	1	C. 2
SOUTHAMPTON C.B.	-	2	5	-	-	C. 1 M. 1
Boroughs and Urban Districts:—						
ANDOVER... ...	-	-	4		-	-
BASINGSTOKE ...	-	1	-	-	-	-
FAREHAM ...	-		2	-		-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts—*cont.*						
FARNBOROUGH ..	-	1	-	-	-	-
HAVANT	-	1	-	-		-
LYMINGTON ...	-	-	1		-	-
PETERSFIELD ...	-	-	-	1	-	-
WINCHESTER ...	-	1	-	-	-	-
Rural Districts:—						
ANDOVER... ...		-	1	-		-
HAVANT	-	2		-		-
LYMINGTON ...		1	-		1	-
NEW FOREST ...	-	-	2	-	2	-
PETERSFIELD ...		1	-	-	-	-
STAFFORD ...	-	35	19	2	33	C. 1 G. 1 M. 4 N. 5
BURTON UPON TRENT C.B.	-	2		1	-	G. 1
SMETHWICK C.B.		5	1		2	N. 1
STOKE ON TRENT C.B.	-	3	2		11	M. 3 N. 2
WALSALL C.B. ...		8	2	-	2	-
WEST BROMWICH C.B.	-	5	-	-	1	-
WOLVERHAMPTON C.B.	-	-	4	-	1	M. 1
Boroughs and Urban Districts:—						
AUDLEY	-	-	-	-	1	-
BILSTON	-	-	-		2	-
BRIERLEY HILL...	-	2	-		-	-
CANNOCK	-	1		-		C. 1
COSELEY	-	-	-		-	N. 1
DARLASTON ...	-	1		-	-	-
LEEK	-	-		-	1	-
NEWCASTLE UNDER LYME	-	-	1	-		-
ROWLEY REGIS ...		1	1		2	-
RUGELEY... ...	-	1	1		1	-

‡ The letters in this column denote the following diseases:—A, Cholera ; B, Plague ; encephalitis : G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
SEDGLEY	–	–	–	–	1	–
STAFFORD ...	–	–	1	1	1	N. 1
TAMWORTH ...	–	2	–	–	–	–
TETTENHALL ...	–	–	2			–
TIPTON	–	–	1	–	2	–
UTTOXETER ...	–	–	–	–	1	–
WEDNESBURY ...	–	1	–	–	1	–
WILLENHALL ...	–	–	–	–	1	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
KINGSWINFORD ...	–	–	2	–	1	–
LICHFIELD ...	–	–	–	–	1	–
SEISDON	–	1	1			–
STAFFORD ...	–	1	–	–	–	–
SUFFOLK, EAST	–	20	–	1	1	N. 1
IPSWICH C.B. ...	–	13	–	–	–	–
Boroughs and Urban Districts:—						
BECCLES			–	–		N. 1
EYE	–	1	–	–	–	–
LEISTON CUM SIZEWELL	–	1			–	–
LOWESTOFT ...	–	1	–	–	1	–
SOUTHWOLD ...	–	2	–		–	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
PLOMESGATE ...	–	1	–	–	–	–
SAMFORD... ...	–	–	–	1	–	–
SUFFOLK, WEST	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	1	–	–	–	N. 1
HADLEIGH ...	*	*	*	*	*	*
SUFFOLK, WEST —*cont.*						
Rural Districts:—						
COSFORD	–	1	–			–
MILDENHALL ...	*	*	*	*	*	*
SURREY	–	31	8	2	4	D. 1 L. 4 M. 2 N. 3
CROYDON C.B. ...	–	10	–	–	1	N. 1
Boroughs and Urban Districts:—						
BARNES	–	–	–	1		–
BEDDINGTON AND WALLINGTON	–	–	–	–	–	N. 1
CATERHAM AND WARLINGHAM	–	2	1	–	–	L. 4
CHERTSEY ...	–	–	–		–	M. 1
EAST AND WEST MOLESEY		1			–	–
EPSOM	–	1	–	–	1	
FARNHAM ...	–	–			–	D. 1
GODALMING ...	–	1	–	–	–	–
KINGSTON ON THAMES	–	1	–	–	–	M. 1
MERTON AND MORDEN	–	1	–	–	–	–
MITCHAM... ...		2	1	–	–	N. 1
REIGATE	–	–	3	–	–	–
RICHMOND ...	–	3	–	–	–	–
SURBITON ...			–		2	–
SUTTON AND CHEAM	–	4	–	–		–
WIMBLEDON ...	–	2	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
EPSOM	–	1		–	–	–
FARNHAM ...	–		1			–
GUILDFORD ...	–	1	–	1	–	–
REIGATE	–	1	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST...	–	12	9	1	8	C. 1 M. 2 N. 1
BRIGHTON C.B. ...	–	7	4	–	1	M. 1
EASTBOURNE ...	–	1	–	–	2	–
HASTINGS C.B. ...	–	1	2	–	2	–
Boroughs and Urban Districts:—						
BEXHILL	–	1	–	–	–	–
HOVE		–		–	1	–
NEWHAVEN ...	–	2	–	–	–	–
Rural Districts:—						
CHAILEY	–	–		–	–	C. 1
CUCKFIELD ...	–	–	1	–	1	–
EAST GRINSTEAD	–	–	1		–	N. 1
HAILSHAM ...	–	–	–	–	1	–
HASTINGS ...	–	–	1	–	–	–
NEWHAVEN ...	–	–	–	1	–	–
RYE		–	–	–	–	M. 1
SUSSEX, WEST...	–	13	3	–	–	N. 2
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	6		–	–	–
BOGNOR REGIS ...	–	2	1	–	–	N. 1
CHICHESTER ...		1	1	–	–	N. 1
WORTHING ...	–	2	1	–	–	–
Rural Districts:—						
STEYNING WEST...		1		–	–	–
WESTBOURNE ...	–	1	–		–	–
WARWICK ...		79	31	2	44	M. 12 N. 3
BIRMINGHAM C.B.	–	64	24	2	32	M. 11 N. 3
COVENTRY C.B. ...	–	4	4	–	3	M. 1
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
NUNEATON ...	–	1	–	–	1	–
ROYAL LEAMINGTON SPA	–	1	–	–	–	–
RUGBY	–	–	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	3	–	–	1	
ATHERSTONE ...	–	–	2	–	–	–
FOLESHILL ...	–	1	–	–	–	–
MERIDEN... ...	–		–	–	1	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–		–	–	1	–
SOLIHULL ...	–	2	–	–	2	–
SOUTHAM... ...	–	1	–	–	2	
TAMWORTH (part)	–	2	–	–	–	–
WESTMORLAND	–	2	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	2	–	–	–	–
WIGHT, ISLE OF	–	2	–	–	1	–
Boroughs and Urban Districts:—						
COWES	–	1	–	–	–	–
SANDOWN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ...	–	–	–	–	1	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WILTS		4	8	-	6	D. 1 N. 1
Boroughs and Urban Districts:—						
MELKSHAM ...	-	-	2	-	-	-
SALISBURY ...	-	-	1	-	-	N. 1
SWINDON ...	-	1	-	-	1	D. 1
TROWBRIDGE ...	-	1	-	-	-	-
WARMINSTER ...	-		-	-	1	-
Rural Districts:—						
AMESBURY ...	-	-	-	-	1	-
BRADFORD ON AVON	-	-	3	-	-	-
CRICKLADE AND WOOTTON BASSETT		-	1	-	-	-
HIGHWORTH ...	-	-	-	-	2	-
MALMESBURY ...	-	2	-	-	-	-
MELKSHAM ...	-	-	1	-	-	-
PEWSEY	-	-	-		1	-
WORCESTER ...	-	24	1	1	2	M. 2 N. 2
DUDLEY C.B. ...	-	1	-	-	1	M. 1 N. 1
WORCESTER C.B.	-	8	-	-	-	N. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	*	*	*	*	*	*
EVESHAM	-	2	-	-	-	-
HALESOWEN ...	-	1	-	-	-	-
KIDDERMINSTER	-	1	-	-	-	-
NORTH BROMSGROVE	-	1	-	-	-	-
OLDBURY	-	2	1	-	1	-
REDDITCH ...	-	-	-	1	-	-
Rural Districts:—						
PERSHORE ...	-	7	-	-	-	M. 1
TEWKESBURY (part)	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS ... ... (East Riding).	-	20	37	-	6	C. 2 G. 1 M. 1 N. 2
KINGSTON UPON HULL C.B.	-	18	36	-	6	C. 1 G. 1 N. 2
Boroughs and Urban Districts:—						
BRIDLINGTON ...		1	-	-	-	M. 1
COTTINGHAM ...	-	-	1	-	-	-
FILEY	-	-	-	-	-	C. 1
Rural Districts:—						
SKIRLAUGH ...	-	1	-	-	-	-
YORKS ... ... (North Riding).	-	20	1	-	19	C. 1 M. 2
MIDDLESBROUGH C.B.	-	5	-	-	9	M. 1
Boroughs and Urban Districts:—						
ESTON	-	1	-	-	1	M. 1
GUISBOROUGH ...	-	1	-	-	2	-
HINDERWELL ...	-	1	-	-		-
LOFTUS	-	1	-	-	-	-
MALTON	-	1	-	-	-	-
REDCAR	-	1	-	-	-	-
SALTBURN BY THE SEA	-	2		-	-	-
SCARBOROUGH ...	-	1	1	-	-	-
SKELTON AND BROTTON	-	-	-	-	3	-
THORNABY ON TEES	-	-	-	-	1	-
WHITBY	-	1	-	-	-	C. 1
Rural Districts:—						
EASINGWOLD ...	-	-	-	-	1	-
GUISBOROUGH ...	-	3	-	-	1	-
STOKESLEY ...	-	1	-	-	1	-
WHITBY	-	1	-	-	-	-

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	6	145	85	4	69	C. 4 D. 7 E. 1 L. 1 M. 8 N. 12
BARNSLEY C.B. ...	2	1	-	-	3	D. 2
BRADFORD C.B. ...		25	6	-	4	L. 1 M. 1 N. 1
DEWSBURY C.B....	-	3	1	-		-
DONCASTER C.B....	-	2	1	-	1	M. 1
HALIFAX C.B. ...	-	5	3	-		-
HUDDERSFIELD C.B.		-	2	-	1	M. 2 N. 1
LEEDS C.B. ...	-	33	23	-	9	C. 3 N. 1
ROTHERHAM C.B.	-	5	2		6	D. 1
SHEFFIELD C.B....	-	15	6	1	23	N. 3
WAKEFIELD C.B.	-	2	2	-	1	-
Boroughs and Urban Districts:—						
ADWICK LE STREET	-		1			-
ARDSLEY, EAST AND WEST	-	-	1		2	-
BARKISLAND ...	-	-	1		-	-
BENTLEY WITH ARKSEY	-					M. 1
BRIGHOUSE ...		1	1	-		-
CASTLEFORD ...	-	5		-	-	-
CUDWORTH ...	-	1	-	-	1	-
DARFIELD ...	-	1		-	-	-
DARTON	4		-			-
DODWORTH ...	-	-	-		-	N. 1
EARBY		1		-		-
GUISELEY ...	-	-	1	-		-
HARROGATE ...	-	1		1	-	-
HECKMONDWIKE		1		-	-	-
HEMSWORTH ...	-	-	2	-	2	D. 2
HORBURY... ...	-	1	-		-	-
HORSFORTH ...	*	*	*	*	*	*
HOYLAND NETHER	-	1	-	-	1	-
KEIGHLEY ...	-	2		-	-	-
KNARESBOROUGH	-	1	-	-	-	-
KNOTTINGLEY ...	-	-	-	-	3	-
LINTHWAITE ...	-	1		-	-	-
LUDDENDEN FOOT	-	-	1		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
MORLEY	-	1	7		-	-
NORMANTON ...	-	2			-	N. 1
OSSETT	-	-	-	-	-	N. 1
OTLEY	-	1	-	-	-	-
PONTEFRACT ...	-	1	-	-	-	-
PUDSEY	-	-	1	-	1	-
RAWMARSH ...	-	-	-	-	-	C. 1
ROTHWELL ...	-	1	-	-	1	-
ROYSTON	*	*	*	*	*	*
SADDLEWORTH ...	*	*	*	*	*	*
SHELF		-	1	-	-	-
SHELLEY	-	1	-	-	-	-
SKIPTON		2	-	-	-	-
SOWERBY... ...	-	1	2	-	-	-
SPENBOROUGH ...	-	3	1	-	-	-
STANLEY	-	-	3	-	1	-
STOCKSBRIDGE ...	-	1	-			-
THURNSCOE ...	-	1	-	-	1	-
TICKHILL... ...	-	2		-	-	-
TODMORDEN ...	-	-	-	-	2	-
WHITWOOD ...		2	-	-	-	-
WORSBOROUGH ...	-	1	1	-	1	-
Rural Districts:—						
DONCASTER ...	-	2	1	-		D. 1
GREAT OUSEBURN	-	-	-	-	-	N. 1
HEMSWORTH ...	-	8	6	-	3	D. 1
KIVETON PARK ...			3	-	1	-
PONTEFRACT ...	-	1	1	1	1	-
ROTHERHAM ...		-	2		-	E. 1
SKIPTON	-	-	1	-	-	M. 1
TADCASTER ...	-	3	-	-		-
THORNE		-	1	-	-	-
WAKEFIELD ...		1	-	-		M. 1
WETHERBY ...	*	*	*	*	*	*
WHARFEDALE (SOUTH)		2	-	-	-	-
WORTLEY... ...	-	-	-	1	-	M. 1 N. 2

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK, CITY OF ..	–	2	–		1	–
YORK C.B. ...	–	2			1	–
WALES.						
ANGLESEY ...	–		–		1	M. 1
Boroughs and Urban Districts:—						
BEAUMARIS ...	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	–	–	–	–	1	
VALLEY	–	–	–	–	–	M. 1
BRECKNOCK ...	–	2	1	–	1	N. 1
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
BUILTH	–	1	–	–	–	N. 1
HAY	–	1	–			–
YSTRADGYNLAIS	–	–	1	–	1	–
CAERNARVON...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BANGOR	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	–	2	–	–	–
Rural Districts:—						
CARDIGAN ...	–	–	2	–	–	–
CARMARTHEN...	–	9	–	–	2	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	–		1	–
KIDWELLY ...	*	*	*	*	*	*
LLANELLY ...	–	1	–	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	4	–		–	–
LLANDILO FAWR	–	3	–	–	–	–
LLANELLY ...	–	1	–		–	–
DENBIGH ...	–	8	16	–	1	–
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	1	1	–	–	–
WREXHAM ...	–	1	2	–	–	
Rural Districts:—						
RUTHIN	–	–	1	–	–	–
WREXHAM ...	–	6	12	–	1	–
FLINT	–	2	2	–	–	–
Boroughs and Urban Districts:—						
MOLD	*	*	*	*	*	*
Rural Districts:—						
HOLYWELL ...	–	1	1		–	–
OVERTON... ...	–	1	1		–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ..	1	42	52	–	20	C. 1 M. 3 N. 6
CARDIFF C.B. ...		14	9	–	3	C. 1 M. 2 N. 1
MERTHYR TYDFIL C.B.	–		3	–		
SWANSEA C.B. ...		2	12	–	1	N. 1
Boroughs and Urban Districts:—						
ABERDARE ...		1	–		–	–
BARRY	–	1	4	–	1	–
BRIDGEND ...	–	1	–	–	–	–
CAERPHILLY ...		1	1	–	1	
GELLIGAER ...		5		–	1	N. 1
LLWCHWR ...	–	1	–	–	–	
MAESTEG	–		–	–		M. 1
MOUNTAIN ASH...	–	2	–	–	1	N. 1
NEATH	–	–	3	–	–	–
OGMORE AND GARW	–	4	–	–	2	N. 1
PONTYPRIDD ...	1	–	1	–	4	–
PORTHCAWL ...	–	1	–	–	1	–
PORT TALBOT ...	–	–	1	–	–	–
RHONDDA ...	–	3	14	–	5	N. 1
Rural Districts:—						
LLANTRISANT AND LLANTWIT-FARDRE	–	6	2		–	–
NEATH	–	–	1	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
MONMOUTH ...	–	45	11	1	7	D. 1 E. 1 N. 2
NEWPORT C.B. ...	–	26	1	–	3	–
Boroughs and Urban Districts—						
ABERGAVENNY ...	*	*	*	*	*	*
ABERSYCHAN ...	–	2		–		–
ABERTILLERY ...	–	1	1	–	–	–
BEDWAS AND MACHEN	–	2	1			E. 1
MONMOUTH— *cont.*						
Boroughs and Urban Districts— *cont.*						
BEDWELLTY ...	–	1	1	–	–	–
EBBW VALE ...	–	5	–	1	–	–
LLANTARNAM ...	–	2		–	–	–
MYNYDDISLWYN	–	1	–	–	2	–
RHYMNEY ...		1	1	–	–	–
TREDEGAR ...		3	–		2	N. 1
Rural Districts:—						
ABERGAVENNY ...	–	–	–	–	–	N. 1
CHEPSTOW ...	–	–	3	–	–	–
MAGOR	–	–	2	–	–	–
MONMOUTH ...		1		–	–	–
ST. MELLONS ...		–	1	–	–	D. 1
MONTGOMERY...		2	–	–	2	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
MONTGOMERY ...			–		1	–
Rural Districts:—						
LLANFYLLIN ...	–	2	–	–	–	–
PEMBROKE ...		1	2		1	–
Rural Districts:—						
LLANFYRNACH ...		1	–	–	–	–
NARBERTH ...	–	–	1	–	1	–
PEMBROKE ...		–	1			–
Total of Part II....	40	1371	680	47	624	C. 3 D. 1 E. F. G. J. L. 1 M. 8 N. 10

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

; Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
RNSTAPLE	*	*	*	*	*	*	LIVERPOOL	–		–		2	–
WES	*	*	*	*	*	*	SOUTHAMPTON ...	–	–	1		–	–
OUCESTER	–	–	–	1	–	–							
RWICH	–	2	–	–	–	–	**Total of Part III.** ..	–	2	1	1	2	–

* Returns not received.

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	‡
Total of Part I.—London	5	286	153	7	96	C. D. E. G. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	40	1371	680	47	624	C. D. E. F. G. J. L. M. N.
Total of Part III.—Port Sanitary Districts		2	1	1	2	
Total (i.e., of returns received), England and Wales ...	45	1659	834	55	722	C. D. E. F. G. J. L. M. N.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag
C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po
encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin
Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week

5.—London and Great Towns in the EGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

ek ended :—	July 4.	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19	Sept. 26.	Totals from 1st Week of year * 1930.	Totals from 1st Week of year * 1931.
ON :—															
IRTHS	1,375	1,463	1,409	1,415	1,453	1,221	1,387	1,401	1,421	1,200	1,290	1,270	1,322	55,068	52,512
IRTHS	46	43	47	42	57	58	47	52	49	32	45	53	34	2,021	1,829
s (excluding Still-s)—all ages.	794	763	735	768	780	718	730	757	726	729	713	819	809	36,061	39,064
s—0 to 1 year ..	47	54	58	62	56	63	54	50	62	48	39	51	68	3,031	2,937
T TOWNS, aggre- (including Lon-															
IRTHS	6,521	6,682	6,477	6,616	6,653	5,544	6,431	6,562	6,749	5,832	6,378	6,134	6,246	251,929	245,537
IRTHS	283	285	280	247	275	266	280	313	265	238	262	277	252	11,064	10,785
s (excluding Still-s)—all ages.	3,659	3,619	3,538	3,548	3,486	3,386	3,427	3,447	3,309	3,455	3,457	3,761	3,655	163,067	179,721
s—0 to 1 year ..	284	287	292	303	301	287	305	286	305	268	285	296	317	15,261	16,509
IC FEVER—Cases	26	19	23	16	21	28	29	26	17	20	32	16	18	800	623
„ Deaths	3	2	2	1	—	1	2	4	1	—	—	2	2	88	61
POX—Cases ..	53	33	34	32	22	20	17	10	13	30	11	34	35	7,692	3,625
Deaths ..	1	—	—	—	—	—	—	—	—	—	—	—	—	17	5
ET FEVER—Cases	854	809	815	894	830	700	639	692	759	844	886	1,027	997	44,669	31,949
„ Deaths	3	6	9	2	4	1	1	3	1	4	3	3	5	322	199
HERIA—Cases ..	566	585	573	538	524	423	469	423	488	531	569	580	534	32,329	22,625
Deaths ..	23	29	24	19	22	25	21	18	30	19	23	25	19	1,465	1,079
ES—Deaths ..	16	18	9	18	18	12	9	13	6	13	8	10	5	2,420	1,605
ENZA—Deaths ..	19	20	22	14	11	16	15	17	15	10	28	27	28	1,601	5,379

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ing away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 26th September, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†
	°	°	°	°	
ON (GREENWICH).	64	42	58·4	47·9	4
HTON ..	64	44	59·9	48·6	—
SMOUTH ..	64	45	59·1	49·6	—
WICH (SOUTH-ELL LODGE)	61	43	57·7	46·3	8
MOUTH ..	66	44	62·6	49·9	—
TOL (HORFIELD)	64	40	58·1	48 0	1
INGHAM (EDGBASTON).	60	41	56·1	47·0	0·2
TINGHAM ..	64	45	57·9	48·6	1
CENHEAD (BIDSTON).	57	43	55·9	49·4	—
CHESTER (WHITWORTH PARK).	60	41	57·9	47·0	—
NLEY	60	36	56·3	43·1	—

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†
	°	°	°	°	
HUDDERSFIELD	62	38	57·4	45·1	—
BRADFORD ..	62	39	56·7	46·1	0·4
SHEFFIELD ..	62	43	56·1	47·0	—
YORK (MUSEUM)	63	42	57·7	46·9	2
HULL (PEARSON PARK).	62	40	57·5	47·7	7
TYNEMOUTH ..	59	42	55·4	48·0	3
CARDIFF	63	41	57·4	47·9	—
EDINBURGH ..	62·0	41·0	57·4	46·1	—
GLASGOW ..	63·7	40·4	59·5	44·5	—
DUBLIN (PHŒNIX PARK)	61·8	34·5	58·3	42·6	1
(FITZWILLIAM SQUARE†).	60·2	42·0	57·8	48·2	—
BELFAST	65·0	36·5	61·5	42·8	—

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 26th September, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	20	..	30·327	63·9	48·3	15·6	55·5	- 0·7	44·1	11·4	18·7	1·2	65	125·1	34·6	55·7	NNE: NE.	N: NW.	2·4	0·0	0·2	245	+ 5	0·03
MONDAY -	21	..	30·230	59·4	45·6	13·8	50·8	- 5·1	43·3	7·5	17·0	3·6	75	114·2	31·0	55·7	NNW: N.	N	4·3	0·0	0·5	339	+ 101	0·01
TUESDAY -	22	..	30·178	57·7	43·3	14·4	50·8	- 4·8	41·2	9·6	16·6	1·8	69	112·4	37·0	55·6	N	NNE: N.	3·4	0·0	0·3	294	+ 58	0·00
WEDNESDAY	23	..	30·115	58·2	48·7	9·5	53·4	- 2·0	50·3	3·1	7·3	0·0	89	82·9	47·1	55·5	NW: NNE.	NE: NNE.	2·7	0·0	0·3	282	+ 46	0·11
THURSDAY -	24	..	30·272	56·9	45·2	11·7	51·5	- 3·8	48·5	3·0	8·8	0·8	89	81·1	34·2	55·5	NNE: N.	N	0·6	0·0	0·1	159	- 78	0·02
FRIDAY -	25	..	30·411	55·7	50·9	4·8	52·7	- 2·5	49·2	3·5	5·9	1·0	87	65·0	47·6	55·4	N	NNW	1·4	0·0	0·2	218	- 21	0·01
SATURDAY -	26	In Equator Full.	30·391	54·9	49·4	5·5	51·7	- 3·5	48·1	3·6	6·1	1·4	87	72·1	42·4	55·4	NNW: N.	NNE	1·5	0·0	0·2	232	- 9	0·00
MEANS -		..	30 275	58·1	47·3	10·8	52·3	- 3·2	46·4	6·0	11·5	1·4	80	93·3	39·1	55·5	NNE		..		..	Sum 1769	Sum + 102	Sum 0·18
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	20	wP till 6h.; then mP.	9·4	12·4	Overcast till 5h.; partially cloudy till 17h.; then nearly overcast. Rain till 1h.; then damping till 4h.
MONDAY ..	21	mP till 9h.; variably sP and wN till 18h.; then mP.	5·5	12 3	Variably cloudy till 12½h.; then nearly overcast. Damping 4h till 5h. Slight showers at 11¾h.; 13h.; 13¾h.; 14½h.; 15h. 16½h. and 19h. Solar halo 15½h. till 16h.
TUESDAY ..	22	mP till 8h.; variably mP and sP till 19h.; then mP.	6·2	12·3	Variably cloudy till 18h.; then overcast. Dew in morning.
WEDNESDAY	23	mP till 8h.; variably mP and sP till 15h.; loss of register till 21h.; then mP.	0·2	12·2	Overcast generally. Damping 1h. till 3h.; and occasionally between 16½h. and 21h. Slight rain 10½h. till 11½h. Showers at 13h. and 14½h.
THURSDAY	24	mP.	0·8	12 2	Overcast generally. Occasional damping between 11½h. and 15½h.
FRIDAY ..	25	mP till 1h.; wP till 7h.; variably mP and sP till 17h.; then mP.	0·0	12·1	Overcast. Damping 1h. till 4¾h.; and occasionally between 9h. and 18h.
SATURDAY	26	mP.	0·0	12·0	Overcast. Damping about 9h.; and occasionally between 12h. and 15h.
			Sum 22·1	Sum 85 5	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P, positive; N, negative; w, weak; m, moderate: s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·26 ins. at the beginning of the week to 30·36 ins. by 9h. on 20th; decreased generally to 30·05 ins. by 5h. on 23rd; increased to 30·43 ins. by 11h. on 25th; decreased generally and was 30·35 ins. by midnight on the 26th.

MANUAL OF THE INTERNATIONAL LIST OF CAUSES OF DEATH

New Edition based on the fourth decennial revision by the International Commission, Paris, 1929.

THIS Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 3s. Post Free 3s. 4d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST. 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 39.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 3RD OCTOBER, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 3RD OCTOBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the thirty-ninth week of the year numbered 6,337 corresponding to an annual rate of 16·7 per 1,000 living: stillbirths numbered 270 corresponding to a rate of 41 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,819 (164 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.
107 Great Towns	9·1	9·9	9·6	10·1
London	8·5	9·8	9·6	10·5
Birmingham	8·5	8·7	9·2	8·6
Liverpool	10·0	9·9	12·1	10·0
Manchester	11·3	10·5	9·0	10·2
Sheffield	8·0	11·1	8·6	10·5
Leeds	10·4	9·3	10·5	11·0
Bristol	9·1	8·1	11·2	8·1
West Ham	9·7	9·8	9·1	7·2

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 50, against 43, 45 and 48 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,412 live births registered corresponding to an annual rate of 16·8 per 1,000 living: stillbirths numbered 51 corresponding to a rate of 35 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 880 (71 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 44, against 28, 37 and 49 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths* registered in t week ended 3rd October, 1931.**

Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,836,440*	6,337	270	3,819	328	1	6	2	14	24	59
London	4,377,000*	1,412	51	880	61	1	2	-	6	3	13
Towns in Outer Ring.											
Croydon C.B. ..	233,000	73	2	28	-	-	-	-	-	-	-
Wimbledon ..	58,830	9	1	9	-	-	-	-	-	-	-
Ealing	117,400	36	1	12	-	-	-	-	-	-	-
Acton	70,400	11	-	10	2	-	-	-	-	-	-
Brentford and Chiswick ..	62,620	14	-	10	2	-	-	-	-	-	-
Willesden ..	185,300	42	1	27	2	-	-	-	-	-	-
Hendon	114,600*	35	-	11	-	-	-	-	-	-	-
Hornsey	95,440	15	-	20	1	-	-	-	-	-	-
Wood Green ..	54,460	7	1	12	2	-	-	-	-	-	-
Tottenham ..	159,100	33	-	21	1	-	-	-	-	-	1
Edmonton	77,530	52	2	12	1	-	-	-	-	-	-
Enfield	68,090	10	-	9	1	-	-	-	-	-	-
West Ham C.B. ..	296,900	122	7	41	4	-	-	-	1	-	-
East Ham C.B. ..	142,900	30	-	31	2	-	-	-	-	-	1
Leyton	128,600	30	1	19	3	-	-	-	-	-	1
Walthamstow ..	134,300	30	-	14	2	-	-	-	-	-	-
Ilford	131,300	43	1	19	-	-	-	-	-	-	-
Gillingham	60,600*	20	1	6	-	-	-	-	-	-	-
Canterbury C.B. ..	24,440*	7	-	7	-	-	-	-	-	-	-
Hastings C.B.	61,870	14	-	16	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,670	16	-	8	1	-	-	-	-	-	-
Brighton C.B. ..	144,900*	41	1	30	3	-	-	-	-	-	1
Portsmouth C.B. ..	248,300*	100	2	63	3	-	-	-	-	-	-
Bournemouth C.B. ..	108,600	34	-	26	2	-	-	-	-	-	-
Southampton C.B. ..	175,300	63	3	20	1	-	-	-	-	-	-
Reading C.B.	97,450*	25	2	13	-	-	-	-	-	-	-
Oxford C.B.	80,530*	22	-	9	-	-	-	-	-	-	-
Northampton C.B. ..	92,940*	19	3	22	1	-	-	-	-	-	-
Luton	69,030	19	1	12	1	-	-	-	-	-	-
Cambridge	66,850	20	1	12	1	-	-	-	-	-	-
Southend-on-Sea C.B.	117,900	23	-	21	-	-	-	-	-	1	-
Ipswich C.B.	87,630	28	-	16	-	-	-	-	-	1	-
Great Yarmouth C.B.	56,690	18	-	8	-	-	-	-	-	-	-
Norwich C.B.	126,800*	46	-	19	-	-	-	-	-	-	-
Swindon	62,600	19	1	13	-	-	-	-	-	-	-
Exeter C.B.	65,290*	27	-	11	-	-	-	-	-	-	-
Plymouth C.B. ..	207,600*	83	2	34	2	-	-	-	-	2	-
Bath C.B.	68,120	22	-	19	-	-	-	-	-	-	-
Bristol C.B.	399,500*	123	8	62	3	-	-	-	-	-	-
Gloucester C.B. ..	52,890	22	-	10	1	-	-	-	-	-	-
Stoke-on-Trent C.B.	279,800	120	5	53	10	-	1	-	-	-	2
Burton-upon-Trent C.B.	49,920	17	1	9	-	-	-	-	-	-	-
Wolverhampton C.B.	134,200	44	1	30	3	-	-	-	-	-	1
Walsall C.B.	104,200	50	-	20	3	-	-	-	-	-	-
West Bromwich C.B.	82,090	43	1	22	4	-	-	-	-	-	-
Dudley C.B.	60,010	10	-	8	1	-	-	-	-	-	-
Worcester C.B. ..	50,540	21	2	8	-	-	-	-	-	-	-
Birmingham C.B. ..	1,011,300	334	18	167	17	-	1	-	-	-	5
Smethwick C.B. ..	85,370	31	2	10	2	-	-	-	-	-	-
Coventry C.B ..	168,500	40	-	19	2	-	-	-	-	-	-
Leicester C.B. ..	241,200	75	5	45	2	-	-	-	-	1	1
Lincoln C.B.	66,110*	18	2	9	1	-	-	-	-	-	-
Grimsby C.B.	92,180	32	2	23	3	-	-	-	-	-	-
Nottingham C.B. ..	270,900	95	1	58	14	-	-	-	-	-	4
Derby C.B.	143,400*	44	1	30	3	-	-	-	-	-	-
Chesterfield	64,450	32	1	12	-	-	-	-	-	-	-
Stockport C.B ..	126,600	33	2	33	1	-	-	-	-	1	-
Chester C.B.	41,370	13	1	8	1	-	-	-	-	-	-
Birkenhead C.B. ..	148,600	51	-	26	-	-	-	-	-	-	-
Wallasey C.B. ..	97,240	27	5	14	1	-	-	-	-	-	-
Liverpool C.B. ..	862,100	338	11	165	27	-	1	-	4	2	9
Bootle C.B.	77,170	27	2	18	-	-	-	-	-	1	-
St. Helens C.B. ..	108,200	43	2	22	2	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where differ from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingh 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Oxf C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193, Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
ITHPORT C.B ..	77,180	15	1	23	1	-	-	-	-	-	-	-
HAN C.B.	86 250	32	5	21	1	-	-	-	-	-	-	-
RRINGTON C.B. ..	80 280*	30	1	19	-	-	-	-	-	-	-	1
LTON C.B	179,300	37	2	45	4	-	-	1	-	-	-	-
RY C.B.	56,580*	22	-	11	1	-	-	-	-	-	-	-
NCHESTER C.B. ..	773,300	244	23	151	13	-	-	-	2	2	2	3
FORD C.B.	226,100	52	1	43	3	-	-	-	-	-	2	-
ITON-UNDER-LYNE	51,850	19	1	14	1	-	-	-	-	-	-	-
DHAM C.B	142,000	46	1	28	6	-	-	-	-	-	-	-
DHDALE C.B. ..	91,190	21	1	15	-	-	-	-	-	-	-	-
RNLEY C.B	99,300	31	2	26	2	-	-	-	-	1	-	-
CKBURN C.B. ..	124,000	39	4	27	1	-	-	-	-	-	-	-
STON C.B.	120,100	33	2	31	5	-	-	-	-	-	1	-
CKPOOL C.B. ..	97,880	24	1	25	1	-	-	-	-	1	-	-
RROW-IN-FURNESS .B.	66,700	7	-	10	1	-	-	-	-	-	-	-
DDERSFIELD C.B. ..	114,300	29	3	25	2	-	-	-	-	-	-	-
LIFAX C.B.	98,770*	35	2	20	-	-	-	-	-	-	-	-
DFORD C.B. ..	300,800	64	4	69	4	-	-	-	-	-	1	-
DS C.B	486,100	129	8	103	2	-	-	1	-	1	1	1
WSBURY C.B. ..	54,430	9	-	8	1	-	-	-	-	-	-	-
KEFIELD C.B. ..	59,280	19	1	12	1	-	-	-	-	1	-	-
RNSLEY C.B. ..	72,090	25	2	15	1	-	-	-	-	-	1	-
FFIELD C.B. ..	517,300	138	8	104	13	-	-	-	-	-	-	2
THERHAM C.B. ..	70,100	28	1	16	4	-	-	-	-	-	1	-
NCASTER C.B ..	63,260	22	1	13	-	-	-	-	-	-	-	1
RK C.B.	85,910*	20	-	17	-	-	-	-	-	-	-	-
GSTON-UPON-HULL .B.	314,800	119	5	70	7	-	-	-	-	4	1	-
DDLESBROUGH C.B.	138,800	51	1	27	5	-	-	-	-	-	-	-
RLINGTON C.B. ..	72,620	26	-	11	1	-	-	-	-	-	-	-
CKTON-ON-TEES ..	68,350	39	2	13	5	-	-	-	-	-	1	1
ST HARTLEPOOL C.B.	68,740	32	-	15	4	-	-	-	-	-	-	-
NDERLAND C.B. ..	187,500	76	5	40	3	-	-	-	-	1	2	-
TH SHIELDS C.B ..	114,400	51	-	31	2	-	-	-	-	-	-	1
TESHEAD C.B. ..	123,700	42	1	30	6	-	-	-	-	-	-	1
WCASTLE-ON-TYNE .B.	284,300*	110	7	49	6	-	-	-	-	-	4	1
NEMOUTH C.B. ..	64,750	28	1	10	4	-	-	-	-	-	1	-
RLISLE C.B.	57,430*	17	1	13	4	-	-	-	-	1	1	-
WPORT (MON.) C.B.	89,500*	28	1	18	2	-	-	-	-	-	-	1
RDIFF C.B.	223,700*	72	6	47	3	-	-	-	-	-	1	-
ONDDA	142,700	53	3	38	3	-	-	-	-	-	-	1
RTHYR TYDFIL C.B.	71,670	19	-	18	1	-	-	-	-	-	-	-
RDARE	49,010	14	2	7	-	-	-	-	-	-	-	-
NSEA C.B.	165,400	37	2	35	4	-	-	-	1	-	-	-
EATER LONDON ..	8,179,740*	2,500	81	1,461	100	1	2	-	7	4	17	15
TER RING	3,802,740*	1,088	30	581	39	-	-	-	1	1	4	8
GREAT TOWNS IN UTER RING	2,130,770*	592	17	305	23	-	-	-	1	-	3	5
MAINDER OF OUTER ING	1,671,970*	496	13	276	16	-	-	-	-	1	1	3
INBURGH†	438,998	135	?	82	7	-	-	-	-	-	-	2
ASGOW†	1,088,417	344	?	257	40	-	11	-	1	1	10	3
BLIN†	412,400	221	?	110	13	-	-	-	1	2	6	-
FAST†	415,151	155	?	79	9	-	-	-	-	-	1	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where fferent from those of Col. (1) are as follows :—Warrington C.B., 80,020 ; Bury C.B., 56,370 ; Halifax C.B., ,560 ; York C.B., 84,450 ; Newcastle-on-Tyne C.B., 283,700 ; Carlisle C.B., 57,250 ; Newport (Mon.) C.B., ,270 ; Cardiff C.B., 223,500 ; Greater London, 8,164,610 ; Outer Ring, 3,798,610 ; 17 Great Towns, 2,130,460 : emainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been dis-ntinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths non-residents domiciled in Scotland and by the addition of Deaths of residents reported from else-here in Scotland during the week ; those in Dublin and Belfast are corrected by the exclusion of aths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities,	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1931.											
London‡	4,377,000	Oct. 3	1412	51	880	10·5	1	-	2	-	6	3	1
Calcutta and Suburbs	1,077,264	Aug. 22	?	?	547‖	26·4	?	5	?	-	?	?	
Bombay§	1,298,708	Sept. 5	536	52	582‖	23·3	4	1	1	-	-	1	2
Madras	647,533	Aug. 22	533	27	436	35·0	3	-	-	-	1	1	3
Sydney and Suburbs	1,256,210	Aug. 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	June 30 (30 days)	425	?	226	8·6	-	-	-	1	1	-	
Perth (Metropolitan Area).	204,780	July 25	80	?	28	7·1	-	-	-	-	1	-	
Auckland (Urban Area).	215,730	Aug. 31 (31 days)											
Wellington (Urban Area).	142,540	Aug. 31 (31 days)											
Christchurch (Urban Area).	127,070	Aug. 31 (31 days)											
Cape Town	136,748	Aug. 29	80	2	27	10·3	-	-	-	-	-	-	1
Johannesburg	187,326	„ 22	89	2	34	9·4	-	-	-	-	1	-	-
Durban	61,667	„ 22	21	-	19	16·0	-	-	1	-	-	-	-
Paris	2,871,429	Sept. 10 (10 days)	998	63	771	9·8	1	-	-	1	1	1	20
Antwerp	295,266	Sept. 15 (15 days)											
Amsterdam	755,277	Sept. 12	274	7	102	7·1	-	-	-	-	1	-	1
Copenhagen	615,700	„ 19	157	2	109	9·2	-	-	-	-	-	-	-
Stockholm	502,203	„ 12	108	2	93	9·6	-	-	-	-	1	-	-
Gothenberg	245,600	Aug. 15	?	?	47	10·0	-	-	-	-	-	1	1
Oslo	256,353	Sept. 19	36	1	51	10·3	-	-	-	-	-	-	-
Berlin	4,302,000	„ 5	681	30	763	9·2	1	?	-	1	-	8	4
Breslau	616,000	„ 5	138	3	111	9·4	-	?	-	-	3	1	2
Cologne	739,000	„ 5	153	5	97	6·8	-	?	-	-	1	-	-
Dresden	631,000	„ 5	93	13	123	10·1	-	?	-	-	-	1	-
Frankfort-on-Main	539,000	„ 5	122	3	71	6·8	-	?	-	-	-	-	-
Hamburg	1,142,000	„ 5	220	6	227	10·4	-	?	-	1	-	1	3
Leipzig	718,000	„ 5	158	7	147	10·6	1	?	-	-	-	-	4
Munich	730,000	„ 5	149	5	172	12·3	1	?	-	1	-	-	-
Budapest	1,009,069	„ 12	334	11	196	10·1	4	-	-	-	5	2	11
Warsaw	1,115,651	„ 5	?	10	252	11·8	4	-	-	-	4	1	36
Madrid	834,103	Aug. 29	381	29	220	13·8	1	-	-	-	1	-	14
Cairo	1,160,700	June 10	699	23	1023	46·0	9	-	31	-	?	3	378
Alexandria	629,900	„ 10	405	6	487	40·3	1	-	27	-	?	-	147
New York	7,090,089	Sept. 5	?	?	1219	9·0	4	-	1	-	4	-	26
Chicago	3,457,375	„ 11	920	27	566	8·5	-	-	1	1	1	2	9
New Orleans	466,000	Aug. 31 (31 days)											
Rio de Janeiro ..	1,729,799	July 18	715	44	458	13·8	-	-	10	-	3	2	47

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities

‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.

§ The registration of Births in Bombay is incomplete.

‖ Including 6 deaths from Cholera in Calcutta and 5 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 3rd October, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	36907	39,944	880	61	12	10	22	36	35	49	83	161	201	210
Enteric fever	21	20	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox	10	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1005	47	2	-	1	-	1	-	-	-	-	-	-	-
Scarlet fever	94	43	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	110	246	6	3	1	2	-	-	-	-	-	-	-	-
Diphtheria	365	185	3	-	-	-	3	-	-	-	-	-	-	-
Influenza	261	933	7	-	-	-	-	-	1	-	2	-	-	4
Erysipelas	117	133	4	1	1	-	-	1	-	-	-	-	1	-
Acute Poliomyelitis, Polioencephalitis	9	2	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	47	35	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	72	104	3	1	-	-	2	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2686	2826	61	-	-	-	1	8	15	8	5	17	5	2
Nervous system	181	168	2	-	-	1	1	-	-	-	-	-	-	-
Intestines and peritoneum	40	42	2	-	-	-	-	1	-	-	1	-	-	-
Other forms	162	193	5	-	1	1	-	1	1	1	-	-	-	-
Venereal diseases	138	141	2	-	-	-	-	-	-	-	1	1	-	-
Cancer	5012	5209	144	-	-	-	-	-	1	10	21	37	39	36
Rheumatic fever	136	104	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	384	402	14	-	-	-	-	2	1	-	-	4	3	4
Alcoholism	16	14	2	-	-	-	-	-	-	-	2	-	-	-
Simple meningitis	59	73	2	-	1	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1521	1497	32	-	-	-	-	-	-	1	2	7	11	11
Epilepsy	149	127	3	-	-	-	-	-	-	1	1	1	-	-
"Convulsions" (not puerperal) ..	47	45	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	917	864	18	1	-	-	2	-	1	2	2	5	5	-
Pericarditis	15	15	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	156	142	2	-	-	-	1	1	-	-	-	-	-	-
Other diseases of heart	7666	9158	178	-	-	-	-	2	-	11	16	20	58	71
Other diseases of circulatory system	1576	1698	46	-	-	-	-	-	1	-	4	8	16	17
Bronchitis	1349	2003	23	2	-	1	-	-	-	1	-	6	4	9
Broncho-pneumonia	1330	1968	37	7	2	1	1	-	1	1	3	5	10	6
Lobar pneumonia	796	923	19	2	-	-	-	1	1	2	3	-	5	5
Pneumonia (type not distinguished)	292	308	5	-	-	-	1	-	-	-	-	1	2	1
Other diseases of respiratory system	367	433	7	1	-	-	-	-	-	-	-	3	1	2
Diarrhœa and enteritis	576	497	17	11	2	2	1	-	-	-	1	-	-	-
Appendicitis, Typhlitis	241	217	3	-	-	1	1	-	-	-	-	-	-	1
Hernia, Intestinal obstruction	389	403	11	2	-	-	-	-	-	-	-	3	3	3
Cirrhosis of liver	165	173	2	-	-	-	-	-	-	-	1	-	1	-
Other diseases of digestive system ..	957	877	23	-	-	-	-	2	2	3	3	5	4	4
Acute nephritis	72	64	1	-	-	-	-	-	1	-	-	-	-	-
Chronic Bright's disease	1281	1296	33	-	-	-	2	3	1	2	6	9	7	3
Other diseases of genito-urinary system	606	674	21	-	-	-	-	1	-	-	1	10	7	2
Puerperal sepsis	82	87	1	-	-	-	-	-	-	1	-	-	-	-
Other causes incident to childbirth ..	69	94	1	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations	251	238	4	4	-	-	-	-	-	-	-	-	-	-
Premature birth	716	730	15	15	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	135	115	4	4	-	-	-	-	-	-	-	-	-	-
Old age	862	944	17	-	-	-	-	-	-	-	-	-	1	16
Suicide	449	423	13	-	-	-	-	1	2	-	3	4	3	-
Burns and Scalds	71	104	1	-	1	-	-	-	-	-	-	-	-	-
Drowning	97	77	1	-	-	-	-	1	-	-	-	-	-	-
Suffocation in bed	24	20	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	581	538	14	-	-	-	3	4	2	-	-	-	3	2
Other deaths by violence	618	588	13	-	-	-	-	3	2	-	1	1	4	2
Other specified causes	1554	1685	54	6	2	-	2	3	1	5	4	14	8	9
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 3rd October, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	17	315	142	5	81	C. 2 D. 3 E. 2 G. 1 M. 17 N. 17
Metropolitan Boroughs:—						
BATTERSEA ...	–	11	6	–	4	M. 1
BERMONDSEY ...	–	7	3	–	4	G. 1
BETHNAL GREEN	7	18	6	–	1	M. 1
CAMBERWELL ...	1	29	9	–	2	M. 2 N. 1
CHELSEA	–	4	–	–	2	N. 1
DEPTFORD ...	1	16	3	–	–	M. 1
FINSBURY ...	–	6	6	–	1	N. 2
FULHAM	–	5	7	–	5	–
GREENWICH ...	–	5	3	1	2	C. 1
HACKNEY... ...	–	9	12	–	2	–
HAMMERSMITH ...	–	4	4	–	3	N. 2
HAMPSTEAD ...	–	5	–	–	1	N. 2
HOLBORN... ...	–	3	1	1	–	–
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	2	36	15	2	7	M. 1 N. 1
KENSINGTON ...	–	6	3	–	4	N. 2
LAMBETH ...	6	12	13	–	6	M. 2
LEWISHAM ...	–	12	4	–	5	–
PADDINGTON ...	–	5	4	–	2	N. 1
POPLAR	–	13	5	–	4	M. 1
ST. MARYLEBONE	–	6	3	–	1	E. 1
ST. PANCRAS ...	–	9	5	–	3	D. 1 M. 1 N. 2
SHOREDITCH ...	–	5	3	–	–	C. 1 M. 1
SOUTHWARK ...	–	9	6	–	5	D. 1 M. 1 N. 1
STEPNEY	–	50	14	–	4	M. 1
STOKE NEWINGTON	–	2	–	–	–	–
WANDSWORTH ...	–	18	6	–	9	D. 1 M. 2 N. 1
WESTMINSTER, CITY OF	–	4	–	–	1	–
WOOLWICH ...	–	6	1	1	3	E. 1 M. 2 N. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	4	–	2	–
Boroughs and Urban Districts:—						
BEDFORD	–	–	–	–	1	–
DUNSTABLE ...	–	–	3	–	–	–
LUTON	–	3	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BEDFORD	–	2	–	–	1	–
BIGGLESWADE ...	–	–	1	–	–	–
EATON BRAY ...	–	1	–	–	–	
LUTON	*	*	*	*	*	*
BERKS	–	14	5		–	L. 2 N. 1
READING C.B. ...	–	4	2	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	1	–	–	–
EASTHAMPSTEAD	–	5	–	–	–	–
WANTAGE ...	–	1		–	–	N. 1
WINDSOR	–	3	–	–	–	–
WOKINGHAM ...	–	–	2	–	–	L. 2
BUCKINGHAM ...	–	14	4	–	3	N. 1
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	1	–	–	–	–
CHEPPING WYCOMBE	–	–	1	–	1	–
CHESHAM	–	–	–	–	1	–
SLOUGH	–	1	1	–		–
WOLVERTON ...		3	–	–	–	–
Rural Districts:—						
AYLESBURY ...	–	5	1	–	1	–
BUCKINGHAM ...	–	2	–	–		
ETON	–	2	1	–	–	–
NEWPORT PAGNELL	–	–	–	–	–	N. 1
CAMBRIDGE ...	–	4	2	–	2	–
Borough:—						
CAMBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
MELBOURN ...	–	1	–	–	–	–
NEWMARKET ...	–	1	2	–	1	–
CHESTER ...	–	30	19	3	18	C. 1 L. 3 N. 3
BIRKENHEAD C.B.	–	2	2	1	3	–
CHESTER C.B. ...	–	3	–	–	–	–
STOCKPORT C.B. ...	–	3	7	1	4	N. 2
WALLASEY C.B. ...	–	3	1	–		–
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	–	–	–	1	N. 1
BEBINGTON AND BROMBOROUGH	–	5	1	–	1	C. 1
CREWE	–	1	1	–	–	–
ELLESMERE PORT AND WHITBY	–	–	1		1	–
HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HYDE	–	2	1	–	2	–
MACCLESFIELD ...	–	–	–	1	–	L. 3
NANTWICH ...	–	–	1	–	1	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN	–	1		–	–	–
SALE	–	2	2	–		–
STALYBRIDGE ...	–	–	–	–	1	–
WILMSLOW ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW	–	1	–	–	1	–
MACCLESFIELD ...	–	1		–	–	–
NANTWICH ...	–		2	–	–	–
RUNCORN	–	1	–	–	2	–
TARVIN	–	3	–		–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	4	1	–	2	C. 1
Boroughs and Urban Districts:—						
PADSTOW... ...	*	*	*	*	*	*
PHILLACK ...	–	1	–	–	–	–
TRURO	–	–	1	–	–	–
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
CALSTOCK ...	–	–	–	–	1	–
LAUNCESTON ...	–	1	–	–	–	–
ST. COLUMB MAJOR	*	*	*	*	*	*
ST. GERMANS ...	–	1	–	–	–	–
TRURO	–	–	–	–	–	C. 1
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND...	–	2	6	–	7	M. 1 N. 1
CARLISLE C.B. ...	–	–	3	–	3	M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	2	–	–	–
KESWICK	–	–	1	–	2	–
WHITEHAVEN ...	–	–	–	–	1	–
WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
CARLISLE ...	–	1	–	–	–	–
LONGTOWN ...	*	*	*	*	*	*
PENRITH	–	1	–	–	–	–
WIGTON	–	–	–	–	–	N. 1
DERBY	1	35	13	–	13	C. 2 D. 1 M. 2 N. 1
DERBY C.B. ...	–	9	4	–	5	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
ALFRETON ...	1	–	–	–	1	–
ALVASTON AND BOULTON	–	–	–	–	1	–
ASHBOURNE ...	–	–	–	–	–	N. 1
BOLSOVER ...	–	–	–	–	1	–
CHESTERFIELD ...	–	2	–	–	–	C. 1
HEANOR	–	1	–	–	–	–
ILKESTON... ...	–	2	–	–	–	–
LONG EATON ...	–	3	–	–	–	–
SWADLINCOTE DISTRICT	–	2	–	–	1	–
THE MATLOCKS...	–	–	–	–	1	–
Rural Districts:—						
BLACKWELL ...	–	4	–	–	1	D. 1
CHAPEL EN LE FRITH		1	2	–	–	–
CHESTERFIELD ...	–	5	7	–	–	C. 1
CLOWNE	–	–	–	–	1	–
HARTSHORN AND SEALS	–	–	–	–	1	–
HAYFIELD ...	–	4	–	–	–	–
NORTON	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	–	M. 1
DEVON	–	28	14	–	8	C. 2 D. 1 M. 1
EXETER C.B ...	–	–	1	–	–	D. 1
PLYMOUTH C.B.	–	13	6	–	2	M. 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	1	–	1	–
HONITON	*	*	*	*	*	*
KINGSBRIDGE ...	–	–	–	–	1	–
NEWTON ABBOT...	–	1	–	–	–	–
PAIGNTON ...	–	–	–	–	1	–
SOUTH MOLTON...	–	1	–	–	–	–
TORQUAY	–	1	3	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	-	2	2	-	3	-
BIDEFORD ...	-	-	-	-	-	C. 1
BROADWOOD WIDGER	-	4	-	-	-	-
CULMSTOCK ...	-	1	-	-	-	-
HONITON... ...	*	*	*	*	*	*
PLYMPTON ST. MARY	-	4	1	-	-	-
ST. THOMAS ...	-	-	-	-	-	C. 1
SOUTH MOLTON...	-	1	-	-	-	-
DORSET	-	5	3	-	-	-
Boroughs and Urban Districts:—						
DORCHESTER ...	-	1	-	-	-	-
POOLE	-	2	1	-	-	-
Rural Districts:—						
SHAFTESBURY ...	*	*	*	*	*	*
SHERBORNE ...	-	1	-	-	-	-
WEYMOUTH ...	-	1	1	-	-	-
WIMBORNE AND CRANBORNE	-	-	1	-	-	-
DURHAM ...	-	81	11	1	31	D. 2 G. 1 M. 2 N 3
DARLINGTON C.B.	-	8	1	-	3	-
GATESHEAD C.B.	-	13	-	-	4	D. 1
SOUTH SHIELDS C.B.	-	4	-	-	6	G. 1
SUNDERLAND C.B.	-	8	3	1	4	D. 1
WEST HARTLEPOOL C.B.	-	5	-	-	-	-
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	-	1	-	-	-	M. 1
BENFIELDSIDE ...	-	4	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
BILLINGHAM ...	-	1	-	-	-	-
BISHOP AUCKLAND	-	-	1	-	-	-
BLAYDON... ...	-	6	-	-	-	-
BRANDON AND BYSHOTTLES	-	-	-	-	-	M. 1
CHESTER LE STREET	-	3	-	-	-	-
CONSETT	-	-	-	-	1	-
CROOK	-	-	1	-	-	-
DURHAM	-	1	-	-	-	-
FELLING	-	9	-	-	1	-
HEBBURN ...	-	1	-	-	2	-
HOUGHTON LE SPRING	-	-	1	-	-	-
JARROW	-	-	-	-	2	-
LEADGATE ...	-	-	-	-	-	N. 1
SEAHAM HARBOUR	-	1	-	-	-	-
STANHOPE ...	-	-	-	-	-	N. 1
STANLEY	-	-	-	-	1	-
STOCKTON ON TEES	-	8	-	-	2	-
TANFIELD ...	-	-	1	-	-	-
WHICKHAM ...	-	1	-	-	1	-
WILLINGTON ...	-	2	-	-	-	-
Rural Districts:—						
AUCKLAND ...	-	2	-	-	-	-
CHESTER LE STREET	-	2	2	-	2	N. 1
EASINGTON ...	-	-	1	-	1	-
HOUGHTON LE SPRING	-	1	-	-	1	-
ELY, ISLE OF ...	-	1	1	-	-	-
Boroughs and Urban Districts:—						
WHITTLESEY ...	-	1	1	-	-	-

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum: N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	16	94	43	–	21	C. 2 D. 1 L. 1 N. 4
EAST HAM C.B....	2	7	5	–	1	D. 1
SOUTHEND ON SEA C.B.	–	8	5	–	1	
WEST HAM C.B.	10	17	3	–	5	N. 1
Boroughs and Urban Districts:—						
BARKING TOWN...	–	5	2	–	1	–
BRENTWOOD ...	–	1	–	–	–	–
BRIGHTLINGSEA...	*	*	*	*	*	*
CHELMSFORD ...	–	4	–	–	–	N 1
CHINGFORD ...	–	1	2	–	–	–
CLACTON	–	1	–	–	–	–
DAGENHAM ...	–	9	1	–	3	C. 1
EPPING	–	1	–	–	–	N. 1
GRAYS THURROCK	1	–	1	–	1	–
HARWICH ...	–	–	1	–	–	–
HORNCHURCH ...	–	1	–	–	–	–
ILFORD	–	4	2	–	3	–
LEYTON	–	11	2	–	1	C. 1 N. 1
MALDON	–	1	–	–	–	–
PURFLEET ...	–	–	–	–	1	–
ROMFORD... ...	–	2	–	–	–	–
SAFFRON WALDEN	–	2	–	–	–	–
SHOEBURYNESS ...	–	1	1	–	–	–
TILBURY	–	–	2	–	1	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
WALTHAMSTOW ...	–	5	9	–	1	–
WOODFORD ...	–	–	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	1	L. 1
BRAINTREE ...	–	5	–	–	1	–
CHELMSFORD ...	3	1	–	–	–	–
DUNMOW	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	1	–	–	–
ROCHFORD ...	–	–	2	–	–	–
ROMFORD... ...	–	1	2	–	–	–
TENDRING ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	20	28	–	8	G. 2 L. 4 M. 2 N. 2
BRISTOL C.B. ...	–	7	19	–	7	G. 1 L. 4 M. 2
GLOUCESTER C.B.	–	1	–	–	1	N. 2
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	1	1	–	–	–
KINGSWOOD ...	–	–	1	–	–	–
MANGOTSFIELD ...	–	1	–	–	–	G. 1
NAILSWORTH ...	–	3	–	–	–	–
STROUD	–	–	3	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
GLOUCESTER ...	–	2	–	–	–	–
LYDNEY	–	–	1	–	–	–
NORTHLEACH ...	–	–	3	–	–	–
STROUD	–	3	–	–	–	–
WHEATENHURST	–	1	–	–	–	–
HEREFORD ...	–	2	7	–	4	M. 2
Boroughs and Urban Districts:—						
HEREFORD ...	–	1	1	–	–	–
KINGTON... ...	*	*	*	*	*	*
ROSS-ON-WYE ...	–	–	–	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	–		2	M. 1
DORE	–	–	6	–	–	–
HEREFORD ...	–	1	–	–	1	–
KINGTON... ...	*	*	*	*	*	*
LEDBURY... ...	–	–	–	–	–	M. 1
HERTFORD ...	–	8	6	–	2	M. 1 N. 4
Boroughs and Urban Districts:—						
BARNET	–	–	–	–	–	N. 2
HARPENDEN ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
Hemel Hempstead	-	2	-	-	-	N. 1
Hertford ...	-	-	1	-	-	-
Hitchin	-	2	1	-	-	-
St. Albans ...	-	-	-	-	2	-
Stevenage ...	-	1	-	-	-	-
Watford... ...	-	2	1	-	-	N. 1
Rural Districts:—						
Barnet	-	-	1	-	-	-
Hadham	-	-	-	-	-	M. 1
Hatfield ...	-	-	1	-	-	-
Ware	-	-	1	-	-	-
HUNTINGDON ...	-	1	-	-	-	-
Boroughs and Urban Districts:—						
Old Fletton ...	-	1	-	-	-	-
KENT	-	40	7	1	8	C. 4 M. 2
Boroughs and Urban Districts:—						
Ashford	-	1	-	-	-	-
Beckenham ...	-	1	-		-	-
Bexley	-	2	1	-	-	-
Bromley... ...	-	5	1	-		-
Chatham ...		-	1	-	-	-
Cheriton ...	-	-	-	-	1	-
Chislehurst ...	-	1		-	-	-
Dartford ...			-	-	-	C. 2
Dover	-	-	-	-	-	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
Erith	-	2	-	-	1	-
Faversham ...	-	1	-	-	-	-
Gillingham ...	-	3	-	-	2	-
Gravesend ...	-	2	-	-	-	-
Margate ...	-	1	-	-	-	-
Penge	-	-	2		-	-
Ramsgate ...	-	6	-	-	1	-
Rochester ...	*	*	*	*	*	*
Royal Tunbridge Wells	-	1	-	-	1	M. 1
Sandwich ...	-	1	-	-	-	-
Sevenoaks ...	-	1	-	-	-	-
Sheerness ...	-	2	-	-	-	-
Sidcup		1	-	-	-	-
Whitstable ...	-	-	-	-	1	-
Rural Districts:—						
Blean	-	-	-	-	1	-
Bridge	-	-	-	1	-	-
Bromley... ...	-	2		-	-	C. 1
Dartford ...	-	1		-		-
Isle of Thanet	-	3	-	-	-	-
Romney Marsh	-	1	-	-	-	-
Sevenoaks ...	-	1	-	-	-	-
Strood	-	1	2	-	-	-
LANCASTER ...	-	250	156	5	144	C. 4 D. 4 E. 3 F. 1 G. 1 M. 20 N. 17
Barrow in Furness C.B.	-	-	1	-	2	-
Blackburn C.B.	-	3	-	-	7	-
Blackpool C.B.	-	1	1	-	-	N. 1
Bolton C.B. ...	-	13	3	1	1	D. 1
Bootle C.B. ...	-	12	2	-	3	-
Burnley C.B. ...	-	7	2	-	3	-
Bury C.B. ...	-	-	-	-	2	-

* Returns not received.

], Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER— *cont.*						
LIVERPOOL C.B....	–	37	70	1	33	D. 2 F. 1 G. 1 M. 18 N. 3
MANCHESTER C.B.	–	60	17	–	39	C. 3 D. 1 E. 1 N. 1
OLDHAM C.B. ...	–	6		–	1	M. 1 N. 1
PRESTON C.B. ...	–	2	–	–	7	N. 2
ROCHDALE C.B....	–	2	6	–	–	–
ST. HELENS C.B.	–	2	3		1	–
SALFORD C.B. ...	–	6	16	–	9	–
SOUTHPORT C.B.	–	6	4	–	2	–
WARRINGTON C.B.	–	13		–	3	E. 1 N. 1
WIGAN C.B. ...	–	4	1	–	1	M. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
ACCRINGTON ...	–	2	1	–	–	–
ADLINGTON ...	–	–	–	–	1	–
ASHTON IN MAKERFIELD	–	2	–	–	–	–
ASHTON-UNDER-LYNE	–	10	–	–	1	–
ASPULL	–	2	–	–	2	–
ATHERTON ...	–	–	–	–	1	N. 2
AUDENSHAW ...	–	–	–	–	1	–
BACUP	–	–	–	–	1	–
BLACKROD ...	–	1	–	–	–	–
CHORLEY	–	1	1	–	–	–
DARWEN	–	1	–	–	–	–
DENTON	–	1	–	–	1	–
DROYLSDEN ...	–	2	–	–	–	–
ECCLES	–	1	2	–	1	–
FARNWORTH ...	–	1	1	–	3	N. 4
FORMBY	–	1	–	–	–	–
GOLBORNE ...	–	1	–	–	–	–
GREAT HARWOOD	*	*	*	*	*	*
HASLINGDEN ...	–	1	2	–	–	–
HAYDOCK... ...	–	–	–	–	1	–
HEYWOOD ...	–	–		–	1	–
HINDLEY	–	–	1	–	–	–
HUYTON WITH ROBY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
INCE IN MAKERFIELD	–	–	1	–	–	–
IRLAM	–	–	1	–	–	–
LANCASTER ...	–	1	1	1	4	E. 1 N. 1
LEIGH	–	–	2	–	–	–
LITHERLAND ...	–	1	1	–	–	–
LITTLE CROSBY...	*	*	*	*	*	*
LYTHAM ST. ANNE'S	–	–	1	–	–	–
MIDDLETON ...	–	6	4	–	2	–
MILNROW... ...		1	–	–	–	–
MORECAMBE AND HEYSHAM	–	–	1	–	–	–
NELSON	–	1	–	–	–	–
NEWTON IN MAKERFIELD	–	1	–	–	2	–
ORMSKIRK ...	–	–	–	–	1	
PADIHAM... ...	–	–	–	–	1	–
PREESALL ...	–	–	1	–	–	–
PRESTWICH ...	–	2	–	–	1	–
RADCLIFFE ...	–	2	–	1	–	–
RAWTENSTALL ...	–	2	1	–	–	N. 1
ROYTON	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	2	–	–	–	–
STRETFORD ...	–	3	1	–	–	–
SWINTON AND PENDLEBURY	–	2	1	–	–	–
THORNTON CLEVELEYS	–	1	–	–	–	–
TOTTINGTON ...	–	–	–	–	–	C. 1
TYLDESLEY WITH SHAKERLEY	–	1	–	–		–
UPHOLLAND ...	–	1	–	–	1	–
WALTON LE DALE	–	2	–	–	–	–
WATERLOO WITH SEAFORTH	–	2	1			–
WESTHOUGHTON	–	1	–	–	1	–
WHITEFIELD ...	*	*	*	*	*	*
WHITWORTH ...	–	2	–	–	–	–
WIDNES	–	2	3	–	1	–
Rural Districts:—						
BLACKBURN ...	–	2	–	–	–	–
BURNLEY ...	–	1	–	–	–	–

* Returns not received.

† The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER— *cont.*						
Rural Districts— *cont.*						
BURY	–	1	–	–	–	–
CHORLEY	–	1	–	–	–	–
GARSTANG ...	–		1	–	–	–
LEIGH	–	–	–	1	–	–
SEFTON	*	*	*	*	*	*
WARRINGTON ...	–	5	–	–	–	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON	–	1	1	–	–	–
LEICESTER ...	4	8	9	–	6	L. 1 N. 1
LEICESTER C.B....	2	4	4	–	2	L. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
COALVILLE ...		1	–	–	–	–
HINCKLEY ...	–	–	–	–	1	–
MARKET HARBOROUGH	–	–	5	–	–	–
QUORNDON ...	–	1	–	–	–	–
THURMASTON ...	1	–	–	–	–	–
WIGSTON MAGNA	1	–	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
MARKET BOSWORTH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	1	–	–	1	–
Rural Districts:—						
BOSTON	–		–	–	1	–
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	2	–	–	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	1	–	–	–
Rural Districts:—						
WEST KESTEVEN	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	1	15	4	–	3	E. 1 N. 1
GRIMSBY C.B. ...	–	2	1	–	–	–
LINCOLN C.B. ...	–	2	–		–	–
Boroughs and Urban Districts:—						
BRIGG	–	–	–	–	–	E. 1
CLEETHORPES ...	–	4	–	–	1	–
LOUTH	–	1	1	–	–	–
SCUNTHORPE AND FRODINGHAM	–	2	2	–	–	–
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GAINSBOROUGH ...	1	–	–	–	–	–
GLANFORD BRIGG	–	1	–	–	1	–
ISLE OF AXHOLME	–	–	–	–	1	–
LOUTH	–	2	–	–	–	N. 1
MIDDLESEX ...	–	103	45	1	15	C. 1 M. 3 N. 6
Boroughs and Urban Districts:—						
ACTON	–	3	4	–	–	–
BRENTFORD AND CHISWICK	–	1	1	–	–	–
EALING	–	4	–	–	2	–
EDMONTON ...	–	14	3	–	1	N. 1

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
Enfield	-	12	13	-	1	-
Finchley ...	-	4	2	-	-	-
Friern Barnet...	-	3	1	-	-	-
Hampton ...	-	-	-	-	1	-
Harrow on the Hill	-	1	-	-	-	-
Hayes and Harlington	-	1	-	-	-	-
Hendon	-	8	2	-	-	M 1 N. 1
Heston and Isleworth	-	7	2	-	1	C. 1 M. 1
Hornsey	-	3	2	-	-	N. 2
Kingsbury ...	-	-	1	-	-	
Southall Norwood	-	1	-	-	1	-
Southgate ...	-	4	-	-	1	-
Staines	-	1	-	-		-
Sunbury on Thames	-	-	1	-	-	-
Teddington ...	-	1	-	-	1	-
Tottenham ...	-	17	1	-	-	N. 1
Twickenham ...	-	6	-	-	-	-
Uxbridge ...	-	1	-	-	-	-
Wealdstone ...	-	1	1	-	-	-
Wembley ...	-	3	-	-	-	-
Willesden ...	-	5	9	-	4	M. 1
Wood Green ...	-	2	-	1	-	N. 1
Rural Districts—						
Hendon	-	-	2	-	2	-
NORFOLK ...	-	5	4	2	7	C 2 F. 1 N. 1
Great Yarmouth C.B.	-	-	1	-	1	-
Norwich C.B. ...	-	3	1	-	3	C. 1
Boroughs and Urban Districts:—						
King's Lynn ...	-	1	-	1	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
Aylsham... ...	-	1	1	-	-	F. 1
Blofield ...	-	-	-	1	1	-
Docking		-		-	1	-
Downham ...	-	-	-	-	1	N. 1
Erpingham ...	-	-	1	-		-
Marshland ...	*	*	*	*	*	*
St. Faith's ...	-	-		-	-	C. 1
Swaffham ...	*	*	*	*	*	*
Wayland ...	*	*	*	*	*	*
NORTHAMPTON	-	13	3	-	6	M. 2
Northampton C.B.	-	3	1	-	4	-
Boroughs and Urban Districts:—						
Desborough ...	-	3	-	-	-	-
Irthlingborough	-	1	-	-	-	-
Kettering ...	-	3			1	M. 1
Raunds	-	-	-	-	-	M. 1
Wellingborough	-	-	1	-	1	-
Rural Districts:—						
Daventry ...	-	1		-	-	-
Hardingstone ...	-	-	1		-	-
Kettering ...	-	1	-		-	-
Wellingborough	-	1	-	-	-	-
NORTHUMBERLAND.		45	7	-	20	C. 1 D. 3 E. 1 L. 2 M. 3 N. 3
Newcastle upon Tyne C.B	-	25	2	-	13	D. 1 L. 2 M. 2 N. 2

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Tynemouth C.B.	–	3	1	–	3	D. 1
Boroughs and Urban Districts:—						
Ashington ...	–	–	–	–	–	M. 1 N. 1
Bedlingtonshire	–	3	–	–	–	C. 1 D. 1
Berwick upon Tweed	–	–	–	–	1	–
Cramlington ...	–	1	–	–	–	–
Earsdon	–	1	–	–		–
Gosforth ...		–	1	–		–
Prudhoe... ...	–	1	3	–	1	–
Seaton Delaval	–	3	–		–	–
Wallsend ...	–	–		–	1	E. 1
Whitley and Monkseaton	–	–	–	–	1	–
Rural Districts:—						
Castle Ward ...	–	1	–	–	–	–
Glendale ...	–	1	–	–	–	–
Hexham		3	–	–	–	–
Morpeth ..	–	1	–	–	–	–
Rothbury ...	–	2	–	–	–	–
NOTTINGHAM ...	–	25	8	–	17	E. 1 M. 3
Nottingham C.B.		10	3	–	4	E. 1
Boroughs and Urban Districts:—						
Carlton	–	1	–	–	1	–
East Retford ...	–	1	4	–	1	–
Hucknall ...	–	2	–	–	3	–
Kirkby in Ashfield	–	1	–	–	3	–
Mansfield ...	–	1	–	–	2	M. 2
Mansfield Woodhouse	–	1	–	–	–	–
Sutton in Ashfield	–	1	–	–		–
West Bridgford		–			1	–
Worksop... ...	–	2	–	–		–
NOTTINGHAM—*cont.*						
Rural Districts:—						
Basford	–	3	1	–	1	–
Skegby	–	–	–	–	–	M. 1
Southwell ...	–	2	–	–	1	–
OXFORD	–	6	2	–	1	M. 1 N. 1
Oxford C.B. ...	–	2	2	–	1	M. 1
Boroughs and Urban Districts:—						
Henley on Thames	–	1	–	–	–	–
Rural Districts:—						
Banbury... ...	–	1	–	–	–	–
Goring	–	–	–	–	–	N. 1
Henley	–	2	–	–	–	–
PETERBOROUGH (Soke of).	–	3	–	–	–	–
Borough:—						
Peterborough...	–	2	–	–	–	–
Rural Districts:—						
Barnack... ...	–	1	–	–		–
SALOP	–	9	2	1	1	M. 1 N. 1
Boroughs and Urban Districts:—						
Ellesmere ...	–	2	–	–	–	–
Oakengates ...	–		1			–
Oswestry ...	–		–	1	–	–
Shrewsbury ...	–	2	–	–	–	–
Wenlock ...	–	1	–	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
Atcham	–		1	–		–
Cleobury Mortimer	–	–	–	–	1	–
Drayton	–	1	–	–		–
Ellesmere ...	–	3	–	–	–	–
Oswestry ...	–	–	–	–	–	M. 1
Wellington ...	–	–	–	–	–	N. 1
SOMERSET ...	–	13	8	–	4	N. 1
Bath C.B. ...	–	6	1	–	2	–
Boroughs and Urban Districts:—						
Frome	–	2	1	–	–	–
Radstock ...		–	–	–	1	–
Weston super Mare	–	–	3	–	–	–
Rural Districts:—						
Axbridge ...	–	2	2	–	1	–
Bridgwater ...	–	1	–	–	–	N. 1
Frome	–	1		–	–	–
Keynsham ...	–	–	1	–	–	–
Taunton		1	–	–	–	–
SOUTHAMPTON	–	40	29	–	5	C. 1 D. 1 M. 1 N. 1
Bournemouth C.B.	–	3	2	–	–	–
Portsmouth C.B.	–	18	8	–	1	–
Southampton C.B.	–	9	3	–	3	D. 1 M. 1
Boroughs and Urban Districts:—						
Aldershot ...	–	1	3	–	–	–
Alton	–	1	–	–	–	–
Andover... ...	–	–	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
Fareham ...	–	1	1	–	–	–
Gosport	–	2	1	–	–	–
Havant	–	1	–	–	–	–
Lymington ...	–	–	2	–	–	–
Winchester ...	–	–		–	–	C. 1
Rural Districts:—						
Catherington ...	–	–	1	–	–	–
Fareham ...	–	2	–	–	–	–
Havant	–	1	1	–	–	–
Hursley	–	1	–	–	–	–
Lymington ...	–	–	–	–	1	–
Petersfield ...	–	–	2	–	–	N. 1
South Stoneham	–	–	1	–	–	–
Whitchurch ...	–	–	1	–	–	–
STAFFORD ...	–	34	22	2	31	C. 2 E. 2 L. 1 M. 10 N. 2
Burton upon Trent C.B.	–	1	3	–	–	–
Smethwick C.B.	–	3	5	–	1	–
Stoke on Trent C.B.	–	4	1	–	10	C. 1 M. 6
Walsall C.B. ...	–	2	2	–	–	M. 1 N. 1
West Bromwich C.B.	–	2	1	–	1	E. 1
Wolverhampton C.B.	–	–	1	–	4	M. 1
Boroughs and Urban Districts:—						
Audley	–	–	2	–	1	–
Biddulph ...	–	–	–	–	1	–
Cannock	–	1	–	–	1	N. 1
Coseley	–	3	–	–	–	–
Darlaston ...	–	3	1	–	–	–
Leek	–	–	–	–	1	M. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Quarry Bank ...	–	–	1	–	–	–
Rowley Regis ...	–	1	–	–	–	–
Rugeley	–	2	1	–	–	–
Sedgley	–	–	2	–	3	–
Stafford ...	–	1	1	–	–	–
Stone	–	–	–	1	1	–
Tamworth ...	–	1	–	–	–	–
Tettenhall ...	–	–	1	–	–	–
Tipton	–	3	–	–	1	–
Uttoxeter ...	–	–	–	–	1	–
Wednesbury ...	–	1	–	–	–	–
Rural Districts:—						
Cannock	–	–	–	–	1	–
Cheadle	–	4	–		3	E. 1 L. 1 M. 1
Leek	–	–	–	–	1	–
Seisdon	–	–	–	1		–
Tamworth (part)	–	2	–	–		C. 1
SUFFOLK, EAST	–	19	12	–	1	C. 1 M. 2 N. 2
Ipswich C.B. ...	–	10	5	–	1	C. 1
Boroughs and Urban Districts:—						
Beccles	–	2	–	–		N. 1
Felixstowe ...	–	2	–	–	–	–
Lowestoft ...	–	2	1	–	–	M. 2 N. 1
Rural Districts:—						
Bosmere and Claydon	–	1	–	–	–	–
Hartismere ...	–	–	2	–	–	–
Hoxne	–	2			–	–
Plomesgate ...		–	4	–	–	–
SUFFOLK, WEST	–	7	2	1	–	–
Boroughs and Urban Districts:—						
Bury St. Edmunds	–	1	–	–	–	–
Hadleigh ...	–	–	–	1	–	–
Newmarket ...	–	–	1	–	–	–
Rural Districts:—						
Brandon	–	1	–	–	–	–
Melford	–	–	1	–	–	–
Thedwastre ...	–	1	–	–	–	–
Thingoe	–	4	–	–	–	–
SURREY	–	35	24	–	6	C. 3 M. 2 N. 2
Croydon C.B. ...	–	11	4	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
Barnes	–	2	–	–	–	–
Carshalton ...	–	1	–	–	–	C. 1
Coulsdon and Purley	–	1	–	–	–	–
East and West Molesey	–	1	1	–	–	–
Egham	–	–	2	–	–	–
Epsom	–	1	–	–	–	–
Frimley and Camberley	–	–	1	–	–	–
Guildford ...	–	–	–	–	2	C. 1 M. 1
Haslemere ...	–	1	–	–	–	–
Kingston on Thames	–	2	–	–	–	N. 1
Merton and Morden	–	–	2	–	–	–
Mitcham	–	3	–	–	–	–
Reigate	–	–	7	–	–	–
Richmond ...	–	2	1	–	1	–
The Maldens and Coombe	–	–	1	–	–	–
Wimbledon ...	–	4	2	–	–	M. 1

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
EPSOM	–	4	–	–	–	–
GODSTONE ...	–	–	3	–	–	–
REIGATE	–	2	–	–	1	–
SUSSEX, EAST ...	–	10	8	1	2	J. 1 N. 1
BRIGHTON C.B. ...	–	3	7	–	–	N. 1
EASTBOURNE C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BEXHILL	–	3	–	–	–	–
BURGESS HILL ...	–	1	–	–	–	–
HOVE	–	–	–	1		J. 1
NEWHAVEN ...	–	1	–	–	–	–
RYE	*	*	*	*	*	*
Rural Districts:—						
EASTBOURNE ...	–	–		–	1	–
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	–	–	1	–
TICEHURST ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	13	6	–	3	G. 1 N. 1
Boroughs and Urban Districts:—						
ARUNDEL	–	1	–	–	–	–
BOGNOR REGIS ...	–	6	5	–	–	–
WORTHING ...	–	3	1	–	–	G. 1
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
THAKEHAM ...	–	–	–	–	1	–
WESTBOURNE ...	–	1	–	–	–	N. 1
WESTHAMPNETT	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK ...	–	98	30	1	34	D. 2 E. 1 M. 13 N. 4
BIRMINGHAM C.B.	–	82	22	–	25	D. 1 E. 1 M. 13 N. 4
COVENTRY C.B. ...	–	3	2	–	2	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	1	–	–	–
NUNEATON ...	–	4	1	–	–	–
ROYAL LEAMINGTON SPA	–	–	–	–	4	D. 1
RUGBY	–	3	–	1	–	–
SUTTON COLDFIELD	–	–	2	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	2	1	–	1	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	–	–	–	1	–
SOLIHULL ...	–	–	1	–	–	–
TAMWORTH (part)	–	4	–	–	–	–
WESTMORLAND	–	2	–	–	1	–
Boroughs and Urban Districts:—						
KIRKBY LONSDALE	–	–	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–		–	–
WIGHT, ISLE OF	–	1	1	–	–	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF —*cont.*						
Rural Districts:—						
ISLE OF WIGHT ...	–	–	1	–	–	–
WILTS	–	11	3		5	C. 1 N. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
SALISBURY ...	–	2	–	–	1	–
SWINDON	–	–	2	–	2	N. 1
TROWBRIDGE ...	–	1	1	–		–
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	1	
MALMESBURY ...	–	–	–		1	–
MELKSHAM ...	–	–		–	–	C. 1
PEWSEY	–	1	–		–	–
TISBURY	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	19	7	–	2	C. 1 N. 2
DUDLEY C.B. ...	–	4	–	–	–	
WORCESTER C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
EVESHAM	–	3	–	–	–	–
HALESOWEN ...	–	3	1	–	–	–
KIDDERMINSTER	–	4	1	–	–	–
LYE AND WOLLESCOTE	–	–	1	–	–	–
NORTH BROMSGROVE	–	–	1	–	–	–
OLDBURY	–	2	2	–	–	C. 1
REDDITCH ...	–	–	–	–	1	N. 1
STOURBRIDGE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER— *cont.*						
Rural Districts:—						
MARTLEY... ...	–	1	–	–	–	N. 1
PERSHORE ...		1	–	–	–	–
YORKS ... ... (East Riding).	–	9	44	2	8	M. 2 N. 1
KINGSTON UPON HULL C.B.	–	5	38	2	8	M. 2
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	2	–	–	–
COTTINGHAM ...	–	–	3	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1	1	–	–	–
BRIDLINGTON ...	–	1	–		–	–
PATRINGTON ...	–	1	–	–		–
POCKLINGTON ...	–	1	–	–	–	–
SKIRLAUGH ...	–	–	–	–	–	N. 1
YORKS ... ... (North Riding).	–	17	7	–	12	D. 1
MIDDLESBROUGH C.B.	–	7	2		6	–
Boroughs and Urban Districts:—						
ESTON	–	2		–	–	–
KIRKLINGTON CUM UPSLAND	*	*	*	*	*	*
MALTON		1	–	–	–	–
REDCAR	–	1	1	–	–	–
SCALBY	*	*	*	*	*	*
SCARBOROUGH ...	–	–	3	–	1	D. 1
SKELTON AND BROTTON	–	–	–	–	1	–
THORNABY ON TEES	–	1	–	–	3	–
WHITBY	–	–	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
FLAXTON	-	1	1	-	-	-
HELMSLEY ...	-	1	-	-	-	-
LEYBURN	-	1	-	-	-	-
MALTON	-	2	-	-	-	-
YORKS ... ... (West Riding).	2	163	85	4	81	C. 7 D. 6 G. 1 M. 6 N. 12
BARNSLEY C.B. ...	-	2	-	-	3	D. 1
BRADFORD C.B. ...		8	2	-	9	C. 1 N. 2
DEWSBURY C.B....	-	3	5	-	-	-
DONCASTER C.B....	-	3	3	-	-	C. 1 M. 1
HALIFAX C.B. ...	-	6	3	-	1	-
HUDDERSFIELD C.B.	-	-	5	-	2	M. 1
LEEDS C.B. ...	-	51	22	-	16	M. 1
ROTHERHAM C.B.	-	1	1	-	1	N. 1
SHEFFIELD C.B....	-	29	4	-	27	C. 3 G. 1 N. 5
WAKEFIELD C.B.	-	4	2	-	3	-
Boroughs and Urban Districts:—						
ARDSLEY, EAST AND WEST	-	-	2	-	-	-
BARNOLDSWICK ...	-	-	1	-	-	-
BATLEY	-	2	-	1	2	-
BOLTON UPON DEARNE	-	1	-	-	-	D. 1
BRIGHOUSE ...	-	-	1	-	-	-
CASTLEFORD ...	-	4	-	-	1	-
CUDWORTH ...	-	-	1	-	-	D. 1
DARTON	2	-	1	-	-	-
DODWORTH ...	*	*	*	*	*	*
ELLAND	-	1	-	-	-	-
GOOLE	-	1	-	-	2	-
GUISELEY ...	-	-	1	-	-	-
HARROGATE ...	-	-	-	1	-	-
HECKMONDWIKE	-	1	-	-	-	-
HORBURY... ...	-	3	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
HORSFORTH ...	-	-	-	-	1	-
HOYLAND NETHER	-	-	-	-	-	C. 1
KEIGHLEY ...	-	3	-	-	-	N. 1
KIRKBURTON ...	-	-	-	-	1	-
KNARESBOROUGH	-	1	-	-	-	-
KNOTTINGLEY ...	-	-	-	-	1	
LEPTON	-	-	-	-	-	M. 1
LUDDENDEN FOOT	-	-	5	-	-	-
MALTBY	-	-	-	-	-	D. 1
MARSDEN... ...	-	-	1		-	-
MELTHAM ...	-	-	-	-	-	M. 1
MEXBOROUGH ...	-	1	-	-	1	-
MORLEY	-	1	2	-	-	-
NORMANTON ...	-	1	-	-	-	-
OSSETT	-	*	*	*	*	*
OTLEY	-	1	-	-		-
PONTEFRACT ...	-	-	1	-	-	-
RAWMARSH ...	-	1	2		-	C. 1
RIPON	-	-	-	-	-	N. 1
ROTHWELL ...	-	2	1	-	1	-
ROYSTON	*	*	*	*	*	*
SHELLEY	-	1	-	-	-	-
SHEPLEY	-	1	-	-	-	-
SHIPLEY	-	1	-	-	-	-
SKIPTON	-	5	-	-	-	-
SOUTH CROSLAND	-	-	1	-	-	-
SOUTHOWRAM ...	-	-	-	-	-	N. 1
SOWERBY... ...	-	-	2	-	-	-
SPENBOROUGH ...	-	3	1	-	1	-
SPRINGHEAD ...	-	1	-	-	-	-
STANLEY	-	-	7	-	1	-
STOCKSBRIDGE ...	-	-	-	-	2	-
SWINTON	-	1	-	-	-	-
THURNSCOE ...	-	1	1	-	1	-
TODMORDEN ...	-	-	-	-	-	M. 1
WHITLEY UPPER	-	1	-	-	-	-
WHITWOOD ...	-	1	-	2	-	-
WOMBWELL ...	-	-	-		1	D. 1
WORSBOROUGH ...	-	1	-	-	-	-
YEADON	-	-	1	-	-	-
Rural Districts:—						
DONCASTER ...	-	1	-	-	-	N. 1
HEMSWORTH ...	-	4	3	-	2	D. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
KIVETON PARK ...	–	–	–	–	1	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	3	–	–	–	–
ROTHERHAM ...	–	–	1	–	–	–
WETHERBY ...	–	2	–	–	–	–
WHARFEDALE (SOUTH)	–	1	–	–	–	–
WORTLEY... ...	–	3	2			–
YORK, CITY OF ..	–	8	4	–	1	C. 1
YORK C.B. ...	–	8	4	–	1	C. 1
WALES.						
ANGLESEY ...		2	–	–	–	M. 1
Rural Districts:—						
TWRCELYN ...	–	2	–	–	–	M. 1
BRECKNOCK ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
LLANWRTYD ...	–	1	–	–	–	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	*	*	*	*	*	*
HAY	–	1	1	–	–	–
YSTRADGYNLAIS	–	–	1	–	1	–
CAERNARVON...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
BANGOR	–	1	1	–	–	–
CONWAY	–	–	2	–	–	–
CARDIGAN ...	–	6	4	–	–	N. 1
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–	–	3	–	–	–
Rural Districts:—						
ABERYSTWYTH (SOUTH)	*	*	*	*	*	*
CARDIGAN ...	–	6	–	–	–	–
TREGARON ...	–	–	1	–	–	N. 1
CARMARTHEN...	–	6	1	1	1	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	1	–	–	–
LLANELLY ...	–	–	–	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	3	–	1	–	–
LLANDILO FAWR	–	1	–	–	–	–
LLANELLY ...	–	2	–	–	–	–
DENBIGH ...	–	10	18	–	–	–
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	1	2	–	–	–
WREXHAM ...	–	–	2	–	–	–
Rural Districts:—						
ST. ASAPH (DENBIGH)	–	–	1	–	–	–
WREXHAM ...	–	9	13	–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	–	3	–	–	–
Boroughs and Urban Districts:—						
RHYL	–	–	1	–		–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL ...	–	–	1	–	–	–
OVERTON	*	*	*	*	*	*
GLAMORGAN ..	–	44	63	–	18	C. 1 M. 3 N. 5
CARDIFF C.B. ...		20	13	–	2	M. 2 N. 2
MERTHYR TYDFIL C.B.	–		–	–	2	–
SWANSEA C.B. ...	–	5	7	–	–	M. 1 N. 1
Boroughs and Urban Districts:—						
ABERDARE ...		–	1		–	–
BARRY	–	3		–	1	–
LLWCHWR ...	–	3	6	–	–	–
MAESTEG	–	–	1	–	–	–
MOUNTAIN ASH...	–	–	2	–	1	C. 1 N. 1
NEATH		–	4	–	–	–
OGMORE AND GARW	–	2	–	–	2	–
PENARTH... ...	–	–	–		1	–
PONTYPRIDD ...	–	3	3		–	–
PORTHCAWL ...	–	2	1	–	1	–
RHONDDA ..		2	18	–	6	N. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT-FARDRE	–	3	6	–	–	–
NEATH	–		–	–	1	–
PONTARDAWE ...		1	1	–	1	–
MERIONETH ...	–	1	1	–	–	–
Urban Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
FFESTINIOG ...	–	1		–	–	–
MONMOUTH ...	–	78	22	–	4	E. 2 M. 2 N. 2
NEWPORT C.B. ...	–	39	4	–	2	E. 1
Boroughs and Urban Districts—						
ABERCARN ...	–	3	–	–	–	–
ABERGAVENNY ...	–	1	9	–	–	–
ABERSYCHAN ...	–	4		–	–	M. 1
ABERTILLERY ...	–	4	–	–	–	–
BEDWELLTY ...	–	2		–		–
BLAENAVON ...	–	1	–	–	–	–
CAERLEON ...	–		–		–	M. 1 N. 1
EBBW VALE ...	–	5	–		1	E. 1
MONMOUTH ...	*	*	*	*	*	*
MYNYDDISLWYN	–	9	1	–	–	–
PANTEG	–	–	1	–	–	–
PONTYPOOL ...	–	–	1	–	–	–
RHYMNEY ...	–	1	1	–	–	–
TREDEGAR ...	–	1	1	–	1	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
CHEPSTOW ...	–	–	1		–	–
MAGOR	–	2	–	–	–	N. 1
MONMOUTH ...	*	*	*	*	*	*
PONTYPOOL ...	–	1	2	–	–	–
ST. MELLONS ...	–	4	1	–	–	–
MONTGOMERY...	–	3	–	–	1	N. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
MONTGOMERY ...	–	2	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONTGOMERY—*cont.*						
Rural Districts:—						
Llanfyllin ...	–	–	–	–	1	N. 1
PEMBROKE ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
Pembroke ...	*	*	*	*	*	*
Rural Districts:—						
Llanfyrnach ...	–	1	–	–		–
Narberth ...		1	–	–	–	–
RADNOR	–	1	–	–	–	–
Rural Districts:—						
Painscastle ...	–	1	–	–	–	–
Total of Part II....	24	1528	825	26	571	C. 38 D. 22 E. 11 F. 2 G. 6 J. 1 L. 14 M. 88 N. 90

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Liverpool	–	–	1	–	–	–
Tadstow	*	*	*	*	*	*
Southampton ...	–	–	–	1	–	–
Tyne		–	–		–	I. 1
Total of Part III. ...	–	–	1	1		I. 1

* Returns not received.

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	17	315	142	5	81	C. D. E. G. M. 1 N. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	24	1528	825	26	571	C. 3 D. 2 E. 1 F. G. J. L. 1 M. 8 N. 9
Total of Part III.—Port Sanitary Districts		-	1	1	-	I.
Total (i.e., of returns received), England and Wales ...	41	1843	968	32	652	C. 4 D. 2 E. 1 F. G. I. J. L. 1 M. 10 N. 10

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e 5.—London and Great Towns in the GREGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	July 11.	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Totals from 1st Week of year. * 1930.	1931.
DON :—															
Births	1,463	1,409	1,415	1,453	1,221	1,387	1,401	1,421	1,200	1,290	1,270	1,322	1,412	56,468	53,924
Births	43	47	42	57	58	47	52	49	32	45	53	34	51	2,070	1,880
hs (excluding Still-hs)—all ages.	763	735	768	780	718	730	757	726	729	713	819	809	880	36,907	39,944
hs—0 to 1 year ..	54	58	62	56	63	54	50	62	48	39	51	68	61	3,083	2,998
AT TOWNS, aggre-e (including Lon-) :—															
Births	6,682	6,477	6,616	6,653	5,544	6,431	6,562	6,749	5,832	6,378	6,134	6,246	6,337	258,385	251,874
Births	285	280	247	275	266	280	313	265	238	262	277	252	270	11,326	11,055
hs (excluding Still-hs)—all ages.	3,619	3,538	3,548	3,486	3,386	3,427	3,447	3,309	3,455	3,457	3,761	3,655	3,819	166,848	183,540
hs—0 to 1 year ..	287	292	303	301	287	305	286	305	268	285	296	317	328	15,563	16,837
RIC Fever—Cases	19	23	16	21	28	29	26	17	20	32	16	18	13	818	641
„ Deaths	2	2	1	—	1	2	4	1	—	—	2	2	1	90	62
L Pox—Cases ..	33	34	32	22	20	17	10	13	30	11	34	35	31	7,748	3,656
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	17	5
LET Fever—Cases	809	815	894	820	700	639	692	759	844	886	1,027	997	1,134	45,863	33,083
„ Deaths	6	9	2	4	1	1	3	1	4	3	3	5	2	331	201
THERIA—Cases ..	585	573	538	524	423	469	423	488	531	569	580	534	600	33,165	23,225
„ Deaths ..	29	24	19	22	25	21	18	30	19	23	25	19	24	1,500	1,103
LES—Deaths ..	18	9	18	18	12	9	13	6	13	8	10	5	6	2,427	1,611
UENZA—Deaths ..	20	22	14	11	16	15	17	15	10	28	27	28	35	1,628	5,414

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections ng been made for changes in boundary. The live births are derived from the weekly returns furnished by the trars and differ from those published for the towns in the Quarterly Return which are corrected for births ring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 3rd October, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.†	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	Rainfall in Milli-metres.†
	°	°	°	°			°	°	°	°	
DON (GREENWICH).	69	46	64·0	48·9	—	HUDDERSFIELD	64	44	60·6	47·0	1
GHTON ..	64	45	61·9	50·0	—	BRADFORD ..	64	48	59·9	49·3	2
TSMOUTH ..	66	43	62·8	50·2	—	SHEFFIELD ..	67	45	61·6	49·9	1
RWICH (SOUTH-WELL LODGE)	70	39	61·3	47·3	3	YORK (MUSEUM)	63	44	60·9	49·6	1
MOUTH ..	64	45	60·1	50·0	4	HULL (PEARSON PARK).	68	47	61·5	50·3	2
STOL (HORFIELD)	64	43	60·7	48·3	1	TYNEMOUTH ..	61	48	58·9	50·0	1
MINGHAM (EDGBASTON).	64	46	59·4	48·3	1	CARDIFF	62	44	59·4	49·4	4
TTINGHAM ..	67	46	62·1	49·7	2	EDINBURGH ..	62·0	47·0	58·4	48·7	6
KENHEAD (BIDSTON).	62	47	57·6	51·1	5	GLASGOW ..	59·9	46·3	57·7	49·3	13
NCHESTER (WHITWORTH PARK).	64	49	60·0	50·4	1	DUBLIN (PHŒNIX PARK)	64·0	43·0	60·0	45·7	6
RNLEY	64	48	59·9	49·7	2	(FITZWILLIAM SQUARE†).	64·2	48·2	59·9	50·3	7
						BELFAST	63·5	45·0	62·0	47·4	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 3rd October, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	27	Apogee.	30·215	58·9	46·6	12·3	51·9	− 3·2	45·9	6·0	11·7	0·7	80	99·0	39·4	55·1	NNE: Calm.	N: NNW.	0·6	0·0	0·1	167	− 78	0·00
MONDAY -	28	..	29·994	62·3	45·8	16·5	52·3	− 2·6	48·1	4·2	13·6	0·6	86	103·1	35·1	55·1	NW: Calm.	NNW: Calm.	0·4	0·0	0·1	129	− 119	0·00
TUESDAY -	28	..	29·918	63·4	45·9	17·5	53·0	− 1·7	50·3	2·7	12·0	0·8	91	102·3	35·2	55·0	Calm	SSE: Calm.	0·4	0·0	0·0	125	− 126	0·00
WEDNESDAY	30	..	29·671	65·0	49·1	15·9	55·0	+ 0·6	49·8	5·2	12·8	0·4	83	114·1	35·6	55·0	SSE	S: Calm.	1·2	0·0	0·1	201	− 54	0·00
OCTOBER. THURSDAY -	1	..	29·787	68·7	49·6	19·1	58·4	+ 4·3	51·5	6·9	14·0	0·9	78	125·0	37·9	55·0	Calm: SW.	SW	0·8	0·0	0·1	204	− 55	0·00
FRIDAY -	2	..	29·881	67·3	51·0	13·3	60·2	+ 6·5	56·9	3·3	8·6	1·3	89	126·5	46·4	55·0	SW	SW: WSW.	2·8	0·0	0·5	387	+ 125	0·03
SATURDAY -	3	..	30·171	63·2	47·2	16·0	53·8	+ 0·5	45·0	8·8	18·1	1·1	72	110·3	35·0	55·0	WSW: NW.	NW: W: SW.	1·3	0·0	0·1	241	− 24	0·01
MEANS -		..	29·948	64·1	48·3	15·8	54·9	+ 0·6	49·6	5·3	13·0	0·8	83	108·6	37·8	55·0	Westerly		..		..	Sum 1454	Sum − 331	Sum 0·04
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SEPTEMBER.					
SUNDAY ..	27	wP till 9h.; then mP.	2·1	11·9	Overcast till 9h.; partially cloudy till 11½h.; then overcast. Mist 5h. till 9h.
MONDAY ..	28	wP till 9h.; mP till 20h.; then variably mP and wP.	1·1	11·9	Overcast generally. Mist 4h. till 9h.; and 15h. till 17½h Fog from 17½h.
TUESDAY ..	29	Variably mP and wP.	1·5	11·8	Overcast till 12⅔h.: variably cloudy till 15½h.; nearly overcast till 20½h.; then clearing to cloudless by 21½h. Slight fog 5h. till 10h. Heavy dew at night.
WEDNESDAY	30	wP till 7h.; variably mP and wP till 20h.; then wP.	3·3	11·8	Variably cloudy till 12h.; then overcast generally. Damping at 17h.; and 19½h. till 19½h. Dew in morning and at night.
OCTOBER.					
THURSDAY	1	wP till 5h.; variably mP and wP till 16h.; then mP.	4·1	11·7	Nearly overcast till 9h.; very cloudy till 12h.; then overcast generally. Slight haze 9h. till 15h.
FRIDAY ..	2	wP.	1·0	11·6	Overcast till 14½h.; then variably cloudy. Slight rain at 3½h. Damping 17½h. till 18½h.
SATURDAY	3	wP till 8h.; variably mP and sP till 20h.; then mP.	7·2	11·6	Cloudless till 4h.; very cloudy till 11½h.; then partially cloudy. Lunar halo about 5h. Solar halo 9½h. Dew in morning and at night.
			Sum 20·3	Sum 82·3	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·36 ins. at the beginning of the week to 29·64 ins. by 17h. on September 30th; increased to 30·23 ins. by 22h. on October 3rd; decreased and was 30·21 ins. by midnight on the same day.

MANUAL OF THE INTERNATIONAL LIST OF CAUSES OF DEATH

New Edition based on the fourth decennial revision by the International Commission, Paris, 1929.

THIS Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 3s. Post Free 3s. 4d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 40.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 10TH OCTOBER, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 10TH OCTOBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the fortieth week of the year numbered 6,279 corresponding to an annual rate of 16·5 per 1,000 living: stillbirths numbered 252 corresponding to a rate of 39 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,686 (133 less than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.
107 Great Towns	9·9	9·6	10·1	9·7
London	9·8	9·6	10·5	9·9
Birmingham	8·7	9·2	8·6	8·4
Liverpool	9·9	12·1	10·0	9·8
Manchester	10·5	9·0	10·2	9·8
Sheffield	11·1	8·6	10·5	8·2
Leeds	9·3	10·5	11·0	10·5
Bristol	8·1	11·2	8·1	10·8
West Ham	9·8	9·1	7·2	7·6

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 48, against 45, 48, and 50 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,311 live births registered corresponding to an annual rate of 15·6 per 1,000 living: stillbirths numbered 53 corresponding to a rate of 39 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 831 (49 less than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 46, against 37, 49, and 44 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in week ended 10th October, 1931.

	Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
							Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
	107 Great Towns ..	19,836,440*	6,279	252	3,686	316	-	7	3	16	32	47
	London	4,377,000*	1,311	53	831	64	-	1	1	2	6	8
Towns in Outer Ring.	Croydon C.B. ..	233,000	65	1	44	2	-	-	-	-	-	-
	Wimbledon ..	58,830	8	-	9	-	-	-	-	-	-	-
	Ealing	117,400	49	-	10	-	-	-	-	-	-	-
	Acton	70,400	17	-	20	2	-	-	-	-	-	-
	Brentford and Chiswick ..	62,620	7	-	9	-	-	-	-	1	-	-
	Willesden ..	185,300	33	2	28	1	-	-	-	-	-	-
	Hendon	114,600*	40	-	18	-	-	-	-	-	-	-
	Hornsey	95,440	24	-	17	2	-	-	-	-	-	-
	Wood Green ..	54,460	15	-	10	-	-	-	-	-	-	-
	Tottenham ..	159,100	26	-	20	3	-	-	-	-	-	-
	Edmonton	77,530	38	2	13	1	-	-	1	-	-	-
	Enfield	68,090	23	1	14	1	-	-	-	-	-	-
	West Ham C.B. ..	296,900	132	4	43	8	-	-	-	-	1	2
	East Ham C.B. ..	142,900	29	1	19	3	-	-	-	-	-	-
	Leyton	128,600	22	1	14	2	-	-	-	-	-	-
	Walthamstow ..	134,300	26	-	20	1	-	-	-	-	-	1
	Ilford	131,300	29	-	25	4	-	-	-	-	-	-
	Gillingham	60,600*	19	1	7	1	-	-	-	-	-	-
	Canterbury C.B. ..	24,440*	5	-	1	-	-	-	-	-	-	-
	Hastings C.B.	61,870	18	-	17	-	-	-	-	-	-	-
	Eastbourne C.B. ..	55,670	14	-	16	-	-	-	-	-	-	-
	Brighton C.B. ..	144,900*	31	1	42	5	-	-	-	-	1	1
	Portsmouth C.B. ..	248,300*	97	1	44	1	-	-	-	-	-	-
	Bournemouth C.B. ..	108,600	23	1	18	1	-	-	-	-	-	-
	Southampton C.B. ..	175,300	56	2	22	1	-	-	-	-	-	-
	Reading C.B.	97,450*	34	1	18	-	-	-	-	-	-	-
	Oxford C.B.	80,530*	21	-	11	-	-	-	-	-	-	-
	Northampton C.B. ..	92,940*	30	1	21	2	-	-	-	-	-	-
	Luton	69,030	11	-	8	1	-	-	-	-	-	-
	Cambridge	66,850	20	-	13	-	-	-	-	-	-	-
	Southend-on-Sea C.B.	117,900	24	-	21	1	-	-	-	1	-	-
	Ipswich C.B.	87,630	33	1	15	1	-	-	-	-	2	-
	Great Yarmouth C.B.	56,690	13	-	14	2	-	-	-	-	-	-
	Norwich C.B.	126,800*	42	3	25	-	-	-	-	-	-	-
	Swindon	62,600	18	-	6	-	-	-	-	-	1	-
	Exeter C.B.	65,290*	20	2	17	-	-	-	-	-	-	-
	Plymouth C.B. ..	207,600*	83	3	37	-	-	-	-	-	-	-
	Bath C.B.	68,120	17	1	18	-	-	-	-	-	-	-
	Bristol C.B.	399,500*	110	2	83	7	-	-	-	-	1	-
	Gloucester C.B. ..	52,890	21	-	7	-	-	-	-	-	-	-
	Stoke-on-Trent C.B.	279,800	113	8	54	6	-	-	-	-	-	2
	Burton-upon-Trent C.B.	49,920	22	-	9	2	-	-	-	-	-	-
	Wolverhampton C.B.	134,200	58	6	24	-	-	-	-	-	1	-
	Walsall C.B.	104,200	39	1	21	1	-	-	-	-	-	-
	West Bromwich C.B.	82,090	34	2	19	3	-	-	-	-	-	1
	Dudley C.B.	60,010	24	1	8	3	-	-	-	-	-	1
	Worcester C.B. ..	50,540	15	-	12	1	-	-	-	-	-	-
	Birmingham C.B. ..	1,011,300	376	12	163	17	-	-	-	3	2	7
	Smethwick C.B. ..	85,370	17	2	7	2	-	-	-	-	-	1
	Coventry C.B ..	168,500	61	2	25	1	-	-	-	-	-	-
	Leicester C.B. ..	241,200	73	3	35	4	-	-	-	-	-	-
	Lincoln C.B.	66,110*	17	3	14	-	-	-	-	-	-	-
	Grimsby C.B.	92,180	26	-	18	1	-	-	-	-	-	-
	Nottingham C.B. ..	270,900	94	4	51	10	-	-	-	-	-	1
	Derby C.B.	143,400*	58	2	26	2	-	-	-	-	-	1
	Chesterfield ..	64,450	20	2	10	3	-	-	-	-	-	-
	Stockport C.B ..	126,600	34	-	27	3	-	-	-	-	1	-
	Chester C.B.	41,370	18	1	11	2	-	-	-	-	-	-
	Birkenhead C.B. ..	148,600	45	4	32	3	-	-	-	-	-	3
	Wallasey C.B. ..	97,240	18	1	18	-	-	-	-	-	-	-
	Liverpool C.B. ..	862,100	379	9	162	23	-	-	1	3	3	3
	Bootle C.B.	77,170	26	-	18	1	-	1	-	-	1	-
	St Helens C.B.	108,200	46	3	18	4	-	-	-	-	-	1

* Non-civilian deaths are excluded from this table and the comparable civilian populations where d from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gill 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
HPORT C.B ..	77,180	20	-	19	1	-	-	-	-	-	1	-
N C.B.	86 250	28	6	13	2	-	-	-	-	-	-	2
RINGTON C.B. ..	80.280*	41	2	22	3	-	-	-	-	-	-	-
ON C.B.	179.300	46	2	36	2	-	-	-	-	-	-	-
C.B.	56,580*	22	1	12	-	-	-	-	-	-	-	-
HESTER C.B. ..	773,300	255	12	146	9	-	2	-	-	2	2	4
ORD C.B.	226,100	76	2	41	5	-	-	-	-	-	2	1
ON-UNDER-LYNE	51,850	23	-	7	-	-	-	-	-	-	-	-
AM C.B	142,000	39	1	46	1	-	-	-	-	-	-	1
DALE C.B. ..	91,190	15	1	21	2	-	-	-	-	1	-	1
LEY C.B	99,300	22	1	23	2	-	-	-	-	-	-	-
KBURN C.B. ..	124,000	28	-	25	2	-	-	-	-	-	-	-
TON C.B.	120,100	35	3	27	5	-	-	-	1	-	-	1
XPOOL C.B. ..	97,880	25	2	17	2	-	-	-	-	2	-	-
OW-IN-FURNESS	66,700	25	2	13	1	-	-	-	-	-	-	1
DERSFIELD C.B. ..	114,300	26	-	18	-	-	-	-	-	-	-	-
FAX C.B.	98,770*	37	-	33	2	-	-	-	-	1	-	-
FORD C.B. ..	300,800	68	2	63	4	-	-	-	-	-	1	2
S C.B	486.100	119	9	98	6	-	1	-	-	-	2	-
BURY C.B. ..	54,430	12	-	13	1	-	-	-	-	-	-	-
FIELD C.B. ..	59,280	13	-	12	2	-	-	-	-	1	-	-
SLEY C.B. ..	72.090	15	1	13	1	-	1	-	-	-	-	-
FIELD C.B. ..	517,300	165	4	81	8	-	-	-	1	-	2	1
ERHAM C.B. ..	70,100	18		12	2	-	-	-	-	-	-	-
ASTER C.B ..	63,260	27	2	13	2	-	-	-	-	-	1	-
C.B.	85,910*	19	-	20	2	-	-	-	-	-	-	-
TON-UPON-HULL	314,800	104	1	65	7	-	-	-	1	3	1	2
LESBROUGH C.B.	138,800	58	1	36	1	-	1	-	-	-	-	1
NGTON C.B. ..	72,620	18	1	16	1	-	-	-	1	-	-	-
TON-ON-TEES ..	68,350	20	1	10	-	-	-	-	-	-	-	-
HARTLEPOOL C.B.	68,740	27	1	7	-	-	-	-	-	-	-	-
ERLAND C.B. ..	187,500	81	6	36	2	-	-	-	-	-	-	1
SHIELDS C.B ..	114,400	40	2	15	3	-	-	-	-	-	-	-
HEAD C.B. ..	123,700	47	7	32	5	-	-	-	-	-	-	-
ASTLE-ON-TYNE	284,300*	116	8	41	8	-	-	-	2	1	-	-
MOUTH C.B. ..	64,750	22	1	10	3	-	-	-	-	-	2	1
SLE C.B.	57,430*	15	1	13	1	-	-	-	-	-	-	-
ORT (MON.) C.B.	89,500*	31	1	11	3	-	-	-	-	-	-	-
FF C.B.	223,700*	80	4	44	2	-	-	-	-	1	-	-
DDA	142,700	53	6	31	2	-	-	-	-	-	-	-
HYR TYDFIL C.B.	71,870	17	1	14	1	-	-	-	-	-	-	-
DARE	49,010	15	-	11	1	-	-	-	-	-	-	-
HEA C.B.	165,400	49	6	23	-	-	-	-	-	-	-	1
TER LONDON ..	8,179,740*	2,395	77	1,433	120	-	1	2	3	7	12	4
RING	3,802,740*	1,084	24	602	58	-	-	1	1	1	4	3
EAT TOWNS IN ER RING	2,130,770*	583	12	333	30	-	-	1	1	1	3	3
NDER OF OUTER	1,671,970*	501	12	269	26	-	-	-	-	-	1	-
URGH†	438,998	147	?	77	6	-	-	-	-	-	1	-
OW†	1,088,417	492	?	263	39	2	11	-	1	1	8	1
N†	412,400	216	?	69	12	-	1	-	-	-	3	-
ST†	415,151	186	?	93	13	-	-	1	-	-	3	2

Non civilian deaths are excluded from this table and the comparable civilian populations where ent from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., ; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., ; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; inder of Outer Ring, 1,668,150.

The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated e middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been dis- ued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths n-residents domiciled in Scotland and by the addition of Deaths of residents reported from else- e in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of s of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1931.											
London‡	4,377,000	Oct. 10	1311	53	831	9·9	–	–	1	1	2	6	
Calcutta and Suburbs	1,077,264	Aug. 29	?	?	525‖	25·3	?	2	?	–	?	?	
Bombay§	1,298,708	Sept. 12	507	52	574‖	23·0	6	–	–	–	–	–	
Madras	647,533	Aug. 29	484	26	432	34·8	5	–	–	–	–	–	
Sydney and Suburbs	1,256,210	Aug. 31 (31 days)	1585	?	1163	11·1	–	–	–	2		10	
Brisbane (Metropolitan Area).	313,251	July 31 (31 days)	388	?	272	10·4	–	–	–	–	1	2	
Perth (Metropolitan Area).	204,780	Aug. 1	82	?	34	8·6	–	–	–	–	–	–	
Auckland (Urban Area).	215,730	Aug. 31 (31 days)											
Wellington (Urban Area).	142,540	Aug. 31 (31 days)											
Christchurch (Urban Area).	127,070	Aug. 31 (31 days)											
Cape Town	136,748	Sept. 5	67	3	48	18·3	–	–	–	–	–	–	
Johannesburg	187,326	Aug. 29	98	1	42	11·7	–	–	–	–	–	–	
Durban	61,667	„ 29	18	–	16	13·5	–	–	–	–	–	–	
Paris	2,871,429	Sept. 20 (10 days)	1067	58	873	11·1	4	–	1	–	4	5	
Antwerp	295,266	Sept. 15 (15 days)											
Amsterdam	755,277	Sept. 19	243	8	123	8·8	–	–	–	–	–	–	
Copenhagen	615,700	„ 26	183	2	111	9·4	–	–	–	–	–	–	
Stockholm	502,203	„ 19	99	2	89	9·2	–	–	–	–	–	–	
Gothenberg	245,600	Aug. 22	?	?	40	8·5	–	–	–	–	–	–	
Oslo	256,353	Sept. 26	43	–	53	10·8	–	–	–	–	–	–	
Berlin	4,302,000	„ 12	662	18	767	9·3	–	?	–	–	–	7	
Breslau	616,000	„ 12	107	9	113	9·5	–	?	–	–	1	2	
Cologne	739,000	„ 12	139	3	91	6·4	–	?	1	–	–	1	
Dresden	631,000	„ 12	107	4	124	10·2	–	?	–	–	–	3	
Frankfort-on-Main	539,000	„ 12	109	5	90	8·7	–	?	–	–	–	1	
Hamburg	1,142,000	„ 12	240	10	178	8·1	–	?	1	–	1	1	
Leipzig	718,000	„ 12	127	4	112	8·1	–	?	–	–	1	–	
Munich	730,000	„ 12	128	4	135	9·6	–	?	–	–	–	–	
Budapest	1,009,069	„ 19	321	9	210	10·8	4	–	–	–	2	2	
Warsaw	1,115,651	„ 12	?	15	224	10·5	4	–	–	–	–	3	
Madrid	834,103	„ 5	415	32	235	14·7	3	–	2	–	–	1	
Cairo	1,160,700	June 17	867	19	1019	45·8	8	–	37	–	?	2	
Alexandria	629,900	„ 17	434	4	526	43·6	2	–	31	–	?	1	
New York	7,090,089	Sept. 12	?	?	1239	?	1	–	–	–	9	1	
Chicago	3,457,375	„ 18	1178	38	632	9·5	–	–	–	1	2	3	
New Orleans	466,000	Aug. 31 (31 days)											
Rio de Janeiro ..	1,729,799	July 25	627	49	450	13·6	1	–	11	–	2	–	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 y* or Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 4 deaths from Cholera in Calcutta and 2 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 10th October, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	37,762	40,775	831	64	7	11	18	26	49	38	100	120	201	197
Enteric fever	22	20	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	11	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1006	48	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	97	44	1	-	1	1	-	-	-	-	-	-	-	-
Whooping cough	112	248	2	1	-	1	-	-	-	-	-	-	-	-
Diphtheria	373	191	6	-	-	3	3	-	-	-	-	-	-	-
Influenza	264	934	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas	119	136	3	-	1	-	-	-	-	-	-	1	1	-
Acute Poliomyelitis, Polioencephalitis	9	3	1	-	-	-	1	-	-	-	-	-	-	-
Encephalitis lethargica	48	35	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	72	106	2	-	-	-	1	-	1	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2768	2878	52	-	-	-	-	6	17	10	11	5	3	-
Nervous system	185	175	7	-	1	-	1	2	1	2	-	-	-	-
Intestines and peritoneum	40	44	2	-	-	1	-	-	1	-	-	-	-	-
Other forms	166	196	3	-	-	1	1	-	-	-	-	-	1	-
Venereal diseases	142	143	2	-	-	-	-	-	-	-	1	1	-	-
Cancer	5151	5348	139	-	-	1	-	-	1	6	24	25	47	35
Rheumatic fever	136	105	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	395	416	14	-	-	-	-	-	-	-	-	5	7	2
Alcoholism	16	14	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	59	73	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1550	1522	25	-	-	-	-	-	-	-	1	3	12	9
Epilepsy	151	134	7	-	-	-	-	1	2	-	3	-	-	1
"Convulsions" (not puerperal) ..	47	46	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	948	864	10	-	-	-	-	1	-	1	1	6	-	1
Pericarditis	15	15	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	162	145	3	-	-	-	-	-	3	-	-	-	-	-
Other diseases of heart	7851	9344	186	-	-	-	-	2	2	3	18	30	57	74
Other diseases of circulatory system	1604	1753	35	-	-	-	-	-	1	-	4	4	13	13
Bronchitis	1372	2023	20	1	1	-	-	-	1	-	2	-	6	9
Broncho-pneumonia	1351	1999	31	11	1	2	-	-	-	2	2	3	7	3
Lobar pneumonia	820	943	20	1	-	-	-	-	1	2	6	4	5	1
Pneumonia (type not distinguished)	303	314	6	-	-	1	-	-	1	-	-	1	1	2
Other diseases of respiratory system	372	439	6	-	-	-	-	1	-	1	1	1	-	2
Diarrhœa and enteritis	592	506	9	8	-	-	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	249	227	10	-	-	-	3	1	1	1	-	-	2	2
Hernia, Intestinal obstruction	393	409	6	1	-	-	-	-	-	-	-	2	1	2
Cirrhosis of liver	169	177	4	-	-	-	1	-	-	-	-	1	2	-
Other diseases of digestive system ..	968	913	36	-	1	-	1	1	3	2	7	6	11	4
Acute nephritis	73	66	2	-	-	-	-	-	-	-	1	-	-	1
Chronic Bright's disease	1309	1322	26	-	-	-	-	1	2	3	3	3	6	8
Other diseases of genito-urinary system.	622	687	13	-	-	-	-	-	1	-	2	3	5	2
Puerperal sepsis	84	87	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	69	96	2	-	-	-	-	1	1	-	-	-	-	
Congenital malformations	255	249	11	11	-	-	-	-	-	-	-	-	-	
Premature birth	735	746	16	16	-	-	-	-	-	-	-	-		
Debility, atrophy (congenital)	137	118	3	3	-		-	-	-		-	-	-	
Old age	888	960	16	-		-	-	-			-	2	-	14
Suicide	455	440	17	-		-	-	-	5	1	2	7	1	1
Burns and Scalds	71	108	4	-	1	-	-	-	-	-	1	1	1	-
Drowning	97	78	1	-	-	-	-	-	-	-	1	-	-	-
Suffocation in bed	24	21	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	605	551	13	-	-	-	2	4	1	-	1	2	1	2
Other deaths by violence	630	601	13	-	-	-	2	1	-	-	2	3	3	2
Other specified causes	1595	1726	41	8	-	1	1	4	3	4	5	1	7	7
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th October, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	15	346	143	6	101	C. 3 E. 5 M. 13 N. 19
CITY OF LONDON	-	1	1	-	-	-
Metropolitan Boroughs:—						
BATTERSEA ..	-	7	5	-	4	-
BERMONDSEY ...	-	8	2	-	3	E. 1
BETHNAL GREEN	6	23	7	-	9	-
CAMBERWELL ...	1	28	9		1	M. 1
CHELSEA	-	1	-	-	2	N. 3
DEPTFORD ...	-	8	6	-	1	N. 1
FINSBURY ...	-	4	4	-	1	C. 1 N. 1
FULHAM	-	3	3	-	-	E. 1 N. 1
GREENWICH ...	-	4	4	-	4	-
HACKNEY... ...	1	7	6	1	4	M. 3 N. 3
HAMMERSMITH ...	-	7	4	-	2	M. 1
HAMPSTEAD ...	-	6	2	-	-	E. 1 N. 2
HOLBORN... ...	-	4	1	-	2	-
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	-	31	14	1	6	M. 1 N. 2
KENSINGTON ...	-	11	3	2	5	M. 1 N. 1
LAMBETH ...	3	9	2		7	M. 2
LEWISHAM ...	-	16	2	1	2	C. 1 N. 1
PADDINGTON ...	-	12	6	-	5	E. 1 N. 1
POPLAR	2	18	13	-	9	M. 1
ST. MARYLEBONE	-	5	-	1	-	-
ST. PANCRAS ...	-	19	9	-	4	M. 1 N. 1
SHOREDITCH ...	2	5	5	-	-	C. 1 M. 1
SOUTHWARK ...	-	29	5	-	3	E. 1 N. 1
STEPNEY	-	47	18	-	5	M. 1
STOKE NEWINGTON	-	3	3	-	1	-
WANDSWORTH ...	-	18	5	-	12	-
WESTMINSTER, CITY OF	-	3	-	-	1	-
WOOLWICH ...	-	9	4	-	8	N. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	3	–	–	1	L. 1 N. 1
Borough and Urban District:—						
LUTON	–	2	–	–	–	–
Rural Districts:—						
BIGGLESWADE ...	–	–	–	–	–	L. 1 N. 1
EATON SOCON ...	–	1	–	–	1	–
BERKS	–	13	6	1	2	C. 1 G. 1 N. 1
READING C.B. ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	N. 1
NEWBURY ...	–	1	–	–	–	–
NEW WINDSOR ...	–	2	1	1	–	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–		–	–
BRADFIELD ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	–	–	–	1	–
WANTAGE ...	–	4	–	–	–	C. 1
WINDSOR	–	–	–	–	–	G. 1
WOKINGHAM ...	–	–	4	–	–	–
BUCKINGHAM...	–	13	7	–	4	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	–	1	–	–	–
CHESHAM... ...	–	–	–	–	1	–
WOLVERTON ...	–	–	5	–	1	–
Rural Districts:—						
AMERSHAM ...	–	2		–	1	–
AYLESBURY ...	–	4	–	–	–	–
ETON	–	7	–	–	1	–
WYCOMBE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	9	3	–	–	N. 1
Borough:—						
CAMBRIDGE ...	–	3	2	–	–	–
Rural Districts:—						
CHESTERTON ...	–	5	–	–	–	–
NEWMARKET ...	–	1	1	–	–	N. 1
CHESTER ...	–	38	28	–	12	E. 1 L. 1
BIRKENHEAD C.B.	–	5	3	–	5	–
CHESTER C.B. ...	–	4	1		–	–
STOCKPORT C.B. ...	–	3	7	–	1	–
WALLASEY C.B. ...	–	6	1		–	–
Boroughs and Urban Districts:—						
BEBINGTON AND BROMBOROUGH	–	3	–	–	–	–
CHEADLE AND GATLEY	*	*	*	*	*	*
CONGLETON ...	–	1		–	–	–
CREWE	–	2	2	–	–	–
ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
HALE	–	1	–	–	–	–
HAZEL GROVE AND BRAMHALL	–	2	4	–	–	–
HOYLAKE AND WEST KIRBY	–	1		–	–	–
HYDE	–	2	1		2	–
MACCLESFIELD ...	–	–	–	–	1	L. 1
NANTWICH ...	–		3	–	–	–
SALE	–	2	3	–	–	–
STALYBRIDGE ...	–	–	–	–	1	–
TARPORLEY ...	–	1	–		–	–
Rural Districts:—						
BUCKLOW... ...	–	1	–	–	–	–
CHESTER	–	1	–	–	–	–
MACCLESFIELD ...	–	–	1	–	–	–
NANTWICH ...	–	–	2		–	–
NORTHWICH ...	–	–	–	–	–	E. 1
RUNCORN... ...	–	1	–	–	1	–
TARVIN	–	1		–	–	–
WIRRAL	–	–	–	–	1	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	10	4	1	2	C. 2 G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BODMIN	–	–	1	–	–	–
FALMOUTH ...	–	1	–	–	–	–
HAYLE	–	1	–	–	–	C. 1
LUDGVAN... ...	–	3	–	–	–	–
PHILLACK ...	–	1	–	–	–	–
ST. JUST	–	–	–	–	–	M. 1
TRURO	–	–	2	–	1	G. 1
Rural Districts:—						
CALSTOCK ...	–	–	–	–	–	N. 1
CAMELFORD ...	*	*	*	*	*	*
LAUNCESTON ...	–	2	–	–	–	C. 1
LISKEARD ...	–	1	1	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
TRURO	–	1	–	–	–	–
WEST PENWITH...	–	–	–	1	–	–
CUMBERLAND...	–	3	8	1	2	E. 1 N. 2
CARLISLE C.B. ...	–	1	1	1	–	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	1	–	–	–
EGREMONT ...	–	–	1	–	–	–
MARYPORT ...	–	1	–	–	–	–
MILLOM	–	–	–	–	1	–
PENRITH	–	–	–	–	–	N. 1
WHITEHAVEN ...	–	–	–	–	1	–
WORKINGTON ...	–	–	–	–	–	E. 1 N. 1
Rural Districts:—						
PENRITH	–	1	–	–	–	–
DERBY	4	22	17	1	9	D. 2 M. 4 N. 3
DERBY C.B. ...	–	1	4	–	3	M. 3 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
ALFRETON ...	4	–	–	–	1	
BONSALL	*	*	*	*	*	*
CHESTERFIELD ...	–	1	–	–	–	–
GLOSSOP	–	–	1	–	1	–
LONG EATON ...	–	4	–	–	–	–
NEW MILLS ...	–	1	–	–	–	–
SWADLINCOTE DISTRICT	–	3	–	1	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	2	–	–	N. 1
BLACKWELL ...	–	–	–	–	–	D. 1 M. 1 N. 1
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	4	7	–	2	D. 1
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALS	–	–	–	–	1	–
HAYFIELD ...	–	3	–	–	–	–
NORTON	–	2		–	–	–
REPTON		1	1	–	–	–
SHARDLOW ...	–	1	2	–	–	–
DEVON	–	21	15	1	6	C. 1 N. 3
EXETER C.B ...	–	1	5	–	–	–
PLYMOUTH C.B.		8	4	1	1	N 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	1	–	–	N. 1
CREDITON ...	*	*	*	*	*	*
GREAT TORRINGTON	–	–	–	–	–	C. 1
NEWTON ABBOT...		1	–	–	–	–
TAVISTOCK ...	–	–	–	–	1	–
TEIGNMOUTH ...	–	–	–	–	1	–
TORQUAY	–	–	2	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
Barnstaple ...	–	5	–	–	1	–
Bideford ...	*	*	*	*	*	*
Culmstock ...	–	2	–	–	–	–
Okehampton ...	–	–	–	–	–	N. 1
Plympton St. Mary	–	3	1	–	1	–
St. Thomas ...	*	*	*	*	*	*
Tavistock ...	–	1	1	–	1	–
DORSET	–	1	1	–	–	–
Boroughs and Urban Districts:—						
Poole	–	1	1	–	–	–
Wimborne Minster	*	*	*	*	*	*
DURHAM ...	–	103	21	3	51	D. 2 E. 2 F. 1 M. 7 N 2
Darlington C.B.	–	4	1	–	2	
Gateshead C.B.	–	17	2	–	4	F. 1
South Shields C.B.	–	7	1	–	5	D. 1
Sunderland C.B.	–	11	3	–	10	E. 1 M. 2 N. 1
West Hartlepool C.B.	–	1	–	1	5	–
Boroughs and Urban Districts:—						
Annfield Plain	–	3	–	–	–	–
Benfieldside ...	–	1	1	–	–	–
Billingham ...	–	1	–	–	1	–
Bishop Auckland	–	5	–	–	–	–
Blaydon... ...	–	3	2	–	–	–
Chester le Street	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
Durham	–	1	–	–	–	D. 1 M. 1
Felling	–	1	–	–	1	–
Hartlepool ...	–	–	–	–	1	–
Hebburn ...	–	1	–	–	3	M. 1
Hetton	–	–	–	–	2	–
Jarrow	–	–	–	–	1	M. 1
Ryton	–	2	–	–	–	–
Seaham Harbour	–	1	–	–	–	–
Shildon	–	–	1	–	–	–
Spennymoor ...	–	–	–	1	–	–
Stanley	–	2	–	–	1	–
Stockton on Tees	–	5	–	–	2	–
Tanfield ...	–	1	–	–	–	–
Tow Law ...	–	–	–	–	2	E. 1
Washington ...	–	2	–	–	–	–
Whickham ...	–	2	–	–	–	M. 1
Willington ...	–	–	–	–	1	–
Rural Districts:—						
Auckland ...	–	7	1	–	–	–
Chester le Street	–	9	4	–	3	–
Durham	–	–	1	–	–	–
Easington ...	–	2	1	–	2	–
Houghton le Spring	–	5	–	–	4	M. 1
Lanchester ...	–	1	3	–	–	–
Sedgefield ...	–	2	–	–	–	–
South Shields	–	1	–	–	–	–
Sunderland ...	–	2	–	–	–	–
Weardale ...	–	1	–	1	1	N. 1
ELY, ISLE OF ...	–	–	4	–	2	–
Boroughs and Urban Districts:—						
Whittlesey ...	–	–	4	–	–	–
Wisbech... ...	–	–	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum: N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF— *cont.*						
Rural Districts:—						
WISBECH	–	–	–	–	1	–
ESSEX	8	111	31	–	24	C. 3 D. 1 N. 5
EAST HAM C.B....		2	2	–	–	C. 1
SOUTHEND ON SEA C.B.	2	8	–		2	
WEST HAM C.B.	2	30	5	–	8	C. 1 N. 2
Boroughs and Urban Districts:—						
BARKING TOWN...	–	2	2	–	2	–
BRAINTREE ...		–		–	–	N. 1
BRENTWOOD ...	–	1	–	–	–	–
CANVEY ISLAND	–	–	–		1	–
CHELMSFORD ...	–	5	–	–	–	–
CHINGFORD ...	–	3	1		2	–
CLACTON	–	–	–	–	1	–
COLCHESTER ...	–	4	–	–	–	–
DAGENHAM ...		5	4	–	–	C. 1
EPPING	–	1			–	–
HORNCHURCH ...	–	1	1	–	–	–
ILFORD	–	2	2	–	–	N. 1
LEYTON	1	14	1	–	3	N. 1
MALDON	–	1	–	–		–
PURFLEET ...	–	–	–	–	1	–
ROMFORD... ...	–	1	3	–	–	–
TILBURY	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	4		–	–	–
WALTHAMSTOW ...	2	9	5		3	–
WOODFORD ...	–	2	1	–	–	
Rural Districts:—						
BILLERICAY ...	–	7	–	–	–	D. 1
CHELMSFORD ...	–	5	–		–	–
EPPING	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	1	–			–
MALDON	–	1	1			–
ORSETT	–	1	–	–	1	
ROCHFORD ...	–	1	–		–	–
ROMFORD... ...	–		1	–	–	–
GLOUCESTER ...	–	17	28	–	2	C. 4 M. 2 N. 2
BRISTOL C.B. ...	–	10	13	–	2	C. 4 N. 1
GLOUCESTER C.B.	–	1	–	–	–	M. 1 N. 1
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	–	2		–	–
MANGOTSFIELD ...		1	1	–		–
NAILSWORTH ...	–	1	–	–	–	–
STOW ON THE WOLD	*	*	*	*	*	*
Rural Districts:—						
CIRENCESTER ...	–	3	–	–		–
NORTHLEACH ...	–	–	8	–	–	M. 1
TETBURY... ...	–	–	1		–	–
WARMLEY ...	–	1	3	–	–	–
HEREFORD ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
HEREFORD ...		1	1			–
KINGTON	*	*	*	*	*	*
LEOMINSTER		–	1	–		–
Rural Districts:—						
KINGTON	*	*	*	*	*	*
HERTFORD ...	1	10	4	1	2	C. 2
Boroughs and Urban Districts:—						
EAST BARNET VALLEY	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–		–
HERTFORD ...	–		–	–	–	C. 1
HITCHIN	–	–	1	–	–	–
HODDESDON ...	–	2	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
St. Albans ...	-	-	-	-	1	-
Stevenage ...	1	2	-	-	-	-
Watford... ...	-	1	1	-	1	-
Welwyn Garden City	-	1	-	-	-	-
Rural Districts:—						
Barnet	-	-	1	-	-	-
Hemel Hempstead		1	-	-	-	-
Hitchin	-	1	-		-	C. 1
Ware	-	-	1	1	-	-
HUNTINGDON ...	-	2	-	1	-	-
Boroughs and Urban Districts:—						
St. Neots ...	-	1	-			-
Rural Districts:—						
St. Neots ...	-	1		1	-	-
KENT	1	59	20	-	8	-
Boroughs and Urban Districts:—						
Ashford		6	-	-	-	-
Beckenham ...	-	1	-	-	-	-
Bexley	-	-	1	-	-	-
Bromley ...	-	4	2	-	-	-
Chatham ...	-	3	-	-	-	-
Crayford ...	-	1	-	-	-	-
Dartford ...	-	1	-	-	-	-
Dover	-	2	-	-	-	-
Erith		3	-	-	2	-
Faversham ...	-	1		-	-	-
Gillingham ...	-	1	-	-	-	-
Gravesend ...	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
Hythe	-	1	-	-	-	-
Maidstone ...	-	-	3		-	-
Margate ...	-	2	1	-	-	-
New Romney ...	-	1	-	-	-	-
Northfleet ...	-	1	-	-	-	-
Penge	-	2	-	-	-	-
Ramsgate ...	-	2	-	-	1	-
Rochester ...	-	1	-	-	-	-
Sandwich ...	-	1		-		-
Sevenoaks ...	-	3	-	-	-	-
Sheerness ...	-	1	-	-	1	-
Sittingbourne and Milton	-	1	-	-	-	-
Whitstable ...	-	1	-	-	1	-
Rural Districts:—						
Blean	-	1	-	-	-	-
Bromley... ...	-	3	-	-	-	-
Dartford ...	1	-	-	-	-	-
Dover	-	3	-	-	1	-
Faversham ...	-	2		-	-	-
Hollingbourne	-	-	-	-	1	-
Hoo	-	3	4	-	-	-
Isle of Thanet	-	-	2	-	-	-
Maidstone ...	-	-	1	-	-	-
Malling	-	1	-	-	-	-
Sevenoaks ...	-	-	2	-	1	-
Strood		3	4	-	-	-
Tonbridge ...	-	1	-	-	-	-
LANCASTER ...	-	245	150	3	145	C. 8 D. 2 E. 1 G. 6 L. 3 M. 23 N. 16
Barrow in Furness C.B.	-	1	-	-	2	-
Blackburn C.B.		1	1	-	2	-
Blackpool C.B.	-	1	3	-	-	
Bolton C.B. ...	-	9	-	-	1	N. 1
Bootle C.B. ...	-	12	6	-	3	N. 1
Burnley C.B. ...	-	9	1	-	6	-

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
BURY C.B. ...	–	1	–	–	1	M. 1
LIVERPOOL C.B....	–	40	73	2	34	C. 2
						D. 2
						G. 3
						M. 16
						N. 5
MANCHESTER C.B.	–	51	17	1	33	C. 3
						G. 1
						M. 2
						N. 2
OLDHAM C.B. ...	–	3	2		2	C. 1
PRESTON C.B. ...	–	5	1	–	2	–
ROCHDALE C.B....	–	3	4	–	–	–
ST. HELENS C.B.	–	3	–	–	3	–
SALFORD C.B. ...	–	16	4	–	6	C. 1
SOUTHPORT C.B.	–	2	2	–	–	–
WARRINGTON C.B.	–	5	2	–	3	G. 1
WIGAN C.B. ...	–	3	–	–	5	–
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	–	–
ACCRINGTON ...	–	1	–	–	–	–
ASHTON IN MAKERFIELD	–	2	1	–		
ASHTON-UNDER-LYNE	–	7	–		2	–
ASPULL	–	1	–	–	1	–
ATHERTON ...	–	2	1	–	–	–
AUDENSHAW ...	–	–	1	–	2	–
BRIERFIELD ...	–	1	1	–	–	–
CHORLEY	–	1	–	–	1	–
CHURCH	–	1	–	–	–	–
CROMPTON ...	–	–	–	–	1	–
DARWEN	–	2	–	–	–	–
DROYLSDEN ...	–	2	–	–	–	–
ECCLES	–	3	2	–	1	–
FAILSWORTH ...	–	1	–	–		–
FARNWORTH ...	–	1	–	–	2	M. 3
						N. 1
FLEETWOOD ...	–	1	–	–	–	–
FULWOOD ...	–	2	–	–	–	N. 1
GOLBORNE ...	–	1	–	–	–	–
HASLINGDEN ...	–	–	2	–	1	–
HAYDOCK... ...	–	–	–	–	1	–
HEYWOOD ...	–	–	–	–	–	G. 1
HINDLEY... ...	–	–	–	–	4	–
HORWICH... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
HUYTON WITH ROBY	–	–	1	–	–	–
INCE IN MAKERFIELD	–	–	1	–	4	M. 1
KIRKHAM ...		1	–	–	–	–
LANCASTER ...	–	1	2	–	1	–
LEIGH	–	–	2	–	2	–
LEYLAND... ...	–	1	–	–	–	–
LITHERLAND ...	–	5	1	–	–	–
MIDDLETON ...	–	7	3	–	2	–
MILNROW... ...	–	–	–	–	1	–
MORECAMBE AND HEYSHAM	–	1	1	–	–	–
NELSON	–	5	–	–	–	E. 1
NEWTON IN MAKERFIELD	–	2	–	–	–	N. 2
ORMSKIRK ...	–	–	–	–	1	–
PADIHAM... ...	–		–	–	1	N. 1
PRESTWICH ...	–	1	–	–	–	–
RAINFORD ...	–	–	–	–	1	–
RAWTENSTALL ...	–	1	–		1	–
ROYTON	–	1	–	–	2	–
STANDISH WITH LANGTREE	–	1	–	–	–	–
STRETFORD ...	–	2	1	–	–	C.
						N. 1
SWINTON AND PENDLEBURY	–	3	–	–	3	–
URMSTON... ...	–	2	1		–	–
WALTON LE DALE	–	3	–	–	–	–
WATERLOO WITH SEAFORTH	–	2	2	–	1	–
WIDNES	–	2	6	–	3	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	2	–	–	–
BURNLEY ...		1	–	–	–	–
BURY	–	1	–	–	–	–
CHORLEY... ...	–	1	–	–	–	–
CLITHEROE ...	–	1	–	–	–	L. 2
FYLDE	–	1	–	–		–
GARSTANG ...	–	1	2	–	1	–
LEIGH	–	2	–	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
LIMEHURST ...	–	–	–	–	–	N. 1
PRESTON	–	1	–	–	–	–
WHISTON	–	–	–	–	–	L. 1
WIGAN	–	1	–	–	1	–
LEICESTER ...	1	12	6	–	14	M. 1 N. 1
LEICESTER C.B....	1	4	1	–	10	M. 1 N. 1
Boroughs and Urban Districts:—						
COALVILLE ...	–	1	–			–
LOUGHBOROUGH	–	3	–	–	–	–
MARKET HARBOROUGH	–	–	4	–	1	–
OADBY	–	1	–	–	–	–
QUORNDON ...	–	1	–	–	–	–
THURMASTON ...	–	1	–			–
Rural Districts:—						
BARROW UPON SOAR	–	–	–	–	1	–
BLABY	–	1	–	–	1	–
CASTLE DONINGTON	–	–	1	–	–	–
MARKET BOSWORTH	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	–	–	–	2	D. 1 G. 1
Rural Districts:—						
BOSTON	–	–	–	–	2	D. 1 G. 1
LINCOLN (parts of Kesteven).	–	2	–	–	–	–
Boroughs and Urban Districts:—						
GRANTHAM ...	–	2	–		–	–
LINCOLN (parts of Lindsey).	–	21	8	–	9	M. 2 N. 4
GRIMSBY C.B. ...	–	4	4	–	2	M. 1 N. 3
LINCOLN C.B. ...	–	4	3	–	2	–
Boroughs and Urban Districts:—						
CLEETHORPES ...	–	5		–		–
GAINSBOROUGH ...	–	2	–	–	1	–
LOUTH	–	1	–	–	1	–
SCUNTHORPE AND FRODINGHAM	–	1	–	–	1	–
WINTERTON ..	–	–	1	–	–	–
Rural Districts:—						
CAISTOR	–	–	–		–	N. 1
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
HORNCASTLE ...	–	1	–	–	–	–
LOUTH	–	1	–	–	2	–
SIBSEY	–	–	–	–	–	M. 1
MIDDLESEX ...	–	91	37	2	13	C. 1 E. 3 J. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
ACTON	–	1	3	–	–	–
BRENTFORD AND CHISWICK	–	2	–	–		–
EALING	–	4	1		1	E. 1
EDMONTON ...	–	5	2	–	–	–
ENFIELD	–	8	8		1	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
Finchley ...	–	3	–	–	–	–
Friern Barnet...	–	3	–	–	–	–
Harrow on the Hill	–	–	–	–	–	J. 1
Hayes and Harlington	–	3	–	–	–	–
Hendon	–	7	–	–	1	N. 1
Heston and Isleworth	–	5	–	–	1	–
Hornsey	–	4	1	–	1	–
Kingsbury ...	–	–	1	1	–	–
Southall Norwood	–	1	–	–	1	E. 1
Southgate ...	–	3	–	–	1	–
Staines	–	1	–	–	–	–
Tottenham ...	–	18	5	1	1	M. 1 N. 1
Twickenham ...	–	3	2	–	–	–
Uxbridge ...	–	–	1	–	–	–
Wealdstone ...	–	–	–	–	–	E. 1
Wembley ...	–	2	1	–	1	–
Willesden ...	–	14	9	–	3	–
Wood Green ...	–	1	–	–	–	–
Yiewsley and West Drayton	–	2	1	–	–	–
Rural Districts—						
Hendon	–	–	2	–	1	C. 1
South Mimms ...	–	1	–	–	–	–
NORFOLK ...	–	18	10	–	–	M. 1 N. 3
Great Yarmouth C.B.	–	1	3	–	–	–
Norwich C.B. ...	–	6	–	–	–	N. 1
Boroughs and Urban Districts:—						
King's Lynn ...	–	–	3	–	–	N. 1
North Walsham	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
Aylsham... ...	–	2	–	–	–	–
Blofield ...	–	5	–	–	–	–
Depwade ...	–	2	–	–	–	M. 1
Erpingham ...	–	–	1	–	–	–
Forehoe		–	1	–	–	–
Freebridge Lynn	–	–	1	–	–	–
Loddon and Clavering	–	–	–	–	–	N. 1
Wayland ...	–	1	1	–	–	–
NORTHAMPTON	–	12	3	–	3	–
Northampton C.B.	–	3	1	–	–	–
Boroughs and Urban Districts:—						
Desborough ...		3	–	–	–	–
Irthling-borough	–	1	–	–	–	–
Kettering ...	–	1	2	–	1	–
Rothwell ...	–	1	–	–	–	–
Welling-borough	–	2	–		–	–
Rural Districts:—						
Northampton ...	–	–	–	–	1	–
Towcester ...	–	1	–	–	1	–
NORTHUMBERLAND.		45	6	2	28	D. 3 L. 1 M. 6 N. 3
Newcastle upon Tyne C.B	–	24	2	1	18	D. 1 L. 1 M. 3 N. 3
Tynemouth C.B.	–	3	1	–	2	D. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ASHINGTON ...	–	–	–	–	2	–
BEDLINGTONSHIRE	–	1	–	–	1	–
BERWICK UPON TWEED	–	1	1	–		–
CRAMLINGTON ...	–	1	–	–	–	D. 1
EARSDON	–	–	1	–	–	–
GOSFORTH ...	–	–	–	–	–	M. 1
HEXHAM	–	1	–	–	–	–
LONGBENTON ...	–	1	1	–	1	–
MORPETH... ...	–	–			–	M. 1
PRUDHOE... ...	*	*	*	*	*	*
SEATON DELAVAL	–	2	–	–	1	M. 1
WALLSEND ...	–	–	–	1	2	–
WEETSLADE ...	–	1	–	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	–	–
GLENDALE ...	–	4	–	–	–	–
HEXHAM	–	2	–	–	1	–
MORPETH ..	–	3	–		–	–
NOTTINGHAM ...	–	30	15	–	14	C. 1 D. 3 E. 2 N. 2
NOTTINGHAM C.B.		22	4	–	10	E. 2 N. 1
Boroughs and Urban Districts:—						
ARNOLD	–	1	–	–	–	–
BEESTON	–	1	–	–		–
EAST RETFORD ...	–	–	2	–	–	–
HUCKNALL ...	–	1	1	–	–	N. 1
KIRKBY IN ASHFIELD		1	2	–	–	–
MANSFIELD ...	–	2	–		–	D. 1
MANSFIELD WOODHOUSE		1	4			–
SUTTON IN ASHFIELD	–	1	–	–	–	–
WEST BRIDGFORD		–		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	–	2	–	1	–
BINGHAM... ...	–	–	–	–	1	–
EAST RETFORD ...	–	–	–	–	1	–
SKEGBY	–	–	–	–	–	D. 2
WORKSOP... ...	–	–	–	–	–	C. 1
OXFORD		3	4	–	1	N. 1
OXFORD C.B. ...			1	–	1	N. 1
Boroughs and Urban Districts:—						
BANBURY... ...	–	1	1	–	–	–
Rural Districts:—						
BANBURY... ...	–	–	1	–		–
HEADINGTON ...	–		1		–	–
HENLEY	–	2	–	–	–	–
SALOP	–	20	6	–	3	M. 1 N. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...		1	–	–	–	–
DAWLEY	–	–	1	–		–
MARKET DRAYTON	–	1	–	–		–
OAKENGATES ...		–	3		–	–
SHREWSBURY ...		4		–	–	–
WELLINGTON ...	–		1			–
Rural Districts:—						
ATCHAM	–	3	–	–	–	M. 1
CHIRBURY ...	–	2	–	–	–	–
ELLESMERE ...	–	6	–	–	–	–
LUDLOW		1	–		–	
OSWESTRY ...	–	1		–	1	–
SHIFNAL	–	–	1	–	–	N. 1
WELLINGTON ...	–	1	–	–		–
WEM		–	–	–	2	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	16	6	–	8	N. 1
BATH C.B. ...	–	4	–	–	2	N. 1
Boroughs and Urban Districts:—						
BRIDGWATER ...		3	–	–	1	–
CHARD	–	–	–	–	1	–
FROME	–	3	–	–	–	–
HIGHBRIDGE ...	–	–	1	–	–	–
MIDSOMER NORTON	–	–	–	–	1	–
SHEPTON MALLET	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	1	–
BRIDGWATER ...	–		1	–		–
CLUTTON	–	1	1	–	–	–
FROME		1	–	–	–	–
KEYNSHAM ...	–	–	1	–	1	–
WINCANTON ...	–	1	–	–	–	–
YEOVIL	–	2	1	–	–	–
SOUTHAMPTON	–	41	16	1	5	C. 2 D. 1 M. 1 N. 4
BOURNEMOUTH C.B.	–	3	–	–		C. 1 N. 2
PORTSMOUTH C.B.	–	17	10	1	–	D. 1
SOUTHAMPTON C.B.	–	3	3	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
ALDERSHOT ...	–	–	–	–	–	N. 1
ANDOVER... ...	–	1	2	–		–
CHRISTCHURCH ...	–	–	1	–	–	–
EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
FAREHAM ...	–	2	–		–	–
GOSPORT	–	7	–	–	–	–
PETERSFIELD ...		1	–	–		–
WARBLINGTON ...	–	1	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts:—						
DROXFORD ...	–	–	–	–	1	–
FAREHAM ...	–	3	–	–	–	–
HAVANT	–	2	–	–		–
NEW FOREST ...	–	–	–	–	–	N. 1
WINCHESTER ...	–	–	–	–	1	–
STAFFORD ...	–	45	18	–	38	C. 1 L. 1 M. 9 N. 4
BURTON UPON TRENT C.B.		3	–	–	–	M. 1 N. 1
SMETHWICK C.B.	–	2	1	–	2	N. 1
STOKE ON TRENT C.B.	–	2	2		13	M. 3
WALSALL C.B. ...	–	5	–	–	3	N. 1
WEST BROMWICH C.B.	–	2	–	–	2	M. 2
WOLVERHAMPTON C.B.	–	3	2	–	–	C. 1
Boroughs and Urban Districts:—						
AUDLEY	–	1	–	–	–	–
BIDDULPH ...	–	–	1	–	1	–
BILSTON	–	–		–	1	–
BRIERLEY HILL...	–	–	–	–	–	M. 1
BROWNHILLS ...	–	1	–	–	–	–
COSELEY	–	3	1	–	–	–
DARLASTON ...	–	4	–	–	1	–
LEEK	–	–	1	–	1	M. 1
LICHFIELD ...	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	–	3	–	1	–
QUARRY BANK ...	–	1	1	–	–	–
ROWLEY REGIS ...	–	1	1	–	1	N. 1
RUGELEY... ...	–	3	–	–	–	–
SEDGLEY	–	–	–	–	3	M. 1
STAFFORD ...	–	3	–	–	–	–
TAMWORTH ...	–	1	–	–	–	–
TETTENHALL ...	–	–	1	–	–	–
TIPTON	–	2	–	–	1	–
UTTOXETER ...	–	1	–	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
Cannock	–	1	–	–	–	–
Cheadle	–	4	–	–	4	L. 1
Kingswinford ...	–	–	1	–	–	–
Lichfield ...	–	–	1	–	–	–
Tamworth (part)	–	–	–	–	2	–
Uttoxeter ...	–	–	1	–	–	–
Walsall	–	2	1	–	1	–
SUFFOLK, EAST	–	9	15	–	1	–
Ipswich C.B. ...	–	4	12	–	1	–
Boroughs and Urban Districts:—						
Lowestoft ...	–	1	1	–	–	–
Rural Districts:—						
Blything ...	*	*	*	*	*	*
Bosmere and Claydon	–	2	2	–	–	–
Plomesgate ...	–	2	–	–	–	–
SUFFOLK, WEST	–	1	1	–	–	C. 1
Boroughs and Urban Districts:—						
Newmarket ...	–	–	1	–	–	C. 1
Rural Districts:—						
Brandon	–	1	–	–	–	–
SURREY	–	41	16	2	10	C. 1 D. 1 N. 1
Croydon C.B. ...	–	10	1	–	2	D. 1 N. 1
Boroughs and Urban Districts:—						
Barnes	–	2	–	–	1	–
Beddington and Wallington	–	1		–	1	C. 1
Carshalton ...	–	–	2	–	–	–
Chertsey ...	–	1	–	–	–	–
East and West Molesey	–	1	–	–	–	–
Esher and the Dittons	–		1			–
Farnham ...	–	1	–		–	–
Frimley and Camberley	–	1	–	–	–	–
Kingston on Thames	–	2	1	–	1	–
Merton and Morden	–	4	2	–	–	–
Mitcham	–	1	1		–	–
Reigate	–	1	1	1	–	–
Richmond ...	–	5	2	1	3	–
Surbiton ...	–	4	–	–	1	–
Sutton and Cheam	–	1	–	–	–	–
Walton upon Thames	–	1	–	–	–	–
Wimbledon ...	–	3	4	–	–	–
Rural Districts:—						
Farnham ...	–	–	1	–	–	–
Guildford ...	–	1	–	–	–	–
Hambledon ...	–	1	–	–	–	–
Reigate	–	–	–	–	1	–
SUSSEX, EAST...	–	18	4	1	4	L. 1 N. 1
Brighton C.B. ...	–	11	1	–	1	–
Eastbourne C.B.	–	1	–	–	–	–
Hastings ...	–	1	2	–	1	–
Boroughs and Urban Districts:—						
Bexhill	–	1	–	–	–	N. 1
Burgess Hill ...	–	–	–	–	1	–

* Returns not received.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—*cont.*						
HOVE	–	1	–	–	–	–
Rural Districts:—						
BATTLE	–	–	–	1	–	–
CHAILEY	–	–	–	–	–	L. 1
CUCKFIELD ...	–	2	–	–	1	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	1	–	–	–
SUSSEX, WEST...	–	7	2	1	2	–
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	2		–	–	–
BOGNOR REGIS ...	–	–	1	–	–	
WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	1	–	–
MIDHURST ...	–	1	–	–	1	–
STEYNING WEST...	–	3		–		–
WESTHAMPNETT		1	–	–	1	–
WARWICK ...		70	37	–	29	C. 3 L. 1 M. 15 N. 4
BIRMINGHAM C.B.	–	51	33	–	23	C. 3 L. 1 M. 15 N. 1
COVENTRY C.B. ...		7	3	–	1	N. 2
Boroughs and Urban Districts:—						
BEDWORTH ...		–	–	–	–	N. 1
NUNEATON ...	–	1	–	–	–	–
WARWICK ...	–	–	–	–	1	–
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	2	–	–	1	–
FOLESHILL ...	–	–	1	–	–	–
MERIDEN	–	–	–	–	2	–
MONK'S KIRBY	–	2	–	–	–	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	3	–	–	–	–
SOUTHAM... ...	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	1	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND	–	–	–	–	2	–
Boroughs and Urban Districts:—						
APPLEBY	–	–	–	–	1	–
WINDERMERE ...	–	–	–	–	1	–
WIGHT, ISLE OF	–	–	1	–	–	–
Boroughs and Urban Districts:—						
COWES	–	–	1			–
RYDE	*	*	*	*	*	*
WILTS	–	1	2	–	2	N. 2
Boroughs and Urban Districts:—						
SWINDON... ...	–	–	1	–	1	N. 2
TROWBRIDGE ...	–	1	1	–	–	–
Rural Districts:—						
MERE	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WORCESTER ...	–	6	5	–	2	D. 1 M. 1 N. 1
Dudley C.B. ...	–	–	2	–	–	–
Worcester C.B.	–	2	1	–	–	–
Boroughs and Urban Districts:—						
Bromsgrove ...	–	1		–	–	–
Halesowen ...	–	1	–	–	–	–
Kidderminster	–	2		–	–	–
North Bromsgrove	–	–	1	–	–	–
Oldbury	–	–	–	–	1	–
Rural Districts:—						
Bromsgrove ...	–	–	–	–	–	M. 1
Evesham	–	–	1	–	–	–
Feckenham ...	*	*	*	*	*	*
Martley	–	–		–	1	–
Pershore ...	–	–	–	–	–	D. 1
Upton on Severn	–	–	–	–	–	N. 1
YORKS ... ... (East Riding).	–	24	31	–	–	C. 1 D. 1 E. 1 M. 1 N. 1
Kingston upon Hull C.B.	–	22	29	–	–	C. 1 D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
Bridlington ...	–	1	–	–	–	–
Cottingham ...		–	2	–	–	
Hessle	*	*	*	*	*	*
Rural Districts:—						
Beverley ...	*	*	*	*	*	*
Bridlington ...	–	1	–		–	–
Patrington ...	–		–	–		E. 1
Sculcoates ...	*	*	*	*	*	*
YORKS ... ... (North Riding).	–	17	4	–	12	D. 1 L. 1
Middlesbrough C.B.		4	–	–	9	–
Boroughs and Urban Districts:—						
Eston	–	2		–	–	–
Guisborough ...	–	1	–	–	–	–
Northallerton	–	–	–	–	–	D. 1
Redcar	–	1	–	–		–
Scarborough ...	–	2	2	–	1	–
Skelton and Brotton	–	1	–	–	–	–
Thornaby on Tees	–	2	–	–	2	–
Rural Districts:—						
Easingwold ...	–	1	–		–	–
Flaxton	–	–	1	–	–	L. 1
Kirkby Moorside	*	*	*	*	*	*
Stokesley ...	–	–	1	–	–	–
Whitby	–	3	–	–		–
YORKS ... ... (West Riding).	4	129	71	4	90	C. 11 D. 7 E. 2 M. 10 N. 6
Barnsley C.B. ...	1	1	1	–	5	C. 1 E. 1 M. 1
Bradford C.B. ...	–	6	5	–	11	C. 1
Dewsbury C.B....	–	3	2	–		–
Doncaster C.B....	–	–	1	–	1	C. 1
Halifax C.B. ...	–	4	2	–	1	–
Huddersfield C.B.	–	3	2	–	2	M. 1 N. 1
Leeds C.B. ...	–	35	24	–	10	C. 1 D. 1 M. 3 N. 1
Rotherham C.B.	–	4	1		2	N. 1
Sheffield C.B....	–	13	3	1	19	C. 3 E. 1 M. 1 N. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
WAKEFIELD C.B.	–	–	2	–	3	M. 1
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	1	1		1	M. 1
ALTOFTS	–	–	–	–	1	–
BATLEY	–	3	5	1	1	–
BINGLEY	–	–	1		–	–
BIRSTAL	–	–	–	–	1	–
BOLTON UPON DEARNE		1		–		–
BRIGHOUSE ...	–	1	–	–	–	
CASTLEFORD ...	–	–	–	–	–	M. 1
CONISBROUGH ...	–	–	1	–	–	–
CUDWORTH ...	–	–	–	–	–	N. 1
DARFIELD ...	–	2	–	–	–	–
DARTON	–	2	–	–	–	–
DENHOLME ...	–	1	–	–	–	–
DRIGHLINGTON ...	–	–	–	–	1	–
ELLAND	–	1	–	–	–	–
FEATHERSTONE ...	–	–	1	–	–	–
GILDERSOME ...	–	–	–	–	1	–
GOOLE	–	–	–	–	1	–
GUISELEY ...	–	–	–	–	1	–
HARROGATE ...	–	3	–	–	1	–
HIPPERHOLME ...	1	–	–	–	–	C. 1
HOYLAND NETHER	–	1	–	–	1	N. 1
KEIGHLEY ...	–	2	–	–	1	–
KIRKHEATON ...	–	1	–	–	–	–
KNARESBOROUGH	–	–	–	–	1	–
KNOTTINGLEY ...	–	–	–	–	1	–
LUDDENDEN FOOT	–	–	2	–	–	–
MARSDEN... ...	–	–	2	–	–	–
MELTHAM ...	–	1	–	–	–	M. 1
METHLEY ...	–	–	1	–	1	–
MORLEY	–	2	1	–	–	–
OSSETT	–	–	–	–	1	–
OTLEY	–	2	–	–	–	–
PONTEFRACT ...	–	1	–	–	1	–
PUDSEY	–	1	–	–	1	C. 1
QUEENSBURY ...	–	–	–	–	1	–
RAWMARSH ...	–	1	–	–	3	–
ROTHWELL ...	–	3	–	–	–	–
SHELF	–	–	–	–	1	–
SHIPLEY	–	1	1	–	–	–
SKIPTON	–	1	–	–	–	–
SOWERBY... ...	–	2	2	–	1	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
SPENBOROUGH ...	–	1		–	2	–
STANLEY	–	1	2	–	–	–
THURNSCOE ...	–	1	1			–
TODMORDEN ...	–	–	–	–	1	–
WATH UPON DEARNE	–	2	–		1	C. 1
WHITWOOD ...	–	2	–	–		–
WOMBWELL ...	–	–	1	–	–	D. 1
Rural Districts:—						
DONCASTER ...		2		–	2	D. 2
HEMSWORTH ...	–	7	2	–	1	D. 1
KIVETON PARK ...	–	2	–	–	2	–
KNARESBOROUGH	–	1	–	1		–
PATELEY BRIDGE		–		–	1	–
PONTEFRACT ...	–	1	–	1	–	–
ROTHERHAM ...	–	1	2			D. 1
SETTLE	1	–		–	1	–
SKIPTON	1	–	–	–	–	–
TADCASTER ...		2	–	–		–
THORNE	–	2	–	–	–	C. 1
						D. 1
WETHERBY ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY... ...	–	–	2	–	1	–
YORK, CITY OF ..	–	4	1	–	1	–
YORK C.B. ...	–	4	1	–	1	–
WALES.						
ANGLESEY ...	–	–	1	–		–
Borough and Urban District:—						
HOLYHEAD ...		–	1	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BRECKNOCK ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
BUILTH WELLS ...	–	–	–	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–		1	–	1	–
CAERNARVON...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
BANGOR	–	3	–	–	–	–
Rural Districts:—						
CONWAY	–	–	2	–	–	–
CARDIGAN ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	–	–	1	–
Rural Districts:—						
CARDIGAN ...	–	1	–	–	–	–
CARMARTHEN...	–	8	4		4	N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
LLANELLY ...	–	1	–	–	3	N. 1
Rural Districts:—						
CARMARTHEN ...	–	5	–	–		–
LLANELLY ...	–	1	3	–	1	–
WHITLAND ...	–	1	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DENBIGH ...	–	10	20	–	3	–
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	–	4	–	–	..
WREXHAM ...	–	4	6	–	–	–
Rural Districts:—						
LLANSILIN ...	..	–	–	–	1	–
ST. ASAPH (DENBIGH)	–	2	3	–	–	–
WREXHAM ...	–	4	7	–	2	–
FLINT	–	–	2	–	1	N. 1
Boroughs and Urban Districts:—						
CONNAH'S QUAY	–	–	–	–	1	–
RHYL	–	–	2	–	–	–
Rural Districts:—						
HOLYWELL ...	–	–	–	–	–	N. 1
OVERTON	*	*	*	*	*	*
GLAMORGAN ...	–	40	52	3	16	C. 2 M. 2 N. 7
CARDIFF C.B. ...	–	11	9	–	2	C. 1 M. 2 N. 2
MERTHYR TYDFIL C.B.	–	1	2	–	1	–
SWANSEA C.B. ...	–	1	15	–	1	N. 1
Boroughs and Urban Districts:—						
ABERDARE ...	–	1	–	–	2	–
BARRY	–	1	–	–	–	–
CAERPHILLY ...	–	–	–	–	1	C. 1
GELLIGAER ...	–	2	–	–	–	–
GLYNCORWG ...	–	–	2	–	–	–
LLWCHWR ...	–	1	1	–	–	–
MOUNTAIN ASH...	–	1	–	–	4	–
NEATH	–	–	1	–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—*cont.*						
OGMORE AND GARW	–	2	–	–	–	N. 1
PENARTH	–	.		–	1	–
RHONDDA ...	–	16	17	–	4	N. 3
Rural Districts:—						
CARDIFF	–	1		–	–	–
GOWER	–	–	–	3	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1		–	–	–
NEATH	–	1	5	–	–	–
PONTARDAWE ...	*	*	*	*	*	*
MERIONETH ...	–	1	1	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
DOLGELLEY ...	–	–	1		–	–
MONMOUTH ...	–	58	12	–	4	–
NEWPORT C.B. ...	–	27	3	–	2	–
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	1	5	–		–
ABERTILLERY ...	–	5	1	–		–
BEDWAS AND MACHEN	–	1	–	–	–	–
BEDWELLTY ...	–	7	1	–	–	–
EBBW VALE ...	–	4	–	–	1	–
MONMOUTH ...	–	1	–	–	–	–
MYNYDDISLWYN	–	3	–	–	–	–
RHYMNEY ...	–	–	1	–	–	–
RISCA	–	3	–	–	1	–
TREDEGAR ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
CHEPSTOW ...	–	–	1	–	–	–
MAGOR	–	2	–	–	–	–
ST. MELLONS ...	–	2	–	–	–	–
MONTGOMERY...	–	1	–	1	1	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	1	–	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	1	–
PEMBROKE ...		2	1	–	–	–
Rural Districts:—						
HAVERFORDWEST	–	–	1	–	–	–
PEMBROKE ...	–	2	–	–	–	–
RADNOR		6	–	–	–	–
Urban Districts:—						
LLANDRINDOD WELLS	–	6	–	–	–	–
Total of Part II....	19	1494	765	30	597	C. D. E. F. G. J. L. M. N.

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

t Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ARNSTAPLE	*	*	*	*	*	*	Port of London ...		–	–	–	–	L. 1
LYMOUTH	–	–		–	2	–							
							Total of Part III. ..	–	–	–	–	2	L. 1

* Returns not received.

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡)
Total of Part I.—London	15	346	143	6	101	C. E. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	19	1494	765	30	597	C. D. E. F. G. J. L. M. N.
Total of Part III.—Port Sanitary Districts			-	-	2	L.
Total (i.e., of returns received), England and Wales ...	34	1840	908	36	700	C. D. E. F. G. J. L. M. N.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Pol encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Registrar-General's Districts.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	July 18.	July 25.	Aug. 1.	Aug. 8	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19	Sept. 26.	Oct. 3.	Oct 10.	Totals from 1st Week of year. * 1930.	Totals from 1st Week of year. * 1931.
ON :—															
BIRTHS	1,409	1,415	1,453	1,221	1,387	1,401	1,421	1,200	1,290	1,270	1,322	1,412	1,311	57,943	55,235
IRTHS	47	42	57	58	47	52	49	32	45	53	34	51	53	2,116	1,933
S (excluding Still-s)—all ages.	735	768	780	718	736	757	726	729	713	819	809	880	831	37,762	40,775
S—0 to 1 year ..	58	62	56	63	54	50	62	48	39	51	68	61	64	3,149	3,062
T TOWNS, aggre- (including Lon-															
BIRTHS	6,477	6,616	6,653	5,544	6,431	6,562	6,749	5,832	6,378	6,134	6,246	6,337	6,279	264,896	258,151
IRTHS	280	247	275	266	280	313	265	238	262	277	252	270	252	11,589	11,307
S (excluding Still-s)—all ages.	3,538	3,548	3,486	3,386	3,427	3,447	3,309	3,455	3,457	3,761	3,655	3,819	3,686	170,589	187,239
S—0 to 1 year ..	292	303	301	287	305	286	305	268	285	296	317	328	316	15,865	17,149
IC FEVER—Cases	23	16	21	28	29	26	17	20	32	16	18	13	16	839	657
„ Deaths	2	1	—	1	2	4	1	—	—	2	2	1	—	95	62
POX—Cases ..	34	32	22	20	17	10	13	30	11	34	35	31	25	7,780	3,681
Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	18	5
ET FEVER—Cases	815	894	826	700	639	692	759	844	886	1,027	997	1,134	1,102	47,082	34,185
„ Deaths	9	2	4	1	1	3	1	4	3	3	5	2	3	339	204
HERIA—Cases ..	573	538	524	423	469	423	488	531	569	580	534	600	570	24,027	23,795
Deaths ..	24	19	22	25	21	18	30	19	23	25	19	24	32	1,531	1,135
LES—Deaths ..	9	18	18	12	9	13	6	13	8	10	5	6	7	2,435	1,619
ENZA—Deaths ..	22	14	11	16	15	17	15	10	28	27	28	35	33	1,651	5,448

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ing away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 10th October, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†	Towns	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†
	°	°	°	°			°	°	°	°	
DON	70	44	65·4	50·0	10	HUDDERSFIELD	65	43	61·9	48·4	12
GREENWICH).						BRADFORD ..	63	45	59·9	50·4	10
GHTON ..	64	46	62·0	53·3	9	SHEFFIELD ..	68	45	62·3	50·4	8
TSMOUTH ..	68	47	63·4	52·9	14	YORK (MUSEUM)	66	46	62·7	50·9	4
WICH(SOUTH-WELL LODGE)	69	45	64·3	49·9	6	HULL (PEARSON PARK).	68	46	64·0	50·6	4
MOUTH ..	63	47	61·3	51·9	8	TYNEMOUTH ..	68	48	61·7	52·1	4
STOL	65	44	61·3	49·9	17	CARDIFF	64	46	60·6	50·0	20
(HORFIELD)											
MINGHAM (EDGBASTON).	63	46	59·4	50·0	9	EDINBURGH ..	64·0	45·0	58·9	49·6	12
TTINGHAM ..	66	45	62·6	50·7	3	GLASGOW ..	61·7	46·0	58·4	50·5	26
KENHEAD (BIDSTON).	65	46	59·7	52·0	20	DUBLIN (PHŒNIX PARK)	70·0	42·3	61·9	48·3	11
NCHESTER (WHITWORTH PARK).	64	47	61·0	52·7	17	(FITZWILLIAM SQUARE†).	68·0	45·3	61·8	51·4	6
NLEY	62	45	58·3	49·7	21	BELFAST	62·5	41·0	60·7	50·3	17

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 10th October, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	4	Greatest Declination N. Last Quarter.	30·141	64·6	46·9	17·7	57·1	+ 4·1	54·4	2·7	8·2	0·9	91	93·5	36·3	55·1	SSW : SW.	SSW : SW.	1·7	0·0	0·2	244	− 21	0·00
MONDAY	5	..	30·019	65·7	48·5	17·2	57·0	+ 4·2	54·3	2·7	8·4	0·3	91	92·4	35·0	55·1	SW	SSW: Calm.	0·6	0·0	0·1	179	− 85	0·00
TUESDAY	6	..	29·641	69·9	44·2	25·7	57·5	+ 5·0	55·1	2·4	10 0	0·0	91	111·8	31·0	55·2	Calm : SSW.	SW: SSW.	2·0	0·0	0·2	227	− 35	0·01
WEDNESDAY	7	..	29·623	60·5	49·1	11·4	53·5	+ 1·2	44·1	9·4	16·9	0·5	70	110·0	40·0	55·1	SSW : WSW.	WSW	5·4	0·0	0·7	440	+ 182	0·36
THURSDAY	8	..	29·961	66·4	47·0	19·4	55·8	+ 3·8	52·6	3·2	11·7	1·7	89	107·5	38·2	55·1	SW: WSW.	WSW: SW.	3·1	0·0	0·4	354	+ 101	0·03
FRIDAY	9	..	29·941	65·5	51·9	13·6	58·0	+ 6·4	50·6	7·4	15·9	2·0	77	112·7	41·0	55·1	SSW : SW.	SW : SSW.	3·0	0·0	0·3	291	+ 40	0·00
SATURDAY	10	In Equator	30·071	64·9	51·1	13·8	57·6	+ 6 3	54·7	2·9	8·7	0·0	96	86·9	40·6	55·0	SW : WSW.	Calm	0·2	0·0	0·0	109	− 142	0·00
MEANS		..	29·914	65·4	48·4	17·0	56·6	+ 4·4	52·3	4·4	11·4	0·8	86	102·1	37·4	55·1	SW		..	..	..	Sum 1844	Sum + 40	Sum 0·40
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	4	mP.	0·2	11·5	Overcast generally. Slight damping 12¾h. to 13h.; and 14¾h. to 15h.
MONDAY ..	5	mP.	1·0	11·4	Overcast generally till 19h.; then nearly cloudless. Showers at 5h. and 13½h. Dew at night.
TUESDAY ..	6	mP till 17h.; then wP.	3·4	11·4	Partially cloudy till 9h.; then overcast. Slight showers at 16h.; 17¾h. and 19½h. Occasional slight rain from 21h. Fog 6½h. till 9h. Heavy dew in morning.
WEDNESDAY	7	Variably wP and wN till 6h.; mP till 13h; sN till 14h.; then mP.	7·1	11·3	Variably cloudy till 17¾h.; then nearly cloudless. Slight rain till 6½h.; with heavy rain 2h. till 4h. Shower at 13¾h. Brisk wind 9h. till 16h. Dew at night.
THURSDAY	8	mP.	2·9	11·3	Cloudless till 7h.; nearly overcast till 13½h.; then variably cloudy. Rain 7¾h. till 9½h. Dew in morning and at night.
FRIDAY ..	9	mP.	4·0	11·2	Very cloudy till 12h.; then overcast. Slight shower 6h. Solar halo 13h. till 16h. Dew in morning.
SATURDAY	10	Loss of register till 12h.; then variably mP and wP.	0·0	11·1	Overcast generally. Mist 15h. till 17h.; then fog.
			Sum 18·6	Sum 79·2	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·21 ins. at the beginning of the week to 29·41 ins. by 3h. on 7th; increased to 30·03 ins. by 22h. on 8th; decreased to 29·90 ins. by 17h. on 9th; increased and was 30·11 ins. by midnight on the 10th.

MANUAL OF THE INTERNATIONAL LIST OF CAUSES OF DEATH

New Edition based on the fourth decennial revision by the International Commission, Paris, 1929.

THIS Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 3s. Post Free 3s. 4d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST: 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 41.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 17TH OCTOBER, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-0999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 17TH OCTOBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the forty-first week of the year numbered 6,053 corresponding to an annual rate of 15·9 per 1,000 living: stillbirths numbered 262 corresponding to a rate of 41 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,710 (24 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.
107 Great Towns	9·6	10·1	9·7	9·8
London	9·6	10·5	9·9	10·2
Birmingham	9·2	8·6	8·4	10·0
Liverpool	12·1	10·0	9·8	9·4
Manchester	9·0	10·2	9·8	11·0
Sheffield	8·6	10·5	8·2	7·9
Leeds	10·5	11·0	10·5	11·0
Bristol	11·2	8·1	10·8	9·7
West Ham	9·1	7·2	7·6	8·8

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 51, against 48, 50, and 48 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,334 live births registered corresponding to an annual rate of 15·9 per 1,000 living: stillbirths numbered 44 corresponding to a rate of 32 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 853 (22 more than the number in the preceding week): infant mortality based on the average weekly number of live births during the last 52 weeks, was 45, against 49, 44, and 46 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in th week ended 17th October, 1931.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,836,440*	6,053	262	3,710	334	-	11	5	12	34	58
London	4,377,000*	1,334	44	853	63	-	2	3	3	5	16
Towns in Outer Ring. Croydon C.B. ..	233,000	62	1	46	4	-	-	-	-	-	2
Wimbledon ..	58,830	13	1	15	2	-	-	-	-	-	-
Ealing	117,400	42	-	22	2	-	-	-	-	-	1
Acton	70,400	8	-	14	-	-	-	-	-	-	-
Brentford and Chiswick ..	62,620	11	-	11	-	-	-	-	-	-	-
Willesden ..	185,300	33	1	22	4	-	-	1	-	-	1
Hendon	114,600*	36	-	13	-	-	-	-	-	-	-
Hornsey	95,440	14	-	14	-	-	-	-	-	-	-
Wood Green ..	54,460	12	1	8	-	-	-	-	-	-	-
Tottenham ..	159,100	31	-	24	4	-	-	-	-	1	-
Edmonton ..	77,530	44	1	7	-	-	-	-	-	-	-
Enfield	68,090	20	-	12	-	-	-	-	-	-	-
West Ham C.B. ..	296,900	106	4	50	8	-	-	-	-	-	3
East Ham C.B. ..	142,900	26	2	27	1	-	-	-	-	-	-
Leyton	128,600	9	-	16	-	-	-	-	-	-	-
Walthamstow ..	134,300	28	3	23	1	-	-	-	-	2	-
Ilford	131,300	33	3	12	1	-	-	-	-	-	-
Gillingham	60,600*	13	1	10	-	-	-	-	-	-	-
Canterbury C.B. ..	24,440*	8	-	3	-	-	-	-	-	-	-
Hastings C.B.	61,870	15	3	15	2	-	-	-	-	-	-
Eastbourne C.B. ..	55,870	14	-	15	1	-	-	-	-	-	-
Brighton C.B. ..	144,900*	40	1	35	4	-	-	-	-	2	-
Portsmouth C.B. ..	248,300*	66	8	41	2	-	-	-	-	-	-
Bournemouth C.B. ..	108,600	19	1	23	2	-	-	-	-	-	-
Southampton C.B. ..	175,300	65	4	30	5	-	-	-	-	-	1
Reading C.B.	97,450*	40	1	15	1	-	-	-	-	1	-
Oxford C.B.	80,530*	25	-	12	-	-	-	-	-	-	-
Northampton C.B. ..	92,940*	31	-	10	-	-	-	-	-	-	-
Luton	69,030	15	2	11	1	-	-	-	-	-	-
Cambridge	66,850	16	-	8	-	-	-	-	-	-	-
Southend-on-Sea C.B.	117,900	15	2	27	-	-	-	-	-	-	-
Ipswich C.B.	87,630	24	-	18	2	-	-	-	1	1	-
Great Yarmouth C.B.	56,690	19	-	15	1	-	-	-	-	-	-
Norwich C.B.	126,800*	40	2	19	2	-	-	-	-	-	-
Swindon	62,600	10	1	6	1	-	-	-	-	-	-
Exeter C.B.	65,290*	11	3	12	1	-	1	-	-	-	-
Plymouth C.B. ..	207,600*	72	3	49	3	-	-	-	-	-	-
Bath C.B.	68,120	15	1	17	3	-	-	-	-	-	-
Bristol C.B.	399,500*	115	4	74	4	-	1	-	-	-	1
Gloucester C.B. ..	52,890	15	3	9	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	279,800	119	9	55	5	-	2	-	-	-	1
Burton-upon-Trent C.B.	49,920	12	-	8	-	-	-	-	-	-	-
Wolverhampton C.B.	134,200	58	5	27	2	-	-	-	-	-	1
Walsall C.B.	104,200	34	1	11	-	-	-	-	-	-	-
West Bromwich C.B.	82,090	33	1	21	2	-	-	-	-	-	-
Dudley C.B.	60,010	17	2	7	-	-	-	-	-	-	-
Worcester C.B. ..	50,540	14	1	10	2	-	-	-	-	-	-
Birmingham C.B. ..	1,011,300	322	17	194	20	-	-	-	1	1	4
Smethwick C.B. ..	85,370	24	1	9	2	-	-	-	-	-	-
Coventry C.B ..	168,500	40	2	16	-	-	-	-	-	-	-
Leicester C.B. ..	241,200	73	3	42	3	-	-	-	-	-	1
Lincoln C.B.	66,110*	16	1	12	1	-	-	-	-	-	-
Grimsby C.B. ..	92,180	31	-	9	1	-	-	-	-	-	-
Nottingham C.B. ..	270,900	108	2	58	11	-	-	-	-	-	5
Derby C.B.	143,400*	54	1	20	2	-	-	-	-	1	-
Chesterfield .. .	64,450	24	1	10	3	-	-	-	-	-	-
Stockport C.B ..	126,600	34	-	32	3	-	-	-	-	-	1
Chester C.B.	41,370	18	-	3	-	-	-	-	-	-	-
Birkenhead C.B. ..	148,600	57	1	25	8	-	-	-	-	-	-
Wallasey C.B. ..	97,240	21	3	15	-	-	-	-	-	-	-
Liverpool C.B. ..	862,100	343	7	156	23	-	1	-	2	3	4
Bootle C.B.	77,170	36	-	12	-	-	-	-	1	-	-
St. Helens C.B. ..	108,200	38	1	26	4	-	-	-	-	1	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where diffe from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingh 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Ox C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193, Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
THPORT C.B ..	77,180	14	-	14	-	-	-	-	-	-	-	-
AN C.B.	86 250	31	2	23	2	-	-	-	-	-	1	1
RRINGTON C.B. ..	80.280*	35	1	19	6	-	-	-	-	1	-	-
TON C.B	179,300	50	3	48	1	-	-	-	-	-	-	1
RY C.B.	56,580*	13	2	7	1	-	-	-	-	-	-	-
NCHESTER C.B. ..	773,300	258	15	163	20	-	-	-	2	2	3	1
FORD C.B.	226,100	60	2	41	7	-	-	-	-	-	3	-
TON-UNDER-LYNE	51,850	22	1	6	-	-	-	-	-	-	-	-
DHAM C.B	142,000	41	3	31	3	-	-	-	-	-	-	-
DHDALE C.B. ..	91,190	20	-	19	1	-	-	-	-	1	-	-
RNLEY C.B	99,300	28	3	20	1	-	-	-	-	-	-	-
ACKBURN C.B. ..	124,000	38	-	10	-	-	-	-	-	-	-	1
STON C.B.	120,100	37	1	30	1	-	-	-	-	-	-	-
CKPOOL C.B. ..	97,880	19	2	22	-	-	-	-	-	-	-	-
ROW-IN-FURNESS .B.	66,700	15	-	11	-	-	-	-	-	-	-	-
DDERSFIELD C.B. ..	114,300	29	2	24	1	-	-	-	-	-	-	-
LIFAX C.B.	98,770*	27	1	20	1	-	-	-	-	1	-	-
ADFORD C.B. ..	300,800	71	2	64	4	-	-	-	-	-	-	1
EDS C.B	486,100	117	9	103	7	-	-	-	-	3	1	1
WSBURY C.B. ..	54,430	18	-	13	1	-	-	-	-	-	-	-
KEFIELD C.B. ..	59,280	19	-	16	-	-	-	-	-	-	-	-
RNSLEY C.B. ..	72.090	29	4	13	2	-	1	-	-	-	-	-
FFIELD C.B. ..	517,300	139	8	78	4	-	-	-	-	-	-	1
THERHAM C.B. ..	70,100	26	2	7	1	-	-	-	-	-	-	-
NCASTER C.B ..	63,260	19	-	16	1	-	-	-	-	-	-	-
RK C.B.	85,910*	22	-	17	2	-	-	-	-	1	-	-
NGSTON-UPON-HULL .B.	314,800	103	5	61	5	-	-	-	-	3	1	-
DDLESBROUGH C.B.	138,800	44	2	32	3	-	2	-	-	-	2	-
RLINGTON C.B. ..	72,620	20	2	12	1	-	-	-	-	-	-	-
CKTON-ON-TEES ..	68,350	20	2	6	1	-	-	-	-	-	-	-
ST HARTLEPOOL C.B.	68,740	35	1	13	3	-	-	-	-	-	-	-
NDERLAND C.B. ..	187,500	66	3	40	2	-	1	-	-	-	1	-
UTH SHIELDS C.B ..	114,400	43	2	21	4	-	-	-	-	1	-	-
TESHEAD C.B. ..	123,700	34	2	32	7	-	-	-	-	-	2	-
WCASTLE-ON-TYNE .B.	284,300*	122	5	72	8	-	-	-	2	-	1	-
NEMOUTH C.B. ..	64,750	28	1	8	1	-	-	-	-	-	-	-
RLISLE C.B.	57,430*	27	1	15	3	-	-	-	-	-	-	-
WPORT (MON.) C.B.	89,500*	36	2	9	1	-	-	-	-	-	-	-
RDIFF C.B.	223,700*	63	2	38	3	-	-	-	-	1	1	1
ONDDA	142,700	40	4	14	1	-	-	-	-	1	-	-
ERTHYR TYDFIL C.B.	71,670	24	2	20	4	-	-	-	-	1	-	-
ERDARE	49,010	8	1	8	-	-	-	-	-	-	-	-
ANSEA C.B.	165,400	51	5	33	3	-	-	1	-	-	-	1
EATER LONDON ..	8,179,740*	2,378	74	1,447	109	-	2	6	3	9	26	16
TER RING	3,802,740*	1,044	30	594	46	-	-	3	-	4	10	11
GREAT TOWNS IN UTER RING	2,130,770*	528	17	336	27	-	-	1	-	3	7	6
MAINDER OF OUTER ING	1,671,970*	516	13	258	19	-	-	2	-	1	3	5
INBURGH†	438,998	141	?	94	5	-	-	-	-	1	-	-
ASGOW†	1,088,417	460	?	257	34	-	14	-	2	2	5	3
BLIN†	412,400	193	?	83	6	-	-	-	1	2	-	-
LFAST†	415,151	1 88	?	84	8	-	-	-	-	-	4	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 8,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 9,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,377,000	1931. Oct. 17	1334	44	853	10·2	–	–	2	3	3	5	1
Calcutta and Suburbs	1,077,264	Sept. 5	?	?	532‖	25·7	?	1	?	–	?	?	
Bombay§	1,298,708	„ 19	499	49	556‖	22·3	3	–	1	–	–	–	2
Madras	647,533	„ 5	482	35	398	32·0	8	–	–	–	–	–	3
Sydney and Suburbs	1,256,210	Sept. 30 (30 days)											
Brisbane (Metropolitan Area).	313,251	Aug. 31 (31 days)											
Perth (Metropolitan Area).	204,780	Aug. 8	72	?	26	6·6	–	–	–	–	–	–	
Auckland (Urban Area).	215,730	Aug. 31 (31 days)											
Wellington (Urban Area).	142,540	Aug. 31 (31 days)											
Christchurch (Urban Area).	127,070	Aug. 31 (31 days)											
Cape Town	136,748	Sept. 12	68	2	36	13·7	–	–	–	–	1	–	1
Johannesburg	187,326	Sept. 5	96	2	48	13·3	–	–	–	–	–	–	–
Durban	61,667	„ 5	30	1	9	7·6	–	–	–	–	–	–	–
Paris	2,871,429	Sept. 30 (10 days)	1065	63	789	10·0	3	–	–	–	4	3	19
Antwerp	295,348	Sept. 15 (15 days)	158	10	104	8·5	–	–	–	–	–	1	2
Amsterdam	756,361	Sept. 26	257	7	109	7·5	1	–	–	–	–	–	–
Copenhagen	615,700	Oct. 3	182	5	99	8·4	–	–	–	–	–	–	–
Stockholm	502,203	Sept.	108	4	119	12·3	–	–	–	–	–	1	–
Gothenberg	245,600	Aug. 29	?	?	38	8·0	–	–	–	–	–	–	–
Oslo	256,353	Oct. 3	40	2	49	9·9	–	–	–	–	–	–	–
Berlin	4,302,000	Sept. 19	690	24	779	9·4	3	?	1	–	–	6	5
Breslau	616,000	„ 19	158	8	91	7·7	–	?	–	–	1	–	1
Cologne	739,000	„ 19	155	2	111	7·8	–	?	–	–	1	–	1
Dresden	631,000	„ 19	87	4	126	10·4	–	?	–	–	–	2	–
Frankfort-on-Main	539,000	„ 19	118	4	69	6·7	1	?	–	–	–	–	–
Hamburg	1,142,000	„ 19	236	6	195	8·9	–	?	–	–	–	1	1
Leipzig	718,000	„ 19	125	3	127	9·2	1	?	–	–	–	–	–
Munich	730,000	„ 19	153	4	137	9·8	–	?	–	–	–	2	–
Budapest	1,009,089	„ 26	320	12	257	13·2	2	–	–	–	9	3	6
Warsaw	1,115,651	„ 19	?	6	200	9·3	6	–	–	–	2	1	13
Madrid	834,103	„ 12	346	30	227	14·2	–	–	4	–	–	3	7
Cairo	1,160,700	June 24	812	34	951	42·7	10	–	31	–	?	3	405
Alexandria	629,900	„ 24	434	4	533	44·1	4	–	37	–	?	–	198
New York	7,090,089	Sept. 19	2110	97	1343	9·9	6	–	–	–	4	3	18
Chicago	3,457,375	„ 25	1149	31	559	8·4	–	–	–	–	–	1	7
New Orleans	466,000	Aug. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Aug. 1	533	52	517	15·6	1	–	9	–	10	3	50

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year of* or Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 2 deaths from Cholera in Calcutta and 1 in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 17th October, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	38,641	41,628	853	63	7	13	18	34	47	59	92	158	187	175
Enteric fever	22	20	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	11	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1006	50	2	1	-	1	-	-	-	-	-	-	-	-
Scarlet fever	97	47	3	-	-	1	1	1	-	-	-	-	-	-
Whooping cough	112	251	3	2	-	1	-	-	-	-	-	-	-	-
Diphtheria	577	196	5	-	-	3	2	-	-	-	-	-	-	-
Influenza	269	939	5	-	-	-	1	1	1	-	-	-	2	-
Erysipelas	123	137	1	-	-	-	-	-	-	1	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	9	3	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	49	36	1	-	-	-	-	-	-	1	-	-	-	-
Meningococcal meningitis	74	106	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2829	2940	62	-	-	-	1	13	14	10	10	9	4	1
Nervous system	188	183	8	1	2	1	3	1	-	-	-	-	-	-
Intestines and peritoneum	40	44	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	170	203	7	-	-	-	1	2	2	-	1	1	-	-
Venereal diseases	145	147	4	1	-	-	-	-	1	-	1	1	-	-
Cancer	5269	5473	125	-	-	-	-	1	2	10	22	32	36	22
Rheumatic fever	140	107	2	-	-	-	-	-	2	-	-	-	-	-
Diabetes	403	426	10	-	-	-	-	-	-	-	-	5	5	-
Alcoholism	16	15	1	-	-	-	-	-	-	-	1	-	-	-
Simple meningitis	60	76	3	2	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1582	1557	35	-	-	-	-	1	-	1	2	5	14	12
Epilepsy	155	134	-	-	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal) ..	48	47	1	-	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	971	882	18	-	-	1	1	-	-	2	5	6	2	1
Pericarditis	15	16	1	-	-	-	-	-	1	-	-	-	-	-
Acute endocarditis	169	153	8	-	-	-	-	1	4	2	-	-	1	
Other diseases of heart	8053	9537	193	-	-	-	1	3	3	8	17	44	53	64
Other diseases of circulatory system	1639	1771	38	-	-	-	-	-	-	-	1	7	10	20
Bronchitis	1400	2047	24	1	1	-	-	-	-	-	1	3	8	10
Broncho-pneumonia	1380	2019	20	7	1	-	1	-	2	-	2	-	6	1
Lobar pneumonia	838	967	24	1	1	1	1	-	1	1	5	5	6	2
Pneumonia (type not distinguished)	311	321	7	-	-	-	1	-	-	2	-	-	2	2
Other diseases of respiratory system	381	447	8	1	-	-	-	1	-	-	1	1	-	4
Diarrhœa and enteritis	623	523	17	15	1	-	-	1	-	-	-	-	-	-
Appendicitis, Typhlitis	257	237	10	-	-	-	-	2	1	1	2	3	1	-
Hernia, Intestinal obstruction	402	420	11	-	-	-	-	1	-	4	-	2	4	-
Cirrhosis of liver	169	185	8	-	-	-	-	-	-	-	3	2	2	1
Other diseases of digestive system ..	985	937	24	-	-	2	1	-	-	3	4	6	3	5
Acute nephritis	73	67	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease	1350	1341	19	-	-	-	-	-	2	1	-	9	6	1
Other diseases of genito-urinary system.	650	699	12	1	-	-	-	-	1	-	1	3	3	3
Puerperal sepsis	87	90	3	-	-	-	-	1	1	1	-	-	-	-
Other causes incident to childbirth ..	71	97	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations	261	254	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	761	764	18	18	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	141	119	1	1	-	-	-	-	-	-	-	-	-	-
Old age	906	981	21	-	-	-	-	-	-	-	-	1	1	19
Suicide	486	457	17	-	-	-	-	1	4	4	3	4	-	1
Burns and Scalds	72	108	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	99	80	2	-	-	1	-	-	-	-	-	1	-	-
Suffocation in bed	24	21	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	619	566	15	-	-	1	2	1	1	2	1	1	5	1
Other deaths by violence	643	609	8	-	-	-	-	-	1	-	3	-	3	1
Other specified causes	1636	1767	41	6	-	-	1	1	2	4	6	7	10	4
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th October, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	21	342	163	2	93	C. 3 D. 1 E. 2 G. 1 L. 2 M. 15 N. 18
Metropolitan Boroughs:—						
BATTERSEA ...	–	12	7	–	4	–
BERMONDSEY ...	–	5	8	–	1	N. 1
BETHNAL GREEN	1	13	7	–	4	C. 1 N. 2
CAMBERWELL ...	2	25	8	–	–	M. 1 N. 1
CHELSEA	–	1	1	–	4	M. 1 N. 1
DEPTFORD ...	–	17	4	–	1	C. 1 M. 1
FINSBURY ...	–	3	4	–	2	M. 2 N. 2
FULHAM	–	7	5	–	2	D. 1 N. 1
GREENWICH ...	–	8	4	–	1	N. 1
HACKNEY... ...	3	10	7	–	4	M. 2
HAMMERSMITH ...	–	10	7	–	1	–
HAMPSTEAD ...	–	7	4	–	2	G. 1 L. 2
HOLBORN... ...	–	1	2	–	–	–
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	9	26	11	–	6	E. 1 M. 5 N. 2
KENSINGTON ...	–	11	4	1	8	N. 4
LAMBETH ...	5	19	9	–	8	–
LEWISHAM ...	–	11	1	–	7	C. 1 N. 2
PADDINGTON ...	–	7	5	–	5	–
POPLAR	–	18	9	–	4	–
ST. MARYLEBONE	–	5	5	–	4	–
ST. PANCRAS ...	–	8	10	1	4	M. 2
SHOREDITCH ...	–	9	4	–	–	M. 1
SOUTHWARK ...	1	16	6	–	5	N. 1
STEPNEY	–	67	17	–	10	–
STOKE NEWINGTON	–	3	1	–	–	–
WANDSWORTH ...	–	10	7	–	3	–
WESTMINSTER, CITY OF	–	3	1	–	1	–
WOOLWICH ...	–	10	5	–	2	E. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	2	–	1	–
Boroughs and Urban Districts:—						
BEDFORD	–	1	–	–	1	–
DUNSTABLE ...	–	1	–	–	–	–
LUTON	–	2	1	–	–	–
Rural Districts:—						
BIGGLESWADE ...	–	–	1	–	–	–
BERKS	–	10	2	–	–	C. 1 N. 1
READING C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	2	–	–	–	–
NEWBURY ...	–	–	1	–	–	–
NEW WINDSOR ...	–	–	–	–	–	C. 1
Rural Districts:—						
ABINGDON ...	–	–	–	–	–	N. 1
NEWBURY ...	–	2	–	–	–	–
WANTAGE ...	–	2	–	–	–	–
BUCKINGHAM...	–	10	6	–	2	C. 2 E. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	1	–	–	–	–
CHEPPING WYCOMBE	–	–	–	–	–	G. 1
CHESHAM... ...	–	–	–	–	1	–
ETON	–	2	–	–	–	–
SLOUGH	–	3	–	–	–	N. 1
WOLVERTON ...	–	–	1	–	–	–
Rural Districts:—						
AMERSHAM ...	–	2	–	–	–	–
AYLESBURY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts—*cont.*						
ETON	–	1	4	–	–	–
NEWPORT PAGNELL	–	–	1	–	1	C. 1
WYCOMBE ...	–	–	–	–	–	C. 1 E. 1
CAMBRIDGE ...	–	5	1	1	–	E. 1 N. 1
Borough:—						
CAMBRIDGE ...	–	3	–	–	–	E. 1
Rural Districts:—						
CHESTERTON ...	–	–	–	–	–	N. 1
LINTON	–	1	–	1	–	–
MELBOURN ...	–	–	1		–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER ...	–	33	29	4	15	C. 1 M. 4 N. 7
BIRKENHEAD C.B.	–	5	3	–	1	M. 1 N. 1
CHESTER C.B. ...	–	2	3	–	–	–
STOCKPORT C.B....	–	2	6	–	1	N. 3
WALLASEY C.B....	–	4	3	–	1	M. 2 N. 1
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	–	–	–	–	C. 1
BEBINGTON AND BROMBOROUGH	–	1	–	–	2	–
CREWE	–	2	1	–		–
DUKINFIELD ...	–	1	–	–	–	–
HAZEL GROVE AND BRAMHALL	–	1	1	–	–	–
HOYLAKE AND WEST KIRBY	–	–	–	–	1	–
HYDE	–	5	–	–	2	–
KNUTSFORD ...	–	–	–	1	–	–
NANTWICH ...	–	–	2	–	–	–
NESTON AND PARKGATE	–	–	–	–	1	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Northwich	–	1	–	–	–	–
Runcorn	–	–	1	–	–	N. 1
Sale	–	–	3		1	–
Stalybridge ...	–		1	–	–	–
Wilmslow ...	–	2	–	–	–	–
Winsford ...	–	1	1	1	2	–
Rural Districts:—						
Bucklow... ...	–	1	–	–	1	–
Congleton ...		–		2	–	–
Macclesfield ...	–	–	1	–	–	–
Malpas	–	1	–	–	–	–
Northwich ...	–	1	–	–	–	–
Runcorn... ...	–	1	1	–	2	–
Tarvin	–	1	–	–	–	–
Wirral	–	1	2	–	–	M. 1 N. 1
CORNWALL ...	–	14	–	1	1	–
Boroughs and Urban Districts:—						
Falmouth ...	–	1	–	–	–	–
Helston	–	1	–	–	–	–
Looe	*	*	*	*	*	*
Ludgvan... ...	–	4	–	–	–	–
Madron	–	–	–	1	–	–
St. Ives	–	1	–	–	–	–
Torpoint ...	–	1	–	–	–	–
Rural Districts:—						
Calstock ...	–	–	–	–	1	–
Liskeard ...	–	1	–	–	–	–
West Penwith...	–	2	–	–	–	–
CUMBERLAND...	–	2	–	–	1	E. 1
Carlisle C.B. ...	–	–	–	–	–	E. 1
Boroughs and Urban Districts:—						
Maryport ...	–	1	–	–	–	–
CUMBERLAND—*cont.*						
Rural Districts:—						
Alston with Garigill...	–	1	–	–	–	–
Carlisle ...	–	–	–	–	1	–
DERBY	2	25	21	2	8	C. 1 D. 1 E. 1 M. 1 N. 2
Derby C.B. ...	–	4	10		2	E. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
Alfreton ...	2	–	–	–	1	–
Alvaston and Boulton	–	–	–	–	1	–
Ashbourne ...	–	–	–	–	1	–
Buxton	*	*	*	*	*	*
Chesterfield ...	–	–	–	1	–	–
Clay Cross ...	–	1	–	–	–	–
Dronfield ...	–	1	–			–
North Darley...	*	*	*	*	*	*
Ripley		1	–	–		D. 1
Swadlincote District	–	1	–	–	1	–
Rural Districts:—						
Ashbourne ...	–	–	3	–	1	–
Bakewell ...	–	–	4	–	1	–
Blackwell ...	–	5	3	–		–
Chapel en le Frith	–	1	–	–	–	–
Chesterfield ...	–	8	–	1	–	–
Clowne	–	–	–	–		C. 1
Glossop Dale ...	–	1	–	–	–	–
Shardlow ...		2	1	–		–
DEVON	–	22	16	1	6	M. 1
Exeter C.B ...	–	1	2	–	–	–
Plymouth C.B.	–	10	1	–	3	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	2	4	–	–	–
BRIXHAM	–	–	–	–	1	–
IVYBRIDGE ...	–	4	–	–	–	–
TEIGNMOUTH ...	–	–		1	1	–
TORQUAY	–	–	8	–	–	–
Rural Districts:—						
BROADWOOD WIDGER	–	1	–	–		–
CULMSTOCK ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	*	*	*	*	*	*
TAVISTOCK ...	–	1	–	–	–	–
TIVERTON ...	–	–	1	–	–	–
TOTNES	–	1	–	–	1	M. 1
DORSET	–	4	4	–	1	G. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
BRIDPORT ...	*	*	*	*	*	*
DORCHESTER ...	–	1	–	–	–	–
POOLE	–	–	3	–	–	–
SHAFTESBURY ...	–	1	–	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	–	G. 1
CERNE	–	1	–	–	–	–
WEYMOUTH ...	–	1	–	–		–
WIMBORNE AND CRANBORNE	–	–	1	–	–	–
DURHAM ...	–	80	16	2	43	C 3 D. 1 F. 1 M. 5 N 2
DARLINGTON C.B.	–	9	–	–	1	M. 1
GATESHEAD C.B.	–	21	2	–	5	–
SOUTH SHIELDS C.B.	–	6	2	–	6	F. 1
SUNDERLAND C.B.	–	9	1	1	7	–
WEST HARTLEPOOL C.B.	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	–	1	–	–	–
BILLINGHAM ...	–	1	–	–	2	–
BISHOP AUCKLAND	–	–	1	–	–	–
BLAYDON	–	2	–	–	1	N. 1
CHESTER LE STREET	–	1	–	–	–	–
DURHAM	–	–	1	–	–	M. 1
FELLING	–	4	1	–	–	–
HEBBURN ...	–	2	–	–	3	M. 1
HETTON	–	–	–	–	3	–
JARROW	–	–	–	–	1	–
LEADGATE ...	–	–	–	1	–	–
SHILDON	–	1	–	–	–	–
SPENNYMOOR ...	–	–	–	–	–	N. 1
STANLEY	–	1	2	–	1	D. 1
STOCKTON ON TEES	–	4	–	–	2	C. 1
TANFIELD ...	–	–	–	–	1	–
TOW LAW ...	–	–	–	–	–	M. 1
WHICKHAM ...	–	2	1	–	1	–
Rural Districts:—						
AUCKLAND ...	–	2	1	–	–	–
CHESTER LE STREET	–	4	–	–	1	–
DARLINGTON ...	–	1	–	–	–	C. 1
EASINGTON ...	–	2	1	–	2	C. 1
HOUGHTON LE SPRING	–	2	2	–	1	–
LANCHESTER ...	–	1	–	–	1	–
SOUTH SHIELDS	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	3	–
ELY, ISLE OF ...	–	1	6	–	2	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	1	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum: N Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Boroughs and Urban Districts—*cont.*						
Whittlesey ...	–	–	5	–	1	–
Wisbech	–	–	–	–	1	–
Rural Districts:—						
Ely	–	1	–	–	–	–
ESSEX	15	112	48	1	22	C. 4 D. 1 F. 1 M. 2 N. 3
East Ham C.B. ...	–	7	5	–	–	–
Southend on Sea C.B.	3	5	1	–	3	C. 1
West Ham C.B.	10	27	5	–	2	C. 2 N. 1
Boroughs and Urban Districts:—						
Barking Town ...	–	3	4	–	2	–
Benfleet ...	–	–	3	–	–	–
Brentwood ...	–	1	–	–	–	–
Chelmsford ...	–	2	–	–	–	–
Chingford ...	–	2	–	–	–	–
Colchester ...	–	7	–	–	2	–
Dagenham ...	–	20	5	–	1	M. 2
Harwich ...	–	–	2	–	–	
Hornchurch ...	–	1	2	–	–	–
Ilford	–	2	4	–	1	D. 1 F. 1
Leyton	–	7	5	1	2	–
Maldon	–	–	–	–	1	–
Tilbury	–	–	2	–	–	–
Waltham Holy Cross	–	5	–	–	–	–
Walthamstow ...	1	6	7	–	3	–
West Mersea ...	–	2	–		–	–
Woodford ...	–	1	1	–	2	–
Rural Districts:—						
Billericay ...	1	6	–	–	–	N. 2
Bumpstead ...	–	1	–	–	–	–
Chelmsford ...	–	7	–	–	–	C. 1
Epping	–	–	1	–	–	–
Lexden and Winstree	–	–	1	–	–	–
Orsett	–	–	–	–	1	–
Rochford ...	–	–	–	–	1	–
Tendring ...	–	–	–	–	1	–
GLOUCESTER ...	–	22	33	–	6	D. 1 L. 1
Bristol C.B. ...	–	11	22	–	6	L. 1
Gloucester C.B.	–	1	2	–	–	D. 1
Boroughs and Urban Districts:—						
Nailsworth ...	–	1	–	–	–	–
Stroud	–	–	2	–	–	–
Rural Districts:—						
Chipping Sodbury	–	–	1	–	–	–
Cirencester ...	–	2	–	–	–	–
Dursley	–	1	–	–	–	–
East Dean and United Parishes	–	2	2		–	–
Northleach ...	–	1	–	–	–	–
Warmley ...	–	1	3	–	–	–
West Dean ...	–	2	–	–	–	–
Wheatenhurst	–	–	1	–	–	–
HEREFORD ...	–	3	3	1	5	–
Boroughs and Urban Districts:—						
Hereford ...	–	2	1	–	3	–
Kington	*	*	*	*	*	*
Ross-on-Wye ...	–	–	1	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
DORE	–	–	1	–	–	–
HEREFORD ...	–	–	–	1	2	–
KINGTON	*	*	*	*	*	*
LEOMINSTER AND WIGMORE	–	1	–	–	–	–
HERTFORD ...	–	10	9	–	1	C. 1
Boroughs and Urban Districts:—						
BARNET	–	–	1	–	–	–
CHESHUNT ...	–	1	–	–	–	–
EAST BARNET VALLEY	–	–	1	–	–	–
HITCHIN	–	1	2	–	–	C. 1
HODDESDON ...	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	–	1	–
WARE	–	1	–	–	–	–
WATFORD... ...	–	3	1	–	–	–
Rural Districts:—						
BERKHAMPSTEAD	–	1	–		–	–
HATFIELD ...	–	1	3	–	–	–
HEMEL HEMPSTEAD	–	1	–	–	–	–
WATFORD ...	–	–	1	–	–	–
KENT	–	37	21	–	7	C. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
ASHFORD	–	1	–	–	–	–
BECKENHAM ...	–	–	–	–	1	–
BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
BROMLEY... ...	–	5	1	–	–	–
CHATHAM ...	–	2	–	–	–	–
DARTFORD ...	–	1	–	–	1	–
ERITH	–	–	1	–	1	–
FOLKESTONE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
HERNE BAY ...	–	–	–	–	1	–
MAIDSTONE ...	–	4	3	–	–	–
MARGATE ...	–	2	1	–	–	–
PENGE	–	1	–	–	–	–
RAMSGATE ...	–	2	1	–	–	–
ROCHESTER ...	–	3	–	–	–	–
ROYAL TUNBRIDGE WELLS	–	–	1		1	–
SHEERNESS ...	–	–	–		1	–
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE AND MILTON	–	3	1	–	–	–
SWANSCOMBE ...	–	1	–	–	–	M. 1
Rural Districts:—						
BLEAN	–		–	–	–	N. 1
BROMLEY... ...	–	3	3		–	
CRANBROOK ...	–	–	–	–	–	N. 1
DARTFORD ...	–	2	–	–	–	–
EASTRY	–	–	–	–	–	M. 1
ELHAM	–	1	–	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
HOLLINGBOURNE	–	–	–	–	1	–
MALLING	–	3	–	–	–	–
MILTON	–	–	2	–	–	–
SEVENOAKS ...	–	1	2	–	–	C. 1
STROOD	–	–	3	–		–
LANCASTER ...	–	253	132	3	140	C. 5 D. 1 E. 1 G. 3 L. 1 M. 13 N. 14
BARROW IN FURNESS C.B.	–	–	–	–	2	–
BLACKBURN C.B.	–	4	2	–	4	C. 1
BLACKPOOL C.B.	–	11	1	–	–	–
BOLTON C.B. ...	–	6	2	–	2	–
BOOTLE C.B. ...	–	10	4	–	2	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Burnley C.B. ...	–	6	1	–	2	N. 1
Bury C.B. ...	–	–	–	–	3	–
Liverpool C.B....	–	31	67	–	35	E. 1
						L. 1
						M. 10
						N. 2
Manchester C.B.	–	63	18	1	23	C. 3
						D. 1
						G. 3
						M. 1
						N. 4
Oldham C.B. ...	–	5	–	–	1	N. 1
Preston C.B. ...	–	5	1	–	5	–
Rochdale C.B....	–	4	1	–	–	–
St. Helens C.B.	–	2	4	–	3	–
Salford C.B. ...	–	14	7	1	8	–
Southport C.B.	–	6	4	–	3	–
Warrington C.B.	–	17	2	–	2	–
Wigan C.B. ...	–	2	–	1	13	N. 1
Boroughs and Urban Districts:—						
Accrington ...	–	1	–	–	1	–
Ashton in Makerfield	–	–	–	–	1	–
Ashton-under-Lyne	–	3	–	–	–	–
Audenshaw ...	–	1	–	–	1	–
Brierfield ...	–	2	–	–	1	–
Carnforth ...	–	1	–	–		–
Chorley	–	2	–	–	2	–
Colne	–	2	–	–	–	N. 1
Crompton ...	–	–	2	–	–	–
Darwen	–	–	–	–	1	–
Denton	–	3	–	–	–	–
Droylsden ...	–	6	–	–	–	–
Eccles	–	–	3	–	–	–
Failsworth ...	–	2	–	–	–	N. 1
Farnworth ...	–	–	–	–	1	M. 1
						N. 1
Fleetwood ...	–	–	–	–	1	–
Golborne ...	–	–	–	–	–	N. 1
Great Harwood	*	*	*	*	*	*
Haslingden ...	–	–	–	–	2	–
Heywood ...	–	1	–	–	1	–
Hindley	–	–	–	–	2	–
Horwich... ...	–	3	–	–	2	–
Huyton with Roby	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Ince in Makerfield	–	1	–	–	1	–
Irlam	–	1	–	–	–	–
Lancaster ...	–	2	–	–	–	–
Leigh	–	–	1	–	–	–
Litherland ...	–	4	–	–	–	–
Littleborough	–	–	–	–	1	–
Lytham St. Anne's	–	1	–	–	–	–
Middleton ...	–	3	–	–	2	–
Morecambe and Heysham	–	3	–	–	–	–
Nelson	–	1	–	–	–	–
Newton in Makerfield	–	1	1	–	1	–
Ormskirk ...	–	–	–	–	–	N. 1
Orrell	–	–	–	–	1	–
Padiham... ...	–	–	–	–	–	M. 1
Prestwich ...	–	–	1	–	–	–
Radcliffe ...	–	–	–	–	1	–
Rawtenstall ...	–	–	–	–	2	–
Skelmersdale ...	–	–	–	–	–	C. 1
Stretford ...	–	1	1	–	–	–
Swinton and Pendlebury	–	3	1	–		–
Turton		1	–	–	–	–
Tyldesley with Shakerley	–	1	–	–	1	–
Upholland ...	–	–	–	–	1	–
Wardle	–	1	–	–	–	–
Waterloo with Seaforth	–	4	1	–	1	–
Whitefield ...	–	–	–	–	1	–
Widnes	–	1	1	–	–	–
Worsley... ...	–	1	–	–	–	–
Rural Districts:—						
Barton upon Irwell	–	–	1	–	–	–
Burnley ...	–	1	–	–	–	–
Clitheroe ...	–	–	–	–	1	–
Garstang ...	–		2	–	–	–
Preston	–	3	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
SEFTON	–		1	–	–	–
WARRINGTON ...	–	3	–	–	1	–
WHISTON	–	2	1	–	–	–
LEICESTER ...	2	31	4	2	15	–
LEICESTER C.B....	1	11	2	2	10	–
Boroughs and Urban Districts:—						
COALVILLE ...	–	2	–			–
HINCKLEY ...	–	–	–	–	1	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET HARBOROUGH	–	–	1			–
MELTON MOWBRAY	–	–	1	–	–	–
QUORNDON ...	–	2	–	–		–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	–	–	1	–
BARROW UPON SOAR	1	6	–	–	1	–
HINCKLEY ...	–	2	–	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	4	–	–	2	–
LINCOLN (parts of Holland).	–	5	–	–	–	M. 1
Boroughs and Urban Districts:—						
BOSTON	–	2	–	–	–	–
Rural Districts:—						
BOSTON	–	–	–	–	–	M. 1
SPALDING ...	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–		–	C. 1 F. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	–	F. 1
STAMFORD ...	–	–	–	–	–	C. 1
Rural Districts:—						
EAST KESTEVEN	–	–	–	–	–	G. 1
SOUTH KESTEVEN	–	1	–	–	–	–
WEST KESTEVEN	–	–	–	–	–	M. 1
LINCOLN (parts of Lindsey).	–	24	1	1	7	C. 1 M. 1
GRIMSBY C.B. ...	–	5	1	–	2	–
LINCOLN C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	–	–	1	–
CLEETHORPES ...	–	6	–	–	–	–
GAINSBOROUGH ...	–	1	–	–	3	M. 1
HORNCASTLE ...	–	1	–	–	–	–
LOUTH	–	3	–	–	–	–
SCUNTHORPE AND FRODINGHAM	–	2	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	–
GLANFORD BRIGG	–	–	–	1	–	–
HORNCASTLE ...	–	1	–	–	–	–
LOUTH	–	2	–	–	–	–
WELTON	–	–	–	–	–	C. 1
MIDDLESEX ...	–	87	29	3	16	E. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
ACTON	–	2	2	–	–	M. 1

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
BRENTFORD AND CHISWICK	–	2	1	–	–	–
EALING	–	2	1	–	1	–
EDMONTON ...	–	9	6	–	2	–
ENFIELD	–	6	6	1	1	–
FELTHAM... ...	–	1	1	–	–	N. 1
FINCHLEY ...	–	7	–	–	–	–
FRIERN BARNET...	–	6	–	1	–	–
HAYES AND HARLINGTON	–	3	–	–	–	–
HENDON	–	1	2	–	2	M. 1
HESTON AND ISLEWORTH	–	5	–	–	1	–
HORNSEY	–	3	1	–	–	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
SOUTHALL NORWOOD	–	2	–	–	1	–
SOUTHGATE ...	–	3	1	–	1	N. 1
STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	–	1	–	–	–
TEDDINGTON ...	–	1	–	–	–	–
TOTTENHAM ...	–	6	4	–	–	–
TWICKENHAM ...	–	2	–	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
WEALDSTONE ...	–	2	1	–	–	–
WEMBLEY ...	–	1	–	–	1	–
WILLESDEN ...	–	15	2	1	6	E. 1 N. 1
WOOD GREEN ...	–	3	–	–	–	–
YIEWSLEY AND WEST DRAYTON	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	1	–	–	–	–
NORFOLK ...	–	15	5	–	1	C. 1 M. 1
GREAT YARMOUTH C.B.	–	1	2	–	–	M. 1
NORWICH C.B. ...	–	5	1	–	1	C. 1
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
KING'S LYNN ...	–	2	–	–	–	–
SHERINGHAM ...	–	1	–	–	–	–
THETFORD ...	–	–	1	–	–	–
Rural Districts:—						
BLOFIELD ...	*	*	*	*	*	*
FOREHOE	–	4	1	–	–	–
ST. FAITH'S ...	–	2	–	–	–	–
NORTHAMPTON	–	28	2	–	5	–
NORTHAMPTON C.B.	–	4	2	–	4	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	1	–	–	–	–
DESBOROUGH ...	–	2	–	–	–	–
HIGHAM FERRERS	–	1	–	–	–	–
KETTERING ...	–	8	–	–	–	–
RAUNDS	–	2	–	–	–	–
ROTHWELL ...	–	1	–	–	1	–
RUSHDEN... ...	–	2	–	–	–	–
WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	–	–
NORTHAMPTON ...	–	1	–	–	–	–
WELLINGBOROUGH	–	2	–	–	–	–
NORTHUMBERLAND.	–	39	6	3	27	C. 1 E. 1 L. 2 M. 2 N. 1
NEWCASTLE UPON TYNE C.B	–	22	2	2	13	L. 2 M. 2 N. 1
TYNEMOUTH C.B.	–	1	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ALNWICK	-	-	1	-	-	-
ASHINGTON ...	-	-	-	1	2	-
BEDLINGTONSHIRE	-	2	-	-	4	-
BLYTH	-	-	1	-	1	-
CRAMLINGTON ...		1	-	-	-	-
EARSDON	-	2	-	-	-	-
MORPETH... ...	-	-	-	-	-	C. 1
NEWBIGGIN BY THE SEA	-		-	-	-	E. 1
NEWBURN ...	-	1	-	-		-
PRUDHOE... ...	-	-	-	-	1	-
SEATON DELAVAL	-	1	-	-	-	-
WALLSEND ...	-	2	-	-	4	-
WHITLEY AND MONKSEATON	-	-	1	-	-	-
Rural Districts:—						
BELLINGHAM ...	-		-	-	1	-
GLENDALE ...	-	4	-	-	-	-
HEXHAM	-	3	1	-	-	-
NOTTINGHAM ...	-	26	9	4	13	C. 2 D. 4 L. 1 N. 2
NOTTINGHAM C.B.		11	4	3	9	C. 2 D. 1
Boroughs and Urban Districts:—						
BEESTON	-	1	1	-	-	-
CARLTON	-	2	-	-	1	-
EASTWOOD ...	-		-	-	-	N. 1
HUCKNALL ...	-	3	-	-		-
MANSFIELD ...	-	1	-	-	-	-
WEST BRIDGFORD	-	1	-	-	-	-
WORKSOP... ...	-	1	-			-
Rural Districts:—						
BASFORD	-	2	3	-	-	D. 1 N. 1
BINGHAM... ...	-	-	-	1	2	L. 1
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
EAST RETFORD ...	-	-	1	-	-	-
SKEGBY		1	-	-	-	-
SOUTHWELL ...	-	1	-	-	1	D. 2
WORKSOP... ...	-	2	-	-	-	-
OXFORD	-	4	2	-	-	-
OXFORD C.B. ...	-	3	-	-	-	-
Rural Districts:—						
BANBURY... ...	-	-	2	-	-	-
HENLEY	-	1	-	-	-	-
PETERBOROUGH (Soke of).	-	-	-	-	1	N. 1
Borough:—						
PETERBOROUGH...	-		-	-	1	N. 1
SALOP	-	11	4	-	3	E. 1
Boroughs and Urban Districts:—						
DAWLEY	-	-	2	-	-	-
OAKENGATES ...	-	1	-	-	-	-
SHREWSBURY ...	-	2	-	-	-	E. 1
WELLINGTON ...	-	-	-	-	1	-
Rural Districts:—						
ATCHAM	-	4	-	-	-	-
BRIDGNORTH ...	-	-	-	-	1	-
NEWPORT... ...	-	1	-	-	1	-
SHIFNAL	-	-	1	-	-	-
WELLINGTON ...	-	1	1	-	-	-
WEM	-	2	-	-	-	-

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	6	5	1	9	E. 1 N. 4
BATH C.B. ...		3	2	–	1	N. 2
Boroughs and Urban Districts:—						
BRIDGWATER ...		–	–	–	1	–
CREWKERNE ...	–	–	–	–	1	–
FROME	–	1	1	–	–	N. 1
PORTISHEAD ...	–	–	–	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON ...	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	2	–	2	–
CHARD	–	1	–	–	–	–
FROME	–	–	–	–	–	E. 1
KEYNSHAM ...	–	–	–	–		N. 1
TAUNTON	–	–	–	1	1	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON	–	41	16	1	2	C. 1 D. 1 N. 4
BOURNEMOUTH C.B.	–	2	1	–		C. 1
PORTSMOUTH C.B.	–	6	2	1	–	D. 1 N. 2
SOUTHAMPTON C.B.	–	8	1	–	–	–
Boroughs and Urban Districts:—						
CHRISTCHURCH ...	–	–	1	–	–	–
EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
FAREHAM ...	–	2	5	–		–
GOSPORT	–	4	1	–	–	–
PETERSFIELD ...	–	2	–		–	–
WINCHESTER ...	–	1	–	–	–	N. 1
Rural Districts:—						
ALRESFORD ...	–	–	1	–	–	–
ALTON		1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
CATHERINGTON ...	–	–	1	–	–	–
FAREHAM ...	–	8	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts—*cont.*						
HARTLEY WINTNEY	–	–	–	–	1	–
HAVANT	–	2	–	–		–
NEW FOREST ...	–	2	–	–	1	–
PETERSFIELD ...	–	1	–	–	–	–
RINGWOOD ...	–	–	2	–	–	–
ROMSEY	–	–	1	–	–	–
STOCKBRIDGE ...	–	–	–	–	–	N. 1
STAFFORD ...	–	42	41	–	28	C. 3 G. 1 L. 1 M. 7 N. 3
BURTON UPON TRENT C.B.	–	2	–	–		–
SMETHWICK C.B.	–	2	6	–	2	N. 1
STOKE ON TRENT C.B.	–	4	3	–	10	M. 4
WALSALL C.B. ...	–	1	1	–	–	–
WEST BROMWICH C.B.	–	3	2	–	1	–
WOLVERHAMPTON C.B.	–	2	2	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
AUDLEY	–	1	–	–	–	C. 1
BIDDULPH ...	–	–	–	–	2	–
BILSTON		–	2	–	1	–
BROWNHILLS ...	–	–	1	–	–	–
CANNOCK	–	2	2	–	–	C. 1
DARLASTON ...	–	1	1	–	–	–
LEEK	–	–	6	–	–	–
QUARRY BANK ...	–	1	–	–	–	–
ROWLEY REGIS ...	–	5	–	–	1	–
SEDGLEY	–	–	–	–	1	–
SHORT HEATH ...	–	1	–	–	–	–
TETTENHALL ...	–	–	3	–	–	–
TIPTON	–	5	1	–	4	C. 1
UTTOXETER ...	–	–	–	–	1	–
WEDNESBURY ...	–	1	–	–	–	M. 3
WILLENHALL ...	–	1	–	–	–	N. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	–	1	1	–	–	–
CHEADLE	–	7	–	–	–	L. 1
KINGSWINFORD ...	–	1	4	–	1	–
LICHFIELD ...	–	–	1	–	2	–
SEISDON	–	–	3		1	–
UTTOXETER ...	–	–	2	–	–	–
WALSALL	–	1	–	–	1	–
SUFFOLK, EAST	–	15	6	–	–	C. 2 M. 1
IPSWICH C.B. ...	–	9	5	–	–	M. 1
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	1	–	–	–	–
LOWESTOFT ...	–	–	–	–	–	C. 2
SOUTHWOLD ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
PLOMESGATE ...	–	1		–	–	–
SAMFORD	–	–	1	–	–	–
WOODBRIDGE ...	–	2	–	–	–	–
SUFFOLK, WEST	–	2	2	–	1	–
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	–	1	–	–	–
GLEMSFORD ...	–	–	–	–	1	–
NEWMARKET ...	–	1	1	–	–	–
Rural Districts:—						
BRANDON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	38	20	2	3	N. 3
CROYDON C.B. ...	–	14	3	–	1	–
Boroughs and Urban Districts:—						
BARNES	–	2	–	–	–	–
CARSHALTON ...	–		1		–	–
COULSDON AND PURLEY	–	1		–	1	–
EAST AND WEST MOLESEY	–	1	1		–	–
EPSOM	–	1	1	–	–	–
ESHER AND THE DITTONS		–	1	–	–	–
FARNHAM ...	–	–	1	–	–	–
FRIMLEY AND CAMBERLEY	–	–	2	–	–	–
GUILDFORD ...	–	2		–	–	–
KINGSTON ON THAMES	–	1	1	–	–	–
MERTON AND MORDEN	–	3	3	–	–	N. 1
MITCHAM	–	4	–	1	–	–
REIGATE	–	2	1	–	–	–
RICHMOND ...	–	1	1	–	–	–
SURBITON ...	–	1	–	–	1	–
THE MALDENS AND COOMBE	–	–	–	1	–	–
WALTON UPON THAMES	–	4	–	–	–	N. 1
WIMBLEDON ...	–	–	3	–	–	N. 1
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
FARNHAM ...	–	–	1	–	–	–
SUSSEX, EAST...	–	10	12	1	4	–
BRIGHTON C.B. ...	–	4	6	–	–	–
EASTBOURNE C.B.	–	–	2	–	1	–
HASTINGS ...	–	2	3	–	–	–
Boroughs and Urban Districts:—						
BEXHILL	–	1	–	–	–	–
SEAFORD	–	–	–	1	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
BATTLE	–	–	1	–	–	–
CUCKFIELD ...	–	2	–	–	–	–
HAILSHAM ...	–	–		–	1	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	–	–	–	2	–
SUSSEX, WEST...	–	4	4		1	N. 2
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
BOGNOR REGIS ...	–	–	3	–	–	–
CHICHESTER ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	N. 2
WORTHING ...	–	–	1	–	1	–
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
WARWICK ...	–	60	36	3	43	C. 2 D. 1 E. 2 L. 3 M. 14 N. 3
BIRMINGHAM C.B.	–	47	27	2	31	C. 2 D. 1 E. 1 M. 13 N. 2
COVENTRY C.B. ...	–	3	1	–	5	L. 1
Boroughs and Urban Districts:—						
BEDWORTH ...	–	–	–	–	1	–
NUNEATON ...	–	–	1	–	–	M. 1
ROYAL LEAMINGTON SPA	–	–	–	–	2	–
STRATFORD ON AVON	–	–	–	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	3	2	–	–	–
NUNEATON ...	–	1	2	–	–	–
RUGBY	–	1	2	–	1	E. 1
SOLIHULL ...	–	1	1	–	1	–
TAMWORTH (part)	–	2	–	–	1	L. 2
WARWICK ...	–	2	–	1	–	–
WESTMORLAND	–	2	–	–	1	C. 1
Boroughs and Urban Districts:—						
KENDAL	–	–	–	–	1	–
WINDERMERE ...	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	C. 1
WILTS	–	4	6	–	1	M. 1 N. 5
Boroughs and Urban Districts:—						
SALISBURY ...	–	–	–	–	–	N. 1
SWINDON... ...	–	2	6	–	1	N. 2
WILTON	–	–	–	–	–	M. 1
Rural Districts:—						
PEWSEY	–	–	–	–	–	N. 2
TISBURY	–	1	–	–	–	–
WARMINSTER ...	–	1	–	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WORCESTER ...	–	15	6	–	5	D. 1 M. 1
DUDLEY C.B. ...	–	2	1	–	–	D. 1
WORCESTER C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
EVESHAM	–	2	1	–	–	–
HALESOWEN ...	–	1	1	–	1	–
KIDDERMINSTER	–	2		–	–	–
LYE AND WOLLESCOTE	–	–	–	–	–	M. 1
MALVERN ...	–	–	–	–	1	–
NORTH BROMSGROVE	–	–	1	–	–	–
OLDBURY	–	2	–	–	2	–
REDDITCH ...	–	1	–	–	–	–
STOURBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
EVESHAM		1	–	–	–	–
MARTLEY	–	1	–	–	–	–
PERSHORE ...	–	1		–	–	–
ROCK	–	–	1	–	–	–
YORKS ... ... (East Riding).	–	20	31	–	5	C. 1
KINGSTON UPON HULL C.B.	–	17	26	–	5	C. 1
Boroughs and Urban Districts:—						
BRIDLINGTON ...	–	–	1	–	–	–
COTTINGHAM ...	–	–	3	–	–	–
HORNSEA	–	–	1	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
WITHERNSEA ...	–	1	–	–	–	–
Rural Districts:—						
ESCRICK	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS ... ... (North Riding).	–	11	3	–	12	C. 1 D. 1
MIDDLESBROUGH C.B.	–	5	1	–	4	C. 1
Boroughs and Urban Districts:—						
ESTON	–	–	–	–	1	–
GUISBOROUGH ...	–	1	–	–	–	–
KIRKLINGTON CUM UPSLAND	*	*	*	*	*	*
MASHAM	–	–	–	–	1	–
REDCAR	–	1		–	1	–
SCARBOROUGH ...	–	3	2	–	1	–
THORNABY ON TEES	–	–	–	–	4	–
Rural Districts:—						
KIRKBY MOORSIDE	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	–	D. 1
YORKS ... ... (West Riding).	1	159	83	5	78	C. 4 D. 12 E. 1 L. 1 M. 3 N. 7
BARNSLEY C.B. ...	1	3	–	–	1	D. 2
BRADFORD C.B. ...	–	15	7	–	15	C. 1 N. 4
DEWSBURY C.B. ...	–	1	3		–	–
DONCASTER C.B. ...	–	3	1	–		C. 1
HALIFAX C.B. ...	–	9	11		2	–
HUDDERSFIELD C.B.	–	3	9	–	2	–
LEEDS C.B. ...	–	30	18	1	11	M. 1
ROTHERHAM C.B.	–	3	4	–	2	–
SHEFFIELD C.B. ...	–	24	3	–	22	D. 1 N. 3
WAKEFIELD C.B.	–	6		2		–
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	–	1	–	–	D. 1
ALTOFTS	–	–	1	–	1	–
BAILDON	–	1	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
BATLEY	–	1	–	–	–	–
BENTLEY WITH ARKSEY	–	–	1	–		–
BINGLEY	–	1		–	–	
BOLTON UPON DEARNE	–	2		–	–	E. 1
CONISBROUGH ...	–	–	–	–	–	D. 1
						M. 1
DARFIELD ...	–	–	–	–	2	–
EMLEY	–	2	–	–		–
GREETLAND ...	*	*	*	*	*	*
HARROGATE ...	–	2	–	2	–	–
HECKMONDWIKE	–	1	–	–	–	–
HEMSWORTH ...	–	–	–	–	–	D. 1
						L. 1
HOLMFIRTH ...	–	–	1	–		–
HORBURY... ...	–	2	1	–		–
HORSFORTH ...	*	*	*	*	*	*
HOYLAND NETHER	–	1	1	–	–	–
KEIGHLEY ...	–	5	–	–	–	–
KIRKBURTON ...	–	1	–	–	–	–
KIRKHEATON ...	–	1		–	–	–
LUDDENDEN FOOT	–	–	1	–	–	–
MARSDEN... ...	–	1	–	–	–	–
METHLEY ...	–	–	–	–	1	–
MIRFIELD ...	–	1	–			–
MORLEY	–	1	1	–	2	–
NORMANTON ...	–	3	–	–	–	–
OSSETT	–	–	–	–	1	–
OTLEY	–	–	1	–	–	–
PONTEFRACT ...	–	2	–	–		–
PUDSEY	–	–	–	–	1	–
ROTHWELL ...	–	2	2	–	2	–
SELBY	–	–	1	–	–	–
SHELF	–	–	–	–	1	–
SHELLEY	–	2	–	–		–
SHIPLEY	–	1	3	–	–	–
SLAITHWAITE ...	–	1		–	–	–
SOUTHOWRAM ...	–	–		–	1	–
SOWERBY... ...	–	–	1			–
SPENBOROUGH ...	–	1	–	–	–	–
STANLEY	–	1	1	–	2	–
STOCKSBRIDGE ...	–	1	–			–
SWINTON	–	–	–	–	–	C. 1
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
THURNSCOE ...	–	1			1	D. 1
THURSTONLAND AND FARNLEY TYAS	–	6	–	–	–	–
TICKHILL... ...	–	–		–	–	D. 1
WHITWOOD ...	–	2	–	–	–	–
WOMBWELL ...	–	1	–	–	1	–
WORSBOROUGH ...	–		1	–	1	–
YEADON	–	–	2	–	–	–
Rural Districts:—						
DONCASTER ...	–	1	–	–	1	D. 1
HEMSWORTH ...	–	5		–	3	D. 1
						M. 1
HUNSLET... ...	–	–	–	–		C. 1
PATELEY BRIDGE		–		–	1	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	–	1	–	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	1	2		1	–
THORNE	–	1	–	–	–	–
WAKEFIELD ...	–	1			–	D. 1
WETHERBY ...	–		2	–		–
WHARFEDALE (SOUTH)	–	1		–	–	–
WORTLEY... ...	–	2	3	–	–	D. 1
YORK, CITY OF ..	–	8	4	–	–	–
YORK C.B. ...	–	8	4	–	–	–
WALES.						
BRECKNOCK ...	–	–	1	–	2	–
Rural Districts:—						
BUILTH	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BRECKNOCK— *cont.*						
Rural Districts— *cont.*						
HAY	–	–	–	–	1	–
VAYNOR AND PENDERYN	–	–	1	–		–
CAERNARVON...	–	–	4	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–		1	–	–	–
PENMAENMAWR ...	–	–	1	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	–	1	–	–	–
GWYRFAI		–	1	–	–	–
CARDIGAN ...	–	7	2	–	–	N. 1
Boroughs and Urban Districts:—						
ABERYSTWYTH ...		1	–	–	–	–
Rural Districts:—						
ABERAYRON ...	–	4	–	–	–	–
ABERYSTWYTH (SOUTH)	–	2	2	–	–	–
TREGARON ...	–	–	–	–	–	N. 1
CARMARTHEN...	–	8	2	–	2	N. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	1	–	–	2	–
LLANELLY ...	–	2	–	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	3	1	–	–	–
LLANDILO FAWR	–	–		–	–	N. 1
LLANELLY ...	–	1	–	–	–	–
WHITLAND ...	–	1	1	–	–	–
DENBIGH ...	–	11	21	–	–	–
Boroughs and Urban Districts:—						
COLWYN BAY ...		2	1	–	–	–
WREXHAM ...	–	4	4	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
ST. ASAPH (DENBIGH)	–	–	1	–	–	–
WREXHAM ...	–	4	15	–	–	–
FLINT	–	3	1	–	2	–
Boroughs and Urban Districts:—						
FLINT	–	–	–	–	1	–
HOLYWELL ...	–	1	–	–		–
RHYL	–	–	1	–	–	–
Rural Districts:—						
HOLYWELL ...	–	1	–	–	1	–
OVERTON	–	1	–	–	–	–
GLAMORGAN ...	–	44	60	2	12	C. 1 M. 3 N. 3
CARDIFF C.B. ...	–	13	8	1	1	C. 1
MERTHYR TYDFIL C.B.	–	5	1	–	–	–
SWANSEA C.B. ...	–	6	9	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
CAERPHILLY ...	–	–	2	–	–	–
GELLIGAER ...	–	3	3	–	–	–
GLYNCORWG ...	–	1	1	–	–	–
LLWCHWR ...		–	–	–	1	N. 1
MAESTEG	–	–	1	–	–	–
MOUNTAIN ASH...	–	2	–		3	–
NEATH	–	–	3	–	–	N. 1
OGMORE AND GARW	–	5	–	–	1	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Boroughs and Urban Districts:— *cont.*						
PENARTH	–	–	3	–	1	–
PONTYPRIDD ...	–	1	1	–	–	–
PORTHCAWL ...	–	1	–	–	–	–
PORT TALBOT ...	–	–	4	–	–	–
RHONDDA ...	–	5	21	–	3	M. 1
Rural Districts:—						
GOWER	–	–	–	1	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	1	–	–	–
NEATH	–	–	2	–	–	–
PONTARDAWE ...	–	–		–	–	M. 1
MERIONETH ...	–	1	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
MONMOUTH ...	–	60	10	–	6	–
NEWPORT C.B. ...	–	25	1	–	2	–
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	1	5	–	–	–
ABERSYCHAN ...	–	5		–	1	–
ABERTILLERY ...	–	2	1	–	1	–
BEDWAS AND MACHEN	–	2	1	–		–
BEDWELLTY ...	–	10	–	–	–	–
BLAENAVON ...	–	–	–	–	2	–
EBBW VALE ...	–	2	–	–	–	–
LLANTARNAM ...	–	1	–	–	–	–
MYNYDDISLWYN	–	3	–	–	–	–
TREDEGAR ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONMOUTH— *cont.*						
Rural Districts:—						
CHEPSTOW ...	–	–	2	–	–	–
MAGOR	–	1	–	–	–	–
ST. MELLONS ...	–	6	–	–	–	–
MONTGOMERY...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	1	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...		1	–	–	–	–
PEMBROKE ...	–	6	–	–	2	–
Boroughs and Urban Districts:—						
GOODWICK ...		–	–	–	2	–
MILFORD HAVEN	–	1	–	–		–
NARBERTH ...	–	3	–	–	–	–
Rural Districts:—						
NARBERTH ...	–	2	–	–	–	–
RADNOR	–	6	–	–	–	–
Urban Districts:—						
LLANDRINDOD WELLS	–	6	–	–	–	–
Total of Part II....	20	1500	787	44	568	C. 41 D. 25 E. 12 F. 5 G. 7 L. 10 M. 66 N. 76

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WESTOFT	–	1	–	–	–	–	**Total of Part III.** ...	–	1	–	–	–	–

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—Part IV.—England and Wales.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ...)
Total of Part I.—London	21	342	163	2	93	C. D. E. G. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	20	1500	787	44	568	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts		1	–	–	–	–
Total (i.e., of returns received), England and Wales ...	41	1843	950	46	661	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera Plague or Typhus Fever notified during the week.

).—London and Great Towns in the EGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

ek ended :—	July 25.	Aug. 1.	Aug. 8.	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Totals from 1st Week of year. * 1930.	1931.
N :—															
RTHS	1,415	1,453	1,221	1,387	1,401	1,421	1,200	1,290	1,270	1,322	1,412	1,311	1,334	59,341	56,569
RTHS	42	57	58	47	52	49	32	46	53	34	51	53	44	2,162	1,978
(excluding Still-)—all ages.	768	780	718	730	757	726	729	713	819	809	880	831	853	38,641	41,628
—0 to 1 year ..	62	56	63	54	50	62	48	39	51	68	61	64	63	3,229	3,125
TOWNS, aggre- (including Lon- —															
IRTHS	6,616	6,653	5,544	6,431	6,562	6,749	5,832	6,378	6,134	6,246	6,337	6,279	6,053	271,338	264,204
RTHS	247	275	266	280	313	265	238	262	277	252	270	252	262	11,834	11,570
(excluding Still-)—all ages.	3,548	3,486	3,386	3,427	3,447	3,309	3,455	3,457	3,761	3,655	3,819	3,686	3,710	174,610	190,949
—0 to 1 year ..	303	301	287	305	286	305	268	285	296	317	328	316	324	16,257	17,483
C FEVER—Cases	16	21	28	29	26	17	20	32	16	18	13	16	24	855	681
„ Deaths	1	—	1	2	4	1	—	—	2	2	1	—	—	96	62
POX—Cases ..	32	22	20	17	10	13	30	11	34	35	31	25	37	7,860	3,718
Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	18	5
ET FEVER—Cases	894	820	700	639	692	759	844	886	1,027	997	1,134	1,102	1,089	48,483	35,274
„ Deaths	2	4	1	1	3	1	4	3	3	5	2	3	5	341	209
HERIA—Cases ..	538	524	423	469	423	488	531	569	580	534	600	570	606	34,999	24,401
Deaths ..	19	22	25	21	18	30	19	23	25	19	24	32	34	1,558	1,169
ES—Deaths ..	18	18	12	9	13	6	13	8	10	5	6	7	11	2,441	1,630
ENZA—Deaths ..	14	11	16	15	17	15	10	28	27	28	35	33	31	1,697	5,479

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections been made for changes in boundary. The live births are derived from the weekly returns furnished by the rars and differ from those published for the towns in the Quarterly Return which are corrected for births ing away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 17th October, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†
	°	°	°	°			°	°	°	°	
DON	68	37	59·4	45·7	0·3	HUDDERSFIELD	65	35	59·4	39·3	3
GREENWICH).						BRADFORD ..	61	37	57·9	41·1	5
GHTON ..	64	44	59·4	48·6	—	SHEFFIELD ..	62	40	58·3	43·6	1
TSMOUTH ..	61	43	59·7	48·6	—	YORK (MUSEUM)	62	36	58·1	40·0	3
WICH(SOUTH-	65	35	58·7	40·7	0·3	HULL (PEARSON PARK).	64	37	59·6	42·3	3
VELL LODGE)											
MOUTH ..	62	44	59·0	48·0	8	TYNEMOUTH ..	64	41	58·1	45·7	3
STOL	66	38	58·9	43·7	4	CARDIFF	66	40	58·4	43·4	1
(HORFIELD)											
MINGHAM	64	41	57·7	43·3	2	EDINBURGH ..	58·0	41·0	55·9	45·1	1
(EDGBASTON).						GLASGOW ..	55·8	36·7	54·8	44·4	3
TTINGHAM ..	65	35	59·0	39·7	—	DUBLIN					
KENHEAD	59	42	56·0	45·9	1	(PHŒNIX PARK)	64·0	34·3	59·3	39·1	3
(BIDSTON).											
NCHESTER	62	39	57·9	41·9	3	(FITZWILLIAM SQUARE†).	62·2	41·9	57·8	44·2	2
(WHITWORTH PARK).											
RNLEY	61	35	57·9	39·7	12	BELFAST	63·0	38·0	59·6	42·9	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 17th October, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	11	Perigee. New.	30·110	60·0	46·9	13·1	53·0	+ 2·1	52·2	0·8	5·1	0·0	97	81·1	36·7	55·0	Calm	Calm	0·1	0·0	0·0	73	- 180	0·00
MONDAY -	12	..	29·923	67·9	47·1	20·8	55·2	+ 4·6	53·0	2·2	13·3	0·0	92	105·3	35·1	55·0	Calm	Calm: SSW.	0·3	0·0	0·0	78	- 179	0·00
TUESDAY -	13	..	30·040	58·8	46·1	12·7	52·1	+ 1·8	51·2	0·9	4·6	0·4	97	69·0	36·9	55·0	WSW: Calm.	N: NNW.	1·8	0·0	0·1	163	- 99	0·01
WEDNESDAY	14	..	30·375	58·0	43·0	15·0	50·0	- 0·1	41·9	8·1	14·3	1·4	73	95·0	30·4	54·9	NNW: N.	NNE: NE.	1·6	0·0	0·1	224	- 44	0·00
THURSDAY -	15	..	30·445	56·8	36·7	20·1	48·1	- 1·8	42·5	5·6	15·7	1·3	80	95·5	26·3	54·9	Calm	NE	0·9	0·0	0·0	137	- 131	0·00
FRIDAY -	16	Greatest Declination S.	30·296	58·9	48·9	10·0	53·8	+ 4·0	49·5	4·3	8·7	1·9	85	78·0	42·0	54·8	NE	ENE	1·4	0·0	0·1	227	- 40	0·00
SATURDAY -	17	..	30·208	54·9	50·5	4·4	52·4	+ 2·8	46·4	6·0	8·0	2·9	80	62·0	46·7	54·5	NE	ENE: NE.	1·4	0·0	0·2	266	+ 4	0·00
MEANS -		..	30·199	59·3	45·6	13·7	52·1	+ 1·9	48·1	4·0	10·0	1·1	86	83·7	36·3	54·9	NE		..		..	Sum 1166	Sum - 669	Sum 0·01
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	11	Variably mP and wP till 22h.; sP till 23½h.; then wP.	1·0	11·0	Overcast till 12h.; cloudless till 20h.; then overcast. Fog 0h. till 1h.; and from 5h.
MONDAY ..	12	Insulation failed till 12h.; then mP.	5·4	11·0	Overcast till 10½h.; nearly cloudless till 23h.; then overcast from 23½h. Fog till 10½h. Mist and dew at night.
TUESDAY ..	13	Variably mP and wP.	0·0	10·9	Overcast till 19½h.; then cloudless. Mist till 10½h.; then slight mist. Rain 13½h. till 14h. Dew at night.
WEDNESDAY	14	Variably mP and wP till 10h.; variably mP and sP till 17h.; then variably mP and wP.	5·8	10·9	Partially cloudy till 17½h; then cloudless. Mist and dew in morning and at night.
THURSDAY	15	Insulation failed till 9h.; then variably mP and wP.	5·5	10·8	Cloudless till 7h.; nearly overcast till 9½h.; partially cloudy till 15½h.; nearly cloudless till 19h.; then overcast. Fog till 10h. Hoar frost in morning. Dew at night.
FRIDAY ..	16	wP till 11h.; then variably mP and wP.	0·3	10·7	Overcast. Slight shower at 13¾h. Damping from 23½h.
SATURDAY	17	mP.	0·0	10·7	Overcast throughout. Damping from 20½h.
			Sum 18·0	Sum 76·0	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·11 ins. at the beginning of the week to 30·15 ins. by 9h. on 11th; decreased to 29·84 ins. by 1h. on 13th; increased to 30·49 ins. by 9h. on 15th; decreased generally and was 30·22 ins. by midnight on the 17th.

MANUAL OF THE INTERNATIONAL LIST OF CAUSES OF DEATH

New Edition based on the fourth decennial revision by the International Commission, Paris, 1929.

THIS Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 3s. Post Free 3s. 4d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST. 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 42.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 24TH OCTOBER, 1931

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.
70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 24TH OCTOBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the forty-second week of the year numbered 6,065 corresponding to an annual rate of 15·9 per 1,000 living: stillbirths numbered 254 corresponding to a rate of 40 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 3,791 (81 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.
107 Great Towns	10·1	9·7	9·8	10·0
London	10·5	9·9	10·2	9·7
Birmingham	8·6	8·4	10·0	9·2
Liverpool	10·0	9·8	9·4	10·9
Manchester	10·2	9·8	11·0	11·7
Sheffield	10·5	8·2	7·9	8·2
Leeds	11·0	10·5	11·0	10·4
Bristol	8·1	10·8	9·7	10·1
West Ham	7·2	7·6	8·8	11·9

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 52, against 50, 48, and 51 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,305 live births registered corresponding to an annual rate of 15·5 per 1,000 living: stillbirths numbered 35 corresponding to a rate of 26 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 817 (36 less than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 53, against 44, 46, and 45 in the preceding three weeks.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There was no death from small-pox in the returns received from areas outside Greater London, the County Boroughs and Great Towns, for the month of September last.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS* registered in t week ended 24th October, 1931.

TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 GREAT TOWNS ..	19,836,440*	6,065	254	3,791	338	1	21	6	17	25	63
LONDON	4,377,000*	1,305	35	817	73	-	1	3	2	7	24
TOWNS IN OUTER RING. CROYDON C.B. ..	234,000	64	2	41	1	-	-	-	-	-	-
WIMBLEDON ..	58,830	11	-	14	-	-	-		-	-	-
EALING	117,400	39	1	16	1	-	-	-	-	-	-
ACTON	70,400	15	-	11	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	62,620	10	-	12	-	-	-	-	-	-	-
WILLESDEN ..	185,300	39	2	29	1		1	-	-	-	-
HENDON	114,600*	32	1	16	-	-	-	-	-	-	-
HORNSEY	96,440	24	-	9	-	-	-	-	-	-	-
WOOD GREEN ..	54,460	9	-	11	1	-	-	-	-	-	1
TOTTENHAM ..	159,100	38	1	26	2	-	-	-	1	1	-
EDMONTON	77,530	47	2	12	4	-	-	-	-	-	-
ENFIELD	68,090	13	1	13	-	-	-	-	-	1	-
WEST HAM C.B. ..	296,900	112	6	68	5	-	-	-	-	-	-
EAST HAM C.B. ..	142,900	35	-	20	2	-	-	-	-	-	1
LEYTON	128,600	20	-	19	2	-	-	-	-	-	-
WALTHAMSTOW ..	134,300	36	1	19	1	-	-	-	-	-	-
ILFORD	131,300	44	-	19	3	-	-	-	-	-	-
GILLINGHAM	60,600*	16	1	6	1	-	-	-	-	-	-
CANTERBURY C.B. ..	24,440*	5	1	4	-	-		-	-	-	-
HASTINGS C.B.	61,870	26	1	13	1	-	-	-	-	-	-
EASTBOURNE C.B. ..	55,670	12	-	5	-	-	-	-	-	-	-
BRIGHTON C.B. ..	144,900*	42	3	26	2	-	-	-	-	-	1
PORTSMOUTH C.B. ..	248,300*	73	6	45	4	-	-	-	1	1	2
BOURNEMOUTH C.B. ..	108,600	21	2	32	2	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	175,300	60	-	30	-	-	-	-	-	-	-
READING C.B.	97,450*	28	1	20	-	-	-	-	-	-	-
OXFORD C.B.	80,530*	29	2	19	2	-	-	-	1	-	-
NORTHAMPTON C.B. ..	92,940*	16	2	14	-	-	-	-	-	-	-
LUTON	69,030	13	1	9	-	-	-	-	-	-	-
CAMBRIDGE	66,850	9	-	19	1	-	-	-	-	-	1
SOUTHEND-ON-SEA C.B.	117,900	13	1	23	1	-	-	-	-	-	-
IPSWICH C.B. ..	87,630	26	-	18	1	-	-	-	-	-	-
GREAT YARMOUTH C.B.	56,690	21	1	8	1	-	-		-	-	-
NORWICH C.B. ..	126,800*	41	1	26	-	-	-	-	-	-	-
SWINDON	62,600	16	-	14	-	-	-	-	-	1	-
EXETER C.B.	65,290*	20	-	11	1	-	-	-	-	-	-
PLYMOUTH C.B. ..	207,600*	77	4	46	4	-	-	-	1	1	-
BATH C.B.	68,120	13	-	16	-	-	-	-	-	-	-
BRISTOL C.B.	399,500*	101	7	77	5	1	-	-	2	1	-
GLOUCESTER C.B. ..	52,890	14	2	11	-	-	-	-	-	1	-
STOKE-ON-TRENT C.B.	279,800	107	3	49	6	-	7	-	-	-	3
BURTON-UPON-TRENT C.B.	49,920	13	2	7	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,200	52	2	29	3	-	1	-	-	-	-
WALSALL C.B.	104,200	39	1	19	3	-	-	-	-	-	2
WEST BROMWICH C.B.	82,090	33	1	9	2	-	-	-	-	-	-
DUDLEY C.B.	60,010	15	-	7	2	-	-		-	-	1
WORCESTER C.B. ..	50,540	23		13	-	-	-	-	-	1	-
BIRMINGHAM C.B. ..	1,011,300	349	12	178	9	-	-	-	-	-	1
SMETHWICK C.B. ..	85,370	13	1	13	2	-	-	-	-	-	-
COVENTRY C.B ..	168,500	45	3	19	2	-	-	-	-	-	1
LEICESTER C.B. ..	241,200	78	3	35	4	-	-	-	-	-	1
LINCOLN C.B.	66,110*	10	4	11	-	-	-	-	-	-	-
GRIMSBY C.B.	92,180	35	2	14	1	-	-	-	-	-	-
NOTTINGHAM C.B. ..	270,900	82	3	47	4	-	-	-	-	-	2
DERBY C.B.	143,400*	53	1	21	1	-	-	-	-	-	-
CHESTERFIELD ..	64,450	32	2	10	-	-	-	-	-	-	-
STOCKPORT C.B ..	126,600	32	5	24	-	-	-	-	-	1	-
CHESTER C.B.	41,370	19	3	2	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	148,600	45	1	26	1	-	-	-	-	-	-
WALLASEY C.B. ..	97,240	24	1	17	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	862,100	349	16	181	21	-	-	-	3	1	6
BOOTLE C.B.	77,170	37	1	14	2	-	-	-	-	-	-
ST. HELENS C.B.	108,200	39	3	26	-	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where d from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gilli 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
THPORT C.B. ..	77,180	17	1	19	1	-	-	-	-	-	1	-
AN C.B.	86,250	36	3	25	5	-	-	-	-	-	-	2
RRINGTON C.B. ..	80,280*	22	1	14	3	-	-	1	-	-	1	-
TON C.B	179,300	45	-	45	3	-	1	-	1	-	-	-
Y C.B.	56,580*	11	1	16	1	-	-	-	-	-	-	-
NCHESTER C.B. ..	773,300	241	13	173	24	-	2	-	1	2	4	2
FORD C.B.	226,100	65	3	52	8	-	2	-	-	-	3	1
TON-UNDER-LYNE	51,850	17	1	6	2	-	-	-	-	-	-	-
HAM C.B	142,000	42	4	33	3	-	-	-	1	-	-	-
HDALE C.B. ..	91,190	11	-	25	-	-	-	-	-	-	-	-
NLEY C.B	99,300	19	1	18	2	-	-	-	-	-	-	-
CKBURN C.B. ..	124,000	34	3	18	1	-	-	-	-	-	-	-
STON C.B.	120,100	37	2	26	2	-	-	-	-	-	-	-
CKPOOL C.B. ..	97,880	26	1	26	3	-	-	-	-	-	-	-
ROW-IN-FURNESS B.	66,700	21	2		-	-		-	-	-	-	-
DDERSFIELD C.B. ..	114,300	36	1	29		-	-	-	-	-	-	-
LIFAX C.B.	98,770*	22	-	24	1	-	1	-	-	-	-	-
DFORD C.B. ..	300,800	79	1	63	7	-	-	-	-	1	-	3
DS C.B	486,100	138	11	97	14	-	-	-	-	-	3	1
WSBURY C.B. ..	54,430	14	1	11	1	-	-	-	-	-	-	-
KEFIELD C.B. ..	59,280	13	1	11	-	-	-	-	-	-	-	-
NSLEY C.B. ..	72,090	19	-	16	4	-	-	-	-	-	-	-
FFIELD C.B. ..	517,300	134	8	81	5	-	-	-	1	-	-	1
THERHAM C.B. ..	70,100	28	2	18	-	-	-	-	-	-	-	-
NCASTER C.B. ..	63,260	29	2	12	3	-	-	-	-	-	-	-
RE C.B.	85,910*	23		15	2	-	-	-	-	-	-	-
GSTON-UPON-HULL B.	314,800	120	7	69	4	-	-	1	-	3	-	-
DDLESBROUGH C.B.	138,800	50	4	26	7	-	2	-	-	-	1	-
RLINGTON C.B. ..	72,620	14	2	12	1	-	-	-	-	-	-	-
CKTON-ON-TEES ..	68,350	16	-	21	3	-	2	-	1	-	-	1
ST HARTLEPOOL C.B.	68,740	20	-	14	-	-	-	-	-	-	-	1
NDERLAND C.B. ..	187,500	80	4	33	6	-	1	-	-	-	2	-
TH SHIELDS C.B ..	114,400	47	2	35	6	-	-	-	-	-	1	1
TESHEAD C.B. ..	123,700	34	3	28	5	-	-	-	-	-	-	-
WCASTLE-ON-TYNE B.	284,300*	103	4	63	5	-	-	-	1	-	-	1
NEMOUTH C.B. ..	64,750	28	1	15	2	-	-	-	-	1	-	-
RLISLE C.B.	57,430*	15	-	11	1	-	-	-	-	-	-	-
WPORT (MON.) C.B.	89,500*	27	1	23	3		-	-	-	-	-	1
RDIFF C.B.	223,700*	94	3	40	2	-	-	-	-	-	-	-
ONDDA	142,700	37	-	26	3	-	-	-	-	-	-	2
RTHYR TYDFIL C.B.	71,670	13	-	11	1	-	-	-	-	-	-	-
ERDARE	49,010	12	1	5	1	-	-	-	-	-	-	-
ANSEA C.B.	165,400	69	1	38	4	-	-	1	-	1	-	-
EATER LONDON ..	8,179,740*	2,402	60	1,461	113	-	2	3	3	10	31	12
TER RING	3,802,740*	1,097	25	644	40	-	1	-	1	3	7	7
GREAT TOWNS IN UTER RING	2,130,770*	588	17	355	23	-	1	-	1	2	2	4
MAINDER OF OUTER ING	1,671,970*	509	8	289	17	-	-	-	-	1	5	3
INBURGH†	438,998	130	?	90	1	-	-	-	-	-	-	-
ASGOW†	1,088,417	400	?	269	40	-	17	1	1	1	10	3
BLIN†	412,400	219	?	84	14	-	-	1	-	1	2	1
LFAST†	415,151	143	?	88	15	-	-	-	-	-	2	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where fferent from those of Col. (1) are as follows :—Warrington C.B. 80,020 : Bury C.B., 56,370 : Halifax C.B., ,560 : York C.B., 84,450 : Newcastle-on-Tyne C.B., 283,700 : Carlisle C.B., 57,250 : Newport (Mon.) C.B., ,270 ; Cardiff C.B., 223,500 ; Greater London, 8,164,610 ; Outer Ring, 3,796,610 ; 17 Great Towns, 2,130,460 ; emainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been dis-ntinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths non-residents domiciled in Scotland and by the addition of Deaths of residents reported from else-here in Scotland during the week ; those in Dublin and Belfast are corrected by the exclusion of eaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*
		1931.										
London‡	4,377,000	Oct. 24	1305	35	817	9·7	–	–	1	3	2	7
Calcutta and Suburbs	1,077,264	Sept. 2	?	?	550‖	26·5	?	2	?	–	?	?
Bombay§	1,298,708	„ 26	557	60	499	22·1	5	–	–	–	–	–
Madras	647,533	„ 12	476	28	380‖	30·5	1	–	–	–	1	–
Sydney and Suburbs	1,256,210	Sept. 30 (30 days)										
Brisbane (Metropolitan Area).	313,251	Aug. 31 (31 days)										
Perth (Metropolitan Area).	204,780	Aug. 15	80	?	41	10·4	–	–	–	–	–	–
		„ 22	54	?	51	13·0	–	–	–	–	–	–
Auckland (Urban Area).	215,730	Aug. 31 (31 days)										
Wellington (Urban Area).	[illegible]	Aug. 31 (31 days)										
Christchurch (Urban Area).	127,070	Aug. 31 (31 days)										
Cape Town	136,748	Sept. 19	54	–	42	16·0	–	–	1	–	1	–
Johannesburg	187,326	Sept. [illegible]	92	7	54	15·0	1	–	–	1	–	–
Durban	61,667	„ 12	19	2	6	5·1	–	–	–	–	–	–
Paris	2,871,429†	Oct. 10 (10 days)										
Antwerp	295,348	Sept. 30 (15 days)	197	15	115	9·4	–	–	–	–	1	–
Amsterdam	756,361	Oct. 3	255	6	102	7·3	–	–	–	–	–	–
Copenhagen	615,700	„ 10	174	1	115	9·7	–	–	–	–	–	1
Stockholm	502,203	„ 3	110	5	110	11·4	–	–	–	–	–	–
Gothenberg	245,600	Sept. 5	?	?	42	8·9	–	–	–	–	–	–
Oslo	256,353	Oct. 10	52	3	40	8·1	1	–	–	–	–	–
Berlin	4,302,000	Sept. 26	696	26	781	9·4	1	?	–	–	1	9
Breslau	616,000	„ 26	146	6	130	11·0	–	?	–	–	1	3
Cologne	739,000	„ 26	167	7	108	7·6	–	?	–	1	–	1
Dresden	631,000	„ 26	126	1	111	9·1	–	?	–	–	–	1
Frankfort-on-Main	539,000	„ 26	93	4	75	7·2	–	?	–	–	–	–
Hamburg	1,142,000	„ 26	276	12	208	9·5	1	?	–	–	1	–
Leipzig	718,000	„ 26	135	8	152	11·0	–	?	1	–	–	–
Munich	730,000	„ 26	158	2	150	10·7	–	?	–	–	3	1
Budapest	1,009,069	Oct. 3	353	14	240	12·4	3	–	–	–	3	4
Warsaw	1,115,651	Sept. 26	?	1	240	11·2	4	–	–	1	2	1
Madrid	834,103	„ 19	323	29	204	12·8	–	–	1	–	–	3
Cairo	1,160,700	July 1	944	23	1018	45·7	8	–	28	–	?	10
Alexandria	629,900	„ 1	469	5	490	40·6	2	–	19	–	?	2
New York	7,090,089	Sept. 26										
Chicago	3,457,375	Oct. 2	778	37	569	8·6	1	–	–	1	2	1
New Orleans	466,000	Aug. 31 (31 days)										
Rio de Janeiro ..	1,729,799	Aug. 8	684	46	473	14·3	1	–	9	–	5	3

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* or Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.

§ The registration of Births in Bombay is incomplete.

‖ Including 3 deaths from Cholera in Calcutta and 1 in Madras

Table 3.—LONDON. DEATHS REGISTERED in the week ended 24th October, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
			ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
	1930.	1931.												
ALL CAUSES	39,482	42,445	817	73	10	2	15	40	36	44	89	148	163	197
Enteric fever	22	20	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	11	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1007	51	1	-	-	-	-	1	-	-	-	-	-	-
Scarlet fever	97	50	3	1	-	1	-	1	-	-	-	-	-	-
Whooping cough	112	253	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	383	203	7	-	-	1	5	1	-	-	-	-	1	3
Influenza	277	944	5	1	-	-	-	-	-	2	-	1	1	-
Erysipelas	125	141	4	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	10	3	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	49	36	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	74	109	3	1	-	-	1	-	-	-	1	-	-	-
Tuberculosis:—														
Respiratory system	2890	2998	58	-	-	-	1	16	10	17	8	3	3	-
Nervous system	196	185	2	1	-	-	1	-	-	-	-	-	-	-
Intestines and peritoneum	40	44	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	175	205	2	-	-	-	-	1	-	-	1	-	-	-
Venereal diseases	146	149	2	-	-	-	-	-	-	1	-	-	1	-
Cancer	5387	5582	109	-	-	-	-	2	2	3	16	43	29	14
Rheumatic fever	142	108	1	-	-	-	-	-	1	-	-	-	-	-
Diabetes	410	438	12	-	-	-	-	-	-	1	1	4	3	3
Alcoholism	18	15	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	63	78	2	-	1	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c. Apoplexy	1614	1585	28	-	-	-	-	-	-	2	3	5	7	11
Epilepsy	156	136	2	-	-	-	-	-	-	2	-	-	-	-
"Convulsions" (not puerperal)	48	49	2	1	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	993	896	14	-	-	-	2	-	2	1	4	4	-	1
Pericarditis	15	17	1	-	-	-	-	-	-	-	-	-	1	-
Acute endocarditis	170	158	5	-	-	-	1	-	2	-	-	1	-	1
Other diseases of heart	8227	9746	209	-	-	-	-	5	3	3	18	36	58	86
Other diseases of circulatory system	1685	1814	43	-	-	-	-	-	-	-	-	10	12	21
Bronchitis	1428	2065	18	2	-	-	-	-	-	-	-	2	3	11
Broncho-pneumonia	1411	2045	26	4	2	-	-	2	1	2	5	1	5	4
Lobar pneumonia	857	977	10	-	-	-	-	-	-	-	3	3	3	1
Pneumonia (type not distinguished)	316	326	5	-	-	-	-	1	1	1	2	-	-	-
Other diseases of respiratory system	387	451	4	-	-	-	-	-	-	-	-	2	1	1
Diarrhœa and enteritis	636	548	25	21	3	-	1	-	-	-	-	-	-	-
Appendicitis, Typhlitis	265	244	7	-	-	-	-	2	-	-	-	3	1	1
Hernia, Intestinal obstruction	411	431	11	1	-	-	-	-	-	-	1	3	4	2
Cirrhosis of liver	176	190	5	-	-	-	-	-	-	-	1	3	1	-
Other diseases of digestive system	1006	967	30	2	1	-	-	1	2	2	3	10	5	4
Acute nephritis	76	70	3	-	-	-	-	1	-	-	-	1	-	1
Chronic Bright's disease	1397	1365	24	-	-	-	-	-	1	-	8	5	6	4
Other diseases of genito-urinary system.	664	713	14	-	-	-	-	-		-	3	1	2	8
Puerperal sepsis	89	91	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth	72	101	4	-	-	-	-	1	1	1	1	-	-	
Congenital malformations	266	260	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	765	782	18	18	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	143	122	3	3	-			-	-			-	-	
Old age	932	995	14	-	-	-	-				-	-	2	12
Suicide	474	465	8	-	-	-	-	1	3	1	2	1	-	-
Burns and Scalds	74	110	2	-	-	-	-	-	-	-	1	-	-	1
Drowning	100	83	3	-	-	-	-	-	1	-	1	-	1	-
Suffocation in bed	24	23	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	631	570	4	-	-	-	2	-	-	1	-	1	-	-
Other deaths by violence	655	618	9	-	1	-	-	1	-	-	-	2	2	3
Other specified causes	1681	1811	44	8	-	-	-	3	5	4	6	3	11	4
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th October 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	20	331	224	3	74	C. 2 D. 2 E. 2 G. 1 J. 1 L. 2 M. 4 N. 16
CITY OF LONDON...	–	1	1	–	–	–
Metropolitan Boroughs:—						
BATTERSEA ...	–	11	12	–	4	G. 1 N. 2
BERMONDSEY ...	–	1	2	–	2	N. 3
BETHNAL GREEN	2	12	17	–	–	–
CAMBERWELL ...	1	24	12	–	2	J. 1 M. 1
CHELSEA	–	1	2	–	2	–
DEPTFORD ...	1	16	4	1	2	M. 1 N. 1
FINSBURY ...	1	8	7	–	4	–
FULHAM	–	6	3	–	1	E. 1 N. 2
GREENWICH ...	–	5	8	–	4	–
HACKNEY... ...	1	14	13	–	1	N. 1
HAMMERSMITH ...	–	7	5	–	1	N. 1
HAMPSTEAD ...	–	2	5	–	–	–
Metropolitan Boroughs—*cont.*						
HOLBORN... ..	1	2	2	–	–	E. 1
ISLINGTON ...	1	22	18	–	7	–
KENSINGTON ..	–	14	7	1	6	–
LAMBETH ...	9	21	7		2	L. 1
LEWISHAM ..	1	11	5	–	5	–
PADDINGTON ..	–	16	5	–	4	J. 1 N. 1
POPLAR	1	20	13		2	–
ST. MARYLEBONE	–	5	7	–	–	–
ST. PANCRAS ...	–	14	10		3	C. 2 D. 1 M. 1 N. 1
SHOREDITCH ...	–	10	6		–	N. 1
SOUTHWARK ...	1	13	10	–	4	N. 1
STEPNEY	–	47	22	–	8	–
STOKE NEWINGTON	–	9	2	–	1	–
WANDSWORTH ...	–	12	10	1	7	D. 1 M. 1 N. 2
WESTMINSTER, CITY OF	–	3	3	–	–	–
WOOLWICH ...	–	4	6	–	2	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	10	3	–	3	C. 1 L. 2
Boroughs and Urban Districts:—						
BEDFORD	–	2	–	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
DUNSTABLE ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
LUTON	–	1	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	C. 1
BEDFORD	–	1	–	–	–	–
BIGGLESWADE ...	–	1	1	–	2	L. 2
EATON BRAY ...	–	2	–	–	–	–
LUTON	–	1	–	–	–	–
BERKS	–	16	5	–	1	M. 1 N. 2
READING C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
MAIDENHEAD ...	–	1	2	–	–	–
NEWBURY ...	–	1	–	–	–	–
NEW WINDSOR ...	–	–	–	–	–	N. 1
WALLINGFORD ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
NEWBURY ...	–	5	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	M. 1 N. 1
WANTAGE ...	–	1	1	–	–	–
WINDSOR	–	1	–	–	–	–
BUCKINGHAM...	–	7	9	–	3	M. 1 N. 1
Boroughs and Urban Districts:—						
AYLESBURY ...	–	1	–	–	–	–
CHEPPING WYCOMBE	–	–	–	–	1	M. 1
BUCKINGHAM—cont.						
Boroughs and Urban Districts—cont.						
LINSLADE ...	–	–	–	–	–	N. 1
MARLOW	–	–	1	–	1	–
SLOUGH	–	–	1	–	–	–
WOLVERTON ...	–	–	3	–	–	–
Rural Districts:—						
AMERSHAM ...	–	3	–	–	–	–
AYLESBURY ...	–	1	–	–	–	–
ETON	–	1	–	–	–	–
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	–	4	–	1	–
CAMBRIDGE ...	–	4	–	–	1	N. 1
Borough:—						
CAMBRIDGE ...	–	1	–	–	–	N. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	1	–	–	–	–
SWAVESEY ...	–	2	–	–	–	–
CHESTER ...	–	35	32	2	17	C. 1 M. 7 N. 1
BIRKENHEAD C.B.	–	2	3	–	2	–
CHESTER C.B. ...	–	2	5	–	1	C. 1 M. 1
STOCKPORT C.B. ...	–	1	7	–	1	M. 2 N. 1
WALLASEY C.B. ...	–	5	2	–	2	–
Boroughs and Urban Districts:—						
BEBINGTON AND BROMBOROUGH	–	3	1	–	1	–
BUGLAWTON ...	–	–	–	–	1	–
CREWE	–	–	1	–	–	–
DUKINFIELD ...	–	–	–	–	3	–

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
ELLESMERE PORT AND WHITBY	–		1	–	–	–
HOOLE	–	–		–	1	M. 1
HOYLAKE AND WEST KIRBY	–	–	1	–		–
HYDE	–	3	1	–	–	–
MACCLESFIELD ...	–	1	–	1	–	–
MIDDLEWICH ...	–	–	–	–	2	M. 1
NANTWICH ...		–	4		–	–
NORTHWICH ...	–	1		–	–	–
SALE	–	2	5	–	–	M. 1
SANDBACH ...	–	–	–	–	1	
STALYBRIDGE ...	–	–		–	–	M. 1
TARPORLEY ...	–	1	–		–	–
WILMSLOW ...	–	–	–	–	1	–
WINSFORD ...	–	–	–	1	–	–
Rural Districts:—						
MACCLESFIELD ...	–	2	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN	–	3	1	–	1	–
TARVIN	–	3	–	–	–	–
CORNWALL ...	–	6	2	1	2	–
Boroughs and Urban Districts:—						
BODMIN	–	–	–	1	–	–
LOOE	*	*	*	*	*	*
REDRUTH ...	*	*	*	*	*	*
ST. JUST	–	–		–	1	–
TRURO	–	4	1	–	–	–
Rural Districts:—						
EAST KERRIER ...	–	1	–	–		–
LISKEARD ...		–	–	–	1	–
REDRUTH ...	–	1	–	–	–	–
TRURO	–	–	1		–	–
CUMBERLAND...	–	–	1	–	4	M.
CARLISLE C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	1	–	–	–
EGREMONT ...	–	–	–	–	1	–
WHITEHAVEN ...	–	–	–	–	–	M.
Rural Districts:—						
BRAMPTON ...	*	*	*	*	*	*
LONGTOWN ...						
DERBY	1	21	22	1	10	C. D. N.
DERBY C.B. ...	–	2	6	–	2	N.
Boroughs and Urban Districts:—						
ALFRETON ...	–	–	–		1	–
BOLSOVER ...	–	–	–	–	2	–
CHESTERFIELD ...	–	2	–	–	–	–
GLOSSOP	–	–	–	–	1	–
HEANOR	–	1	1	–	1	–
LONG EATON ...	–	1	–	–	–	–
RIPLEY	–	1		1	–	–
THE MATLOCKS...	–	–	2	–	–	–
Rural Districts:—						
ASHBOURNE ...		–	1	–	–	–
BAKEWELL ...	–	–	3	–	–	D.
BLACKWELL ...	–	1	7	–	2	–
CHESTERFIELD ...	1	6	1	–	1	C.
CLOWNE	–	3	–	–	–	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	2	1	–	–	–
DEVON	–	18	25	–	7	M.
EXETER C.B ...	–	–	6	–	–	M.
PLYMOUTH C.B.	–	9	6	–	3	

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fev

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	5	–	1	–
DARTMOUTH ...	–	–	–	–	2	–
IVYBRIDGE ...	–	1	–	–	–	–
PAIGNTON ...	–	1	–	–	–	–
SALCOMBE ...	*	*	*	*	*	*
SOUTH MOLTON...	–	–	1	–	–	–
TORQUAY	–	–	3	–	–	–
Rural Districts:—						
CULMSTOCK ...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	2	2	–	–	–
ST. THOMAS ...	–	–	1	–	1	–
TAVISTOCK ...	–	1	–	–	–	–
TOTNES	–	2	1	–	–	–
DORSET	–	5	2	–	–	M. 1
Boroughs and Urban Districts:—						
POOLE	–	1	1	–	–	–
PORTLAND ...	–	–	–	–	–	M. 1
SHERBORNE ...	–	1	–	–	–	–
Rural Districts:—						
SHAFTESBURY ...	–	–	1	–	–	–
WEYMOUTH ...	–	3		–	–	–
DURHAM ...	–	101	20	2	52	C. 1 D. 4 M. 3 N. 2
DARLINGTON C.B.	–	6	1	–	1	–
GATESHEAD C.B.	–	19	2	–	8	D. 1
SOUTH SHIELDS C.B.	–	5	2	–	–	D. 1
SUNDERLAND C.B.	–	16	–	–	12	D. 1
WEST HARTLEPOOL C.B.	–	3		–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
BENFIELDSIDE ...	–	1	1	–	–	–
BILLINGHAM ...	–	1	–	–	2	–
BISHOP AUCKLAND	–	1	–	–	–	–
BLAYDON... ...	–	3	2	–	–	D. 1
BRANDON AND BYSHOTTLES	–	–	–	–	–	N. 1
CHESTER LE STREET	–	1	1	–	–	–
CONSETT	–	–	–	1	–	–
FELLING	–	5	–	–	1	–
HARTLEPOOL ...	–	–	1	–	–	–
HEBBURN ...	–	2	–	–	2	–
JARROW	–	–	–	–	9	–
LEADGATE ...	–	1	–	1	–	–
RYTON	–	2	–	–	–	–
SEAHAM HARBOUR	–	–	–	–	1	–
SPENNYMOOR ...	–	1	–	–	–	–
STANLEY	–	4	1	–	–	–
STOCKTON ON TEES	–	3	3	–	1	–
WHICKHAM ...	–	5	1	–	1	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	1	1	–	–	–
CHESTER LE STREET	–	4	1	–	3	–
DARLINGTON ...	–	1	–	–	1	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	2	3	–	3	C. 1 N. 1
HOUGHTON LE SPRING	–	5	–	–	–	–
LANCHESTER ...	–	1	–	–	–	–
SOUTH SHIELDS ...	–	–	–	–	1	–
SUNDERLAND ...	–	4	–	–	5	M. 2
ELY, ISLE OF ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*

* Returns not received.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum : N Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF— *cont.*						
Boroughs and Urban Districts— *cont.*						
Ely	–	–	–	–	1	–
Whittlesey ...	–	–	1	–	–	–
ESSEX	14	94	61	4	21	C. 1 E. 2 M. 3 N. 4
East Ham C.B....	–	10	6	1	2	N. 2
Southend on Sea C.B.	1	5	–		–	M. 2
West Ham C.B.	2	15	17	–	4	E. 2 N. 1
Boroughs and Urban Districts:—						
Barking Town...	–	7	6	–	1	–
Benfleet ...	–	–	1	–	–	–
Brightlingsea...	*	*	*	*	*	*
Chelmsford ...	–	3	–		1	–
Chingford ...	–	–	1		–	–
Colchester ...	–	–	–	–	1	–
Dagenham ...	–	6	8	–	1	M. 1
Grays Thurrock	1	–	–	–	–	
Harwich ...	–	–	2	–		
Ilford	1	9	10	–	2	C. 1
Leyton	–	9	1	–	4	–
Romford... ...	–	2	1	–	–	–
Shoeburyness ...	–	3	–	–	–	–
Tilbury	–	–	1	–	–	–
Waltham Holy Cross	–	2	–		–	–
Walthamstow ...	5	8	5	2	3	–
Wivenhoe ...	–	1	–			–
Woodford ...	–	2	1		–	
Rural Districts:—						
Billericay ...	–	2	–	1	–	N. 1
Braintree ...	–	–	–	–	1	–
Chelmsford ...	4	6	–	–	–	–
Epping	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts— *cont.*						
Lexden and Winstree	–	1	–	–		–
Rochford ...	–	1	–	–	–	–
Romford... ...	–	–	1	–	–	–
Saffron Walden	–	–	–	–	1	–
GLOUCESTER ...	–	16	17	4	10	G. L. N.
Bristol C.B. ...	–	9	13	4	6	G. N.
Gloucester C.B.	–	1	1	–	–	N.
Boroughs and Urban Districts:—						
Mangotsfield ...	–		1	–	–	–
Nailsworth ...	–	2	–		–	–
Newnham ...	–	–	–	–	1	–
Rural Districts:—						
Campden... ...	–	–	–	–	1	–
Chipping Sodbury	–	–	1	–	–	L.
East Dean and United Parishes	–	1	–		–	–
Gloucester ...	–	1	–	–	–	–
Lydney	–	–	1	–	–	–
Stroud	–	2	–	–	1	–
Thornbury ...	–	–	–		1	–
HEREFORD ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
Hereford ...	–	1	–	–	–	–
Leominster	–	–	–	–	1	–
Rural Districts:—						
Dore	–	–	1	–	–	–
Ledbury... ...	–	1	–	–	–	–
Leominster and Wigmore	–	–	1	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu
encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fev

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...		8	3	1	5	N. 3
Boroughs and Urban Districts:—						
BARNET	–	–		1	1	N. 2
CHESHUNT ...	–	2	–	–	–	–
EAST BARNET VALLEY	–	1	–	–	–	–
HODDESDON ...	–	1	–		–	–
LETCHWORTH ...	–	–	–	–	2	–
STEVENAGE ...	–	1	–	–		–
WARE	–	–	–	–	1	–
WATFORD... ...	–	3	–	–	–	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	–	N. 1
BERKHAMPSTEAD	–	–	–	–	1	–
HADHAM	–	–	1	–	–	–
HATFIELD ...	–	–	1	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
HUNTINGDON ...	–	3	–	–	–	–
Boroughs and Urban District:—						
OLD FLETTON ...	–	3	–	–	–	–
KENT	–	38	16	1	5	C. 1 M. 1 N. 1
CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
ASHFORD	–	2	–	–	–	–
BECKENHAM ...	–	2	–	–	1	–
BEXLEY	–	1	–	–	–	–
BROMLEY... ...	–	5	2	–	–	–
CHATHAM ...	–	3	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
DARTFORD ...	–	–	1	–	–	–
DOVER	–	–	1	–	–	–
ERITH	–	1	1	–	–	–
HERNE BAY ...	–	–	2	–	–	–
MAIDSTONE ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTHFLEET ...	–	–	1	–	–	–
RAMSGATE ...		1	–	–	–	–
ROCHESTER ...	–	2	–	–	–	–
ROYAL TUNBRIDGE WELLS	–	–	–		1	–
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE AND MILTON	–	–	1	–	–	
TENTERDEN ...	–	2	–	–	–	–
WHITSTABLE ...	–		–	–	1	
Rural Districts:—						
BROMLEY... ...	–	1	–	–	–	N. 1
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	5	–	–	–	–
DOVER		1	–	–	–	C. 1
EASTRY	–	1	–	1	–	–
FAVERSHAM ...	–	1	–	–	1	–
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	–	3	–	–	–	–
SEVENOAKS ...	–	1	–	–	–	M. 1
STROOD	–	1	5	–	1	–
LANCASTER ...	–	237	151	4	147	C. 4 D. 2 E. 3 G. 3 L. 1 M. 20 N. 4
BARROW IN FURNESS C.B.	–	1	3	–	4	–
BLACKBURN C.B.	–	–	–	–	5	L. 1
BLACKPOOL C.B.	–	5	2	–	3	C. 1 M. 1
BOLTON C.B. ...	–	14	1	–	1	–
BOOTLE C.B. ...	–	6	4	–	–	–
BURNLEY C.B. ...	–	3	1	1	2	C. 1 M. 1
LIVERPOOL C.B....	–	36	67	–	39	G. 1 M. 16 N. 3

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—cont.						
Manchester C.B.	–	53	24	–	33	E. 1 M. 2
Oldham C.B. ...	–	5	–	–	2	–
Preston C.B. ...	–	3	1	–	4	C. 1
Rochdale C.B....	–	1	–	–	2	–
St. Helens C.B.	–	6	–	–	4	–
Salford C.B. ...	–	7	11	–	4	–
Southport C.B.	–	7	3	–	–	–
Warrington C.B.	–	12	–	–	3	C. 1
Wigan C.B. ...	–	2	–	–	11	D. 1
Boroughs and Urban Districts:—						
Abram	–	–	–	–	1	–
Accrington ...	–	2	–	–	–	–
Ashton in Makerfield	–	1	–	–	1	–
Ashton-under-Lyne	–	6	–	–	–	–
Atherton ...	–	–	1	–	–	–
Bacup	–	–	–	–	1	–
Chadderton ...	–	–	–	–	1	–
Chorley	–	2	–	–		–
Church		1	–	–	–	–
Colne	–	2	–	1	–	–
Crompton ...	–	–	1		1	–
Darwen	–	–	–		1	–
Denton	–	4	1	–	–	–
Droylsden ...	–	2	–	–	–	–
Eccles	–	2	2	–	–	–
Fleetwood ...	–		–	–	1	–
Formby	–	1	–	–	–	–
Golborne ...	–	–	1	–	–	–
Great Crosby ...	–	1	–	1	–	–
Great Harwood	*	*	*	*	*	*
Heywood ...	–	1	1	–	–	–
Hindley	–	–	–	–	2	–
Horwich... ...	–	–	2	–	1	–
Huyton with Roby	–	1	1	–	–	–
Ince in Makerfield	–	–	–	–	1	D. 1
Lancaster ...	–	3	–	–	–	–
Leigh	–	–	–	–	2	–
Litherland ...	–	1	–	–	–	–
Littleborough	–	–	–	–	–	G. 1
Lytham St. Anne's	–	1	1	–	–	–
LANCASTER—cont.						
Boroughs and Urban Districts—cont.						
Middleton ...	–	6	2	–	1	–
Morecambe and Heysham	–	2	1	–	–	N. 1
Nelson	–	2	–	–	–	–
Newton in Makerfield	–	1	3	–	–	–
Norden	–	1	–	–	1	–
Orrell	–	–	–	–	2	–
Oswaldtwistle	–	–	–	–	2	–
Prestwich ...	–	–	2	–		–
Radcliffe ...	–	–	1	–	–	–
Ramsbottom ...	–	1	–	–	–	–
Rawtenstall ...	–	1	–	–	–	–
Royton	–	–	–	–	1	–
Standish with Langtree	–	1	–	–	–	–
Stretford ...	–	4	2	–	–	–
Swinton and Pendlebury	–	7	1	–	–	E. 2
Thornton Cleveleys		2			–	–
Tottington ...	–	–	1	–	–	–
Turton	–	1	–	–	–	–
Tyldesley with Shakerley	–	1	–	–	1	–
Upholland ...	–	1	–	–	–	–
Urmston... ...	–	–	3	–	1	–
Waterloo with Seaforth	–	4	1	1	1	–
Widnes	–	2	2	–	–	–
Worsley... ...	–	3	–	–	–	–
Rural Districts:—						
Barton upon Irwell	–	1	3	–	–	–
Blackburn ...	–	–	–	–	1	–
Chorley	–	–	–	–	1	–
Clitheroe ...	–	–	–	–	1	–
Fylde		1	1	–	–	–
Garstang ...	–	1	–	–	–	–
Preston	–	1	–	–	2	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
Warrington ...	–	2	–	–	–	–
West Lancashire	–	–	–	–	2	–
Wigan	–	–	–	–	–	G. 1
LEICESTER ...	1	15	4	–	4	C. 1 G. 2 M. 1 N. 1
Leicester C.B....	1	8	2	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
Coalville ...	–	–	–	–	–	N. 1
Market Harborough	–	1	2	–	–	–
Quorndon ...	–	1	–	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	1	–	–	–	–
Barrow upon Soar	–	–	–	–	2	–
Blaby	–	–	–	–	–	G. 1
Castle Donington	–	1		–	–	–
Lutterworth ...	–	2	–	–	–	C. 1
Market Harborough	–	1	–	–	–	–
Melton Mowbray	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	2	1	–	1	–
Rural Districts:—						
Boston	–	–	1	–	–	–
East Elloe ...	–	1	–	–	–	–
Spalding ...	–	1	–	–	1	–
LINCOLN (parts of Kesteven).	–	–	2	–	1	–
Boroughs and Urban Districts:—						
Stamford ...	–	–	–	–	1	–
Rural Districts:—						
West Kesteven	–	–	2	–	–	–
LINCOLN (parts of Lindsey).	–	10	3	1	2	M. 1 N. 1
Grimsby C.B. ...	–	5	–	–	–	N. 1
Lincoln C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Gainsborough ...	–		1	–	–	–
Louth	–	–	1	–	–	–
Scunthorpe and Frodingham	–	1	1	–	2	M. 1
Rural Districts:—						
Gainsborough ...	–	1				–
Horncastle ...	–	1	–	–	–	–
Louth	–	1	–	–	–	–
Welton	–	–		1	–	–
MIDDLESEX ...	1	104	39	4	22	C. 1 G. 1 M. 4 N. 3
Boroughs and Urban Districts:—						
Acton	–	2	1	–	–	–
Brentford and Chiswick		2	–	–	2	–
Ealing	–	3	1	–	2	–
Edmonton ...	1	16	1	–	1	–
Enfield	–	14	3	1	–	–
Feltham... ...	–	–	1	–	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever : E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery : M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
FINCHLEY ...	–	2	–	–	–	–
FRIERN BARNET...	–	3	–	–	–	–
HARROW ON THE HILL	–	1	–	–	–	–
HAYES AND HARLINGTON	–	3	–	–	–	–
HENDON	–	3	5	1	1	G. 1 M. 1 N. 2
HESTON AND ISLEWORTH	–	7	1	–	4	–
HORNSEY	–	2	3		1	
KINGSBURY ...	–	–	–	–	–	M. 1 N. 1
RUISLIP NORTHWOOD	–	1	–	–	–	–
SOUTHALL NORWOOD	–	1	3		1	–
SOUTHGATE ...	–	1	–	–	2	–
STAINES	–	1	1	–	–	–
SUNBURY ON THAMES	–	–	3	–	1	–
TEDDINGTON ...	–	2	–	–	1	–
TOTTENHAM ...	–	18	5		–	M. 1
TWICKENHAM ...	–	3	2	–	–	–
UXBRIDGE ...	–	2	–	–	–	–
WEALDSTONE ...	–	1	1	–	–	M. 1
WEMBLEY ...	–	2	–		1	–
WILLESDEN ...	–	8	6	2	2	C. 1
WOOD GREEN ...	–	1	1	–	1	–
YIEWSLEY AND WEST DRAYTON	–	3	–	–	1	–
Rural Districts:—						
HENDON	–	2	1	–	1	–
NORFOLK ...	–	7	10	1	1	E. 1
GREAT YARMOUTH C.B.	–	–	3	–	–	–
NORWICH C.B. ...	–	3	5	–	–	–
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
EAST DEREHAM...	–		–	–	–	E. 1
KING'S LYNN ...	–	1	–	–	–	–
THETFORD ...	–		1	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	1	–	1	–	–
BLOFIELD ...	–	1	–		–	–
DEPWADE ...	–	1			–	–
SWAFFHAM ...	–	–	1	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
NORTHAMPTON	–	21	3	–	2	N. 1
NORTHAMPTON C.B.	–	6	2	–	1	N. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	3	–	–	–	–
KETTERING ...	–	2	–		1	–
ROTHWELL ...	–	3	–	–	–	
RUSHDEN... ...	–	2	–	–	–	–
WELLING-BOROUGH	–	1	–	–	–	–
Rural Districts:—						
KETTERING ...	–	1	–	–		–
OUNDLE (part) ...	–	2	–	–	–	–
WELLING-BOROUGH	–	1	1	–	–	–
NORTHUMBERLAND.	–	39	7	2	25	C. 1 D. 2 F. 1 L. 1 M. 1 N. 3
NEWCASTLE UPON TYNE C.B.	–	19	2	–	12	D. 2 L. 1 M. 1 N. 2
TYNEMOUTH C.B.	–	2	2	–	3	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*)—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
Ashington ...	–	–	–	–	1	–
Bedlington-shire	–		–	–	2	–
Blyth	–	5	1	–	2	–
Cramlington ...	–	–	1	–	–	–
Earsdon	–	1	–	–	–	–
Gosforth ...		1	1	1	–	C. 1
Prudhoe... ...	*	*	*	*	*	*
Seaton Delaval	–	1	–		–	–
Seghill	–	–	–		1	–
Wallsend ...	–	4	–	1	2	N. 1
Weetslade ...	–	1	–	–	–	–
Whitley and Monkseaton	–	2	–	–	–	–
Rural Districts:—						
Bellingham ...	–	–	–	–	1	–
Haltwhistle ...	–	–	–	–	–	F. 1
Hexham	–	1	–	–	–	–
Morpeth ...	–	1	–	–	1	–
Norham and Islandshires	–	1	–	–	–	–
NOTTINGHAM ...	–	26	17	–	15	C. 1 N. 1
Nottingham C.B.	–	14	6	–	8	C. 1
Boroughs and Urban Districts:—						
Beeston	–	1	2	–	–	–
Carlton	–	–	1	–	1	–
East Retford ...	–	–	2	–	1	–
Hucknall ...	–	3	3	–		–
Kirkby in Ashfield	–	1	–	–	–	–
Sutton in Ashfield	–	1	1	–	1	–
West Bridgford	–	2	–	–	1	–
Worksop... ...	–	–	–	–	2	–
Rural Districts:—						
Basford	–	2	1	–	–	N. 1
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
Misterton ...	*	*	*	*	*	*
Southwell ...		–			1	–
Stapleford ...	–	2	1	–	–	–
OXFORD	–	2	3	–	1	M. 2 N. 1
Oxford C.B. ...		1	2	–	1	M. 2 N. 1
Boroughs and Urban Districts:—						
Banbury... ...		1	–	–	–	–
Rural Districts:—						
Banbury... ...	–	–	1	–	–	–
PETERBOROUGH (Soke of).	–	2	–	–	2	–
Borough:—						
Peterborough...	–	2	–	–	2	–
RUTLAND ...	–	–	1	–	–	–
Rural Districts:—						
Uppingham ...	–	–	1	–	–	–
SALOP	–	10	11	1	1	C. 1 L. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
Newport... ...	–	–	–	–	1	–
Oakengates ...	–	–	2	–	–	–
Shrewsbury ...	–	3	–	–	–	N. 1
Wellington ...	–	–	1	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SALOP—*cont.*						
Rural Districts:—						
Atcham	–	4	–	1		C. 1 L. 1
Ellesmere ...	–	1	–	–	–	–
Oswestry ...	–	–	6	–	–	–
Shifnal	–	–	1	–	–	–
Wellington ...	–	–	–	–	–	M. 1
Wem	–	2	1	–	–	–
SOMERSET ...	–	14	4	–	8	M. 1 N. 1
Bath C.B. ..	–	3	–	–	–	–
Boroughs and Urban Districts:—						
Bridgwater ...	–	–	–	–	–	N. 1
Frome	–	2	–	–		–
Highbridge ...	–	–	1	–	–	–
Ilminster ...	–	1	–	–	–	–
Shepton Mallet		–	–	–	1	–
Wellington ...	–	7	–	–	1	–
Weston super Mare			2	–	–	–
Yeovil	–	–	–	–	2	–
Rural Districts:—						
Axbridge ...	–	–	–	–	1	M. 1
Bath		–	1	–		–
Dulverton ...	–	–	–	–	1	–
Keynsham ...		1	–	–	–	–
Long Ashton ...	–	–	–	–	1	–
Wincanton ...	–	–	–	–	1	–
SOUTHAMPTON	–	30	15	–	3	C. 1 F. 1 G. 1 L. 1 M. 2 N. 2
Bournemouth C.B.	–	1	1		–	C. 1
Portsmouth C.B	–	13	6	–	–	N. 1
Southampton C.B.	–	1	1	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
Aldershot ...	–	–	–	–	–	F. 1
Andover... ...	–	–	1	–	–	–
Basingstoke ...	–	1	–	–	–	–
Fareham ...	–	–	1	–	1	–
Gosport	–	5	1	–	–	–
Lymington ...	–	–	–	–	–	M. 1
Winchester ...	–	1	–	–	–	–
Rural Districts:—						
Alresford ...	–	1	–	–	–	–
Alton	–	1	–	–	–	–
Catherington ...	–	–	1	–	–	–
Droxford ...	–	–	1	–	–	–
Fareham ...	–	1	–	–	1	–
Fordingbridge	–	–	1	–	–	–
Havant	–	3	–	–	–	–
Hursley	–	1	–	–	–	–
Petersfield ...	–	–	–	–	–	G. 1
Ringwood ...	–	1	–	–	–	–
South Stoneham	–	–	1	–	–	–
Stockbridge ...	–	–	–	–	–	M. 1
Whitchurch ...	–	–	–	–	–	L. 1
STAFFORD ...	–	29	33	–	28	L. 1 M. 9 N. 5
Burton upon Trent C.B.	–	1	–	–		–
Smethwick C.B.	–	1	4	–	1	M. 1
Stoke on Trent C.B.	–	3	7	–	6	M. 2 N. 1
Walsall C.B. ...	–	–	2	–	2	–
West Bromwich C.B.	–	5	1	–	2	–
Wolverhampton C.B.	–	1	1	–	–	M. 2 N. 1
Boroughs and Urban Districts:—						
Biddulph ...	–	–	1	–	2	–
Bilston	–	–	1		–	M. 1
Cannock	–	2	1	–		–
Coseley	–	–	–	–	1	–

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
DARLASTON ...	–	–	–	–	1	–
LEEK	–	1	2	–	1	M. 1 N. 1
LICHFIELD ...	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	–	1	–		–
ROWLEY REGIS ...	–	1	–	–	2	M. 1
SEDGLEY	–	1	–	–	3	M. 1
TETTENHALL ...	–	2	2	–	–	–
TIPTON	–	1	–	–	2	–
WEDNESBURY ...	–	1	1	–	–	–
WEDNESFIELD ...	–	–	–	–	–	N. 1
WILLENHALL ...	–	1	–	–	–	–
Rural Districts:—						
CANNOCK	–	–	3	–	–	–
CHEADLE	–	5	–	–	–	–
KINGSWINFORD ...	–	1	2	–	–	–
LICHFIELD ...	–	–	3	–	1	N. 1
STONE	–	–	–	–	1	–
TUTBURY	–	–	–	–	–	L. 1
WALSALL	–	2	1	–	2	–
SUFFOLK, EAST	–	15	14	–	1	N. 1
IPSWICH C.B. ...	–	8	11	–	–	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	1	–	–	–	–
FELIXSTOWE ...	–	–	1	–	–	–
SOUTHWOLD ...	–	2	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	1	–	–	–
HARTISMERE ...	–	–	–	–	1	N. 1
HOXNE	–	1	–	–	–	–
WOODBRIDGE ...	–	1	1	–	–	–
SUFFOLK, WEST	–	5	3	1	–	–
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	–	2	–	–	–
SUDBURY	–	–	1	–	–	–
Rural Districts:—						
BRANDON	–	1	–	–	–	–
COSFORD	–	1	–	–	–	–
THEDWASTRE ...	–	2	–	1	–	–
THINGOE	–	1	–	–	–	–
SURREY	–	26	16	1	7	C. 1 N. 2
CROYDON C.B. ...	–	8	2	–	1	N. 1
Boroughs and Urban Districts:—						
BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
CARSHALTON ...	–		1		–	–
CATERHAM AND WARLINGHAM	–	1	–	–	–	–
COULSDON AND PURLEY	–	1	–	–	1	–
EAST AND WEST MOLESEY		–	1	–	–	–
ESHER AND THE DITTONS	–	–	–	–	–	C. 1
FARNHAM ...	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
GUILDFORD ...	–	1	–	–	1	–
KINGSTON ON THAMES	–	–	2	–	–	–
MERTON AND MORDEN	–	–	1	–	–	–
MITCHAM	–	3	1	–	1	–
REIGATE	–	–	1	–	–	–
RICHMOND ...	–	4	1	–	1	–
SURBITON ...	–	1	–	–	–	–
SUTTON AND CHEAM	–	1	–	–	–	–
THE MALDENS AND COOMBE	–	–	–	–	2	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Walton upon Thames	–	–	1	–	–	
Wimbledon ...	–	–	1	–	–	–
Rural Districts:—						
Chertsey ...	–	1	–	–	–	–
Epsom	–	–	2	–	–	N. 1
Farnham ...	–	–	1	–	–	–
Godstone ...	–	–	1	–	–	
Guildford ...	–	1		–	–	
Reigate	–	–	–	1	–	–
SUSSEX, EAST...	–	15	15	–	5	D. 1 M. 3 N. 1
Brighton C.B. ...	–	4	11	–	2	D. 1 M. 2
Eastbourne C.B.	–	1	2	–	–	
Hastings C.B. ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
Bexhill	–	3	2	–	–	–
East Grinstead	–	–		–	1	–
Hove	–	1	–	–	–	–
Lewes	–	1	–	–	–	–
Newhaven ...	–	–	–	–	2	–
Rural Districts:—						
Chailey	–	–	–	–	–	N. 1
Eastbourne ...	–	1	–	–	–	–
Uckfield ...	–	3	–	–	–	–
SUSSEX, WEST...	–	12	1	–	3	–
Boroughs and Urban Districts:—						
Arundel... ...	–	4	–	–	–	–
Bognor Regis ...	–	–	1	–	–	–
Chichester ...	–	2	–	–	–	–
Worthing ...	–	–	–	–	2	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
East Preston ...	–	1	–	–		–
Steyning West...	–	5	–	–	–	–
Thakeham ...	–	–	–	–	1	–
WARWICK ...	–	78	40	1	38	C. 2 G. 3 M. 10 N. 5
Birmingham C.B.	–	61	33	1	30	C. 1 G. 3 M. 10 N. 4
Coventry C.B. ...	–	7	5		3	N. 1
Boroughs and Urban Districts:—						
Kenilworth ...	–	1	–		–	–
Nuneaton ...	–	–	1	–	–	–
Royal Leamington Spa	–	1		–	3	–
Stratford on Avon	–	1	–	–	–	–
Sutton Coldfield	–	2	–	–	–	–
Rural Districts:—						
Alcester ...	–	1	–	–	–	–
Atherstone ...	–	2	1	–	1	–
Foleshill ...	–	–	–	–	1	–
Solihull ...	–	–	–	–	–	C. 1
Southam... ...	–	1	–	–	–	–
Tamworth (part)	–	1	–	–	–	–
WESTMORLAND	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
Appleby	–	–	–	–	–	M. 1
Kendal	–	1	–	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WIGHT, ISLE OF	-	1	-	-	-	-
Rural Districts:—						
Isle of Wight ...	-	1	-	-	-	-
WILTS	-	3	13	-	7	N. 2
Boroughs and Urban Districts:—						
Calne	-	-	-	-	1	-
Salisbury ...	-	1	-	-	-	-
Swindon	-	-	12	-	3	N. 1
Rural Districts:—						
Amesbury ...	-	-	-	-	2	-
Bradford on Avon	-	2	-	-	-	-
Highworth ...	-	-	1	-	-	
Salisbury ...	-	-	-	-	-	N. 1
Wilton	-	-	-	-	1	-
WORCESTER ...	-	13	3	-	5	E. 1 M. 1 N. 1
Dudley C.B. ...	-	3		-	-	-
Worcester C.B.	-	1	1	-	2	-
Boroughs and Urban Districts:—						
Bewdley ...	-	1	-	-	-	-
Evesham	-	1	-	-	-	-
Halesowen ...	-	-	-	-	2	M. 1
Kidderminster	-	4	-	-	-	
Oldbury	-	-	1	-	-	-
Rural Districts:—						
Bromsgrove ...	-	1	-		-	-
Droitwich ...	*	*	*	*	*	*
Martley	-	-	-		1	-
Pershore ...	-	1	-	-		N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WORCESTER— *cont.*						
Rural Districts— *cont.*						
Rock	-	-	1	-	-	-
Upton on Severn	-	1	-	-	-	E. 1
YORKS ... ... (East Riding).	-	25	46	-	10	-
Kingston upon Hull C.B.	-	21	36	-	9	-
Boroughs and Urban Districts:—						
Beverley ...	-	-	1	-	-	-
Bridlington ...	-	1	1	-	-	-
Cottingham ...	-	-	7	-	-	-
Rural Districts:—						
Beverley ...	*	*	*	*	*	*
Bridlington ...	-	2	-	-		-
Howden	-	1	-	-	1	-
Patrington ...	-	-	1		-	-
YORKS ... ... (North Riding).	-	15	1	1	20	M. 1
Middlesbrough C.B.	-	3	-	1	15	-
Boroughs and Urban Districts:—						
Eston	-	2	-	-	1	-
Guisborough ...	-	-	-	-	2	-
Loftus	-	1	-	-	1	M. 1
Pickering ...	-	1	-	-	-	-
Scarborough ...	-	1	-	-	-	-
Rural Districts:—						
Croft	-	-	-	-	1	-
Easingwold ...	-	1	-	-	-	-
Malton	-	1	-	-	-	-
Richmond ...	-	3	-	-	-	-

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (North Riding)—*cont.*						
Rural Districts—*cont.*						
Scarborough ...	*	*	*	*	*	*
Stokesley ...	–	–	1	–	–	–
Whitby	–	2	–	–	–	–
YORKS ... ... (West Riding).	2	156	89	3	72	C. 3 D. 11 E. 1 L. 1 M. 3 N. 13
Barnsley C.B. ...	–	3	–	–	2	C. 1 D. 1 E. 1 N. 1
Bradford C.B. ...	–	15	6	1	7	N. 1
Dewsbury C.B....	–	2	2	–	–	–
Doncaster C.B....	–	1	–	–	1	–
Halifax C.B. ...	–	7	12	–	3	M. 1 N. 1
Huddersfield C.B.	–	4	1	–	4	–
Leeds C.B. ...	–	37	32	–	10	N. 2
Rotherham C.B.	–	3	2	–	2	D. 1
Sheffield C.B....	–	16	2	–	24	D. 1 N. 1
Wakefield C.B.	–	3	3	–	1	N. 2
Boroughs and Urban Districts:—						
Adwick le Street	–	–	1	–	–	D. 1
Altofts	–	1	–	–	–	–
Batley	–	1	3	–	–	–
Bingley	–	–	–	–	–	M. 1
Brighouse ...	–	2	1	–	–	–
Burley in Wharfedale	*	*	*	*	*	*
Castleford ...	–	1	–	–	1	–
Cudworth ...	–	2	–	–	–	–
Darton	2	–	–	–	1	–
Dodworth ...	–	–	–	–	–	N. 1
Drighlington ...	–	1	–	–	–	–
Emley	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Featherstone ...	–	1	–	–	–	–
Goole	–	–	–	–	–	D. 2
Harrogate ...	–	3	–	–	1	–
Heckmondwike	–	1	–	–	–	–
Hemsworth ...	–	1	1	–	1	L. 1 N. 1
Horsforth ...	–	–	1	–	2	–
Keighley ...	–	5	–	–	–	C. 1
Knaresborough	–	1	–	–	–	N. 1
Lepton	–	–	–	–	–	N. 1
Luddenden Foot	–	–	1	–	–	–
Maltby	–	–	–	–	–	D. 1
Methley ...	–	–	–	–	1	–
Mexborough ...	–	–	1	–	–	–
Mirfield ...	–	–	–	–	1	–
Morley	–	1	–	–	–	C. 1
New Mill ...	–	–	–	–	1	–
Normanton ...	–	1	–	–	–	M. 1
Ossett	–	–	1	–	–	–
Otley	–	1	–	–	–	–
Pontefract ...	–	2	–	–	–	–
Pudsey	–	1	–	–	1	–
Rawmarsh ...	–	–	2	–	–	–
Selby	–	1	–	–	–	–
Shipley	–	3	–	–	–	–
Sowerby... ...	–	–	1	–	–	–
Spenborough ...	–	5	–	–	–	–
Stanley	–	1	1	–	1	–
Stocksbridge ...	–	–	–	–	1	–
Thurnscoe ...	–	2	2	–	1	D. 1
Thurstonland and Farnley Tyas	–	2	–	–	–	–
Wombwell ...	–	–	–	–	1	–
Worsborough ...	–	1	–	–	1	–
Yeadon	–	–	1	–	–	–
Rural Districts:—						
Barnsley ...	–	1	–	–	–	–
Bowland ...	–	9	–	–	–	–
Doncaster ...	–	–	2	–	–	–
Goole	–	–	–	–	1	–
Hemsworth ...	–	3	4	–	1	D. 2

* Returns not received.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
KIVETON PARK ...	–	1	2	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	5	1	1	–	–
TADCASTER ...	–	1	–		–	–
THORNE	–	2	–	–		N. 1
WAKEFIELD ...	–	–	3	–	1	D. 1
WHARFEDALE (SOUTH)	–	1		–	–	–
YORK, CITY OF ..	–	4	1	–	1	–
YORK C.B. ...	–	4	1	–	1	–
WALES.						
BRECKNOCK ...	–	5	7	–	–	–
Borough and Urban District:—						
BRECKNOCK ...	–	–	1	–	–	–
BUILTH WELLS ...	–	1	–	–	–	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	–	1	–	–	–
CRICKHOWELL ...	–	1	5	–	–	–
HAY	–	1	–	–	–	–
YSTRADGYNLAIS	–	2	–	–	–	–
CARDIGAN ...	–	–	15	–	–	–
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–	–	1	–	–	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	13	–	–	–
TREGARON ...	–	–	1	–	–	–
CARMARTHEN...		8	6	–	1	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	1	–	–	–
CARMARTHEN ...	–		1	–		–
CWMAMMAN ...		1	1	–	–	–
KIDWELLY ...	–	–	1	–	–	–
LLANELLY ...	–	1	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–		1	–	–	–
LLANDILO FAWR	–	2	–	–	1	–
LLANELLY ...	–	3	–	–	–	–
WHITLAND ...		1	–	–	–	–
DENBIGH ...	–	9	26	–	1	–
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	–	2	–	–	–
WREXHAM ...	–	2	4	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
LLANGOLLEN ...	–	1	–	–	–	–
UWCHALED ...	–	–	1	–	–	–
WREXHAM ...	–	6	19	–	1	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	–	6	–	–	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	1	–	–	–
RHYL	–	–	4	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
OVERTON	*	*	*	*	*	*
GLAMORGAN ...	–	47	56	2	20	D. 1 E. 1 N. 2
CARDIFF C.B. ...	–	14	11	–	6	N. 1
MERTHYR TYDFIL C.B.	–	1	1		1	–
SWANSEA C.B. ...	–	6	8	–	–	D. 1
Boroughs and Urban Districts:—						
ABERDARE ...		–	–	–	1	–
BARRY	–	1		–	–	–
CAERPHILLY ...	–	2	–	–	–	–
GELLIGAER ...	–	8	1	–	1	–
GLYNCORWG ...	–	–	2	–	–	–
LLWCHWR ...	–	–	3		–	N. 1
MAESTEG	–	2	–	–	–	–
MOUNTAIN ASH ...	–	3	5	–	2	E. 1
NEATH	–	1	4	–	–	–
OGMORE AND GARW	–	2	–	–	–	–
PENARTH	–	–	1	–	–	–
PONTYPRIDD ...	–	1	–		–	–
PORT TALBOT ...	–		2	–		–
RHONDDA ...	–	4	16	–	8	–
Rural Districts:—						
COWBRIDGE ...	*	*	*	*	*	*
GOWER	–	–	–	2	–	–
LLANTRISANT AND LLANTWIT-FARDRE		1	1	–	–	–
GLAMORGAN— *cont.*						
Rural Districts— *cont.*						
NEATH	*	1	1	–	1	–
PONTARDAWE ...	*	*	*	*	*	*
MERIONETH ...	–	2	–	–	–	–
Urban Districts:—						
BALA	*	*	*	*	*	
FFESTINIOG ...	–	1	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–		–	–
PENNAL (PARISH)	*	*	*	*	*	*
MONMOUTH ...	–	64	11		4	–
NEWPORT C.B. ...	–	30	–	–	3	–
Boroughs and Urban Districts—						
ABERGAVENNY ...	–	–	3	–	–	–
ABERSYCHAN ...	–	3	–	–		–
ABERTILLERY ...	–	6	2	–		–
BEDWAS AND MACHEN	–	1	–	–	–	–
BEDWELLTY ...	–	3	1			–
CHEPSTOW ...	–	1				–
EBBW VALE ...	–	2		–	–	–
LLANTARNAM ...	–	3	–	–		–
MYNYDDISLWYN	–	5		–	–	
PANTEG	*	*	*	*	*	*
RHYMNEY ...	–	–	3	–	–	–
RISCA	–	1	–	–	–	–
TREDEGAR ...	–	2	–	–	1	–
Rural Districts:—						
CHEPSTOW ...	–	–	2	–	–	–
MAGOR	–	1		–	–	–
PONTYPOOL ...	–	1	–	–	–	–
ST. MELLONS ...	–	5	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONTGOMERY...		2	–		1	–
Boroughs and Urban Districts:—						
MONTGOMERY ...		1	–		–	–
Rural Districts:—						
LLANFYLLIN ...		1	–		1	–
PEMBROKE ...		1	1		1	–
Boroughs and Urban Districts:—						
MILFORD HAVEN		–	–		1	–
PEMBROKE— *cont.*						
Boroughs and Urban Districts— *cont.*						
NARBERTH ...	–	1	–	–		–
PEMBROKE ...	–	–	1	–	–	
Total of Part II....	19	1439	895	38	603	C. 22 D. 22 E. 9 F. 2 G. 11 L. 13 M. 80 N. 69

Table 4 *continued* —PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HARTLEPOOL	–		–	1	–	–
KINGSBRIDGE AND SALCOMBE	*	*	*	*	*	*
PORT OF LONDON ...	–	1	–	1	–	–
Total of Part III. ...	–	1	–	2	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡)
Total of Part I.—London	20	331	224	3	74	C. D. E. G. J. L. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	19	1439	895	38	603	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts		1	–	2	–	
Total (i.e., of returns received), England and Wales ...	39	1771	1119	43	677	C. D. E. F. G. J. L. M. N.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Pol encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I. Relapsing Fever ; J, Continu Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks and in the Current Year to date with corresponding figures for previous year.

Week ended :—	Aug. 1.	Aug. 8.	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Totals from 1st Week of year. * 1930.	1931.
DON :—															
Births	1,453	1,221	1,387	1,401	1,421	1,200	1,290	1,270	1,322	1,412	1,311	1,334	1,305	60,728	57,874
Births	57	58	47	52	49	32	46	53	34	51	53	44	35	2,208	2,013
hs (excluding Still-hs)—all ages.	780	718	730	757	726	729	713	819	809	880	831	853	817	39,482	42,445
hs—0 to 1 year ..	56	63	54	50	62	48	39	51	68	61	64	63	73	3,279	3,198
AT TOWNS, aggre-(including Lon-):—															
Births	6,653	5,544	6,431	6,562	6,749	5,832	6,378	6,134	6,246	6,337	6,279	6,053	6,065	277,614	270,269
Births	275	256	280	313	265	238	262	277	252	270	252	262	254	12,088	11,824
hs (excluding Still-hs)—all ages.	3,486	3,386	3,427	3,447	3,309	3,455	3,457	3,761	3,655	3,819	3,686	3,710	3,791	178,363	194,740
hs—0 to 1 year ..	301	287	305	286	305	268	285	296	317	328	316	324	338	16,583	17,821
RIC FEVER—Cases	21	28	29	26	17	20	32	16	18	13	16	24	17	1,176	698
„ Deaths	—	1	2	4	1	—	—	2	2	1	—	—	1	96	63
L POX—Cases ..	22	20	17	10	13	30	11	34	35	31	25	37	31	7,912	3,749
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	18	5
LET FEVER—Cases	820	700	639	692	759	844	886	1,027	997	1,134	1,102	1,089	1,068	49,709	36,342
„ Deaths	4	1	1	3	1	4	3	3	5	2	3	5	6	344	215
THERIA—Cases ..	524	423	469	423	488	531	569	580	534	600	570	606	723	35,972	25,124
„ Deaths ..	22	25	21	18	20	19	23	25	19	24	32	34	25	1,583	1,194
LES—Deaths ..	18	12	9	13	6	13	8	10	5	6	7	11	21	2,455	1,651
JENZA—Deaths ..	11	16	15	17	15	10	28	27	28	35	33	31	37	1,739	5,516

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections g been made for changes in boundary. The live births are derived from the weekly returns furnished by the trars and differ from those published for the towns in the Quarterly Return which are corrected for births ring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 24th October, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†	Towns	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†
	°	°	°	°			°	°	°	°	
DON	59	27	53·0	39·1	—	HUDDERSFIELD	53	23	48·3	35·1	2
GREENWICH).						BRADFORD ..	52	26	47·4	34·0	1
GHTON ..	60	36	54·1	41·7	5	SHEFFIELD ..	52	29	47·9	36·4	3
TSMOUTH ..	57	33	53·2	43·1	—	YORK (MUSEUM)	56	24	49·1	34·3	1
TWICH(SOUTH-VELL LODGE)	59	29	52·0	36·9	5	HULL (PEARSON PARK).	56	28	50·2	35·4	2
MOUTH ..	58	39	54·4	45·3	—	TYNEMOUTH ..	54	33	49·6	38·7	12
STOL	58	29	52·1	38·3	—	CARDIFF	55	31	50·7	38·9	—
(HORFIELD)											
MINGHAM	54	30	48·9	38·7	0·3						
EDGBASTON).						EDINBURGH ..	54·0	32·0	47·9	37·4	6
TTINGHAM ..	56	23	49·9	32·7	1	GLASGOW ..	§	§	§	§	§
XENHEAD	55	34	49·0	41·4	0·1	DUBLIN					
(BIDSTON).						(PHŒNIX PARK)	54·0	25·3	50·7	35·6	—
ICHESTER	55	26	45·9	35·9	1	(FITZWILLIAM					
WHITWORTH PARK).						SQUARE‡).	54·2	33·0	50·0	41·0	—
NLEY	55	23	48·0	33·0	0·4	BELFAST	63·0	28·0	54·1	37·3	—

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office

† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th October, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	18	First Quarter.	30·237	56·0	45·0	11·0	50·4	+ 1·1	47·5	2·9	8·0	0·8	90	66·2	31·6	54·4	NE	NE: Calm.	1·3	0·0	0·1	201	− 55	0·00
MONDAY -	19	..	30·101	59·4	42·3	17·1	50·8	+ 1·7	44·7	6·1	14·1	0·4	80	98·3	28·6	54·3	Calm	Calm: NW.	0·7	0·0	0·1	126	− 135	0·00
TUESDAY -	20	..	29·916	55·5	39·8	15·7	46·4	− 2·4	39·1	7·3	11·6	5·8	75	77·3	28·8	54·1	W: WNW.	NNE: N.	2·9	0·0	0·5	320	+ 71	0·00
WEDNESDAY	21	..	30·022	50·1	33·8	16·3	41·3	− 7·3	3	6·3	12·7	2·0	78	82·2	22·8	54·0	N: NW: NNW.	NNE: NE.	1·5	0·0	0·1	191	− 58	0·00
THURSDAY -	22	..	29·811	51·1	27·0	24·1	40	− 8·3	35·6	4·4	..·3	1·2	84	85·3	17·1	53·9	Calm	Calm: ENE.	0·3	0·0	0·0	103	− 151	0·00
FRIDAY -	23	In Equator	29·355	50·8	37·9	12·9	44·8	− 3·3	37·9	6·9	13·2	1·0	76	62·2	26·0	53·6	Calm: ENE.	E: NE.	1·0	0·0	0·1	186	− 74	0·00
SATURDAY -	24	Apogee.	29·362	49·0	35·8	13·2	42·5	− 5·4	34·3	8·2	15·3	4·2	72	82·9	27·4	53·1	NNE: N.	N	3·0	0·0	0·5	316	+ 47	0·00
MEANS -		..	29·829	53·1	37·4	15·8	45·2	− 3·4	39·2	6·0	12·5	2·2	79	79·2	26·1	53·9	NE		...	...	...	Sum 1433	Sum − 355	Sum 0·00
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	18	mP till 4h.; wP till 7½h.; then mP.	0·0	10·6	Overcast till 19½h.; then becoming cloudless by 20½h. Damping till 8½h.; and 15½h. till 16⅔h. Slight mist till 12h. Dew at night.
MONDAY ..	19	Variably mP and wP.	3·6	10 5	Partially cloudy till 3h.; nearly overcast till 7h.; partially cloudy till 10½h.; then becoming overcast by 11½h. Mist 3h. till 7h ; and 12½h. till 18½h. Fog 11⅔h. till 12¼h.
TUESDAY ..	20	mP till 15h.; sP till 17½h.; then mP.	0 1	10·5	Overcast till 14⅔h.; then clearing to cloudless by 16½h. Occasional slight rain between 12h. and 13h.
WEDNESDAY	21	mP till 21h.; then failure of insulation.	2·1	10·4	Nearly overcast generally till 13½h.; partially cloudy till 18h.; then cloudless. Mist 6h. till 13h.; and from 19h. Hoar frost in morning and at night.
THURSDAY	22	Failure of insulation till 10h.; then mP.	2·4	10 3	Variably cloudy till 12½h.; overcast till 19½h.; then variably cloudy. Mist till 5h.; and from 17h. Fog 8h. till 11h. Hoar frost in morning and at night.
FRIDAY ..	23	mP.	0·3	10·3	Nearly overcast till 20⅜h.; then very cloudy. Slight mist till 9h. Shower at 11½h. Hoar frost in morning. Frequent lunar halo from 21½h.
SATURDAY	24	Variably mP and wP till 17h.; then mP.	3·4	10·2	Variably cloudy till 17½h.; then nearly cloudless. Mist 5h. till 10½h. Lunar halo till 1h. Occasional slight rain between 15½h. and 17½h. Dew and hoar frost at night.
			Sum 11·9	Sum 72·8	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P, positive ; N, negative ; w, weak ; m, moderate ; s, strong ; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·22 ins. at the beginning of the week to 29·85 ins. by 11h. on 20th ; increased to 30·05 ins. by 10h. on 21st ; decreased to 29·17 ins. by 3h. on 24th ; increased and was 29·61 ins. by midnight on the same day.

MANUAL OF THE INTERNATIONAL LIST OF CAUSES OF DEATH

New Edition based on the fourth decennial revision by the International Commission, Paris, 1929.

THIS Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 3s. Post Free 3s. 4d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST. 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 43.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 31ST OCTOBER, 1931

Crown Copyright Reserved

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1. St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 31st OCTOBER, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the forty-third week of the year numbered 6,010 corresponding to an annual rate of 15·8 per 1,000 living: stillbirths numbered 253 corresponding to a rate of 40 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,533 (742 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.
107 Great Towns	9·7	9·8	10·0	12 0
London	9·9	10·2	9·7	11·6
Birmingham	8·4	10·0	9·2	11·2
Liverpool	9·8	9·4	10·9	12·2
Manchester	9·8	11·0	11·7	15·6
Sheffield	8·2	7·9	8·2	12·2
Leeds	10·5	11·0	10·4	14·1
Bristol	10·8	9·7	10·1	11·9
West Ham	7·6	8·8	11·9	12·8

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 58, against 48, 51, and 52 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,299 live births registered corresponding to an annual rate of 15·5 per 1,000 living: stillbirths numbered 36 corresponding to a rate of 27 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 970 (153 more than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 51, against 46, 45, and 53 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS* registered in the week ended 31st October, 1931.

TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.
107 GREAT TOWNS ..	19,836,440*	6,010	253	4,533	382	1	21	5	15	23	66	48
LONDON	4,377,000*	1,299	36	970	71	-	2	1	4	5	15	4
TOWNS IN OUTER RING. CROYDON C.B. ..	233,000	71	2	44	5	-	-	-	1	-	1	2
WIMBLEDON ..	58,830	7	-	8	-	-	-	-	-	-	-	-
EALING	117,400	27	2	24	-	-	-	-	-	-	-	1
ACTON	70,400	11	1	14	1	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	62,620	6	1	17	1	-	-	-	-	-	-	-
WILLESDEN ..	185,300	32	-	46	3	-	1	-	-	-	-	-
HENDON	114,600*	38	4	22	-	-	-	-	-	1	-	-
HORNSEY	95,440	21	1	11	-	-	-	-	-	-	-	-
WOOD GREEN ..	54,460	9	-	13	1	-	-	-	-	-	-	-
TOTTENHAM ..	159,100	31	1	24	1	-	-	-	-	-	-	-
EDMONTON	77,530	36	2	11	-	-	-	-	-	-	-	-
ENFIELD	68,090	8	-	11	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	296,900	135	3	73	12	-	-	-	1	-	2	-
EAST HAM C.B. ..	142,900	38	-	17	1	-	-	1	-	-	-	-
LEYTON	128,600	28	1	15	3	-	-	-	-	-	-	-
WALTHAMSTOW ..	134,300	28	-	23	3	-	-	-	-	-	-	-
ILFORD	131,300	43	-	16	-	-	-	-	-	-	-	1
GILLINGHAM	60,600*	22	-	12	-	-	-	-	-	-	-	-
CANTERBURY C.B. ..	24,440*	10	-	3	-	-	-	-	-	-	-	-
HASTINGS C.B.	61,870	18	-	13	-	-	-	-	-	-	-	1
EASTBOURNE C.B. ..	55,670	12	-	18	1	-	-	-	-	-	-	-
BRIGHTON C.B. ..	144,900*	42	1	31	1	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	248,800*	89	4	54	2	-	-	-	-	-	-	1
BOURNEMOUTH C.B. ..	108,600	28	-	28	3	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	175,300	67	4	36	3	-	-	-	-	-	1	-
READING C.B.	97,450*	36	-	21	-	-	-	-	-	-	-	-
OXFORD C.B.	80,530*	23	2	20	4	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	92,940*	30	-	19	1	-	-	-	-	1	-	-
LUTON	69,030	13	1	15	1	-	-	-	-	-	1	-
CAMBRIDGE	66,850	18	1	16	1	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	117,900	20	-	26	-	-	-	-	-	-	-	-
IPSWICH C.B.	87,630	34	3	19	2	-	-	-	-	1	1	-
GREAT YARMOUTH C.B.	56,690	17	1	12	2	-	-	-	-	-	-	-
NORWICH C.B.	126,800*	42	-	25	1	-	-	-	-	-	-	-
SWINDON	62,600	17	1	15	2	-	-	-	-	-	-	1
EXETER C.B.	65,290*	13	2	21	-	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	207,600*	73	2	52	4	-	-	-	1	-	2	-
BATH C.B.	68,120	25	-	13	-	-	-	-	-	-	-	-
BRISTOL C.B.	399,500*	122	5	91	5	-	-	-	-	-	-	1
GLOUCESTER C.B. ..	52,890	16	1	19	-	-	1	-	-	-	-	1
STOKE-ON-TRENT C.B.	279,800	97	6	77	10	1	4	-	-	-	4	1
BURTON-UPON-TRENT C.B.	49,920	15	1	12	2	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,200	56	3	23	4	-	-	-	-	-	1	1
WALSALL C.B.	104,200	51	-	21	1	-	1	-	-	-	1	-
WEST BROMWICH C.B.	82,090	34	3	18	5	-	-	-	-	-	-	-
DUDLEY C.B.	60,010	17	-	15	2	-	-	-	-	-	-	-
WORCESTER C.B. ..	50,540	19	1	10	2	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	1,011,300	323	15	217	25	-	-	-	-	1	3	1
SMETHWICK C.B. ..	85,370	23	1	4	-	-	-	-	-	-	-	-
COVENTRY C.B ..	168,500	44	5	30	1	-	-	-	-	-	-	-
LEICESTER C.B. ..	241,200	70	4	67	7	-	-	-	-	-	1	2
LINCOLN C.B.	66,110*	19	-	14	1	-	-	-	-	-	-	-
GRIMSBY C.B.	92,180	26	1	21	2	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	270,900	94	7	72	4	-	-	-	-	-	1	-
DERBY C.B.	143,400*	34	3	29	1	-	-	-	-	1	1	-
CHESTERFIELD	64,450	25	-	12	1	-	-	-	-	-	-	-
STOCKPORT C.B ..	126,600	23	-	44	2	-	-	-	-	2	-	-
CHESTER C.B.	41,370	17	-	7	-	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	148,600	51	1	32	4	-	-	-	-	-	1	-
WALLASEY C.B. ..	97,240	14	-	21	3	-	-	1	-	-	-	1
LIVERPOOL C.B. ..	862,100	313	16	202	31	-	1	-	2	3	6	2
BOOTLE C.B.	77,170	35	-	16	1	-	-	-	1	-	-	1
ST. HELENS C.B.	108,200	37	3	25	2	-	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingham, 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B., 97,250; Oxford C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193,100; Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
Southport C.B. ..	77,180	16	–	24	2	–	–	–	–	–	–	–
Wigan C.B.	88,250	24	2	29	1	–	–	–	–	–	–	2
Warrington C.B. ..	80,280*	27	–	22	3	–	–	–	–	–	2	–
Bolton C.B	179,300	27	5	44	1	–	3	–	–	1	–	2
Bury C.B.	56,580*	18	–	17	1	–	–	–	–	–	1	–
Manchester C.B. ..	773,300	221	13	232	21	–	2	–	2	1	3	2
Salford C.B.	226,100	56	2	59	4	–	–	–	–	1	2	2
Ashton-under-Lyne	51,850	22	1	15	–	–	–	–	–	–	–	–
Oldham C.B	142,000	32	1	33	1	–	–	–	1	–	–	–
Rochdale C.B. ..	91,190	13	–	25	–	–	–	–	–	–	–	2
Burnley C.B	99,300	26	1	18	–	–	–	–	–	–	–	–
Blackburn C.B. ..	124,000	34	2	22	–	–	–	–	–	–	–	1
Preston C.B.	120,100	23	1	25	5	–	–	–	–	–	–	1
Blackpool C.B. ..	97,880	20	2	28	–	–	–	–	–	1	–	1
Barrow-in-Furness C.B.	66,700	28	3	12	4	–		–	–	–	–	–
Huddersfield C.B. ..	114,300	25	3	31	2	–	–	–	–	–	–	–
Halifax C.B.	98,770*	26	–	34	1	–	1	–	–	–	–	1
Bradford C.B. ..	300,300	82	4	80	5	–	–	–	–	–	1	–
Leeds C.B	486,100	144	9	131	11	–	1	–	–	1	3	2
Dewsbury C.B. ..	54,430	16	–	12	1	–	–	–	–	–	–	–
Wakefield C.B. ..	59,280	17	1	15	1	–	–	–	–	–	–	1
Barnsley C.B. ..	72,090	24	1	12	2	–	1	–	–	–	–	–
Sheffield C.B. ..	517,300	145	9	121	11	–	–	–	–	–	1	1
Rotherham C.B. ..	70,100	15	2	12	1	–	–	–	–	–	–	–
Doncaster C.B. ..	63,260	35	–	15	1	–	–	–	–	–	–	1
York C.B.	85,910*	26	–	15	1	–	–	–	–	–	–	1
Kingston-upon-Hull C.B.	314,800	121	5	81	7	–	–	–	–	3	3	–
Middlesbrough C.B.	138,800	49	3	43	1	–	3	–	–	–	–	–
Darlington C.B. ..	72,620	14	4	12	1	–	–	–	–	–	–	1
Stockton-on-Tees ..	68,350	24	3	10	–	–	–	–	–	–	–	1
West Hartlepool C.B.	68,740	36	–	18	5	–	–	–	–	–	–	–
Sunderland C.B. ..	187,500	67	3	45	3	–	–	–	–	–	2	–
South Shields C.B ..	114,400	43	1	33	6	–	–	–	–	–	1	1
Gateshead C.B. ..	123,700	29	–	26	4	–	–	1	–	–	2	–
Newcastle-on-Tyne C.B.	284,300*	104	9	65	12	–	–	1	–	–	1	–
Tynemouth C.B. ..	64,750	30	–	14	2	–	–	–	–	–	–	–
Carlisle C.B.	57,430*	13	2	7	–	–	–	–	1	–	–	–
Newport (Mon.) C.B.	89,500*	27	–	21	2	–	–	–	–	–	1	–
Cardiff C.B.	223,700*	80	6	56	6	–	–	–	–	–	–	1
Rhondda	142,700	45	2	34	3	–	–	–	1	–	–	2
Merthyr Tydfil C.B.	71,670	19	2	13	–	–	–	–	–	–	–	–
Aberdare	49,010	13	–	13	1	–	–	–	–	–	–	–
Swansea C.B.	165,400	59	1	32	3	–	–	–	–	–	1	–
Greater London ..	8,179,740*	2,329	69	1,682	132	–	5	2	8	8	21	10
Outer Ring	3,802,740*	1,030	33	712	61	–	3	1	4	3	6	6
17 Great Towns in Outer Ring	2,130,770*	569	18	389	31	–	1	1	2	1	3	4
Remainder of Outer Ring	1,671,970*	461	15	323	30	–	2	–	2	2	3	2
Edinburgh†	438,998	124	?	92	9	–	–	–	–	–	1	–
Glasgow†	1,088,417	421	?	295	52	–	21	3	1	1	7	2
Dublin†	412,400	168	?	109	14	–	–	–	–	2	4	2
Belfast†	415,151	138	?	94	15	–	–	1	–	–	2	–

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from							
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza.
		1931.												
London‡	4,377,000	Oct. 31	1299	36	970	11·6	-	-	2	1	4	5	15	4
Calcutta and Suburbs	1,077,264	Sept. 19	?	?	540‖	26·1	?	-	?	-	?	?	?	10
Bombay§	1,298,708	Oct. 3	650	45	500‖	22·4	4	-	-	-	-	1	17	1
Madras	647,533	Sept. 19	421	21	314	25·2	1	-	-	-	1	-	12	-
Sydney and Suburbs	1,256,210	Sept. 30 (30 days)												
Brisbane (Metropolitan Area).	313,251	Aug. 31 (31 days)												
Perth (Metropolitan Area).	204,780	Aug. 29	84	?	40	10·2	-	-	-	-	-	-	-	-
Auckland (Urban Area).	215,730	Aug. 31 (31 days)												
Wellington (Urban Area).	142,540	Aug. 31 (31 days)												
Christchurch (Urban Area).	127,070	Aug. 31 (31 days)												
Cape Town	136,748	Sept. 26	62	6	28	10·7	-	-	-	-	-	-	-	-
Johannesburg	187,326	„ 19	109	3	47	13·1	-	-	-	-	-	1	-	-
Durban	61,667	„ 19	20	1	15	12·7	-	-	-	-	-	-	-	-
Paris	2,871,429	Oct. 10 (10 days)	1031	83	950	12·1	6	-	-	1	3	3	16	1
Antwerp	295,348	Oct. 15 (15 days)												
Amsterdam	761,737	Oct. 10	228	9	101	6·9	-	-	-	1	-	-	1	-
Copenhagen	615,700	„ 17	153	5	133	11·3	2	-	-	-	-	1	-	1
Stockholm	502,203	„ 10	105	1	94	9·7	-	-	-	-	-	-	-	1
Gothenberg	245,600	Sept. 12	?	?	31	6·6	-	-	-	-	-	-	1	1
Oslo	256,353	Oct. 17	33	2	38	7·7	-	-	-	-	-	-	1	-
Berlin	4,289,000	„ 3	670	29	836	10·1	1	?	-	-	1	8	3	-
Breslau	614,000	„ 3	155	4	136	11·5	-	?	-	-	-	3	-	1
Cologne	738,000	„ 3	175	6	148	10·4	-	?	-	-	-	1	4	-
Dresden	630,000	„ 3	111	5	145	12·0	-	?	-	-	-	2	-	-
Frankfort-on-Main	537,000	„ 3	94	4	105	10·2	-	?	-	-	1	-	-	-
Hamburg	1,138,000	„ 3	259	8	226	10·3	-	?	-	-	-	1	1	-
Leipzig	715,000	„ 3	129	4	141	10·3	1	?	-	-	-	-	1	2
Munich	730,000	„ 3	145	4	153	10·9	-	?	-	-	-	3	1	1
Budapest	1,009,069	„ 10												
Warsaw	1,115,651	„ 3	?	8	227	10·6	4	-	-	2	1	2	20	1
Madrid	834,103	Sept. 26	266	42	219	13·7	1	-	2	-	-	-	6	-
Cairo	1,160,700	July 8	934	25	984	44·2	9	-	19	-	?	4	415	?
Alexandria	629,900	„ 8	452	10	495	41·0	2	-	17	-	?	1	187	?
New York	7,090,089	Sept. 26	2230	105	1134	8·3	1	-	-	-	4	1	13	2
Chicago	3,457,375	Oct. 9	1125	40	586	8·8	-	-	-	-	2	2	11	3
New Orleans	466,000	Aug. 31 (31 days)												
Rio de Janeiro ..	1,729,799	Aug. 15	713	55	462	14·0	1	-	8	-	6	-	32	1

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.

§ The registration of Births in Bombay is incomplete.

‖ Including 5 deaths from Cholera in Calcutta and 1 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 31st October, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	40,410	43,415	970	71	14	12	18	54	47	55	123	159	217	200
Enteric fever	22	20	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1008	53	2	1	-	1	-	-	-	-	-	-	-	-
Scarlet fever	98	51	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough	113	257	4	1	3	-	-	-	-	-	-	-	-	-
Diphtheria	385	208	5	-	2	1	1	1	-	-	-	-	-	-
Influenza	286	948	4	-	-	-	-	-	-	-	1	2	1	-
Erysipelas	126	142	1	1	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	10	5	2	1	-	1	-	-	-	-	-	-	-	-
Encephalitis lethargica	50	37	1	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	75	110	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis :—														
Respiratory system	2963	3086	88	-	-	-	3	26	20	13	17	5	4	-
Nervous system	197	187	2	1	-	-	-	-	-	1	-	-	-	-
Intestines and peritoneum	42	45	1	-	-	-	-	-	1	-	-	-	-	-
Other forms	179	209	4	-	-	-	1	3	-	-	-	-	-	-
Venereal diseases	148	153	4	-	-	-	-	-	-	1	2	1	-	-
Cancer	5535	5718	136	-	-	-	-	1	4	5	26	43	36	21
Rheumatic fever	144	110	2	-	-	-	1	1	-	-	-	-	-	-
Diabetes	425	444	6	-	-	-	-	-	-	-	1	1	3	1
Alcoholism	18	15	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	63	78	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1651	1614	29	-	-	-	-	-	1	-	2	3	16	7
Epilepsy	158	140	4	-	-	-	-	2	-	-	1	-	1	-
"Convulsions" (not puerperal)	48	50	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	1017	918	22	2	1	1	-	-	1	4	3	3	5	2
Pericarditis	15	18	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	179	163	5	-	-	-	-	1	-	2	1	-	1	-
Other diseases of heart	8429	9964	218	-	-	-	2	1	2	3	20	38	69	83
Other diseases of circulatory system	1719	1860	46	-	-	-	-	-	-	-	2	13	15	16
Bronchitis	1455	2100	35	3	1	1	-	-	-	1	2	4	12	11
Broncho-pneumonia	1438	2086	41	11	5	4	-	1	-	-	5	5	5	5
Lobar pneumonia	875	1106	29	-	-	-	3	1	-	5	5	8	5	2
Pneumonia (type not distinguished)	318	335	9	-	-	-	1	1	1	-	2	1	2	1
Other diseases of respiratory system	394	461	10	-	1	-	-	-	-	1	3	1	1	3
Diarrhœa and enteritis	659	564	16	15	-	-	-	-	-	-	-	-	-	1
Appendicitis, Typhlitis	271	250	6	-	-	-	1	1	-	1	1	2	-	-
Hernia, Intestinal obstruction	420	441	10	-	-	-	-	-	-	1	2	3	3	1
Cirrhosis of liver	180	197	7	-	-	-	-	-	-	1	5	1	-	-
Other diseases of digestive system	1025	986	19	-	-	-	1	2	2	5	-	4	5	-
Acute nephritis	76	74	4	-	-	-	1	1	-	1	-	1	-	-
Chronic Bright's disease	1441	1402	37	-	-	-	-	2	2	3	5	8	10	7
Other diseases of genito-urinary system.	682	733	20	-	-	-	-	1		1	4	2	3	9
Puerperal sepsis	91	93	2	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to childbirth	75	104	3	-	-	-	-	-	3	-	-	-	-	-
Congenital malformations	271	268	8	8	-	-	-	-	-	-	-	-	-	-
Premature birth	760	798	16	16	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	148	125	3	3	-		-	-	-	-	-	-	-	-
Old age	960	1017	22			-	-			-	-	-	6	16
Suicide	484	472	7	-	-	-	-	-	1	1	4	-	1	-
Burns and Scalds	78	113	3	-	1	1	-	1	-	-	-	-	-	-
Drowning	101	83	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	24	23	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	651	586	16	-	-	-	2	1	1	-	2	3	5	2
Other deaths by violence	671	630	12	1	-	-	-	-	1	-	1	3	2	4
Other specified causes	1724	1856	45	6	-	2	1	4	5	5	5	3	6	8
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

} Cases of certain Infectious Diseases notified in the week ended 31st October 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	27	337	165	5	133	C. 3 D. 1 E. 2 M. 5 N. 9
CITY OF LONDON...	–	–	1	–	–	–
Metropolitan Boroughs:—						
BATTERSEA ...	–	23	8	–	14	E. 1
BERMONDSEY ...	–	5	7	–	1	–
BETHNAL GREEN	1	10	11	–	5	–
CAMBERWELL ...	5	18	10	–	3	–
CHELSEA	–	1	2	–	5	–
DEPTFORD ...	–	14	–	–	1	M. 2
FINSBURY ...	2	5	5	–	4	–
FULHAM	–	3	4	–	4	N. 1
GREENWICH ...	–	9	2	1	1	C. 1 M. 1
HACKNEY... ...	–	21	11	–	3	N. 2
HAMMERSMITH ...	–	10	5	–	3	–
HAMPSTEAD ...	–	8	3	1	2	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
HOLBORN... ...	–	5	1	–	–	–
ISLINGTON ...	5	21	7	–	14	E. 1 N. 2
KENSINGTON ...	–	14	2	–	8	M. 1 N. 1
LAMBETH ...	14	20	8	1	11	–
LEWISHAM ...	–	12	7	1	6	–
PADDINGTON ...	–	13	6	–	5	C. 1
POPLAR	–	25	5	–	7	M. 1
ST. MARYLEBONE	–	2	1	–	3	D. 1
ST. PANCRAS ...	–	18	8		4	C. 1
SHOREDITCH ...	–	5	3		1	N. 1
SOUTHWARK ...	–	15	8	–	6	–
STEPNEY	–	38	27	–	8	–
STOKE NEWINGTON	–	2	2	1	–	–
WANDSWORTH ...	–	15	2	–	11	–
WESTMINSTER, CITY OF	–	3	2	–	–	N. 1
WOOLWICH ...	–	2	7	–	3	N. 1

‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	5	1	2	L. 10 N. 1
Boroughs and Urban Districts:—						
DUNSTABLE ...	–	–	3	–	1	–
LEIGHTON BUZZARD	–	3	–	–	–	–
LUTON	–	1	–	–	–	N. 1
Rural Districts:—						
AMPTHILL ...	–	3	–	–	1	–
BIGGLESWADE ...	–	–	2	–	–	L. 10
EATON BRAY ...	–	–	–	1	–	–
LUTON	*	*	*	*	*	*
BERKS	–	23	6	–	2	C. 1 M. 2
READING C.B. ...	–	5	2	–	1	M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
MAIDENHEAD ...	–	2	3	–	–	–
NEWBURY ...	–	4	–	–	–	–
NEW WINDSOR ...	–	2	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	–	–	–	M. 1
Rural Districts:—						
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
NEWBURY ...	–	4	–	–	–	–
WALLINGFORD ...	–	–	–	–	1	–
WANTAGE ...	–	–	–	–	–	C. 1
WINDSOR	–	1	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM ...	–	10	8	–	–	G. 1
Boroughs and Urban Districts:—						
SLOUGH	–	2	2	–	–	–
WOLVERTON ...	–	–	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	–	1	–	–	–	–
ETON	–	2	1	–	–	–
NEWPORT PAGNELL	–	1	–	–	–	–
WYCOMBE ...	–	3	2	–	–	G. 1
CAMBRIDGE ...	–	17	1	–	1	–
Borough:—						
CAMBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	12	–	–	1	–
LINTON	–	1	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
SWAVESEY ...	–	3	–	–	–	–
CHESTER ...	–	30	29	1	20	G. 1 N. 1
BIRKENHEAD C.B.	–	4	5	–	10	–
CHESTER C.B. ...	–	1	3	–	1	–
STOCKPORT C.B. ...	–	5	5	–	1	–
WALLASEY C.B. ...	–	1	5	–	–	–
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	1	–	–	–	–
BEBINGTON AND BROMBOROUGH	–	2	–	–	–	–
BOWDON	–	–	–	–	1	–
CONGLETON ...	–	–	1	–	–	–
CREWE	–	1	–	–	–	–
DUKINFIELD ...	–	–	–	–	3	–
ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HALE	–	–	–	–	1	–
HOYLAKE AND WEST KIRBY	–	–	2	–	–	–
HYDE	–	2	–	–	1	–

* Returns not received.

J, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MACCLESFIELD ...	–	–	–	–	–	G. 1
MIDDLEWICH ...	–	–	–	–	–	N. 1
NANTWICH ...	–	1	–	–	–	
SALE	–	–	5	–		–
Rural Districts:—						
BUCKLOW... ...	–	2	–	–		–
CHESTER	–	1	–	–	–	–
CONGLETON ...		1	–	–	–	
MACCLESFIELD ...	–	1	–	1	–	–
NANTWICH ...		1	1	–	–	–
NORTHWICH ...		1			1	–
RUNCORN... ...	–	3	–	–	–	–
TARVIN	–	1	1	–	–	–
WIRRAL	–	1	1	–	–	–
CORNWALL ...	–	8	4	–	1	M. 1
Boroughs and Urban Districts:—						
LAUNCESTON ...	–	1		–	–	–
PENZANCE ...	–	–	1		–	–
PHILLACK ...	–	–	–	–	–	M. 1
REDRUTH ...	–	–	1	–	–	–
ST. JUST	–	–		–	1	–
TRURO	–	2	2	–	–	–
Rural Districts:—						
CAMELFORD ...	*	*	*	*	*	*
EAST KERRIER ...	–	1	–	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–
TRURO	–	3	–	–	–	–
CUMBERLAND...	–	7	1	1	3	C. 1
CARLISLE C.B. ...	–	–	–		–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
KESWICK	–	–	1	–	–	–
MARYPORT ...	–	2	–	–	–	–
PENRITH	–	–	–	–	1	–
WHITEHAVEN ...	–	–	–	–	1	–
WORKINGTON ...	–	–	–	1	–	–
Rural Districts:—						
COCKERMOUTH ...	–	4	–	–	1	–
PENRITH	–	1	–	–		–
DERBY	4	30	24	1	20	D. 1 E. 1 M. 1 N. 1
DERBY C.B. ...	–	5	7	1	6	M. 1
Boroughs and Urban Districts:—						
ALFRETON ...	1	–	–	–	2	–
ASHBOURNE ...		–	–	–	1	–
BOLSOVER ...	–	1	–	–	–	–
BUXTON	–	2	–		–	–
CHESTERFIELD ...	–	3	1	–	3	–
GLOSSOP	–	–	–	–	1	–
LONG EATON ...	–	1	–	–	–	–
NEW MILLS ...	–	1	–	–	–	
NORTH DARLEY...	–		1	–		N. 1
RIPLEY	–	1	–	–	–	–
SWADLINCOTE DISTRICT	–	2	–	–	–	–
THE MATLOCKS...	–	–	1	–		–
Rural Districts:—						
BAKEWELL ...	–	–	1	–	1	–
BELPER	1	–	–	–	–	–
BLACKWELL ...	–	1	5	–		D. 1
CHAPEL EN LE FRITH	–	1	1	–	–	–
CHESTERFIELD ...	2	7	2	–	4	–
CLOWNE	–	1	1	–	–	–
NORTON	–	1	–	–	2	–
REPTON	–	–	1	–		–
SHARDLOW ...	–	3	3		–	E. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON	–	21	12	–	10	C. 1 N. 2
EXETER C.B ...	–	1	–	–	–	–
PLYMOUTH C.B.	–	12	4	–	4	N. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1	–	–	–	
BARNSTAPLE ...	–	–	1	–	1	N. 1
PAIGNTON ...	–	–	–	–	2	–
TEIGNMOUTH ...	–	1		–	–	
TORQUAY	–	–	3	–		–
Rural Districts:—						
BARNSTAPLE ...		1		–	2	–
CULMSTOCK ...	–	2	–	–	–	–
HONITON	–	–	–	–	1	–
KINGSBRIDGE ...	–	3		–	–	–
PLYMPTON ST. MARY	–	–	1	–	–	C. 1
ST. THOMAS ...	–	–	1	–	–	–
SOUTH MOLTON...	–	–	2	–	–	–
DORSET	–	1	–	–	–	C. 1
Boroughs and Urban Districts:—						
POOLE	–	1	–	–		C. 1
DURHAM ...	–	74	19	1	69	D. 2 M. 2 N 2
DARLINGTON C.B.	–	2	1	–	6	–
GATESHEAD C.B.	–	8	1	1	4	–
SOUTH SHIELDS C.B.	–	–	–	–	3	–
SUNDERLAND C.B.	–	20	4	–	14	D. 1 N. 1
WEST HARTLEPOOL C.B.	–	5	1	–	4	–
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	–	1	–		D. 1
BENFIELDSIDE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
BISHOP AUCKLAND	–	3	–	–	–	–
BLAYDON... ...	–	2	–	–	–	–
CHESTER LE STREET	–	1	–	–	–	–
CONSETT	–	–	1	–	–	–
FELLING	–	5	–	–	1	–
HARTLEPOOL ...	–		2	–	1	–
HEBBURN ...	–	2	–	–	3	–
HETTON	–	–	–	–	3	–
JARROW	–	–	–	–	11	–
STANHOPE ...	–	–	–	–	1	–
STOCKTON ON TEES	–	3	–	–	2	–
TANFIELD ...	–	1	–	–	1	–
WHICKHAM ...	–	6	2	–	1	–
WILLINGTON ...	–	2	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	1	1		–	–
CHESTER LE STREET	–	7	–	–	–	–
DURHAM	–	–	1	–	–	M. 1
EASINGTON ...	–	1	2	–	5	–
HOUGHTON LE SPRING	–	1	–	–	3	–
LANCHESTER ...	–	1	–	–	2	–
SOUTH SHIELDS	–	2	–	–	1	N. 1
SUNDERLAND ...	–	1	–	–	2	M. 1
WEARDALE ...	–	–	1	–	–	–
ELY, ISLE OF ...	–	2	5	–	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	4	–	–	–
WISBECH	–	2	1	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum: N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	10	89	43	1	16	C. 1 M. 1 N. 4
EAST HAM C.B....	-	13	5	-	1	-
SOUTHEND ON SEA C.B.	-	5	1	-	3	-
WEST HAM C.B.	8	16	9	-	2	N. 1
Boroughs and Urban Districts:—						
BARKING TOWN...	-	5	3	-	-	M. 1 N. 1
BENFLEET ...	-	1	1		-	N. 1
CHELMSFORD ...	-	5	-	-	1	-
CHINGFORD ...	-	2	-	-	-	-
DAGENHAM ...	-	6	3	-	4	-
GRAYS THURROCK	-	-	-	-	1	-
HORNCHURCH ...	-	3	-	-	-	-
ILFORD	-	6	9	-	-	-
LEYTON	-	7	3	1	1	-
PURFLEET ...	-	-	1		-	-
ROMFORD... ...	-	1	1	-	-	C. 1
TILBURY	-	-	3	-	1	-
WALTHAM HOLY CROSS	-	1	-		-	-
WALTHAMSTOW ...	2	8	3	-	1	N. 1
WANSTEAD ...	-	1	-	-	-	-
WEST MERSEA ...	-	2	-	-	-	
WITHAM	*	*	*	*	*	*
WOODFORD ...	-	1	1		-	-
Rural Districts:—						
BILLERICAY ...	-	2	-	-	1	-
LEXDEN AND WINSTREE	-	2	-	-	-	-
ORSETT	-	1	-	-	-	-
TENDRING ...	-	1			-	-
GLOUCESTER ...	-	18	16	2	13	N. 4
BRISTOL C.B. ...	-	11	11	1	11	N. 3
GLOUCESTER C.B.	-	1	1	-	1	N. 1
Boroughs and Urban Districts:—						
CIRENCESTER ...	-	1	-	-	-	-
GLOUCESTER— *cont.*						
Rural Districts:—						
CHELTENHAM ...	-	1	-	-	-	-
CIRENCESTER ...	-	2	-		-	-
EAST DEAN AND UNITED PARISHES	-	-	1	-	-	-
STROUD	-	1	1	-	1	-
TEWKESBURY (part)	-	1	-	-	-	-
WARMLEY ...	-	-	2	1	-	-
HEREFORD ...	-	3	5	1	5	N. 1
Boroughs and Urban Districts:—						
HEREFORD ...	-	1	-	-	4	N. 1
LEOMINSTER	-	-	2	-	-	-
ROSS	-	1	-	-	-	-
Rural Districts:—						
BROMYARD ...	-	-	1	-	-	-
HEREFORD ...	-	-	-	-	1	-
LEDBURY... ...	-	1	-	-	-	-
WEOBLEY... ...	-	-	2	1	-	-
HERTFORD ...	-	12	2	-	3	C. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
BARNET	-	-	-	-	1	C. 1
EAST BARNET VALLEY	-	3	-	-	1	-
GREAT BERKHAMPSTEAD	-	1	-	-	-	-
HERTFORD ...	-	1	-	-	-	-
HODDESDON ...	-	2	-	-	-	-
ROYSTON	-	1	-	-	-	-
TRING	-	2	-	-	-	-
WATFORD... ...	-	1	1	-	-	-

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD—*cont.*						
Rural Districts:—						
Hatfield ...	–	–	1	–	–	–
St. Albans ...	–	–	–	–	–	L. 1
Ware	–	1	–	–	1	M. 1
HUNTINGDON ...	–	2	–	–	–	N. 1
Boroughs and Urban District:—						
Godmanchester	–	–	–	–	–	N. 1
Old Fletton ...	–	2	–		–	–
KENT	–	41	22	–	8	C. 1
Boroughs and Urban Districts:—						
Ashford	–	1	–	–	–	–
Beckenham ...	–	1	–	–	–	–
Bexley	–	2	–	–	–	–
Broadstairs and St. Peter's	–	2		–	–	–
Bromley	–	9	1		1	–
Chatham ...	–	–	1	–	–	–
Chislehurst ...	–	–	1		–	–
Crayford ...	–	2	–	–	–	–
Deal	–	–	2	–	–	–
Erith	–	–	–		1	–
Faversham ...	–	–	–	–	–	C. 1
Folkestone ...	–	–	2	–	–	–
Gillingham ...	–	1	1	–	–	–
Gravesend ...	–	1	–	–	1	–
Herne Bay ...	–	–	2	–	–	–
Maidstone ...	–	–	2	–	–	–
Margate ...	–	4	–	–	1	–
Northfleet ...	–	–	–		1	–
Ramsgate ...	–	3	–	–	1	–
Rochester ...		3	2	–	–	–
Sandwich ...	–	2	–	–	–	–
Sheerness ...		1	–	–	–	–
Sidcup	–	–	2	–	–	–
Sittingbourne and Milton	–	–	1	–	1	–
Swanscombe ...	–	1	–	–	–	–
Walmer	–	1	–	–	–	–
KENT—*cont.*						
Rural Districts:—						
Blean	–	1	–	–	1	–
Dartford ...	–	–	2	–	–	–
East Ashford ...	–	1	1	–	–	–
Isle of Thanet	–	1	–	–	–	–
Malling	–	1	1	–	–	–
Sevenoaks ...	–	1	–	–	–	–
Sheppey	–	1	–	–	–	–
Strood	–	–	1	–	–	–
Tenterden ...	–	1	–	–	–	–
LANCASTER ...	–	214	138	4	165	C. 8 D. 3 G. 2 M. 21 N. 17
Barrow in Furness C.B.	–	–	–	–	1	–
Blackburn C.B.	–	–	–	–	3	N. 1
Blackpool C.B.	–	3	2	–	–	C. 1 M. 1
Bolton C.B. ...	–	6	1	–	4	M. 1
Bootle C.B. ...	–	14	2	–	–	–
Burnley C.B. ...	–	3	–	–	1	–
Bury C.B. ..	–	2	1	–	–	–
Liverpool C.B....	–	35	62	1	54	M. 14 N. 5
Manchester C.B.	–	47	16	2	36	C. 3 D. 2 M. 3 N. 2
Oldham C.B. ...	–	4	2	–	3	G. 1
Preston C.B. ...	–	1	1	–	2	–
Rochdale C.B....	–	–	–	–	1	–
St. Helens C.B.	–	2	3	–	4	–
Salford C.B. ...	–	14	14	–	6	–
Southport C.B.	–	7	4	–	1	–
Warrington C.B.	–	10	–	–	–	C. 3 N. 1
Wigan C.B. ...	–	–	–	–	7	M. 1
Boroughs and Urban Districts:—						
Abram	–	–	–	–	1	–
Accrington ...	–	–	1	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Ashton in Makerfield	–	2	1	–	1	–
Ashton-under-Lyne	–	3	–	–	1	–
Aspull	–	1	–	–	–	–
Atherton ...	–	–	–	–	1	–
Audenshaw ...	–	–	–	–	1	–
Bacup	–	–	–	–	2	–
Billinge and Winstanley	–	1	–	–	–	N. 1
Blackrod ...	–	1	–	–	–	–
Brierfield ...	–	2	–	–	–	–
Chorley	–	1	1	–	–	–
Church	–	–	–	–	2	–
Clitheroe ...	–	–	–	–	1	N. 1
Crompton ...	–	–	–	–	1	–
Denton	–	1	–	–	–	–
Droylsden ...	–	1	–	–	–	–
Failsworth ...	–	–	–	–	–	N. 1
Farnworth ...	–	–	–	–	–	N. 1
Formby	–	–	1	–	–	–
Golborne ...	–	1	–	–	–	M. 1
Great Crosby ...	–	2	1	–	–	–
Great Harwood	*	*	*	*	*	*
Haslingden ...	–	–	–	–	1	–
Haydock... ...	–	–	1	–	–	–
Hindley	–	–	–	–	2	–
Horwich... ...	–	–	1	–	2	–
Ince in Makerfield	–	–	–	–	1	N. 1
Irlam	–	1	–	–	–	–
Lancaster ...	–	4	–	–	1	N. 2
Leigh	–	–	–	–	3	–
Leyland... ...	–	1	–	–	–	–
Litherland ...	–	3	2	–	1	–
Lytham St. Anne's	–	2	–	–	–	–
Middleton ...	–	3	3	–	2	–
Morecambe and Heysham	–	–	–	–	1	–
Nelson	–	–	–	–	–	N. 1
Newton in Makerfield	–	4	–	–	1	C. 1
Ormskirk ...	–	–	–	–	1	–
Orrell	–	1	–	–	–	–
Oswaldtwistle	–	–	–	–	–	G. 1
Padiham... ...	–	–	–	–	1	–
Prestwich ...	–	1	–	–	–	–
Radcliffe ...	–	–	1	–	–	–
Ramsbottom ...	–	–	–	–	1	–
Royton	–	5	–	–	–	–
Skelmersdale ...	–	–	–	–	1	–
Standish with Langtree	–	–	–	–	1	–
Stretford ...	–	1	5	–	2	–
Swinton and Pendlebury	–	3	1			D. 1
Thornton Cleveleys	–	1	–	–	–	–
Tottington ...	–	–	2	–	–	–
Tyldesley with Shakerley	–	3	–	–	2	–
Upholland ...	–	1	–	–	–	–
Urmston... ...	–	1	1	–	–	–
Waterloo with Seaforth	–	4	3	–	–	–
Whitefield ...	*	*	*	*	*	*
Widnes	–	–	1	–	1	–
Rural Districts:—						
Barton upon Irwell	–	–	1	–	–	–
Blackburn ...	–	4	–	–	1	–
Bury	–	–	–	1	–	–
Clitheroe ...	–	–	–	–	1	–
Garstang ...	–	–	2	–	–	–
Leigh	–	1	–	–	–	–
Preston	–	3	–	–	1	–
West Lancashire	–	1	–	–	–	–
Whiston... ...	–	2	1	–	–	–
LEICESTER ...	–	23	3	–	7	M. 1 N. 2
Leicester C.B....	–	12	2	–	5	N. 2

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis: G, Encephalitis Lethargica: H, Typhus Fever: I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—						
Boroughs and Urban Districts:—						
Coalville ...	–	1	–	–	1	M. 1
Oadby	–	1	–	–	–	–
Rural Districts:—						
Ashby de la Zouch		1	–	–	–	–
Barrow upon Soar	–	5	–	–		–
Blaby	–	–	1	–	1	–
Castle Donington	–	1	–	–	–	–
Hinckley ...	–	1	–	–	–	–
Market Bosworth	–	1	–	–	–	–
LINCOLN (parts of Holland).	1	7	2	–	1	–
Borough and Urban Districts:—						
Boston	–	–	–	–	1	–
Spalding ...	–	1	1	–	–	–
Rural Districts:—						
Boston	–	2	1	–	–	–
East Elloe ...	–	2	–	–	–	–
Spalding ...	1	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	–	E. 1 N. 1
Boroughs and Urban Districts:—						
Sleaford ...	–	–	1	–	–	–
Rural Districts:—						
East Kesteven	–	1	–	–	–	
South Kesteven	–	–	–	–	–	E. 1
West Kesteven	–	–	–	–	–	N. 1
LINCOLN (parts of Lindsey).	–	11	8	–	5	G. 1 M. 1
Grimsby C.B. ...	–	2	1		1	–
Lincoln C.B. ...	–	3	1	–	2	G. 1
Boroughs and Urban Districts:—						
Barton upon Humber	–		2		–	–
Cleethorpes ...	–	1	–	–	1	–
Gainsborough ...	–	1	1		1	–
Scunthorpe and Frodingham	–	1	–		–	–
Rural Districts:—						
Gainsborough ...	–	1		–	–	–
Glanford Brigg	–	–	2		–	–
Horncastle ...	–	2	–	–	–	–
Louth	–	–	1	–	–	M. 1
MIDDLESEX ...	–	97	39	3	15	C. 1 E. 1 M. 2 N. 4
Boroughs and Urban Districts:—						
Acton	–	1	1	–	–	–
Brentford and Chiswick	–	1	1		1	–
Ealing	–	3	1	–	1	
Edmonton ...	–	11	2	–	–	–
Enfield	–	11	7	–	1	–
Feltham... ...	–	–	1	–	–	–
Finchley ...	–	4	–	–	–	–
Friern Barnet...	–	3	–	–		–
Hampton Wick...	–	–	1	–	–	–
Harrow on the Hill	–	1	–	–		–
Hayes and Harlington	–	4	1	–	1	–
Hendon	–	4	6	–	–	C. 1 N. 1
Heston and Isleworth	–	4	2	–	3	M. 1

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
HORNSEY	–	5	1	–	–	–
KINGSBURY ...	–	1	–	–	–	N. 2
SOUTHALL NORWOOD	–	2	–	–	–	–
SOUTHGATE ...	–	3	1	–	–	–
SUNBURY ON THAMES	–	–	2	–	–	–
TEDDINGTON ...	–	1	1	–	–	–
TOTTENHAM ...	–	19	4	–	–	E. 1 N. 1
TWICKENHAM ...	–	7	3	–	–	M. 1
UXBRIDGE ...	–	3	–	–	–	–
WEALDSTONE ...	–	–	1	–	–	–
WEMBLEY ...	–	–	–	1	–	–
WILLESDEN ...	–	6	2	2	6	–
WOOD GREEN ...	–	1	–	–	–	–
YIEWSLEY AND WEST DRAYTON	–	1	–	–	1	–
Rural Districts:—						
HENDON	–	–	1	–	1	–
SOUTH MIMMS ...	–	1	–	–	–	–
NORFOLK ...	–	21	6	–	4	C. 1 F. 1 M. 2 N. 2
GREAT YARMOUTH C.B.	–	4	1	–	2	–
NORWICH C.B. ...	–	4	2	–	–	C. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
CROMER	–	3	–	–	–	–
KING'S LYNN ...	–	2	1	–	–	–
WALSOKEN ...	–	1	2	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	F. 1
BLOFIELD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DEPWADE ...	–	1	–	–	1	–
ERPINGHAM ...	–	–	–	–	–	M. 1
MITFORD AND LAUNDITCH	–	–	–	–	1	–
ST. FAITH'S ...	–	4	–	–	–	–
NORTHAMPTON	–	23	3	–	7	E. 1
NORTHAMPTON C.B.	–	3	–	–	3	E. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	–	3	–	–	–	–
DESBOROUGH ...	–	2	–	–	–	–
FINEDON	–	–	–	–	1	–
HIGHAM FERRERS	–	2	–	–	–	–
KETTERING ...	–	4	–	–	–	–
OUNDLE	–	–	–	–	1	–
ROTHWELL ...	–	2	–	–	–	–
RUSHDEN... ...	–	2	–	–	–	–
WELLINGBOROUGH	–	–	1	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
DAVENTRY ...	–	–	–	–	1	–
HARDINGSTONE ...	–	–	1	–	–	–
KETTERING ...	–	4	–	–	–	–
WELLINGBOROUGH	–	–	1	–	–	–
NORTHUMBERLAND.	–	55	7	1	22	L. 1 M. 2 N. 7
NEWCASTLE UPON TYNE C.B.	–	32	5	–	14	L. 1 M. 1 N. 5
TYNEMOUTH C.B.	–	3	–	–	–	N. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ASHINGTON ...	–	–	–	–	1	–
BEDLINGTONSHIRE	–	4	–	–	–	–
BLYTH	–	4	–	–	–	M. 1
CRAMLINGTON ...	–	1	–	–	–	–
EARSDON	–	2	–	–	–	–
GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	2	–	1	–
LONGBENTON ...	–	1	–	–	–	–
WALLSEND ...	–	2	–	–	3	–
WEETSLADE ...	–	1	–	–	1	N. 1
WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
GLENDALE ...	–	1	–	–	–	–
HEXHAM	–	–	–	1	–	–
MORPETH ...	–	2	–	–	1	–
NOTTINGHAM ...	–	31	17	–	17	C. 3 D. 1 G. 1 N. 1
NOTTINGHAM C.B.	–	12	5	–	11	D. 1
Boroughs and Urban Districts:—						
BEESTON	–	1	1	–	–	–
CARLTON	–	–	–	–	2	–
EAST RETFORD ...	–	–	1	–	–	–
HUCKNALL ...	–	7	4	–	–	–
KIRKBY IN ASHFIELD	–	1	–	–	3	–
MANSFIELD ...	–	1	–	–	–	N. 1
MANSFIELD WOODHOUSE	–	–	4	–	–	–
SUTTON IN ASHFIELD	–	–	2	–	–	–
WEST BRIDGFORD	–	5	–	–	–	–
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	2	–	–	–	–
NEWARK	–	–	–	–	–	G. 1
SOUTHWELL ...	–	2	–	–	1	–
WORKSOP... ...	–	–	–	–	–	C. 3
OXFORD	–	2	4	–	–	M. 1
OXFORD C.B. ...	–	1	3	–	–	–
Rural Districts:—						
HENLEY		1	–	–	–	–
THAME	–	–	1	–	–	–
WITNEY	–	–	–	–	–	M. 1
SALOP	–	12	13	–	4	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
DAWLEY	–	–	1	–	–	–
LUDLOW	–	1	–	–	–	–
NEWPORT... ...		–	1	–	–	–
OSWESTRY ...	–	–	2	–	–	–
SHREWSBURY ...	–	4	–	–	1	–
WENLOCK ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	1	–	–	2	–
CHIRBURY ...	–	1	–	–	–	–
CHURCH STRETTON	–	1	–	–	–	–
DRAYTON	–	1	–	–	–	–
ELLESMERE ...	–	2	–	–	–	–
OSWESTRY ...		–	4	–	–	–
SHIFNAL	–	–	2	–	–	–
WELLINGTON ...	–	–	2	–	1	–
SOMERSET ...	–	13	8	–	6	N. 2
BATH C.B. ...	–	2	3	–	1	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SOMERSET— *cont.*						
Boroughs and Urban Districts:—						
BRIDGWATER ...	-	-	-	-	2	-
FROME	-	2	2	-	-	-
PORTISHEAD ...	-	1	-	-	-	-
TAUNTON	-	-	1	-	-	-
WELLINGTON ...	-	4	-	-	-	-
WESTON SUPER MARE	-	2	-	-	-	-
Rural Districts:—						
AXBRIDGE ...	-	-	-	-	1	-
CHARD	-	-	-	-	1	-
FROME	-	1	1	-	-	-
SHEPTON MALLET	-	1	-	-	1	-
TAUNTON ...	-	-	-			N. 2
YEOVIL	-	-	1	-		-
SOUTHAMPTON	-	34	21	-	-	C. 1 M. 2 N. 3
BOURNEMOUTH C.B.	-	3	1		-	-
PORTSMOUTH C.B.	-	13	9	-	-	-
SOUTHAMPTON C.B.	-	6	6	-	-	M. 1
Boroughs and Urban Districts:—						
ANDOVER... ...	-	-	3	-	-	-
EASTLEIGH AND BISHOPSTOKE	-	1	1	-	-	N. 1
FARNBOROUGH ...	-	-	1	-	-	N. 1
GOSPORT	-	6	-	-	-	-
HAVANT		1	-	-	-	-
WINCHESTER ...	-	1	-	-	-	M. 1 N. 1
Rural Districts:—						
FAREHAM ...	-	2	-	-	-	C. 1
HAVANT	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
STAFFORD ...	-	29	31	-	43	C. 1 L. 1 M. 4 N. 4
BURTON UPON TRENT C.B.	-	2	2	-	4	-
SMETHWICK C.B.	-	1	2		1	M. 1 N. 1
STOKE ON TRENT C.B.	-	-	5	-	18	M. 2
WALSALL C.B. ...	-	7	2	-	1	N. 1
WEST BROMWICH C.B.	-	3	1	-	1	-
WOLVERHAMPTON C.B.	-	2	3	-	1	N. 1
Boroughs and Urban Districts:—						
BILSTON	-	-	-	-	2	-
BROWNHILLS ...	-	-	-	-	2	-
COSELEY	-	2	-	-		-
DARLASTON ...	-	-	-	-	1	-
LEEK	-	-	5	-	-	-
NEWCASTLE UNDER LYME	-	-	2	-	-	-
ROWLEY REGIS ...	-	3	2	-	2	-
SEDGLEY	-	-	-	-	1	-
SHORT HEATH ...	-	-	-	-	1	-
STAFFORD ...	-	1	1	-	-	-
TETTENHALL ...	-	-	1	-	-	-
TIPTON	-	1	-	-	4	-
WEDNESBURY ...	-	2	-	-	1	-
WEDNESFIELD ...	-	-	-	-	1	-
WILLENHALL ...	-	1	-	-	-	-
Rural Districts:—						
CANNOCK	-	-	2	-	-	-
CHEADLE... ...	-	2	-	-	1	C. 1 L. 1 M. 1
KINGSWINFORD ...	-	1	-	-	-	-
LICHFIELD ...	-	1	3	-	-	N. 1
WALSALL... ...	-	-	-	-	1	-
SUFFOLK, EAST	-	8	12	-	1	E. 1 M. 1 N. 1
IPSWICH C.B. ...	-	3	4	-	-	M. 1

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUFFOLK, EAST —*cont.*						
Boroughs and Urban Districts:—						
FELIXSTOWE ...	–	–	2	–	–	–
LOWESTOFT ...	–	–	1	–	–	E. 1
SOUTHWOLD ...	–	1	1	–	–	–
STOWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	–	–	–
PLOMESGATE ...	–	–	–	–	–	N. 1
SAMFORD... ...	–	2	1	–	–	–
WOODBRIDGE ...	–	–	3	–	–	–
SUFFOLK, WEST	–	1	1	–	–	–
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	–	1	–	–	–
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
SURREY	–	26	11	–	8	C. 2 D. 1 E. 1 L. 1 N. 2
CROYDON C.B. ...	–	4	4	–	2	N. 1
Boroughs and Urban Districts:—						
BARNES	–	2	–	–	–	–
CARSHALTON ...	–	–	–	–	2	–
CHERTSEY ...	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
KINGSTON ON THAMES	–	–		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts:— *cont.*						
MERTON AND MORDEN	–	2	2	–	–	–
MITCHAM... ...	–	2	–	–	1	–
REIGATE	–	–	–	–	–	L. 1
RICHMOND ...	–	6	–	–	–	–
SURBITON ...	–	3	–	–	1	–
SUTTON AND CHEAM	–	–	1		1	–
THE MALDENS AND COOMBE	–	–	1	–	–	–
WALTON UPON THAMES	–	3	2	–	–	–
WIMBLEDON ...	–	1	1	–	–	D. 1
Rural Districts:—						
CHERTSEY ...	–	–	–	–	–	C. 1
EPSOM	–	–	–	–	–	N. 1
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–		–	–	–	C. 1
REIGATE	–	–	–	–	–	E. 1
SUSSEX, EAST...	–	16	13	–	3	M. 2
BRIGHTON C.B. ...	–	9	3	–	–	M. 2
EASTBOURNE C.B.	–	1	2	–	–	–
HASTINGS C.B. ...	–	–	4	–	3	–
Boroughs and Urban Districts:—						
BEXHILL	–	1	–	–	–	–
HAYWARDS HEATH	–	1		–	–	–
HOVE	–	1	2	–	–	–
LEWES	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
HAILSHAM ...	–	–	2	–	–	–
NEWHAVEN ...	–	1	–	–	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery : M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—	–	3	2		10	N. 2
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
CHICHESTER ...	–	–	–	–	1	–
HORSHAM ...	–	–	–	–	1	–
LITTLEHAMPTON	–		1	–	–	
SHOREHAM BY SEA	–	–	–	–	1	N. 2
WORTHING ...	–	1	1	–	3	–
Rural Districts:—						
HORSHAM ...	–	–	–	–	2	–
STEYNING WEST...	–	1		–	1	–
WESTHAMPNETT		–	–	–	1	–
WARWICK ...	–	88	34	4	42	L. 2 M. 9 N. 4
BIRMINGHAM C.B.	–	71	26	–	27	L. 2 M. 9 N. 3
COVENTRY C.B. ...	–	7	3	–	4	–
Boroughs and Urban Districts:—						
NUNEATON ...	–	2	–	–	–	–
ROYAL LEAMINGTON SPA	–	–	–	–	1	–
RUGBY	–	–	–	–	–	N. 1
SUTTON COLDFIELD	–	2	4	–	–	–
WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	8	–
MERIDEN... ...	–	1	–	–	1	–
NUNEATON ...	–	–	1	–	–	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	1	–	1	–	–
STRATFORD ON AVON	–	–	–	3	–	–
TAMWORTH (part)	–	2	–	–	–	–
WESTMORLAND	–	–	1		2	–
Boroughs and Urban Districts:—						
KENDAL	–	–	1	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	–	–	–	1	–
WILTS	–	6	10	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
SALISBURY ...	–	1	–	–	–	N. 1
SWINDON... ...	–	1	9	–	1	–
TROWBRIDGE ...	–	–	–	–	–	C. 1
WESTBURY ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	–	1	–	–	–
MARLBOROUGH ...	–	–	–	–	1	–
TISBURY	–	2	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	12	5	–	4	–
DUDLEY C.B. ...	–	3	–	–	1	–
WORCESTER C.B.	–	1	2	–	–	–
Boroughs and Urban Districts:—						
EVESHAM... ...	–	2	–	–	–	–
HALESOWEN ...	–	1	–	–	–	–
KIDDERMINSTER	–	2	2	–	–	–
OLDBURY... ...	–	–	–	–	1	–
REDDITCH ...	–	1	1	–	–	–
STOURBRIDGE ...	–	1	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	20	42	1	6	C. 1 E. 1 N. 1
KINGSTON UPON HULL C.B.	–	15	32	1	3	C. 1 E. 1
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	1	–	1	–
COTTINGHAM ...	–	–	3	–		–
HEDON	–	1		–	–	
HESSLE	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	N. 1
BRIDLINGTON ...	–	2	–	–	1	–
ESCRICK	–	–	1	–	–	–
HOWDEN	–	–	4	–	–	–
PATRINGTON ...	–	–	–	–	1	–
POCKLINGTON ...	–	2	–	–	–	–
SCULCOATES ...	*	*	*	*	*	*
YORKS ... ... (North Riding).	–	19	2	1	27	N. 1
MIDDLESBROUGH C.B.	–	6	–	–	16	–
Boroughs and Urban Districts:—						
ESTON	–	4	–	–	4	–
LOFTUS	–	1	–	–	1	–
NORTHALLERTON	–	–	–	1	–	–
PICKERING ...	–	1	–	–	–	–
REDCAR	–	–	–	–	1	–
SCALBY	–	1	–	–	–	–
SCARBOROUGH ...	–	3	1	–	1	–
THORNABY ON TEES	–	–	–	–	2	–
WHITBY	–	–	–	–	–	N. 1
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	1	–
GUISBOROUGH ...	–	2	–	–	–	–
NORTHALLERTON	–	–	–	–	1	–
STOKESLEY ...		–	1		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	–	155	80	1	108	C. 11 D. 3 E. 1 G. 1 M. 7 N. 7
BARNSLEY C.B. ...	–	5	–	–	5	–
BRADFORD C.B. ...	–	13	2	–	8	C. 2 G. 1
DEWSBURY C.B....	–	4		–	–	M. 1
DONCASTER C.B....	–	6	1		1	–
HALIFAX C.B. ...	–	10	1	–	4	E. 1 M. 1
HUDDERSFIELD C.B.	–	2	5	–	4	N. 2
LEEDS C.B. ...	–	33	26	1	17	C. 4 M. 1 N. 1
ROTHERHAM C.B.		2	3	–	1	–
SHEFFIELD C.B....	–	19	8		37	C. 3 N. 3
WAKEFIELD C.B.	–	18	6	–	3	M. 2
Boroughs and Urban Districts:—						
ADWICK LE STREET		2	–	–	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BATLEY	–		1	–	1	–
BINGLEY	–	–	–	–	1	–
BIRKENSHAW ..			–		1	–
BRIGHOUSE ..	–	1	–	–	1	–
BURLEY IN WHARFEDALE	–		9	–	–	–
CALVERLEY ...	*	*	*	*	*	*
CASTLEFORD ...	–	1		–	–	M. 1
CONISBROUGH ...	–	1	1		–	
DARFIELD ...	–	–	–	–	2	–
DARTON	–	–	–	–	–	N.
DENBY AND CUMBERWORTH	*	*	*	*	*	*
GARFORTH ...	–	3	–	–	–	
HECKMONDWIKE	–	–	2	–	–	–
HEMSWORTH ...	–	–	–	–	1	
HONLEY	–	1	–	–		D. 1
HORSFORTH ...	–	–	–	–	–	C. 1
HOYLAND NETHER	–	1		–	1	–
ILKLEY	–		1	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
KNARESBOROUGH	–	–	1		–	–
LUDDENDEN FOOT	–	–	1	–	–	–
MALTBY	–	–	1			–
MORLEY	–	1	1	–	–	–
NORMANTON ...	–	5	–	–	–	–
OSSETT	–	1	–			–
PONTEFRACT ...	–	1		–	1	–
PUDSEY	–	–	1	–	3	–
RAWDON	–	1	–			–
RAWMARSH ...	–	1	–	–	–	–
ROTHWELL ...	–	1	–	–	–	–
SHIPLEY	–	1			–	–
SILSDEN	–	3	–	–	–	–
SPENBOROUGH ...	–	6	2	–	–	–
STAINLAND ...	–	1	–	–	–	–
STANLEY	–	–	1		2	–
STOCKSBRIDGE ...	–	1	–	–	–	–
THURNSCOE ...	*	*	*	*	*	*
THURSTONLAND AND FARNLEY TYAS	–	3	–	–		–
TODMORDEN ...	–		–	–	2	–
WATH UPON DEARNE	–	–	1	–	2	–
WHITWOOD ...	–	1	–	–	–	–
WOMBWELL ...	–	–	–	–	1	–
WORSBOROUGH ...	–	1	1	–	–	D. 1
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	–	–	–	1	C. 1
HEMSWORTH ...	–	2	–	–	1	D. 1
KIVETON PARK ...	–	–	–	–	3	
KNARESBOROUGH	–	1	–	–	1	–
ROTHERHAM ...	–	1	2	–	1	–
THORNE	–	–	–	–	1	M. 1
WAKEFIELD ...	–	–	2	–		–
WETHERBY ...	–	–	–	–	1	–
YORK, CITY OF ..	–	6	–	–	5	–
YORK C.B. ...	–	6	–	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY ...	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
BRECKNOCK ...	–	1	1	–	2	–
Borough and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	–	–	–	1	–
CRICKHOWELL ...	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
BANGOR	–	2	–	–	–	–
CONWAY	–	–	–	–	1	–
LLANDUDNO ...	–	–	2	–	–	–
CARDIGAN ...	–	4	9	–	–	–
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–	–	2	–	–	–

* Returns not received.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN—*cont.*						
Rural Districts:—						
ABERAYRON ...	–	4		–	–	–
ABERYSTWYTH (NORTH)	–	–	6	–	–	–
ABERYSTWYTH (SOUTH)	–	–	1	–	–	–
CARMARTHEN...	–	6	3	–	3	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	2	–	–	–	
KIDWELLY ...	*	*	*	*	*	*
LLANELLY ...	–	1	2	–	1	–
Rural Districts:—						
LLANELLY ...	–	3	1	–	2	–
WHITLAND ...	*	*	*	*	*	*
DENBIGH ...	–	13	25	–	–	C. 1
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	–	1		–	–
LLANGOLLEN ...	–		1	–		–
WREXHAM ...		3	8	–	–	–
Rural Districts:—						
WREXHAM ...	–	10	15	–	–	C. 1
FLINT	–	4	4	–	2	–
Boroughs and Urban Districts:—						
BUCKLEY	–	1	1	–	–	–
MOLD	*	*	*	*	*	*
RHYL	–	–	1		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL ...	–	1	1	–	2	–
OVERTON	–	1	1	–	–	–
GLAMORGAN ...	–	63	59	–	15	C. 2 M. 6 N. 6
CARDIFF C.B. ...	–	13	18	–	1	M. 2 N. 2
MERTHYR TYDFIL C.B.	–	7	3	–	1	–
SWANSEA C.B. ...	–	7	10	–	–	C. 1 N. 1
Boroughs and Urban Districts:—						
ABERDARE ...	–	1	1	–	1	–
BARRY	–	–	1	–	–	
CAERPHILLY ...	–	1	1	–	–	–
GELLIGAER ...	–	4	–	–	3	M. 1
LLWCHWR ...	–	–	3	–	–	M. 1
MAESTEG	–	1	–	–	–	N. 1
MOUNTAIN ASH...	–	7	–	–	1	M. 1
NEATH	–	–	4	–	1	–
OGMORE AND GARW	–	2	–	–	2	–
PONTYPRIDD ...	–	1	–	–	2	–
PORTHCAWL ...	–	1	–	–	–	–
PORT TALBOT ...	–	–	1	–	–	–
RHONDDA ...	–	13	14	–	3	C. 1 M. 1 N. 1
Rural Districts:—						
CARDIFF	–	2	–	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	–	–	–	–
NEATH	–	1	2	–	–	–
PONTARDAWE ...	–	1	1		–	N. 1
MERIONETH ...	–	4	–	–	–	–
Urban Districts:—						
FFESTINIOG ...	–	1	–	–	–	–

* Returns not received.

‡, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH— *cont.*						
Rural Districts:—						
Deudraeth ...	–	2	–	–	–	–
Dolgelley ...	–	1	–	–	–	–
MONMOUTH ...	–	59	10	–	3	C. 1
Newport C.B. ...	–	27	2	–	1	–
Boroughs and Urban Districts:—						
Abersychan ...	–	5	–	–	–	–
Abertillery ...	–	3	1		–	–
Bedwas and Machen	–	–	1	–	–	–
Bedwellty ...	–	5	1	–	–	–
Blaenavon ...	–	–	1	–	–	–
Ebbw Vale ...		1	–	–	1	–
Llantarnam ...	–	5	–	–	–	–
Mynyddislwyn		7	–	–	–	–
Panteg	*	*	*	*	*	*
Rhymney ...	–	1	–	–	–	–
Tredegar ...	–	3	2	–	1	–
Rural Districts:—						
Abergavenny ...	–	–	–	–	–	C. 1
Chepstow ...	–	–	2	–	–	–
Magor	–	2	–	–	–	–
MONTGOMERY...	–	1	–	–		E. 1 M. 1
Boroughs and Urban Districts:—						
Llanfyllin ...	–	–	–	–	–	M. 1
Machynlleth ...	–	–	–	–	–	E. 1
Montgomery ...	–	1	–	–	–	–
PEMBROKE ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
Goodwick ...	*	*	*	*	*	*
Haverfordwest	–	1	–	–	–	–
Narberth ...	–	1	–	–	–	–
Pembroke ...	–	–	–	–	1	–
Rural Districts:—						
Haverfordwest	–	–	1	–	–	–
Narberth ...	–	1	–	–	–	–
St. Dogmells ...	*	*	*	*	*	*
RADNOR	–	5	–	–	–	–
Urban Districts:—						
Llandrindod Wells	–	1	–	–	–	–
Rural Districts:—						
Colwyn	–	4	–	–	–	–
Total of Part II....	15	1494	830	24	715	C. 41 D. 11 E. 9 F. 1 G. 7 L. 16 M. 70 N. 85

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Barry	-	-	1	-	-	-	Port of London ...	*	*	*	*	*	*
Bristol	-	-	-	1	-	-	**Total of Part III.** ...		-	1	1		-

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
Total of Part I.—London	27	337	165	5	133	C. D. E. M. N.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	15	1494	830	24	715	C. D. E. F. G. L. M. N.
Total of Part III.—Port Sanitary Districts		–	1	1	–	–
Total (i.e., of returns received), England and Wales...	42	1831	996	30	848	C. D. E. F. G. L. M. N.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

ble 5.—LONDON and GREAT TOWNS in the AGGREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS and in the CURRENT YEAR to date with corresponding figures for previous year.

Week ended :—	Aug. 8.	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Totals from 1st Week of year. *	
														1930.	1931.
DON :—															
BIRTHS	1,221	1,387	1,401	1,421	1,200	1,290	1,270	1,322	1,412	1,311	1,334	1,305	1,299	62,148	59,173
BIRTHS	58	47	52	49	32	46	53	34	51	53	44	35	36	2,255	2,049
THS (excluding Still-ths)—all ages.	718	730	757	726	729	713	819	809	880	831	853	817	970	40,410	43,415
THS—0 to 1 year ..	63	54	50	62	48	39	51	68	61	64	63	73	71	3,346	3,269
AT TOWNS, aggre-e (including Lon-) :—															
BIRTHS	5,544	6,431	6,562	6,749	5,832	6,378	6,134	6,246	6,337	6,279	6,053	6,065	6,010	283,909	276,279
BIRTHS	266	280	313	265	238	262	277	252	270	252	262	254	253	12,349	12,077
THS (excluding Still-ths)—all ages.	3,386	3,427	3,447	3,309	3,455	3,457	3,761	3,655	3,819	3,686	3,710	3,791	4,533	182,396	199,273
THS—0 to 1 year ..	287	305	286	305	268	285	296	317	328	316	324	338	382	16,940	18,203
RIC FEVER—Cases	28	29	26	17	20	32	16	18	13	16	24	17	16	1,193	714
„ Deaths	1	2	4	1	—	—	2	2	1	—	—	1	1	98	64
L POX—Cases ..	20	17	10	13	30	11	34	35	31	25	37	31	37	7,976	3,786
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	19	5
LET FEVER—Cases	700	639	692	759	844	886	1,027	997	1,134	1,102	1,089	1,068	1,117	51,054	37,459
„ Deaths	1	1	3	1	4	3	3	5	2	3	5	6	5	350	220
THERIA—Cases ..	423	469	423	488	531	569	580	534	600	570	606	723	625	36,881	25,749
„ Deaths ..	25	21	18	30	19	23	25	19	24	32	34	25	23	1,615	1,217
LES—Deaths ..	12	9	13	6	13	8	10	5	6	7	11	21	21	2,470	1,672
JENZA—Deaths ..	16	15	17	15	10	28	27	28	35	33	31	37	48	1,780	5,564

The figures in these columns relate to the areas as constituted at the date of the weekly returns no corrections g been made for changes in boundary. The live births are derived from the weekly returns furnished by the trars and differ from those published for the towns in the Quarterly Return which are corrected for births ring away from the usual residence of the parents.

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 31st October, 1931. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.*				Rainfall in Milli-metres.‡	TOWNS.	Temperature of Air.*				Rainfall in Milli-metres.‡
	Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.			Highest.	Lowest.	Mean Maxi-mum.	Mean Mini-mum.	
	°	°	°	°			°	°	°	°	
DON	53	24	50·6	31·4	7	HUDDERSFIELD	52	22	48·7	29·3	10
GREENWICH).						BRADFORD ..	52	22	47·6	31·7	14
GHTON ..	53	27	50·7	34·6	1	SHEFFIELD ..	52	29	48·1	34·1	8
TSMOUTH ..	55	29	51·5	35·1	1	YORK (MUSEUM)	52	26	48·0	31·1	19
WICH(SOUTH-	52	25	49·3	31·1	15	HULL (PEARSON	51	28	48·8	32·9	22
ZELL LODGE)						PARK).					
MOUTH ..	59	31	54·0	38·3	—	TYNEMOUTH ..	55	31	47·6	35·7	13
TOL	58	25	50·9	32·1	1	CARDIFF	54	26	50·4	33·1	2
(HORFIELD)											
TINGHAM	51	28	46·6	34·3	12						
EDGBASTON).						EDINBURGH ..	54	28	47·0	35·4	12
TINGHAM ..	53	25	48·6	32·1	7	GLASGOW ..	52	29·6	47·1	36·2	24
TENHEAD	52	32	47·4	37·3	21	DUBLIN					
(BIDSTON).						(PHŒNIX					
CHESTER	52	23	48·6	30·0	21	PARK)	58·8	24·2	53·7	32·9	8
WHITWORTH						(FITZWILLIAM					
PARK).						SQUARE†).	58·2	29·4	52·4	38·2	5
NLEY	51	20	47·0	28·9	27	BELFAST	55	25	51·3	34·4	18

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 31st October, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	25	..	29·770	48·6	31·2	17·4	39·6	- 8·1	31·8	7·8	18·1	1·5	74	82·9	23·3	53·0	N: NNE.	NNE: N.	3·1	0·0	0·3	292	+ 14	0·00
MONDAY -	26	Full	30·113	50·6	31·1	19·5	40·8	- 6·8	33·2	7·6	17·5	1·3	74	89·9	21·1	52·9	N: NNW.	NE: Calm.	1·4	0·0	0·1	181	- 105	0·00
TUESDAY -	27	..	30·079	47·6	24·9	22·7	35·3	-12·2	28·7	6·6	19·2	1·8	77	88·0	12·0	52·3	Calm	Calm: SW.	0·3	0·0	0·0	83	- 209	0·00
WEDNESDAY	28	..	29·808	52·0	24·0	28·0	41·6	- 5·8	37·8	3·8	11·8	3·3	86	66·2	10·4	52·1	SW	NW: W.	1·8	0·0	0·2	290	- 6	0·00
THURSDAY -	29	..	29·928	49·8	38·6	11·2	45·3	- 2·0	39·5	5·8	10·8	1·4	80	70·0	28·3	51·9	WSW: NW.	WSW: SW.	3·2	0·0	0·2	277	- 19	0·27
FRIDAY -	30	..	30·036	52·1	30·4	21·7	40·8	- 6·4	32·7	8·1	18·9	2·7	72	81·9	24·1	51·5	WSW: NNW.	N: Calm.	6·6	0·0	0·8	352	+ 58	0·02
SATURDAY -	31	Greatest Declination N.	30·217	52·6	26·9	25·7	41·9	- 5·2	36·2	5·7	13·7	3·2	80	82·1	20·0	51·1	Calm: SW.	SW: SSW.	0·8	0·0	0·1	181	- 110	0·00
MEANS -		..	29·993	50·5	29·6	20·9	40·8	- 6·6	34·3	6·5	15·7	2·2	78	80·1	19·6	52·1	SW		...	...	...	Sum 1656	Sum - 377	Sum 0·29
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	25	No record kept.	7·5	10·1	Nearly cloudless till 12h.; partially cloudy till 18h.; then cloudless. Hoar frost in morning and at night.
MONDAY ..	26		3·6	10·1	Cloudless till 12½h.; partially cloudy till 15½h.; then variably cloudy. Mist 5h. till 8h.; and 17½h. till 21h. Fog 8h. till 10½h.; and from 21h. Hoar frost in morning and at night.
TUESDAY ..	27		3·6	10·0	Cloudless generally. Fog till 12h.; and from 18½h. Hoar frost in morning and at night.
WEDNESDAY	28		0·2	10·0	Cloudless till 7h.; nearly overcast till 13½h.; partially cloudy till 16h.; then cloudless. Fog till 1h.; then mist till 13½h. Slight damping 11½h. till 12h. Haze 13½h. till 21h. Hoar frost in morning and at night.
THURSDAY	29		0·0	9·9	Overcast generally. Fog 7h. till 10h.; then haze till 15h. Lunar halo 0¼h. till 1¾h. Damping 15½h. to 15¾h.; then rain. Hoar frost in morning.
FRIDAY ..	30		2·9	9·8	Variably cloudy till 19h.; then cloudless. Rain till 1¾h.; and 4½h. till 15¾h. Brisk wind 0h. till 6h.; with high wind 2h. till 4h. Fog from 22h. Hoar frost at night.
SATURDAY	31		1·7	9·8	Variably cloudy. Fog till 10½h. Mist 14h. till 21h. Hoar frost in morning.
			Sum 19·5	Sum 69·7	
No. of Column ..			27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·61 ins. at the beginning of the week to 30·17 ins. by 0h. on 27th; decreased to 29·76 ins. by 12h. on 28th; increased to 29·98 ins. by 10h. on 29th; decreased to 29·67 ins. by 4h. on 30th; increased to 30·25 ins. by 7h. on 31st; decreased and was 30·22 ins. by midnight on the same day.

MANUAL OF THE INTERNATIONAL LIST OF CAUSES OF DEATH

New Edition based on the fourth decennial revision by the International Commission, Paris, 1929.

THIS Manual is issued on the authority of the Registrars-General for England and Wales, Scotland and Northern Ireland with a view to providing for the use of public health officers, the medical profession generally, and any others interested, an official statement of the practice in force in the several parts of the United Kingdom with regard to the classification of causes of death.

Price 3s. Post Free 3s. 4d.

HIS MAJESTY'S STATIONERY OFFICE

LONDON: Adastral House, Kingsway, W.C.2. EDINBURGH: 120, George Street. MANCHESTER: York Street. CARDIFF: 1, St. Andrew's Crescent. BELFAST. 15, Donegall Square West; or through any bookseller.

FOR OFFICIAL USE

1931. No. 44.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 7TH NOVEMBER, 1931

Crown Copyright Reserved

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 7TH NOVEMBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the forty-fourth week of the year numbered 6,203 corresponding to an annual rate of 16·3 per 1,000 living: stillbirths numbered 238 corresponding to a rate of 37 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,723 (190 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.
107 Great Towns	9·8	10·0	12·0	12·5
London	10·2	9·7	11·6	12·3
Birmingham	10·0	9·2	11·2	10·8
Liverpool	9·4	10·9	12·2	14·1
Manchester	11·0	11·7	15·6	14·8
Sheffield	7·9	8·2	12·2	10·4
Leeds	11·0	10·4	14·1	13·8
Bristol	9·7	10·1	11·9	10·8
West Ham	8·8	11·9	12·8	9·5

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 67, against 51, 52, and 58 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,334 live births registered corresponding to an annual rate of 15·9 per 1,000 living: stillbirths numbered 39 corresponding to a rate of 28 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,036 (66 more than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 79, against 45, 53, and 51 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in th week ended 7th November, 1931.

	Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
							Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
	107 Great Towns ..	19,836,440*	6,203	238	4,724	436	1	22	1	20	33	74
	London	4,377,000*	1,334	39	1,036	109	-	2	1	4	8	14
Towns in Outer Ring.	Croydon C.B. ..	233,000	69	2	50	5	-	-	-	-	-	2
	Wimbledon ..	58,830	9	-	15	1	-	-		-	-	-
	Ealing	117,400	41	-	31	2	-	-	-	-		1
	Acton	70,400	14	-	9	1	-	-	-	-	-	-
	Brentford and Chiswick ..	62,620	14	-	15	1	-	-	-	-	-	-
	Willesden ..	185,300	54	1	36	3	-	-	-	-	-	1
	Hendon	114,600*	30	-	15	-	-	-	-	-	1	-
	Hornsey	95,440	15	2	27	1	-	-	-	-	-	-
	Wood Green ..	54,460	12	-	13	2	-	-	-	-	-	-
	Tottenham ..	159,100	32	-	39	4	-	-	-	-	-	1
	Edmonton	77,530	36	1	19	1	-	-	-	-	-	-
	Enfield	68,090	21	-	11	-	-	-	-	-	-	-
	West Ham C.B. ..	296,900	121	2	54	7	-	-	-	-	-	1
	East Ham C.B. ..	142,900	35	-	37	4	-	-	-	-	2	-
	Leyton	128,600	16	1	26	-	-	-	-	-	-	-
	Walthamstow ..	134,300	39	3	20	-	-	-	-	-	-	-
	Ilford	131,300	32	1	22	-	-	-	-	-	-	-
	Gillingham	60,600*	20	-	10	-	-	-	-	-	-	-
	Canterbury C.B. ..	24,440*	7	-	4	-	-	-	-	-	-	-
	Hastings C.B.	61,870	17	-	21	3	-	-	-	1	-	-
	Eastbourne C.B. ..	55,670	5	-	12	-	-	-	-	-	-	1
	Brighton C.B. ..	144,900*	42	-	45	3	-	-	-	-	-	-
	Portsmouth C.B. ..	248,300*	94	-	54	2	-	-	-	-	-	-
	Bournemouth C.B. ..	108,600	25	-	27	1	-	-	-	-	-	-
	Southampton C.B. ..	175,300	62	2	36	3	-	-	-	-	-	-
	Reading C.B.	97,450*	35	-	26	1	-	-	-	-	-	1
	Oxford C.B.	80,530*	27	1	22	4	-	-	-	1	-	-
	Northampton C.B. ..	92,940*	26	-	21	2	-	-	-	-	-	-
	Luton	69,030	12	-	12	-	-	-	-	-	-	-
	Cambridge	66,850	12	2	13	-	-	-	-	-	-	-
	Southend-on-Sea C.B.	117,900	30	-	33	1	-	-	-	-	-	1
	Ipswich C.B.	87,630	20	1	13	2	-	-	-	-	1	-
	Great Yarmouth C.B.	56,690	10	2	25	-	-	-	-	-	-	-
	Norwich C.B.	126,800*	54	-	30	1	-	-	-	-	1	-
	Swindon	62,600	22	-	16	2	-	-	-	-	-	-
	Exeter C.B.	65,290*	17	1	13	1	-	-	-	-	-	-
	Plymouth C.B. ..	207,600*	86	-	58	11	-	-	-	2	-	1
	Bath C.B.	68,120	16	-	14	-	-	-	-	-	-	-
	Bristol C.B.	399,500*	123	4	83	5	-	-	-	-	1	2
	Gloucester C.B. ..	52,890	18	1	22	1	-	-	-	-	-	-
	Stoke-on-Trent C.B.	279,800	111	8	70	8	-	3	-	-	-	3
	Burton-upon-Trent C.B.	49,920	11	-	10	-	-	-	-	-	-	-
	Wolverhampton C.B.	134,200	51	1	32	5	-	-	-	-	-	2
	Walsall C.B.	104,200	39	1	15	2	-	-	-	-	-	-
	West Bromwich C.B.	82,090	30	-	14	-	-	-	-	-	-	-
	Dudley C.B.	60,010	25	-	15	2	-	-	-	-	-	-
	Worcester C.B. ..	50,540	10	1	14	-	-	-	-	-	-	-
	Birmingham C.B. ..	1,011,300	320	15	209	16	-	1	-	-	1	4
	Smethwick C.B. ..	85,370	29	1	15	2	-	-	-	-	1	-
	Coventry C.B ..	168,500	58	3	26	3	-	-	-	-	-	-
	Leicester C.B. ..	241,200	60	1	52	3	-	-	-	-	-	-
	Lincoln C.B.	66,110*	19	-	13	1	-	-	-	-	-	1
	Grimsby C.B.	92,180	37	2	13	3	-	-	-	-	-	1
	Nottingham C.B. ..	270,900	76	1	71	9	-	-	-	-	-	5
	Derby C.B.	143,400*	48	-	19	2	-	-	-	-	-	-
	Chesterfield	64,450	30	1	14	2	-	-	-	-	-	-
	Stockport C.B ..	126,600	28	-	33	1	-	-	-	-	1	-
	Chester C.B.	41,370	15	-	7	2	-	-	-	-	1	-
	Birkenhead C.B. ..	148,600	48	5	39	6	-	-	-	1	-	3
	Wallasey C.B. ..	97,240	32	-	17	1	-	-	-	-	-	-
	Liverpool C.B. ..	862,100	347	13	233	36	-	3	-	3	6	5
	Bootle C.B.	77,170	38	1	14	3	-	-	-	-	-	-
	St. Helens C.B.	108,200	47	-	25	3	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where di from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillin 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 1 Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
SOUTHPORT C.B. ..	77,180	17	1	18	2	-	-	-	-	-	1	1
WIGAN C.B.	88,250	30	1	25	1	-	-	-	-	-	-	3
WARRINGTON C.B. ..	80,280*	28	-	23	2	-	-	-	1	-	1	1
BOLTON C.B.	179,300	44	1	42	6	-	2	-	-	-	-	4
BURY C.B.	56,580*	18	1	15	1	-	-	-	-	-	-	-
MANCHESTER C.B. ..	773,300	251	16	219	19	1	3	-	2	2	4	1
SALFORD C.B.	226,100	66	6	50	6	-	2	-	-	-	2	-
ASHTON-UNDER-LYNE	51,850	11	4	20	1	-	-	-	-	-	-	-
OLDHAM C.B	142,000	41	3	51	3	-	-	-	-	-	-	1
ROCHDALE C.B. ..	91,190	13	-	22	-	-	-	-	-	-	-	1
BURNLEY C.B	99,300	34	-	27	3	-	-	-	-	-	-	1
BLACKBURN C.B. ..	124,000	40	2	33	2	-	-	-	-	-	-	1
PRESTON C.B.	120,100	36	2	29	1	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	97,880	19	2	22	-	-	1	-	-	-	-	1
BARROW-IN-FURNESS C.B.	66,700	11	1	21	2	-	-	-	-	-	-	-
HUDDERSFIELD C.B ..	114,300	33	4	39	2	-	-	-	-	-	-	-
HALIFAX C.B.	98,770*	14	1	45	2	-	-	-	-	-	-	1
BRADFORD C.B. ..	300,800	76	7	92	6	-	-	-	-	1	1	-
LEEDS C.B	486,100	160	5	129	10	-	-	-	-	1	3	2
DEWSBURY C.B. ..	54,430	8	1	14	-	-	-	-	-	1	-	-
WAKEFIELD C.B. ..	59,280	21	-	15	-	-	1	-	-	1	-	-
BARNSLEY C.B. ..	72,090	24	3	14	1	-	1	-	-	-	-	-
SHEFFIELD C.B. ..	517,300	156	8	103	8	-	-	-	-	-	2	1
ROTHERHAM C.B. ..	70,100	31	1	21	2	-	-	-	1	-	1	-
DONCASTER C.B. ..	63,280	24	2	15	1	-	-	-	-	-	-	-
YORK C.B.	85,910*	26	-	16	1	-	-	-	-	-	-	-
KINGSTON-UPON-HULL C.B.	314,800	109	3	77	10	-	-	-	1	3	3	-
MIDDLESBROUGH C.B.	138,800	57	5	43	6	-	2	-	1	-	-	1
DARLINGTON C.B. ..	72,620	18	1	17	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,350	28	3	15	2	-	-	-	-	-	-	1
WEST HARTLEPOOL C.B.	68,740	30	-	25	2	-	-	-	-	-	-	1
SUNDERLAND C.B. ..	187,500	73	3	38	4	-	-	-	-	-	1	-
SOUTH SHIELDS C.B ..	114,400	45	-	16	3	-	1	-	-	-	-	1
GATESHEAD C.B. ..	123,700	53	2	26	5	-	-	-	-	-	1	1
NEWCASTLE-ON-TYNE C.B.	284,300*	92	5	52	5	-	-	-	-	-	2	-
TYNEMOUTH C.B. ..	64,750	23	2	20	5	-	-	-	-	-	1	1
CARLISLE C.B.	57,430*	17	-	20	2	-	-	-	1	-	-	1
NEWPORT (MON.) C.B.	89,500*	34	1	23	-	-	-	-	-	-	-	-
CARDIFF C.B.	223,700*	61	4	58	9	-	-	-	-	-	1	1
RHONDDA	142,700	50	4	42	4	-	-	-	1	-	-	1
MERTHYR TYDFIL C.B.	71,670	22	4	24	2	-	-	-	-	-	-	2
ABERDARE	49,010	12	4	10	-	-	-	-	-	-	-	1
SWANSEA C.B.	165,400	54	5	36	-	-	-	-	-	-	-	-
GREATER LONDON ..	8,179,740*	2,421	62	1,787	164	-	2	1	4	11	23	12
OUTER RING	3,802,740*	1,087	23	751	55	-	-	-	-	3	9	6
GREAT TOWNS IN OUTER RING	2,130,770*	570	13	439	32	-	-	-	-	3	6	4
REMAINDER OF OUTER RING	1,671,970*	517	10	312	23	-	-	-	-	-	3	2
EDINBURGH†	438,998	160	?	113	6	-	-	-	-	-	1	-
GLASGOW†	1,088,417	439	?	302	46	-	21	3	1	5	11	3
DUBLIN†	412,400	179	?	130	24	-	1	1	-	3	4	-
BELFAST†	415,151	199	?	101	12	-	-	-	-	-	4	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases.
London‡	4,377,000	1931. Nov. 7	1334	39	1036	12·3	–	–	2	1	4	8	1
Calcutta and Suburbs	1,077,264	Sept. 26	?	?	596‖	28·8	?	1	?	–	?	?	
Bombay§	1,298,708	Oct. 10	624	58	482‖	21·6	6	–	–	–	–	2	1
Madras	647,533	Sept. 26	447	22	403	32·4	–	–	–	–	3	–	2
Sydney and Suburbs	1,256,210	Sept. 30 (30 days)											
Brisbane (Metropolitan Area).	313,251	Aug. 31 (31 days)											
Perth (Metropolitan Area).	204,780	Sept. 5	75	?	31	7·9	–	–	–	–	–	–	
Auckland (Urban Area).	215,730	Aug. 31 (31 days)	278	10	179	10·0	–	–	–	–	–	2	
Wellington (Urban Area).	142,540	Aug. 31 (31 days)	208	4	101	8·5	–	–	–	–	1	2	
Christchurch (Urban Area).	127,070	Aug. 31 (31 days)	169	5	90	8·3	–	–	–	–	–	1	
Cape Town	136,748	Oct. 3	62	1	31	11·8	–	–	–	–	–	–	
Johannesburg	187,326	Sept. 26	68	2	46	12·8	–	–	–	1	–	–	
Durban	61,867	„ 26	27	–	12	10·1	–	–	–	–	–	–	
Paris	2,871,429	Oct. 20 (10 days)											
Antwerp	295,348	Oct. 15 (15 days)											
Amsterdam	761,737	Oct. 17	226	6	110	7·5	–	–	–	–	1	–	
Copenhagen	615,700	„ 24	156	2	136	11·5	1	–	–	–	–	–	
Stockholm	502,203	„ 17	93	1	104	10·8	–	–	–	–	–	–	
Gothenberg	245,600	Sept. 19	?	?	41	8·7	–	–	–	–	–	–	
Oslo	256,353	Oct. 24	39	–	59	12·0	–	–	–	–	–	–	
Berlin	4,289,000	„ 10	635	36	872	10·6	2	?	–	1	3	5	
Breslau	614,000	„ 10	127	4	130	11·0	–	?	–	–	–	3	
Cologne	738,000	„ 10	190	6	110	7·8	–	?	–	1	–	–	
Dresden	630,000	„ 10	124	3	136	11·2	–	?	–	–	–	–	
Frankfort-on-Main	537,000	„ 10	78	2	83	8·0	–	?	–	1	–	–	
Hamburg	1,138,000	„ 10	275	9	200	9·1	–	?	–	–	1	2	
Leipzig	715,000	„ 10	125	4	113	8·2	–	?	–	–	1	–	
Munich	730,000	„ 10	163	5	156	11·1	–	?	–	–	–	1	
Budapest	1,009,089	„ 10	304	10	242	12·5	5	–	2	–	3	1	
Warsaw	1,115,651	„ 10	?	11	253	11·8	2	–	–	–	3	2	
Madrid	834,103	„ 3	241	28	227	14·2	1	–	1	–	–	–	
Cairo	1,160,700	July 15	980	31	1061	47·7	15	–	25	–	?	4	3
Alexandria	629,900	„ 15	510	7	545	45·1	3	–	28	–	?	2	1
New York	7,090,089	Oct. 3	2200	111	1154	8·5	3	–	–	–	11	–	
Chicago	3,457,375	„ 13	1004	30	566	8·5	1	–	–	1	4	3	
New Orleans	466,000	Aug. 31 (31 days)	822	25	587	15·1	16	–	–	1	3	–	
Rio de Janeiro ..	1,729,799	Aug. 22	657	41	457	13·8	2	–	7	–	3	–	
		„ 29	617	37	478	14·4	2	–	8	–	7	1	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 6 deaths from Cholera in Calcutta, 2 in Bombay and 1 from Plague in Bombay.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 7th November, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	41,314	44,451	1036	109	14	16	21	33	41	57	103	166	218	258
Enteric fever	23	20	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1008	55	2	1	-	1	-	-	-	-	-	-	-	-
Scarlet fever	99	52	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	114	261	4	1	1	2	-	-	-	-	-	-	-	-
Diphtheria	391	216	8	-	1	3	4	-	-	-	-	-	-	-
Influenza	289	954	6	1	-	-	-	-	-	1	1	-	1	2
Erysipelas	130	143	1	1	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	10	5	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	50	40	3	-	-	-	1	-	1	-	1	-	-	-
Meningococcal meningitis	76	114	4	2	1	1	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	3024	3152	66	-	-	-	1	15	15	10	12	10	3	-
Nervous system	202	191	4	-	-	1	3	-	-	-	-	-	-	-
Intestines and peritoneum	44	47	2	-	-	-	1	1	-	-	-	-	-	-
Other forms	184	213	4	-	1	-	1	-	-	1	-	-	1	-
Venereal diseases	154	154	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	5652	5865	147	-	-	-	-	-	1	11	22	46	42	25
Rheumatic fever	145	111	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	434	456	12	-	-	-	-	1	-	1	1	3	5	1
Alcoholism	18	15	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	63	78	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c.	1690	1650	36	-	-	-	-	-	-	-	3	6	9	18
Apoplexy	163	144	4	-	-	-	-	1	2	-	-	-	-	1
Epilepsy	50	52	2	2	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal)	1036	945	27	-	1	-	1	-	3	5	5	5	2	5
Other diseases of nervous system														
Pericarditis	15	18	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	182	166	3	-	-	-	-	1	-	1	-	-	1	-
Other diseases of heart	8654	10199	235	-	-	-	-	-	1	11	12	33	73	105
Other diseases of circulatory system	1758	1907	47	-	-	-	-	-	-	-	4	8	19	16
Bronchitis	1480	2145	45	5	-		-	-	-	1	4	4	8	23
Broncho-pneumonia	1468	2167	71	33	7	5	1	-	-	1	2	6	9	7
Lobar pneumonia	895	1018	12	-	-	1	-	4	-	1	3	3	-	-
Pneumonia (type not distinguished)	324	346	11	1	2	-	1	-	-	1	1	3	-	2
Other diseases of respiratory system	401	473	12	1	-	-	-	-	1	-	-	1	8	1
Diarrhœa and enteritis	682	578	14	14	-	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	285	254	4	-	-	-	1	-	-	2	1	-	-	-
Hernia, Intestinal obstruction	429	449	8	2	-	-	-	-	1	-	-	1	3	1
Cirrhosis of liver	189	197	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of digestive system	1047	1012	26	4	-	1	-	-	1	1	3	8	3	5
Acute nephritis	77	75	1	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease	1466	1432	30	-	-	-	-	1	-	-	7	9	6	7
Other diseases of genito-urinary system.	698	756	23	-	-	-	-		1	-	3	7	5	7
Puerperal sepsis	94	96	3	-	-	-	-	-	2	1	-	-	-	-
Other causes incident to childbirth	76	106	2	-	-	-	-	1	1	-	-	-	-	
Congenital malformations	274	273	5	5	-	-	-	-	-	-	-	-	-	
Premature birth	798	817	19	19	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	151	128	3	3	-		-		-		-	-	-	
Old age	983	1036	19			-	-				-	-	3	16
Suicide	489	485	13	-	-	-	-	1	-	2	5	4	1	-
Burns and Scalds	81	117	4	1	-	-	-	-	-	-	1	-	1	1
Drowning	102	85	2	-	-	-	-	-	1	-	-	1	-	-
Suffocation in bed	24	24	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	674	600	14	-	-	-	1	2	2	-	-	2	4	3
Other deaths by violence	687	652	22	-	-	-	-	1	4	-	4	2	3	8
Other specified causes	1765	1908	52	11	-	1	3	4	4	6	7	4	8	4
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectio Diseases notified in t week ended 7th Novemb 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	55	305	171	2	163	C. 8 D. 4 L. 1 M. 22 N. 24
Metropolitan Boroughs:—						
BATTERSEA ...	–	12	6	–	11	M. 3 N. 1
BERMONDSEY ...	–	4	3	–	3	M. 1 N. 1
BETHNAL GREEN	4	11	6	–	7	C. 1 M. 1
CAMBERWELL ...	1	28	11	–	3	M. 2
CHELSEA	–	3	–	–	7	–
DEPTFORD ...	–	9	3	–	3	C. 1
FINSBURY ...	2	3	3	1	7	M. 1 N. 1
FULHAM	–	7	7	–	6	N. 2
GREENWICH ...	–	4	5	–	–	N. 1
HACKNEY... ...	–	17	14	–	4	N. 3
HAMMERSMITH ...	–	11	5	–	4	L. 1 M. 1
HAMPSTEAD ...	–	5	1	–	2	M. 1
HOLBORN... ...	–	2	1	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see.
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	4	23	10	–	9	C. D. M. N.
KENSINGTON ...	–	16	6	–	9	N.
LAMBETH ...	43	11	8	–	14	M.
LEWISHAM ...	–	12	9	–	3	C. D. N.
PADDINGTON ...	–	7	6	–	10	N.
POPLAR	–	15	1	–	15	C. M.
ST. MARYLEBONE	–	5	3	–	3	M. N.
ST. PANCRAS ...	–	13	13	–	7	N.
SHOREDITCH ...	–	3	3	–	–	
SOUTHWARK ...	–	14	9	–	5	D.
STEPNEY	–	39	17	–	8	M. N.
STOKE NEWINGTON	–	5	3	–	–	
WANDSWORTH ...	1	13	10	–	18	M. N.
WESTMINSTER, CITY OF	–	2	5	1	3	
WOOLWICH ...	–	11	3	–	2	D. N.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Feve

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	-	3	5	-	4	-
Boroughs and Urban Districts:—						
BIGGLESWADE ...				-	1	-
DUNSTABLE ...	-	2	2	-	-	-
KEMPSTON ...	-	-	-	-	1	-
LEIGHTON BUZZARD		1	-	-	-	-
LUTON	-	-	3	-	-	-
Rural Districts:—						
BIGGLESWADE ...	-	-	-	-	1	-
EATON BRAY ...	-	-	-	-	1	-
BERKS	-	20	5	-	-	N. 1
READING C.B. ...	-	3	-	-		-
Boroughs and Urban Districts:—						
MAIDENHEAD ...	-		3		-	-
NEWBURY ...	-	2	-	-	-	-
NEW WINDSOR ...	-	6	-	-	-	N. 1
Rural Districts:—						
ABINGDON ...	-	1	-	-	-	-
NEWBURY ...	-	7	-	-	-	-
WINDSOR		1	-	-	-	-
WOKINGHAM ...	-	-	2	-	-	-
BUCKINGHAM ...	-	8	3	-	3	C. 1 N. 1
Boroughs and Urban Districts:—						
AYLESBURY ...	-	1	-	-	-	-
CHEPPING WYCOMBE	-	-	-	-	1	-
ETON	-	1	-	-	-	-
MARLOW	-	-	1	-	-	-
SLOUGH	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	-	2	-	-	1	N. 1
BUCKINGHAM ...	-	1	-	-	-	-
ETON	-	3	2	-	-	-
WING	-	-	-	-	-	C. 1
CAMBRIDGE ...	-	15	-	-	-	-
Borough:—						
CAMBRIDGE ...	-	7	-	-	-	-
Rural Districts:—						
CHESTERTON ...	-	5	-	-	-	-
MELBOURN ...	-	2	-	-	-	-
SWAVESEY ...	-	1	-	-	-	-
CHESTER ...	-	37	37	1	20	G. 1 N. 3
BIRKENHEAD C.B.	-	-	3	-	6	N. 1
CHESTER C.B. ...	-	2	2	-	-	N. 1
STOCKPORT C.B. ...	-	7	6	-	1	G. 1
WALLASEY C.B. ...	-	4	3	-	-	-
Boroughs and Urban Districts:—						
BEBINGTON AND BROMBOROUGH	-	2	-	-	2	-
BOLLINGTON ...	-	-	-	-	1	-
BREDBURY AND ROMILEY	-	1	-	-	1	-
CHEADLE AND GATLEY	-	-	3	-	1	-
CONGLETON ...	-	2	-	-	-	-
CREWE	-	1	3	-	1	-
DUKINFIELD ...	-	2	-	-	1	-
HOYLAKE AND WEST KIRBY	-	-	-	-	1	-
HYDE	-	2	-	-	-	-
MACCLESFIELD ...		1	-	-	-	-
MARPLE		1	-	-	-	-

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NANTWICH ...	–		1	–	–	–
RUNCORN	–	1	–	–		–
SALE	–	1	7	–	–	–
WILMSLOW ...	–	–	1	–	–	–
WINSFORD ...		–	2	–	1	–
Rural Districts:—						
BUCKLOW... ...	–	2	–	–	–	–
CONGLETON ...	–	–	1	–	1	–
MACCLESFIELD ...	–	1	–	–	–	N. 1
NANTWICH ...		2		1	–	–
NORTHWICH ...	–	4	–	–	–	–
RUNCORN... ...	–	1	2	–	–	–
TARVIN	–	–	–	–	1	–
WIRRAL		–	3	–	2	–
CORNWALL ...	–	11	–	1	2	D. 1
Boroughs and Urban Districts:—						
LISKEARD ...	–	–	–	–	1	–
LUDGVAN... ...	–	5		–	–	–
ST. IVES	–	–	–	1	–	–
SALTASH	–	–	–	–	1	–
TRURO	–	1	–	–	–	–
Rural Districts:—						
LISKEARD ...	*	*	*	*	*	*
ST. AUSTELL ...	–	1	–	–		D. 1
TRURO	–	3	–	–	–	–
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND...	–	5	–	–	5	D. 1 M. 2 N. 1
CARLISLE C.B. ...	–	–	–	–	1	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
HARRINGTON ...	–	–	–	–	1	–
MARYPORT ...	–	–	–	–	1	–
WHITEHAVEN ...	–	1	–	–	–	N. 1
WORKINGTON ...	–	1	–	–	–	D. 1
Rural Districts:—						
BOOTLE	–	1	–		–	–
CARLISLE ...	–	–	–	–	1	–
COCKERMOUTH ...		1			–	–
LONGTOWN ...	*	*	*	*	*	*
PENRITH	–	1	–	–	1	–
DERBY	1	15	17	1	16	C. 1 D. 1 E. 1 M. 2 N. 4
DERBY C.B. ...	–	4	8	1	4	N. 2
Boroughs and Urban Districts:—						
ALFRETON ...	1	–	–	–	1	D. 1
ALVASTON AND BOULTON	–	–		–	1	–
BOLSOVER ...	–	–	–	–	}	
CHESTERFIELD ...	–	3	1	–	2	–
CLAY CROSS ...	–	2	–		–	–
GLOSSOP	–	–	–	–	4	–
HEANOR	–	1	–	–	–	–
ILKESTON... ...	–		–	–		N. 1
LONG EATON ...	–	1	–	–	–	E. 1 M. 1
NEW MILLS ...	–	1	–	–	–	–
THE MATLOCKS...		–	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	–	1	–	–	–
BELPER	–	–	1	–	–	M. 1
BLACKWELL ...		–	2	–	–	–
CHAPEL EN LE FRITH	–	1	2	–	–	–
CLOWNE	–	–	–	–	–	C. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
HARTSHORN AND SEALS	–	–	–	–	1	–
HAYFIELD ...	–	–	–	–	–	N. 1
NORTON	–	–	–	–	1	–
SHARDLOW ...	–	2	1	–	1	–
DEVON	–	21	16	1	9	N. 5
EXETER C.B ...	–	1	–	–	1	–
PLYMOUTH C.B.	–	16	3	1	5	N. 5
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	5	–	–	–
PAIGNTON ...	–	1	–	–	–	
SALCOMBE ...	–	–		–	1	–
SIDMOUTH ..	–	–	–	–	1	–
TORQUAY	–	2	5		–	
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
KINGSBRIDGE ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	2	–	–	–
TOTNES	–	–	1	–	–	–
DORSET	–	4	–	–	3	–
Boroughs and Urban Districts:—						
POOLE	–	–	–	–	1	–
WIMBORNE MINSTER	*	*	*	*	*	*
Rural Districts:—						
BLANDFORD ...	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	1	–
STURMINSTER ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	1		–	–	–
WEYMOUTH ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DURHAM ...	–	99	24	–	80	C. 1 M. 4 N. 6
DARLINGTON C.B.	–	6	–	–	9	–
GATESHEAD C.B.	–	12	–	–	7	–
SOUTH SHIELDS C.B.	–	1	–	–	15	–
SUNDERLAND C.B.	–	27	5	–	14	M. 1 N. 1
WEST HARTLEPOOL C.B.	–	3	–	–	3	–
Boroughs and Urban Districts:—						
BLAYDON... ...	–	3	–	–	–	N. 1
BRANDON AND BYSHOTTLES	–	–	–	–	–	N. 1
CHESTER LE STREET	–	2	–	–	1	–
CONSETT	–	–	2	–	–	–
CROOK	–	–	–	–	1	N. 1
DURHAM	–	1	1	–	1	–
FELLING	–	6	–	–	1	C. 1
HARTLEPOOL ...	–	–	3	–	1	–
HEBBURN ...	–	2	–	–	7	–
HETTON	–	1	–	–	–	M. 1
JARROW	–	–	–	–	8	–
RYTON	–	2	–	–	–	–
SEAHAM HARBOUR	–	–	–	–	1	–
SHILDON	–	2			–	–
STANHOPE ...	–	–	1	–	–	–
STANLEY	–	–	3	–		M. 1
STOCKTON ON TEES	–	2	1	–	1	N. 1
TANFIELD ...	–	1	1	–	–	–
WHICKHAM ...	–	5	–	–	–	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	3	–	–	1	N. 1
CHESTER LE STREET	–	3	–		2	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	3	5	–	5	–
HOUGHTON LE SPRING	–	2	1	–	1	–
LANCHESTER ...	–	4	–		–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	4	–	–	1	M. 1
WEARDALE ...	–	–	1	–		–

* Returns not received.

], Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum : N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	1	2	–	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	1	–	–	–
WISBECH	–	–	1	–	1	–
Rural Districts:—						
ELY	–	1	–	–	–	–
ESSEX	9	89	42	1	33	C. 3 L. 2 M. 1 N. 1
EAST HAM C.B....	–	8	5	–	1	–
SOUTHEND ON SEA C.B.	–	2		1		C. 1
WEST HAM C.B.	7	18	10	–	8	M. 1 N. 1
Boroughs and Urban Districts:—						
BARKING TOWN...	–	3	3		4	–
BENFLEET ...	–		1			–
CHELMSFORD ...	–	3	–	–		–
CHINGFORD ...	–		2	–	–	–
COLCHESTER ...	–	2	2		–	L. 2
DAGENHAM ...	–	8	4	–	6	–
GRAYS THURROCK	–	–	–	–	1	–
HARWICH ...	–	2	–	–	–	–
HORNCHURCH ...	–	3	3	–	–	–
ILFORD	–	3	3	–	3	–
LEYTON	1	5	4	–	–	–
ROMFORD... ...	–	1	–	–	–	–
SHOEBURYNESS ...	–	1	–	–	–	–
TILBURY	–	–	2	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
WALTHAMSTOW ...	1	15	2	–	6	C. 1
WANSTEAD ...	–	1	–	–	–	–
WIVENHOE ...	–	1	–			–
WOODFORD ...	–	–	–	–	2	–
Rural Districts:—						
BELCHAMP ...	–	1	–	–	–	–
BILLERICAY ...	–	7	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
BRAINTREE ...	–	1	–			–
CHELMSFORD ...		1	–	–	–	–
EPPING	–		1	–	–	–
ORSETT	–	–	–	–	1	–
ROCHFORD ...	–	1	–	–		–
ROMFORD... ...	–	1	–			–
SAFFRON WALDEN	–	–	–	–	1	–
GLOUCESTER ...	–	11	17	4	19	C. 1
BRISTOL C.B. ...	–	8	14	2	12	C. 1
GLOUCESTER C.B.	–	1	–	–	2	–
Boroughs and Urban Districts:—						
CHELTENHAM ...	–			–	1	–
NAILSWORTH ...	–	1	–		–	–
STROUD		–	–	1	–	–
TEWKESBURY ...	–	–	–		2	–
Rural Districts:—						
CHELTENHAM ...	*	*	*	*	*	*
CHIPPING SODBURY	–	–	2	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	
STROUD	–	–	–	1	–	–
THORNBURY ...	–	–	–		2	–
WEST DEAN ...	–	–	1		–	–
HEREFORD ...	–	10	2	–	1	N. 2
Boroughs and Urban Districts:—						
HEREFORD ...	–	3	2	–	–	
KINGTON	–		–	–	–	N. 1
Rural Districts:—						
HEREFORD ...	–	7	–		–	N. 1
LEOMINSTER AND WIGMORE	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I. Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD ...	-	13	9	-	5	C. 1
Boroughs and Urban Districts:—						
BALDOCK	-	-	-	-	1	-
BARNET	-	-	1	-	1	-
BISHOP'S STORTFORD	-	-	-	-	1	-
EAST BARNET VALLEY	-	1	-	-	-	-
HEMEL HEMPSTEAD	-	4	-	-	-	-
LETCHWORTH ...	-	1	-	-	-	-
ROYSTON	-	-	-	-	1	-
WATFORD... ...	-	4	6	-	-	-
Rural Districts:—						
ASHWELL ...	-	1	-	-	-	-
HATFIELD ...	-	1	2	-	-	-
ST. ALBANS ...	-	-	-	-	1	C. 1
WATFORD ...	-	1	-	-	-	-
HUNTINGDON ...	-	1	-	-	1	-
Boroughs and Urban District:—						
ST. NEOTS ...	-	1	-	-	-	-
Rural Districts:—						
NORMAN CROSS ...	-	-	-	-	1	-
KENT	-	42	21	-	6	C. 1 D. 1 G. 1 M. 1 N. 2
CANTERBURY C.B.	-	-	-	-	-	G. 1
Boroughs and Urban Districts:—						
BECKENHAM ...	-	-	-	-	1	-
BEXLEY	-	1	-	-	-	-
BROADSTAIRS AND ST. PETER'S	-	1	1	-	-	-
BROMLEY... ...	-	6	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHATHAM ...	-	1	-	-	1	N. 1
CHISLEHURST ...	-	-	2	-	-	-
CRAYFORD ...	-	3	-		-	-
DARTFORD ...		1		-	-	C. 1 N. 1
DEAL	-	1	-	-	-	-
ERITH	-	1	-	-		M. 1
FOLKESTONE ...		2	2	-	-	-
GILLINGHAM ...		2	1	-	-	-
GRAVESEND ...	-	-	1	-	1	-
HYTHE		2		-	-	-
MAIDSTONE ...	-	1	2	-	2	-
MARGATE ...	-	1	3	-	-	-
NORTHFLEET ...		1	-	-	-	-
RAMSGATE ...	-	1		-	-	-
ROCHESTER ...	-	-	2	-	-	-
ROYAL TUNBRIDGE WELLS			-	-	1	-
SEVENOAKS ...	-	1	-	-		-
TONBRIDGE ...	-	3	-	-	-	-
WROTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BROMLEY... ...	-	3	1			D. 1
CRANBROOK ...	-	-	1	-		-
DARTFORD ...		1	1			-
ELHAM	-	2	-	-	-	-
HOLLINGBOURNE	-	1				-
ISLE OF THANET	-	2		-		-
MAIDSTONE ...		3		-	-	-
MALLING	*	*	*	*	*	*
MILTON	-	-	1	-	-	-
SEVENOAKS ...	-	1	-	-	-	-
STROOD	-	-	2	-		-
LANCASTER ...	-	218	189	7	240	C. 6 D. 3 E. 1 F. 1 G. 2 L. 20 M. 27 N. 16
BARROW IN FURNESS C.B.	-	-	1	-	2	-

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; G, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Blackburn C.B.	–	2	1	–	6	C. 1 N. 1
Blackpool C.B.	–	1	3	–	1	
Bolton C.B. ...	–	10	2	–	3	M. 1 N. 1
Bootle C.B. ...	–	12	8	–	6	–
Burnley C.B. ...	–	2	–	–	7	–
Bury C.B. ...	–	1	1	–	2	M. 1
Liverpool C.B....	–	22	89	–	57	C. 1 D. 2 F. 1 G. 1 M. 17 N. 5
Manchester C.B.	–	61	21	1	64	C. 1 D. 1 G. 1 M. 3 N. 2
Oldham C.B. ...	–	6	–	–	2	N. 1
Preston C.B. ...	–	4	–		3	N. 2
Rochdale C.B....	–	2	1	1	2	C. 1
St. Helens C.B.	–	4	2	–	5	–
Salford C.B. ...	–	8	11		11	C. 1 M. 1
Southport C.B.	–	6	4	–	2	N. 1
Warrington C.B.	–	13	4	–	5	–
Wigan C.B. ...	–	–	4	–	2	E. 1
Boroughs and Urban Districts:—						
Abram	–	1	–	–	4	–
Ashton in Makerfield	–	1	1	–	–	–
Ashton-under-Lyne	–	2	–	–	1	–
Aspull		2	–	–	–	–
Atherton ...	–	1	–		2	–
Bacup	–	–	1	–	1	–
Barrowford ...		1	–	–	–	–
Blackrod ...	–	–	–	–	2	–
Brierfield ...	–	2	–	–	–	–
Chadderton ...	–	–			1	
Chorley	–	–	1	–	–	–
Clitheroe ...	–	–	–	–	1	–
Crompton ...	–	1	–	–	2	–
Dalton in Furness	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Darwen	–		–	–	1	N. 1
Droylsden ...	–	3	–	–	–	–
Eccles	–	–	2		2	–
Failsworth ...	–	–	1	–		–
Farnworth ...	–	1	–	–	2	N. 1
Fleetwood ...	–	–	–	–	1	–
Fulwood ...	–	–	–		1	–
Great Crosby ...	–	2	–	–	–	–
Haslingden ...	–	–	1	–		–
Haydock... ...	–	1	–	–	–	–
Heywood ...	–	–	–	–	1	–
Hindley	–		–	–	3	–
Horwich... ...	–	2	–	–	2	–
Ince in Makerfield	–	1	–	–	1	–
Irlam	–	1	1	–	–	–
Kearsley ...	–	–	1	–	–	–
Lancaster ...	–	–	3	1	1	–
Leigh	–	–	3	–	1	–
Litherland ...	–	2	1	–		–
Longridge ...	–	1	–	–		–
Lytham St. Anne's	–	–		1	–	–
Middleton ...	–	3	–	–	3	–
Mossley	–	1		–	–	
Nelson	–	5	1			N. 1
Newton in Makerfield	–	2	–	–	3	–
Ormskirk ...	–	–	–	–	1	–
Orrell	–	–	–	–	1	
Padiham... ...	–	–	–	–	2	–
Prestwich ...	–	1	–	2	1	L. 19
Ramsbottom ...	–	–	1	–	–	–
Rawtenstall ...	–	–	1	–	2	–
Rishton	–	–	–	–	3	–
Royton	–	–	–	–	1	–
Standish with Langtree	–	1	–	–	–	–
Stretford ...	–	2	3	–	–	–
Swinton and Pendlebury	–	3	–	–	1	–
Thornton Cleveleys	–	1	1	–	–	M. 1
Tottington ...	–	–	1	–	–	–
Turton	–	1	–	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
URMSTON	–	–	1		–	–
WALTON LE DALE	–	1	–	–	–	–
WATERLOO WITH SEAFORTH	–	9	4		2	–
WESTHOUGHTON	–	–	–	–	1	M. 1
WIDNES	–	4	1	–	1	
WORSLEY	–	–	–	–	–	M. 1
Rural Districts:—						
BARTON UPON IRWELL	–	–	4	–	–	C. 1
BLACKBURN ...	–	–	–	1	–	–
BURNLEY ...	–	–	–	–	–	M. 1
CLITHEROE ...	–	–	–	–	2	L. 1
FYLDE	–	1	–		–	–
GARSTANG ...	–	–	2	–		–
PRESTON	–	1		–	4	–
WARRINGTON ...	–	2	–	–	–	–
WEST LANCASHIRE		–	–	–	2	–
LEICESTER ...	2	30	6	–	14	E. 1 G. 1 L. 1 N. 2
LEICESTER C.B....	–	18	2	–	5	G. 1 L. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
WIGSTON MAGNA	1	–	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LEICESTER— *cont.*						
Rural Districts— *cont.*						
BARROW UPON SOAR	1	3	2	–	5	E. 1
BLABY	–	2		–	1	–
CASTLE DONINGTON	–	–	–	–	1	–
HINCKLEY ...	–	–	–		–	N. 1
LUTTERWORTH ...	–	2	–	–	–	–
MARKET BOSWORTH	–	1		–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	2	4	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
EAST ELLOE ...	–	3	–	–	–	–
SPALDING ...	2	–	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	1	N. 1
Boroughs and Urban Districts:—						
GRANTHAM ...	–	1	–	–	–	
Rural Districts:—						
SOUTH KESTEVEN	–	1	–	–	–	N. 1
WEST KESTEVEN	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	20	6	1	17	M. 2 N. 1
GRIMSBY C.B. ...	–	8	1	1	1	N. 1
LINCOLN C.B. ...	–	2	1	–	1	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BRIGG	–	–	1	–	–	–
CLEETHORPES ...	–	2	–	–	1	–
GAINSBOROUGH ...	–	3	–	–	4	–
HORNCASTLE ...	–	1	–	–	1	–
LOUTH	–	–	1	–	–	–
SCUNTHORPE AND FRODINGHAM	–	2	1	–	2	M. 2
WOODHALL SPA...	–	–	–	–	3	–
Rural Districts:—						
GAINSBOROUGH ...		1	1		–	–
HORNCASTLE ...	–	1	–	–	1	–
LOUTH	–	–	–	–	2	–
SPILSBY	–	–	–	–	1	–
MIDDLESEX ...	2	89	43	–	39	C. 1 M. 4 N. 8
Boroughs and Urban Districts:—						
ACTON	–	2	–	–	2	–
BRENTFORD AND CHISWICK	–	1	2		1	–
EALING	–	1	–	–	1	–
EDMONTON ...	–	15	1	–	5	–
ENFIELD	–	3	11	–	2	–
FELTHAM... ...	–		–	–	–	M. 1
FINCHLEY ...	–	5	1	–	–	
FRIERN BARNET...	–	1	–	–	1	–
HARROW ON THE HILL	–	1	–	–	1	–
HAYES AND HARLINGTON	–	6	1	–	–	
HENDON	–	7	6	–	–	C. 1 N. 2
HESTON AND ISLEWORTH	–	2	1	–	3	N. 1
HORNSEY	–	4	5	–	2	–
KINGSBURY ...	–	–	–	–	–	M. 1 N. 1
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
RUISLIP NORTHWOOD	–	1	–	–	–	–
SOUTHALL NORWOOD	–	–	–	–	3	
SOUTHGATE ...	–	1	–	–	–	–
STAINES	–	2	–	–	–	–
SUNBURY ON THAMES	–	–	3	–	–	–
TEDDINGTON ...	–	–	–	–	1	–
TOTTENHAM ...	2	16	2	–	2	–
TWICKENHAM ...	–	1	1	–		–
UXBRIDGE ...	–	2	–	–	1	–
WEALDSTONE ...	–	1	–	–		N. 1
WEMBLEY ...	–	1	–	–	–	–
WILLESDEN ...	–	13	6	–	13	M. 2 N. 2
WOOD GREEN ...	–	2	–	–	1	–
Rural Districts:—						
HENDON	–	1	2	–	–	–
SOUTH MIMMS ...	–	–	1	–	–	N. 1
NORFOLK ...	–	14	8	2	3	J. 1 N. 1
GREAT YARMOUTH C.B.		–	1	–	–	J. 1
NORWICH C.B. ...	–	3	5	–	1	–
Boroughs and Urban Districts:—						
CROMER	–	1	–	–	–	–
KING'S LYNN ...	–	2	–	–	1	–
NORTH WALSHAM	–	–	–	2	–	–
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
EAST AND WEST FLEGG	–	1	–	–		–
ERPINGHAM ...	–	1	–	–	–	–
FOREHOE		1	–	–		–
FREEBRIDGE LYNN	–	1	1	–		–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
MARSHLAND ...	–	1	–	–	–	–
SMALLBURGH ...	–	–	–		1	–
SWAFFHAM ...	–	–	1	–	–	–
THETFORD ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–	–	N. 1
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON	–	17	3	1	6	C. 1 M. 1
NORTHAMPTON C.B.	–	3	–	–	3	M. 1
Boroughs and Urban Districts:—						
BRACKLEY ...	*	*	*	*	*	*
BURTON LATIMER	–	1	–	–	2	–
DESBOROUGH ...	–	3	–	–	–	
HIGHAM FERRERS	–	1	–	–	–	–
KETTERING ...	–	4	2		1	–
RAUNDS	–	1	–	–	–	–
RUSHDEN... ...	–	2	–		–	–
Rural Districts:—						
BRACKLEY ...	*	*	*	*	*	*
HARDINGSTONE ...	–	–	1	–	–	–
KETTERING ...	–	1	–	–	–	–
MIDDLETON CHENEY	*	*	*	*	*	*
NORTHAMPTON ...	–	–	–	1	–	–
TOWCESTER ...	–	–	–	–	–	C. 1
WELLINGBOROUGH	–	1		–	–	–
NORTHUMBERLAND.	–	48	6	–	38	C. 1 D. 2 L. 1 M. 1 N. 3
NEWCASTLE UPON TYNE C.B.	–	29	1	–	25	C. 1 L. 1 M. 1 N. 3
NORTHUMBERLAND—*cont.*						
TYNEMOUTH C.B.	–	2	1	–	2	D. 1
Boroughs and Urban Districts:—						
ASHINGTON ...	–	1	–	–	–	–
BEDLINGTONSHIRE	–	2	–	–	4	–
BERWICK UPON TWEED	–	–	1	–	–	–
BLYTH	–	3	1	–	1	–
EARSDON	–	1	–	–	–	–
HEXHAM	–	–	–	–	1	D. 1
NEWBIGGIN BY THE SEA	–		–	–	1	–
ROTHBURY ...		1	–	–	–	–
SEATON DELAVAL	–	1	2	–		–
WALLSEND ...	–	3	–	–	1	–
WHITLEY AND MONKSEATON	–	1			2	–
Rural Districts:—						
CASTLE WARD ...	–	2	–	–		–
HEXHAM	–		–	–	1	–
MORPETH ..	–	2	–	–	–	–
NOTTINGHAM ...	–	28	5	–	20	C. 1 D. 4 M. 1
NOTTINGHAM C.B.		10	1	–	12	M. 1
Boroughs and Urban Districts:—						
BEESTON	–	–	1	–	1	–
HUCKNALL ...	–	2	1	–	2	–
KIRKBY IN ASHFIELD		1	–	–	–	–
MANSFIELD ...	–	3	–	–	–	D. 1
MANSFIELD WOODHOUSE	–	2	1	–		–
NEWARK		1	–	–	–	–
SUTTON IN ASHFIELD	–	5	–	–	–	–
WARSOP	–	–	–	–	–	D. 1
WORKSOP... ...	–	–	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	-	1		-	1	-
BINGHAM... ...	-	1	1	-	-	-
EAST RETFORD ...	-	-	-	-	-	C. 1
LEAKE	-	1	-	-	-	-
SKEGBY	-	-	-	-	3	D. 1
STAPLEFORD ...	-	1	-	-	-	-
WORKSOP... ...	-	-	-	-	-	D. 1
OXFORD	-	9	-	-	1	M. 1 N. 3
OXFORD C.B. ...	-	3	-	-	-	M. 1 N. 3
Boroughs and Urban Districts:—						
BANBURY... ...	-	2	-	-	-	-
HENLEY ON THAMES	-	1	-	-	-	-
Rural Districts:—						
BANBURY... ...	-	-	-	-	1	-
HEADINGTON ...	-	1	-	-	-	-
HENLEY	-	2	-	-	-	-
PETERBOROUGH (Soke of).	-	1	1	-	1	-
Borough:—						
PETERBOROUGH...	-	1	1	-	1	-
RUTLAND ...	-	-	-	-	-	N. 1
Urban District:—						
OAKHAM	-	-	-	-	-	N. 1
SALOP	-	10	4	1	1	C. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...		-	-	-	1	C. 1
ELLESMERE ...	-	1	-	-	-	-
LUDLOW		3	-	1		-
SHREWSBURY ...	-	1	-	-		-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	-	-	2	-	-	-
BRIDGNORTH ...	-	1	-	-	-	-
CHURCH STRETTON	-	2	-	-	-	-
ELLESMERE ...	-	1	-	-	-	-
LUDLOW	-	1	-	-	-	-
OSWESTRY ...	-	-	2	-	-	M. 1
SOMERSET ...	-	15	5	-	10	N. 3
BATH C.B. ...	-	2	1	-	1	N. 1
Boroughs and Urban Districts:—						
BRIDGWATER ...	-	1	-	-	2	-
BURNHAM ON SEA	-	1	-	-	-	-
FROME	-	1	2	-	-	-
SHEPTON MALLET	-	-	-	-	1	-
TAUNTON... ...	-	-	-	-	1	-
WELLINGTON ...	-	3	-	-	-	-
YEOVIL	-	-	-	-	1	N. 1
Rural Districts:—						
AXBRIDGE ...	-	4	-	-	2	-
FROME	-	1	-	-	-	-
KEYNSHAM ...	-	1	-	-	-	-
LANGPORT ...	-	1	-	-	-	-
LONG ASHTON ...	-	-	-	-	1	N. 1
WELLS	-	-	1	-	-	-
WINCANTON ...	-	-	1	-	1	-
SOUTHAMPTON	-	42	19	-	11	D. 1 G. 1 M. 1 N. 3
BOURNEMOUTH C.B.	-	3	-	-	-	G. 1
PORTSMOUTH C.B.	-	13	7	-	-	-
SOUTHAMPTON C.B.	-	1	6	-	3	N. 2

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	3	–	–	–
EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
GOSPORT	–	5	–	–	1	–
LYMINGTON ...	–	–	1	–	–	
ROMSEY	–	–	–	–	1	–
WINCHESTER ...	–	–	–	–	1	N. 1
Rural Districts:—						
ANDOVER... ...	–	3	–	–	–	–
BASINGSTOKE ...	–	–	–	–	2	–
DROXFORD ...	–	–	1	–	–	–
FAREHAM ...	–	3	–	–	1	–
HARTLEY WINTNEY	–	1	–	–	–	–
HAVANT	–	7	–	–	–	D. 1
NEW FOREST ...	–	1	–	–	–	–
PETERSFIELD ...	–		1	–	–	M. 1
RINGWOOD ...	–	1	–	–	–	–
ROMSEY	–	3	–	–	–	–
STOCKBRIDGE ...	–	–	–	–	1	–
WHITCHURCH ...	–	–	–	–	1	–
STAFFORD ...	–	50	31	1	65	C. 3 D. 1 M. 3 N. 3
SMETHWICK C.B.	–	2	2	–	3	C. 1
STOKE ON TRENT C.B.	–	3	1	–	20	D. 1 M. 2 N. 1
WALSALL C.B. ...	–	6	–	–	4	C. 1
WEST BROMWICH C.B.	–	2	1	–	5	–
WOLVERHAMPTON C.B.	–	4	5	–	6	–
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	1	–	–	–
BILSTON	–	1	2	–	4	C. 1 N. 1
CANNOCK	–	1	1	–	1	–
COSELEY	–	1	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:— *cont.*						
DARLASTON ...	–	1	–	–	–	–
KIDSGROVE ...	–	–	–	–	1	–
LEEK	–	–	4	–	–	M. 1
LICHFIELD ...	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	–	1	–	1	–
ROWLEY REGIS ...	–	3	–	–	3	–
RUGELEY... ...	–	2	1	–	–	–
SEDGLEY	–	–	1	–	2	–
SHORT HEATH ...	–	–	–	–	1	–
TAMWORTH ...	–	–	1	–	–	–
TETTENHALL ...	–	–	2	–	–	–
TIPTON	–	1	1	–	2	–
UTTOXETER ...	–	1	–	–	–	–
WEDNESBURY ...	–	2	–	–	1	–
WILLENHALL ...	–	4	–	–	1	–
WOLSTANTON UNITED	–	1	1	–	1	–
Rural Districts:—						
CANNOCK	–	–	1	–	–	–
CHEADLE... ...	–	6	3	–	2	–
KINGSWINFORD ...	–	3		–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	1	–	1	–
NEWCASTLE UNDER LYME	–	–	–	–	–	N. 1
SEISDON	–	1	1	1	–	–
STONE	–	2	–	–	–	–
TAMWORTH (part)	–	–	–	–	1	–
TUTBURY... ...	–	1	–	–	–	–
WALSALL... ...	–	1	–	–	1	–
SUFFOLK, EAST	–	15	19	–	3	–
IPSWICH C.B. ...	–	8	13	–	1	–
Boroughs and Urban Districts:—						
LOWESTOFT ...	–	–	1	–	–	–
SAXMUNDHAM ...	–	1	–	–	–	–
SOUTHWOLD ...	–	1		–	–	–
STOWMARKET ...	–	–	1	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUFFOLK, EAST —*cont.*						
Rural Districts:—						
BLYTHING ...	-	2	-	-	-	-
BOSMERE AND CLAYDON		-	3	-	-	-
EAST STOW ...	-	1	-		1	-
HOXNE	-	1	-	-	-	-
PLOMESGATE ...		1	-	-	-	-
WOODBRIDGE ...	-	-	1		1	-
SUFFOLK, WEST		1	6	-	-	N. 1
Boroughs and Urban Districts:—						
NEWMARKET ...	-	1	1	-	-	-
SUDBURY... ...		-	4	-	-	-
Rural Districts:—						
CLARE		-	-		-	N. 1
THINGOE	-		1		-	-
SURREY	-	22	13	2	8	C. 3 M. 1 N. 3
CROYDON C.B. ...	-	4			-	-
Boroughs and Urban Districts:—						
BARNES	-	2	-	-	-	-
CARSHALTON ...		1	-	-	-	N. 1
CHERTSEY ...	-		-	-	1	N. 1
COULSDON AND PURLEY	-	1	-	1	-	-
EAST AND WEST MOLESEY		-			1	-
EGHAM	-	-		1	-	
FRIMLEY AND CAMBERLEY	-	1	-		-	M. 1
GUILDFORD ...	-	1		-	-	-
KINGSTON ON THAMES		1	1	-	-	-
LEATHERHEAD ...	-		-		1	-
MERTON AND MORDEN	-	-	4		1	N. 1
SURREY—*cont.*						
Boroughs and Urban Districts:— *cont.*						
MITCHAM	-	1	-	-	-	C. 1
REIGATE	-	1	3	-	-	-
RICHMOND ...	-	4	-	-		-
SURBITON ...	-	1	-	-	2	-
WALTON UPON THAMES	-	-	4	-	-	-
WIMBLEDON ...	-	1	1	-	-	-
WOKING	-	-	-	-	1	-
Rural Districts:—						
CHERTSEY ...		1	-	-	-	C. 2
DORKING		1		-	1	-
EPSOM	-	1	-	-	-	-
SUSSEX, EAST...	-	9	14	-	4	C. 1 G. 2 M. 2
BRIGHTON C.B. ...		3	5	-	1	G. 1 M. 2
EASTBOURNE C.B.			1	-	-	-
HASTINGS C.B. ...		-	2	-	1	-
Boroughs and Urban Districts:—						
BATTLE	-	2	-	-	-	
BEXHILL	-	-	-	-	1	-
BURGESS HILL ...		1	-	-	-	-
HOVE	-	-	-	-	-	G. 1
LEWES	-	1	1	-	1	-
Rural Districts:—						
CHAILEY	-	1		-	-	-
CUCKFIELD ...	-	1	-	-	-	-
HAILSHAM ...	-	-	5	-	-	-
NEWHAVEN ...		-		-	-	C. 1
SUSSEX, WEST—	-	8	1	1	4	D. 1 N. 1
Boroughs and Urban Districts:—						
BOGNOR REGIS ...			1	-	-	-
CHICHESTER ...	-	1	-	-	2	-

† The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUSSEX, WEST—*cont.*						
Boroughs and Urban District:—*cont.*						
HORSHAM ...	–	–	–	–	1	–
LITTLEHAMPTON	–	–	–	–	1	–
SHOREHAM BY SEA	–	–		–	–	D. 1
WORTHING ...	–	4	–	–		N. 1
Rural Districts:—						
STEYNING WEST...	–	1	–	–	–	
THAKEHAM ...	–	2		–	–	
WESTHAMPNETT	–		–	1		–
WARWICK ...		76	39	1	72	D. 1 G. 1 M. 14 N. 3
BIRMINGHAM C.B.	–	64	30	–	51	M. 13 N. 3
COVENTRY C.B. ...	–	7	2	–	4	D. 1 M. 1
Boroughs and Urban Districts:—						
NUNEATON ...	–	–	–	–	5	–
ROYAL LEAMINGTON SPA	–	–	2	–	3	–
RUGBY	–	–	1	–	–	–
SUTTON COLDFIELD	–	–	3		–	–
WARWICK ...	–		–	–	–	G. 1
Rural Districts:—						
ALCESTER ...	–	–	–	–	5	–
ATHERSTONE ...		2			1	–
MERIDEN... ...	–	1				–
NUNEATON ...	–		–		1	–
RUGBY	–	1	1	–	–	
SOLIHULL ...	–	–	–		1	–
STRATFORD ON AVON	–	–	–	1	1	–
TAMWORTH (part)	–	1	–		–	–
WESTMORLAND	–	1	1	–	3	–
Boroughs and Urban Districts:—						
AMBELSIDE ...		–	–		1	–
KENDAL	–	–	1	–		–
WINDERMERE ...	–	–	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	1	–
WIGHT, ISLE OF	–	1	–	–	1	–
Boroughs and Urban Districts:—						
EAST COWES ...	–		–	–	1	–
Rural Districts:—						
ISLE OF WIGHT ...	–	1	–	–	–	–
WILTS	–	1	6	–	2	N. 2
Boroughs and Urban Districts:—						
SALISBURY ...	–	–		–	–	N. 1
SWINDON... ...			4	–	2	–
TROWBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	–	1	–		–
MALMESBURY ...	–	1	–	–	–	–
WILTON	–	–	–	–	–	N. 1
WORCESTER ...	–	15	8	–	8	C. 1 N. 1
DUDLEY C.B. ...	–	2	1	–	1	–
WORCESTER C.B.	–	2	–	–	1	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER— *cont.*						
Boroughs and Urban Districts:—						
HALESOWEN ...	–	–	–	–	3	–
KIDDERMINSTER	–	8	1	–	–	–
LYE AND WOLLESCOTE	–	–	1	–	–	–
OLDBURY... ...	–	2	1	–	–	–
REDDITCH ...	–	1	2	–	1	N. 1
STOURBRIDGE ...	–	–	–	–	2	–
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
MARTLEY... ...	–	–	1	–	–	–
ROCK	–	–	–	–	–	C. 1
YORKS ... ... (East Riding).	–	17	33	–	6	–
KINGSTON UPON HULL C.B.	–	11	26	–	4	–
Boroughs and Urban Districts:—						
BEVERLEY ...			1			–
BRIDLINGTON ...	–	1		–	–	–
COTTINGHAM ...	–	–	1	–	–	–
HESSLE	–	–	2	–		–
NORTON	–	1	–	–		–
POCKLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN	–	2	2	–	–	–
PATRINGTON ...	–	–	1		–	–
POCKLINGTON ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	–	32	4	1	19	C. 1 N. 1
MIDDLESBROUGH C.B.	–	12		–	11	–
Boroughs and Urban Districts:—						
ESTON	–	6	–	–	1	–
GUISBOROUGH ...	–	2	1	–	–	–
NORTHALLERTON	–	1	–	–	–	–
REDCAR	–	1	–	–	2	–
RICHMOND ...	–	–	–	–	1	–
SALTBURN BY THE SEA	–	2	–	1	–	–
SCARBOROUGH ...	–	1	–	–	2	N. 1
THORNABY ON TEES	–	–	–	–	1	–
WHITBY	–	–	–	–	–	C. 1
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	–	–
GUISBOROUGH ...	–	3	–	–	1	–
HELMSLEY ...	–	–	1	–	–	–
LEYBURN... ...	–	2	–	–	–	–
STOKESLEY ...	–	1	2	–	–	–
YORKS ... ... (West Riding).	–	158	94	6	124	C. 4 D. 10 E. 1 G. 1 M. 1 N. 10
BARNSLEY C.B. ...	–	1	2	–	4	C. 1 D. 1
BRADFORD C.B. ...	–	11	4	–	13	C. 2 N. 1
DEWSBURY C.B....	–	4	3	–	–	–
DONCASTER C.B....	–	7	3		1	–
HALIFAX C.B. ...	–	4	5	1	2	–
HUDDERSFIELD C.B.	–	4	4	1	5	G. 1 M. 1
LEEDS C.B. ...	–	41	30	–	21	–
ROTHERHAM C.B.	–	–	2	1	2	D. 1
SHEFFIELD C.B....	–	20	7	1	35	C. 1 D. 2 N. 3
WAKEFIELD C.B.	–	12	3	–	4	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	1	–	–	2	–
BARKISLAND ...	*	*	*	*	*	*
BARNOLDSWICK ...	–	2	–	–		–
BATLEY	–	2	2			–
BENTLEY WITH ARKSEY	–	–		–	2	–
BINGLEY	–	1	–	–		–
BOLTON UPON DEARNE	–	1	1	–		–
BRIGHOUSE ...	–	3	1			–
BURLEY IN WHARFEDALE	–	1	2	–	–	–
CASTLEFORD ...	–	2		–	1	
CONISBROUGH ...	–		2	–		D. 1
CUDWORTH ...	–	–	–		2	
DARFIELD ...	–	–	–	–	–	D. 1
DARTON	–		1	–	3	–
DRIGHLINGTON ...	–	–	–	–	1	–
ELLAND	–		1		–	–
FEATHERSTONE ...	–	–	–	1	1	–
GARFORTH ...	–	1	–	–	–	
GOOLE	–	–	–	–	1	–
GREASBROUGH ...	–	1		–		N. 1
HARROGATE ...	–	1	1		1	
HECKMONDWIKE	–	–	1	–		–
HEMSWORTH ...	–	–	–	–	–	D. 1
HIPPERHOLME ...	–	1	1			–
HORSFORTH ...	–	–	–	–	1	–
HOYLAND NETHER		–	–		1	–
KEIGHLEY ...	–	2	–	–		–
KIRKBURTON ...	–	2	–	–	2	–
KNARESBOROUGH	–	–	2	–	–	–
LINTHWAITE ...	–			1	–	
MARSDEN... ...	–	1	1	–	–	–
METHLEY ...	–		–	–	2	
MIRFIELD ...	*	*	*	*	*	*
MORLEY	–	2	2	–	–	E. 1
NORMANTON ...		–	–	–	2	N. 1
OSSETT	*	*	*	*	*	*
OTLEY	–	1	1		1	–
RAWMARSH ...		1	–	–	1	D. 1
RIPON	–	–	–	–	–	N. 1
RISHWORTH ...	*	*	*	*	*	*
SADDLEWORTH ...	–	1	–			–
SHELF		1	–	–	–	–
SHIPLEY	–	1	–	–	–	–
SKIPTON	–	2	1	–	–	–
SOUTHOWRAM ...	–	1	–	–	–	–
SOWERBY... ...	–	1	1	–	–	–
SOYLAND	*	*	*	*	*	*
SPENBOROUGH ...	–	2	–	–	–	–
STAINLAND ...	–	1	–	–	–	–
STANLEY	–	–	2	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
SWINTON	–	1	–	–	–	–
THURNSCOE ...	–	–	2		–	–
TODMORDEN ...	–	–	–	–	–	N. 2
WHITWOOD ...	–	–	1	–	–	–
WOMBWELL ...	–	–	1	–	1	–
WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts:—						
DONCASTER ...	–	2	–	–	1	D. 1
GREAT OUSEBURN		1	–	–	–	
HALIFAX	–	1	–		–	
HEMSWORTH ...	–	5	3	–	5	N. 1
PONTEFRACT ...	–	3	–		2	
ROTHERHAM ...	–	–	–	–	1	–
TADCASTER ...	–		1	–	–	–
THORNE	–	2	–	–	2	D. 1
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	1	–	–	–	–
YORK, CITY OF ..	–	5	–	–	1	–
YORK C.B. ...	–	5	–	–	1	–
WALES.						
ANGLESEY ...	–	5	–	–	2	–
Rural Districts:—						
TWRCELYN ...	–	5	–	–	2	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	2	–	–	–	–
Borough and Urban Districts:—						
Brecknock ...	*	*	*	*	*	*
Rural Districts:—						
Brecknock (Merthyr Cynog)	*	*	*	*	*	*
Ystradgynlais	–	2	–	–	–	–
CAERNARVON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Bangor	–	1	–	–		–
CARDIGAN ...	–	7	5	–	–	–
Boroughs and Urban Districts:—						
Cardigan ...		1	–	–	–	–
Rural Districts:—						
Aberayron ...	–	2	–	–	–	–
Aberystwyth (North)	–	–	4		–	–
Aberystwyth (South)	–		1	–		–
Cardigan ...	–	4	–	–	–	–
CARMARTHEN ...	–	2	8	–	5	C. 1 N. 1
Boroughs and Urban Districts:—						
Ammanford ...	–	–	1	–	1	–
Burry Port ...	–	–	1	–	–	–
CARMARTHEN—*cont.*						
Boroughs and Urban Districts—*cont.*						
Cwmamman ...	–	–	2	–	–	–
Llanelly ...	–		–	–	1	C. 1
Rural Districts:—						
Carmarthen ...	–	–	–	–	2	
Llandilo Fawr	–	–		–		N. 1
Llanelly ...	–	2	1	–	1	–
Llanybyther ...	–	–	1	–	–	
Whitland ...	–		2	–	–	–
DENBIGH ...	–	3	25		4	N. 2
Boroughs and Urban Districts:—						
Colwyn Bay ...	–	1	7	–	–	–
Denbigh ...			1	–	2	
Wrexham ...		–	4	–	1	–
Rural Districts:—						
Ruthin	–	–	2	–	1	N. 1
Wrexham ...	–	2	11	–	–	N. 1
FLINT	–	1	4	–	3	–
Boroughs and Urban Districts:—						
Connah's Quay	–	–	–	–	1	–
Rhyl	–	–	1	–	–	–
Rural Districts:—						
Hawarden ...	–	–	–	–	2	–
Holywell ...	–	1	1	–	–	–
Overton	–	–	2	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	47	46	–	29	C. 2 M. 2 N. 2
CARDIFF C.B. ...	–	8	6	–	8	C. 1
MERTHYR TYDFIL C.B.	–	1	–		–	
SWANSEA C.B. ...	–	4	7	–	1	N. 2
Boroughs and Urban Districts:—						
ABERDARE	–	–	2	–	2	–
BARRY	–	–	1	–		
CAERPHILLY ...	–	2	–	–	1	M. 1
GELLIGAER ...	–	5	–	–	2	–
LLWCHWR ...	–	1	2	–	–	–
MAESTEG	–	–	3	–	1	M. 1
MOUNTAIN ASH ...	–	4	1	–	1	–
NEATH	–	1	2	–	–	–
OGMORE AND GARW	–	2	–	–	1	–
PENARTH	–	1	1		1	–
PONTYPRIDD ...	–	2	–	–	3	–
PORTHCAWL ...	–	4	–	–	–	–
PORT TALBOT ...	–	–	1	–	–	–
RHONDDA ...	–	11	15	–	8	C. 1
Rural Districts:—						
CARDIFF	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	–	1	–	–	–
NEATH	–	–	4	–	–	–
PONTARDAWE ...	*	*	*	*	*	*
MERIONETH ...	–	3	–	–	–	M. 1
Urban Districts:—						
FFESTINIOG ...	–	–	–	–	–	M. 1
Rural Districts:—						
DEUDRAETH ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	108	12	1	3	M. 1 N. 1
NEWPORT C.B. ...	–	36	–	–	1	–
Boroughs and Urban Districts:—						
ABERCARN ...	–	6	–	–	–	–
ABERGAVENNY ...	–	1	–		–	–
ABERSYCHAN ...		2	–	–	–	–
ABERTILLERY ...	–	6	–	1		–
BEDWAS AND MACHEN	–	1	2	–	1	–
BEDWELLTY ...	–	13	1		–	M. 1
BLAENAVON ...	–	–	1	–	–	–
EBBW VALE ...	–	3	–	–	1	–
LLANTARNAM ...	–	5	–	–	–	–
MYNYDDISLWYN	–	12	–	–	–	–
NANTYGLO AND BLAINA	–	1	–	–	–	–
PANTEG	–	1	–	–	–	–
RHYMNEY ...	–	1	2	–	–	–
RISCA	–	1	1	–	–	–
TREDEGAR ...	–	10	1	–	–	N. 1
Rural Districts:—						
ABERGAVENNY ...	–	–	1	–	–	–
CHEPSTOW ...	–	–	1	–	–	–
MAGOR	–	3	–	–	–	–
ST. MELLONS ...	–	6	2	–	–	–
MONTGOMERY ...	–	1	–	–	1	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	1	–	–	–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE ...		6	–		–	–
Boroughs and Urban Districts:—						
NARBERTH ...	–	1	–		–	–
PEMBROKE ...	–	1	–	–	–	–
Rural Districts:—						
LLANFYRNACH ...	–	2	–	–	–	–
ST. DOGMELLS ...	–	2	–	–	–	–
RADNOR	–	6	–	–	–	–
Urban Districts:—						
LLANDRINDOD WELLS	–	5	–	–	–	–
Rural Districts:—						
COLWYN	–	1	–	–	–	–
Total of Part II....	16	1555	864	34	977	C. D. E. F. G. J. L. M. N.

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PENZANCE	*	*	*	*	*	*
PLYMOUTH	–	–	–	–	1	–
PORT OF LONDON ...		–	–	–	–	
Total of Part III. ...		–	–	–	1	

* **Returns not received.**

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Pla encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Conti

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	55	305	171	2	163	C. 8 D. 4 L. 1 M. 22 N. 21
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	16	1555	864	34	977	C. 36 D. 27 E. 4 F. 1 G. 10 J. 1 L. 24 M. 74 N. 99
Total of Part III.—Port Sanitary Districts		–	–	–	1	D. 2
Total (i.e., of returns received), England and Wales ...	71	1860	1035	36	1141	C. 44 D. 33 E. 4 F. 1 G. 10 J. 1 L. 25 M. 96 N. 120

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
er ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain C and Deaths of Infants under 1 Ye Age) and Notified Cases of certa fectious Diseases in the last Thi Weeks and in the Current Year t with corresponding figures for previous

Week ended :—	Oct. 31.	Aug. 8.	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Nov. 7.	Totals fr Week o 1930.
LONDON :—														
Live Births	1,387	1,401	1,421	1,200	1,290	1,270	1,322	1,412	1,311	1,334	1,305	1,299	1,334	63,502
Stillbirths	47	52	49	32	46	53	34	51	53	44	35	36	39	2,298
Deaths (excluding Still-births)—all ages.	730	757	726	729	713	819	809	880	831	853	817	970	1,036	41,314
Deaths—0 to 1 year ..	54	50	62	48	39	51	68	61	64	63	73	71	109	3,420
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,431	6,562	6,749	5,832	6,378	6,134	6,246	6,337	6,279	6,053	6,065	6,010	6,205	290,186
Stillbirths	280	313	265	238	262	277	252	270	252	262	254	253	238	12,619
Deaths (excluding Still-births)—all ages.	3,427	3,447	3,309	3,455	3,457	3,761	3,655	3,819	3,686	3,710	3,791	4,533	4,723	186,406
Deaths—0 to 1 year ..	305	286	305	268	285	296	317	328	316	334	338	382	436	17,297
Enteric Fever—Cases	29	26	17	20	32	16	18	13	16	24	17	16	14	1,220
„ Deaths	2	4	1	—	—	2	2	1	—	—	1	1	1	102
Small Pox—Cases ..	17	10	13	30	11	34	35	31	25	37	31	37	66	8,038
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	19
Scarlet Fever—Cases	639	692	759	844	886	1,027	997	1,134	1,102	1,089	1,068	1,117	1,082	52,202
„ Deaths	1	3	1	4	3	3	5	2	3	5	6	5	1	357
Diphtheria—Cases ..	469	423	488	531	569	580	534	600	570	606	723	625	644	37,857
„ Deaths ..	21	18	30	19	23	25	19	24	32	34	25	23	33	1,648
Measles—Deaths ..	9	13	6	13	8	10	5	6	7	11	21	21	22	2,502
Influenza—Deaths ..	15	17	15	10	28	27	28	35	33	31	37	48	66	1,820

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corre having been made for changes in boundary. The live births are derived from the weekly returns furnished b Registrars and differ from those published for the towns in the Quarterly Return which are corrected for b occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 7th November, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainf in Mill metr
	°	°	°	°			°	°	°	°	
London (Greenwich).	61	37	58·3	45·3	14	Huddersfield ..	61	37	55·3	43·6	29
						Bradford ..	60	39	54·1	44·6	41
Brighton ..	59	41	56·0	49·9	17	Sheffield ..	60	39	55·0	44·4	21
Portsmouth ..	61	42	58·2	48·8	15	York (Museum)	61	38	54·7	44·0	16
Norwich(South-well Lodge)	61	34	55·9	43·9	3	Hull (Pearson Park).	60	38	55·8	45·6	7
Plymouth ..	59	36	56·6	47·0	40	Tynemouth ..	61	41	55·0	47·1	7
Bristol (Horfield)	60	38	56·7	45·0	41	Cardiff	60	40	56·0	46·6	53
Birmingham (Edgbaston).	58	39	54·0	46·3	22						
						Edinburgh ..	58·0	42·0	53·7	46·6	26
Nottingham ..	60	37	56·6	44·6	6	Glasgow ..	57·1	39·1	53·7	45·2	35
Birkenhead (Bidston).	60	41	54·1	46·9	17	Dublin (Phœnix Park)	61·2	30·0	56·7	44·3	40
Manchester (Whitworth Park).	59	40	54·7	46·1	35	(Fitzwilliam Square†).	63·2	38·0	58·9	48·0	39
Burnley	58	39	53·7	44·0	63	Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 7th November, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	1	..	30·172	56·8	39·1	17·7	48·3	+ 1·3	38·1	10·2	17·4	3·8	68	95·6	25·0	51·3	SSW	SSW: S: SSE.	0·9	0·0	0·1	198	- 89	0·00
MONDAY -	2	..	29·940	59·4	36·9	22·5	49·7	+ 2·9	40·6	9·1	17·8	2·7	71	98·2	23·8	51·1	Calm: SE: S.	SW: SSW.	2·1	0·0	0·2	269	- 15	0·00
TUESDAY -	3	Last Quarter.	29·604	61·3	50·0	11·3	57·1	+10·5	45·5	11·6	16·4	2·7	66	80·0	39·5	51·0	SSW: SW.	SSW	20·0	0·1	3·6	724	+ 443	0·00
WEDNESDAY	4	..	29·448	60·2	47·4	12·8	54·0	+ 7·6	48·3	5·7	15·7	1·1	81	79·2	37·1	50·9	SSW	SW: SSW.	18·0	0·1	3·7	669	+ 390	0·04
THURSDAY -	5	..	29·648	59·2	43·8	15·4	50·7	+ 4·6	47·2	3·5	9·3	0·0	88	88·3	29·8	50·9	SSW	S: SSE.	0·4	0·0	0·1	223	- 53	0·00
FRIDAY -	6	In Equator	29·450	56·1	44·6	11·5	50·4	+ 4·6	46·2	4·2	8·3	0·8	86	97·1	30·6	50·9	SSE: SE.	SE: Calm.	0·8	0·0	0·1	180	- 99	0·00
SATURDAY -	7	..	29·264	53·4	48·0	10·4	50·3	+ 4·9	44·9	5·4	13·9	1·3	81	96·8	36·6	50·9	Calm: SW.	SSW: SSE.	2·7	0·0	0·2	255	- 27	0·48
MEANS -		..	29·647	58·5	44·0	14·5	51·5	+ 5·2	44·4	7·1	14·2	1·8	77	90·7	31·8	51·1	SSW		...	...	...	Sum 2521	Sum + 550	Sum 0·52
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	1		7·8	9·7	Overcast till 7h.; then becoming nearly cloudless by 8¾h. Hoar frost at night.
MONDAY ..	2		8·3	9·7	Cloudless till 6h.; partially cloudy till 17½h.; nearly cloudless till 22½h.; then very cloudy. Hoar frost in morning. Heavy dew at night.
TUESDAY ..	3		0·1	9·6	Very cloudy till 5h.; then overcast generally. Damping 6½h.; 7½h. till 8h.; and occasionally between 19½h. and 20h. Brisk wind 4h. till 11h.; then high wind rising to gale at times.
WEDNESDAY	4	No record taken.	0·9	9·5	Overcast till 17h.; then becoming cloudless by 18h. Occasional squally rain between 2h. and 12h. High wind, with gale force at times, till 12h.; then brisk wind till 16h. Dew at night.
THURSDAY	5		1·8	9·5	Variably cloudy. Solar halo 11h. till 12½h. Mist 18h. till 23h. Heavy dew at night.
FRIDAY ..	6		3·5	9·4	Partially cloudy till 7h.; overcast till 11h.; very cloudy till 15h.; then overcast. Heavy dew in morning.
SATURDAY	7		4·2	9·4	Nearly overcast till 10½h.; partially cloudy till 15½h.; variably cloudy till 21h.; then overcast. Rain 1h. till 8h.; with heavy rain 4½h. till 6½h. Shower at 15¾h. Damping from 20½h. Mist 3h. till 9h.
			Sum 26·6	Sum 66·8	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·22 ins. at the beginning of the week to 29·35 ins. by 10h. on 4th; increased to 29·69 ins. by 11h. on 5th; decreased and was 29·13 ins. by midnight on the 7th.

FOR OFFICIAL USE

1931. No. 45.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 14TH NOVEMBER, 1931

Crown Copyright Reserved

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 14TH NOVEMBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the forty-fifth week of the year numbered 5,874 corresponding to an annual rate of 15·4 per 1,000 living: stillbirths numbered 260 corresponding to a rate of 42 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,451 (272 less than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.
107 Great Towns	10·0	12·0	12·5	11·7
London	9·7	11·6	12·3	12·1
Birmingham	9·2	11·2	10·8	10·2
Liverpool	10·9	12·2	14·1	11·7
Manchester	11·7	15·6	14·8	13·8
Sheffield	8·2	12·2	10·4	9·3
Leeds	10·4	14·1	13·8	11·6
Bristol	10·1	11·9	10·8	12·4
West Ham	11·9	12·8	9·5	10·7

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 68, against 52, 58, and 67 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,291 live births registered corresponding to an annual rate of 15·4 per 1,000 living: stillbirths numbered 33 corresponding to a rate of 25 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,012 (24 less than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 80, against 53, 51, and 79 in the preceding three weeks.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS* registered in t week ended 14th November, 1931.

TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 GREAT TOWNS ..	19,836,440*	5,874	260	4,452	441	2	24	5	26	29	60
LONDON	4,377,000*	1,291	33	1,012	111	-	6	2	3	8	18
TOWNS IN OUTER RING. CROYDON C.B. ..	233,000	70	2	50	5	-	-	-	-	-	-
WIMBLEDON ..	58,830	6	-	12	-	-	-	-	-	-	-
EALING	117,400	33	2	19	1	-	-	-	-	-	-
ACTON	70,400	17	-	13	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	62,620	6	1	12	-	-	-	-	-	-	-
WILLESDEN ..	185,300	28	1	27	2	-	-	-	-	-	1
HENDON	114,600*	26	1	20	1	-	-	-	-	-	-
HORNSEY	95,440	16	-	29	2	-	-	-	-	-	-
WOOD GREEN ..	54,460	12	1	5	1	-	-	-	-	-	-
TOTTENHAM ..	159,100	22	-	23	3	-	-	-	-	-	-
EDMONTON	77,530	43	1	16	2	-	-	-	-	-	-
ENFIELD	68,090	15	-	16	2	1	-	-	-	-	-
WEST HAM C.B. ..	296,900	102	6	61	4	-	-	-	2	-	-
EAST HAM C.B. ..	142,900	32	2	28	5	-	-	-	-	-	-
LEYTON	128,600	11	1	24	1	-	-	-	-	-	-
WALTHAMSTOW ..	134,300	22	2	28	4	-	-	-	-	-	1
ILFORD	131,300	29	-	12	1	-	-	-	-	-	-
GILLINGHAM	60,600*	21	1	14	-	-	-	1	-	-	-
CANTERBURY C.B. ..	24,440*	1	1	7	2	-	-	-	-	-	1
HASTINGS C.B.	61,870	18	1	20	2	-	-	-	-	1	-
EASTBOURNE C.B. ..	55,670	16	-	10	-	-	-	-	-	-	-
BRIGHTON C.B. ..	144,900*	32	2	28	1	-	-	-	-	-	-
PORTSMOUTH C.B. ..	248,300*	71	8	51	4	-	-	-	-	1	-
BOURNEMOUTH C.B. ..	108,600	28	3	31	4	-	-	-	-	1	-
SOUTHAMPTON C.B. ..	175,300	51	3	46	3	-	-	-	-	-	-
READING C.B.	97,450*	28	-	22	1	-	-	-	-	-	-
OXFORD C.B.	80,530*	33	-	23	1	-	-	-	1	-	-
NORTHAMPTON C.B. ..	92,940*	26	1	16	2	-	-	-	-	-	-
LUTON	69,030	22	-	14	-	-	-	-	-	-	-
CAMBRIDGE	66,850	11	1	13	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	117,900	16	2	30	3	-	-	-	-	-	-
IPSWICH C.B.	87,630	23		19	1	-	-	-	-	-	-
GREAT YARMOUTH C.B.	56,690	18	-	14	1	-	-	-	-	-	-
NORWICH C.B.	126,800*	41	2	31	2	-	-	-	-	-	-
SWINDON	62,600	16	-	11	-	-	-	-	-	-	-
EXETER C.B.	65,290*	18	2	9	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	207,600*	47	2	51	6	-	-	-	-	1	-
BATH C.B.	68,120	20	3	17	1	-	-	-	-	-	-
BRISTOL C.B.	399,500*	122	7	95	4	-	-	-	-	1	-
GLOUCESTER C.B. ..	52,890	23	1	9	-	-	1	-	-	-	-
STOKE-ON-TRENT C.B.	279,800	93	13	79	11	-	7	-	-	-	3
BURTON-UPON-TRENT C.B.	49,920	20	1	7	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,200	32	3	18	1	-	-	-	-	-	-
WALSALL C.B.	104,200	50	3	21	4	-	-	-	-	-	1
WEST BROMWICH C.B.	82,090	29	1	16	1	-	-	-	-	-	-
DUDLEY C.B.	60,010	23	1	11	3	-	-	-	1	-	-
WORCESTER C.B. ..	50,540	17	-	7	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	1,011,300	332	20	197	16	-	-	-	2	-	3
SMETHWICK C.B. ..	85,370	12	-	14	2	-	-	-	-	-	-
COVENTRY C.B ..	168,500	40	1	26	1	-	-	-	-	-	-
LEICESTER C.B. ..	241,200	71	4	58	4	-	-	-	-	-	-
LINCOLN C.B.	66,110*	12	2	13	1	-	-	-	-	-	-
GRIMSBY C.B.	92,180	24	-	27	1	1	-	-	-	-	-
NOTTINGHAM C.B. ..	270,900	80	4	69	9	-	-	-	-	-	2
DERBY C.B.	143,400*	57	3	38	5	-	-	-	-	1	1
CHESTERFIELD	64,450	20	1	14	2	-	1	-	-	-	-
STOCKPORT C.B ..	126,600	41	3	32	6	-	-	-	-	-	2
CHESTER C.B.	41,370	11	1	9	2	-	-	-	1	-	1
BIRKENHEAD C.B. ..	148,600	54	1	33	4	-	-	-	-	-	-
WALLASEY C.B. ..	97,240	17	2	24	1	-	-	-	-	1	1
LIVERPOOL C.B. ..	862,100	355	11	194	37	-	-	-	6	3	6
BOOTLE C.B.	77,170	30	2	15	1	-	-	-	1	-	-
ST. HELENS C.B.	108,200	45	1	15	3	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where dif from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillin 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; C C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 1 Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
Southport C.B. ..	77,180	11	1	21	-	-	-	-	-	-	-	-
Wigan C.B.	86,250	23	1	29	3	-	-	-	-	-	-	2
Warrington C.B. ..	80,280*	27	-	19	4	-	-	-	-	-	-	-
Bolton C.B	179,300	42	5	40	3	-	1	-	-	-	-	1
Bury C.B.	56,580*	11	3	13	-	-	-	-	-	-	-	-
Manchester C.B. ..	773,300	214	13	205	19	-	2	-	3	5	6	3
Salford C.B.	226,100	60	5	53	2	-	-	-	-	-	1	1
Ashton-under-Lyne	51,850	8	-	13	1	-	-	-	-	-	-	-
Oldham C.B	142,000	32	4	32	1	-	-	-	-	-	-	1
Rochdale C.B. ..	91,190	6	1	25	1	-	-	-	-	-	-	2
Burnley C.B	99,300	17	3	33	5	-	-	-	-	-	-	1
Blackburn C.B ..	124,000	24	1	26	1	-	-	-	1	-	-	-
Preston C.B.	120,100	35	-	23	1	-	-	-	1	-	-	1
Blackpool C.B. ..	97,880	21	-	28	3	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	66,700	22	1	11	-	-	-	-	-	-	-	-
Huddersfield C.B. ..	114,300	31	1	32	2	-	-	-	-	-	-	1
Halifax C.B.	98,770*	30	1	20	1	-	-	1	-	-	-	1
Bradford C.B. ..	300,800	70	3	75	8	-	-	-	-	-	-	1
Leeds C.B	486,100	132	10	108	13	-	1	-	-	1	1	3
Dewsbury C.B. ..	54,430	20	-	12	1	-	-	1	-	1	-	-
Wakefield C.B ..	59,280	26	1	12	-	-	-	-	-	1	-	-
Barnsley C.B. ..	72,090	29	5	19	3	-	1	-	-	-	-	-
Sheffield C.B. ..	517,300	138	4	92	8	-	-	-	-	-	2	3
Rotherham C.B. ..	70,100	19	1	13	-	-	-	-	-	-	-	1
Doncaster C.B. ..	63,260	26	1	10	-	-	-	-	-	1	-	1
York C.B.	85,910*	23	-	19	-	-	-	-	-	-	-	1
Kingston-upon-Hull C.B.	314,800	119	1	64	8	-	-	-	-	1	-	3
Middlesbrough C.B.	138,800	55	1	33	3	-	3	-	-	-	-	-
Darlington C.B. ..	72,620	20	1	12	1	-	-	-	-	-	-	1
Stockton-on-Tees ..	68,350	23	-	20	1	-	-	-	-	-	-	-
West Hartlepool C.B.	68,740	23	-	11	2	-	-	-	-	-	-	-
Sunderland C.B. ..	187,500	83	-	44	4	-	1	-	-	1	1	-
South Shields C.B ..	114,400	54	2	36	3	-	-	-	-	-	1	2
Gateshead C.B. ..	123,700	40	2	36	3	-	-	-	-	-	1	-
Newcastle-on-Tyne C.B.	284,300*	131	4	74	10	-	-	-	2	-	-	-
Tynemouth C.B. ..	64,750	29	1	14	2	-	-	-	-	-	-	-
Carlisle C.B.	57,430*	17	-	20	4	-	-	-	-	-	-	1
Newport (Mon.) C.B.	89,500*	34	1	12	1	-	-	-	-	-	1	-
Cardiff C.B.	223,700*	80	5	62	11	-	-	-	-	-	2	2
Rhondda	142,700	41	1	38	5	-	-	-	1	-	2	-
Merthyr Tydfil C.B.	71,670	18	-	18	3	-	-	-	-	-	2	-
Aberdare	49,010	11	1	16	1	-	-	-	-	-	1	-
Swansea C.B.	165,400	71	4	33	1	-	-	-	1	-	-	-
Greater London ..	8,179,740*	2,238	68	1,677	164	2	6	3	5	8	20	19
Outer Ring	3,802,740*	947	35	665	53	2	-	1	2	-	2	9
17 Great Towns in Outer Ring	2,130,770*	490	20	395	34	1	-	-	2	-	2	6
Remainder of Outer Ring	1,671,970*	457	15	270	19	1	-	1	-	-	-	3
Edinburgh†	438,998	141	?	105	6	-	-	-	-	-	1	-
Glasgow†	1,088,417	407	?	304	57	-	22	4	4	3	8	2
Dublin†	412,400	155	?	112	23	-	-	1	1	6	4	2
Belfast†	415,151	159	?	96	10	-	-	-	-	-	3	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B. 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa!
		1931.											
London‡	4,377,000	Nov. 14	1291	33	1012	12·1	-	-	6	2	3	8	1
Calcutta and Suburbs	1,077,264	Oct. 3	?	?	505‖	24·4	?	-	?	-	?	?	
Bombay§	1,298,708	„ 17	604	41	492	22·0	3	-	-	-	-	1	1
Madras	647,533	„ 3	565	50	383	30·8	-	-	-	-	-	-	1
Sydney and Suburbs	1,256,210	Sept. 30 (30 days)	1656	?	1151	11·0	-	-	-	1	22	1	
Brisbane (Metropolitan Area).	313,251	Aug. 31 (31 days)											
Perth (Metropolitan Area).	204,780	Sept. 12	72	?	41	10·4	-	-	-	-	-	-	
Auckland (Urban Area).	215,730	Sep. 30 (30 days)											
Wellington (Urban Area).	142,540	Sep. 30 (30 days)											
Christchurch (Urban Area).	127,070	Sep. 30 (30 days)											
Cape Town	136,748	Oct. 10	60	4	24	9·1	-	-	1	-	1	1	
Johannesburg	187,326	„ 3	93	1	36	10·0	-	-	-	-	-	-	
Durban	61,667	„ 3	18	-	9	7·6	-	-	-	-	-	-	
Paris	2,871,429	Oct. 20 (10 days)	1044	58	951	12·1	7	-	2	1	4	6	2
Antwerp	295,348	Oct. 15 (15 days)											
Amsterdam	761,737	Oct. 24	247	6	102	7·0	-	-	-	-	-	1	
Copenhagen	615,700	„ 31	137	1	126	10·7	-	-	-	-	-	-	
Stockholm	502,203	„ 24	75	-	99	10·3	-	-	-	-	-	-	
Gothenberg	245,600	Sept. 26	?	?	36	7·6	-	-	-	-	-	-	
		Oct. 3	?	?	38	8·0	-	-	-	-	-	1	
Oslo	256,353	„ 31	44	2	40	8·1	-	-	-	-	-	-	
Berlin	4,289,000	„ 17	643	32	822	10·0	1	?	1	1	2	4	
Breslau	614,000	„ 17	124	4	122	10·3	-	?	-	-	-	2	
Cologne	738,000	„ 17	168	2	92	6·5	-	?	-	-	-	-	
Dresden	630,000	„ 17	97	5	119	9·8	-	?	-	-	2	1	
Frankfort-on-Main	537,000	„ 17	103	5	93	9·0	-	?	-	-	-	-	
Hamburg	1,138,000	„ 17	277	7	203	9·3	1	?	-	-	-	-	
Leipzig	715,000	„ 17	145	3	116	8·4	-	?	-	-	-	1	
Munich	730,000	„ 17	128	4	133	9·5	-	?	-	-	-	2	
Budapest	1,009,069	„ 17	317	9	254	13·1	1	-	-	1	4	3	
Warsaw	1,115,651	„ 17	?	7	213	10·0	4	-	-	-	-	1	1
Madrid	834,103	„ 10	346	22	256	15·6	2	-	1	-	-	1	1
Cairo	1,160,700	July 22	960	27	986	44·3	16	-	22	-	?	3	42
		„ 29	927	14	947	42·5	19	-	15	-	?	1	40
Alexandria	629,900	„ 22	534	12	520	43·0	1	-	20	-	?	3	18
		„ 29	533	11	494	40·9	2	-	20	-	?	3	17
New York	7,090,089	Oct. 10	2089	114	1321	9·7	1	-	-	-	3	2	1
Chicago	3,457,375	„ 23	915	27	689	10·4	1	-	-	1	1	4	
New Orleans	466,000	Aug. 31 (31 days)											
Rio de Janeiro ..	1,729,799	Sept. 5	638	58	486	14·7	1	-	11	-	9	-	5
		„ 12	676	52	488	14·7	-	-	21	-	6	-	4

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities.

‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.

§ The registration of Births in Bombay is incomplete.

‖ Including 12 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 14th November, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years	2-5 years.	5-15 years.	15-25 years	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	42,271	45,463	1012	111	14	16	20	44	39	50	108	155	233	222
Enteric fever	23	20	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1008	61	6	2	1	3	-	-	-	-	-	-	-	-
Scarlet fever	89	54	2	1	-	1	-	-	-	-	-	-	-	-
Whooping cough	114	264	3	1	1	1	-	-	-	-	-	-	-	-
Diphtheria	400	224	8	-	-	3	4	1	-	-	-	-	-	-
Influenza	294	964	10	-	-	-	-	-	-	-	1	-	5	4
Erysipelas	133	147	4	2	-	-	-	-	-	-	-	1	-	1
Acute Poliomyelitis, Polioencephalitis	10	5	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	50	41	1	-	-	-	-	-	-	1	-	-	-	-
Meningococcal meningitis	76	115	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	3092	3225	73	-	-	-	4	19	11	11	13	9	6	-
Nervous system	204	196	5	-	-	-	-	4	-	-	-	1	-	-
Intestines and peritoneum	44	48	1	-	-	1	-	-	-	-	-	-	-	-
Other forms	193	220	7	-	-	1	1	1	2	-	-	-	2	-
Venereal diseases	163	159	5	2	-	-	-	1	-	-	1	1	-	-
Cancer	5789	5984	119	-	-	-	-	1	-	6	25	28	44	15
Rheumatic fever	147	113	2	-	-	-	1	-	1	-	-	-	-	-
Diabetes	443	467	11	-	-	-	-	-	-	-	-	6	3	2
Alcoholism	18	16	1	-	-	-	-	-	-	-	-	-	1	-
Simple meningitis	66	79	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1727	1675	25	-	-	-	-	-	-	1	2	8	3	11
Epilepsy	170	145	1	-	-	-	-	1	-	-	-	-	-	-
"Convulsions" (not puerperal)	51	52	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	1047	968	23	1	-	-	2	1	1	3	2	9	2	2
Pericarditis	15	18	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	188	168	2	-	-	-	-	1	-	-	1	-	-	-
Other diseases of heart	8865	10436	237	-	-	-	1	3	2	3	14	39	77	98
Other diseases of circulatory system	1796	1946	39	-	-	-	-	-	1	-	2	5	18	13
Bronchitis	1511	2182	37	3	-	1	-	-	1	-	2	5	10	15
Broncho-pneumonia	1507	2221	64	27	5	-	1	-	2	3	6	6	5	9
Lobar pneumonia	915	1051	33	2	3	2	1	-	4	2	8	4	4	3
Pneumonia (type not distinguished)	335	356	10	1	1	-	-	1	1	3	-	1	1	1
Other diseases of respiratory system	419	483	10	1	-	-	-	1	1	-	2	1	2	2
Diarrhœa and enteritis	701	598	20	17	1	-	-	-	-	-	-	-	2	-
Appendicitis, Typhlitis	295	259	5	-	-	1	-	-	-	1	-	1	2	-
Hernia, Intestinal obstruction	435	462	13	2	-	-	-	-	-	1	-	2	3	5
Cirrhosis of liver	193	198	1	-	-	-	-	-	-	-	1	-	-	-
Other diseases of digestive system	1068	1031	19	-	-	-	1	1	3	1	2	6	5	-
Acute nephritis	77	75	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	1502	1459	27	-	-	-	-	-	1	2	7	6	8	3
Other diseases of genito-urinary system.	718	777	21	1	-	-	-	-	-	1	2	-	11	6
Puerperal sepsis	95	103	7	-	-	-	-	2	3	2	-	-	-	-
Other causes incident to childbirth	79	107	1	-	-	-	-	-	1	-	-	-	-	
Congenital malformations	282	231	8	8	-	-	-	-	-	-	-	-	-	-
Premature birth	814	836	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	155	135	7	7	-	-	-	-	-	-	-	-	-	-
Old age	1009	1058	22	-	-	-	-	-	-	-	-	-	5	17
Suicide	499	500	15	-	-	-	-	1	2	1	6	4	1	-
Burns and Scalds	84	118	1	-	1	-	-	-	-	-	-	-	-	-
Drowning	105	87	2	-	-	-	-	-	-	-	-	1	1	-
Suffocation in bed	25	25	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	693	614	14	-	-	1	1	2	-	1	3	-	4	2
Other deaths by violence	700	669	17	1	-	-	-	2	1	2	2	2	2	5
Other specified causes	1813	1959	51	10	1	1	3	1	1	5	6	9	6	8
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 14th November, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	27	293	181	3	203	C. 13 D. 2 E. 1 G. 2 L. 6 M. 9 N. 22
CITY OF LONDON...	-	-	-	-	1	-
Metropolitan Boroughs:—						
BATTERSEA ...		10	13	-	10	M. 1 N. 1
BERMONDSEY ...	-	10	4	-	9	N. 1
BETHNAL GREEN	4	13	11	-	8	C. 1 M. 2
CAMBERWELL ...	1	30	8	1	11	C. 1 N. 2
CHELSEA	-	1	1	-	4	-
DEPTFORD ...	-	7	5	-	2	-
FINSBURY ...	3	6	3	-	7	-
FULHAM	-	-	7	-	12	N. 3
GREENWICH ...	-	3	2	-	2	-
HACKNEY... ...	-	13	5	-	7	C. 1 M. 1 N. 1
HAMMERSMITH ...	-	4	15	-	7	M. 1
HAMPSTEAD ...	-	7	3	-	-	G. 1 N. 1
HOLBORN... ...	-	1	2	-	3	-
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	1	23	14	-	14	E. 1 N. 1
KENSINGTON ...	-	14	5	1	5	L. 6 N. 2
LAMBETH ...	15	12	10	-	9	C. 1 N. 1
LEWISHAM ...	-	14	7	-	9	C. 2 M. 1 N. 2
PADDINGTON ...	-	7	5	-	10	C. 1 M. 1 N. 1
POPLAR	-	24	9	-	13	C. 2
ST. MARYLEBONE	-	3	2	-	2	-
ST. PANCRAS ...	-	11	15		7	D. 1 N. 1
SHOREDITCH ...	-	8	2		4	C. 1 M. 1 N. 1
SOUTHWARK ...	2	11	8	-	8	D. 1 N. 2
STEPNEY	1	38	16	1	16	C. 1 G. 1
STOKE NEWINGTON	-	2	1	-	-	N. 1
WANDSWORTH ...	-	12	3	-	12	C. 2 M. 1
WESTMINSTER, CITY OF	-	1	3	-	2	-
WOOLWICH ...	-	8	2	-	9	N. 1

‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	-	9	3	1	10	G. 1 N. 1
Boroughs and Urban Districts:—						
BEDFORD		-	-	-	3	G. 1
DUNSTABLE ...	-	1	1	-	1	-
LEIGHTON BUZZARD	-	-	1	-	-	-
LUTON	-	2	1	-	1	N. 1
SANDY	-	1	-	-	-	-
Rural Districts:—						
AMPTHILL ...	-	2	-	-	-	-
BEDFORD	-	-	-	1	1	-
BIGGLESWADE ...	-	1	-	-	4	-
EATON SOCON ...	-	2	-	-	-	-
LUTON	*	*	*	*	*	*
BERKS	-	13	10	1	1	M. 1
READING C.B. ...	-	2	2	-	1	-
Boroughs and Urban Districts:—						
MAIDENHEAD ...	-	-	1	-	-	-
NEWBURY ...		1	-	-	-	-
NEW WINDSOR ...	-	3	-	-	-	-
WANTAGE ...	-	1	-	-	-	-
Rural Districts:—						
BRADFIELD ...	-	2	-	-	-	-
COOKHAM ...	-	1	-	-	-	-
EASTHAMPSTEAD	-	3	-	-	-	-
FARINGDON (part)	-	-	-	1	-	M. 1
WANTAGE ...	-	-	1	-	-	-
WOKINGHAM ...	-	-	6	-	-	-
BUCKINGHAM...	-	10	4	-	3	-
Boroughs and Urban Districts:—						
CHEPPING WYCOMBE	-	-	-	-	2	-
MARLOW	-	-	1	-	-	-
SLOUGH	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
AMERSHAM ...	-	-	-	-	1	-
ETON	-	E	3	-	-	-
WYCOMBE ...	-	4	-	-	-	-
CAMBRIDGE ...	-	9	-	-	-	-
Borough:—						
CAMBRIDGE ...	-	4	-	-	-	-
Rural Districts:—						
CHESTERTON ...	-	3	-	-	-	-
NEWMARKET ...	-	2	-	-	-	-
CHESTER ...	-	36	31	-	25	E. 2 N. 3
BIRKENHEAD C.B.	-	2	4	-	4	E. 1 N. 1
CHESTER C.B. ...	-	3	1	-	-	-
STOCKPORT C.B. ...	-	8	1	-	3	E. 1 N. 1
WALLASEY C.B. ...	-	5	7	-	1	-
Boroughs and Urban Districts:—						
BEBINGTON AND BROMBOROUGH	-	1	1	-	-	-
BREDBURY AND ROMILEY	-	-	2	-	-	-
BUGLAWTON ...	-	-	-	-	1	-
CHEADLE AND GATLEY	-	1	-	-	-	N. 1
CONGLETON ...	-	1	-	-	-	-
CREWE	-	1	-	-	2	-
DUKINFIELD ...	-	-	-	-	2	-
ELLESMERE PORT AND WHITBY	-	1	-	-	-	-
HOOLE	-	-	-	-	1	-
HYDE	-	2	1	-	2	-
KNUTSFORD ...	-	3	-	-	-	-
MACCLESFIELD ...	-	-	-	-	2	-
MOTTRAM IN LONGDENDALE	-	1	-	-	-	-

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NANTWICH ...	–	–	2	–	–	–
NORTHWICH ...	–	–	–	–	1	–
SALE	–	1	3	–	–	–
STALYBRIDGE ...	–	1	–	–	2	–
TARPORLEY ...	–	1	–	–	–	–
WINSFORD ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW... ...	–	1	1	–	1	–
DISLEY	–	–	1	–	–	–
MACCLESFIELD ...	–	–	1	–	–	–
NANTWICH ...	–	–	–	–	1	–
RUNCORN... ...	–	1	–	–	1	–
TARVIN	–	1	1	–	–	–
WIRRAL	–	1	5	–	–	–
CORNWALL ...	–	12	5	–	1	C. 1 J. 1
Boroughs and Urban Districts:—						
FALMOUTH ...	–	–	–	–	–	C. 1
FOWEY	–	2	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
LOOE	–	2	–	–	–	–
MADRON	–	–	1	–	–	–
ST. IVES	–	1	–	–	–	–
TRURO	–	1	1	–	–	J. 1
Rural Districts:—						
LISKEARD ...	–	2	–	–	–	–
REDRUTH ...	–	1	–	–	–	–
ST. AUSTELL ...	–	–	3	–	–	–
TRURO	–	3	–	–	–	–
CUMBERLAND...	–	5	2	1	8	N. 1
CARLISLE C.B. ...	–	2	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ASPATRIA ...	–	2	–	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
PENRITH	–	–	–	–	1	–
WHITEHAVEN ...	–	–	–	–	3	N. 1
WORKINGTON ...	–	–	–	–	2	–
Rural Districts:—						
PENRITH	–	–	1	–	1	–
WIGTON	–	–	–	1	–	–
DERBY	20	31	24	2	15	D. 3 M. 1 N. 1
DERBY C.B. ...	–	8	8	–	5	–
Boroughs and Urban Districts:—						
ALFRETON ...	8	1	1	–	–	D. 1
BELPER	–	–	–	–	1	–
CHESTERFIELD ...	–	6	4	–	3	–
GLOSSOP	–	–	–	–	1	–
HEAGE	–	–	–	–	1	–
HEANOR	–	–	–	1	1	–
LONG EATON ...	–	3	–	–	–	–
WIRKSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
BELPER	1	–	–	–	–	–
BLACKWELL ...	–	1	1	–	–	M. 1 N. 1
CHAPEL EN LE FRITH	–	–	–	–	1	–
CHESTERFIELD ...	11	6	3	1	1	D. 2
CLOWNE	–	1	1	–	–	–
HAYFIELD ...	–	1	–	–	–	–
REPTON	–	2	1	–	1	–
SHARDLOW ...	–	1	5	–	–	–
DEVON	–	23	13	1	7	C. 1
PLYMOUTH C.B.	–	12	5	–	5	C. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	1	4	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TEIGNMOUTH ...	–	–	–	–	1	–
TORQUAY	–	–	2	–	–	–
Rural Districts:—						
BROADWOOD WIDGER	–	1	–	–	–	–
CULMSTOCK ...	–	1	–	–	–	–
HOLSWORTHY (part)	–	–	–	–	1	–
NEWTON ABBOT	–	1	–	–	–	–
OKEHAMPTON ...	–	3	–	–	–	–
PLYMPTON ST. MARY	–	1	2	–	–	–
ST. THOMAS ...	–	–	–	1	–	–
TAVISTOCK ...	–	1	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
DORSET	–	2	4	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	–	M. 1
POOLE	–	1	3	–	–	–
WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	–	C. 1
WEYMOUTH ...	–	1	1	–	–	–
DURHAM ...	–	86	23	4	85	C. 4 D. 4 F. 1 M. 4 N. 3
DARLINGTON C.B.	–	8	–	–	5	C. 1
DURHAM—*cont.*						
GATESHEAD C.B.	–	9	1	1	10	C. 1 D. 1
SOUTH SHIELDS C.B.	–	–	–	–	6	D. 1
SUNDERLAND C.B.	–	21	7	1	23	C. 1 D. 1 F. 1 N. 2
WEST HARTLEPOOL C.B.	–	5	1	–	1	–
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	–	2	–	1	M. 1
BILLINGHAM ...	–	1	1	–	1	–
BLAYDON	–	5	–	1	–	–
CHESTER LE STREET	–	–	–	–	2	–
CONSETT	–	–	1	–	–	–
CROOK	–	–	–	–	1	–
DURHAM	–	3	–	–	–	M. 1
FELLING	–	4	–	–	–	–
HEBBURN ...	–	1	–	–	7	–
HETTON	–	1	–	–	2	–
JARROW	–	–	1	–	6	–
LEADGATE ...	–	1	–	–	–	–
RYTON	–	1	–	–	–	–
SEAHAM HARBOUR	–	–	–	–	–	D. 1
STANLEY	–	1	1	–	–	–
STOCKTON ON TEES	–	1	1	1	–	–
TANFIELD ...	–	–	3	–	1	–
TOW LAW ...	–	–	–	–	1	–
WASHINGTON ...	–	2	–	–	–	–
WHICKHAM ...	–	–	–	–	2	–
Rural Districts:—						
AUCKLAND ...	–	–	–	–	–	M. 1
CHESTER LE STREET	–	5	–	–	3	–
DURHAM	–	–	–	–	1	–
EASINGTON ...	–	5	4	–	6	C. 1 N. 1
HOUGHTON LE SPRING	–	6	–	–	2	–
LANCHESTER ...	–	3	–	–	2	–
SEDGEFIELD ...	–	1	–	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum: N Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
South Shields	–	–	–	–	2	–
Sunderland ...	–	2	–	–	–	M. 1
ELY, ISLE OF ...	–	2	3	–	1	–
Boroughs and Urban Districts:—						
Whittlesey ...	–	2	3	–	1	–
ESSEX	18	90	37	–	37	C. 1 E. 1 F. 1 G. 1 L. 1 M. 2 N. 5
East Ham C.B....	–	8	1	–	3	–
Southend on Sea C.B.	–	3	–	–	–	M. 1 N. 2
West Ham C.B.	17	18	8	–	13	E. 1
Boroughs and Urban Districts:—						
Barking Town...	–	5	4	–	4	M. 1 N. 1
Benfleet ...	–	1	–	–	–	–
Buckhurst Hill	–	2	–	–	–	–
Canvey Island	–	1	–	–	–	–
Chelmsford ...	1	–	–	–	–	–
Chingford ...	–	3	–	–	–	–
Colchester ...	–	3	–	–	–	L. 1
Dagenham ...	–	8	4	–	6	–
Harwich ...	–	–	4	–	–	–
Ilford	–	6	3	–	2	F. 1
Leyton	–	12	4	–	4	–
Maldon	–	1	–	–	–	–
Romford... ...	–	3	–	–	–	–
Tilbury	–	–	2	–	–	N. 1
Waltham Holy Cross	–	1	–	–	–	–
Walthamstow ...	–	8	5	–	3	–
Wivenhoe ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
Billericay ...	–	–	2	–	–	G. 1 N. 1
Braintree ...	–	3	–	–	–	–
Chelmsford ...	–	2	–	–	–	–
Epping	–	1	–	–	–	–
Orsett	–	–	–	–	1	–
Rochford ...	–	–	–	–	–	C. 1
Tendring ...	–	1	–	–	–	–
GLOUCESTER ...	–	11	18	2	16	D. 1 M. 3 N. 3
Bristol C.B. ...	–	8	14	2	10	D. 1 M. 1 N. 1
Gloucester C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
Cheltenham ...	–	2	–	–	–	–
Cirencester ...	–	–	–	–	1	–
Kingswood ...	–	–	1	–	–	–
Stroud	–	–	2		–	–
Rural Districts:—						
Campden... ...	–	–	–	–	–	M. 1
Stow on the Wold	–	–	–	–	–	N. 1
Stroud	–	1	–	–	3	–
Thornbury ...	–	–	–	–	–	M. 1 N. 1
West Dean ...	–	–	–	–	1	–
HEREFORD ...	–	7	1	–	2	N. 1
Boroughs and Urban Districts:—						
Hereford ...	–	–	1	–	–	–
Ledbury... ...	–	1	–	–	–	–
Rural Districts:—						
Bromyard ...	–	2	–	–	1	–
Dore	–	–	–	–	–	N. 1
Hereford ...	–	2	–	–	–	–
Kington	–	1	–	–	–	–
Ledbury... ...	–	1	–	–	1	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever :

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	-	5	2	-	3	C. 1 G. 1
Boroughs and Urban Districts:—						
BARNET	-	-	1	-	1	-
CHESHUNT ...	-	1	-	-	-	-
EAST BARNET VALLEY	-	1	-	-	-	-
HITCHIN	-	-	1	-	-	-
LETCHWORTH ...	-	-	-	-	1	-
ST. ALBANS ...	-	1	-	-	-	-
WATFORD... ...	-	1	-	-	1	G. 1
Rural Districts:—						
WARE	-	-	-	-	-	C. 1
WATFORD ...	-	1	-	-	-	-
HUNTINGDON ...	-	4	-	-	-	-
Boroughs and Urban Districts—						
HUNTINGDON ...	-	2	-	-	-	-
RAMSEY	-	1	-	-	-	-
Rural Districts:—						
ST. NEOTS ...	-	1	-	-	-	-
KENT	-	52	20	2	14	C. 3 F. 1 L. 2
CANTERBURY C.B.	-	1	1	1	3	-
Boroughs and Urban Districts:—						
ASHFORD	-	3	-	-	-	-
BECKENHAM ...	-	4	1	-	-	-
BEXLEY	-	-	2	-	-	-
BROMLEY... ...	-	4	-	-	1	-
CHATHAM ...	-	1	1	1	-	-
CHERITON ...	-	1	-	-	-	-
CHISLEHURST ...	-	1	2	-	-	-
CRAYFORD ...	-	1	-	-	-	-
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
DARTFORD ...	-	-	1	-	-	-
DOVER	-	-	1	-	1	-
ERITH	-	1	1	-	-	-
GILLINGHAM ...	-	4	-	-	-	C. 1
MAIDSTONE ...	-	1	-	-	-	-
MARGATE ...	-	2	-	-	-	-
NORTHFLEET ...	-	2	-	-	-	-
PENGE		2	-	-	-	-
ROCHESTER ...		1	-	-	-	F. 1
ROYAL TUNBRIDGE WELLS	-	1	-	-	-	C. 1
SHEERNESS ...	-	2	-	-	-	C. 1
SIDCUP	-	1	-	-	-	-
SITTINGBOURNE AND MILTON	-	3	1	-	-	-
TONBRIDGE ...		-	-	-	4	-
WALMER	*	*	*	*	*	*
WHITSTABLE ...	-	-	-	-	-	L. 2
Rural Districts:—						
BLEAN	-	2	-	-	-	-
BROMLEY...: ...	-	1	1	-	-	-
CRANBROOK ...	-	1	-	-	-	-
DARTFORD ...	-	5	1	-	-	-
DOVER		2		-	-	-
EASTRY	-	-	6	-	2	-
ISLE OF THANET	-	2	-	-	2	-
MALLING		1	-	-		-
SEVENOAKS ...	-	1	-	-	1	-
STROOD	-	-	1	-	-	-
TONBRIDGE ...	-	1	-	-	-	-
LANCASTER ...	-	241	140	4	291	C. 9 D. 3 G. 2 L. 7 M. 13 N. 16
BARROW IN FURNESS C.B.	-	-	-	-		D. 1
BLACKBURN C.B.	-	2	1	-	2	-
BLACKPOOL C.B.	-	2	-	-	4	-
BOLTON C.B. ...	-	11	1	-	6	N. 1
BOOTLE C.B. ...	-	9	5	-	1	-

* Returns not received.

', Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polic-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Burnley C.B. ...	–	3	1	1	10	N. 2
Bury C.B. ..	–	1	–	–	5	N. 1
Liverpool C.B....	–	35	58	–	88	C. 4
						D. 1
						M. 9
						N. 2
Manchester C.B.	–	75	13	–	52	C. 2
						D. 1
						M. 1
						N. 3
Oldham C.B. ...	–	4	2	–	4	N. 1
Preston C.B. ...	–	8	3	–	4	N. 1
Rochdale C.B....	–	1	1	–	5	–
St. Helens C.B.	–	5	1	–	5	–
Salford C.B. ...	–	13	15	–	11	–
Southport C.B.	–	2	1	–	–	–
Warrington C.B.	–	5	3	–	3	N. 2
Wigan C.B. ...	–	1	–	–	6	–
Boroughs and Urban Districts:—						
Abram	–	1	2	–	1	–
Accrington ...	–	1	–	–	–	–
Ashton in Makerfield	–	–		–	2	–
Ashton-under-Lyne	–	5	–	–	1	–
Aspull	–	1	–	–	2	–
Atherton ...	–	–	–	–	1	–
Bacup	–	–	–	–	1	C. 1
Blackrod ...	–	1	–	–	1	–
Chorley	–	2	–	–	1	–
Clitheroe ...	–	–	–	–	1	–
Colne	–	4	1	–	–	–
Dalton in Furness	–	–	–	1	–	–
Darwen	–	–	1	–	1	–
Denton	–	–	1	–	2	–
Droylsden ...	–	2	–	–	1	–
Eccles	–	–	2	–	4	–
Failsworth ...	–	–	1			G. 1
Farnworth ...	–	–	–	–	3	C. 1
						N. 1
Golborne ...	–	–	1	–	1	–
Great Crosby ...	–	–	1	–	–	–
Great Harwood	–	–	–	–	1	–
Haslingden ...	–	–	1	–	1	–
Haydock... ...	–	–	–	–	2	–
Hindley... ...	–	–	–	–	3	–
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Horwich... ...	–	5	1	–	5	–
Huyton with Roby	*	*	*	*	*	*
Irlam	–	4	–	–	1	–
Lancaster ...	–	1	–	–	–	–
Lees	–	–	–	1	–	–
Leigh	–	–	1	–	–	N. 1
Litherland ...	–	2	1	–	3	–
Longridge ...	–	1	–	–	–	–
Lytham St. Anne's	–	–	–	1	–	–
Middleton ...	–	3	2	–	2	–
Milnrow... ...	–	–	–	–	1	–
Morecambe and Heysham	–	1	–	–	2	–
Mossley	–	1	–	–	–	–
Nelson	–	5	–	–	–	M. 1
Newton in Makerfield	–	3	1	–	3	–
Ormskirk ...	–	1	–	–	–	C. 1
Oswaldtwistle	–	–	–	–	3	–
Prescot	–	1	–	–	–	–
Prestwich ...	–	1	–	–	–	L. 6
Radcliffe ...	–	–	1	–	–	–
Stretford ...	–	2	3	–	1	–
Swinton and Pendlebury	–	1	–	–	5	M. 1
Thornton Cleveleys	–	–	–	–	1	–
Tottington ...	–	–	4	–	1	–
Tyldesley with Shakerley	–	1	–	–	1	–
Urmston... ...	–	1	1	–	1	–
Waterloo with Seaforth	–	4	1	–	4	–
Westhoughton	–	–	–	–	2	–
Whitefield ...	–	–	–	–	–	L. 1
Widnes	–	3	1	–	1	–
Worsley... ...	–	–	–	–	1	–
Rural Districts:—						
Barton upon Irwell	–	–	–	–	4	–
Blackburn ...	–	–	–	–	2	–
Burnley ...	–	–	–	–	3	N. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Rural Districts— *cont.*						
BURY	–	1	–	–	–	–
CHORLEY	–	–	1	–	2	–
FYLDE	–	–	–	–	–	G. 1
GARSTANG ...	–	–	2	–	–	–
LEIGH	–	1	–	–	1	–
LIMEHURST ...	–	–	–	–	–	M. 1
PRESTON	–	1	–	–	3	–
SEFTON	–	–	1	–	–	–
WARRINGTON ...	–	1	–	–	1	–
WHISTON	–	2	3	–	–	–
WIGAN	–	–	–	–	1	–
LEICESTER ...	1	19	3	–	14	C. 1 N. 1
LEICESTER C.B....	1	7	2	–	7	N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–		–	–	2	–
COALVILLE ...		3	–	–	–	–
HINCKLEY ...	–	–	–	–	1	–
LOUGHBOROUGH	–	3	–	–	–	–
SHEPSHED ...	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	1	–
BILLESDON ...	–	1	–	–	1	–
BLABY	–	–	–	–	1	–
CASTLE DONINGTON	–	–	–	–	–	C. 1
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	3	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	2	8	2	–	3	N. 1
Boroughs and Urban Districts:—						
BOSTON	–	–	–	–	1	–
HOLBEACH ...	–	2	1		–	–
SPALDING ...	–	1	1	–	–	–
Rural Districts:—						
BOSTON	–	2	–	–	2	–
CROWLAND ...	–	2	–	–	–	–
EAST ELLOE ...	–	1	–	–	–	N. 1
SPALDING ...	2	–	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	1	–	2	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
EAST KESTEVEN	–	–	–	–	1	–
NORTH KESTEVEN	–	–	1	–	–	–
SOUTH KESTEVEN	–	1	–	–	–	
WEST KESTEVEN	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	13	5	1	10	E. 1 M. 1 N. 2
GRIMSBY C.B. ...	–	2	1	1	4	N. 1
LINCOLN C.B. ...	–	6	3	–	2	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
CLEETHORPES ...	–	1	–	–	–	–
GAINSBOROUGH ...	–	–	–	–	1	–
HORNCASTLE ...	–	1	–	–	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum : N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
SCUNTHORPE AND FRODINGHAM	–	2	–	–	–	N. 1
WINTERTON ..	–	–	–	–	–	E. 1
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	M. 1
GLANFORD BRIGG	–	–	–	–	1	–
HORNCASTLE ...	–	–	–	–	1	–
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	–	101	34	1	39	C. 3 D. 1 M. 3 N. 2
Boroughs and Urban Districts:—						
ACTON	–	–	1	–	1	–
BRENTFORD AND CHISWICK	–	4	–	–	–	–
EALING	–	3	–	–	2	M. 1
EDMONTON ...	–	14	1	–	7	–
ENFIELD	–	9	7	1	–	–
FINCHLEY ...	–	5	3	–	–	–
FRIERN BARNET...	–	1	2		–	–
HARROW ON THE HILL	–	2	–	–	–	–
HAYES AND HARLINGTON	–	–	–	–	1	N. 1
HENDON	–	8	5	–	1	D. 1 M. 1 N. 1
HESTON AND ISLEWORTH	–	4	1	–	3	–
HORNSEY	–	7	3	–	1	C. 2
KINGSBURY ...	*	*	*	*	*	*
RUISLIP NORTHWOOD	–	–	1	–	–	–
SOUTHALL NORWOOD	–	2	–	–	1	C. 1
SOUTHGATE ...	–	1	–	–	3	–
STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	–	4	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
TEDDINGTON ...	–	2	–	–	–	–
TOTTENHAM ...	–	18	2	–	6	–
TWICKENHAM ...	–	2	1	–	1	–
UXBRIDGE ...	–	4	1	–	–	–
WEALDSTONE ...	–	1	–	–	3	–
WILLESDEN ...	–	9	2	–	7	M. 1
WOOD GREEN ...	–	2	–	–	1	–
Rural Districts:—						
HENDON	–	2	–	–	1	–
NORFOLK ...	–	21	5	–	3	M. 3
NORWICH C.B. ...	–	7	4	–	1	M. 1
Boroughs and Urban Districts:—						
CROMER	–	3	–	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	–
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	1	–	–	1	–
DOCKING	–	3	–	–	–	–
FOREHOE	–	1	–	–		–
FREEBRIDGE LYNN	–	2	1	–	–	–
MARSHLAND ...	–	2	–		1	–
ST. FAITH'S ...	–	–	–	–	–	M. 1
WAYLAND ...	–	–	–	–	–	M. 1
NORTHAMPTON	–	31	2	–	10	C. 1 M. 1 N. 2
NORTHAMPTON C.B	–	4	2	–	3	C. 1 M. 1 N. 2

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
BRACKLEY ...	–	–	–	–	2	–
BURTON LATIMER	–		–	–	2	–
DESBOROUGH ...	–	7	–	–		–
FINEDON	–	–	–		1	–
KETTERING ...	–	7	–	–	–	–
ROTHWELL ...	–	2	–	–	–	–
RUSHDEN... ...	–	5	–	–	1	–
Rural Districts:—						
BRACKLEY ...	–	–	–	–	1	–
KETTERING ...	–	2	–	–	–	–
THRAPSTON (part)	–	2	–	–	–	–
TOWCESTER ...	–	2	–	–	–	–
NORTHUMBERLAND.	–	51	12	1	39	C. 1 D. 1 G. 1 L. 4 M. 2
NEWCASTLE UPON TYNE C.B.	–	24	5	1	29	C. 1 D. 1 L. 4 M. 2
TYNEMOUTH C.B.	–	2	4	–	–	–
Boroughs and Urban Districts:—						
ASHINGTON ...	–	2	–	–	1	–
BEDLINGTONSHIRE	–	–	–	–	1	–
BERWICK UPON TWEED	–	1	–	–	1	–
BLYTH	–	2	2	–	2	–
EARSDON	–	2	–	–	–	–
GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	1	–	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
NEWBURN ...	–	1	–	–	1	G. 1
PRUDHOE... ...	–	–	1	–	–	–
SEATON DELAVAL	–	6	–	–	–	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
WALLSEND ...	–	3	–	–	1	–
WEETSLADE ...	–	1	–	–	–	–
WHITLEY AND MONKSEATON	–	–	–	–	2	–
Rural Districts:—						
HEXHAM	–	1	–	–	–	–
MORPETH ..	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	2	–	–	–	–
ROTHBURY ...	–	–	–	–	1	–
NOTTINGHAM ...	–	34	13	1	18	M. 1 N. 3
NOTTINGHAM C.B.		12	4	1	7	–
Boroughs and Urban Districts:—						
ARNOLD	–	–	1	–	–	–
BEESTON	–	2	–	–	–	–
CARLTON	–	–	–	–	1	M. 1
EAST RETFORD ...	–	–	1	–	–	–
HUCKNALL ...	–	7	3	–	1	N. 1
KIRKBY IN ASHFIELD	–	–	–	–	2	–
MANSFIELD ...	–	1	–	–	–	–
MANSFIELD WOODHOUSE	–	–	1	–	–	–
SUTTON IN ASHFIELD	–	1	2	–	–	–
WEST BRIDGFORD	–	2	–	–	1	–
Rural Districts:—						
BASFORD	–	–	1	–	3	–
BINGHAM... ...	–	1	–	–	–	–
SKEGBY	–		–	–	–	N. 1
SOUTHWELL ...	–	1	–	–	1	–
STAPLEFORD ...	–	1	–	–	–	–
WORKSOP... ...	–	6	–	–	2	N. 1

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	2	–	–	3	–
OXFORD C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BANBURY... ...	–	–	–	–	1	–
CHIPPING NORTON	*	*	*	*	*	*
WITNEY	*	*	*	*	*	*
WOODSTOCK ...	*	*	*	*	*	*
Rural Districts:—						
BANBURY... ...	*	*	*	*	*	*
CHIPPING NORTON	*	*	*	*	*	*
CROWMARSH ...	–	–	–	–	1	–
THAME	–	1	–	–	–	
WITNEY	*	*	*	*	*	*
WOODSTOCK ...	*	*	*	*	*	*
PETERBOROUGH (Soke of).	–	1	–	–	–	–
Borough:—						
PETERBOROUGH...	–	1	–	–	–	–
RUTLAND ...	–	–	–	–	–	N. 1
Urban District:—						
OAKHAM	–	–	–	–	–	N. 1
SALOP	–	4	7	2	3	C. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	2	–	–
LUDLOW	–	1	–	–	–	–
MARKET DRAYTON	–	–	–	–	1	–
NEWPORT... ...	–	–	1	–	–	–
OAKENGATES ...	–	–	2	–	–	–
OSWESTRY ...	–	–	–	–	1	–
Rural Districts:—						
ATCHAM	–	2	–	–	–	–
CHIRBURY ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts—*cont.*						
CLEOBURY MORTIMER	–	–	–	–		M. 1
DRAYTON	–	–	–	–	1	–
NEWPORT... ...	–	1	–	–	–	–
SHIFNAL	–	–	3	–	–	–
WELLINGTON ...	–	–	1	–	–	–
SOMERSET ...	–	15	7	–	6	G. 1 N. 3
BATH C.B. ..		3	1	–	–	N. 1
Boroughs and Urban Districts:—						
BRIDGWATER ...	–	–	–	–	–	N. 1
CLEVEDON ..	*	*	*	*	*	*
STREET	–	–	–	–	1	–
WELLINGTON ...	–	9	–	–	1	–
WESTON SUPER MARE	–	1		–	–	–
WIVELISCOMBE ...	–	–	1	–	–	–
YEOVIL	–	–	–	–	1	–
Rural Districts:—						
BATH	–	–	–	–		G. 1
CLUTTON	–	–	–	–	1	–
FROME	–	2	–	–	–	–
LANGPORT ...	–	–	–	–	1	–
WELLS	–		4	–	1	–
YEOVIL	–	–	1	–	–	N. 1
SOUTHAMPTON	–	32	31	–	4	C. 2 G. 2 M. 4 N. 4
BOURNEMOUTH C.B.	–	1	4	–	–	–
PORTSMOUTH C.B.	–	4	15	–	–	G. 1 M. 3
SOUTHAMPTON C.B.	–	2	8	–	2	N. 2

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
ALDERSHOT ...	–	–	–	–	1	–
ANDOVER... ...	–	–	–	–	1	–
CHRISTCHURCH ...	*	*	*	*	*	*
FARNBOROUGH ..	–	1	–	–	–	–
GOSPORT	–	4	2	–	–	C. 1
PETERSFIELD ...	–	1	–	–	–	–
ROMSEY	*	*	*	*	*	*
Rural Districts:—						
ALTON	–	5	–	–	–	–
ANDOVER... ...	–	1	1	–	–	–
BASINGSTOKE ...	–	6	–	–	–	C. 1
CATHERINGTON ...	–	–	1	–	–	
CHRISTCHURCH ...	*	*	*	*	*	*
DROXFORD ...	–	–	–	–	–	M. 1
FAREHAM ...	–	4	–	–	–	–
HAVANT	–	–	–	–	–	N. 1
KINGSCLERE ...	–	–	–	–	–	G. 1
LYMINGTON ...	–	–	–	–	–	N. 1
RINGWOOD ...	–	3	–	–	–	
ROMSEY	*	*	*	*	*	*
STAFFORD ...	–	51	45	–	68	C. 1 L. 2 M. 4 N. 8
BURTON UPON TRENT C.B.	–	1	1	–	2	–
SMETHWICK C.B.	–	5	4	–	6	–
STOKE ON TRENT C.B.	–	6	4	–	23	M. 1
WALSALL C.B. ...	–	5	5	–	1	–
WEST BROMWICH C.B.	–	3	2	–	5	M. 2 N. 1
WOLVERHAMPTON C.B.	–	6	5	–	4	M. 1 N. 5
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	1	–	–	–
AUDLEY	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:— *cont.*						
BILSTON	–	–	1	–	4	–
BRIERLEY HILL...	–	–	–	–	1	–
CANNOCK	–	1	1	–		–
COSELEY	–	3	–	–	1	–
KIDSGROVE ...	–	–	1	–	–	–
LEEK	–	–	6	–	1	–
LICHFIELD ...	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	–	1	–	2	–
ROWLEY REGIS ...	–	3	–	–	4	–
RUGELEY... ...	–	2	–	–	–	–
SEDGLEY	–	1	–	–	2	–
SHORT HEATH ...	–	–	–	–	–	C. 1
STAFFORD ...	–	–	1	–	1	N. 1
TETTENHALL ...	–	–	1	–	–	–
TIPTON	–	4	–	–	2	–
WEDNESBURY ...	–	1	–	–	1	–
WILLENHALL ...	–	–	3	–	1	N 1
WOLSTANTON UNITED	–	–	1	–	1	–
Rural Districts:—						
CHEADLE... ...	–	4	–	–	–	L. 2
KINGSWINFORD ...	–	1	1	–	1	–
LEEK	*	*	*	*	*	*
LICHFIELD ...	–	1	2	–	3	–
STAFFORD ...	–	1	–	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	1	2	–	–	–
UTTOXETER ...	–	–	1	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST	–	19	20	–	4	–
IPSWICH C.B. ...	–	11	17	–	1	–
Boroughs and Urban Districts:—						
LOWESTOFT ...	–	3	2	–	–	–
SOUTHWOLD ...	–	2	1	–	–	–
STOWMARKET ...	–	1	–	–	2	–

* Returns not received.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; T, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
HARTISMERE ...	–	–	–	–	1	–
PLOMESGATE ...	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST	–	4	1	–	–	N. 1
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	2	–	–	–	–
SUDBURY... ...	–	–	1	–	–	–
Rural Districts:—						
COSFORD	–	1	–	–	–	–
MELFORD... ...	–	–	–	–	–	N. 1
THINGOE	–	1	–	–	–	–
SURREY	–	34	11	–	7	M. 1 N. 2
CROYDON C.B. ...	–	13	2	–	–	N. 1
Boroughs and Urban Districts:—						
BARNES	–	3	–	–	1	–
BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	1	1	–	2	–
FARNHAM ...	–		–	–	–	N. 1
FRIMLEY AND CAMBERLEY	–	2	–	–	–	–
KINGSTON ON THAMES	–	–	–	–	1	–
MERTON AND MORDEN		–	1	–	–	–
MITCHAM... ...	–	3	–	–	–	M. 1
REIGATE	–	–	1	–	–	–
RICHMOND ...	–	3	–	–	–	–
SURBITON ...	–	1	–	–	–	–
SUTTON AND CHEAM	–	2	–	–	1	–
SURREY—*cont.*						
Boroughs and Urban Districts:— *cont.*						
THE MALDENS AND COOMBE	–	–	–	–	1	–
WALTON UPON THAMES	–	2	–	–	1	–
WIMBLEDON ...	–	2	5	–	–	–
Rural Districts:—						
FARNHAM ...	–	1	1	–	–	–
SUSSEX, EAST...	–	8	19	–	2	E. 1 M. 2
BRIGHTON C.B. ...	–	1	5	–	–	E. 1
EASTBOURNE C.B.	–	1	3	–	–	–
HASTINGS C.B. ...	–	2	3	–	1	–
Boroughs and Urban Districts:—						
BATTLE	–	–	–	–	–	M. 1
BEXHILL	–	2	1	–	–	–
BURGESS HILL ...	–	–	–	–	1	–
EAST GRINSTEAD	*	*	*	*	*	*
HOVE	–	1	–	–	–	–
LEWES	–	–	1	–	–	–
NEWHAVEN ...	–	1		–	–	–
Rural Districts:—						
HAILSHAM ...	–	–	6	–		–
RYE	–	–		–	–	M. 1
SUSSEX, WEST—	–	10	8	–	2	G. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
BOGNOR REGIS ...			3	–	–	–
HORSHAM ...	–	1	1	–	–	–
LITTLEHAMPTON	–	–	2	–	1	–
WORTHING ...	–	3	1		–	G. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
EAST PRESTON ...	–	–	1	–	–	–
HORSHAM ...	–	–	–	–	1	–
MIDHURST ...	–	2	–	–	–	–
STEYNING WEST...	–	2	–	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WARWICK ...	–	79	37	1	51	C. 2 D. 1 G. 2 M. 13 N. 15
BIRMINGHAM C.B.	–	57	29	–	39	C. 1 D 1 G. 1 M. 11 N. 11
COVENTRY C.B. ...	–	5	4	–	6	M. 1 N. 1
Boroughs and Urban Districts:—						
BEDWORTH ...	–	–	–	–	1	N. 1
NUNEATON ...	–	1	–	–	1	–
ROYAL LEAMINGTON SPA	–	1	1	–	2	–
RUGBY	–	3	–	–		–
STRATFORD ON AVON	–	–	–	–	–	N. 1
WARWICK ...	–	1	–	–	–	G. 1
Rural Districts:—						
ATHERSTONE ...	–	–	2	–	1	C. 1
FOLESHILL ...	–	3		–		–
SOLIHULL ...	–	1	–	–	–	N. 1
SOUTHAM... ...	–	6	–	–	1	–
STRATFORD ON AVON	–	–	–	1	–	–
TAMWORTH (part)	–	–	1	–	–	–
WARWICK ...	–	1	–	–	–	M. 1
WESTMORLAND	–	–	–	–	3	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	2	–
SOUTH WESTMORLAND	–	–	–	–	1	–
WIGHT, ISLE OF	–	3	–	–	–	C. 1 N. 1
Boroughs and Urban Districts:—						
COWES	–	2	–	–	–	–
EAST COWES ...	–	–	–	–	–	N. 1
SANDOWN ...	–	1	–	–	–	C. 1
WILTS	–	4	6	–	3	E. 1 N. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	*	*	*	*	*	*
MALMESBURY ...	–	–	–	–	–	N. 1
MARLBOROUGH ...	–	–	–	–	1	–
SALISBURY ...	–	1	–	–	–	–
SWINDON... ...	–	1	5	–	–	–
TROWBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	–	–		1	–
BRADFORD ON AVON	*	*	*	*	*	*
CHIPPENHAM ...	–	–	–	–	–	E. 1
HIGHWORTH ...	–	–	1	–	–	–
SALISBURY ...	–	1	–	–	–	–
TISBURY	–	–	–	–	1	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	23	3	–	8	C. 1 M. 1 N. 3
DUDLEY C.B. ...	–	1	–	–	–	C. 1
WORCESTER C.B.	–	2	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	M. 1
HALESOWEN ...	–	–	1	–	1	N. 3
KIDDERMINSTER	–	10	–	–	–	–
LYE AND WOLLESCOTE	–	–	–	–	1	–
OLDBURY	–	2	–	–	2	–
REDDITCH ...	–	–	1	–	2	–
STOURBRIDGE ...	–	2	1	–	–	–
Rural Districts:—						
EVESHAM	–	2	–	–	–	–
PERSHORE ...	–	2	–	–	–	–
UPTON ON SEVERN	–	1	–	–	1	–
YORKS ... ... (East Riding).	–	18	30	–	10	D. 1 M. 1 N. 2
KINGSTON UPON HULL C.B.	–	13	22	–	9	D. 1 N. 2
Boroughs and Urban Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	–	1		–	–
GREAT DRIFFIELD	–	–	–	–	–	M. 1
HESSLE	–	–	3	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
HOWDEN	–	1	2	–	–	–
PATRINGTON ...	–	2	2	–	–	–
YORKS ... ... (North Riding).	–	29	7	–	20	C. 1 N. 2
MIDDLESBROUGH C.B.	–	10	1	–	15	C. 1 N. 1
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
ESTON	–	3	–	–	1	–
GUISBOROUGH ...	–	1	–	–	–	–
HINDERWELL ...	–	2	–	–	–	–
LOFTUS	–	–	–	–	1	–
NORTHALLERTON	–	2	–	–	–	–
REDCAR	–	1	–	–	1	–
SALTBURN BY THE SEA	–	2	–		–	–
SCARBOROUGH ...	–	1	3	–	–	–
THORNABY ON TEES	–	2	–	–	2	–
WHITBY	–	1	–	–	–	–
Rural Districts:—						
BEDALE	*	*	*	*	*	*
FLAXTON	–	–	1	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	1		–	–
RICHMOND ...	–	1	–	–	–	–
SCARBOROUGH ...	–	1	–	–	–	–
STOKESLEY ...	–	1	1	–	–	N. 1
YORKS ... ... (West Riding).	–	161	81	5	124	C. 6 D. 9 M. 3 N. 6
BARNSLEY C.B. ...	–	2	1	–	5	D. 2
BRADFORD C.B. ...	–	16	6	–	6	C. 1
DEWSBURY C.B....	–	6	2	–	–	–
DONCASTER C.B....	–	7	1	–	1	D. 1
HALIFAX C.B. ...	–	6	3	1	4	C. 2
HUDDERSFIELD C.B.	–	1	–	–	5	N. 1
LEEDS C.B. ...	–	34	21	–	25	N. 1
ROTHERHAM C.B.	–	1	2	2	1	–
SHEFFIELD C.B....	–	15	24	1	37	C. 1 M. 1 N. 1
WAKEFIELD C.B.	–	13	1	–	2	N. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	1	2	–	–	N. 1
ALTOFTS	–	–	2	–	–	–
BARNOLDSWICK ...	–	1	–	–	–	–
BATLEY	–	2	–	–	–	–
BRIGHOUSE ...	*	*	*	*	*	*
CALVERLEY ...	–	–	–	–	1	–
CASTLEFORD ...	–	1	–	–	1	–
CONISBROUGH ...	–	–	–	–	–	D. 1
						M. 1
DARTON	–	–	1	–	1	–
EMLEY	–	–	–	–	1	–
FEATHERSTONE ...	–	–	–	1	–	–
GARFORTH ...	–	1	–	–	–	–
GILDERSOME ...	–	1	–	–	1	–
GOOLE	–	–	–	–	–	N. 1
GREASBROUGH ...	–	1	–	–	–	–
GUISELEY ...	–	1	–	–	–	–
HARROGATE ...	–	1	1	–	–	–
HEMSWORTH ...	–	–	–	–	2	–
HIPPERHOLME ...	*	*	*	*	*	*
HORBURY... ...	–	1	–	–	–	–
HORSFORTH ...	*	*	*	*	*	*
HOYLAND NETHER	–	–	1	–	1	D. 1
HUNSWORTH ...	–	–	–	–	1	–
KEIGHLEY ...	–	6	–	–	–	–
KIRKBURTON ...	–	1	–	–	–	–
KNARESBOROUGH	–	–	2	–	–	–
KNOTTINGLEY ...	–	–	–		1	–
MARSDEN... ...	–	–	1	–	1	–
MELTHAM ...	–	1	–	–	–	–
MEXBOROUGH ...	–	–	–	–	1	–
MIDGLEY... ...	–	–	–	–	1	–
MORLEY	–	3	–	–	–	–
MYTHOLMROYD ...	–	–	–	–	3	–
NORMANTON ...	–	2	–	–	2	–
PUDSEY	–	1	1	–	–	–
SILSDEN	–	3	–	–	–	–
SOWERBY... ...	–	1	–	–	2	D. 1
SPENBOROUGH ...	–	4	1	–	1	–
STAINLAND ...	–	1	–	–	–	–
STANLEY	–	1	–	–	–	D. 1
SWINTON	–	2	–	–	–	–
THURNSCOE ...	*	*	*	*	*	*
TICKHILL... ...	–	2	–	–	–	–
TODMORDEN ...	–	4	–	–	2	–
WATH UPON DEARNE	–	–	1	–	–	–
WHITLEY UPPER	–	–	–	–	1	–
WOMBWELL ...	–	2	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	2	–	–	–	–
DONCASTER ...	–	–	1	–	2	D. 1
HALIFAX	*	*	*	*	*	*
HEMSWORTH ...	–	8	3	–	5	C. 1
						D. 1
PATELEY BRIDGE	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	2	M. 1
ROTHERHAM ...	–	–	–	–	1	C. 1
SETTLE	–	–	2	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	1	–	–	1	–
THORNE	–	–	–	–	1	–
WAKEFIELD ...	–	–	1	–	2	–
WETHERBY ...	–	1	–	–	–	–
YORK, CITY OF ..	–	6	7	1	–	–
YORK C.B. ...	–	6	7	1	–	–

* Returns not received.

), Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
CAERNARVON...	–	–	2	–	–	–
Boroughs and Urban Districts:—						
Bangor	–	–	1	–	–	–
Rural Districts:—						
Conway	–	–	1	–	–	–
CARDIGAN ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
Aberayron ...	–	1	–	–	–	–
Rural Districts:—						
Aberayron ...	–	3	–	–	–	–
Aberystwyth (North)	–	–	2		–	–
CARMARTHEN...	–	4	6	–	2	L. 1 M. 2
Boroughs and Urban Districts:—						
Ammanford ...	–	–	–	–	–	M. 1
Burry Port ...	–	–	1	–	–	
Carmarthen ...	–	–	2	–	1	L. 1
Llanelly ...	–	1	1	–	1	–
Rural Districts:—						
Carmarthen ...	–	2	–	–	–	–
Llandilo Fawr	–	1	1	–	–	–
Llanelly ...	–	–	1	–	–	M. 1
DENBIGH ...	–	9	31	–	5	–
Boroughs and Urban Districts:—						
Colwyn Bay ...	–		2	–	1	–
Llangollen ...	–	–	1	–	–	–
Wrexham ...	–	5	7	–	1	–
Rural Districts:—						
Llansilin ...	–	–	–	–	1	–
Ruthin	–	–	3	–	–	–
St. Asaph (Denbigh)	–	–	–	–	1	–
Wrexham ...		4	18	–	1	–
FLINT	–	4	2	–	1	–
Boroughs and Urban Districts:—						
Connah's Quay	–	1	–	–	–	–
Rhyl	–	–	2	–	–	–
Rural Districts:—						
Hawarden ...	–	3			–	–
Overton	*	*	*	*	*	*
St. Asaph (Flint)	–	–	–	–	1	–
GLAMORGAN ...	–	51	58	–	28	C. 1 D. 1 G. 1 M. 5 N. 4
Cardiff C.B. ...	–	8	18	–	2	N 2
Merthyr Tydfil C.B.	–	1	1	–	–	–
Swansea C.B. ...	–	5	10	–	1	M. 2

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
Aberdare ...	–	2	3		1	G. 1
Bridgend ...	–	1	–	–	–	–
Caerphilly ...	–	3	1		1	–
Gelligaer ...	–	3	2	–	1	C. 1
Glyncorwg ...	–	1	1	–	–	–
Llwchwr ...	–	–	4	–	–	–
Maesteg	–	–	2	–	–	–
Mountain Ash ...	–	7	1	–	2	–
Neath	–	1	–	–	1	–
Ogmore and Garw	–	2	1	–	1	–
Penarth	–	–	–	–	–	M. 2
Pontypridd ...	–	1	–		5	–
Porthcawl ...	–	5	2	–	–	–
Rhondda ...	–	9	5	–	11	D. 1 N. 2
Rural Districts:—						
Cardiff	–	1	1	–	–	–
Llantrisant and Llantwit-fardre	–	1	–	–	–	–
Neath	–	–	5	–	2	M. 1
Penybont ...	–	–	1	–	–	–
Pontardawe ...	*	*	*	*	*	*
MERIONETH ...	–	1	1	–	–	M. 1
Urban Districts:—						
Dolgelley ...	–	–	–	–	–	M. 1
Rural Districts:—						
Deudraeth ...	–	1	1	–	–	
Edeirnion ...	*	*	*	*	*	*
MONMOUTH ...	–	88	11	–	6	C. 1 M. 1
Newport C.B. ...	–	44	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
Abercarn ...	–	2	–	–	–	–
Abertillery ...	–	5	–	–	–	–
Bedwas and Machen	–	1	1	–	1	–
Bedwellty ...	–	6	1	–	–	–
Blaenavon ...	–	–	2	–	–	–
Ebbw Vale ...	–	4	–	–	1	–
Monmouth ...	–		–	–		C. 1
Mynyddislwyn	–	17	1		1	–
Panteg	*	*	*	*	*	*
Rhymney ...	–	1		–	–	–
Tredegar ...	–	3		–	–	–
Rural Districts:—						
Abergavenny ...	–	–	4	–		–
Chepstow ...	–	–	1	–	–	–
Magor	–	–			–	M. 1
St. Mellons ...	–	5	–	–	–	–
MONTGOMERY...	–	1	–	–	–	–
Rural Districts:—						
Forden	–	1	–	–	–	–
PEMBROKE ...	–	7	–	–	–	–
Boroughs and Urban Districts:—						
Haverfordwest	–	3	–		–	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE—*cont.*						
Boroughs and Urban Districts—*cont.*						
Milford Haven	–	1	–	–	–	–
Narberth ...		1	–		–	–
Pembroke ...	*	*	*	*	*	*
Rural Districts:—						
Narberth ...	–	2	–	–	–	–
RADNOR	–	1	–	–	1	–
Rural Districts:—						
Rhayader ...	–	1	–	–	1	–
Total of Part II....	41	1601	850	31	1019	C. 4 D. 2 E. F. G. 1 J. L. 1 M. 7 N. 9

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Liverpool		–	–	–	–	L. 2
Port of London ...		–	–	–	1	L.
Total of Part III. ..		–	–	–	1	L.

* **Returns not received.**

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	27	293	181	3	203	C. 13 D. 2 E. 1 G. 2 L. 6 M. 9 N. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	41	1601	850	31	1019	C. 44 D. 25 E. 6 F. 3 G. 13 J. 1 L. 17 M. 75 N. 98
Total of Part III.—Port Sanitary Districts	-	-	-	-	1	L. 3
Total (i.e., of returns received), England and Wales ...	68	1894	1031	34	1223	C. 57 D. 27 E. 7 F. 3 G. 15 J. 1 L. 26 M. 84 N. 120

‡ Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

{ Births, Deaths (distinguishing certain C
and Deaths of Infants under 1 Ye
Age) and Notified Cases of certai
fectious Diseases in the last Thi
Weeks and in the Current Year t
with corresponding figures for previous

Week ended :—	Aug. 22	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31	Nov. 7.	Nov. 14.	Totals fr Week of 1930.
LONDON :—														
Live Births	1,401	1,421	1,200	1,290	1,270	1,322	1,412	1,311	1,334	1,305	1,299	1,334	1,291	64,871
Stillbirths	52	49	32	46	53	34	51	53	44	35	36	39	33	2,353
Deaths (excluding Still-births)—all ages.	757	726	729	713	819	809	880	831	853	817	970	1,036	1,012	42,271
Deaths—0 to 1 year ..	50	62	48	39	51	68	61	64	63	73	71	109	111	3,496
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,562	6,749	5,832	6,378	6,134	6,246	6,337	6,279	6,053	6,065	6,010	6,203	5,874	296,596
Stillbirths	313	265	238	262	277	252	270	252	263	254	253	238	260	12,898
Deaths (excluding Still-births)—all ages.	3,447	3,309	3,455	3,457	3,761	3,655	3,819	3,686	3,710	3,791	4,533	4,723	4,451	190,595
Deaths—0 to 1 year ..	286	305	268	285	296	317	328	316	324	338	382	436	441	17,676
Enteric Fever—Cases	26	17	20	32	16	18	13	16	24	17	16	14	19	1 241
„ Deaths	4	1	—	—	2	2	1	—	—	1	1	1	2	104
Small Pox—Cases ..	10	13	30	11	34	35	31	25	37	31	37	66	45	8,120
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	19
Scarlet Fever—Cases	692	759	844	886	1,027	997	1,134	1,102	1,089	1,068	1,117	1,082	1,111	53,578
„ Deaths	3	1	4	3	3	5	2	3	5	6	5	1	5	361
Diphtheria—Cases ..	423	488	531	569	589	534	600	570	606	723	625	644	664	38,732
„ Deaths ..	18	30	19	23	25	19	24	32	34	25	23	33	29	1,687
Measles—Deaths ..	13	6	13	8	10	5	6	7	11	21	21	22	24	2,525
Influenza—Deaths ..	17	15	10	28	27	28	35	33	31	37	43	66	71	1,845

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correct having been made for changes in boundary. The live births are derived from the weekly returns furnished by Registrars and differ from those published for the towns in the Quarterly Return which are corrected for bi occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 14th November, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfa in Milli metre
	°	°	°	°			°	°	°	°	
London (Greenwich).	58	37	53·7	42·7	23	Huddersfield	52	37	50·3	42·0	33
						Bradford ..	52	38	49·8	42·1	40
Brighton ..	56	40	54·6	46·4	66	Sheffield ..	53	37	50·6	43·0	35
Portsmouth ..	58	41	54·5	45·9	48	York (Museum)	54	37	51·7	41·4	27
Norwich(South-well Lodge)	56	34	53·4	42·3	10	Hull (Pearson Park).	54	40	52·0	43·2	15
Plymouth ..	57	36	55·4	46·0	59	Tynemouth ..	54	39	51·6	44·0	14
Bristol (Horfield)	56	38	53·3	44·1	27	Cardiff	55	38	53·1	44·0	49
Birmingham (Edgbaston).	53	38	50·1	43·3	41						
						Edinburgh ..	50·0	39·0	48·6	42·6	27
Nottingham ..	55	39	51·9	43·0	21	Glasgow ..	51·7	40·7	49·1	42·1	43
Birkenhead (Bidston).	51	40	49·4	43·9	41	Dublin (Phœnix Park)	55·0	31·8	53·1	40·3	12
Manchester (Whitworth Park).	52	42	50·9	44·0	40	(Fitzwilliam Square†).	53·2	38·3	51·7	43·6	13
Burnley	51	39	49·4	42·9	50	Belfast	55·0	34·0	52·1	38·8	37

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 14th November, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931 MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	8	Perigee	29·164	49·7	46·6	3·1	47·8	+ 2·8	45·9	1·9	3·4	0·9	93	57·9	40·9	50·8	SE: ESE.	ESE: Calm.	1·4	0·0	0·2	190	- 96	0·09
MONDAY -	9	New	28·922	53·2	43·9	9·3	48·7	+ 4·1	46·0	2·7	6·0	0·0	90	64·1	33·0	50·8	Calm: SE: S.	S: SSW.	3·3	0·0	0·3	288	- 3	0·35
TUESDAY -	10	..	28·777	51·9	44·2	7·7	47·9	+ 3·6	44·3	3·6	6·4	0·9	87	64·2	33·5	50·7	SSW: S.	SSW	4·5	0·0	0·6	416	+ 121	0·33
WEDNESDAY	11	..	28·830	57·9	47·5	10·4	52·2	+ 8·2	45·8	6·4	11·4	2·2	79	94·3	41·4	50·8	SSW: SW.	SW: SSW.	10·0	0·0	1·4	501	+ 203	0·19
THURSDAY -	12	..	29·333	54·5	42·4	12·1	48·5	+ 4·8	41·6	6·9	13·4	1·1	77	86·1	30·2	50·7	SW: WSW.	WSW	3·6	0·0	0·3	360	+ 61	0·00
FRIDAY -	13	Greatest Declination S.	29·738	54·1	37·0	17·1	45·2	+ 1·7	42·3	2·9	8·6	0·7	90	76·1	26·0	50·7	WSW: Calm.	Calm: SW: SSW.	0·2	0·0	0·0	185	- 114	0·00
SATURDAY -	14	..	29·570	51·6	38·1	13·5	45·8	+ 2·5	41·7	4·1	11·4	0·4	86	79·1	26·7	50·3	S: SE	S: SE: SW.	1·7	0·0	0·2	255	- 42	0·00
MEANS -		..	29·191	53·3	42·8	10·5	48·0	+ 4·0	43·9	4·1	8·7	0·9	86	74·5	33·1	50·7	SW		...	...	...	Sum 2195	Sum + 130	Sum 0·96
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	8	No record taken.	0·0	9·3	Overcast. Rain generally till 11¾h. Damping 14¾h. till 15½h. Shower at 22¼h. Mist from 18h.
MONDAY ..	9		0·0	9·3	Overcast till 17½h.; then nearly cloudless. Rain 8¾h. till 9¼h.; and 13½h. till 16h. Shower at 10h. Parhelion 10¼h.
TUESDAY ..	10		0·0	9·2	Nearly cloudless till 4½h.; then overcast generally. Rain 5¾h. till 16½h.; occasionally from 8¾h. till 13½h.; from 16h. till 16½h.; from 17h. till 20h.; then occasional rain. Parhelion about 15h. Brisk wind from 17h.
WEDNESDAY	11		4·0	9·2	Variably cloudy till 15h.; then overcast. Frequent rain till 4h.; and from 15h. Shower at 12¼h. Brisk wind generally 6h. till 18h.
THURSDAY	12		7·4	9·1	Nearly cloudless till 20½h.; then very cloudy. Brisk wind 12h. till 15½h. Dew at night.
FRIDAY ..	13		3·4	9·0	Very cloudy till 9h.; then cloudless. Fog from 7h. till 13h.; and 16½h. till 19h.: then mist. Hoar frost in morning and at night.
SATURDAY	14		1·0	9·0	Cloudy till 7½h.; nearly overcast till 15h.; then overcast. Slight damping from 20½h. Hoar frost in morning.
			Sum 15·8	Sum 64·1	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·13 ins. at the beginning of the week to 29·11 ins. by 5h. on 8th; increased by 29·23 ins. by 22h. on 8th; decreased generally to 28·67 ins. by 2h. on 11th; increased to 29·75 ins. by 11h. on 12th; decreased to 29·54 ins. by 22h. on 14th; increased and was 29·55 ins. by midnight on the same day.

FOR OFFICIAL USE

1931. No. 46.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 21ST NOVEMBER, 1931

Crown Copyright Reserved

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 21st NOVEMBER, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the forty-sixth week of the year numbered 5,909 corresponding to an annual rate of 15·5 per 1,000 living: stillbirths numbered 309 corresponding to a rate of 50 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,484 (33 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.
107 Great Towns	12·0	12·5	11·7	11·8
London	11·6	12·3	12·1	12·3
Birmingham	11·2	10·8	10·2	11·1
Liverpool	12·2	14·1	11·7	13·7
Manchester	15·6	14·8	13·8	13·4
Sheffield	12·2	10·4	9·3	9·7
Leeds	14·1	13·8	11·6	11·3
Bristol	11·9	10·8	12·4	9·9
West Ham	12·8	9·5	10·7	10·5

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 62, against 58, 67, and 68 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,334 live births registered corresponding to an annual rate of 15·9 per 1,000 living: stillbirths numbered 46 corresponding to a rate of 33 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,034 (22 more than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 53, against 51, 79, and 80 in the preceding three weeks.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There was no death from small-pox in the returns received from areas outside Greater London, the County Boroughs and Great Towns, for the month of October last.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in th week ended 21st November, 1931.

	TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
	107 Great Towns ..	19,836,440*	5,909	309	4,484	407	1	15	4	32	24	60
	London	4,377,000*	1,334	46	1,054	74	-	2	1	2	3	16
Towns in Outer Ring.	Croydon C.B. ..	233,000	63	2	42	2	-	-	-	-	-	-
	Wimbledon ..	58,830	8	1	12	-	-	-	-	-	-	-
	Ealing	117,400	32	2	17	1	-	-	-	-	-	-
	Acton	70,400	11	-	18	3	-	-	-	-	-	-
	Brentford and Chiswick ..	62,620	12	-	9	-	-	-	-	-	-	-
	Willesden ..	185,300	41	3	34	7	-	-	-	-	-	2
	Hendon	114,600*	32	1	12	1	-	-	-	-	-	-
	Hornsey	96,440	13	1	20	2	-	-	-	-	-	-
	Wood Green ..	54,460	8	-	7	-	-	-	-	-	-	-
	Tottenham ..	159,100	28	-	28	1	-	-	-	-	-	-
	Edmonton	77,530	44	2	16	3	-	-	-	-	-	-
	Enfield	68,090	17	2	15	3	-	-	-	-	-	1
	West Ham C.B. ..	296,900	110	4	60	7	-	-	-	1	-	3
	East Ham C.B. ..	142,900	19	1	18	1	-	-	-	-	-	-
	Leyton	128,600	13	2	34	-	-	-	-	-	1	-
	Walthamstow ..	134,300	35	-	26	3	-	-	-	-	-	-
	Ilford	131,300	38	-	16	4	-	-	-	-	-	1
	Gillingham	60,600*	20	-	11	3	-	-	-	-	-	1
	Canterbury C.B. ..	24,440*	7	-	9	2	-	-	-	-	-	-
	Hastings C.B. ..	61,870	11	2	15	-	-	-	-	-	-	-
	Eastbourne C.B. ..	55,870	17	1	15	1	-	-	-	-	-	-
	Brighton C.B. ..	144,900*	44	2	28	5	-	-	-	-	-	-
	Portsmouth C.B. ..	248,300*	77	3	42	2	-	-	-	-	-	-
	Bournemouth C.B. ..	108,600	29	2	24	1	-	-	-	-	-	-
	Southampton C.B. ..	175,300	66	6	27	1	-	-	-	-	-	-
	Reading C.B.	97,450*	29	2	18	-	-	-	-	-	-	-
	Oxford C.B.	80,530*	29	1	21	-	-	-	-	-	-	-
	Northampton C.B. ..	92,940*	23	1	22	-	-	-	-	-	-	-
	Luton	69,030	11	-	15	-	-	-	-	-	-	-
	Cambridge	66,850	13	-	15	-	-	-	-	-	-	-
	Southend-on-Sea C.B.	117,900	23	2	27	1	-	-	-	-	-	-
	Ipswich C.B.	87,630	20	-	23	2	-	-	-	1	1	1
	Great Yarmouth C.B.	56,690	14	1	11	1	-	-	-	-	-	1
	Norwich C.B. ..	126,800*	36	2	23	-	-	-	-	-	1	-
	Swindon	62,600	16	1	9	1	-	-	-	-	-	-
	Exeter C.B.	65,290*	17	2	21	6	-	1	-	1	-	1
	Plymouth C.B. ..	207,600*	64	3	67	6	-	-	-	1	-	-
	Bath C.B.	68,120	8	-	19	-	-	-	-	-	-	-
	Bristol C.B.	399,500*	102	5	76	4	-	-	-	-	-	-
	Gloucester C.B. ..	52,890	17	2	11	-	-	-	-	-	-	-
	Stoke-on-Trent C.B.	279,800	94	8	57	3	-	2	-	-	-	-
	Burton-upon-Trent C.B.	49,920	14	1	12	2	-	-	-	-	-	-
	Wolverhampton C.B.	134,200	53	3	31	3	-	-	-	-	-	-
	Walsall C.B.	104,200	40	1	21	2	-	-	-	-	-	-
	West Bromwich C.B.	82,090	37	-	14	1	-	-	-	-	-	-
	Dudley C.B.	60,010	16	1	10	1	-	-	-	-	-	-
	Worcester C.B. ..	50,540	17	1	12	-	-	-	-	-	-	-
	Birmingham C.B. ..	1,011,300	308	22	216	26	-	1	-	3	-	5
	Smethwick C.B. ..	85,370	20	-	11	1	-	-	-	-	-	-
	Coventry C.B ..	168,500	37	1	30	3	-	-	-	-	-	-
	Leicester C.B. ..	241,200	68	5	60	2	-	-	-	-	-	-
	Lincoln C.B.	66,110*	12	-	19	1	-	-	-	-	-	-
	Grimsby C.B.	92,180	26	1	24	2	-	-	-	-	-	1
	Nottingham C.B. ..	270,900	86	2	54	8	-	-	-	-	-	4
	Derby C.B.	143,400*	48	-	37	2	-	-	-	-	2	-
	Chesterfield	64,450	17	2	8	-	-	-	-	-	-	-
	Stockport C.B ..	126,600	26	-	40	1	-	-	-	-	-	-
	Chester C.B.	41,370	19	1	6	1	-	-	-	-	-	-
	Birkenhead C.B. ..	148,600	54	1	38	3	-	-	-	-	1	2
	Wallasey C.B. ..	97,240	33	-	19	2	-	-	-	-	-	2
	Liverpool C.B. ..	862,100	311	27	227	30	-	1	-	15	3	2
	Bootle C.B.	77,170	30	1	18	1	-	-	-	-	-	-
	St. Helens C.B.	108,200	44	1	25	-	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where diffe from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingl 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Ox C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193 Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births.	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
OUTHPORT C.B. ..	77,180	12	2	22	-	-	-	-	-	1	-	-
IGAN C.B.	86,250	29	-	25	3	-	-	-	-	-	-	-
ARRINGTON C.B. ..	80,280*	25	4	22	2	-	-	1	1	-	-	1
OLTON C.B	179,300	44	5	32	1	-	-	-	-	-	-	1
URY C.B.	56,580*	18	1	9	-	-	-	-	-	-	-	-
ANCHESTER C.B. ..	773,300	224	15	198	23	-	4	1	2	6	4	5
ALFORD C.B.	226,100	53	7	37	1	-	-	1	-	-	2	-
SHTON-UNDER-LYNE	51,850	15	-	13	4	-	-	-	-	-	-	1
LDHAM C.B	142,000	38	3	36	6	-	2	-	-	-	-	1
OCHDALE C.B. ..	91,190	18	1	30	1	-	-	-	1	-	-	5
URNLEY C.B	99,300	30	1	24	3	-	-	-	-	-	-	-
LACKBURN C.B. ..	124,000	27	1	26	1	-	-	-	-	-	-	-
RESTON C.B.	120,100	45	3	25	2	-	-	-	-	-	-	1
LACKPOOL C.B. ..	97,880	23	2	22	3	-	-	-	-	-	-	1
ARROW-IN-FURNESS C.B.	66,700	18	3	19	1	-	-	-	-	-	-	-
UDDERSFIELD C.B ..	114,300	38	1	30	1	-	-	-	-	-	-	-
ALIFAX C.B.	98,770*	19	1	33	2	-	-	-	-	1	-	1
RADFORD C.B. ..	300,800	71	2	67	4	-	-	-	-	1	-	2
EEDS C.B	486,100	131	6	105	13	-	-	-	-	-	1	1
EWSBURY C.B. ..	54,430	16	1	15	-	-	-	-	-	3	-	-
AKEFIELD C.B. ..	59,280	26	1	12	2	-	-	-	-	-	-	1
ARNSLEY C.B. ..	72,090	22	1	20	4	-	-	-	-	-	2	-
HEFFIELD C.B. ..	517,300	155	10	96	4	-	-	-	-	-	-	1
OTHERHAM C.B. ..	70,100	24	3	14	-	-	-	-	-	-	-	-
ONCASTER C.B. ..	63,260	21	1	13	1	-	-	-	-	-	-	1
ORK C.B.	85,910*	16	-	19	-	-	-	-	-	-	-	-
INGSTON-UPON-HULL C.B.	314,800	109	5	66	10	-	-	-	-	-	4	1
IDDLESBROUGH C.B.	138,800	57	2	46	11	-	-	-	-	-	3	-
ARLINGTON C.B. ..	72,620	15	-	18	1	-	-	-	-	-	-	1
OCKTON-ON-TEES ..	68,350	31	1	14	2	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	68,740	31	1	19	4	-	-	-	1	-	-	1
UNDERLAND C.B. ..	187,500	67	4	62	7	1	-	-	-	-	1	-
OUTH SHIELDS C.B ..	114,400	32	1	30	5	-	-	-	-	-	-	1
ATESHEAD C.B. ..	123,700	40	3	36	7	-	-	-	-	-	-	-
EWCASTLE-ON-TYNE C.B.	284,300*	117	6	70	7	-	-	-	3	-	-	-
YNEMOUTH C.B. ..	64,750	17	2	16	5	-	-	-	-	-	-	-
ARLISLE C.B.	57,430*	25	1	13	1	-	2	-	-	-	-	-
EWPORT (MON.) C.B.	89,500*	36	1	16	-	-	-	-	-	-	-	-
ARDIFF C.B.	223,700*	71	4	61	11	-	-	-	-	-	-	-
HONDDA	142,700	49	8	32	4	-	-	-	-	-	-	1
ERTHYR TYDFIL C.B.	71,670	17	4	14	2	-	-	-	-	-	-	-
BERDARE	49,010	13	3	14	2	-	-	-	-	-	-	1
VANSEA C.B.	165,400	63	4	37	3	-	-	-	-	-	-	1
REATER LONDON ..	8,179,740*	2,329	80	1,719	147	1	2	2	4	5	23	20
UTER RING	3,802,740*	995	34	685	73	1	-	1	2	2	7	8
GREAT TOWNS IN OUTER RING	2,130,770*	524	21	384	38	-	-	-	1	1	7	4
EMAINDER OF OUTER RING	1,671,970*	471	13	301	35	1	-	1	1	1	-	4
DINBURGH†	438,998	117	?	93	9	-	-	-	-	-	2	3
LASGOW†	1,088,417	418	?	294	44	-	31	3	1	3	9	-
UBLIN†	412,400	164	?	114	13	-	-	1	-	-	4	1
ELFAST†	415,151	161	?	93	7	-	-	-	-	-	-	1

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1931.											
London‡	4,377,000	Nov. 21	1334	46	1034	12·3	-	-	2	1	2	3	
Calcutta and Suburbs	1,077,264	Oct. 10	?	?	557‖	26·9	?	-	?	-	?	?	
Bombay§	1,298,708	„ 24	621	57	507	22·7	7	-	-	-	1	-	
Madras	647,533	„ 10	501	20	407	32·7	3	2	-	-	3	-	
Sydney and Suburbs	1,256,210	Oct. 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Aug. 31 (31 days)											
Perth (Metropolitan Area).	204,780	Sept. 19	68	?	32	8·1	-	-	-	-	-	-	
Auckland (Urban Area).	215,730	Sept. 30 (30 days)	258	7	241	13·4	-	-	-	-	-	2	
Wellington (Urban Area).	142,540	Sept. 30 (30 days)	209	8	159	13·4	-	-	-	-	-	-	
Christchurch (Urban Area).	127,070	Sept. 30 (30 days)	179	7	121	11·4	-	-	-	1	-	-	
Cape Town	136,748	Oct. 17	66	3	32	12·2	1	-	-	-	-	1	
Johannesburg	187,326	„ 10	96	2	35	9·7	-	-	-	-	-	-	
Durban	61,667	„ 10	22	-	13	11·0	-	-	-	-	-	-	
Paris	2,871,429	Oct. 31 (11 days)	1071	67	1106	14·1	5	-	-	1	3	3	
Antwerp	295,454	Oct. 15 (15 days)	179	19	133	10·7	1	-	-	-	-	2	
Amsterdam	761,737	Oct. 31	218	9	106	7·3	-	-	-	-	-	1	
Copenhagen	615,700	Nov.	185	2	128	10·8	-	-	-	-	-	-	
Stockholm	502,203	Oct. 31	87	1	113	11·7	-	-	-	-	-	-	
Gothenberg	245,600	„ 10	?	?	42	8·9	-	-	-	-	-	1	
		„ 17	?	?	67	14·1	-	-	-	-	-	-	
Oslo	256,353	Nov. 7	37	-	64	13·0	1	-	-	-	-	-	
Berlin	4,289,000	Oct. 24	613	22	797	9·7	2	?	-	-	2	7	
Breslau	614,000	„ 24	115	9	125	10·6	-	?	-	-	1	2	
Cologne	738,000	„ 24	178	5	129	9·1	-	?	-	-	-	1	
Dresden	630,000	„ 24	106	4	124	10·2	-	?	-	-	1	2	
Frankfort-on-Main	537,000	„ 24	105	2	89	8·6	-	?	-	-	-	-	
Hamburg	1,138,000	„ 24	233	6	183	8·4	-	?	-	-	-	-	
Leipzig	715,000	„ 24	116	9	131	9·5	-	?	-	-	1	-	
Munich	730,000	„ 24	131	9	171	12·2	-	?	-	-	-	-	
Budapest	1,009,069	„ 24	275	8	219	11·3	-	-	-	-	2	5	
Warsaw	1,115,651	„ 24	?	9	247	11·5	4	-	1	1	2	1	
Madrid	834,103	„ 17	?	30	250	15·6	1	-	-	-	-	1	
Cairo	1,160,700	Aug. 5	932	21	919	41·3	15	-	15	-	?	3	4
		„ 12	933	21	833	37·4	16	-	8	1	?	8	3
Alexandria	629,800	„ 5	504	4	483	40·0	3	-	19	-	?	1	1
		„ 12	539	8	447	37·0	4	-	12	-	?	4	1
New York	7,090,089	Oct. 17	2025	100	1201	8·8	5	-	-	1	1	3	
Chicago	3,457,375	„ 30	907	39	620	9·4	-	-	-	1	5	3	
New Orleans	466,000	Sept. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Sept. 19	666	51	463	14·0	2	-	12	-	6	1	
		„ 26	680	29	467	14·1	2	-	-	-	11	6	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras. and Oslo and to *children under* 1 *year* for Amsterdam, Copenhagen. Stockholm, Gothenberg, and the German Cities
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 3 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 21st November, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	43,240	46,497	1034	74	16	17	18	37	47	63	101	198	226	237
nteric fever	23	20	-	-	-	-	-	-	-	-	-	-	-	-
nall-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
easles	1008	63	2	-	1	1	-	-	-	-	-	-	-	-
arlet fever	99	55	1	-	-	1	-	-	-	-	-	-	-	-
hooping cough	116	266	2	-	1	1	-	-	-	-	-	-	-	-
iphtheria	403	227	3	-	-	1	2	-	-	-	-	-	-	-
fluenza	300	976	12	1	-	-	-	1	1	-	3	2	1	3
rysipelas	139	152	5	2	-	-	-	-	-	-	-	-	2	1
cute Poliomyelitis, Polioencephalitis	10	5	-	-	-	-	-	-	-	-	-	-	-	-
ncephalitis lethargica	52	42	1	-	-	-	-	-	-	-	1	-	-	-
eningococcal meningitis	77	119	4	-	1	1	1	-	-	-	-	-	1	-
uberculosis :—														
Respiratory system	3179	3303	78	1	-	1	-	14	18	15	13	12	3	1
Nervous system	207	200	4	1	-	2	-	-	1	-	-	-	-	-
Intestines and peritoneum	48	49	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	195	226	6	-	1	-	1	1	1	1	-	1	-	-
nereal diseases	168	163	4	-	-	-	-	1	-	-	1	2	-	-
ncer	5899	6144	160	-	-	-	-	-	1	5	21	56	46	31
eumatic fever	152	116	3	-	-	1	1	-	1	-	-	-	-	-
abetes	451	478	11	-	-	-	-	-	-	-	1	5	3	2
coholism	19	17	1	-	-	-	-	-	-	-	1	-	-	-
mple meningitis	68	81	2	2	-	-	-	-	-	-	-	-	-	-
rebral hæmorrhage, &c., Apoplexy	1762	1710	35	-	-	-	-	-	-	1	4	7	15	8
ilepsy	172	151	6	-	-	-	-	4	1	-	1	-	-	-
Convulsions" (not puerperal) ..	52	52	-	-	-	-	-	-	-	-	-	-	-	-
her diseases of nervous system ..	1077	993	25	-	-	-	1	1	3	4	1	6	8	1
ricarditis	16	18	-	-	-	-	-	-	-	-	-	-	-	-
ute endocarditis	200	170	2	-	-	-	-	-	-	2	-	-	-	-
her diseases of heart	9089	10685	249	-	-	-	3	3	6	6	26	39	72	94
her diseases of circulatory system	1839	1991	45	-	-	-	-	-	-	1	4	9	13	18
onchitis	1545	2227	45	4	1	-	-	-	-	4	1	7	13	15
oncho-pneumonia	1539	2275	54	17	4	4	1	1	1	2	2	6	4	12
bar pneumonia	936	1074	23	3	2	1	2	1	-	2	4	6	2	-
eumonia (type not distinguished)	345	366	10	-	2	-	-	-	1	1	2	1	1	2
her diseases of respiratory system	430	491	8	-	1	-	-	-	-	1	-	1	-	5
arrhœa and enteritis	714	614	16	15	1	-	-	-	-	-	-	-	-	-
ppendicitis, Typhlitis	303	264	5	-	-	-	1	1	-	-	1	-	2	-
rnia, Intestinal obstruction ..	442	468	6	-	-	-	-	-	1	1	-	-	2	2
rrhosis of liver	198	199	1	-	-	-	-	-	-	-	1	-	-	-
her diseases of digestive system ..	1090	1054	23	-	-	1	-	1	-	2	2	5	7	5
ute nephritis	84	76	1	-	-	-	-	-	-	-	-	-	1	-
ronic Bright's disease	1537	1486	27	-	-	-	-	1	1	2	1	8	10	4
her diseases of genito-urinary system	738	793	16	-	-	-	-	-	-	4	1	2	3	6
erperal sepsis	99	107	4	-	-	-	-	1	2	1	-	-	-	-
her causes incident to childbirth ..	84	109	2	-	-	-	-	1	1	-	-	-	-	
ngenital malformations	291	284	3	3	-	-	-	-	-	-	-	-		
emature birth	834	854	18	18	-	-	-	-	-	-	-	-	-	-
bility, atrophy (congenital)	156	138	3	3	-	-	-	-	-	-	-	-	-	
l age	1033	1077	19	-		-	-		-	-	-	-	4	15
icide	511	511	11	-		-	-	-	2	3	1	4	1	-
rns and Scalds	86	121	3	-	-	-	-	-	-	-	-	-	1	2
owning	106	88	1	-	-	-	-	-	-	-	-	1	-	-
ffocation in bed	26	25	-	-	-	-	-	-	-	-	-	-	-	-
hicles and horses	716	636	22	-	-	1	4	1	2	-	3	7	4	-
her deaths by violence	710	680	11	1	-	-	-	2	-	-	-	4	2	2
her specified causes	1850	1999	40	3	1	1	1	1	3	5	5	7	5	8
-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 21st November, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	38	266	165	8	151	C. 5, E. 2, F. 2, L. 6, M. 17, N. 18
CITY OF LONDON...	-	1	-	-	1	-
Metropolitan Boroughs:—						
BATTERSEA ...	-	11	10	-	7	C. 1, E. 1, M. 4, N. 3
BERMONDSEY ...	-	7	4	-	3	-
BETHNAL GREEN	3	17	3	-	5	N. 1
CAMBERWELL ...	1	24	8	-	12	-
CHELSEA	-	1	1	-	3	-
DEPTFORD ...	-	10	3	-	5	E. 1
FINSBURY ...	-	5	3	-	5	-
FULHAM	-	3	3	-	5	C. 1, M. 2, N. 1
GREENWICH ...	-	1	5	-	2	N. 1
HACKNEY... ...	3	6	16	-	5	M. 1, N. 2
HAMMERSMITH ...	-	7	7	-	2	C. 1, N. 1
HAMPSTEAD ...	-	6	3	1	1	-
HOLBORN... ...	-	2	3	-	-	F. 2

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	10	21	7	-	13	C. 1, L. 1, M. 3, N. 1
KENSINGTON ...	-	6	7	1	3	L. 3, M. 1, N. 2
LAMBETH ...	19	15	10	1	9	N. 1
LEWISHAM ...	-	12	5	-	3	C. 1
PADDINGTON ...	-	6	9	-	6	L. 1, N. 1
POPLAR	-	13	6	-	17	M. 3
ST. MARYLEBONE	-	4	6	3	3	N. 1
ST. PANCRAS ...	-	13	8	1	6	L. 1, M. 1, N. 1
SHOREDITCH ...	1	4	5	-	-	M. 2
SOUTHWARK ...	-	17	9	-	6	N. 1
STEPNEY	1	30	11		11	-
STOKE NEWINGTON	-	-	-	-	1	-
WANDSWORTH ...	-	17	5	-	13	-
WESTMINSTER, CITY OF	-	5	2	1	-	-
WOOLWICH ...	-	2	6	-	4	N. 1

‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	-	8	2	-	3	L. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
BEDFORD	-	1	-	-	-	N. 1
LEIGHTON BUZZARD	-	1	1	-		-
LUTON	-	1	-	-	-	-
Rural Districts:—						
AMPTHILL ...	-	-	1	-	-	M. 1
BEDFORD	-	2	-	-	2	-
BIGGLESWADE ...	-	1	-	-	1	L. 1
EATON BRAY ...	-	1	-	-	-	-
LUTON	-	1	-	-	-	N. 1
BERKS	-	19	4	-	-	C. 1
READING C.B. ...	-	3	2	-	-	-
Boroughs and Urban Districts:—						
ABINGDON ...	-		1		-	-
NEWBURY ...		2	-	-	-	-
NEW WINDSOR ...	-	1	-		-	-
WANTAGE ...	-	1		-	-	C. 1
Rural Districts:—						
ABINGDON ...	-	1	-	-	-	-
BRADFIELD ...	-	3	-		-	-
COOKHAM ...		3	-	-	-	-
EASTHAMPSTEAD	-	2		-	-	-
HUNGERFORD ...		1	-	-	-	-
WALLINGFORD ...	-	2	-	-	-	-
WOKINGHAM ...	-	-	1		-	-
BUCKINGHAM...	-	9	6	-	1	N. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	-	-	-	-	1	-
CHEPPING WYCOMBE	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BUCKINGHAM— *cont.*						
Boroughs and Urban Districts:— *cont.*						
MARLOW	-	-	3	-	-	-
SLOUGH	-	-	1	-	-	N. 1
Rural Districts:—						
AMERSHAM ...	-	2	-	-	-	-
ETON	-	5	1	-	-	-
WYCOMBE ...	-	-	1	-	-	-
CAMBRIDGE ...	-	10	-	-	1	C. 1 M. 2
Borough:—						
CAMBRIDGE ...	-	7	-		-	C. 1 M. 2
Rural Districts:—						
CHESTERTON ...		2	-	-	1	-
SWAVESEY ...	-	1	-	-		-
CHESTER ...	-	31	29	-	26	M. 3 N. 2
BIRKENHEAD C.B.	-	11	5	-	8	M. 1
CHESTER C.B. ...	-	-	-	-	1	-
STOCKPORT C.B. ...	-	3	4	-	3	M. 1 N. 2
WALLASEY C.B. ...	-	1	10	-	1	M. 1
Boroughs and Urban Districts:—						
ALTRINCHAM ...	-	2	-	-	-	-
BOLLINGTON ...	-	-	-	-	2	-
BREDBURY AND ROMILEY	-	1	-	-	2	-
CHEADLE AND GATLEY	-	-	1	-	-	-
CREWE	-	-	1	-		-
DUKINFIELD ...	-	1	-	-	1	-
HALE	-	1	-	-	-	-

†, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Hoole	–	–	–	–	1	–
Hyde	–	1	–	–	–	–
Macclesfield ...		1	–	–	–	–
Nantwich ...	–	1	2		–	–
Neston and Parkgate	–	1	–	–	–	–
Runcorn	–	–	1	–	1	–
Sale	–	1	–	–	–	–
Sandbach ...	–	–	1			–
Stalybridge ...	–	1		–	1	–
Wilmslow ...	–	–	1	–	–	–
Rural Districts:—						
Chester	–	–	1	–	–	–
Malpas	–	–	–	–	1	–
Northwich ...	–	3	–	–	1	–
Runcorn	–	1	1	–	–	–
Wirral	–	1	1	–	3	–
CORNWALL ...	–	4	1	–	2	N. 1
Boroughs and Urban Districts:—						
Camborne ...	–	–	–	–	–	N. 1
Falmouth ...	–	1	–	–	–	–
Madron	–	–	1	–	–	–
Saltash	–	–	–	–	1	–
Rural Districts:—						
Launceston ...	–	2	–	–	–	–
Liskeard ...	–	1	–	–	–	–
St. Austell ...	–	–	–	–	1	–
CUMBERLAND...	–	2	2		3	–
Carlisle C.B. ...	–	1	2	–	1	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
Millom	–	1	–	–	–	–
Penrith	–	–	–	–	1	–
Whitehaven ...	–	–	–	–	1	–
Rural Districts:—						
Longtown ...	*	*	*	*	*	*
DERBY	2	25	20	1	16	D. 1 M. 2 N. 1
Derby C.B. ...	–	11	8		4	–
Boroughs and Urban Districts:—						
Alfreton ...	1	1	–			–
Alvaston and Boulton	–	–	1	–	–	–
Bolsover ...	–	1	–		–	–
Chesterfield ...	1	1	–	–	1	–
Clay Cross ...	–	–	1	–	–	–
Glossop	–	–	–	–	1	–
Heanor	–	–	2	–	1	–
Ilkeston... ...	–	1	–	–	–	–
Long Eaton ...	–	–	1	–	–	–
Swadlincote District	–	–	–	–	1	M. 1
Wirksworth ...	–	3	–	–	–	–
Rural Districts:—						
Bakewell ...	–	–	1	–		–
Belper	–	1	–	–	1	–
Blackwell ...	–	2	4	–	1	–
Chapel en le Frith	–	1	–	1	–	–
Chesterfield ...	–	2	1	–	3	D. 1
Glossop Dale ...	–	–	–	–	1	–
Repton	–	–	1	–	–	–
Shardlow ...	–	1	–	–	2	M. 1 N. 1

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON	–	40	17	–	10	M. 1 N. 1
EXETER C.B ...		1	1	–	1	–
PLYMOUTH C.B.	–	32	10	–	5	–
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	1	–	1	–
KINGSBRIDGE ...	–	1	–	–	–	–
LYNTON	*	*	*	*	*	*
SOUTH MOLTON...	–	–	1	–		–
TORQUAY	–	–	1	–	–	–
Rural Districts:—						
BARNSTAPLE ...		–	–	–	1	–
CREDITON ...	–		–		–	N. 1
CULMSTOCK ...	–	3	–	–		–
HOLSWORTHY (part)		–	–	–	1	–
KINGSBRIDGE ...	–	1	–	–	–	–
OKEHAMPTON ...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	1	2	–	–	–
ST. THOMAS ...	–	–	1	–	1	
TOTNES	–	–	–	–	–	M. 1
DORSET	–	5	1	–	4	–
Boroughs and Urban Districts:—						
BRIDPORT ...	–	–	1	–	–	–
POOLE	–	2	–	–	2	–
SHAFTESBURY ...	–	2	–	–	–	–
Rural Districts:—						
SHERBORNE ...	–	–	–	–	1	–
WEYMOUTH ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM ...	–	87	20	1	94	D. 2 G. 3 M. 4 N. 2
DARLINGTON C.B.	–	2	1	–	4	G. 2
DURHAM—*cont.*						
GATESHEAD C.B.	–	14	2	–	8	–
SOUTH SHIELDS C.B.	–	1	–	–	5	–
SUNDERLAND C.B.	–	13	5	–	16	M. 1
WEST HARTLEPOOL C.B.	–	2	1	–	6	–
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	–	–	–	1	M. 1
BENFIELDSIDE ...	–	1	1	–	–	–
BILLINGHAM ...	–	1	–	–	2	–
BLAYDON... ...	–	2	–	–	–	–
CHESTER LE STREET	–	–	–	–	1	–
CROOK	–	–	1	–	1	–
DURHAM	–	1	–	–	–	–
FELLING	–	4	–		–	–
HARTLEPOOL ...	–	–	–	1	–	–
HEBBURN ...	–	2	–	–	6	–
JARROW	–		–	–	16	G. 1
SEAHAM HARBOUR	–	–	–	–	2	D. 1 N. 1
STANLEY		1	2	–	–	–
STOCKTON ON TEES	–	4	–	–	3	–
TANFIELD ...	–	–	1	–	–	M. 1
WASHINGTON ...	–		1	–	–	–
WHICKHAM ...	–	3	1	–	2	D. 1
WILLINGTON ...	–	1	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	4	1	–	–	–
CHESTER LE STREET	–	7	–		2	–
DURHAM	–	3	–	–	1	–
EASINGTON ...	–	11	2	–	13	M. 1
HOUGHTON LE SPRING	–	3	–	–	2	–
LANCHESTER ...	–	4	1	–	–	–
SEDGEFIELD ...	–	–	–	–	1	–
SOUTH SHIELDS	–	1	–	–	–	–
SUNDERLAND ...	–	2	–	–	1	–
WEARDALE ...	–	–	–	–	–	N. 1

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum : N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	–	2	–	2	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	2	–	–	–
Rural Districts:—						
ELY	–				2	–
ESSEX	10	80	41	1	41	C. 2 D. 1 E. 1 G. 2 L. 1 M 1 N. 3
EAST HAM C.B....	–	10	2	–	–	–
SOUTHEND ON SEA C.B.	–	2	1	1	2	–
WEST HAM C.B.	8	15	9	–	17	–
Boroughs and Urban Districts:—						
BARKING TOWN...	–	8	4	–	4	C. 1 E. 1
BRAINTREE ...	–	–	–	–	–	N. 1
BRENTWOOD ...	–	–	–	–	–	C. 1
BRIGHTLINGSEA...	–	–	–	–	1	–
BUCKHURST HILL	–	1	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	N. 1
CHINGFORD ...	2	3	1	–	–	–
CLACTON	–	1			–	–
COLCHESTER ...		1	1	–	1	L. 1
DAGENHAM ...	–	11	5	–	–	M. 1
EPPING	–	1	–	–	–	–
GRAYS THURROCK	–	–	–	–	1	–
HARWICH ...	–	1	1	–	–	–
HORNCHURCH ...	–	1	–	–	–	–
ILFORD	–	4	4	–	4	D. 1
LEYTON	–	4	1	–	3	G. 1 N. 1
ROMFORD... ...	–	1	1	–	–	G. 1
SAFFRON WALDEN	–	–	1		–	–
SHOEBURYNESS ...	*	*	*	*	*	*
TILBURY	–	–	1	–		–
WALTHAM HOLY CROSS		1			–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:— *cont.*						
WALTHAMSTOW ...	–	3	5	–	7	–
WEST MERSEA ...		1	–	–	–	–
WOODFORD ...	–	–	3	–	1	–
Rural Districts:—						
BILLERICAY ...	–	2	–		–	–
BRAINTREE ...	–	3	–		–	–
MALDON	–	1	–	–	–	–
ORSETT	–	2		–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	–	1	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
GLOUCESTER ...	–	11	24	2	17	C. 1 M. 1 N. 5
BRISTOL C.B. ...	–	8	19	1	11	M. 1 N. 2
GLOUCESTER C.B.	–	–	–	–	2	N. 2
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	–	1	–	–	C. 1
NAILSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
CAMPDEN... ...	–	–	–	–	1	–
CHIPPING SODBURY	–	1	–	–	–	–
DURSLEY	–	–	–	1	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	N. 1
NORTHLEACH ...	*	*	*	*	*	*
STOW ON THE WOLD	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Feve

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
STROUD	–	–	3	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	–	1	–	–	–
HEREFORD ...	–	4	–	–	4	–
Boroughs and Urban Districts:—						
LEDBURY... ...	–	–	–	–	1	–
LEOMINSTER ...	–	2	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	–	2	–
LEOMINSTER AND WIGMORE	–	2			–	–
ROSS AND WHITCHURCH	–	–	–		1	–
HERTFORD ...		10	2	–	3	N. 4
Boroughs and Urban Districts:—						
BARNET	–	–	1		–	N. 1
BISHOP'S STORTFORD	–	–	–	–	–	N. 1
BUSHEY	–	1	–	–	–	–
EAST BARNET VALLEY	–	–	1	–	1	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
HERTFORD ...	–	–	–	–	–	N. 1
HITCHIN	–	2	–	–	–	–
LETCHWORTH ...	–	–	–	–	1	–
ST. ALBANS ...	–	–	–	–	1	N. 1
WATFORD... ...	–	3	–	–	–	–
WELWYN GARDEN CITY	–	1	–		–	–
HERTFORD—*cont.*						
Rural Districts:—						
BERKHAMPSTEAD	–	1	–	–	–	–
HUNTINGDON ...	–	5	1	–	–	–
Boroughs and Urban Districts—						
OLD FLETTON ...	–	1	–	–	–	–
RAMSEY	–	1	–	–	–	–
ST. NEOTS ...	–	3	1	–	–	–
KENT	–	56	18	–	13	D. 1 M. 1 N. 3
CANTERBURY C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
ASHFORD	–	1	–	–	–	–
BECKENHAM ...	–	–	–	–	1	–
BEXLEY	–	2	1		–	–
BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
BROMLEY... ...	–	7	–	–	1	–
CRAYFORD ...	–	2	–	–		–
DARTFORD ...	–	–	–		1	–
DEAL	–	1	1	–	–	–
DOVER	–	–	2	–	–	–
ERITH	–	1	–	–	–	–
FOLKESTONE ...	–	–	–		1	–
GILLINGHAM ...	–	4	–	–	1	–
GRAVESEND ...	–	1	–	–	–	–
HERNE BAY ...	–	1	–	–	1	–
HYTHE		2	–	–	–	–
MAIDSTONE ...	–	1	–	–	–	–
MARGATE ...	–	4	1	–	–	–
PENGE	–	2	1	–	–	–
QUEENBOROUGH	–	1	–	–	–	–
RAMSGATE ...	–	2	–	–	–	–
ROCHESTER ...	–	1	1	–	–	D. 1
ROYAL TUNBRIDGE WELLS	–	1	–	–		–
SEVENOAKS ...	–	1	–	–	–	–

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BROMLEY	–	2			–	–
CRANBROOK ...	–	1	–	–		–
DARTFORD ...	–	5	1	–	1	–
DOVER	–	–	–	–	1	–
EAST ASHFORD ...	–	1	–	–	–	–
EASTRY	–	2	5	–	1	–
ELHAM		1	–	–	–	N. 1
ISLE OF THANET	–	1	–	–	1	M. 1
						N. 1
MALLING		–	–	–	3	N. 1
MILTON	–	–	1	–	–	–
SEVENOAKS ...	–	2	2	–	–	–
STROOD	–	1	2	–	–	–
WEST ASHFORD...	–	1	–	–	–	–
LANCASTER ...	–	241	175	4	241	C. 7
						D. 1
						E. 1
						G. 1
						L. 5
						M. 10
						N. 11
BARROW IN FURNESS C.B.	–	–	1	–	1	–
BLACKBURN C.B.	–	4	1	–	7	–
BLACKPOOL C.B.	–	4	1	–	2	C. 1
BOLTON C.B. ...	–	8	2	–	1	–
BOOTLE C.B. ...	–	7	9	–	6	C. 1
						N. 1
BURNLEY C.B. ...	–	6	–	–	6	–
BURY C.B. ..	–	2	1	–	1	–
LIVERPOOL C.B....	–	43	59	1	92	C. 4
						D. 1
						E. 1
						G. 1
						M. 6
						N. 4
MANCHESTER C.B.	–	46	23	–	37	M. 3
OLDHAM C.B. ...	–	8	4	1	1	M. 1
PRESTON C.B. ...	–	7	1	–	6	–
ROCHDALE C.B....	–	2	2	–	1	–
ST. HELENS C.B.	–	2	6	–	4	–
SALFORD C.B. ...	–	12	20		10	–
SOUTHPORT C.B.	–	9	6	–	4	N. 1
WARRINGTON C.B.	–	19	2	–	2	–
WIGAN C.B. ...	–	1	3	1	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
ABRAM	–	–		–	2	–
ACCRINGTON ...	–	–	1	–	–	N. 1
ASHTON IN MAKERFIELD	–	–	2	–	1	N. 1
ASHTON-UNDER-LYNE	–	3	–	–	1	–
AUDENSHAW ...	–	2	–	–	–	–
BARROWFORD ...	–	–	–	–	1	–
CHADDERTON ...	–	1	–	–	1	–
CHORLEY	–	2	1	–	1	–
CHURCH	–	1	–	–	–	–
COLNE	–	–	1	–	1	–
CROMPTON ...	–	–	1	–	2	–
DARWEN	–	1	–	–	–	–
DENTON	–	1	1	–	–	–
DROYLSDEN ...	–	4	–	–	–	–
ECCLES	–	2	2	–	1	–
FARNWORTH ...	–	1		–	1	N. 1
FULWOOD ...	–	–	–	–	–	C. 1
GOLBORNE ...	–	–	1	–	–	–
GREAT CROSBY ...	–	1	–	1	–	–
HASLINGDEN ...	–	–	–	–	1	–
HAYDOCK... ...	–	–	–	–	2	–
HINDLEY	–	1	–	–	3	–
HORWICH... ...	–	2	–	–	2	–
INCE IN MAKERFIELD	–		2	–	1	N. 1
KEARSLEY ...	–	–	–	–	1	–
LANCASTER ...	–	–	–	–	3	–
LITHERLAND ...	–	–	1	–	–	–
LITTLE LEVER ...	–	–	–	–	1	–
LONGRIDGE ...	–	1	–	–	–	–
LYTHAM ST. ANNE'S	–	3	1	–	1	–
MIDDLETON ...	–	1	2	–	1	–
MORECAMBE AND HEYSHAM	–	1	–	–	–	–
NELSON	–	2	–	–	–	–
NORDEN	–	–	–	–	1	–
ORMSKIRK ...	–	1	1	–		–
PADIHAM... ...	–	–	–	–	3	–
PRESTWICH ...	–	–	–	–		L. 3
RADCLIFFE ...	–	–	–	–	2	–
RAINFORD ...	–	–	–	–	1	–
RAWTENSTALL ...	–	1	–	–	1	–
SKELMERSDALE ...	–	–	–	–	1	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
STANDISH WITH LANGTREE	–	1	–	–	–	–
STRETFORD ...	–	2	5	–	2	–
SWINTON AND PENDLEBURY	–	1	–	–	4	–
TOTTINGTON ...	–	–	3	–	2	–
TURTON	–	1	–	–	1	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON... ...		2		–	–	–
WARDLE	–	2	–	–	–	–
WATERLOO WITH SEAFORTH	–	4	1	–	1	–
WESTHOUGHTON	–	1	1	–	–	–
WHITEFIELD ...	–	1	–	–	–	–
WHITWORTH ...	–	2	–	–		–
WIDNES	–	2	2	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	3	–		–
BURNLEY ...	–	1	–	–	–	–
BURY	–	–	–	–	1	–
CHORLEY... ...	–	1	–	–	1	–
CLITHEROE ...	–	1	–	–	1	L. 2
FYLDE	–	1		–	–	–
LEIGH	–	–	2		–	N. 1
PRESTON	–	2	–	–	–	–
ULVERSTON ...	–	2	–	–	–	–
WARRINGTON ...	–	1		–	2	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON... ...	–	–	–	–	1	–
LEICESTER ...	4	17	5	–	6	L. 1 M. 1
LEICESTER C.B....	1	7	4	–	3	L. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	2	–
COALVILLE ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
LOUGHBOROUGH	–	1	–	–	–	M. 1
QUORNDON ...	–	1				–
WIGSTON MAGNA	3	1		–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	1	–	–	–	–
BILLESDON ...	–	2	–	–	–	–
BLABY		1	–	–	–	–
LUTTERWORTH ...	–	2	1	–	–	–
LINCOLN (parts of Holland).	–	2	2	–	–	G. 1
Boroughs and Urban Districts:—						
BOSTON	–	1	1	–	–	–
SPALDING ...	..		1	–	–	G. 1
Rural Districts:—						
EAST ELLOE ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	–	–	1	–
Rural Districts:—						
EAST KESTEVEN	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	6	7	–	6	M. 2 N. 1
GRIMSBY C.B. ...	–	3	3	–	1	M. 1 N. 1
LINCOLN C.B. ...	–	–	2	–	–	M. 1

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BRIGG	–	–	–	–	3	–
CLEETHORPES ...	–	1	1	–	–	–
GAINSBOROUGH ...	–	–	–	–	1	–
SCUNTHORPE AND FRODINGHAM	–	–	1	–	–	
Rural Districts:—						
GLANFORD BRIGG	–	1	–	–	1	–
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	–	112	29	3	42	C. 1 M. 4 N. 5
Boroughs and Urban Districts:—						
ACTON	–	1	2	–	1	–
BRENTFORD AND CHISWICK	–	2	2	–	1	–
EALING	–	4	–	–	4	–
EDMONTON ...	–	25	1	–	1	N. 1
ENFIELD	–	6	4	1	1	–
FELTHAM... ...	–	2		1	–	–
FINCHLEY ...	–	–	–	1	1	–
FRIERN BARNET...	–	4	1	–	1	–
HARROW ON THE HILL	–	1	–	–	–	–
HAYES AND HARLINGTON	–	2	–			–
HENDON	–	9	1	–	1	N. 1
HESTON AND ISLEWORTH	–	4	–	–	3	–
HORNSEY	–	6	5	–	2	M. 1
SOUTHALL NORWOOD	–	–	–	–	–	N. 1
SOUTHGATE ...	–	3	1	–	1	–
SUNBURY ON THAMES	–	–	3	–	–	–
TEDDINGTON ...	–	1	–	–	1	–
TOTTENHAM ...	–	19	–	–	5	M. 2
TWICKENHAM ...	–	1	–	–	–	C. 1 N. 1
UXBRIDGE ...	–	2	1	–	1	–
WEMBLEY ...	–	4	1	–	4	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
WILLESDEN ...	–	13	6	–	10	
WOOD GREEN ...	–	1	–	–	–	N. 1
YIEWSLEY AND WEST DRAYTON	–	1	–	–	3	–
Rural Districts:—						
HENDON	–	1	1	–	1	M. 1
NORFOLK ...	–	28	8	–	9	C. 1 M 1
GREAT YARMOUTH C.B.	–	2	1	–	–	–
NORWICH C.B. ...	–	5	7	–	4	–
Boroughs and Urban Districts:—						
CROMER	–	1	–	–	–	–
DOWNHAM MARKET	–	–	–	–	1	–
EAST DEREHAM...	–	1	–	–	1	–
KING'S LYNN ...	–	4	–	–	–	–
WALSOKEN ...	–	2	–		–	–
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	C. 1
DOCKING		3	–	–		–
DOWNHAM ...	–	1	–	–	–	M. 1
EAST AND WEST FLEGG	–	4	–	–	–	–
FOREHOE	–	1	–			
HENSTEAD ...	–	1		–	–	–
LODDON AND CLAVERING	–		–	–	2	–
MARSHLAND ...	–	2	–	–	–	–
SWAFFHAM ...	*	*	*	*	*	*
WALSINGHAM ...	–	–			1	–
WAYLAND ...	*	*	*	*	*	*
NORTHAMPTON	–	16	1	–	7	–
NORTHAMPTON C.B	–	3	1	–	4	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
BURTON LATIMER	-	-	-	-	1	-
DESBOROUGH ...	-	2	-	-	-	-
KETTERING ...	-	5	-			-
ROTHWELL ...	-	3	-	-	-	-
WELLINGBOROUGH	-	1	-	-	1	-
Rural Districts:—						
NORTHAMPTON ...	-	1	-	-	-	-
OUNDLE (part) ...	-	-	-	-	1	-
WELLINGBOROUGH	-	1		-	-	-
NORTHUMBERLAND.		39	6	3	40	C. 2 D. 1 G. 1 L. 5 N. 7
NEWCASTLE UPON TYNE C.B	-	23	2	2	20	L. 4 N. 7
TYNEMOUTH C.B.	-	1	2	-	3	C. 2
Boroughs and Urban Districts:—						
ASHINGTON ...	-	1	-		3	-
BEDLINGTONSHIRE	-	1	1	-	4	-
BLYTH	-	2			3	-
EARSDON		1	-		-	G. 1
GOSFORTH ...	-	5	-	-	-	-
LONGBENTON ...	-	1	-	-	-	-
NEWBURN ...	-	-	-	1	1	-
PRUDHOE... ...	-	1	-		1	-
SEATON DELAVAL	-	1	-	-	1	-
WALLSEND ...	-	-	-	-	4	-
WHITLEY AND MONKSEATON	-	-	-		-	D. 1
Rural Districts:—						
HALTWHISTLE ...	-	-	-	-	-	L. 1
HEXHAM	-	2	-	-	-	-
ROTHBURY ...	-	-	1	-	-	-
NOTTINGHAM ...		28	9	1	27	D. 2 N. 1
NOTTINGHAM C.B.		12	4	-	10	D. 1
Boroughs and Urban Districts:—						
ARNOLD	-	1	-	-	-	-
BEESTON		1		-	1	-
EAST RETFORD ...	-	-	1	-	-	-
HUCKNALL ...	-	-	2	-	3	N. 1
HUTHWAITE ...	-	-	-		1	-
KIRKBY IN ASHFIELD		2	-	-	2	-
MANSFIELD ...	-	3	1		2	-
NEWARK		-	-	1	-	-
SUTTON IN ASHFIELD	-	2	-	-	1	-
WORKSOP ...		-	-	-	1	-
Rural Districts:—						
BASFORD		4	1	-	2	-
EAST RETFORD ...		-	-	-	1	-
SKEGBY	-		-		-	D. 1
SOUTHWELL ...		-		-	2	-
WORKSOP... ...		3	-	-	1	-
OXFORD	-	5	-	-	2	-
OXFORD C.B. ...		3	-	-	-	-
Rural Districts:—						
HEADINGTON ...	-	1	-	-	-	-
HENLEY	-	1		-	2	-
PETERBOROUGH (Soke of).	-	2	1	-	-	-
Borough:—						
PETERBOROUGH...		2	1		-	-

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND ...	-	-	-	-	-	N. 1
Urban District:—						
OAKHAM	-	-	-	-	-	N. 1
SALOP	-	12	11	-	3	-
Boroughs and Urban Districts:—						
CHURCH STRETTON	-	2	-	-	-	-
ELLESMERE ...	-	1	1	-	-	-
LUDLOW	-	1	-	-		-
OAKENGATES ...	-	1	2	-	-	-
SHREWSBURY ...	-	1	-	-	-	-
WELLINGTON ...	-	-	-	-	1	-
WENLOCK ...	-	-	1	-	-	-
Rural Districts:—						
ATCHAM	-	1	1	-	-	-
BRIDGNORTH ...	-	-	-	-	1	-
CHIRBURY ...	-	1		-	-	-
CLEOBURY MORTIMER	-	1	-	-	-	-
ELLESMERE ...	-	1	-	-	-	-
LUDLOW	-	2	-	-	-	-
OSWESTRY ...	-	-	3	-	1	-
SHIFNAL	-	-	2	-	-	-
WHITCHURCH ...	-	-	1	-	-	-
SOMERSET ...	-	23	5	-	7	G. 1 N. 1
BATH C.B. ..	-	1	-	-	1	N. 1
Boroughs and Urban Districts:—						
BRIDGWATER ...	-	1	-	-	-	-
FROME	-	-	1		-	-
HIGHBRIDGE ...	-	-	2	-		-
STREET	-	-	-		1	-
WELLINGTON ...	-	13	-	-	-	-
YEOVIL	-	-	-		2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	-	1	-	-	1	-
BATH	-	5	-	-	-	-
BRIDGWATER ...	-	-	-	-	1	-
KEYNSHAM ...		-	1	-	-	-
LANGPORT ...		-	-	-		G. 1
LONG ASHTON ...	-	1	-	-	-	-
SHEPTON MALLET	-	1	-	-	-	-
WINCANTON ...	-	-	-	-	1	-
YEOVIL	-	-	1	-	-	
SOUTHAMPTON	-	44	19	1	5	C. 1 D. 1 M. 2 N. 6
BOURNEMOUTH C.B.	-	5	3	-	-	-
PORTSMOUTH C.B.	-	7	9	-	1	D. 1 M. 1
SOUTHAMPTON C.B.	-	3	-	1	1	M. 1 N. 1
Boroughs and Urban Districts:—						
ALDERSHOT ...	-	2	-	-	-	-
ANDOVER... ...	-	-	4	-	-	C. 1
BASINGSTOKE ...	-	-	-	-	-	N. 1
FAREHAM ...	-	-	1	-	-	-
GOSPORT	-	-	-	-	1	N. 1
HAVANT	-	1	-	-	-	-
ROMSEY	-	1	-	-	-	-
WARBLINGTON ...	-	-	1	-		-
WINCHESTER ...	-	2	-	-	-	-
Rural Districts:—						
ALRESFORD ...	-	-	-	-	1	-
BASINGSTOKE ...	-	1	-	-	1	-
CATHERINGTON ...		1	-	-	-	-
DROXFORD ...	-	3	-	-	-	-
FAREHAM ...	-	6	-	-	-	-
HAVANT		3		-	-	-
HURSLEY	-	1	-	-	-	-
KINGSCLERE ...	-	1	-	-		-
NEW FOREST ...	-	1		-		-

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts—*cont.*						
PETERSFIELD ...	–	1		–	–	N. 1
RINGWOOD ...	–	5		–	–	–
SOUTH STONEHAM	–		1	–	–	N. 2
STAFFORD ...	–	35	28	–	56	C. 2 M. 6 N. 1
BURTON UPON TRENT C.B.	–	1	–	–	–	–
SMETHWICK C.B.	–	1	1		2	N. 1
STOKE ON TRENT C.B.	–	3	3	–	16	C. 2
WALSALL C.B. ...	–	4	1	–	1	M. 2
WEST BROMWICH C.B.	–	1	–	–	3	–
WOLVERHAMPTON C.B.	–	7	10	–	2	M. 2
Boroughs and Urban Districts:—						
BIDDULPH ...	–	1	–	–	–	–
BILSTON		–	1	–	5	–
BRIERLEY HILL...	–	–	1		–	–
BROWNHILLS ...	–	–	1	–	1	M. 1
CANNOCK	–	1	–	–	1	–
DARLASTON ...	–	–	–	–	3	–
KIDSGROVE ...	–	–		–	1	–
LEEK	–	1	5	–	–	–
NEWCASTLE UNDER LYME	–	–	–	–	1	–
QUARRY BANK ...	–		1	–	–	–
ROWLEY REGIS ...	–	2	1	–	1	–
STAFFORD ...	–	1	–	–	–	–
TIPTON	–	3	–	–	3	–
WEDNESBURY ...	–	1	–	–	4	–
WILLENHALL ...	–	1	–	–	2	–
WOLSTANTON UNITED	–	–	–	–	1	–
Rural Districts:—						
CHEADLE... ...	–	2	–	–	1	–
KINGSWINFORD ...	–	–	1	–	2	M. 1
STAFFORD—*cont.*						
Rural Districts—*cont.*						
LEEK	–	1		–	1	–
LICHFIELD ...	–	–	2		3	–
STAFFORD ...	–	–	–	–	1	
WALSALL... ...	–	4	–	–	1	–
SUFFOLK, EAST	–	24	12	–	1	N. 1
IPSWICH C.B. ...	–	13	12	–	–	–
Boroughs and Urban Districts:—						
LOWESTOFT ...	–	1	–	–	–	–
SOUTHWOLD ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	5		–	–	–
HARTISMERE ...	–	–		–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	2	–		–	N. 1
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST	–	1	5	–	–	C. 1
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	1	3	–	–	C. 1
Rural Districts:—						
MILDENHALL ..		–	1	–	–	–
THINGOE	–		1	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	38	16	1	11	C. 2 L. 1 M. 2 N. 1
CROYDON C.B. ...	–	8	4		–	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BARNES	–	–		–	1	–
BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
CARSHALTON ...	–	3	–	–	–	–
CHERTSEY ...	–	1		–	–	–
COULSDON AND PURLEY	–	–	1		–	–
EAST AND WEST MOLESEY	–	–	2	–	1	–
EGHAM	–	–	2	–	1	–
EPSOM	–	1	–	1	–	L. 1
ESHER AND THE DITTONS	–	2	1	–	–	–
GUILDFORD ...	–	2	–	–	–	–
MERTON AND MORDEN	–	1	1	–	2	M. 1
MITCHAM	–	2	2	–	3	C. 1
RICHMOND ...	–	–	1	–	3	–
SURBITON ...	–	2	–	–	–	–
SUTTON AND CHEAM	–	3	–	–	–	–
THE MALDENS AND COOMBE	–	4	–	–	–	–
WALTON UPON THAMES	–	1	–	–	–	–
WIMBLEDON ...	–	3	1	–	–	–
Rural Districts:—						
EPSOM	–	2	1	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	1	–	–	–	–
SUSSEX, EAST...	–	15	9	1	3	C. 1 M. 7 N. 2
BRIGHTON C.B. ...	–	4	4	–	–	C. 1 M. 7
EASTBOURNE C.B.	–	1	1	–	–	–
HASTINGS C.B. ...	–	1	1	1	1	–
SUSSEX, EAST— *cont.*						
Boroughs and Urban Districts:—						
BEXHILL	–	3	1	–	–	–
BURGESS HILL ...	–	1	–	–	–	N. 1
HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	3	–	–	–	–
Rural Districts:—						
CHAILEY	–	1	–	–	–	–
EAST GRINSTEAD	–	–		–	1	–
HAILSHAM ...	–	–	2		–	–
NEWHAVEN ...	–	–		–	1	–
RYE	–	–	–	–	–	N. 1
SUSSEX, WEST—	–	13	8	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	3	–	–		–
BOGNOR REGIS ...			3	–		–
CHICHESTER ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	
SOUTHWICK ...	–	2	1	–	–	–
WORTHING ...	–	–	4	–	1	–
Rural Districts:—						
EAST PRESTON ...	–	2	–	–	–	–
HORSHAM ...	–	1	–	–	–	–
PETWORTH ...		–	–	–	–	N. 1
WESTHAMPNETT	–	3	–	–	–	M. 1
WARWICK ...		68	43	–	65	C. 6 G. 1 M. 11 N. 3
BIRMINGHAM C.B.	–	57	36	–	38	C. 2 G. 1 M. 7
COVENTRY C.B. ...	–	2	4	–	6	C. 3 M. 1 N. 2

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
Bedworth ...	–	–	–	–	1	–
Bulkington ...	–		–	–	1	–
Nuneaton ...		2	1		2	–
Royal Leamington Spa	–	–	–	–	5	–
Rugby	–	–	–	–		M. 1
Stratford on Avon	–	–	–	–	2	–
Sutton Coldfield	–	–	2	–	1	–
Warwick ...	–	1		–		–
Rural Districts:—						
Alcester ...	–	–	–	–	3	–
Atherstone ...	–	1	–	–	1	C. 1
Foleshill ...	–	–	–	–	1	–
Meriden	–	2	–	–	2	N. 1
Rugby	–	1	–	–	–	
Solihull ...	–	–	–	–	–	M. 1
Stratford on Avon	–	–	–	–	1	
Tamworth (part)	–	1	–	–	1	M. 1
Warwick ...	–	1	–	–	–	–
WESTMORLAND	–	2	–	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
Kendal	–	–	–	–	–	N. 1
Shap	–	2	–	–	–	–
Rural Districts:—						
South Westmorland	–	–	–	–	–	M. 1
West Ward ...	–	–	–	–	1	–
WIGHT, ISLE OF	–	2	–	–	–	M. 2
Boroughs and Urban Districts:—						
Newport ...	–	–	–	–	–	M. 1
Shanklin ...	–	–	–	–	–	M. 1
Ventnor	–	2	–	–	–	–
WILTS	–	7	10	–	8	M. 1
Boroughs and Urban Districts:—						
Swindon	–	1	3		4	M. 1
Trowbridge ...	–	1	–	–	–	–
Rural Districts:—						
Chippenham ...	–	2	–		1	–
Cricklade and Wootton Bassett	–	–	6	–		–
Highworth ...		2	1		3	–
Tisbury	–	1	–	–		–
WORCESTER ...	–	31	1	–	5	C. 1 M. 2
Dudley C.B. ...	–	3	–	–		C. 1
Worcester C.B.	–	4	1	–	1	–
Boroughs and Urban Districts:—						
Bewdley ...	–	–	–	–	1	–
Evesham	–	2	–	–	–	–
Halesowen ...	–	–	–	–	1	–
Kidderminster	–	12	–	–	–	M. 1
Malvern ...	–	1	–	–	–	–
Oldbury	–	5	–	–	1	–
Redditch ...	–	–	–	–	1	–
Stourbridge ...	–	2	–		–	–
Rural Districts:—						
Droitwich ...	–	1	–	–	–	–
Evesham	–	1	–	–	–	–
Kidderminster	–	–	–	–	–	M. 1
YORKS ... ... (East Riding).	–	18	31	1	5	D. 1 E. 1
Kingston upon Hull C.B.	–	12	20	1	5	D. 1 E. 1

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
BEVERLEY ...	–	1	2	–	–	–
BRIDLINGTON ...	–	1		–	–	–
HESSLE	–	–	3	–	–	–
HORNSEA	–	1	–	–		–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN	–	2	2	–	–	–
PATRINGTON ...			1		–	–
SKIRLAUGH ...	–	–	3		–	–
YORKS ... ... (North Riding).	–	25	7	–	31	–
MIDDLESBROUGH C.B.	–	6	2	–	19	–
Boroughs and Urban Districts:—						
ESTON		6	–	–	4	–
GUISBOROUGH ...	–	1	–	–	1	–
NORTHALLERTON	–	1	–	–	–	–
REDCAR	–	1	–	–	3	–
RICHMOND ...	*	*	*	*	*	*
SALTBURN BY THE SEA	–	2	–		–	–
SCARBOROUGH ...	–	2	3	–	1	–
THORNABY ON TEES	–	–	–	–	1	–
Rural Districts:—						
BEDALE	–	–	–	–	1	–
EASINGWOLD ...	–	–	–	–	1	–
GUISBOROUGH ...	–	2	1	–	–	–
HELMSLEY ...	–	1	1	–	–	–
REETH	–	1	–	–	–	–
RICHMOND ...	*	*	*	*	*	*
SCARBOROUGH ...	–	1	–	–	–	–
STOKESLEY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	1	153	90	3	101	C. 8 D. 17 E. 2 G. 1 M. 8 N. 11
BARNSLEY C.B. ...	–	1	1	–	1	D. 1 N. 1
BRADFORD C.B. ...		20	2	–	11	C. 2 N. 1
DEWSBURY C.B....	–	10	7	–	–	D. 1
DONCASTER C.B....	–	3	2		–	
HALIFAX C.B. ...		3	4	–	3	N. 2
HUDDERSFIELD C.B.	–	2	4	–	2	E. 1
LEEDS C.B. ...	–	22	31	–	18	C. 4 M. 4 N. 1
ROTHERHAM C.B.	–	1	1	1	1	N. 1
SHEFFIELD C.B....	–	22	12	–	21	D. 1 E. 1 M. 1 N. 5
WAKEFIELD C.B.	–	10	3	–	3	–
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	1	3	–	–	C. 1
BARNOLDSWICK ...	–	–	–	1		–
BATLEY	–	–		–	3	–
BENTLEY WITH ARKSEY	–	–		–	1	D. 1
BINGLEY	–	–		–	1	–
BOLTON UPON DEARNE	–	2	–	–	–	–
BRIGHOUSE ...	–	2		–	–	–
CASTLEFORD ...	–	2	–	–	2	–
CONISBROUGH ...	–	–	1		–	D. 2
CUDWORTH ...	–	–	1	–	1	–
DARTON		–	–	–	1	–
ELLAND	1	1	1		–	–
FEATHERSTONE ...	–	1	–	1	1	–
FLOCKTON ...	–	2	–	–		–
GARFORTH ...	–	3	–	–		–
GILDERSOME ...	–	–	–		1	–
HARROGATE ...	–	–	2	–	1	–
HECKMONDWIKE	–	2	–	–		–
HEMSWORTH ...	–	–	–	–	2	–
HIPPERHOLME ...	–	–	–		1	–
HOLMFIRTH ...	–	1	–	–	1	C. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban District:—*cont.*						
HORSFORTH ...	*	*	*	*	*	*
HOYLAND NETHER	–	–	–	–	5	D. 1
KEIGHLEY ...	–	7	–	–	–	–
LUDDENDEN FOOT	–	–	1	–	–	–
MALTBY	–	2	–	–	–	D. 1
METHLEY ...	–	–	–		2	–
MEXBOROUGH ...	–	–	–	–	1	–
MIRFIELD ...	–	1	–	–	–	–
MORLEY	–	–	–	–	–	M. 1
MYTHOLMROYD ...	–	1	–			–
NORMANTON ...	–		1	–	–	–
OSSETT	*	*	*	*	*	*
OTLEY	–	3	–	–	1	–
PONTEFRACT ...		1	–		–	–
PUDSEY	–	1	–	–	1	–
QUEENSBURY ...	–	–	1	–	–	–
RAWMARSH ...	–	1	–	–	1	–
SADDLEWORTH ...	–	–	1	–	–	–
SHELLEY	–	1	–	–	–	–
SHIPLEY	–	–	1			–
SKIPTON	–	–	–	–	1	D. 1
SOWERBY... ...	–	3	–	–	–	–
SPENBOROUGH ...	–	1	–	–	–	–
SPRINGHEAD ...	–	–	–	–	1	–
STANLEY	–	1	1	–	–	–
STOCKSBRIDGE ...	–	1	–		–	–
SWINTON		1	–	–	–	–
TICKHILL... ...	–	1	–	–	–	–
TODMORDEN ...	–	1		–	2	–
WOMBWELL ...	–	–	–	–	1	–
WORSBOROUGH ...	–	1	–	–	–	–
YEADON	–	–	1	–	–	–
Rural Districts:—						
BARNSLEY ...	–	–	–	–	–	D. 1
BOWLAND ...	–	1	–	–	–	G. 1
DONCASTER ...	–	–	1	–	1	D. 4
HEMSWORTH ...	–	5	–	–	3	D. 2
						M. 2
KIVETON PARK ...	–	1	–	–	1	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	–	2		1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
SETTLE	–	–	3	–	1	–
TADCASTER ...	–	2	–	–	1	–
THORNE	–	–	–	–	–	D. 1
WAKEFIELD ...	–	3	1	–	–	–
WETHERBY ...	–	1	–	–		–
WORTLEY... ...	–	–	1	–	1	–
YORK, CITY OF ..	–	1	4	–	2	–
YORK C.B. ...	–	1	4		2	–
WALES.						
ANGLESEY ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	–	1	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	*	*	*	*	*	*
YSTRADGYNLAIS	–	–	–	–	1	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON...	–	2	3	–	-	–
Boroughs and Urban Districts:—						
BANGOR	–	–	2	–	–	–
CONWAY	–	1	–		–	-
Rural Districts:—						
CONWAY	–		1	–	–	-
GWYRFAI... ...	–	1	-	–	-	–
CARDIGAN ...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
LAMPETER ...	–	–	1	–	–	–
Rural Districts:—						
ABERAYRON ...	–	2	–	–	–	-
ABERYSTWYTH (NORTH)	–	–	3	-	–	–
TREGARON ...	*	*	*	*	*	*
CARMARTHEN...	–	8	-	–	2	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	-	3	–	–	1	–
KIDWELLY ...	*	*	*	*	*	*
Rural Districts:—						
CARMARTHEN ...	-	4	–		–	–
LLANDILO FAWR	–	1	–	–	–	-
LLANELLY ...	–	–	–	–	1	–
DENBIGH ...	–	4	31	–	2	–
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	–	14	–	–	–
WREXHAM ...	–	–	5	–	–	–
DENBIGH—*cont.*						
Rural Districts:—						
LLANGOLLEN ...	–	–	–	–	1	–
LLANSILIN ...	-	–	–	–	1	–
WREXHAM ...	–	4	12	-	-	–
FLINT		3	2	–	2	C. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	1	–
MOLD	–	1			–	–
RHYL	–	1	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL ...	-	–	–	–	1	C. 1
OVERTON... ...	–	1	–	–	–	–
GLAMORGAN ...	–	51	48	-	28	C. 2 E. 2 M. 6 N. 3
CARDIFF C.B. ...	–	12	14	–	5	C. 1 N. 1
MERTHYR TYDFIL C.B.	–	1	2	-	1	E. 2
SWANSEA C.B. ...	–	5	8	–	-	C. 1 N. 1
Boroughs and Urban Districts:—						
ABERDARE ...	–	1	1	–	3	–
BARRY	–	–	–	–	1	–
CAERPHILLY ...	–	2	1	–	2	–
GELLIGAER ...	–	2	4	–	-	–
LLWCHWR ...	–	1	–	–	–	–
MAESTEG... ...	–	1	1	–	–	M. 1
MOUNTAIN ASH...	–	8	1	–	3	–
NEATH	–	–	2	–	2	–
OGMORE AND GARW	–	2	–	–	–	M. 2
PENARTH... ...	–	–	–	–	1	–
PONTYPRIDD ...	–	–	–	-	2	M. 1 N. 1
PORTHCAWL ...	–	4	–	–	–	–
RHONDDA ...	–	10	10	–	7	M. 2

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN—cont.						
Rural Districts:—						
Cardiff	*	*	*	*	*	*
Gower	-	-	-	-	1	-
Llantrisant and Llantwit-fardre	-	1	1	-	-	-
Neath	-	1	3	-	-	-
MERIONETH ...		2	-	-	-	-
Rural Districts:—						
Deudraeth ...	-	1	-	-	-	-
Dolgelley ...	-	1	-	-	-	-
MONMOUTH ...	-	76	6	-	5	-
Newport C.B. ...	-	37	1	-	2	-
Boroughs and Urban Districts:—						
Abergavenny ...	*	*	*	*	*	*
Abersychan ...	-	2	-	-	-	-
Abertillery ...	-	6	-	-	-	-
Bedwellty ...	-	10	1	-	-	-
Ebbw Vale ...	-	2	-	-	2	-
Llantarnam ...	-	3	-	-	-	-
Monmouth ...	-	-	1	-	-	-
Mynyddislwyn ...	-	4	1	-	-	-
Panteg	*	*	*	*	*	*
Rhymney ...	-	1	-	-	-	-
Tredegar ...	-	3	-	-	1	-
Rural Districts:—						
Abergavenny ...	-	-	2	-	-	-
St. Mellons ...	-	8	-	-	-	-
MONTGOMERY...	-	-	-	-	2	-
Borough and Urban Districts:—						
Newtown and Llanllwchaiarn	*	*	*	*	*	*
Welshpool ...	-	-	-	-	1	-
Rural Districts:—						
Forden	-	-	-	-	1	-
PEMBROKE ...	-	-	-	-	2	-
Boroughs and Urban Districts:—						
Pembroke ...	-	-	-	-	1	-
Rural Districts:—						
Haverfordwest	-	-	-	-	1	-
RADNOR	-	-	-	-	1	-
Urban Districts:—						
Knighton ...	-	-	-	-	1	-
Llandrindod Wells	*	*	*	*	*	*
Total of Part II....	17	1564	826	23	971	C. 41 D. 28 E. 7 G. 11 L. 14 M. 83 N. 82

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Plymouth		–	–	–	1	–	Port of London ...		–	1	–	2	I
							Total of Part III. ...		–	1	–	3	I

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Pla
encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Conti

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	38	266	165	8	151	C. 5 E. 2 F. 2 L. 6 M. 17 N. 18
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	17	1564	826	23	971	C. 41 D. 28 E. 7 G. 11 L. 14 M. 83 N. 82
Total of Part III.—Port Sanitary Districts		–	1	–	3	L. 1
Total (i.e., of returns received), England and Wales ...	55	1830	992	31	1125	C. 46 D. 28 E. 9 F. 2 G. 11 L. 21 M. 100 N. 100

uerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain and Deaths of Infants under 1 Age) and Notified Cases of certain fectious Diseases in the last T Weeks and in the Current Year with corresponding figures for previo

Week ended :—	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Totals Week 1930
LONDON :—														
Live Births	1,421	1,200	1,290	1,270	1,322	1,412	1,311	1,334	1,305	1,299	1,334	1,291	1,334	66,04
Stillbirths	49	32	46	53	34	51	53	44	35	36	39	33	46	2,40
Deaths (excluding Still-births)—all ages.	726	729	713	819	809	880	831	853	817	970	1,036	1,012	1,034	43,24
Deaths—0 to 1 year ..	62	48	39	51	68	61	64	63	73	71	109	111	74	3,576
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,749	5,832	6,378	6,134	6,246	6,337	6,279	6,053	6,065	6,010	6,203	5,874	5,909	302,30
Stillbirths	265	238	262	277	252	270	252	262	254	253	238	260	309	13,15
Deaths (excluding Still-births)—all ages.	3,309	3,455	3,457	3,761	3,655	3,819	3,686	3,710	3,791	4,533	4,723	4,451	4,484	195,08
Deaths—0 to 1 year ..	305	268	285	296	317	328	316	334	338	382	436	441	407	18,10
Enteric Fever—Cases	17	20	32	16	18	13	16	24	17	16	14	19	20	1,25
" Deaths	1	—	—	2	2	1	—	—	1	1	1	2	1	10
Small Pox—Cases ..	13	30	11	34	35	31	25	37	31	37	66	45	48	8,20
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Scarlet Fever—Cases	759	844	886	1,027	997	1,134	1,102	1,089	1,068	1,117	1,082	1,111	1,064	54,96
" Deaths	1	4	3	3	5	2	3	5	6	5	1	5	4	36
Diphtheria—Cases ..	488	531	569	580	534	600	570	606	723	625	644	664	668	39,69
" Deaths ..	30	19	23	25	19	24	32	34	25	23	33	29	24	1,71
Measles—Deaths ..	6	13	8	10	5	6	7	11	21	21	22	24	15	2,56
Influenza—Deaths ..	15	10	28	27	28	35	33	31	37	48	66	71	82	1,89

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no cor having been made for changes in boundary. The live births are derived from the weekly returns furnished Registrars and differ from those published for the towns in the Quarterly Return which are corrected fo occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 21st November, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	R m
	°	°	°	°			°	°	°	°	
London (Greenwich).	50	29	48·0	38·7	11	Huddersfield	52	34	46·0	37·3	
Brighton ..	53	38	50·4	41·6	9	Bradford ..	48	36	45·3	38·6	
Portsmouth ..	53	36	50·4	41·2	9	Sheffield ..	50	38	46·9	39·4	
Norwich(Southwell Lodge)	52	30	48·3	38·0	22	York (Museum)	49	32	48·0	38·7	
Plymouth ..	55	36	52·7	40·0	16	Hull (Pearson Park).	50	31	47·2	38·4	
Bristol (Horfield)	54	38	50·3	40·3	7	Tynemouth ..	50	36	47·0	39·4	
Birmingham (Edgbaston).	50	37	46·6	40·0	14	Cardiff	53	38	49·7	40·7	
Nottingham ..	50	34	47·6	39·0	16	Edinburgh ..	48·0	37·0	45·7	39·1	
Birkenhead (Bidston).	50	40	46·7	41·1	14	Glasgow ..	48·1	35·3	45·8	38·0	
Manchester (Whitworth Park).	52	38	48·6	40·3	25	Dublin (Phœnix Park) (Fitzwilliam Square†).	52·0	28·0	49·7	34·6	
Burnley	50	36	46·7	38·6	19	Belfast	53·0	30·0	50·8	36·1	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 21st November, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931 MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	15	..	29·896	46·1	43·7	2·4	45·3	+ 2·2	43·4	1·9	6·2	0·7	93	46·6	38·2	50·4	SW: WSW: NW.	NNW: NNE: ENE.	1·0	0·0	0·1	218	- 77	0·01
MONDAY -	16	..	30·184	48·3	37·3	11·0	43·7	+ 0·9	40·0	3·7	9·5	0·4	87	55·8	28·4	50·2	NE	ENE: NE.	0·5	0·0	0·0	178	- 117	0·00
TUESDAY -	17	First Quarter.	30·142	45·9	29·2	16·7	39·1	- 3·5	37·6	1·5	8·4	0·0	94	54·2	21·9	50·0	NE: Calm.	Calm: E: ESE.	0·4	0·0	0·0	120	- 174	0·00
WEDNESDAY	18	..	29·924	45·8	37·9	7·9	42·6	+ 0·2	39·5	3·1	7·2	0·9	89	55·2	32·0	50·0	Calm: SE.	SSE: SE	0·9	0·0	0·1	207	- 86	0·34
THURSDAY -	19	..	29·718	48·9	38·0	10·9	43·6	+ 1·3	42·0	1·6	4·8	0·0	94	57·6	27·5	49·9	SSE: Calm: WSW.	Calm: SSE.	1·6	0·0	0·1	190	- 105	0·09
FRIDAY -	20	In Equator	29·651	48·6	36·1	12·5	44·0	+ 1·8	42·7	1·3	4·4	0·4	95	55·8	26·2	49·7	SE: Calm.	Calm: SE: S.	0·6	0·0	0·0	152	- 144	0·00
SATURDAY -	21	Apogee. ..	29·980	50·0	36·6	13·4	43·8	+ 1·7	39·2	4·6	10·7	1·0	84	65·9	25·9	49·6	SSW: WSW.	WSW: Calm: S.	0·5	0·0	0·0	221	- 75	0·01
MEANS -		..	29·927	47·7	37·0	10·7	43·2	+ 0·7	40·6	2·5	7·3	0·5	91	55·9	29·0	50·0	Easterly		...	...	...	Sum 1286	Sum - 778	Sum 0·45
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	15	No record taken.	0·0	8·9	Overcast. Occasional slight damping. Mist till 15h.; fog till 16½h.; then mist till 18h.
MONDAY ..	16		0·0	8·9	Overcast till 16½h.; then partially cloudy. Mist from 9h. Dew at night.
TUESDAY ..	17		0·0	8·8	Partially cloudy till 2h.; then overcast. Mist till 2h.; then fog till 18h. Hoar frost in morning.
WEDNESDAY	18		0·0	8·8	Overcast generally. Slight rain 11½h. till 12½h.; then rain till 23¾h.
THURSDAY	19		0·0	8·7	Overcast till 16h.; partially cloudy till 23¼h.; then overcast. Rain 3h. till 7½h. Fog 9h. till 11½h.; then mist. Occasional solar halo between 10½h. and 14½h. Lunar halo 18h. till 22h. Hoar frost at night.
FRIDAY ..	20		1·0	8·7	Nearly overcast till 2h.; partially cloudy till 9½h.; nearly overcast till 19½h.; then variably cloudy. Hoar frost and mist in morning. Heavy dew at night.
SATURDAY	21		2·8	8·6	Very cloudy till 10h.; cloudless till 20½h.; then nearly overcast. Damping 0½h. till 1½h. Haze 10½h. till 16h. Fog 16h. till 21½h. Mist and dew in morning. Hoar frost at night.
			Sum 3·8	Sum 61·4	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·58 ins. at the beginning of the week to 30·20 ins. by 11h. on 16th; decreased to 29·64 ins. by 13h. on 20th; increased and was 30·13 ins. by midnight on the 21st.

FOR OFFICIAL USE

1931. No. 47.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 28TH NOVEMBER, 1931

Crown Copyright Reserved



LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 28TH NOVEMBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the forty-seventh week of the year numbered 5,688 corresponding to an annual rate of 15·0 per 1,000 living: stillbirths numbered 237 corresponding to a rate of 40 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,527 (43 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.
107 Great Towns	12·5	11·7	11·8	11·9
London	12·3	12·1	12·3	11·9
Birmingham	10·8	10·2	11·1	11·4
Liverpool	14·1	11·7	13 7	15·1
Manchester	14·8	13·8	13 4	12·9
Sheffield	10·4	9·3	9·7	11·3
Leeds	13·8	11·6	11 3	12·3
Bristol	10·8	12·4	9·9	10·4
West Ham	9·5	10·7	10·5	11·1

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 65, against 67, 68, and 62 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,293 live births registered corresponding to an annual rate of 15·4 per 1,000 living: stillbirths numbered 47 corresponding to a rate of 35 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,002 (32 less than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 76, against 79, 80, and 53 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in th week ended 28th November, 1931.

Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 Great Towns ..	19,836,440*	5,688	237	4,827	421	–	35	4	27	31	60
London	4,377,000*	1,293	47	1,002	106	–	2	1	6	3	15
Towns in Outer Ring. Croydon C.B. ..	233,000	72	–	42	2	–	–	–	–	–	–
Wimbledon ..	58,830	8	–	16	1	–	–	–	–	–	–
Ealing	117,400	33	–	18	1	–	–	–	–	–	1
Acton	70,400	8	1	20	1	–	–	–	–	–	–
Brentford and Chiswick ..	62,620	8	–	16	1	–	–	–	–	–	–
Willesden ..	185,300	37	–	27	3	–	–	–	–	–	–
Hendon	114,600*	37	1	19	–	–	–	–	–	1	–
Hornsey	95,440	13	–	22	2	–	–	–	–	–	–
Wood Green ..	54,460	11	–	9	1	–	–	–	–	–	–
Tottenham ..	159,100	29	1	29	2	–	–	–	–	–	1
Edmonton	77,530	42	1	23	3	–	–	1	–	–	1
Enfield	68,090	19	–	13	–	–	–	–	–	–	–
West Ham C.B. ..	296,900	106	4	63	3	–	1	–	–	–	–
East Ham C.B. ..	142,900	26	1	27	1	–	–	–	–	–	–
Leyton	128,600	22	–	30	–	–	–	–	–	–	–
Walthamstow ..	134,300	24	1	20	–	–	–	–	–	–	–
Ilford	131,300	32	1	23	3	–	–	–	–	–	1
Gillingham	60,600*	14	1	12	1	–	–	–	–	–	–
Canterbury C.B. ..	24,440*	1	–	4	–	–	–	–	–	–	–
Hastings C.B.	61,870	15	1	17	–	–	–	–	–	1	–
Eastbourne C.B. ..	55,670	11	–	9	–	–	–	–	–	–	–
Brighton C.B. ..	144,900*	39	2	31	3	–	–	–	–	1	–
Portsmouth C.B. ..	248,300*	78	3	44	5	–	–	–	–	–	–
Bournemouth C.B. ..	108,600	21	2	24	1	–	–	–	–	–	–
Southampton C.B. ..	175,300	59	–	32	2	–	–	–	–	–	–
Reading C.B.	97,450*	32	1	23	4	–	–	–	–	–	1
Oxford C.B.	80,530*	26	–	17	1	–	–	–	–	–	–
Northampton C.B. ..	92,940*	29	1	15	1	–	–	–	–	–	–
Luton	69,030	19	–	12	2	–	–	–	–	–	–
Cambridge	66,850	18	–	14	1	–	–	–	–	–	–
Southend-on-Sea C.B.	117,900	17	–	22	1	–	–	–	–	1	–
Ipswich C.B.	87,630	27	–	18	1	–	–	–	–	–	–
Great Yarmouth C.B.	56,690	13	–	24	–	–	–	–	–	1	–
Norwich C.B.	126,800*	43	4	17	–	–	–	–	–	–	–
Swindon	62,800	14	–	6	–	–	–	–	–	–	–
Exeter C.B.	65,290*	12	1	21	–	–	–	–	–	–	–
Plymouth C.B. ..	207,600*	55	1	59	4	–	–	–	–	–	3
Bath C.B.	68,120	13	1	19	–	–	–	–	–	–	–
Bristol C.B.	399,500*	132	5	80	8	–	–	–	–	–	–
Gloucester C.B. ..	52,890	14	–	5	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	279,800	83	5	62	6	–	7	–	–	–	1
Burton-upon-Trent C.B.	49,920	19	1	11	1	–	–	–	–	–	1
Wolverhampton C.B.	134,200	41	2	27	3	–	–	–	–	–	1
Walsall C.B.	104,200	40	–	32	3	–	–	–	3	–	–
West Bromwich C.B.	82,090	28	1	9	1	–	–	–	–	–	–
Dudley C.B.	60,010	15	2	10	–	–	–	–	–	–	–
Worcester C.B. ..	50,540	19	1	10	1	–	–	–	–	–	–
Birmingham C.B. ..	1,011,300	317	16	222	20	–	–	–	2	1	4
Smethwick C.B. ..	85,370	20	1	11	2	–	1	–	–	–	–
Coventry C.B ..	168,500	41	1	39	1	–	–	–	1	–	–
Leicester C.B. ..	241,200	73	3	52	1	–	–	–	–	–	–
Lincoln C.B.	66,110*	18	–	11	–	–	–	–	–	–	–
Grimsby C.B.	92,180	35	–	23	1	–	–	–	–	1	–
Nottingham C.B. ..	270,900	92	1	67	6	–	–	–	–	–	2
Derby C.B.	143,400*	44	2	28	4	–	–	–	–	1	1
Chesterfield	64,450	29	1	20	2	–	–	–	–	–	–
Stockport C.B ..	126,600	32	2	34	2	–	–	–	1	1	–
Chester C.B.	41,370	15	–	9	1	–	–	–	–	–	–
Birkenhead C.B. ..	148,800	39	2	35	2	–	–	–	1	–	1
Wallasey C.B. ..	97,240	21	1	19	–	–	–	–	–	–	–
Liverpool C.B. ..	862,100	271	11	249	38	–	–	–	6	2	9
Bootle C.B.	77,170	32	1	21	3	–	–	–	–	1	–
St. Helens C.B.	108,200	34	1	24	4	–	–	–	–	–	1

* Non-civilian deaths are excluded from this table and the comparable civilian populations where differ from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingh 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Oxf C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193, Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
SOUTHPORT C.B. ..	77,180	14	-	25	-	-	-	-	-	-	-	-
WIGAN C.B.	86,250	21	2	28	6	-	-	-	-	-	-	5
WARRINGTON C.B. ..	80,280*	24	2	18	1	-	-	-	-	-	-	1
BOLTON C.B	179,300	23	2	44	3	-	5	-	-	-	-	4
BURY C.B.	56,580*	10	3	19	2	-	-	-	-	-	-	2
MANCHESTER C.B. ..	773,300	207	12	192	22	-	3	-	2	3	2	5
SALFORD C.B.	226,100	65	1	42	3	-	1	-	-	-	1	-
ASHTON-UNDER-LYNE	51,850	20	-	5	-	-	-	-	-	-	-	-
OLDHAM C.B	142,000	27	-	30	3	-	1	-	-	-	-	-
ROCHDALE C.B. ..	91,190	21	-	31	-	-	-	-	-	-	-	4
BURNLEY C.B	99,300	17	-	36	2	-	-	-	-	-	-	4
BLACKBURN C.B. ..	124,000	25	1	41	-	-	-	-	-	-	-	3
PRESTON C.B.	120,100	33	2	32	3	-	-	-	-	-	-	2
BLACKPOOL C.B. ..	97,880	18	1	34	3	-	-	-	-	-	-	3
BARROW-IN-FURNESS C.B.	66,700	15	-	13	1	-	-	-	-	-	-	1
HUDDERSFIELD C.B. ..	114,300	29	-	29	2	-	-	-	-	-	-	2
HALIFAX C.B.	98,770*	30	4	26	1	-	3	-	-	-	-	1
BRADFORD C.B. ..	300,800	77	4	78	4	-	-	-	-	1	1	-
LEEDS C.B	486,100	126	7	115	11	-	2	-	-	9	1	3
DEWSBURY C.B. ..	54,430	14	2	10	-	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	59,280	17	-	12	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	72,090	24	3	24	3	-	-	-	-	-	-	1
SHEFFIELD C.B. ..	517,300	125	10	112	9	-	-	-	-	-	1	2
ROTHERHAM C.B. ..	70,100	25	2	12	2	-	-	-	-	-	-	-
DONCASTER C.B. ..	63,260	29	1	12	-	-	-	-	-	-	-	-
YORK C.B.	85,910*	16	1	11	1	-	-	-	-	-	-	-
KINGSTON-UPON-HULL C.B.	314,800	94	2	63	12	-	-	-	1	2	2	-
MIDDLESBROUGH C.B.	138,800	56	3	38	7	-	-	-	-	-	-	1
DARLINGTON C.B. ..	72,620	20	3	18	3	-	1	-	-	-	-	3
STOCKTON-ON-TEES ..	68,350	32	2	18	3	-	2	-	1	-	1	-
WEST HARTLEPOOL C.B.	68,740	30	2	20	4	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	187,500	64	2	44	7	-	-	1	-	-	1	1
SOUTH SHIELDS C.B ..	114,400	39	3	28	3	-	2	-	-	-	1	-
GATESHEAD C.B. ..	123,700	36	-	32	4	-	-	-	-	-	1	1
NEWCASTLE-ON-TYNE C.B.	284,300*	113	5	67	8	-	-	-	2	-	1	-
TYNEMOUTH C.B. ..	64,750	20	1	15	1	-	-	-	-	-	-	-
CARLISLE C.B.	57,430*	16	-	14	1	-	4	-	-	-	-	-
NEWPORT (MON.) C.B.	89,500*	33	2	18	2	-	-	1	-	-	-	1
CARDIFF C.B.	223,700*	69	5	62	8	-	-	-	1	-	2	3
RHONDDA	142,700	40	5	36	3	-	-	-	-	1	1	2
MERTHYR TYDFIL C.B.	71,670	22	1	16	-	-	-	-	-	-	-	1
ABERDARE	49,010	13	4	11	2	-	-	-	-	-	-	1
SWANSEA C.B.	165,400	59	2	27	3	-	-	-	-	-	-	-
GREATER LONDON ..	8,179,740*	2,297	75	1,692	148	-	3	3	7	5	23	19
OUTER RING	3,802,740*	1,004	28	690	42	-	1	2	1	2	8	11
17 GREAT TOWNS IN OUTER RING	2,130,770*	527	11	417	24	-	1	1	-	1	4	6
REMAINDER OF OUTER RING	1,671,970*	477	17	273	18	-	-	1	1	1	4	5
EDINBURGH†	438,998	127	?	83	4	-	-	-	2	-	1	-
GLASGOW†	1,088,417	413	?	305	45	1	30	5	1	4	6	1
DUBLIN†	412,400	163	?	138	13	-	1	-	-	-	1	1
BELFAST†	415,151	151	?	105	20	-	-	-	-	-	2	1

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases.
London‡	4,377,000	1931. Nov. 28	1293	47	1002	11·9	-	-	2	1	6	3	1
Calcutta and Suburbs	1,077,264	Oct. 17	?	?	505‖	24·4	?	-	?	-	?	?	
Bombay§	1,298,708	„ 31	616	43	497‖	22·2	4	-	1	-	1	-	1
Madras	647,533	„ 17	547	34	348	27·9	4	-	-	-	-	-	1
Sydney and Suburbs	1,256,210	Oct. 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Aug. 31 (31 days)											
Perth (Metropolitan Area).	204,780	Sept. 26	70	?	45	11·4	-	-	-	-	-	-	
Auckland (Urban Area).	215,730	Oct. 31 (31 days)											
Wellington (Urban Area).	142,540	Oct. 31 (31 days)											
Christchurch (Urban Area).	127,070	Oct. 31 (31 days)											
Cape Town	136,748	Oct. 24	62	1	33	12·6	-	-	-	-	-	-	
Johannesburg	187,326	„ 17	92	3	42	11·7	-	-	-	-	-	-	
Durban	61,667	„ 17	26	2	8	6·8	-	-	-	-	-	-	
Paris	2,871,429	Nov. 10 (10 days)	1027	59	1030	13·1	5	-	1	-	1	8	2
Antwerp	295,454	Oct. 31 (16 days)	193	7	97	7·9	1	-	-	-	-	-	
Amsterdam	761,737	Nov. 7	258	4	127	8·7	-	-	-	-	1	-	
Copenhagen	615,700	„ 14	154	2	120	10·2	-	-	-	1	-	-	
Stockholm	502,203	„ 7	93	-	104	10·8	-	-	-	-	-	-	
Gothenberg	245,600	Oct. 24	?	?	37	7·8	-	-	-	-	-	-	
		„ 31	?	?	51	10·8	-	-	-	-	-	-	
Oslo	256,353	Nov. 14	34	1	48	9·7	-	-	-	-	-	-	
Berlin	4,289,000	Oct. 31	701	20	832	10·1	-	?	-	-	2	11	
Breslau	614,000	„ 31	124	4	119	10·1	-	?	-	-	-	3	
Cologne	738,000	„ 31	183	6	157	11·1	-	?	-	-	2	-	
Dresden	630,000	„ 31	85	2	111	9·2	-	?	-	-	-	4	
Frankfort-on-Main	537,000	„ 31	85	4	96	9·3	-	?	-	-	-	-	
Hamburg	1,138,000	„ 31	202	2	168	8·6	-	?	1	-	-	1	
Leipzig	715,000	„ 31	127	4	125	9·1	-	?	-	-	-	-	
Munich	730,000	„ 31	99	3	171	12·2	-	?	-	-	-	2	
Budapest	1,009,069	„ 51	327	9	238	12·3	-	-	1	-	3	1	
Warsaw	1,115,651	„ 31	?	9	223	10·4	3	-	-	-	1	1	
Madrid	834,103	„ 24	?	29	255	15·9	2	-	2	-	-	1	
Cairo	1,160,700	Aug. 19	998	28	769	34·5	13	-	3	-	?	5	30
		„ 26	959	27	674	30·3	21	-	5	-	?	3	24
Alexandria	629,900	„ 19	527	15	427	35·3	3	-	7	-	?	3	14
		„ 26	449	6	443	36·7	5	-	10	-	?	2	13
New York	7,090,089	Oct. 24	2071	97	1294	9·5	3	-	-	-	4	2	1
Chicago	3,457,375	Nov. 6	1035	26	566	8 5	1	-	-	1	1	3	
New Orleans	466,000	Sept. 30 (30 days)	898	41	598	15·4	10	-	-	-	2	1	
Rio de Janeiro ..	1,729,799	Oct. 3	613	52	495	14·9	-	-	10	-	7	2	7
		„ 10	741	40	450	13·6		-	13	-	4	1	6

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year* for Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 5 deaths from Cholera in Calcutta and 1 from Cholera in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 28th November, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	44,223	47,499	1002	106	20	15	20	33	52	44	101	162	241	208
Enteric fever	23	20	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1008	65	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet fever	99	56	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	117	272	6	2	-	4	-	-	-	-	-	-	-	-
Diphtheria	412	230	3	-	-	1	2	-	-	-	-	-	-	-
Influenza	305	984	8	-	-	1	-	-	1	-	2	3	-	1
Erysipelas	143	154	2	-	-	-	-	-	-	-	-	-	2	-
Acute Poliomyelitis, Polioencephalitis	11	5	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	54	42	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	78	120	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	3241	3368	65	-	-	-	1	15	14	10	14	10	1	-
Nervous system	210	203	2	-	-	1	1	-	-	-	-	-	-	-
Intestines and peritoneum	49	51	2	-	-	-	-	1	1	-	-	-	-	-
Other forms	198	233	7	-	-	-	-	3	2	-	-	2	-	-
Venereal diseases	171	167	4	-	-	-	-	-	-	2	2	-	-	-
Cancer	6038	6282	138	-	-	1	-	-	4	7	24	37	43	22
Rheumatic fever	152	122	6	-	-	-	2	1	-	2	-	1	-	-
Diabetes	464	496	18	-	-	-	-	-	-	-	1	5	9	3
Alcoholism	20	17	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	71	83	2	-	1	-	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1812	1740	30	-	-	-	-	-	-	-	4	7	11	8
Epilepsy	178	157	6	-	-	-	2	-	2	-	2	-	-	-
Convulsions" (not puerperal) ..	53	52	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	1103	1013	20	-	-	-	2	1	1	3	3	2	5	3
Pericarditis	16	19	1	-	-	-	-	-	-	-	-	-	1	-
Acute endocarditis	204	173	3	-	-	-	-	2	-	1	-	-	-	-
Other diseases of heart	9319	10917	232	-	-	-	1	1	3	8	13	32	88	86
Other diseases of circulatory system	1875	2032	41	-	-	-	-	-	-	-	1	8	17	15
Bronchitis	1587	2271	44	3	1	-	-	-	2	-	6	7	8	17
Broncho-pneumonia	1589	2348	73	36	7	4	-	-	1	-	5	4	8	8
Lobar pneumonia	957	1092	18	-	1	-	-	1	1	1	5	1	4	4
Pneumonia (type not distinguished)	351	373	7	1	1	-	2	-	-	1	-	-	1	1
Other diseases of respiratory system	439	504	13	1	-	-	-	1	-	-	2	1	3	5
Diarrhœa and enteritis	728	630	16	12	3	-	-	-	1	-	-	-	-	-
Appendicitis, Typhlitis	310	267	3	-	-	-	-	-	1	1	-	1	-	-
Hernia, Intestinal obstruction ..	448	484	16	2	-	-	-	-	3	-	2	1	7	1
Cirrhosis of liver	202	206	7	-	-	-	-	-	-	-	-	6	1	-
Other diseases of digestive system ..	1117	1072	18	4	1	-	-	-	3	1	3	2	3	1
Acute nephritis	85	79	3	-	-	-	-	-	-	-	2	1	-	-
Chronic Bright's disease	1577	1513	27	-	-	-	-	1	1	1	3	9	10	2
Other diseases of genito-urinary system.	746	813	20	1	-	-	1	1	1	-	2	3	6	5
Puerperal sepsis	101	111	4	-	-	-	-	-	3	1	-	-	-	-
Other causes incident to childbirth ..	86	112	3	-	-	-	-	1	1	1	-	-	-	
Congenital malformations	297	288	4	4	-	-	-	-	-	-	-	-	-	
Premature birth	854	878	24	24	-	-	-	-	-	-	-	-	-	
Debility, atrophy (congenital)	157	142	4	4	-	-	-	-	-	-	-	-	-	
Old age	1062	1092	15	-	-	-	-					-	-	15
Suicide	531	520	9	-	-	-	-	-	1	1	1	5	1	-
Burns and Scalds	88	125	4	-	2	-	-	1	-	-	-	1	-	-
Drowning	106	88	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	26	27	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	730	650	14	-	-	-	4	1	1	-	2	2	2	2
Other deaths by violence	715	696	16	2	-	1	-	1	1	-	-	3	2	6
Other specified causes	1893	2037	38	8	1	1	1	1	3	2	2	8	8	3
Ill-defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 28th November 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	27	308	180	3	163	C. 6, D. 1, G. 4, J. 1, L. 5, M. 17, N. 15
CITY OF LONDON...	-	-	1	-	-	-
Metropolitan Boroughs:—						
BATTERSEA ...	-	15	12	-	7	M. 1
BERMONDSEY ...	-	11	3	-	5	N. 3
BETHNAL GREEN	2	12	4	-	6	-
CAMBERWELL ...	1	21	11	-	14	M. 1, N. 1
CHELSEA	-	2	-	-	1	-
DEPTFORD ...	1	9	5	-	4	-
FINSBURY ...	3	2	2	1	3	M. 1, N. 1
FULHAM	-	5	7	-	2	M. 1, N. 1
GREENWICH ...	-	3	2	-	2	C. 1
HACKNEY... ...	-	17	8	-	8	G. 1, N. 1
HAMMERSMITH ...	-	6	5	-	-	M. 1, N. 1
HAMPSTEAD ...	-	12	1	-	2	L. 1, M. 1
HOLBORN... ...	-	1	2	-	1	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	5	15	14	-	13	C. 1, M. 2, N. 1
KENSINGTON ...	-	18	7	1	7	G. 1, L. 3
LAMBETH ...	15	16	12	-	8	M. 1, N. 2
LEWISHAM ...	-	8	4	-	8	C. 1
PADDINGTON ...	-	4	6	-	9	J. 1, L. 1
POPLAR	-	25	11	-	17	C. 1, G. 1, N. 1
ST. MARYLEBONE	-	5	3	-	3	C. 1, M. 1
ST. PANCRAS ...	-	15	5	1	10	D. 1, M. 1
SHOREDITCH ...	-	12	8	-	2	C. 1, G. 1, M. 5
SOUTHWARK ...	-	12	10	-	4	N. 1
STEPNEY	-	25	16		12	N. 1
STOKE NEWINGTON	-	4	-	-	-	-
WANDSWORTH ...	-	22	9	-	12	M. 1
WESTMINSTER, CITY OF	-	4	2	-	-	-
WOOLWICH ...	-	7	10	-	3	N. 1

‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	7	2	–	6	M. 1 N. 1
Boroughs and Urban Districts:—						
BEDFORD	–	1	–	–	1	M. 1 N. 1
DUNSTABLE ...	–	1	–	–	–	–
LUTON	–	2	2	–	1	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	–
BEDFORD	–	–	–		1	–
BIGGLESWADE ...	–	1	–	–	2	–
EATON BRAY ...	–	2	–	–	–	–
LUTON	*	*	*	*	*	*
BERKS	–	15	4	–	1	M. 2 N. 2
READING C.B. ...	–	4	2	–	–	N. 1
Boroughs and Urban Districts:—						
MAIDENHEAD ...	–	–	2	–	1	–
NEWBURY ...	–	2	–	–	–	–
NEW WINDSOR ...	–	2	–	–	–	–
Rural Districts:—						
BRADFIELD ...	–	4	–	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
HUNGERFORD ...	–	–	–	–	–	N. 1
WALLINGFORD ...	–	1	–	–	–	M. 2
BUCKINGHAM...	–	14	10	–	4	–
Boroughs and Urban Districts:—						
CHEPPING WYCOMBE	–	–	–	–	2	–
ETON	–	1	–	–	–	–
SLOUGH	–	4	2	–		–
WOLVERTON ...	–		1		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
ETON	–	1	7	–	1	–
NEWPORT PAGNELL	–	5	–	–	–	–
WYCOMBE ...	–	2	–	–	1	–
CAMBRIDGE ...	–	9	1	2	–	N. 2
Borough:—						
CAMBRIDGE ...	–	1	–	1	–	N. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	–	N. 1
CHESTERTON ...	–	5	–	1		–
MELBOURN ...	–	2	–	–	–	–
NEWMARKET ...	–	1	1	–	–	–
CHESTER ...	–	33	36	–	25	C. 1 M. 2 N. 3
BIRKENHEAD C.B.	–	3	4	–	10	–
CHESTER C.B. ...	–	–	–	–	1	–
STOCKPORT C.B. ...	–	3	10	–	2	N. 1
WALLASEY C.B. ...	–	3	9	–	–	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE..	–	1	–	–	–	–
ALTRINCHAM ...	–	–	–	–	–	N. 1
BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BUGLAWTON ...	–	–	–	–	1	–
CHEADLE AND GATLEY	–	7	–	–	–	–
CONGLETON ...	–	–	–	–	1	–
CREWE	–	–	1	–	–	M. 1
ELLESMERE PORT AND WHITBY	–	–	1	–	1	–

* Returns not received.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HAZEL GROVE AND BRAMHALL	–	2	–	–	1	–
HOOLE	–	–	–	–	1	–
MACCLESFIELD ...	–	2	1	–	–	N. 1
MARPLE	–	–	–	–	1	–
NANTWICH ...	–	1	2	–	–	–
RUNCORN	–	–			1	–
SALE	–	–	1	–	–	C. 1
STALYBRIDGE ...	–	1	–	–	1	–
WILMSLOW ...	–	1	–	–	1	–
Rural Districts:—						
BUCKLOW... ...	–	1	–	–	–	–
CHESTER	–	–	1	–	–	–
MACCLESFIELD ...	–	–	1	–	–	–
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	–	2	–	–	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN... ...	–	1	1	–	2	M. 1
TARVIN	–	1	–	–	–	–
WIRRAL	–	2	2	–	1	–
CORNWALL ...	–	4	6	–	4	–
Boroughs and Urban Districts:—						
CAMBORNE ...	–	1	1			–
LOOE	*	*	*	*	*	*
ST. AUSTELL ...	–	–	1	–	–	–
SALTASH	–	–	–	–	2	–
TRURO	–	1	2	–	–	–
Rural Districts:—						
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. COLUMB ... MAJOR	–	1	–	–	–	–
TRURO	–	–	2	–	–	–
WEST PENWITH...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND...	–	7	2	–	5	G. 1
CARLISLE C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	1	–	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
MARYPORT ...	–	2	–	–	–	–
MILLOM	–	–	–	–	1	–
PENRITH	–	2	–	–	–	G. 1
WHITEHAVEN ...	–	–	–	–	2	–
WORKINGTON ...	–	–	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	–	–	–	–	1	–
WHITEHAVEN ...	–	–	–	–	1	–
DERBY	5	25	14	1	18	M. 1 N. 2
DERBY C.B. ...	–	3	3	1	6	M. 1
Boroughs and Urban Districts:—						
ALFRETON ...	4	–	–	–	–	–
BAKEWELL ...	–	–	1	–	2	–
BOLSOVER ...	–	1	–	–	1	–
CHESTERFIELD ...	–	5	–	–	3	–
GLOSSOP	–	–	–	–	1	–
HEANOR	–	2	–	–	–	–
LONG EATON ...	–	3	–	–	–	–
RIPLEY	–	1	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	–	3	–	–	–
BELPER	–	1	–	–	1	N. 1
BLACKWELL ...	–	1	3	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	1	6	1	–	2	–
CLOWNE	–	1	1	–	–	–
NORTON		–		–	1	–
REPTON	–	–	1	–	–	–
SHARDLOW ...	–	–	1	–	1	N. 1

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	35	14	1	14	M. 1 N. 1
EXETER C.B ...	–	–	–	–	2	–
PLYMOUTH C.B.	–	24	11	–	5	–
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	3	–	2	–
IVYBRIDGE ...	–	1	–	–		–
PAIGNTON ...	–	–	–	–	2	–
TEIGNMOUTH ...	–	1	–	–	1	–
TORQUAY	–		–	–	–	N. 1
Rural Districts:—						
KINGSBRIDGE ...	–	–	–	1	–	–
OKEHAMPTON ...	–	3	–	–	–	–
ST. THOMAS ...	–	6	–	–	1	–
TAVISTOCK ...	–	–	–	–	–	M. 1
TIVERTON ...	–	–	–	–	1	–
DORSET	–	1	2	–	3	C. 1
Boroughs and Urban Districts:—						
LYME REGIS ...	–	–	–	–	–	C. 1
POOLE	–	1	1	–	2	–
WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
Rural Districts:—						
DORCHESTER ...	–	–	–	–	1	–
POOLE	*	*	*	*	*	*
DURHAM ...	–	90	22	2	75	C. 1 L. 1 M. 4 N. 6
DARLINGTON C.B.	–	9	1	2	–	–
GATESHEAD C.B.	–	6	1	–	5	M. 1
SOUTH SHIELDS C.B.	–	2	1	–	11	N. 1
SUNDERLAND C.B.	–	14	2	–	14	C. 1 N. 2
WEST HARTLEPOOL C.B.	–	3	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	1	1	–	1	–
BENFIELDSIDE ...	–	–	1	–	–	–
BILLINGHAM ...	–	–	–	–	2	–
BLAYDON... ...	–	1	–	–	1	–
BRANDON AND BYSHOTTLES	–	–	2	–	–	–
CHESTER LE STREET	–	4	–	–	–	–
CONSETT	–	–	1	–	1	–
CROOK	–	–	–	–	2	–
DURHAM	–	5	–	–	1	–
FELLING	–	5	–	–	–	–
HEBBURN ...	–	1	–	–	3	–
HETTON	–	–	–	–	1	–
HOUGHTON LE SPRING	–	1	–	–	–	–
JARROW	–	–	–	–	5	N. 1
LEADGATE ...	–	–	–	–	2	–
RYTON	–	1	–	–	–	M. 1
SEAHAM HARBOUR	–	–	–	–	2	–
STANLEY	–	7	–	–	1	–
STOCKTON ON TEES	–	5	1	–	7	–
TOW LAW ...	–	–	–	–	1	–
WASHINGTON ...	–	–	3	–	–	–
WHICKHAM ...	–	2	–	–	1	L. 1
WILLINGTON ...	–	4	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	1	1	–	1	–
BARNARD CASTLE	–	–	–	–	2	–
CHESTER LE STREET	–	2	1		1	–
DURHAM	–	–	1	–	1	–
EASINGTON ...	–	3	2	–	1	N. 1
HOUGHTON LE SPRING	–	6	–	–	2	M. 1
LANCHESTER ...	–	3	2	–	1	–
SEDGEFIELD ...	–	1	–	–	–	–
SUNDERLAND ...	–	3		–	1	M. 1
WEARDALE ...	–	–	–	–	1	N. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum: N Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	2	5	–	–	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	4	–	–	–
WISBECH	–	2	–	–	–	–
Rural Districts:—						
WISBECH	–	–	1	–		–
ESSEX	13	96	53	2	43	C. 2 D. 1 M 2 N. 4
EAST HAM C.B....	–	18	5	–	–	D. 1
SOUTHEND ON SEA C.B.	–	4	7	–	5	C. 1 M. 1
WEST HAM C.B.	11	14	9	–	15	C. 1 N. 2
Boroughs and Urban Districts:—						
BARKING TOWN...	–	6	5	–	2	–
BENFLEET ...	–	–	–	1	–	–
BRAINTREE ...	–	–	1		–	–
BUCKHURST HILL	–	2	–		–	–
CHINGFORD ...	–	–	1	–	–	
COLCHESTER ...	–	–	2	–	–	N. 1
DAGENHAM ...	–	15	6	–	3	–
EPPING	–			1	2	–
GRAYS THURROCK	–	2	2	–	1	–
HARWICH ...	–	1	–	–	–	–
ILFORD	–	4	4	–	4	–
LEYTON	–	2	5	–	5	–
LOUGHTON ...	1	–	–	–	–	–
MALDON	–	1	–	–	–	–
ROMFORD... ...	–	2	1	–	–	N. 1
TILBURY	–	3	–	–	1	–
WALTHAMSTOW ...	1	7	3	–	3	–
Rural Districts:—						
BILLERICAY ...	–	4	1	–	–	–
BRAINTREE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts— *cont.*						
EPPING	–	4	–	–	–	–
MALDON	–	–	–	–	1	–
ORSETT	–	–	–	–	–	M. 1
ROCHFORD ...	–	6	–	–	–	–
TENDRING ...	–	1	–	–	1	–
GLOUCESTER ...	–	21	23	–	8	C. 2 N. 3
BRISTOL C.B. ...	–	12	15	–	5	C. 1 N. 1
GLOUCESTER C.B.	–	2	1	–	1	N. 1
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	–	1	–	1	–
KINGSWOOD ...	–	–	–	–	–	C. 1
MANGOTSFIELD ...	–	–	1	–	–	–
NAILSWORTH ...	–	8	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	1	–
NEWENT	–	1	–	–	–	–
STROUD	–	–	2	–	–	–
TEWKESBURY (part)	–	–	1	–	–	–
WARMLEY ...	–	–	2	–	–	N. 1
WEST DEAN ...	–	1	–	–	–	–
WHEATENHURST	–	1	–	–	–	–
HEREFORD ...	–	9	1	–	3	N. 3
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	2	–	–	1	N. 1
LEOMINSTER ...	–	4	–	–	1	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HEREFORD— *cont.*						
Rural Districts:—						
HEREFORD ...	–	–	1	–	–	–
KINGTON	–	1	–	–	–	–
LEOMINSTER AND WIGMORE	–	2	–	–	–	N. 1
WEOBLEY... ...	–	–	–	–	–	N. 1
HERTFORD ...	–	10	7	–	5	D. 1
					–	N. 2
Boroughs and Urban Districts:—						
BARNET	–	–	–	–	–	N. 1
CHESHUNT ...	–	1	–	–	1	–
EAST BARNET VALLEY	–	–	–	–	1	–
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
HARPENDEN ...	–	1	–	–	–	–
HERTFORD ...	–	–	–	–	–	N. 1
HODDESDON ...	–	1	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	–	1	–
WARE	–	1	–	–	–	–
WATFORD... ...	–	1	4	–	–	D. 1
WELWYN GARDEN CITY	–	1	–	–	–	–
Rural Districts:—						
BARNET	–	–	1	–	–	–
HERTFORD ...	–	–	–	–	1	–
HITCHIN	–	2	–	–	–	–
ST. ALBANS ...	–	–	–	–	1	–
WARE	–	1	–	–	–	–
WATFORD ...	–	–	1	–	–	–
HUNTINGDON ...	–	4	–	–	1	–
Boroughs and Urban Districts—						
ST. NEOTS ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HUNTINGDON— *cont.*						
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
ST. NEOTS ...	–	2	–	–	–	–
KENT	–	47	21	–	20	E. 1
						N. 5
CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BECKENHAM ...	–	–	–	–	2	N. 1
BEXLEY	–	2	2		–	–
BROADSTAIRS AND ST. PETER'S	–	1		–	–	–
BROMLEY... ...	–	5	3	–	1	–
CHATHAM ...	–	1	–	–	1	N. 1
CRAYFORD ...	–	1	–	–	–	–
DARTFORD ...	–	–	1	–	–	–
DEAL	–	1	1	–	–	–
DOVER	–	1	–	–	–	–
ERITH	–	1	–	–	3	–
FOLKESTONE ...	–	1	–	–	1	–
GILLINGHAM ...	–	3	–	–	1	–
GRAVESEND ...	–	1		–	–	–
HERNE BAY ...	–	1	–	–	–	–
MAIDSTONE ...	–	3	1	–	–	–
MARGATE ...	–	2	2	–	–	
PENGE			–	–	–	N. 1
RAMSGATE ...	–	1	–	–	–	–
ROCHESTER ...	–	5	3	–	–	–
ROYAL TUNBRIDGE WELLS		2	1	–	–	N. 1
SEVENOAKS ...	–	1	–	–	–	–
SIDCUP		–	1	–	–	E. 1
SITTINGBOURNE AND MILTON	–	1	–	–		–
SOUTHBOROUGH	–	–	1	–	–	–
WROTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BRIDGE	–	2		–	–	–
BROMLEY... ...		2	1	–	–	–
CRANBROOK ...	–	–	–	–	1	–
DARTFORD ...	–	2	–	–	–	–
EASTRY	–	2	3	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polic-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
Elham	–	–	–	–	–	N. 1
Faversham ...	–	1		–	1	–
Isle of Thanet	–	–	–	–	5	–
Maidstone ...		–	–	–	3	–
Milton	–	–	1		–	–
Sevenoaks ...		1	–	–		–
Tonbridge ...	–	1	–	–	–	–
West Ashford...	–	1		–	–	–
LANCASTER ...	–	266	160	7	293	C. 2
						D. 4
						G. 2
						L. 6
						M. 16
						N. 10
						*
Barrow in Furness C.B.	–	1	–		2	–
Blackburn C.B.	–	3	–	–	5	G. 1
Blackpool C.B.	–	5	–	–		–
Bolton C.B. ...	–	10	1	–	6	M. 1
Bootle C.B. ...	–	13	5	–	1	–
Burnley C.B. ...	–	3	1		11	–
Liverpool C.B....	–	37	73	–	117	C. 1
						M. 10
						N. 3
Manchester C.B.	–	59	24	–	45	C. 1
						D. 2
						M. 1
						N. 2
Oldham C.B. ...	–	11	1	–	5	–
Preston C.B. ...		4		1	12	–
Rochdale C.B....	–	4	1	1	2	M. 1
St. Helens C.B.	–	8	5		5	–
Salford C.B. ...	–	17	18	1	6	D. 1
Southport C.B.	–	4	5	–	1	
Warrington C.B.	–	17	2	–	5	G. 1
						N. 3
Wigan C.B. ...	–	2	–	–	7	–
Boroughs and Urban Districts:—						
Accrington ...	–	–	–	–	2	–
Ashton in Makerfield	–	1	–	–	2	–
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Ashton-under-Lyne	–	5	–	–	–	M. 1
Atherton ...	–	1	–	–	–	–
Audenshaw ...		2	–	–	1	–
Bacup	–	–	–	–	1	–
Chadderton ...	–	–	–	–	1	–
Chorley	–	5	–		4	–
Church	–	–	–		1	–
Colne	–	–	1	–	–	–
Denton	–	1	–	–	–	–
Droylsden ...	–	1	–	–	–	–
Eccles	–	–	3	–	1	–
Failsworth ...	–	4		–	–	–
Farnworth ...	–	3		–	1	N. 1
Great Crosby ...	–	3		–	–	
Great Harwood	–	–	–	–	1	–
Haslingden ...	–	1	–	–	1	–
Heywood ...	–	–	–	–	2	–
Horwich... ...	–	–	–	–	4	–
Ince in Makerfield	–	–	–	–	1	–
Irlam	–	1	–	–	1	–
Lancaster ...	–	7	–	2	1	–
Leigh	–	–	1	–	3	–
Leyland... ...	–	1		–	–	–
Litherland ...	–	1	–	–	–	M. 1
Lytham St. Anne's	–	1	–	–	–	–
Middleton ...	–	2	1	–	4	–
Morecambe and Heysham	–	1	1	–	2	–
Mossley	–			–	1	–
Nelson	–	4	–	–	2	–
Newton in Makerfield	–	3	1	–	1	–
Orrell	–	–		–	1	–
Padiham... ...		–	–	–	1	–
Poulton le Fylde	*	*	*	*	*	*
Prestwich ...	–	1	1	1	2	L. 6
Radcliffe ...	–	1	–	–	–	–
Rawtenstall ...	–	1	–	–	4	M. 1
Rishton	–	–	–	–	1	–
Royton	–	2	–	–	2	–
Standish with Langtree	–	–	–	–	2	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica: H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Stretford ...	–	2	3	–	1	–
Swinton and Pendlebury	–	–	–	–	3	D. 1
Tottington ...	–	–	2	–		–
Tyldesley with Shakerley	–	–	1	–	1	N. 1
Ulverston ...	–	1	–	–	–	
Urmston... ...	–	2	1	–	–	–
Waterloo with Seaforth	–	4	–	1	2	–
Westhoughton	–	1	–	–	–	–
Widnes	–	1	–	–	–	–
Rural Districts:—						
Barton upon Irwell	–	–	2	–	–	–
Burnley ...	–	–	–	–	1	–
Bury	–	–	1	–	–	–
Chorley	–	1	–			–
Clitheroe ...	–	–	–	–	1	–
Garstang ...	–	–	–	–	2	–
Leigh	–	–	4	–	–	–
Preston ...	–	2	–	–	1	–
Sefton	–	–	1	–	–	–
Warrington ...	–	1	–	–	–	–
LEICESTER ...	2	23	4	–	13	G. 1 L. 1 M. 1
Leicester C.B....	–	8	2	–	7	L. 1
Boroughs and Urban Districts:—						
Ashby Woulds...	–	–	–	–	1	–
Coalville ...	–	1	–	–	–	M. 1
Loughborough	–	2	–	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Melton Mowbray	–	1	–	–	1	–
Quorndon ...	–	2	–	–	–	–
Wigston Magna	2	1	1	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	3	1	–	1	–
Billesdon ...	–	–	–	–	1	–
Blaby	–	4	–	–	–	–
Market Bosworth	–	1	–	–	–	–
Market Harborough	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	5	1	–	–	C. 1
Boroughs and Urban Districts:—						
Boston	–	–	–	–	–	C. 1
Spalding ...	–	2	1	–	–	–
Rural Districts:—						
Boston	–	1	–	–	–	–
East Elloe ...	–	1	–	–	–	–
Spalding ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	1	–
Boroughs and Urban Districts:—						
Stamford ...	–	–	–	–	1	–
Rural Districts:—						
South Kesteven	–	1	–	–	–	–
West Kesteven	–	1	–	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	-	7	11	-	4	E. 1 M. 1 N. 1
Grimsby C.B. ...	-	3	3	-	-	M. 1
Lincoln C.B. ...	-	-	2	-	3	-
Boroughs and Urban Districts:—						
Cleethorpes ...	-	1	-		-	-
Gainsborough ...	-	1	-	-	-	E. 1 N. 1
Louth	-	-	1	-	-	-
Scunthorpe and Frodingham	-	-	2		-	
Rural Districts:—						
Glanford Brigg	-	-	1	-	-	-
Grimsby	-	-	1	-	-	-
Louth	-	2	-	-	1	-
Welton	-	-	1	-	-	-
MIDDLESEX ...	1	141	51		41	C. 3 D. 1 E. 1 M. 4 N. 3
Boroughs and Urban Districts:—						
Acton	-	5	3	-	-	C. 1 E. 1
Brentford and Chiswick	-	6	3	-	2	-
Ealing	-	4	3	-	2	-
Edmonton ...	-	24	9	-	3	-
Enfield	-	9	9	-	-	-
Feltham... ...	-	2		-	-	-
Finchley ...	-	10	-	-	1	-
Friern Barnet...	-	-	1	-	2	-
Hampton ...	-	-	1			-
Harrow on the Hill	-	2	-	-	1	M. 1
Hayes and Harlington	-	3	1			-
Hendon	-	7	5	-	1	-
Heston and Isleworth	-	6	2	-	4	-
Hornsey	-	8	1	-	2	-
Kingsbury ...	-	1	-	-	-	-
MIDDLESEX— *cont.*						
Boroughs and Urban Districts— *cont.*						
Southall Norwood	-	2	-	-	-	-
Southgate ...	-	2	1	-	2	-
Staines	-	4	-	-	-	N. 1
Sunbury on Thames	-	2	1	-	-	-
Teddington ...	-	1	-	-	-	-
Tottenham ...	1	21	5	-	6	-
Twickenham ...	-	-	-	-	1	-
Uxbridge ...	-	2	-	-	1	C. 1
Wealdstone ...	-	-	-	-	1	-
Wembley ...	-	2	-	-	2	-
Willesden ...	-	11	5	-	8	D. 1 M. 2 N. 1
Wood Green ...	-	4	-	-	-	-
Yiewsley and West Drayton	-	2	-	-	-	-
Rural Districts:—						
Hendon	-	1	1	-	2	M. 1 N. 1
South Mimms ...	-	-	-	-	-	C. 1
NORFOLK ...	8	20	11	-	5	E. 1 G. 1
Great Yarmouth C.B.	-	-	2	-	1	E. 1
Norwich C.B. ...	8	5	6	-	2	G. 1
Boroughs and Urban Districts:—						
Cromer	-	1	-	-	-	-
King's Lynn ...	-	2	-	-		-
Rural Districts:—						
Blofield ...	-	2	-	-	-	-
Depwade ...	-	1	-	-	-	-
Erpingham ...	-	3	-	-	-	-
Forehoe	-	-	-	-	1	-
Freebridge Lynn	-	-	1	-	-	-
King's Lynn ...	-	1	-	-	-	-

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
LODDON AND CLAVERING	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	3	.	–	–	–
ST. FAITH'S ...	–	2	–	–	–	–
WALSINGHAM ...	–	–	1	–	1	–
NORTHAMPTON	–	15	1	1	5	M. 2 N. 3
NORTHAMPTON C.B.	–	4	1	–	3	M. 1 N. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	–	1	–	–	–	–
FINEDON	–	–	–	–	–	M. 1 N. 1
KETTERING ...	–	6	–	–	–	–
ROTHWELL ...	–	1	.	–	–	–
Rural Districts:—						
BRIXWORTH ...	*	*	*	*	*	*
DAVENTRY ...	–	–	–	–	–	N. 1
KETTERING ...	–	2	–	–	1	–
NORTHAMPTON ...	–	–	–	1	–	–
THRAPSTON (part)	–	1	–	–	–	–
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND.		43	5	–	39	L. 2 N. 1
NEWCASTLE UPON TYNE C.B.	–	23	2	–	26	L. 2
TYNEMOUTH C.B.	–	3	3	–	1	–
Boroughs and Urban Districts:—						
BEDLINGTONSHIRE	–	–	–	–	1	–
BERWICK UPON TWEED	–	–	–	–	1	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—*cont.*						
BLYTH	–	3	–	–	2	–
CRAMLINGTON ...	–	2	–	–	–	–
EARSDON		1	–	–	–	–
GOSFORTH ...	–	1	–	–		–
HEXHAM	–	–		–	2	–
LONGBENTON ...	–	1	–			–
NEWBURN ...	–	1	–	–	1	–
SEATON DELAVAL	–	–	–	–	1	–
WALLSEND ...	–	–	–	–	4	N. 1
WEETSLADE ...	–	2	–	–	–	–
WHITLEY AND MONKSEATON	–	2	–	–	–	–
Rural Districts:—						
GLENDALE ...	–	1	.	–	–	–
MORPETH ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	2	–	–	–	–
NOTTINGHAM ...	–	33	9	–	14	D. 1 M. 4
NOTTINGHAM C.B.		12	3	–	7	M. 1
Boroughs and Urban Districts:—						
BEESTON	–	2	–	–	–	–
CARLTON	–	1		–	1	–
EAST RETFORD ...	–	–	1	–	–	–
HUCKNALL ...	–	3	1	–	1	–
MANSFIELD ...	–	1	–	–	4	–
MANSFIELD WOODHOUSE	–	–	1	–	–	–
SUTTON IN ASHFIELD	–	6	–	–	–	–
WEST BRIDGFORD	–	1	–	–	1	–
WORKSOP ...	–	–	1	–	–	M. 1
Rural Districts:—						
BASFORD	–	2	1	–	–	D. 1 M. 1
BINGHAM... ...	–	2	–	–	–	–
LEAKE	–	2	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
Southwell ...	–	–	1	–	–	M. 1
Stapleford ...	–	1		–	–	–
OXFORD	–	3	1	–	3	N. 2
Oxford C.B. ...	–	–	1	–	1	N. 2
Boroughs and Urban Districts:—						
Banbury... ...	–	–	–	–	1	–
Rural Districts:—						
Thame	–	2	–	–	–	–
Witney		1	–	–	1	–
PETERBOROUGH (Soke of).	–	1	–	–	–	–
Borough:—						
Peterborough...	–	1	–	–	–	–
RUTLAND ...	–	4	–	–	–	–
Rural Districts:—						
Oakham	–	4	–	–	–	–
SALOP	–	12	11	–	3	N 2
Boroughs and Urban Districts:—						
Bishop's Castle	–	1	–	–	–	–
Bridgnorth ...	–	–	–	–	1	–
Church Stretton	–	–	–	–	–	N. 1
Dawley	–	–	2	–	–	–
Ludlow	–	3	–	–	–	–
Oswestry ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
Shrewsbury ...	–	1	–	–	–	–
Wellington ...	–	–	2	–	–	–
Whitchurch ...	–	–	1	–	–	–
Rural Districts:—						
Atcham	–	3	–	–	–	–
Bridgnorth ...	–	1		–	–	–
Chirbury ...	–	–	–	–	–	N. 1
Ellesmere ...	–	2	1	–	–	–
Oswestry ...	–	1	1	–	–	–
Shifnal	–	–	4	–	–	–
SOMERSET ...	–	13	7	1	11	N. 1
Boroughs and Urban Districts:—						
Bridgwater ...	–	–	–	–	2	–
Frome	–	–	2	–	–	–
Ilminster ...	–	–	–	–	1	–
Taunton... ...	–	–	1	–	–	–
Wellington ...	–	6	1	–	–	–
Wells	–	–	–	–	1	–
Yeovil	–	–	1	–	–	–
Rural Districts:—						
Axbridge ...	–	1	–	–	–	N. 1
Bridgwater ...	–	2	–	–	1	–
Chard	–	1	–	–	1	–
Clutton	–	–	–	–	1	–
Frome	–	1	–	–	–	–
Keynsham ...	–	–	–	1	–	–
Shepton Mallet	–	1	–	–	1	–
Taunton ...	–	1	–	–	–	–
Wellington ...	–	–	2	–	–	–
Wells	–	–	–	–	2	–
Wincanton ...	–	–	–	–	1	–
SOUTHAMPTON	–	29	21	–	8	G. 1 M. 1 N. 1
Bournemouth C.B.	–	1	2	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
PORTSMOUTH C.B.	–	9	4	–	–	–
SOUTHAMPTON C.B.	–	–	3	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	5	–	1	–
CHRISTCHURCH ...	–	2	–	–	–	–
EASTLEIGH AND BISHOPSTOKE	–	–	2	–	2	–
FAREHAM ...	–	–	2	–	–	–
FLEET	–	–	–	–	1	–
GOSPORT	–	3	–	–	–	–
WARBLINGTON ...	–	1	–	–	–	–
WINCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
ALTON	–	3	–	–	–	N. 1
ANDOVER... ...	–	–	1	–	–	–
BASINGSTOKE ...	–	–	–	–	1	–
DROXFORD ...	–	2	–	–	–	–
FAREHAM ...	–	3	1	–	–	–
HARTLEY WINTNEY	–	–	1	–	–	–
HAVANT	–	5	–	–	–	–
WHITCHURCH ...	–	–	–	–	1	–
STAFFORD ...	–	40	23	–	47	C. 1 M. 7 N. 5
BURTON UPON TRENT C.B.	–	–	2	–	–	M. 1
SMETHWICK C.B.	–	2	2	–	2	N. 1
STOKE ON TRENT C.B.	–	5	4	–	24	C. 1 M. 2 N. 1
WALSALL C.B. ...	–	3	1	–	4	M. 1 N. 1
WEST BROMWICH C.B.	–	2	2	–	–	N. 1
WOLVERHAMPTON C.B.	–	6	1	–	2	M. 1 N. 1
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
AUDLEY	–	1	2	–	–	–
BILSTON	–	–	2	–	3	–
CANNOCK	–	1	–	–	–	–
COSELEY	–	4		–	1	–
LEEK	–	–	2	–	–	–
NEWCASTLE UNDER LYME	–	–	–	–	1	–
ROWLEY REGIS ...	–	1	–	–	1	M. 1
RUGELEY	–	–	1	–	–	–
SEDGLEY	–	–	–	–	1	–
STAFFORD ...	–	1	–	–	–	–
STONE		1	–	–	–	–
TAMWORTH ...	–	1	–	–	–	–
TIPTON		4	–	–	1	–
UTTOXETER ...	*	*	*	*	*	*
WEDNESFIELD ...	–	–	–	–	1	–
WILLENHALL ...	–	–	–		3	–
WOLSTANTON UNITED	*	*	*	*	*	*
Rural Districts:—						
CANNOCK	–	–		–	1	–
CHEADLE... ...	–	3	1	–	–	–
KINGSWINFORD ...	–	–	1	–	–	M. 1
LEEK	–	1	1	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON	–		–	–	1	–
STAFFORD ...	–	1	1		–	–
UTTOXETER ...	*	*	*	*	*	*
WALSALL	–	2	–	–	1	–
SUFFOLK, EAST	–	20	26	1	3	N. 1
IPSWICH C.B. ...	–	13	21	1	–	N. 1
Boroughs and Urban Districts:—						
LOWESTOFT ...	–	1	–	–	–	–
SOUTHWOLD ...	–	1	–	–	–	–
STOWMARKET ...	–	1	–	–	2	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
BOSMERE AND CLAYDON	–	2	–	–	–	–

* Returns not received.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
HARTISMERE ...	-	-	1	-	1	-
MUTFORD AND LOTHINGLAND	-	1	-	-	-	-
SAMFORD... ...	-	-	1	-	-	-
WANGFORD ...	-	-	2	-		-
WOODBRIDGE ...	-	-	1	-	-	-
SUFFOLK, WEST	-	1	8		-	C. 1
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	-	1	5	-	-	C. 1
SUDBURY... ...	-		1	-	-	-
Rural Districts:—						
MILDENHALL ...	-	-	1	-	-	-
THINGOE	-	-	1	-	-	-
SURREY	-	55	18	2	11	C. 3 G 1 N. 1
CROYDON C.B. ...	-	15	5	-	1	-
Boroughs and Urban Districts:—						
BARNES	-	3	-	-	-	-
BEDDINGTON AND WALLINGTON	-	1		-	-	-
CARSHALTON ...		4	2	-	-	N. 1
COULSDON AND PURLEY	-	-	1	-	-	-
EAST AND WEST MOLESEY	-	-	2	-	-	-
EGHAM	-	1	-	-	-	-
EPSOM	-	2	-	-	-	-
FARNHAM ...	-	1	-	-	-	-
GUILDFORD ...	-	6	-	-	1	C. 1
MERTON AND MORDEN	-	1	1	-	3	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:— *cont.*						
MITCHAM... ...	-	-	1	-	1	C. 1 G. 1
REIGATE	-	-	1	-	-	-
RICHMOND ...	-	2	-		2	-
SURBITON ...	-	3	-	1	3	-
SUTTON AND CHEAM	-	4	1	-		-
THE MALDENS AND COOMBE		1	-	-	-	-
WALTON UPON THAMES	-	4	-	-	-	-
WEYBRIDGE ...	-	-	-	1	-	-
WIMBLEDON ...	-	2	3	-	-	-
WOKING	-	1	-	-	-	-
Rural Districts:—						
EPSOM	-	1	1	-	-	-
FARNHAM ...	-	1	-	-	-	-
GUILDFORD ...	-	1	-	-	-	-
HAMBLEDON ...	-	1	-	-	-	-
SUSSEX, EAST...	-	13	13	-	8	C. 1 M. 4 N. 1
BRIGHTON C.B. ...	-	3	7	-	4	M. 3
HASTINGS C.B. ...	-	1	3	-	1	-
Boroughs and Urban Districts:—						
BEXHILL	-	3	-	-	-	-
HOVE	-	-		-	1	-
LEWES	-	-	-	-	1	-
NEWHAVEN ...	-	3	-	-	-	M. 1
Rural Districts:—						
CUCKFIELD ...	-	2	-	-	1	N. 1
HAILSHAM ...	-	-	2	-	-	C. 1
RYE	-	-	1	-	-	-
UCKFIELD ...	-	1		-	-	-

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUSSEX, WEST—	-	15	7	-	1	N. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	-	4	-	-	-	-
BOGNOR REGIS ...	-	1	2	-	-	-
HORSHAM ...	-	1	-	-	-	
SOUTHWICK ...	-	-	1	-	-	
WORTHING ...	-	-	4	-	1	N. 1
Rural Districts:—						
EAST PRESTON ...	-	6	-	-	-	-
MIDHURST ...	-	1		-	-	-
STEYNING WEST...	-	1	-	-	-	-
WESTHAMPNETT	-	1	-	-	-	-
WARWICK ...	-	75	40	8	56	C. 3 D. 3 M. 4 N. 4
BIRMINGHAM C.B.	-	59	33	7	50	C. 2 D. 2 M. 4 N. 3
COVENTRY C.B. ...	-	4	3	-	-	N. 1
Boroughs and Urban Districts:—						
BEDWORTH ...	-	1	-	-	-	-
NUNEATON ...	-	1	1	-	-	D. 1
RUGBY	-	2	-	-	-	-
SUTTON COLDFIELD	-	3	2	-	1	-
Rural Districts:—						
ATHERSTONE ...	-	1	-	-	3	-
FOLESHILL ...	-	-	1	-	1	-
MERIDEN... ...	-	1	-	-	-	-
RUGBY	-	1	-	-	-	-
SOLIHULL ...	-	-	-	1	1	-
TAMWORTH (part)	-	2	-	-	-	-
WARWICK ...	-	-	-	-	-	C. 1
WESTMORLAND	-	1	-	-	1	-
Boroughs and Urban Districts:—						
KENDAL	-	-	-	-	1	-
WESTMORLAND —*cont.*						
Rural Districts:—						
EAST WESTMORLAND	-	1	-	-	-	-
WIGHT, ISLE OF	-	1	1	-	-	M. 1
Boroughs and Urban Districts:—						
RYDE	-	-	-		-	M. 1
SHANKLIN ...	-	1	-	-	-	-
VENTNOR... ...	-	-	1	-	-	-
WILTS	-	4	5	-	4	N. 3
Boroughs and Urban Districts:—						
DEVIZES	-	1	-	-	-	-
SWINDON... ...	-	-	1	-	3	N. 2
WARMINSTER ...	-	-	-	-	-	N. 1
Rural Districts:—						
AMESBURY ...	-	1	-	-	-	-
CRICKLADE AND WOOTTON BASSETT	-	-	1	-	-	-
HIGHWORTH ...	-	1	3	-	-	-
TISBURY	-	1	-	-	1	-
WORCESTER ...	-	21	4	-	7	M. 1 N. 1
DUDLEY C.B. ...	-	1	-	-	3	M. 1
WORCESTER C.B.	-	1	-	-	-	-
Boroughs and Urban Districts:—						
EVESHAM... ...	-	3	1	-	-	-
HALESOWEN ...	-	1	1	-	1	-
KIDDERMINSTER	-	8	-	-	-	-
MALVERN ...	-	-	-	-	1	-

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Oldbury	–	3	–	–	–	–
Redditch ...	–	–	–	–	1	–
Stourbridge ...	–	–	1	–	1	–
Stourport ...	–	–	–	–	–	N. 1
Rural Districts:—						
Bromsgrove ...	–	1	–		–	–
Evesham... ...	–	3	1	–		–
YORKS ... ... (East Riding).	–	26	31	–	9	M. 3 N. 1
Kingston upon Hull C.B.	–	19	26	–	8	M. 2 N. 1
Boroughs and Urban Districts:—						
Bridlington ...	–	1		–	–	–
Cottingham ...	–	1	–	–	–	–
Great Driffield	–	–	1	–	–	–
Hedon	–	1	–	–	–	–
Hessle	–	–	2	–	–	–
Rural Districts:—						
Howden	–	3	1	–	–	–
Pocklington ...	–	–	–	–	1	–
Sculcoates ...	–	1	1	–	–	–
Skirlaugh ...	–	–	–	–	–	M. 1
YORKS ... ... (North Riding).	–	23	2	–	26	N. 1
Middlesbrough C.B.	–	6	1	–	16	–
Boroughs and Urban Districts:—						
Eston		6	–	–	3	–
Hinderwell ...	–	2	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Loftus	–	–	–	–	1	–
Northallerton	–	1	–	–	–	–
Richmond ...	–	–	–	–	1	–
Scarborough ...	–	4	1	–	–	N. 1
Skelton and Brotton	–	–	–	–	1	–
Thornaby on Tees	–	1	–	–	1	–
Whitby	–	1	–	–	–	–
Rural Districts:—						
Bedale	*	*	*	*	*	*
Croft	–	–	–	–	1	–
Easingwold ...	–	1	–	–	–	–
Flaxton				–	1	–
Helmsley ...	–	–		–	1	–
Kirkby Moorside	*	*	*	*	*	*
Scarborough ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	–	183	109	–	64	C. 6 D. 8 E. 1 M. 7 N.11
Barnsley C.B. ...	–	5	2	–	4	N. 1
Bradford C.B. ...	–	14	8	–	4	C. 1 N. 3
Dewsbury C.B....	–	9	4	–	–	–
Doncaster C.B....	–	5	2	–	–	–
Halifax C.B. ...	–	10	6	–	–	–
Huddersfield C.B.	–	2	3	–	5	M. 2
Leeds C.B. ...	–	35	36	–	8	C. 2 D. 1 M. 1
Rotherham C.B.	–	4	2	–	1	–
Sheffield C.B....	–	17	11	–	20	C. 3 D. 1 M. 1 N. 3
Wakefield C.B.	–	20	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	–	1	–	–	N. 2
BARNOLDSWICK ...	–	1	–	–		–
BENTLEY WITH ARKSEY	–	1	1	–	–	–
BIRKENSHAW ...	–	–		–	1	–
BRIGHOUSE ...	–	3	1			–
CALVERLEY ...	–	1	–	–		–
CASTLEFORD ...	–	–	1		1	–
CONISBROUGH ...	–	–	–	–	–	N. 1
DARTON	–	1	–		–	–
DENHOLME ...	–	1	–	–	–	–
FLOCKTON ...	–	1		–	–	–
GARFORTH ...	–	–	1	–		–
GOOLE	–	4	–	–	1	–
GREETLAND ...	–	1	–	–		–
HARROGATE ...	–	2	–	–	3	–
HECKMONDWIKE	–	–	–	–	1	–
HEMSWORTH ...	–	3	1	–	1	N. 1
HORBURY... ...	–	2	–	–	–	–
HORSFORTH ...	–	–	–	–	2	–
HOYLAND NETHER	–	–	–	–	1	–
KEIGHLEY ...	–	4	–	–	–	–
KIRKHEATON ...	–	2	–	–	–	–
KNARESBOROUGH		–	2		–	–
LUDDENDEN FOOT	–	1	4	–	–	–
MORLEY	–	2	–	–	1	M. 1
NORMANTON ...	–	4	1	–	1	
OSSETT	–	1	1	–	–	D. 1
PONTEFRACT ...	–	1	–	–	–	–
PUDSEY	–	3	–	–	1	–
QUEENSBURY ...	–	–	1	–	–	–
RAWMARSH ...	–	2	–	–	–	–
SILSDEN	–	3	–	–	–	–
SKIPTON	–	1	–	–	–	–
SOUTHOWRAM ...	–	1	–	–	–	–
SOWERBY... ...	–	1	1	–	–	–
SPENBOROUGH ...	–	1	–	–	1	–
STANLEY	–	–	1	–	–	–
STOCKSBRIDGE ...	–	2	–	–	1	–
THURNSCOE ...	–	1	3	–	–	–
TODMORDEN ...	–	3	–	–	1	M. 1
WOMBWELL ...	–	–	–	–	1	–
YORKS (West Riding)—*cont.*						
Rural Districts:—						
DONCASTER ...	–	–	–	–	–	D. 3
GOOLE	–	1	1	–	–	–
GREAT OUSEBURN	–	–	–	–	2	–
HEMSWORTH ...	–	1	2	–	1	D. 2
KIVETON PARK ...	–	–	3	–	–	–
ROTHERHAM ...	–	–	3	–	–	–
SETTLE	–	–	5	–	–	–
TADCASTER ...	–	4	–	–	–	–
THORNE	–	1	–	–	–	M. 1
TODMORDEN ...	–	–	–	–	1	–
WAKEFIELD ...	–	–	–	–	–	E. 1
WETHERBY ...	–	1	–	–	–	–
WORTLEY... ...	–	–	1	–	–	–
YORK, CITY OF ..	–	5	3	–	–	–
YORK C.B. ...	–	5	3	–	–	–
WALES.						
ANGLESEY ...	–	5	–	–	–	
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	4	–	–	–	–
BRECKNOCK ...	–	4	–	–	–	–
Borough and Urban Districts:—						
LLANWRTYD ...	–	1	–	–	–	–

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK— *cont.*						
Rural Districts:—						
Builth	–	1		–	–	–
Crickhowell ...	–	2	–	–	–	–
CAERNARVON...	–	3	1		–	N. 1
Boroughs and Urban Districts:—						
Bangor	–	2	–	–	–	–
Criccieth ...	–	1	–	–	–	–
Portmadoc ...	–	–	1	–	–	–
Rural Districts:—						
Geirionydd ...	–	–	–	–	–	N. 1
CARDIGAN ...	–	2	4	–	–	–
Rural Districts:—						
Aberayron ...	–	2	–	–	–	–
Aberystwyth (North)	–	–	4	–	–	–
CARMARTHEN...	–	4	4	1	2	C. 1 N. 1
Boroughs and Urban Districts:—						
Ammanford ...	*	*	*	*	*	*
Carmarthen ...	–	–	1	–	–	
Cwmamman ...	–	2	–		–	–
Llanelly ...	–	–	–	1	2	N. 1
Rural Districts:—						
Carmarthen ...	–	2	–	–	–	–
Llanelly ...	–	–	3	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH ...	–	10	29		6	C. 1 N. 1
Boroughs and Urban Districts:—						
Abergele and Pensarn	–	–	–	–	1	–
Colwyn Bay ...	–	–	4	–	–	–
Llangollen ...	–	1				–
Llanrwst ...	–	1	–	–	–	–
Ruthin	–	–	2	–	–	–
Wrexham ...	–	1	11		2	N. 1
Rural Districts:—						
Llangollen ...	–	–	–	–	1	–
St. Asaph (Denbigh)		2	–	–	–	–
Wrexham ...		5	12	–	2	C. 1
FLINT	–	4	6	–	2	–
Boroughs and Urban Districts:—						
Buckley	–	1	3	–	–	–
Connah's Quay		–	3	–	–	–
Prestatyn ...	*	*	*	*	*	*
Rhyl	–	2	–	–	–	–
Rural Districts:—						
Hawarden ...	–	1	–	–	1	–
Holywell ...	–	–	–	–	1	–
GLAMORGAN ...	–	51	57		29	C. 2 M. 4 N. 2
Cardiff C.B. ...	–	9	10	–	3	C. 1
Merthyr Tydfil C.B.	–	2	1	–	2	M. 1
Swansea C.B. ...	–	4	9	–	–	M. 1
Boroughs and Urban Districts:—						
Aberdare ...	–	1	–	–	2	–
Barry	–	–	1	–	2	–
Caerphilly ...		1	3		–	–
Gelligaer ...		1	2		–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Boroughs and Urban District:— *cont.*						
GLYNCORWG ...	–	–	1		1	–
LLWCHWR ...	–	3	2	–	1	–
MOUNTAIN ASH...	–	9	–	–	6	–
NEATH	–	1	1		–	–
OGMORE AND GARW	–	3	1		1	M. 1
PENARTH... ...	–	–	1	–	1	
PONTYPRIDD ...	–	–	1	–	4	M. 1
PORTHCAWL ...	–	3		–	–	–
RHONDDA ...	–	6	16	–	1	N. 2
Rural Districts:—						
CARDIFF	–	5	–	–	–	–
COWBRIDGE ...	–	–	–	–		C. 1
LLANTRISANT AND LLANTWIT-FARDRE	–	1	1	–	–	–
NEATH	–	1	7	–	5	–
PONTARDAWE ...	–	1	–	–	–	–
MERIONETH ...	–	–	–	–	–	–
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
MONMOUTH ...		81	15	–	5	C. 1 N. 1
NEWPORT C.B ...	–	46	6	–	2	–
Boroughs and Urban Districts:—						
ABERCARN ...	–	4	–	–	–	–
ABERGAVENNY ...	–		2	–	–	–
ABERSYCHAN ...		3	–	–	–	–
ABERTILLERY ...	–	2	1	–		–
BEDWAS AND MACHEN	–	–	–	–	1	–
BEDWELLTY ...	–	2	1	–	–	N. 1
CHEPSTOW ...	–	1	–	–	–	–
EBBW VALE ...	–	1	1	–	–	–
LLANTARNAM ...	–	1	–	–	–	–
MYNYDDISLWYN	–	2	–	–	–	–
NANTYGLO AND BLAINA	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONMOUTH— *cont.*						
Boroughs and Urban Districts— *cont.*						
RHYMNEY ...	–	4	1	–	–	–
TREDEGAR ...	–	5	–	–	1	C. 1
Rural Districts:—						
ABERGAVENNY ...	–	1	1	–	–	–
MAGOR	–	2	–	–	–	–
MONMOUTH ...	–	–	2		–	–
ST. MELLONS ...	–	7	–		–	–
MONTGOMERY...	–	–	–	–	–	N. 1
Rural Districts:—						
FORDEN	–	–	–	–	–	N. 1
PEMBROKE ...	–	6	1	–	–	M. 1
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	–	M. 1
Rural Districts:—						
HAVERFORDWEST	–	1	1		–	–
ST. DOGMELLS ...	–	5	–	–	–	–
RADNOR	–	5	–	–	–	–
Urban Districts:—						
LLANDRINDOD WELLS	–	4	–	–	–	–
PRESTEIGNE ...	–	1	–	–	–	–
Total of Part II....	29	1704	923	29	956	C. 33 D. 19 E. 5 G. 7 L. 10 M. 74 N. 95

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 *continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BARNSTAPLE	*	*	*	*	*	*
CAERNARVON	*	*	*	*	*	*
CARDIFF		–	–	–	1	–
LIVERPOOL		–	–	1		
PORT OF LONDON ...		–	–	–	–	L.
Total of Part III. ..		–	–	1	1	L.

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
Total of Part I.—London	27	308	180	3	163	C. 6 D. 1 G. 4 J. 1 L. 5 M. 17 N. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	29	1704	923	29	956	C. 33 D. 19 E. 5 G. 7 L. 10 M. 74 N. 95
Total of Part III.—Port Sanitary Districts	–	–	–	1	1	L.
Total (i.e., of returns received), England and Wales...	56	2012	1103	33	1120	C. 39 D. 20 E. 5 G. 11 J. 1 L. 16 M. 91 N. 110

uerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain C and Deaths of Infants under 1 Ye Age) and Notified Cases of certa fectious Diseases in the last Thi Weeks and in the Current Year t with corresponding figures for previous

Week ended :—	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Totals fr Week o 1930.
LONDON :—														
Live Births	1,200	1,290	1,270	1,322	1,412	1,311	1,334	1,305	1 299	1,334	1,291	1,334	1,293	67,321
Stillbirths	32	46	53	34	51	53	44	35	36	39	33	46	47	2,465
Deaths (excluding Still-births)—all ages.	729	713	819	809	880	831	853	817	970	1,036	1,012	1,034	1,002	44,223
Deaths—0 to 1 year ..	48	39	51	68	61	64	63	73	71	109	111	74	106	3,658
GREAT TOWNS, aggregate (including London) :—														
Live Births	5,832	6,378	6,134	6,246	6,337	6,279	6 053	6,065	6,010	6,203	5,874	5,909	5,688	308,225
Stillbirths	238	262	277	252	270	252	262	254	253	238	260	309	237	13,428
Deaths (excluding Still-births)—all ages.	3,455	3,457	3,761	3,655	3,819	3,686	3,710	3,791	4,533	4,723	4,451	4,484	4,527	199,567
Deaths—0 to 1 year ..	268	285	296	317	328	316	334	338	382	436	441	407	421	18,502
Enteric Fever—Cases	20	32	16	18	13	16	24	17	16	14	19	20	18	1,261
„ Deaths	—	—	2	2	1	—	—	1	1	1	2	1	—	107
Small Pox—Cases ..	30	11	34	35	31	25	37	31	37	66	45	48	48	8,344
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	19
Scarlet Fever—Cases	844	886	1,027	997	1,134	1,102	1,089	1,068	1,117	1,082	1,111	1,064	1,170	56,195
„ Deaths	4	3	3	5	2	3	5	6	5	1	5	4	4	368
Diphtheria—Cases ..	531	569	580	534	600	570	606	723	625	644	661	668	708	40,659
„ Deaths ..	19	23	25	19	24	32	34	25	23	33	29	24	31	1,761
Measles—Deaths ..	13	8	10	5	6	7	11	21	21	22	24	15	35	2,598
Influenza—Deaths ..	10	28	27	28	35	33	31	37	48	66	71	82	91	1,950

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correc having been made for changes in boundary. The live births are derived from the weekly returns furnished by Registrars and differ from those published for the towns in the Quarterly Return which are corrected for b occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 28th November, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainf in Mill metre
	°	°	°	°			°	°	°	°	
London (Greenwich).	57	34	51·1	40·6	12	Huddersfield ..	54	30	48·6	38·4	25
						Bradford ..	53	32	49·1	39·1	46
Brighton ..	55	36	52·7	43·6	17	Sheffield ..	53	33	49·1	39·3	20
Portsmouth ..	56	39	53·0	44·1	20	York (Museum)	54	32	48·7	40·6	30
Norwich(South-well Lodge)	55	31	50·7	38·7	14	Hull (Pearson Park).	54	33	50·0	39·2	19
Plymouth ..	55	37	53·9	44·1	40	Tynemouth ..	53	35	48·7	42·4	16
Bristol (Horfield)	§	§	§	§	§	Cardiff	53	35	51·3	42 9	48
Birmingham (Edgbaston).	54	34	48·0	40·9	19						
						Edinburgh ..	52·0	34·0	48·4	40·4	29
Nottingham ..	55	35	50·7	40·0	18	Glasgow ..	52·8	36·1	49·2	40·3	53
Birkenhead (Bidston).	53	37	48·3	42·6	42	Dublin (Phœnix Park)	54·0	29·3	52·0	35·6	38
Manchester (Whitworth Park).	55	32	50·1	41·9	40	(Fitzwilliam Square†).	53·6	36·8	51·7	41·3	35
Burnley	53	31	48·7	39·3	64	Belfast	54·0	29·0	51·3	34·7	56

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres.
§ Return not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 28th November, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931 MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	22	..	30·168	45·7	34·1	11·6	40·7	− 1·4	39·7	1·0	4·1	0·0	96	50·0	24·1	49·1	Calm	Calm: SE.	1·2	0·0	0·0	124	− 176	0·00
MONDAY -	23	..	29·704	50·9	43·9	7·0	47·9	+ 5·9	45·1	2·8	6·4	0·9	90	58·2	41·3	49·1	SE: SSE.	SSW: S.	1·5	0·0	0·2	284	− 20	0·04
TUESDAY -	24	..	29·673	53·9	40·1	13·8	46·2	+ 4·2	41·7	4·5	8·7	1·8	84	61·6	28·1	49·0	SSW: W: NW.	W: SW: SSW.	3·1	0·0	0·3	322	+ 14	0·06
WEDNESDAY	25	Full	29·752	53·2	43·7	9·5	49·2	+ 7·3	46·3	2·9	4·7	1·4	90	63·5	33·7	49·0	SSW	SSE	0·7	0·0	0·1	239	− 74	0·01
THURSDAY -	26	..	29·372	56·8	43·6	13·2	50·8	+ 9·0	47·8	3·0	7·1	0·5	89	70·5	39·7	49·0	SSE: S	S: SW.	8·7	0·0	0·9	405	+ 88	0·19
FRIDAY -	27	Greatest Declination N.	29·479	48·9	38·0	10·9	44·5	+ 2·8	40·8	3·7	8·7	1·8	87	59·1	29·7	49·0	SW: SSW.	SSW	1·4	0·0	0·2	327	+ 9	0·02
SATURDAY -	28	..	29·682	48·1	38·8	9·3	44·7	+ 3·2	43·0	1·7	3·7	0·4	93	54·3	31·1	49·0	S: Calm: NE.	NE	0·5	0·0	0·0	156	− 160	0·16
MEANS -		..	29·690	51·1	40·3	10·8	46·3	+ 4·4	43·5	2·8	6·2	1·0	90	59·6	32·5	49·0	Southerly		...	...	...	Sum 1857	Sum − 319	Sum 0·48
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	22	No record taken.	0·0	8·6	Few clouds till 10½h.; thick fog till 14½h.; clearing to few clouds by 15h. Overcast from 18h. Fog 5h. till 10½h. and 15h. till 18h. Hoar frost in morning. Solar halo 10½h. Damping from 21h.
MONDAY ...	23		0·0	8·5	Overcast or nearly so. Damping till 5h.; drizzle till 8h. Damping 20½h. till 21½h.; then rain or slight rain.
TUESDAY ..	24		1·4	8·5	Overcast till 9h.; very cloudy till 12h.; cloudless by 12¾h. Sky veiled from 20h. Mist in morning and at night. Hoar frost in evening. Lunar halo 20½h. till 0h. Rain or slight rain till 6½h.
WEDNESDAY	25		0·0	8·4	Thin cloud till 1½h.; very cloudy till 9h.; then overcast. Dew in morning. Solar halo 10h. till 10½h. Drizzle from 21½h.
THURSDAY	26		0·3	8·4	Overcast or nearly so. Damping till 9h.; with rain 1h till 1¾h. Rain 16½h. till 17h.; 18¾h. till 20½h.; then slight rain till 23¾h.
FRIDAY ..	27		0·9	8·4	Thin cloud till 1½h.; overcast till 2¾h.; few clouds by 3h. Overcast or nearly so 9h. till 22¾h.; few clouds by 23¼. Drizzle 1½h. till 2¾h., and rain 13½h till 14h. Lunar halo 0h. till 1h. Solar halo 10¾h.
SATURDAY	28		0·0	8·3	Few clouds till 1h., overcast by 2h. Clearing 20½h. to nearly cloudless by 21h. Rain 2¼h. till 5½h., damping till 7h. Shower 14½h. Fog 7h. till 11½h.; then mist. Dew at night.
			Sum 2·6	Sum 59·1	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·13 ins. at the beginning of the week to 30·23 ins. by 10½h. on Nov. 22nd; decreased to 29·41 ins. by 4h. on Nov. 24th; increased to 29·83 ins. by 9h. on Nov. 25th; decreased to 29·17 ins. by 19½h. on Nov. 26th; increased generally and was 29·90 ins. by midnight on Nov. 28th.

FOR OFFICIAL USE

1931. No. 48.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 5TH DECEMBER, 1931

Crown Copyright Reserved

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 5TH DECEMBER, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the forty-eighth week of the year numbered 5,714 corresponding to an annual rate of 15·0 per 1,000 living: stillbirths numbered 268 corresponding to a rate of 45 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,575 (48 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.
107 Great Towns	11·7	11·8	11·9	12·1
London	12·1	12·3	11·9	12·4
Birmingham	10·2	11·1	11·4	10·9
Liverpool	11·7	13·7	15·1	16·1
Manchester	13·8	13·4	12·9	13·1
Sheffield	9·3	9·7	11·3	8·1
Leeds	11·6	11·3	12·3	10·9
Bristol	12·4	9·9	10·4	11·0
West Ham	10·7	10·5	11·1	11·6

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 70, against 68, 62, and 65 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,180 live births registered corresponding to an annual rate of 14·1 per 1,000 living: stillbirths numbered 58 corresponding to a rate of 47 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,039 (37 more than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 85, against 80, 53, and 76 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in th week ended 5th December, 1931.

	Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
							Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
	107 Great Towns ..	19,836,440*	5,714	268	4,575	457	5	39	3	29	39	60
	London	4,377,000*	1,180	58	1,039	117	1	6	1	5	7	18
Towns in Outer Ring.	Croydon C.B. ..	233,000	67	2	49	5	-	-	-	-	-	-
	Wimbledon ..	58,830	8	1	10	1	-	-		-	-	
	Ealing	117,400	53	1	27	2	-	-	-	-	-	1
	Acton	70,400	12	-	9	-	-	-	-	-	-	-
	Brentford and Chiswick ..	62,620	9	1	16	1	-	-	-	-	-	-
	Willesden ..	185,300	36	1	38	4	-	-	-	-	-	1
	Hendon	114,600*	31	-	26	-	-	-	-	-	-	-
	Hornsey	95,440	17	-	18	-	-	-	-	-	-	-
	Wood Green ..	54,460	7	1	10	-	-	-	-	-	-	-
	Tottenham ..	159,100	25	1	34	3	-	-	-	-	-	-
	Edmonton	77,530	41	2	11	2	-	-	-	-	-	-
	Enfield	68,090	6	2	7	1	-	-	-	-	-	-
	West Ham C.B. ..	296,900	107	5	66	8	-	-	-	-	1	2
	East Ham C.B. ..	142,900	24	1	27	3	-	-	-	-	-	-
	Leyton	128,600	23	-	25	1	-	-	-	-	-	-
	Walthamstow ..	134,300	19	1	23	-	-	-	-	-	1	-
	Ilford	131,300	29	-	22	1	-	-	-	-	-	-
	Gillingham	60,600*	10	1	9	-	-	-	-	-	-	-
	Canterbury C.B. ..	24,440*	6	-	4	-	-	-	-	-	-	-
	Hastings C.B.	61,870	11	-	25	-	-	-	-	-	-	-
	Eastbourne C.B. ..	55,670	10	-	6	-	-	-	-	-	-	-
	Brighton C.B. ..	144,900*	48	-	37	2	-	-	-	-	-	-
	Portsmouth C.B. ..	248,300*	95	2	49	3	-	-	-	-	1	-
	Bournemouth C.B. ..	108,600	24	1	24	1	-	-	-	-	-	-
	Southampton C.B. ..	175,300	48	2	45	6	-	-	-	-	-	-
	Reading C.B.	97,450*	35		17	-	-	-	-	-	-	-
	Oxford C.B.	80,530*	23	3	15	-	-	-	-	-	-	-
	Northampton C.B. ..	92,940*	16	-	28	1	-	1	-	-	-	-
	Luton	69,030	18	-	12	-	-	-	-	-	-	-
	Cambridge	66,850	16	1	15	-	-	-	-	-	-	-
	Southend-on-Sea C.B.	117,900	21	-	24	2	-	-	-	-	-	-
	Ipswich C.B.	87,630	22		13	1	-	-	-	-	1	-
	Great Yarmouth C.B.	56,690	17	2	9	-	-	-	-	-	-	-
	Norwich C.B.	126,800*	38	2	26	1	-	-	-	-	-	-
	Swindon	62,600	19	-	13	2	-	-	-	-	1	-
	Exeter C.B.	65,290*	22	-	12	-	-	-	-	-	-	-
	Plymouth C.B. ..	207,600*	59	2	51	8	-	-	-	-	2	1
	Bath C.B.	68,120	14	-	15	1	-	-	-	-	-	-
	Bristol C.B.	399,500*	128	3	84	4	-	-	-	-	2	-
	Gloucester C.B. ..	52,890	19	1	12	-	-	-	-	-	-	-
	Stoke-on-Trent C.B.	279,800	106	7	76	15	-	11	-	1	1	4
	Burton-upon-Trent C.B.	49,920	19	1	9	1	-	-	-	-	-	-
	Wolverhampton C.B.	134,200	41	2	28	2	-	-	-	-	-	-
	Walsall C.B.	104,200	35	1	9	-	-	-	-	-	-	-
	West Bromwich C.B.	82,090	28	2	10	1	-	-	-	-	-	-
	Dudley C.B.	60,010	21	1	11	1	-	-	-	-	-	-
	Worcester C.B. ..	50,540	9	-	14	-	-	-	-	-	-	-
	Birmingham C.B. ..	1,011,300	329	14	212	35	1	-	1	3	-	4
	Smethwick C.B. ..	85,370	15	1	12	-	-	-	-	-	-	-
	Coventry C.B ..	168,500	42	1	24	2	-	-	-	-	-	-
	Leicester C.B. ..	241,200	71	-	73	4	-	-	-	-	-	1
	Lincoln C.B.	66,110*	14	1	11	-	-	-	-	-	-	-
	Grimsby C.B.	92,180	26	-	17	1	-	-	-	-	1	-
	Nottingham C.B. ..	270,900	81	5	74	7	-	-	-	-	-	4
	Derby C.B.	143,400*	49	6	32	4	-	-	-	-	-	1
	Chesterfield	64,450	22	-	12	3	-	-	-	-	-	-
	Stockport C.B ..	126,600	29	2	40	1	-	-	-	-	1	-
	Chester C.B.	41,370	12	1	7	-	-	-	-	-	-	-
	Birkenhead C.B. ..	148,600	49	4	34	3	-	-	-	-	-	1
	Wallasey C.B. ..	97,240	36	-	27	-	-	-	-	-	-	-
	Liverpool C.B. ..	862,100	360	13	266	59	-	1	-	8	3	5
	Bootle C.B.	77,170	26	1	24	4	-	-	-	-	1	-
	St. Helens C.B. ..	108,200	48	1	20	-	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where differ from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingh 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Oxf C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193, Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
...THPORT C.B. ..	77,180	10	-	26	2	-	-	-	-	-	-	1
...AN C.B.	86 250	27	-	25	5	-	-	-	2	-	-	1
...RRINGTON C.B. ..	80,280*	29	1	18	1	-	1	-	-	-	-	2
...TON C.B	179,300	33		53	5	-	-	-	-	-	-	2
...Y C.B.	56,580*	13	1	17	1	-	-	-	-	-	-	1
...NCHESTER C.B. ..	773,300	205	19	195	19	-	7	-	3	4	4	5
...FORD C.B.	226,100	60	4	65	6	-	2	-	-	1	-	-
...TON-UNDER-LYNE	51,850	14	1	8	1	-	-	-	-	-	-	-
...HAM C.B	142.000	33	4	31	2	-	1	-	-	-	-	1
...HDALE C.B. ..	91,190	17	-	30	1	-	-	-	-	-	-	2
...NLEY C.B	99,300	17	4	28	1	-	-	-	-	-	-	3
...CKBURN C.B. ..	124,000	34	-	42	2	-	-	-	-	-	1	2
...STON C.B.	120,100	24	5	22	3	-	1	-	2	-	-	-
...CKPOOL C.B. ..	97,880	19	2	33	1	-	-	-	-	-	-	-
...ROW-IN-FURNESS B.	66,700	18	-	7	1	-	-	-	-	-	-	-
...DERSFIELD C.B. ..	114,300	37	1	24	2	-	-	-	-	-	-	-
...IFAX C.B.	98,770*	28	-	34	2	1	-	-	-	-	-	1
...DFORD C.B. ..	300,800	69	3	78	4	-	-	-	-	-	1	-
...DS C.B	486,100	117	12	102	6	-	-	-	-	2	2	-
...VSBURY C.B. ..	54,430	8	3	20	2	-	-	1	1	-	-	-
...KEFIELD C.B. ..	59,280	18	-	16	1	-	-	-	-	1	-	-
...NSLEY C.B. ..	72,090	32	1	13	-	-	-	-	-	-	-	-
...FFIELD C.B. ..	517,300	147	9	80	6	-	-	-	-	1	3	1
...HERHAM C.B. ..	70,100	31	-	10	1	1	-	-	-	-	1	-
...CASTER C.B. ..	63,260	20	-	17	3	-	-	-	-	-	-	-
...E C.B.	85,910*	15	-	18	1	-	-	-	-	-	-	-
...GSTON-UPON-HULL B.	314,800	100	7	87	8	1	-	-	1	3	-	2
...DLESBROUGH C.B.	138,800	44	1	39	6	-	-	-	-	-	1	1
...LINGTON C.B. ..	72,620	20	2	11	1	-	-	-	-	-	-	-
...KETON-ON-TEES ..	68,350	28	2	15	3	-	2	-	-	-	-	-
...T HARTLEPOOL C.B.	68,740	21	1	12	-	-	-	-	-	-	-	-
...DERLAND C.B ..	187,500	74	3	58	7	-	-	-	-	-	2	2
...TH SHIELDS C.B ..	114,400	44	1	19	8		1	-	-	-	-	-
...ESHEAD C.B. ..	123,700	45	2	32	3	-	-	-	-	-	-	2
...WCASTLE-ON-TYNE B.	284,300*	121	5	71	6	-	-	-	2	-	-	4
...EMOUTH C.B. ..	64,750	22	1	20	-	-	-	-	-	1	-	-
...LISLE C.B.	57,430*	13	-	15	1	-	5	-	-	-	-	1
...PORT (MON.) C.B.	89,500*	34	1	11	3		-	-	-	-	-	-
...DIFF C.B.	223,700*	61	2	44	4	-	-	-	1	1	-	1
...NDDA	142,700	44	4	25	1	-	-	-	-	2	-	-
...THYR TYDFIL C.B.	71,670	17	2	21	2	-	-	-	-	-	-	1
...RDARE	49,010	14	-	16	-	-	-	-	-	-	-	-
...NSEA C.B.	165,400	58	3	23	1	-	-	-	-	-	1	-
...ATER LONDON ..	8,179,740*	2,113	98	1,751	173	1	6	1	6	13	23	22
...ER RING	3,802,740*	933	40	712	53	-	-	-	1	6	5	6
...REAT TOWNS IN TER RING	2,130,770*	514	19	418	32	-	-	-	-	2	5	3
...AINDER OF OUTER NG	1,671,970*	419	21	294	24	-	-	-	1	4	-	3
...BURGH†	438,998	118	?	116	11	-	-	-	2	1	2	2
...GOW†	1,088,417	368	?	268	42	1	24	2	-	2	7	1
...LIN†	412,400	163	?	123	19	-	1	-	2	2	2	-
...AST†	415,151	150	?	88	9	-	-	-	1	-	-	1

Non civilian deaths are excluded from this table and the comparable civilian populations where erent from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 30; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 70; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; ...ainder of Outer Ring, 1,668,150.

The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated he middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths on-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of ...hs of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases
London‡	4,377,000	1931. Dec. 5	1180	58	1039	12·4	1	-	6	1	5	7	1
Calcutta and Suburbs	1,077,264	Oct. 24	?	?	550‖	26·5	?	1	?	-	?	?	
Bombay§	1,298,708	Nov. 7	676	49	505	22·6	4	-	1	-	-	-	1
Madras	647,533	Oct. 24	537	37	380	30·5	2	-	-	-	3	-	1
Sydney and Suburbs	1,256,210	Oct. 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Aug. 31 (31 days)	376	?	229	8·8	-	-	-	-	-	2	
Perth (Metropolitan Area).	204,780	Oct. 3	71	?	18	4·6	-	-	-	-	-	-	
Auckland (Urban Area).	215,730	Oct. 31 (31 days)											
Wellington (Urban Area).	142,540	Oct. 31 (31 days)											
Christchurch (Urban Area).	127,070	Oct. 31 (31 days)											
Cape Town	136,748	Oct. 31	69	-	34	12·9	-	-	-	-	-	1	
Johannesburg	187,326	„ 24	91	3	39	10·8	-	-	-	-	-	-	
Durban	61,667	„ 24	24	-	11	9·3	-	-	-	-	-	-	
Paris	2,871,429	Nov. 20 (10 days)											
Antwerp	295,454	Nov. 15 (15 days)											
Amsterdam	761,737	Nov. 14	208	7	118	8·1	-	-	-	-	-	-	
Copenhagen	615,700	„ 21	159	4	149	12·6	5	-	-	1	-	1	
Stockholm	502,203	„ 14	101	6	109	11·3	-	-	-	-	-	-	
Gothenberg	245,600	„ 7	?	?	51	10·7	-	-	-	-	1	-	
Oslo	256,353	„ 21	53	1	53	10·8	-	-	-	-	-	-	
Berlin	4,289,000	„ 7	613	29	869	10·5	1	?	2	-	-	7	
Breslau	614,000	„ 7	113	7	143	12·1	-	?	-	-	-	4	
Cologne	738,000	„ 7	161	7	135	9·5	-	?	-	1	1	2	
Dresden	630,000	„ 7	82	7	131	10·8	-	?	-	-	-	2	
Frankfort-on-Main	537,000	„ 7	100	5	95	9·2	-	?	-	-	-	-	
Hamburg	1,138,000	„ 7	243	7	232	10·6	-	?	-	1	1	1	
Leipzig	715,000	„ 7	123	5	130	9·5	-	?	-	-	-	-	
Munich	730,000	„ 7	121	1	154	11·0	-	?	-	-	-	-	
Budapest	1,009,069	„ 7	286	9	212	10·9	-	-	2	-	6	1	
Warsaw	1,115,651	„ 7	?	6	247	11·5	-	-	-	1	1	3	1
Madrid	834,103	Oct. 31	?	46	288	18·0	1	-	2	1	-	1	1
Cairo	1,160,700	Sept. 2	954	25	604	27·1	16	-	3	-	?	6	2
		„ 9	1038	25	530	23·8	10	-	2	1	?	3	1
Alexandria	629,900	„ 2	470	6	415	34·4	3	-	8	-	?	3	1
		„ 9	547	8	358	29·6	1	-	10	1	?	2	1
New York	7,090,089	Oct. 31	?	?	1415	10·4	3	-	-	-	4	3	
Chicago	3,457,375	Nov. 13	887	58	603	9·1	1	-	-	1	1	1	
New Orleans	466,000	Oct. 31 (31 days)	834	31	540	13·9	7	-	1	-	2	1	
Rio de Janeiro ..	1,729,799	Oct. 17	630	55	481	14·5	4	-	14	-	8	1	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year* or Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 9 deaths from Cholera in Calcutta.

Table 3.—LONDON. DEATHS REGISTERED in the week ended 5th December, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	45,196	48,538	1039	117	25	16	20	37	37	64	102	168	209	244
nteric fever	23	21	1	-	-	-	-	-	1	-	-	-	-	-
mall-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
easles	1010	71	6	2	4	-	-	-	-	-	-	-	-	-
arlet fever	101	57	1	-	-	-	1	-	-	-	-	-	-	-
hooping cough	119	277	5	1	3	1	-	-	-	-	-	-	-	-
phtheria	419	237	7	-	2	2	2	-	-	1	-	-	-	-
luenza	313	1000	16	-	-	1	1	-	-	1	5	2	2	4
ysipelas	145	158	4	1	-	-	-	-	-	-	-	1	2	-
ute Poliomyelitis, Polioencephalitis	11	5	-	-	-	-	-	-	-	-	-	-	-	-
cephalitis lethargica	55	42	-	-	-	-	-	-	-	-	-	-	-	-
ningococcal meningitis	79	123	3	-	-	-	-	2	1	-	-	-	-	-
berculosis :—														
Respiratory system	3307	3437	69	1	1	1	-	16	10	14	11	9	6	-
Nervous system	213	205	3	-	1	-	1	1	-	-	-	-	-	-
Intestines and peritoneum	49	55	4	1	-	-	-	2	-	1	-	-	-	-
Other forms	206	235	2	-	-	-	-	-	1	1	-	-	-	-
nereal diseases	176	173	6	1	-	-	-	-	-	1	2	1	1	-
ncer	6170	6438	156	-	-	-	-	1	4	12	23	42	37	37
eumatic fever	156	126	4	-	-	1	3	-	-	-	-	-	-	-
abetes	475	509	13	-	-	-	-	-	-	1	2	1	8	1
coholism	20	17	-	-	-	-	-	-	-	-	-	-	-	-
mple meningitis	72	83	-	-	-	-	-	-	-	-	-	-	-	-
rebral hæmorrhage, &c., Apoplexy	1855	1782	42	-	-	-	-	-	-	2	2	10	17	11
ilepsy	180	162	5	-	-	-	1	2	-	1	-	-	-	1
onvulsions" (not puerperal) ..	53	53	1	1	-	-	-	-	-	-	-	-	-	-
ner diseases of nervous system ..	1131	1034	21	-	1	-	1	1	4	2	3	3	5	1
ricarditis	17	19	-	-	-	-	-	-	-	-	-	-	-	-
ute endocarditis	214	178	5	-	-	-	-	2	-	1	-	1	1	-
ner diseases of heart	9536	11127	210	-	-	-	-	2	3	5	13	35	62	90
ner diseases of circulatory system	1912	2063	31	-	-	-	-	-	-	1	-	8	7	15
nchitis	1635	2319	48	12	-	-	-	-	-	1	2	8	7	18
ncho-pneumonia	1634	2420	72	36	7	4	1	-	-	2	2	7	7	6
ar pneumonia	978	1121	29	-	1	-	1	-	2	4	6	9	4	2
eumonia (type not distinguished)	360	381	8	1	1	-	-	-	1	1	2	1	1	-
ner diseases of respiratory system	450	515	11	-	-	-	-	-	1	-	3	2	1	4
rrhœa and enteritis	741	651	21	16	2	1	1	-	-	-	-	-	-	1
pendicitis, Typhlitis	320	276	9	-	-	-	1	2	1	1	2	2	-	-
rnia, Intestinal obstruction	460	499	15	1	-	-	-	-	1	1	4	2	2	5
rhosis of liver	206	209	3	-	-	-	-	-	-	-	1	-	1	1
ner diseases of digestive system ..	1141	1093	21	1	1	1	-	1	-	-	5	3	5	4
ute nephritis	86	81	2	-	-	-	-	-	-	1	1	-	-	-
ronic Bright's disease	1609	1538	25	-	-	-	-	1	-	-	3	5	9	7
ner diseases of genito-urinary system.	759	826	13	1	-	-	-		-	-	1	5	3	3
rperal sepsis	104	114	3	-	-	-	-	-	2	1	-	-	-	-
ner causes incident to childbirth ..	87	116	4	-	-	-	-	1	1	1	1	-	-	
genital malformations	303	297	9	8	1	-	-	-	-	-	-	-		
mature birth	870	899	21	21	-	-	-	-	-	-	-	-		
bility, atrophy (congenital)	160	144	2	2	-	-	-	-	-	-	-	-		
age	1095	1112	20	-	-	-	-	-	-	-	-	-	-	20
cide	538	532	12	-	-	-	-	-	1	3	4	3	1	-
ns and Scalds	88	128	3	-	-	1	-	-	-	-	-	-	1	1
wning	107	90	2	1	-	-	1	-	-	-	-	-	-	-
ocation in bed	27	28	1	1	-	-	-	-	-	-	-	-	-	-
icles and horses	748	670	20	-	-	1	2	3	2	2	-	4	3	3
er deaths by violence	727	706	10	-	-	1	-	-	2	-	1	2	-	4
er specified causes	1938	2077	40	8	-	1	3	-	-	2	3	2	16	5
defined causes	5	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 5th December 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	35	251	174	2	186	C. 3 D. 5 G. 1 M. 13 N. 14
CITY OF LONDON...	-	-	1		-	-
Metropolitan Boroughs:—						
BATTERSEA ...	1	15	9	-	7	M. 1
BERMONDSEY ...	-	2	11	-	8	N. 1
BETHNAL GREEN	4	12	5	-	7	-
CAMBERWELL ...	2	20	9	-	13	C. 1
CHELSEA	-	2	1	-	3	N. 1
DEPTFORD ...	-	7	1	-	4	-
FINSBURY ...	-	1	4	-	4	-
FULHAM	-	6	7	-	13	N. 2
GREENWICH ...	-	4	3	-	5	M. 1 N. 1
HACKNEY... ...	1	8	11	-	7	M. 1
HAMMERSMITH ...	-	3	6	-	3	D. 1
HAMPSTEAD ...	-	8	1	-	2	N. 1
HOLBORN... ...	-	3	1	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	2	30	13	-	8	M. 2
KENSINGTON ...	-	8	5	-	6	D. 2 M. 2 N. 2
LAMBETH ...	19	9	10	1	13	G. 1 M. 1
LEWISHAM ...	-	10	7	-	6	-
PADDINGTON ...	-	3	7	1	12	M. 1
POPLAR	-	17	8		11	C. 1 M. 1
ST. MARYLEBONE	-	1	2	-	3	-
ST. PANCRAS ...	-	6	5	-	9	D. 2
SHOREDITCH ...	-	9	4		4	-
SOUTHWARK ...	4	15	8	-	4	C. 1
STEPNEY	2	27	18		15	M. 2 N. 3
STOKE NEWINGTON	-	3	-	-	-	N. 1
WANDSWORTH ...	-	11	10	-	13	-
WESTMINSTER, CITY OF	-	5	2	-	-	-
WOOLWICH ...	-	6	5	-	6	M. 1 N. 2

‡ The letters in this column denote the following diseases :—A, Cholera; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	11	–	–	5	M. 2
Boroughs and Urban Districts:—						
Bedford	–	1	–	–	1	–
Biggleswade ...	–	1	–	–	–	–
Dunstable ...	–	2	–	–	–	–
Luton	–	–	–	–	2	M. 1
Sandy	–	1	–	–	–	–
Rural Districts:—						
Bedford	–	1	–		–	–
Biggleswade ...	–	4	–	–	2	M. 1
Eaton Socon ...	–	1	–		–	–
Luton	*	*	*	*	*	*
BERKS	–	5	1	–	2	M. 1
Reading C.B. ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
Maidenhead ...	–	–	1	–	–	–
Newbury ...	–	1	–	–	1	–
Rural Districts:—						
Bradfield ...	–	1	–	–	–	–
Newbury ...	–	–	–	–	1	–
Wallingford ...	–	1	–	–	–	–
Wantage ...	–	1	–	–	–	–
BUCKINGHAM...	–	13	9	–	3	C. 1 E. 1 N. 1
Boroughs and Urban Districts:—						
Chepping Wycombe	–	–	–		2	–
Eton	–	1	–	–	–	–
Marlow	–		3	–	–	–
Slough	–	7	–	–		C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM— *cont.*						
Rural Districts:—						
Amersham ...	–	–	–	–	1	–
Buckingham ...	–	–	–		–	N. 1
Eton	–	3	3	–	–	–
Newport Pagnell	–	–	1	–		–
Wing	–	–	–	–	–	E. 1
Wycombe ...	–	2	2	–	–	–
CAMBRIDGE ...	–	3	–	–	1	M. 1
Borough:—						
Cambridge ...	–	2	–	–		–
Rural Districts:—						
Chesterton ...	–	1	–	–		–
Newmarket ...	–	–	–	–	1	M. 1
CHESTER ...	–	31	25	–	34	M. 1 N. 4
Birkenhead C.B.	–	4	2	–	13	M. 1 N. 2
Chester C.B. ...	–	–	–		1	–
Stockport C.B. ...	–	4	4		2	N. 1
Wallasey C.B. ...	–	1	7	–	1	–
Boroughs and Urban Districts:—						
Bebington and Bromborough	–	1	–	–	2	–
Congleton ...	–	1	–	–	1	–
Crewe	–	2	–	–	–	–
Dukinfield ...	–	–	–	–	3	–
Hoole	–	1	–	–		–
Hyde	–	5	–	–	1	–
Macclesfield ...	–	1	–	–	1	–
Nantwich ...	–	–	1	–	–	–
Sale	–	–	1	–	–	–
Stalybridge ...	–	1	–	–	2	–

* Returns not received.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
CHESTER	–	1	–	–	–	–
NANTWICH ...	–	2	4	–	–	
NORTHWICH ...	–	3	1	–	2	N. 1
RUNCORN	–	3	2	–	2	–
TARVIN	–	1				–
TINTWISTLE ...		–			1	–
WIRRAL	–	–	3	–	2	–
CORNWALL ...	–	1	8	–	2	M. 1
Boroughs and Urban Districts:—						
CAMBORNE ...	–	–	1	–	–	–
LUDGVAN	–	1			–	–
PADSTOW	*	*	*	*	*	*
REDRUTH ...	–	–	1	–	1	
ST. AUSTELL ...	–	–	1	–		–
ST. JUST	–	–			1	–
TRURO	–	–	2	–	–	–
Rural Districts:—						
BODMIN	–	–	1	–	–	M. 1
TRURO	–	–	2	–	–	–
CUMBERLAND...	–	1	1		7	M. 2 N. 1
CARLISLE C.B. ...	–	1	1	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	–	–		–	M. 1
MILLOM	–	–	–	–	1	–
WORKINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BRAMPTON ...	–	–	–	–	2	–
COCKERMOUTH ...	–	–			1	–
LONGTOWN ...	*	*	*	*	*	*
WHITEHAVEN ...	–	–	–	–	1	–
DERBY	1	17	18	4	13	C. 2 D. 2 E. 2 J. 1 N. 1
DERBY C.B. ...	–	6	4	3	4	D. 1 N. 1
Boroughs and Urban Districts:—						
ALFRETON ...	1	–	–	–	–	–
ASHBOURNE ...	–	–	–	–	1	–
BOLSOVER ...	–	–	1	–	1	–
CHESTERFIELD ...	–	–	–	–	2	D. 1
GLOSSOP	–	–	–	–	1	–
HEANOR	–	1	–	–	–	J. 1
LONG EATON ...	–	3	–	–	–	–
RIPLEY	–	–	–	–	1	–
SWADLINCOTE DISTRICT	–	3	–	–	–	–
WIRKSWORTH ...	–	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	–	5	–	–	–
BELPER	–	1	–	–	–	E
BLACKWELL ...	–	–	3	–		–
CHESTERFIELD ...	–	2	3	–	2	C. 1
CLOWNE	–	–	1	–	–	–
REPTON	–	1		1	–	–
SHARDLOW ...	–	–	1	–	–	E. 1
SUDBURY	–	–	–	–	–	C. 1
DEVON	–	24	26	–	7	G. 1 N. 1
EXETER C.B ...	–	–	3	–	2	G. 1
PLYMOUTH C.B.	–	17	14	–	1	N. 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	1	2	–	–	–
BIDEFORD ...	–	–	–	–	1	–
DARTMOUTH ...	–	–	–	–	1	
EXMOUTH ...	–	–	–	–	1	–
SIDMOUTH ..	–	1	–	–	–	–
SOUTH MOLTON ...	–	–	1	–	–	–
TEIGNMOUTH ...	–	1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I. Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	3	–	–	–
NEWTON ABBOT...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	1	3	–	–	–
ST. THOMAS ...	–	2	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
DORSET	–	4	1	–	1	–
Boroughs and Urban Districts:—						
BRIDPORT ...	*	*	*	*	*	*
POOLE	–	2	1	–	–	–
SHAFTESBURY ...	–	–	–	–	1	–
WAREHAM ...	–	2	–	–	–	–
DURHAM ...	–	84	29	2	85	C. 1 D. 3 G. 1 M. 3 N. 1
DARLINGTON C.B.	–	6	–	–	4	–
GATESHEAD C.B.	–	18	3	–	7	C. 1
SOUTH SHIELDS C.B.	–	2	1	–	17	D. 1
SUNDERLAND C.B.	–	11	1	1	18	D. 2 M. 1
WEST HARTLEPOOL C.B.	–	5	1	–	4	–
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	2	2	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
BILLINGHAM ...	–	1	–	–	1	–
BISHOP AUCKLAND	–	–	–	1	–	–
BLAYDON... ...	–	2	–	–	–	–
BRANDON AND BYSHOTTLES	–	–	1	–	1	–
CHESTER LE STREET	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
CONSETT	–	2	–	–	–	–
CROOK	–	–	2	–	–	–
DURHAM	–	4	–	–	–	–
FELLING	–	1	–	–	–	–
HEBBURN ...	–	2	–	–	1	M. 2
HETTON	–	–	–	–	1	N. 1
JARROW	–	1	–	–	1	–
LEADGATE ...	–	–	–	–	1	–
SEAHAM HARBOUR	–	–	–	–	4	–
SHILDON	–	2	–	–	–	–
STANLEY	–	–	1	–	–	–
STOCKTON ON TEES	–	–	–	–	1	–
TANFIELD ...	–	1	1	–	–	–
WASHINGTON ...	–	1	2	–	–	–
WHICKHAM ...	–	1	1	–	2	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	–	6	–	–	G. 1
BARNARD CASTLE	–	–	–	–	1	–
CHESTER LE STREET	–	2	–	–	5	–
DARLINGTON ...	–	1	–	–	1	–
DURHAM	–	1	1	–	1	–
EASINGTON ...	–	3	3	–	8	–
HOUGHTON LE SPRING	–	4	–	–	1	–
LANCHESTER ...	–	2	3	–	–	–
SEDGEFIELD ...	–	1	–	–	1	–
SOUTH SHIELDS	–	2	–	–	1	–
SUNDERLAND ...	–	3	–	–	1	–
ELY, ISLE OF ...	–	–	7	–	–	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	5	–	–	–
WISBECH... ...	–	–	2	–	–	–

* Returns not received.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	16	74	51	-	57	G. 1 M. 4 N. 5
East Ham C.B....	-	5	-	-	4	N. 1
Southend on Sea C.B.	-	-	2	-	5	M. 1
West Ham C.B.	14	13	11	-	18	M. 2 N. 1
Boroughs and Urban Districts:—						
Barking Town...	-	3	5	-		-
Chelmsford ...	-	1	-	-	1	-
Chingford ...	-	4	-	-		
Colchester ...	-	2		-	2	G. 1
Dagenham ...	-	10	9	-	2	
Epping	-	-	-	-	2	-
Grays Thurrock	-		2		1	-
Harwich ...	-		1	-	2	-
Hornchurch ...	-	2	3	-	-	-
Ilford	-	3	2	-	1	-
Leyton	1	6	3	-	5	-
Loughton ...	-	-	-	-	1	-
Purfleet ...	-	-	1	-	-	-
Romford... ...	-	1	1	-	-	
Tilbury	-	-	3	-	-	-
Walthamstow ...	1	5	6	-	7	M. 1 N. 1
Wanstead ...	-	2	-	-	2	-
Witham	-	-	-	-	1	-
Woodford ...	-	2	-	-	-	-
Rural Districts:—						
Billericay ...	-	4	-	-	1	-
Braintree ...	-	-	1	-	1	-
Chelmsford ...	-	4	-	-	-	N. 1
Dunmow	-	1	-	-	-	-
Maldon	-	1	-	-	-	-
Orsett	-	2		-		-
Rochford ...	-	-	-	-	1	
Romford... ...	-	1	1	-	-	-
Tendring ...	-	2	-	-	-	N. 1
GLOUCESTER ...	-	15	16	1	11	C. 1 D. 1 L. 1 M. 1 N. 1
Bristol C.B. ...	-	10	13	-	8	D. 1 M. 1
GLOUCESTER— *cont.*						
Gloucester C.B.	-	1	-	-	1	-
Boroughs and Urban Districts:—						
Kingswood ...	-	-	-	-	-	C. 1
Stroud	-	-	1	-	-	
Rural Districts:—						
Chipping Sodbury	-	-	1	-	1	L. 1
East Dean and United Parishes	-	1	-		-	N. 1
Gloucester ...	-	-	-	1	-	-
Stow on the Wold (part)	-	1	-	-	-	-
Stroud	-	2	1	-	-	-
Warmley ...	-	-	-	-	1	-
HEREFORD ...	-	8	2		3	-
Boroughs and Urban Districts:—						
Hereford ...	-	1	1	-	1	-
Leominster ...	-	4	-	-		-
Rural Districts:—						
Bredwardine ...	-	-	-	-	1	-
Dore	-	-	1	-	-	-
Hereford ...	-	2	-	-	-	-
Kington	-	1	-	-	-	-
Ledbury... ...	-	-	-	-	1	-
HERTFORD ...	-	7	6		2	N. 2
Boroughs and Urban Districts:—						
Barnet	-	1		-	-	N. 2
Great Berkhampstead	-	1	2		-	-

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
HODDESDON ...	-	1	-	-	-	-
LETCHWORTH ...	-	2	-	-	1	-
WATFORD... ...	-	-	3	-	-	-
Rural Districts:—						
HEMEL HEMPSTEAD	-	-	-	-	1	-
HITCHIN	-	2	-	-	-	-
WATFORD ...	-	-	1	-	-	-
HUNTINGDON ...	-	3	-	-		
Boroughs and Urban Districts—						
OLD FLETTON ...	-	1	-	-	-	-
RAMSEY	-	1	-	-	-	-
ST. NEOTS ...	-	1		-	-	-
KENT	-	49	26	-	4	M. 2 N. 4
Boroughs and Urban Districts:—						
ASHFORD	-	2	-	-	-	-
BECKENHAM ...	-	2	-	-		-
BEXLEY	-	4	1	-	-	N. 1
BROMLEY... ...	-	5	1	-	-	-
CHATHAM ...	-	1	-	-	-	-
CHISLEHURST ...	-	-	1	-	-	
CRAYFORD ...	-	3	-	-	-	-
DARTFORD ...	-	1	-	-	1	-
DOVER	-	1	1	-	-	N. 1
ERITH	-	3	-	-	-	-
FOLKESTONE ...	-	1	-	-	-	-
GILLINGHAM ...	-	1	-	-	-	-
GRAVESEND ...	-	-	1	-	-	-
HERNE BAY ...	-	1	1	-	-	-
MAIDSTONE ...	-	-	1	-	1	-
MARGATE ...	-	2	6	-	-	
NORTHFLEET ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENGE	-	1	2	-	-	-
RAMSGATE ...	-	1	-	-		-
ROCHESTER ...	-	2		-	-	-
ROYAL TUNBRIDGE WELLS		1	-	-	-	N. 1
SANDWICH ...	-	-	1	-	-	-
SEVENOAKS ...		1	-	-		-
SHEERNESS ...	-	1	-	-	-	-
SITTINGBOURNE AND MILTON	-	1		-	-	M. 1
SWANSCOMBE ...	-	1	-	-	-	M. 1
TONBRIDGE ...	-	-	-	-	1	-
WALMER	-		2		-	-
Rural Districts:—						
BROMLEY... ...	-	-	3	-	-	-
CRANBROOK ...	-	-	1	-	-	-
EASTRY	-		1	-	-	-
ELHAM	-	1		-	-	-
FAVERSHAM ...	-	-	3		-	-
SEVENOAKS ...	-	2	-	-	1	-
STROOD	-	1			-	-
TENTERDEN ...		1	-	-		-
TONBRIDGE ...	-	-	-	-		N. 1
WEST ASHFORD...		7		-		-
LANCASTER ...	-	261	150	2	316	C. 5 D. 3 L. 1 M. 17 N. 11
BARROW IN FURNESS C.B	-	1	-		4	-
BLACKBURN C.B.		2	2		3	N. 1
BLACKPOOL C.B.	-	8	1	1	-	N. 1
BOLTON C.B. ..	-	13	-	-	2	N. 1
BOOTLE C.B. ...	-	7	1	-	9	-
BURNLEY C.B. ...	-	7	2		3	-
BURY C.B. ...				-	4	-
LIVERPOOL C.B....	-	43	63	-	130	C. 3 L. 1 M. 12 N. 1

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Manchester C.B.	–	63	27	–	51	C. 1 D. 3 M. 1 N. 1
Oldham C.B. ...	–	2	1	–	3	–
Preston C.B. ...	–	9	2	–	8	M. 1
Rochdale C.B....	–	–	1	–	1	–
St. Helens C.B.	–	6	3	–	5	–
Salford C.B. ...	–	8	25	–	9	C. 1 N. 1
Southport C.B.	–	4	–	–	7	N. 1
Warrington C.B.	–	5	1	–	1	–
Wigan C.B. ...	–	–	–	–	3	M. 1
Boroughs and Urban Districts:—						
Ashton in Makerfield	–	1	–	–	1	–
Ashton-under-Lyne	–	9	–	–	1	–
Atherton	–	1	–	–	–	–
Bacup	–	–	–	–	2	–
Brierfield ...	–	3	–	–	–	–
Chadderton ...	–	–	–	–	1	–
Chorley	–	3	–	–	2	–
Clitheroe ...	–	2	–	–	–	–
Colne	–	3	–	–	–	–
Darwen	–	1	–	–	1	–
Denton	–	1	–	–	1	–
Droylsden ...	–	5	–	–	–	–
Eccles	–	3	1	–	–	–
Failsworth ...	–	1	–	–	1	–
Fleetwood ...	–	–	–	–	1	–
Fulwood ...	–	–	–	–	1	–
Great Crosby ...	–	1	–	–	–	–
Great Harwood	–	2	–	–	–	–
Heywood ...	–	–	–	–	3	–
Hindley	–	–	–	–	4	–
Horwich... ...	–	–	–	–	2	–
Ince in Makerfield	–	–	–	–	2	–
Irlam	–	–	1	–	–	–
Kearsley ...	–	1	–	–	–	–
Lancaster ...	–	3	1	1	2	–
Leigh	–	–	–	–	6	N. 1
Leyland... ...	–	1	–	–	–	–
Litherland ...	–	–	1	–	2	–
Littleborough	–	1	–	–	–	–
Little Hulton	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
Lytham St. Anne's	–	1	–	–	–	–
Middleton ...	–	1	1	–	4	–
Morecambe and Heysham	–	–	1	–	4	N. 1
Mossley	–	1	–	–	1	–
Nelson	–	3	–	–	–	–
Newton in Makerfield	–	3	–	–	–	–
Norden	–	–	–	–	–	N. 1
Ormskirk ...	–	1	2	–	–	–
Oswaldtwistle	–	2	–	–	–	–
Padiham... ...	–	–	–	–	2	–
Prestwich ...	–	–	1	–	1	–
Ramsbottom ...	–	1	1	–	–	–
Rawtenstall ...	–	3	–	–	1	–
Royton	–	1	–	–	–	–
Stretford ...	–	5	5	–	2	M. 1
Swinton and Pendlebury	–	1	–	–	1	–
Thornton Cleveleys	–	–	–	–	1	–
Tottington ...	–	–	2	–	2	–
Tyldesley with Shakerley	–	1	–	–	1	–
Ulverston ...	–	1	–	–	–	–
Upholland ...	–	–	–	–	1	–
Urmston... ...	–	3	1	–	–	N. 1
Wardle	–	1	–	–	–	–
Waterloo with Seaforth	–	3	–	–	2	–
Widnes	–	2	–	–	2	–
Rural Districts:—						
Barton upon Irwell	–	1	1	–	2	–
Blackburn ...	–	1	–	–	1	–
Chorley	–	1	–	–	–	–
Clitheroe ...	–	–	–	–	5	–
Fylde	–	–	1	–	–	–
Leigh	–	–	–	–	1	–
Limehurst ...	–	–	–	–	2	M. 1
Preston	–	–	–	–	2	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	–	–		2	–
WHISTON	–	1	–	–	–	–
WIGAN	–	–	1	–	–	–
LEICESTER ...	4	24	3	–	7	C. 1 G. 1 L. 4 M. 2
LEICESTER C.B....	1	8	1	–	5	C. 1 L. 4 M. 1
Boroughs and Urban Districts:—						
HINCKLEY ...	–	2	–	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET HARBOROUGH	–	1	1	–	–	–
MELTON MOWBRAY	–	–	–	–	–	G. 1
QUORNDON ...		2	–	–	–	
THURMASTON ...	–	1	–	–	–	–
WIGSTON MAGNA	3	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	–	M. 1
BARROW UPON SOAR	–	–	–	–	2	–
BELVOIR	–	1	–	–	–	–
BLABY	–	3	–	–	–	–
LUTTERWORTH ...	–	1	–	–	–	–
MARKET BOSWORTH	–	2	–	–	–	–
MELTON MOWBRAY	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	4	–	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	2	–		–	–
EAST ELLOE ...	–	1	–			–
LINCOLN (parts of Kesteven).	–	1	2	–	–	–
Boroughs and Urban Districts:—						
GRANTHAM ...	–	–	1	–		–
SLEAFORD ...	–	–	1	–	–	–
Rural Districts:—						
SOUTH KESTEVEN	–	1				–
LINCOLN (parts of Lindsey).		8	7	1	9	N. 1
GRIMSBY C.B. ...	–	3	3	–	2	–
LINCOLN C.B. ...	–	1	–		–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–			–	1	–
BRIGG	–	–		–	1	–
CLEETHORPES ...	–	–	–	1	–	–
GAINSBOROUGH ...	–		–	–	3	–
LOUTH		1	–		–	–
MARKET RASEN ...	*	*	*	*	*	*
SCUNTHORPE AND FRODINGHAM	–	1	2	–	–	–

* Returns not received.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR	–	–	1	–	–	–
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	–	–	–	2	
GRIMSBY	–	–	1	–	–	–
ISLE OF AXHOLME	–	–	–	–	–	N. 1
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	–	82	38	–	37	C. 1 D. 2 E. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
ACTON	–	1	1	–	–	–
BRENTFORD AND CHISWICK	–	2	–	–	–	–
EALING	–	1	2	–	3	–
EDMONTON ...	–	21	4	–	4	–
ENFIELD	–	9	9	–	1	–
FELTHAM... ...	–	1	–	–	1	–
FINCHLEY ...	–	2	1	–	2	–
HAMPTON WICK...	–	–	1	–	–	–
HARROW ON THE HILL	–	1	–	–	–	–
HAYES AND HARLINGTON	–	5	–	–	1	–
HENDON	–	1	5	–	1	N. 1
HESTON AND ISLEWORTH	–	1		–	5	–
HORNSEY	–	1	4	–	–	–
SOUTHALL NORWOOD	–	1	–	–	3	
STAINES	–	2	–	–	–	E. 1
SUNBURY ON THAMES	–	–	2	–	–	–
TEDDINGTON ...	–	2	1	–	–	–
TOTTENHAM ...	–	15	3	–	6	N. 1
TWICKENHAM ...	–	1	1	–	1	C. 1
UXBRIDGE ...	–	1	2	–	1	–
WEALDSTONE ...			–	–	2	N. 1
WILLESDEN ...	–	10	2	–	6	D. 2 M. 1 N. 1
YIEWSLEY AND WEST DRAYTON	–	1	–	–	–	–
NORFOLK ...	1	12	13	1	2	C. 1 N. 2
GREAT YARMOUTH C.B.	–	–	6	1	–	–
NORWICH C.B. ...	1	7	4		1	C. 1
Boroughs and Urban Districts:—						
KING'S LYNN ...		1	–	–		–
THETFORD ...	*	*	*	*	*	*
WALSOKEN ...	–	–	–		1	–
Rural Districts:—						
BLOFIELD ...	–	–	1	–	–	–
ERPINGHAM ...	–	1	–		–	–
FOREHOE	–	–	1	–	–	–
MARSHLAND ...	*	*	*	*	*	*
ST. FAITH'S ...	–	2	–	–	–	–
SWAFFHAM ...		1		–	–	–
WALSINGHAM ...	–	–	1	–	–	N. 2
NORTHAMPTON	–	17	2	–	2	C. 1 M. 1 N. 1
NORTHAMPTON C.B.	–	4	1	–	–	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	3	–	–	–	–
KETTERING ...	–	1	–	–	–	–
RUSHDEN... ...	–	1	–	–	–	–
WELLINGBOROUGH	–	1	1	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	1	–
KETTERING ...	–	2	–	–	–	–
THRAPSTON (part)	–	–	–	–	1	–
TOWCESTER ...	–	2	–	–	–	–
WELLINGBOROUGH		1	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	-	48	6	3	50	D. 1 L. 2 M. 6 N. 3
NEWCASTLE UPON TYNE C.B	-	30	3	3	30	D. 1 M. 3 N. 3
TYNEMOUTH C.B.	-	3	-	-	4	M. 1
Boroughs and Urban Districts:—						
ALNWICK	-	1	-	-	-	-
ASHINGTON ...	-	-	1	-	-	M. 1
BEDLINGTONSHIRE	-	1	-	-	3	-
BERWICK UPON TWEED	-	-	-	-	1	-
BLYTH	-	2	-	-	5	-
CRAMLINGTON ...	-	1		-	-	-
EARSDON	-	1	-	-	-	-
GOSFORTH ...		2	-		-	-
LONGBENTON ...	-	1	-		-	-
PRUDHOE... ..	-	-	1	-	-	-
SEATON DELAVAL	-	3	-	-	-	
WALLSEND ...	-	-	1	-	4	M. 1
WHITLEY AND MONKSEATON	-	3	-	-	2	-
Rural Districts:—						
CASTLE WARD ...	-	-	-	-	1	-
HEXHAM	-	-	-	-	-	L. 2
NOTTINGHAM ...	-	30	5	4	21	C. 3 D. 4 M. 1
NOTTINGHAM C.B.	-	13	2	4	13	C. 3 D. 1
Boroughs and Urban Districts:—						
CARLTON	-	1	-	-	2	-
EAST RETFORD ...	-	1	-	-	-	-
HUCKNALL ...	-	1	-	-	-	D. 1
HUTHWAITE ...	-	-	-	-	1	-
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts:—*cont.*						
KIRKBY IN ASHFIELD		3	1	-	-	D. 1
MANSFIELD ...	-	4	-	-	2	-
MANSFIELD WOODHOUSE	-	1	-	-	-	-
SUTTON IN ASHFIELD	-	-	1	-	-	D. 1
WORKSOP ...	-		-	-	-	M. 1
Rural Districts:—						
BASFORD	-	3	1		2	-
BINGHAM... ...	-	1		-	-	-
EAST RETFORD ...	-	-	-	-	1	-
SKEGBY	-	1	-	-	-	-
WORKSOP... ...		1	-	-	-	-
OXFORD	-	7	3	-	1	N. 2
OXFORD C.B. ...	-	2	-	-	1	-
Boroughs and Urban Districts:—						
BICESTER... ...	-	-	-	-	-	N. 1
HENLEY ON THAMES	-	-	1	-	-	N. 1
WHEATLEY ...	-	1	-	-	-	-
Rural Districts:—						
BANBURY... ...		-	1	-	-	-
HENLEY	-	3	1	-		-
WOODSTOCK ...	-	1	-	-	-	-
PETERBOROUGH (Soke of).	-	2	-	-	2	N. 1
Borough:—						
PETERBOROUGH...	-	2	-	-	2	-

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ETERBOROUGH (Soke of)—*cont.*						
Urban District:—						
Peterborough...	–	–		–	–	N. 1
RUTLAND ...	–	1	–	–	–	–
Rural Districts:—						
Oakham	–	1	–	–		–
SALOP	–	14	7		2	M. 1 N 2
Boroughs and Urban Districts:—						
Ludlow	–	5	–	–		–
Newport... ...	–	–	–	–		M. 1
Oakengates ...	–	1	1	–	–	
Shrewsbury ...	–	1	–	–	–	–
Rural Districts:—						
Atcham	–	1	–	–	–	–
Burford... ...	–	1	–	–	–	–
Cleobury Mortimer	–		1	–	–	–
Ellesmere ...	–	3	1	–	–	–
Ludlow	–	1	2	–	1	–
Oswestry ...	–	–	–	–	1	–
Shifnal	–	–	1		–	N. 1
Wellington ...	–	–	1	–	–	–
Wem		1	–	–	–	N. 1
SOMERSET ...	–	9	5	1	7	–
Bath C.B. ..	–	3	–	–	1	–
Boroughs and Urban Districts:—						
Frome	–	–	2	–	–	–
Wellington ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
Axbridge ...	–	–	1	1	1	–
Bridgwater ...	–	1	–	–	2	–
Long Ashton ...	–	1	–	–	–	–
Wellington ...	–	2	1	–	–	–
Wells	–	–	–		1	–
Wincanton ...	–	–		–	2	–
Yeovil	–	–	1		–	–
SOUTHAMPTON	–	12	11	1	8	M. 1 N. 5
Bournemouth C.B.	–	1	–	–	–	–
Portsmouth C.B.	–	4	3	–	1	
Southampton C.B.	–	1	3	–	1	N. 1
Boroughs and Urban Districts:—						
Aldershot ...	–	1	–	–	1	N. 1
Andover... ...	–	–	3	–	–	M. 1
Eastleigh and Bishopstoke	–	–	–	–	2	–
Fareham ...		–	1	1	–	–
Farnborough ..	–	1	–		–	–
Gosport		1		–	2	–
Romsey	–	1	–	–		–
Winchester ...	–	1	–		–	–
Rural Districts:—						
Andover... ...	–		–	–	–	N. 1
Fareham ...		–	1	–	1	–
Hartley Wintney	–	–		–	–	N. 1
Hursley	–	–	–	–	–	N. 1
Petersfield ...	–	1		–	–	–
STAFFORD ...	–	39	27	1	37	G. 2 M. 2 N. 5
Burton upon Trent C.B.	–	2	–	–		–
Smethwick C.B.	–	–	1	1	3	N. 1

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Stoke on Trent C.B.	–	4	7	–	19	–
Walsall C.B. ...	–	2	3	–	1	G. 1
West Bromwich C.B.	–	4	–	–	3	–
Wolverhampton C.B.	–	5	5	–	3	N. 2
Boroughs and Urban Districts:—						
Audley	–	1	1	–	–	–
Bilston	–		–	–	–	M. 1
Brownhills ...	–	1	–	–	–	–
Coseley	–		2	–	–	–
Darlaston ...	–	1	–	–	–	–
Kidsgrove ...	–	–	–	–	1	–
Leek	–	–	1	–	–	–
Lichfield ...	–	1	1	–	–	–
Rowley Regis ...	–	–	–	–	1	–
Sedgley	–	–	–	–	1	–
Stafford ...	–	4	1	–	–	–
Stone	–	1	–	–	1	–
Tamworth ...	–	1	–	–	–	–
Tettenhall ...	–	–	1	–	–	–
Tipton	–	2	–	–	–	–
Wednesbury ...	–	2	2	–	–	M. 1
Willenhall ...	–	2	–	–	1	N. 2
Wolstanton United		2	–	–	–	–
Rural Districts:—						
Cannock	–	1	–	–	1	–
Cheadle	–	1	1	–	1	G. 1
Kingswinford ...	–	–	1	–	–	–
Lichfield ...	–	–	–	–	1	–
Stone	–	1	–	–	–	–
Tamworth (part)	–	1	–	–	–	–
SUFFOLK, EAST	–	26	14	–	6	–
Ipswich C.B. ...	–	15	11	–	1	–
SUFFOLK, EAST —*cont.*						
Boroughs and Urban Districts:—						
Felixstowe ...	–	–	2	–	–	–
Leiston cum Sizewell	–	3	–	–	–	–
Lowestoft ...	–	–	–	–	1	–
Southwold ...	–	1	–	–	–	–
Woodbridge ...	–	1	–	–	–	–
Rural Districts:—						
Blything ...	–	3	–	–	–	–
Hartismere ...	–	–	–	–	3	–
Woodbridge ...	–	3	1	–	1	–
SUFFOLK, WEST		1	8		1	M. 1
Boroughs and Urban Districts:—						
Bury St. Edmunds	–	–	2	–	1	–
Newmarket ...	–	–	4	–	–	–
Rural Districts:—						
Mildenhall ...	–	–	1	–	–	–
Thingoe	–	1	1	–	–	M. 1
SURREY	–	28	23	–	5	C. 1 E. 1 L. 4 N. 5
Croydon C.B. ...	–	4	7	–	–	N. 1
Boroughs and Urban Districts:—						
Barnes	–	–	–	–	–	E. 1
Beddington and Wallington	–	2	–	–	–	–
Carshalton ...	–	1	–	–	–	N. 3

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Caterham and Warlingham	–	1		–	–	–
Chertsey ...	–	1	–	–	–	–
Coulsdon and Purley	–	–	1		–	–
East and West Molesey	–	–	3		–	–
Egham	–	–	2	–	–	
Esher and the Dittons	–	–		–	1	–
Farnham ...	–	1	1	–		
Guildford ...	–	–	–	–		C. 1
Kingston on Thames	–	1	1	–		
Merton and Morden	–	1	2	–	1	N. 1
Mitcham	–	1	–	–	–	
Richmond ...	–	1	2	–	–	–
Sutton and Cheam	–	1	–	–	–	–
The Maldens and Coombe		1	–	–	–	
Walton upon Thames		1			2	–
Wimbledon ...	–	2	1	–	–	–
Rural Districts:—						
Epsom	–	–	3		1	L. 4
Godstone ...	–	4		–	–	–
Hambledon ...	–	1		–	–	
Reigate	–	4	–	–		–
SUSSEX, EAST...	–	10	14	2	10	C. 1 G 1 N. 2
Brighton C.B. ...		2	4	1	4	N. 1
Eastbourne C.B.	–	1	1	–	1	C. 1
Hastings C.B. ...	–	–	2	–	2	–
Boroughs and Urban Districts:—						
Burgess Hill ...	–	1		–		–
East Grinstead	–	1	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Hove	–	2	–	–	–	G. 1
Newhaven ...	–	1	1	–	1	–
Portslade by Sea	–	–	1	–	1	–
Rural Districts:—						
Battle	–	1	–	–	–	–
Cuckfield ...	–	–		–	1	N. 1
East Grinstead	–	1	–	1	–	–
Hailsham ...		–	1	–	–	–
Uckfield ...	–		4	–	–	–
SUSSEX, WEST—	–	7	4	–	3	–
Boroughs and Urban Districts:—						
Arundel... ...	–	3		–	–	–
Bognor Regis ...	–	1	1	–	–	–
Worthing ...	–	–	3	–	1	–
Rural Districts:—						
Horsham ...	–	–	–	–	1	–
Petworth ...	–	1	–	–	–	–
Steyning West...	–	2	–	–	–	–
Westbourne ...	–	–	–		1	–
WARWICK ...		77	30	4	50	C. 2 G. 2 L. 5 M. 8 N. 3
Birmingham C.B.	–	64	25	4	35	C. 1 L. 5 M. 7 N. 3
Coventry C.B. ...	–	2		–	2	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
BULKINGTON ...		–	–	–	–	G. 1
KENILWORTH ...	–	–	–	–	–	M. 1
NUNEATON ...	–	–	–	–	1	–
ROYAL LEAMINGTON SPA	–	1	–	–	1	G. 1
RUGBY	–	3	–	–	4	–
STRATFORD ON AVON	–			–	1	–
SUTTON COLDFIELD	–	–	2	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	1	1	–	–	–
FOLESHILL ...	–		1	–	2	–
MERIDEN	–	1	–	–	–	–
NUNEATON ...	–	1	–	–	–	
RUGBY	–	–	–	–	1	–
SOLIHULL ...	–	1	–		–	–
STRATFORD ON AVON	–	–	–	–	2	–
TAMWORTH (part)	–	1	1	–		C. 1
WARWICK ...	–	2	–		–	–
WESTMORLAND	–	1	–	–	2	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	1	–
WEST WARD ...		–	–	–	1	–
WIGHT, ISLE OF	–	2	1	–	–	N. 1
Boroughs and Urban Districts:—						
NEWPORT ...	–	–	–	–	–	N. 1
VENTNOR	–	–	1	–	–	–
Rural Districts:—						
ISLE OF WIGHT ...		2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS		11	8	–	1	N. 2
Boroughs and Urban Districts:—						
CALNE	–	1	–	–	–	–
MALMESBURY ...		1	–	–	–	–
SALISBURY ...	–	2	–	–	–	–
SWINDON		–	4		1	N. 1
WARMINSTER ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	–		–	–	N. 1
CRICKLADE AND WOOTTON BASSETT	–	–	2	–		–
DEVIZES	–	1			–	–
HIGHWORTH ...	–	4	1	–	–	–
SALISBURY ...			1	–	–	
TISBURY	–	2	–			
WARMINSTER ...	*	*	*	*	*	*
WORCESTER ...	–	17	2	–	6	C. 1 M. 1 N. 2
DUDLEY C.B. ...	–	–	–	–	2	–
WORCESTER C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	–	–	–	N. 1
EVESHAM ...	–	2	–	–	–	
HALESOWEN ...	–	3		–	1	C. 1
KIDDERMINSTER	–	3	1	–	–	–
LYE AND WOLLESCOTE	–	–	–	–	2	–
OLDBURY	–	1	–	–		–
STOURBRIDGE ...	–	2	–	–	–	–
STOURPORT ...	–		1	–	–	N. 1
Rural Districts:—						
KIDDERMINSTER	–	2		–	–	–
TENBURY	–	3	–	–	–	–
UPTON ON SEVERN	–	–	–		1	M. 1

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	17	43	1	6	C. 1
KINGSTON UPON HULL C.B.	–	10	34	1	6	–
Boroughs and Urban Districts:—						
BRIDLINGTON ...	–	1	..	–	–	.
HEDON	–	1	–	–	.	–
Rural Districts:—						
BRIDLINGTON ...	–	1	1	–	–	C. 1
HOWDEN	–	–	6	–	–	–
POCKLINGTON ...	–	4	–	–	–	–
SKIRLAUGH ...	–	–	2	–	–	–
YORKS ... ... (North Riding).	–	20	3	–	24	M. 1 N. 2
MIDDLESBROUGH C.B.		3	–	–	14	–
Boroughs and Urban Districts:—						
ESTON	–	10	–	–	5	–
LOFTUS	–	–	1	–	1	M. 1
SCARBOROUGH ...	–	5	2	–	–	N. 2
SKELTON AND BROTTON		–	–	–	1	–
WHITBY	–	1	–	–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	–	–	–	1	–
LEYBURN	–	1	–	–	.	–
RICHMOND ...		–		–	1	–
THIRSK	–	–		–	1	–
YORKS ... ... (West Riding).	–	160	120	2	108	C. 5 D. 11 E. 1 G. 1 L. 1 M. 8 N. 11
BARNSLEY C.B. ...	–	3	2	–	3	D. 1
YORKS (West Riding)—*cont.*						
BRADFORD C.B. ...	–	13	6	–	21	C. 1 L. 1 N. 1
DEWSBURY C.B....	–	3	8		–	
DONCASTER C.B....	–	3		–	1	D. 1
HALIFAX C.B. ...	–	8	17	–	1	–
HUDDERSFIELD C.B.	–	2	3	–	8	G. 1
LEEDS C.B. ...	–	35	35		15	M. 3
ROTHERHAM C.B.	–	7	1	–	3	M. 1 N. 1
SHEFFIELD C.B....	–	17	10	1	19	C. 3 D. 4 E. 1 M. 1 N. 2
WAKEFIELD C.B.	–	11	3	–		–
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	2	9	–	1	M. 1
ALTOFTS	–	–	1	–		–
BENTLEY WITH ARKSEY	–	1	–	–		M. 1
BOLTON UPON DEARNE	–	–	–	–	1	–
BRIGHOUSE ...	–	2	1			–
BURLEY IN WHARFEDALE	–	–		–	1	–
CALVERLEY ...	–	1	–			–
DARTON	–	–	1		–	–
DODWORTH ...	–		–		–	D. 1
DRIGHLINGTON ...		–	1			–
EARBY	–	–	–		1	–
ELLAND	–	2	1	–		–
EMLEY	–	2	–	–		–
FLOCKTON ...		2	–	–	1	–
GILDERSOME ...	–	1	–			–
GOOLE			–		1	–
HARROGATE ...	–	5	–	–	1	–
HAWORTH ...	–	2	–		–	–
HEMSWORTH ...	–	1	–		1	–
HONLEY	–	–	–	–	–	C. 1
HORBURY... ...	–	–	–		1	–
HORSFORTH ...	–	1	1	–		–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Hoyland Nether	–	–	–	–	1	D. 1
Keighley ...	–	3	–	–	–	–
Maltby	–	–	–	–	–	D. 1
Morley	–	–	2	–	1	–
New Mill ...	–	–	–	–	–	N. 1
Normanton ...	–	2	–	–	–	–
Ossett		–	–	–	–	D. 1
						N. 1
Otley	–	–	–		1	–
Pontefract ...	–	1	1	–	–	–
Pudsey	–	2	–		3	–
Queensbury ...	–	1		–	–	–
Rawmarsh ...	–		–	–	1	–
Rothwell ...	–	3	–	–	–	–
Shelf	–	–	1	–	–	–
Shelley	–	–	–		1	–
Shipley	–	1	–	–	–	–
Skipton	–	1	–	–	–	–
Sowerby... ...	–	1	2	–	–	–
Spenborough ...	–	2	–	–	2	–
Stainland ...	–	1	–	–	–	–
Stocksbridge ...	–	–	–		2	–
Thurnscoe ...	–	2	1		–	–
Thurstonland and Farnley Tyas	–	–	–	–	1	–
Tickhill... ...	–	1	–	–	–	–
Todmorden ...	–	–	–	–	2	–
Whitwood ...	–	1	–	–	–	–
Wombwell ...	–	–		–	2	N. 1
Worsborough ...	–	2	–	–	–	
Rural Districts:—						
Doncaster ...	–	1	1	–	2	N. 1
Great Ouseburn	–	2	–	–	–	–
Hemsworth ...	–	3	3	–	4	N. 1
Kiveton Park ...	–	1	2		3	N. 1
Knaresborough	–	–	–	–	–	M. 1
Pontefract ...	–	2	–		–	N. 1
Rotherham ...	–	–	1	–	2	–
Settle	–		5	–	–	–
Tadcaster ...	–	1	1	–	–	–
Thorne	–	–	–	–	–	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
Wetherby ...	–	1	–	–	–	–
Wharfedale (South)	–	1	–		–	–
Wortley... ...	–	–	–	1	–	–
YORK, CITY OF ..	–	5	5	–	1	–
York C.B. ...	–	5	5	–	1	–
WALES.						
ANGLESEY ...	–	1	–	–	–	
Rural Districts:—						
Twrcelyn ...	–	1	–	–		–
BRECKNOCK ...		3	2	–	1	–
Boroughs and Urban Districts:—						
Brynmawr ...	–	1	–	–	–	–
Builth Wells ...	–	–	–	–	1	–
Rural Districts:—						
Crickhowell ...	–	1	–	–	–	–
Ystradgynlais	–	1	2	–	–	–

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON...	–	2	2	–	1	N. 1
Boroughs and Urban Districts:—						
BANGOR	–	1	1	–	–	–
LLANDUDNO ...	–	–	–	–	1	N. 1
Rural Districts:—						
GLASLYN	–	–	1	–	–	–
GWYRFAI... ...	–	1	–	–	–	–
CARDIGAN ...	–	1	4	–	1	–
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–	1	1	–	–	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	3	–	1	–
CARMARTHEN...	–	2	6	–	3	N. 1
Boroughs and Urban Districts:—						
LLANDILO ...	–	–	–	–	1	
LLANELLY ...	–	–	–	–	2	N. 1
Rural Districts:—						
CARMARTHEN ...	–	1	2	–	–	–
LLANDILO FAWR		1	–	–		–
LLANELLY ...		–	4	–		–
DENBIGH ...	–	7	28	–	2	C. 1 G. 1
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	–	4	–	–	–
LLANGOLLEN ...	–	–	1	–		–
WREXHAM ...	–	3	10	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts—						
LLANRWST ...	–	1	–	–	–	–
RUTHIN	–	1	–	–	–	–
ST. ASAPH (DENBIGH)	–	2	–	–	–	–
WREXHAM ...	–	–	13	–	2	C. 1 G. 1
FLINT	–	3	4	–	2	–
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	1	–	–	–	–
CONNAH'S QUAY	–	–	–	–	1	–
RHYL	–	–	2	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL ...	–	–	1	–	1	–
OVERTON... ...	–	–	1	–	–	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	44	61	1	17	C. 1 M. 8 N. 2
CARDIFF C.B. ...	–	12	15	–	3	M. 2 N. 2
MERTHYR TYDFIL C.B.	–	–	–	–	2	M. 1
SWANSEA C.B. ...	–	1	13		–	M. 1
Boroughs and Urban Districts:—						
ABERDARE ...	–	1	2	–	–	–
BARRY	–	1	–	–	–	M. 1
CAERPHILLY ...	–	2	–	–	–	–
GELLIGAER ...	–	3	4		–	–
LLWCHWR ...	–	2	8		–	–
MOUNTAIN ASH...	–	4	1		2	–
NEATH	–	2	1	–	–	–
OGMORE AND GARW	–	2	–	1	–	–
PENARTH... ...	–	–	2	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
Pontypridd ...	–	–	–	–	–	M. 1
Porthcawl ...	–	–	–	–	1	–
Rhondda ...	–	10	9	–	6	C. 1 M. 2
Rural Districts:—						
Cardiff	–	2	–	–	2	–
Llantrisant and Llantwit-Fardre	–	1	–	–	–	–
Neath	–	1	1	–	–	–
Penybont ...	–		5	–	–	–
Pontardawe ...	–	–	–	–	1	–
MERIONETH ...	–	1	1	–	–	–
Urban Districts:—						
Ffestiniog ...	–	1	–	–	–	–
Rural Districts:—						
Dolgelley ...	–	–	1	–	–	–
MONMOUTH ...	–	88	20	–	7	C. 2 D. 1 E. 1 M. 1 N. 1
Newport C.B. ...	–	46	4	–	1	C. 2 E. 1
Boroughs and Urban Districts:—						
Abergavenny ...		–	3	–	–	–
Abertillery ...	–	1	–	–	–	–
Bedwas and Machen	–	–	1	–	–	N. 1
Bedwellty ...	–	13	5	–	1	–
Blaenavon ...	–	–	2	–	–	–
Chepstow ...	–	–	–	–	2	–
Ebbw Vale ...	–	–	1	–	1	–
Llantarnam ...	–	1	–	–	–	–
Mynyddislwyn	–	6	1	–	–	–
Nantyglo and Blaina	–	1	–	–	–	M. 1
Pontypool ...	–	1	–	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
Rhymney ...	–	7	1	–	–	–
Tredegar ...	–	2	2	–	–	D. 1
Rural Districts:—						
Chepstow ...	–	–	–	–	2	–
Magor	–	1	–	–	–	–
Monmouth ...	–	1	–	–	–	–
St. Mellons ...	–	8	–	–	–	–
MONTGOMERY...	–	1	–	–	–	–
Rural Districts:—						
Forden	–	1	–	–	–	–
PEMBROKE ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
Milford Haven	–	–	1	–	–	–
RADNOR	–	1	–	–	–	–
Urban Districts:—						
Llandrindod Wells	*	*	*	*	*	*
Presteigne ...	–	1	–	–	–	–
Total of Part II....	22	1457	909	31	995	C. 32 D. 28 E. 7 G. 11 J. 1 L. 18 M. 78 N. 91

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
BRISTOL	–	–	–	1	–	–	PADSTOW	*	*	*	*	*	
HULL AND GOOLE * ...	–	–	–	1	–	–							
							Total of Part III. ..		–	–	2	–	

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag
encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	35	251	174	2	186	C. 3 D. 5 G. 1 M. 13 N. 14
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	22	1457	909	31	995	C. 32 D. 28 E. 7 G. 11 J. 1 L. 18 M. 78 N. 91
Total of Part III.—Port Sanitary Districts		–	–	2	–	–
Total (i.e., of returns received), England and Wales...	57	1708	1083	35	1181	C. 35 D. 33 E. 7 G. 12 J. 1 L. 18 M. 91 N. 105

uerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
r ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

{ Births, Deaths (distinguishing certain and Deaths of Infants under 1 Y Age) and Notified Cases of cert fectious Diseases in the last Th Weeks and in the Current Year with corresponding figures for previou

Week ended :—	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Totals Week 1930.
LONDON :—														
Live Births	1,290	1,270	1,322	1,412	1,311	1,334	1,305	1,299	1,334	1,291	1,334	1,293	1,180	68,711
Stillbirths	46	53	34	51	53	44	35	36	39	33	46	47	58	2,5'8
Deaths (excluding Still-births)—all ages.	713	819	809	880	831	853	817	970	1,036	1,012	1,034	1,002	1,039	45,196
Deaths—0 to 1 year ..	39	51	68	61	64	63	73	71	109	111	74	106	117	3,719
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,378	6,134	6,246	6,337	6,279	6,053	6,065	6,010	6,203	5,874	5,909	5,688	5,714	314,730
Stillbirths	262	277	252	270	252	262	254	253	238	260	309	237	268	13,709
Deaths (excluding Still-births)—all ages.	3 457	3,761	3,655	3,819	3,686	3,710	3,791	4.533	4.723	4,451	4,484	4,527	4,575	204,075
Deaths—0 to 1 year ..	285	296	317	328	316	334	338	382	436	441	407	421	457	18,880
Enteric Fever—Cases	32	16	18	13	16	24	17	16	14	19	20	18	23	1,273
„ Deaths	—	2	2	1	—	—	1	1	1	2	1	—	5	110
Small Pox—Cases ..	11	34	35	31	25	37	31	37	66	45	48	48	53	8,418
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	20
Scarlet Fever—Cases	886	1,027	997	1,134	1,102	1,089	1,068	1,117	1,082	1,111	1,064	1,170	1,002	57,478
„ Deaths	3	3	5	2	3	5	6	5	1	5	4	4	3	374
Diphtheria—Cases ..	569	580	534	600	570	606	723	625	644	664	668	708	675	41,627
„ Deaths ..	23	25	19	24	32	34	25	23	33	29	24	31	39	1,792
Measles—Deaths ..	8	10‡	5	6	7	11	21	21	22	24	15	35	39	2,643
Influenza—Deaths ..	'23	27	28	35	33	31	37	48	66	71	82	91	90	1,993

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corr having been made for changes in boundary. The live births are derived from the weekly returns furnished Registrars and differ from those published for the towns in the Quarterly Return which are corrected for occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 5th December, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rai M me
	°	°	°	°			°	°	°	°	
London (Greenwich).	60	33	49·7	38·7	9	Huddersfield	55	28	47·7	37·4	
Brighton ..	55	35	50·4	39·7	10	Bradford ..	56	28	47·7	37·0	
Portsmouth ..	58	36	51·0	41·1	9	Sheffield ..	57	31	48·9	37·0	
Norwich(South-well Lodge)	58	33	48·6	37·3	16	York (Museum)	§	§	§	§	
Plymouth ..	57	31	52·6	41·1	24	Hull (Pearson Park).	58	29	47·3	37·4	
Bristol (Horfield)	56	35	48·7	41·3	40	Tynemouth ..	56	33	47·4	39·0	
Birmingham (Edgbaston).	58	32	45·6	39·1	11	Cardiff	56	37	49·0	42·3	
Nottingham ..	59	32	48·4	37·9	13	Edinburgh ..	50·0	34·0	47·1	40·3	
Birkenhead (Bidston).	58	32	46·7	40·3	9	Glasgow ..	51·4	35.4	48·2	41·5	
Manchester (Whitworth Park).	57	34	49·1	40·1	50	Dublin (Phœnix Park)	56·3	29·2	52·1	36·7	
Burnley	54	28	46·9	37·4	33	(Fitzwilliam Square†).	58·3	35·1	52·1	40·8	
						Belfast	53·5	31·0	50·8	39·4	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 5th December, 1931.

[Under the Superintendence of the Astronomer Royal.]

1931 MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	29	..	30·002	40·7	33·0	7·7	38·1	− 3·1	38·1	0·0	1·4	0·0	100	42·7	26·0	49·0	Calm	Calm	0·0	0·0	0·0	51	− 261	0·00
MONDAY	30	..	30·152	42·3	38·2	4·1	40·3	− 0·7	39·8	0·5	2·1	0·0	98	41·9	37·6	48·9	Calm	Calm	0·0	0·0	0·0	50	− 260	0·00
DECEMBER, TUESDAY	1	..	30·231	43·9	39·7	4·2	41·3	+ 0·4	38·8	2·5	5·1	1·0	90	50·8	33·9	48·8	Calm	Calm	0·1	0·0	0·0	89	− 221	0·00
WEDNESDAY	2	Last Quarter.	30·151	45·8	36·5	9·3	41·0	+ 0·1	39·2	1·8	6·4	0·4	93	56·3	30·0	48·8	Calm	S	1·2	0·0	0·1	173	− 140	0·00
THURSDAY	3	..	29·519	53·7	38·0	15·7	46·3	+ 5·7	44·8	2·0	10·0	1·4	93	51·3	33·0	48·6	S: SSW.	SW	9·8	0·0	1·6	581	+ 259	0·23
FRIDAY	4	In Equator	29·483	60·0	48·6	11·4	54·9	+13·6	46·7	8·2	13·9	3·3	74	83·5	39·6	48·7	SW: WSW.	WSW: W.	22·0	0·1	4·1	892	+ 561	0·00
SATURDAY	5	..	29·757	55·9	43·2	12·7	49·3	+ 7·8	44·1	5·2	11·4	1·3	82	55·1	33·0	48·5	WSW: SW.	SSW: SW.	10·0	0·0	1·1	478	+ 140	0·12
MEANS		..	29·899	48·9	39·6	9·3	44·5	+ 3·4	41·6	2·9	7·2	1·1	90	54·5	33·3	48·8	SW		...	...	...	Sum 2312	Sum + 78	Sum 0·35
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	29		0·0	8·3	Nearly cloudless till 3h.; then overcast. Fog throughout. Hoar frost in morning.
MONDAY ...	30		0·0	8·3	Overcast. Fog till 16h.; then mist.
DECEMBER. TUESDAY ..	1		0·0	8·2	Overcast till 8h.; partially cloudy till 9½h.; cloudless till 12½h.; then overcast. Mist till 11h.; then fog. Dew at night.
WEDNESDAY	2	No record taken.	1·6	8·2	Overcast till 11h.; cloudless till 13½h.; then overcast generally. Fog till 13½h. Damping from 22h.
THURSDAY	3		0·0	8·2	Overcast till 18½h.: partially cloudy till 22h.; then nearly overcast. Damping till 3h. Rain 8h. till 14½h. Brisk wind 5h. till 23h., rising to high wind 10h. till 13h. Haze 18h. till 21h.
FRIDAY ..	4		2·5	8·1	Overcast generally till 9h.; cloudy till 15h.; nearly overcast till 17h.; then cloudless. Damping 1h. till 7h.; and 14h. till 16h. Brisk wind 4h. till 6h.; gale 6h. till 10h.; high wind 10h. till 16h.; then gale, with strong gale 17h. till 23h.
SATURDAY	5		0·0	8·1	Nearly cloudless till 4h.; cloudy till 7h.; then overcast. Damping 15h. till 15⅔h. Rain 18½h. till 20h.; then occasionally till 23h. Gale 0h. till 3h. Brisk wind 17h. till 20h.; then high wind.
			Sum 4·1	Sum 57·4	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·90 ins. at the beginning of the week to 30·26 ins. by 19h. on Dec., 1st; decreased to 29·43 ins. by 15h. on Dec. 3rd; increased to 29·52 ins. by 21h. on Dec. 3rd; decreased to 29·38 ins. by 6h. on Dec. 4th; increased to 29·94 in. by 9h. on Dec. 5th; decreased and was 29·43 ins. by midnight on the same day.

FOR OFFICIAL USE

1931. No. 49.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 12TH DECEMBER, 1931

Crown Copyright Reserved



LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 12TH DECEMBER, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the forty-ninth week of the year numbered 6,045 corresponding to an annual rate of 15·9 per 1,000 living: stillbirths numbered 275 corresponding to a rate of 44 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,703 (128 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

—	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.
107 Great Towns	11·8	11·9	12·1	12·4
London	12·3	11·9	12·4	12·7
Birmingham	11·1	11·4	10·9	10·3
Liverpool	13·7	15·1	16·1	16·2
Manchester	13·4	12·9	13·1	13·6
Sheffield	9·7	11·3	8·1	9·0
Leeds	11·3	12·3	10·9	14·6
Bristol	9·9	10·4	11·0	11·2
West Ham	10·5	11·1	11·6	12·5

During the last four weeks deaths from influenza numbered 82, 91, 90 and 115 respectively.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 74, against 62, 65, and 70 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,272 live births registered corresponding to an annual rate of 15·2 per 1,000 living: stillbirths numbered 51 corresponding to a rate of 39 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,067 (28 more than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 75, against 53, 76, and 85 in the preceding three weeks.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in th week ended 12th December, 1931.

	Towns.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
							Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
	107 Great Towns ..	19,836,440*	6,045	275	4,703	483	2	29	8	36	32	54
	London	4,377,000*	1,272	51	1,067	104	-	12	2	9	6	16
Towns in Outer Ring.	Croydon C.B. ..	253,000	72	2	46	4	-	-	-	-	1	-
	Wimbledon ..	58,830	11	-	18	1	-	-		-	-	-
	Ealing	117,400	23	1	20	2	-	-	-	-	1	-
	Acton	70,400	14	-	14	4	-	-	-	-	-	-
	Brentford and Chiswick ..	62,620	10	1	6	-	-	-	-	-	-	-
	Willesden ..	185,300	40	-	33	-	-	-	-	-	-	-
	Hendon	114,600*	40	-	16	-	-	-	-	-	-	-
	Hornsey	95,440	10	-	22	1	-	-	-	-	-	-
	Wood Green ..	54,460	17	-	8	1	-	-	-	-	-	-
	Tottenham ..	159,100	26	-	36	4	-	-	-	-	-	1
	Edmonton ..	77,530	46	6	20	3	-	-	-	-	-	-
	Enfield	68,090	18	-	15	2	-	-	-	-	-	-
	West Ham C.B. ..	296,900	121	2	71	5	-	1	-	-	-	-
	East Ham C.B. ..	142,900	37	1	27	1	-	-	-	-	-	-
	Leyton	128,600	24	-	19	1	-	-	-	-	-	-
	Walthamstow ..	134,300	31	-	26	3	-	-	1	-	-	-
	Ilford	131,300	35	1	25	1	-	-	-	-	-	-
	Gillingham	60,600*	15	-	9	2	-	-	-	-	-	1
	Canterbury C.B. ..	24,440*	9	-	5	1	-	-	-	-	-	-
	Hastings C.B.	61,870	18	1	14	-	-	-	-	-	-	-
	Eastbourne C.B. ..	55,670	12	-	10	-	-	-	-	-	-	-
	Brighton C.B. ..	144,900*	33	1	30	2	-	-	-	-	1	-
	Portsmouth C.B. ..	248,300*	71	-	60	6	-	-	-	-	1	-
	Bournemouth C.B. ..	108,600	18	1	31	2	-	-	-	-	-	-
	Southampton C.B. ..	175,300	53	2	40	4	-	-	-	-	-	-
	Reading C.B.	97,450*	41	1	21	4	-	-	-	-	-	-
	Oxford C.B.	80,530*	24	1	11	1	-	-	-	-	-	-
	Northampton C.B. ..	92,940*	29	3	22	2	-	-	-	-	-	1
	Luton	69,030	15	-	22	1	-	-	-	-	-	-
	Cambridge	66,850	23	1	11	-	-	-	-	-	-	-
	Southend-on-Sea C.B.	117,900	24	1	29	3	-	-	-	-	-	-
	Ipswich C.B.	87,630	23		14	1	-	-	-	-	1	-
	Great Yarmouth C.B	56,690	12	1	12	1	1	-	-	-	-	-
	Norwich C.B. ..	126,800*	34	1	26	1	-	-	-	-	-	-
	Swindon	62,600	17	1	11	-	-	-	-	-	-	-
	Exeter C.B.	65,290*	23	-	16	-	-	-	-	-	-	-
	Plymouth C.B. ..	207,600*	56	-	40	4	-	-	-	-	-	1
	Bath C.B.	68,120	10	1	16	-	-	-	-	-	-	-
	Bristol C.B.	399,500*	128	6	86	5	-	-	-	-	-	1
	Gloucester C.B. ..	52,890	11	-	10	1	-	-	-	-	-	-
	Stoke-on-Trent C.B.	279,800	96	7	72	22	-	4	-	1	-	5
	Burton-upon-Trent C.B.	49,920	19	1	7	-	-	-	-	-	-	-
	Wolverhampton C.B.	134,200	36	2	31	3	-	-	-	1	-	-
	Walsall C.B.	104,200	30	2	24	3	-	-	1	-	1	-
	West Bromwich C.B.	82,090	25	1	20	2	-	-	-	-	-	-
	Dudley C.B.	60,010	27	2	8	1	-	-	-	-	-	-
	Worcester C.B. ..	50,540	14	1	13	-	-	-	-	-	-	-
	Birmingham C.B. ..	1,011,300	372	20	199	16	-	-	-	4	3	3
	Smethwick C.B. ..	85,370	19	-	19	2	-	-	-	1	-	1
	Coventry C.B ..	168,500	54	2	26	1	-	-	-	-	-	1
	Leicester C.B. ..	241,200	79	8	42	4	1	-	-	-	-	-
	Lincoln C.B.	66,110*	15	2	15	2	-	-	-	-	-	1
	Grimsby C.B.	92,180	20	-	15	-	-	-	-	-	-	-
	Nottingham C.B. ..	270,900	85	4	71	6	-	-	-	-	-	2
	Derby C.B.	143,400*	41	3	26	-	-	-	-	-	-	-
	Chesterfield	64,450	20	1	11	2	-	-	-	-	-	-
	Stockport C.B ..	126,600	40	3	40	2	-	-	-	1	-	-
	Chester C.B.	41,370	17	-	1	-	-	-	-	-	-	-
	Birkenhead C.B. ..	148,600	48	3	38	3	-	-	-	2	-	-
	Wallasey C.B. ..	97,240	14	-	17	1	-	-	-	-	-	-
	Liverpool C.B. ..	862,100	362	19	268	50	-	3	-	4	1	2
	Bootle C.B.	77,170	34	2	24	3	-	-	-	1	-	-
	St. Helens C.B.	108,200	45	6	30	8	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where differ from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gillingh 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; Oxf C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193,1 Bristol C.B., 399,200; Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births.	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
Southport C.B. ..	77,180	14	1	26	-	-	-	-	-	-	-	2
Wigan C.B.	86,250	32		21	5	-	-	-	-	-	-	1
Warrington C.B. ..	80,280*	32	1	12	2	-	-	-	1	-	-	-
Bolton C.B	179,300	37	2	49	3	-	2	-	-	-	-	2
Bury C.B.	56,580*	14	-	22	1	-	-	-	2	-	-	1
Manchester C.B. ..	773,300	231	14	201	20	-	1	-	2	-	4	7
Salford C.B.	226,100	62	4	65	3	-	-	-	-	1	-	2
Ashton-under-Lyne,	51,850	22	3	20	2	-	-	-	-	1	-	-
Oldham C.B	142,000	46	5	43	6	-	-	-	-	-	-	2
Rochdale C.B. ..	91,190	21	2	38	4	-	-	-	1	-	-	3
Burnley C.B	99,300	24	2	26	-	-	-	-	-	-	-	3
Blackburn C.B. ..	124,000	33	-	36	-	-	-	-	-	-	1	3
Preston C.B.	120,100	30	2	38	1	-	-	-	-	-	1	4
Blackpool C.B. ..	97,880	19	4	29	2	-	-	-	-	-	-	4
Barrow-in-Furness C.B.	66,700	17	-	14	2	-	-	-	-	-	-	-
Huddersfield C.B. ..	114,300	31	-	24	-	-	-	-	-	-	-	-
Halifax C.B.	98,770*	25	-	29	3	-	-	-	-	-	-	-
Bradford C.B. ..	300,800	72	2	75	7	-	-	-	-	-	2	1
Leeds C.B	486,100	130	10	136	10	-		2	1	2	1	1
Dewsbury C.B. ..	54,430	11	-	14	-	-	-	-	-	-	-	-
Wakefield C.B ..	59,280	24	-	14	1	-	-	-	-	-	1	-
Barnsley C.B. ..	72,090	32	2	17	4	-	-	1	-	-	-	-
Sheffield C.B. ..	517,300	149	5	89	4	-	1	-	-	-	-	4
Rotherham C.B. ..	70,100	25	-	10	2	-	-	-	-	-	-	-
Doncaster C.B. ..	63,260	34	4	15	3	-	-	-	-	-	-	-
York C.B.	85,910*	22	2	19	1	-	-	-	-	-	-	1
Kingston-upon-Hull C.B.	314,800	103	3	79	14	-	-	1	1	7	2	1
Middlesbrough C.B.	138,800	62	1	36	8	-	1	-	-	-	-	2
Darlington C.B. ..	72,620	22	1	15	2	-	-	-	-	-	-	1
Stockton-on-Tees ..	68,350	29	-	14	4	-	1	-	-	-	-	-
West Hartlepool C.B.	68,740	27	-	22	4	-	1	-	-	-	-	2
Sunderland C.B ..	187,500	86	3	69	11	-	1	-	-	-	2	2
South Shields C.B ..	114,400	46	3	28	7		1	-	-	1	-	-
Gateshead C.B. ..	123,700	40	-	22	2	-	-	-	2	-	-	1
Newcastle-on-Tyne C.B.	284,300*	123	5	85	13	-	-	-	2	-	2	3
Tynemouth C.B. ..	64,750	25	4	14	-	-	-	-	-	-	-	-
Carlisle C.B.	57,430*	18	-	9	1	-	-	-	-	1	-	-
Newport (Mon.) C.B.	89,500*	23	5	26	1	-	-	-	-	-	-	2
Cardiff C.B.	223,700*	63	-	65	10	-	-	-	-	-	1	-
Rhondda	142,700	40	4	35	3	-	-	-	-	1	-	1
Merthyr Tydfil C.B.	71,670	17	2	25	4	-	-	-	-	-	-	1
Aberdare	49,010	14	2	14	1	-	-	-	-	-	-	-
Swansea C.B.	165,400	55	2	31	5	-	-	-	-	2	1	-
Greater London ..	8,179,740*	2,294	86	1,828	173	-	13	3	10	10	21	28
Outer Ring	3,802,740*	1,022	35	761	69	-	1	1	1	4	5	13
7 Great Towns in Outer Ring	2,130,770*	575	14	422	33	-	1	1	-	2	1	6
Remainder of Outer Ring	1,671,970*	447	21	339	36	-	-	-	1	2	4	7
Edinburgh†	438,998	114	?	121	13	-	-	-	-	-	-	2
Glasgow†	1,088,417	377	?	307	54	-	29	1	2	3	8	1
Dublin†	412,400	134	?	116	21	-	1	-	1	-	-	1
Belfast†	415,151	174	?	86	7	-	-	1	-	-	-	1

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa
		1931.											
London‡	4,377,000	Dec. 12	1272	51	1067	12·7	–	–	12	2	9	6	
Calcutta and Suburbs	1,077,264	Oct. 31	?	?	598‖	28·9	?	–	?	–	?	?	
Bombay§	1,298,708	Nov 14	587	28	534	23·9	3	–	–	–	–	–	
Madras	647,533	Oct. 31	505	17	324	26·0	1	–	–	–	1	–	
Sydney and Suburbs	1,257,880	Oct. 31 (31 days)	1,694	?	919	8·8	1	–	1	4	33	5	
Brisbane (Metropolitan Area).	313,251	Sept. 30 (30 days)											
Perth (Metropolitan Area).	204,780	Oct 10	63	?	37	9·4	–	–	–	–	–	–	
Auckland (Urban Area).	215,730	Oct. 31 (31 days)											
Wellington (Urban Area).	142,540	Oct. 31 (31 days)											
Christchurch (Urban Area).	127,070	Oct. 31 (31 days)											
Cape Town	136,748	Nov. 7	63	2	29	11·0	–	–	–	–	–	–	
Johannesburg	187,326	Oct. 31	86	–	48	13·3	–	–	2	1	–	–	
Durban	61,667	„ 31	26	1	13	11·0	–	–	–	–	–	–	
Paris	2,871,429	Nov. 20 (10 days)											
Antwerp	295,454	Nov. 15 (15 days)											
Amsterdam	763,119	Nov. 21	238	3	117	8·0	–	–	–	–	–	–	
Copenhagen	615,700	„ 28	183	1	115	9·7	2	–	–	–	1	2	
Stockholm	502,203	„ 21	91	1	103	10·7	–	–	–	–	–	–	
Gothenberg	245,600	„ 14	?	?	48	10·1	–	–	–	–	–	–	
Oslo	256,353	„ 28	37	1	55	11·2	–	–	–	–	–	–	
Berlin	4,289,000	„ 14	630	20	922	11·2	1	?	–	1	–	6	
Breslau	614,000	„ 14	117	2	136	11·5	1	?	–	–	–	2	
Cologne	738,000	„ 14	188	4	143	10·1	–	?	–	–	–	1	
Dresden	630,000	„ 14	103	3	130	10·7	–	?	–	–	1	2	
Frankfort-on-Main	537,000	„ 14	93	7	89	8·6	–	?	–	–	–	–	
Hamburg	1,138,000	„ 14	244	5	222	10·1	–	?	–	–	1	–	
Leipzig	715,000	„ 14	115	5	129	9·4	–	?	–	–	–	–	
Munich	730,000	„ 14	130	1	176	12·5	–	?	–	–	–	–	
Budapest	1,009,069	„ 14	253	17	212	10·9	–	–	2	1	3	–	
Warsaw	1,115,651	„ 14	?	8	254	11·9	4	–	–	–	–	–	
Madrid	834,103	Nov 7	?	30	280	17·5	1	–	–	–	–	2	
Cairo	1,160,700	Sept. 16	380	31	538	24·2	12	–	–	–	?	7	1
		„ 23	1008	21	517	23·2	12	–	2	–	?	7	1
Alexandria	629,900	„ 16	553	9	388	32·1	5	–	4	–	?	6	
		„ 23	494	9	364	30·1	3	–	4	–	?	2	1
New York	7,090,089	Nov. 7	1927	106	1252	9·2	–	–	–	1	4	3	
Chicago	3,457,375	Nov. 20	852	38	589	8·9	–	–	–	2	2	1	
New Orleans	466,000	Nov. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Oct. 24	626	54	508	15·3	2	–	13	–	7	1	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 year or Amsterdam, Copenhagen, Stockholm Gothenberg, and the German Cities
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 4 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 12th December, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	46,278	49,605	1067	104	21	25	22	44	48	55	117	171	212	248
Enteric fever	23	21	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1010	83	12	2	8	2	-	-	-	-	-	-	-	-
Scarlet fever	101	59	2	-	-	-	1	-	1	-	-	-	-	-
Whooping cough	121	286	9	1	5	3	-	-	-	-	-	-	-	-
Diphtheria	422	243	6	-	-	4	1	1	-	-	-	-	-	-
Influenza	322	1015	15	2	1	-	1	2	-	3	-	1	4	1
Erysipelas	145	160	2	-	-	-	-	1	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	11	5	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	57	42	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	79	124	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis :—														
Respiratory system	3399	3530	93	-	-	-	1	25	15	18	17	8	6	3
Nervous system	215	207	2	-	-	-	-	1	1	-	-	-	-	-
Intestines and peritoneum	51	56	1	-	-	-	-	-	-	-	-	1	-	-
Other forms	212	237	2	-	-	1	-	-	-	-	-	1	-	-
Venereal diseases	177	178	5	-	-	-	-	-	1	1	1	1	1	-
Cancer	6304	6562	124	-	-	-	1	-	1	7	13	38	40	24
Rheumatic fever	165	129	3	-	-	-	-	3	-	-	-	-	-	-
Diabetes	488	518	9	-	-	-	-	-	-	-	1	3	3	2
Alcoholism	20	17	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	72	83	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1902	1832	50	-	-	-	-	-	1	1	6	8	19	15
Epilepsy	184	163	1	-	-	-	-	1	-	-	-	-	-	-
Convulsions" (not puerperal)	55	53	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	1159	1048	14	1	-	-	-	1	1	-	4	2	4	1
Pericarditis	17	19	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	222	181	3	-	-	-	-	1	2	-	-	-	-	-
Other diseases of heart	9764	11336	209	-	-	-	2	1	4	8	21	27	56	90
Other diseases of circulatory system	1963	2103	40	-	-	-	-	-	1	1	4	7	15	12
Bronchitis	1677	2375	56	8	-	1	-	-	1	1	2	16	9	18
Broncho-pneumonia	1639	2499	79	32	4	10	3	-	1	-	7	5	7	10
Lobar pneumonia	1005	1145	24	-	-	-	3	1	1	2	5	5	5	3
Pneumonia (type not distinguished)	371	389	8	4	-	-	-	-	-	-	-	2	1	1
Other diseases of respiratory system	464	524	9	-	-	-	-	-	1	1	1	3	2	1
Diarrhœa and enteritis	753	668	17	15	1	-	-	-	-	-	1	-	-	-
Appendicitis, Typhlitis	325	288	12	-	1	-	1	-	2	-	3	3	1	1
Hernia, Intestinal obstruction	465	508	9	-	-	1	1	-	1	-	-	2	1	3
Cirrhosis of liver	211	214	5	-	-	-	-	-	-	1	2	-	-	2
Other diseases of digestive system	1166	1123	30	1	-	1	-	1	2	1	5	9	3	7
Acute nephritis	90	81	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	1647	1568	30	-	-	-	-	-	1	1	6	7	9	6
Other diseases of genito-urinary system	774	845	19	1	-	-	-	-	-	-	1	4	7	6
Puerperal sepsis	108	114	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth	89	120	4	-	-	-	-	-	3	1	-	-	-	-
Congenital malformations	310	301	4	3	-	1	-	-	-	-	-	-	-	-
Premature birth	898	918	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	162	147	3	3	-	-	-	-	-	-	-	-	-	-
Old age	1103	1140	28	-	-	-	-	-	-	-	-	-	3	25
Suicide	546	552	20	-	-	-	-	-	1	5	6	5	2	1
Burns and Scalds	90	132	4	-	-	-	-	-	-	1	1	2	-	-
Drowning	108	90	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	27	29	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	768	683	13	-	-	-	3	1	-	1	1	3	3	-
Other deaths by violence	750	727	21	2	-	-	-	1	1	-	3	1	6	7
Other specified causes	1979	2126	49	9	1	1	5	3	4	1	6	9	5	5
Ill-defined causes	6	7	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 12th December, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	31	278	173	3	172	C. 5 D. 3 E. 3 G. 1 L. 3 M. 8 N. 20
Metropolitan Boroughs:—						
BATTERSEA ...	–	17	2	–	9	M. 2 N. 2
BERMONDSEY ...	–	3	6	–	2	–
BETHNAL GREEN	–	8	10	–	5	–
CAMBERWELL ...	1	13	6	–	5	D. 1 E. 1 G. 1 N. 1
CHELSEA	–	2	2	–	3	N. 1
DEPTFORD ...	–	10	6	1	2	N. 1
FINSBURY ...	–	1	4	–	3	M. 1
FULHAM	–	10	1	–	3	C. 1 N. 2
GREENWICH ...	–	4	5	–	3	L. 1
HACKNEY... ...	1	18	7	–	7	N. 1
HAMMERSMITH ...	–	11	6	–	4	D. 2
HAMPSTEAD ...	–	8	4	–	5	N. 1
Metropolitan Boroughs—*cont.*						
HOLBORN... ...	1	1	5	–	1	L. 2
ISLINGTON ...	7	21	15	–	13	M. 2 N. 2
KENSINGTON ...	–	19	5	–	2	M. 2
LAMBETH ...	21	8	9	–	10	N. 1
LEWISHAM ...	–	12	7	–	11	N. 1
PADDINGTON ...	–	6	2	–	8	N. 2
POPLAR	–	12	16	–	36	C. 1 E. 1 N. 3
ST. MARYLEBONE	–	1	5	–	3	N. 1
ST. PANCRAS ...	–	15	6	2	2	–
SHOREDITCH ...	–	7	8	–	1	C. 2 M. 1
SOUTHWARK ...	–	13	12	–	7	–
STEPNEY	–	26	9	–	5	N. 1
STOKE NEWINGTON	–	4	3	–	–	–
WANDSWORTH ...	–	20	6	–	11	C. 1 E. 1
WESTMINSTER, CITY OF	–	1	4	–	2	–
WOOLWICH ...	–	7	2	–	9	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	4	4	–	1	–
Boroughs and Urban Districts:—						
Ampthill ...	–	–	1	–	–	–
Dunstable ...	–	2	–	–	–	–
Leighton Buzzard	*	*	*	*	*	*
Luton	–	1	3	–	1	–
Rural Districts:—						
Ampthill ...	–	1	–	–	–	–
Luton	*	*	*	*	*	*
BERKS	–	12	4	–	1	C. 1
Reading C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
Abingdon ...	–	1	–	–	–	–
Maidenhead ...	–	1	–	–	–	–
New Windsor ...	–	2	–	–	–	C. 1
Rural Districts:—						
Abingdon ...	–	1	–	–	–	–
Cookham ...	–	–	1	–		–
Easthampstead	–	–	1	–	–	–
Newbury ...	–	5	–		1	–
Windsor	–		2	–	–	–
BUCKINGHAM ...	–	10	–	–	1	N. 1
Boroughs and Urban Districts:—						
Linslade ...	*	*	*	*	*	*
Slough	–	2	–	–	–	–
Rural Districts:—						
Amersham ...	–	2			–	–
Aylesbury ...	–	2	–	–	–	–
Eton	–	3	–		–	N. 1
Newport Pagnell	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	6	1	–	6	–
Borough:—						
Cambridge ...	–	6	1	–	2	–
Rural Districts:—						
Caxton and Arrington	–	–	–	–	4	–
CHESTER ...	–	25	29	2	43	C. 3 E. 1 G. 2 M. 4 N. 3
Birkenhead C.B.	–	–	2	–	18	
Chester C.B. ...	–	–	2	1	2	–
Stockport C.B. ...	–	4	2	–	5	C. 2 M. 2 N. 2
Wallasey C.B. ...	–	6	3	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
Altrincham ...	–	1	–	–	–	–
Bebington and Bromborough	–	4	–	–	1	–
Bollington ...	*	*	*	*	*	*
Bowdon	–	–	–	–	1	–
Bredbury and Romiley	–	–	–	–	1	–
Cheadle and Gatley	–	2	1	–	1	–
Crewe	–	1	2	–	–	
Dukinfield ...	–	–	–	–	4	–
Ellesmere Port and Whitby	–	1	–	–	3	–
Hale	–	1	–	–	–	–
Hazel Grove and Bramhall	–	–	–	–	1	G. 1
Hollingworth ...	–	–	–	–	1	–
Hyde	–	2	–	–	–	N. 1
Knutsford ...	–	–	1	–	–	–
Macclesfield ...	–	1	–	–	1	G. 1
Marple	–	–	–	–	–	E. 1
Middlewich ...	–	–	1	–	–	–
Nantwich ...	–	–	2	–	–	–
Northwich ...	–	–	–	1	–	–
Sale	–	1	1	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
STALYBRIDGE ...	–	–	–	–	–	M. 1
YEARDSLEY CUM WHALEY	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW	–	–	1	–	–	–
CHESTER	–	–	–	–	1	–
DISLEY	–	1	–	–	–	–
NANTWICH ...	*	*	*	*	*	*
RUNCORN	–	–	6	–	–	–
TARVIN	–	–	1	–	–	–
WIRRAL	–	–	3	–	1	–
CORNWALL ...	–	5	2	–	1	N. 1
Boroughs and Urban Districts:—						
CAMBORNE ...	–	–	1	–	–	–
FALMOUTH ...	–	1	–	–	–	N. 1
PENZANCE ...	–	–	1	–	–	–
TRURO	–	1	–	–	–	–
Rural Districts:—						
CAMELFORD ...	–	–	–	–	1	–
LISKEARD ...	–	1	–	–	–	–
TRURO	–	2	–	–	–	–
CUMBERLAND...	–	3	2	–	4	M. 1
CARLISLE C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
MARYPORT ...	–	–	1	–	–	–
MILLOM	–	–	–	–	2	–
PENRITH	–	1	–	–	–	–
WIGTON	–	1	–	–	–	–
CUMBERLAND—*cont.*						
Rural Districts:—						
PENRITH	–	–	–	–	1	M. 1
DERBY	4	27	24	1	14	C. 1 M. 3
DERBY C.B. ...	–	3	7	1	2	M. 2
Boroughs and Urban Districts:—						
ALFRETON ...	4	–	–	–	2	–
BOLSOVER ...	–	–	–	–	1	–
CHESTERFIELD ...	–	5	1	–	1	–
HEAGE	–	–	–	–	1	–
HEANOR	–	2	2	–	–	–
LONG EATON ...	–	1	–	–	–	–
NEW MILLS ...	–	–	–	–	1	–
THE MATLOCKS...	–	–	1	–	–	M. 1
Rural Districts:—						
BELPER	–	–	1	–	–	–
BLACKWELL ...	–	1	4	–	2	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	8	6	–	3	C. 1
CLOWNE	–	1	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
REPTON	–	1	2	–	–	–
SHARDLOW ...	–	3	–	–	1	–
DEVON	–	9	7	1	12	G. 1 N. 1
EXETER C.B ...	–	–	1	–	3	–
PLYMOUTH C.B.	*	*	*	*	*	*
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	1	2	–	1	–
BIDEFORD ...	–	–	1	–	1	–
BRIXHAM ...	–	–	–	–	1	–
BUCKFASTLEIGH	–	1	–	–	–	–
EXMOUTH ...	–	–	–	–	–	G. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I. Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Borough and Urban Districts—*cont.*						
NORTHAM ...	–	–	–	–	2	
OTTERY ST. MARY	*	*	*	*	*	*
PAIGNTON ...	–	2	–	–	1	–
TEIGNMOUTH ...		–	–	–	1	–
TORQUAY	–	1	1	–	–	–
TOTNES	–	–	1	–	–	–
Rural Districts:—						
AXMINSTRE ...	–	–	–	–	1	–
BARNSTAPLE ...	–	1	1	–	1	–
BIDEFORD ...	–	–	–		–	N. 1
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	1	–	–
ST. THOMAS ...	–	2	–	–	–	–
DORSET	–	4	6	1	2	G. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	*	*	*	*	*	*
POOLE	–	2	5		–	–
SWANAGE ...	–	–	–	–	–	G. 1
WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
WIMBORNE MINSTER	–	–	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
DORCHESTER ...	*	*	*	*	*	*
POOLE	–	–		1	–	–
SHAFTESBURY ...	–	–	1	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
DURHAM ...	–	106	20	–	79	C. 1 D. 4 G. 1 M. 6 N. 5
DARLINGTON C.B.	–	7	2	–	2	–
GATESHEAD C.B.	–	21	2	–	8	D. 1 G. 1
SOUTH SHIELDS C.B.	–	3	1	–	14	–
SUNDERLAND C.B.	–	12	2	–	16	D. 1
WEST HARTLEPOOL C.B.	–	2	2	–	3	M. 1 N. 2
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	1	–	–	1	–
BENFIELDSIDE ...		3	1	–	–	–
BISHOP AUCKLAND	–	2	–	–	–	–
BLAYDON	–	2	–	–	3	–
CHESTER LE STREET	–	–	–	–	1	–
DURHAM	–	1	–	–	–	C. 1
FELLING	–	11	–	–	2	–
HARTLEPOOL ...	–	–	1	–	–	–
HEBBURN ...	–	5	–	–	2	–
HETTON	–	–	–	–	1	–
HOUGHTON LE SPRING	–	–	–	–	–	M. 1
JARROW	–	–	–	–	4	–
RYTON	–	2	–	–	–	–
SPENNYMOOR ...	–		–	–	1	M. 2
STANLEY	–	1	2	–	–	D. 1
STOCKTON ON TEES	–	6	–	–	4	N. 1
TANFIELD ...	–	–		–	1	–
WASHINGTON ...	–	–	1	–	–	–
WHICKHAM ...	–	4	1	–	4	–
WILLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	–	1	–	1	–
CHESTER LE STREET	–	2	2	–	2	D. 1
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	6	2	–	4	M. 1 N. 1
HOUGHTON LE SPRING	–	2	–	–	1	M. 1
LANCHESTER ...	–	2	–	–	–	–
SEDGEFIELD ...	–	1	–	–	–	N. 1
SOUTH SHIELDS	–	2	–	–	1	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	6	–	–	1	–

* Returns not received.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	–	4	4	2	–
Boroughs and Urban Districts:—						
ELY	–	–	–	–	2	–
WHITTLESEY ...	–	–	2	–	–	–
WISBECH... ...	–	–	1	–	–	–
Rural Districts:—						
ELY	–	–	–	4	–	–
WISBECH	–	–	1	–	–	–
ESSEX	8	90	44	2	63	C. 1 D. 1 M. 2 N. 2
EAST HAM C.B....	–	10	5	–	2	–
SOUTHEND ON SEA C.B.	–	1	1	–	3	M. 1 N. 1
WEST HAM C.B.	7	14	10	–	32	–
Boroughs and Urban Districts:—						
BARKING TOWN...	–	11	2	–	5	N. 1
BRIGHTLINGSEA...	–	–	–	–	2	–
BUCKHURST HILL	–	2	–	–	–	–
CHELMSFORD ...	–	3	–	–	–	–
CHINGFORD ...	–	1	–	–	–	–
DAGENHAM ...	–	9	4	–	4	C. 1
EPPING	–	1	1	–	–	–
GRAYS THURROCK	–	1	–	–	–	–
HORNCHURCH ...	–	2	1	–	–	–
ILFORD	–	8	2	–	3	D. 1
LEYTON	–	2	2	–	2	M. 1
ROMFORD... ...	–	1	1	–	–	–
SHOEBURYNESS ...	–	2	–	–		–
WALTHAM HOLY CROSS	–	–	–	–	1	–
WALTHAMSTOW ...	1	13	10	–	7	–
WANSTEAD ...	–	1	–	–	–	–
WOODFORD ...	–	–	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	1	–	–	–
BRAINTREE ...	–	–	1			–
CHELMSFORD ...	–	4	–	–	–	–
DUNMOW	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
EPPING	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	1	1	–	–	–
ROCHFORD ...	–	–	–	–	1	–
ROMFORD... ...	–	–	–	2	–	–
TENDRING ...	–	1	1	–	–	–
GLOUCESTER ...	–	18	24	1	17	C. 1 L. 4 M. 2 N. 1
BRISTOL C.B. ...	–	10	12	1	13	L. 4 N. 1
GLOUCESTER C.B.	–	2	1	–	–	–
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	2	–		3	–
COLEFORD ...	–	–	2	–	–	–
KINGSWOOD ...	–	–	1	–	–	–
MANGOTSFIELD ...	–	1	–	–	–	–
STOW ON THE WOLD	–	–	–	–	–	C. 1
STROUD	–	–	4	–	–	–
Rural Districts:—						
CAMPDEN... ...	–	1	–	–	–	–
CHIPPING SODBURY	–	1	2	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	–	M. 1
NORTHLEACH ...	–	–	1	–	–	–
STROUD	–	1	–	–	1	–
THORNBURY ...	–	–	–	–	–	M. 1
WEST DEAN ...	–		1	–	–	–
HEREFORD ...	–	6	1	–	3	–
Boroughs and Urban Districts:—						
HEREFORD ...	–	1	1	–	1	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Feve

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
HEREFORD ...	–	1	–	–	1	–
KINGTON	–	1	–	–	–	–
LEOMINSTER AND WIGMORE	–	3	–	–	1	–
HERTFORD ...	–	6	7	–	7	C. 1 N. 2
Boroughs and Urban Districts:—						
BARNET	–	–	–	–	–	C. 1
CHESHUNT ...	–	1	1	–	5	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	–	1	–	–	–
WATFORD... ...	–	2	2	–	1	N. 2
Rural Districts:—						
BERKHAMPSTEAD	–	–	1	–	–	–
BUNTINGFORD ...	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	–	1	–
WATFORD ...	–	–	2	–	–	–
HUNTINGDON ...	–	3	–	–	2	N. 1
Boroughs and Urban Districts—						
HUNTINGDON ...	–	1	–	–	–	–
OLD FLETTON ...	–	1	–	–	–	–
RAMSEY	–	–	–	–	–	N. 1
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	2	–
KENT	–	42	20	2	24	C. 2 M. 2 N. 5
CANTERBURY C.B.	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—						
ASHFORD	–	–	–	–	1	–
BECKENHAM ...	–	1	–	–	4	N. 1
BEXLEY	–	6	1	–	–	–
BROMLEY... ...	–	3	1	–	2	–
CHATHAM ...	–	3	–	–	–	–
CHERITON ...	–	–	–	–	1	–
CRAYFORD ...	–	–	–	–	–	C. 1
DEAL	–	1	1	–	–	–
DOVER	–	–	–	–	–	M. 1 N. 1
ERITH	–	1	–	–	2	–
FOLKESTONE ...	–	2	–	–	–	–
GILLINGHAM ...	–	3	–	–	1	–
GRAVESEND ...	–	1	–	–	2	–
HERNE BAY ...	–	2	–	–	1	–
MARGATE ...	–	–	3	–	–	–
NORTHFLEET ...	–	1	–	–	–	–
PENGE	–	–	–	–	2	–
RAMSGATE ...	–	4	–	–	–	N. 1
ROCHESTER ...	–	–	–	1	–	–
ROYAL TUNBRIDGE WELLS	–	–	–	–	–	C. 1 N. 2
SEVENOAKS ...		1	–	–	–	–
SHEERNESS ...	–	1	3	–	–	–
SIDCUP	–	–	–	–	1	–
SITTINGBOURNE AND MILTON	–	2	–	1	1	–
SWANSCOMBE ...	–		1	–	–	–
WALMER	–	–	1	–	–	–
WROTHAM ...	–	–	–	–	1	–
Rural Districts:—						
BRIDGE	–	–	–	–	1	–
BROMLEY... ...		2	4	–	1	M. 1
DARTFORD ...	–	1	1	–	1	–
DOVER		2	–	–		–
EAST ASHFORD ...	–	1	–	–	–	–
EASTRY		–	2	–	1	–
ELHAM	–	–	1	–	–	–
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	1	–
SEVENOAKS ...	–	–	1	–	–	–
STROOD	–	1	–	–	–	–

', Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio.
, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	1	213	157	3	295	C. 7 D. 1 L. 4 M. 17 N. 12
Barrow in Furness C.B.	–	1	–	–	–	–
Blackburn C.B.	–	2	1	–	11	–
Blackpool C.B.	–	3	–	–	1	M. 1
Bolton C.B. ...	–	8	–	–	2	M. 1
Bootle C.B. ...	–	8	2	–	3	–
Burnley C.B. ...	–	3	1	–	4	N. 1
Bury C.B. ...	–	1	–	–	1	–
Liverpool C.B....	–	33	60	–	101	D. 1 M. 12 N. 4
Manchester C.B.	–	55	15	1	54	C. 3 N. 1
Oldham C.B. ...	–	2	–	–	3	N. 1
Preston C.B. ...	–	4	2	–	4	N. 1
Rochdale C.B....		3	7	–	1	–
St. Helens C.B.	–	4	2	–	5	N. 1
Salford C.B. ...	–	13	23	–	17	N. 1
Southport C.B.		4	1	–	5	–
Warrington C.B.	–	6	1	–	10	–
Wigan C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
Accrington ...	–		–	–	1	–
Adlington ...		1	–	–	–	–
Ashton in Makerfield	–	1	–		–	–
Ashton-under-Lyne	1	6	1		3	–
Atherton ...	–			–	1	–
Chadderton ...		1		–	–	M. 1
Chorley		2	–	–	1	–
Clitheroe ...	–	–	–	–	1	–
Colne	–	1	–	–	–	–
Darwen	–	–	–	–	3	–
Denton		4	1	–	–	–
Droylsden ...	–	2		–	–	–
Eccles	–	1	1	–	2	–
Failsworth ...			–	1	2	M. 1
Farnworth ...		2	–		5	–
Fleetwood ...	–	1	–	–	1	–
Fulwood ...	–	1		–	–	–
Grange	–	–	–	–	1	–
Great Crosby ...	–	–	2	–	4	C. 1
Great Harwood	–	1	–	–	–	–
Haslingden ...	–	–	–	–	1	–
Heywood ...	–		–	–	1	–
LANCASTER—cont.						
Boroughs and Urban Districts—cont.						
Horwich... ...	–	1	–	–	3	C. 1
Huyton with Roby	–	1	–	–	1	–
Ince in Makerfield		1	–	–	4	–
Kearsley ...	–	–	–	–	1	–
Lancaster ...	–	2	1	1	2	N. 1
Leigh	–	1	12	–	1	–
Leyland... ...	–	1	–	–	–	–
Litherland ...	–	1		–	–	–
Lytham St. Anne's	–	2	3		1	–
Milnrow... ...	–	–	1	–	–	–
Morecambe and Heysham	–	–	–	–	2	–
Nelson	–	2	–	–	2	–
Newton in Makerfield		2	–	–	1	C. 1
Norden	–	1	–	–	–	–
Ormskirk ...	–	2	3	–	–	–
Oswaldtwistle	–	2	–	–	1	–
Prestwich ...		–	–		1	L. 4
Ramsbottom ...	–	–		–	4	–
Rawtenstall ...		2	1	–	1	–
Royton	–	–	1	–	–	–
Standish with Langtree	–	1	–	–	2	–
Stretford ...		1	6		2	N. 1
Swinton and Pendlebury	–	1		–	3	–
Tottington ...	–	1	2	–	1	–
Tyldesley with Shakerley	–	–		–	1	–
Ulverston ...	–	2	–	–	–	–
Upholland ...	–	1	–	–	1	–
Urmston... ...	–	–	–	–	–	C. 1
Walton le Dale		1	–	–	–	–
Waterloo with Seaforth	–	3	2	–	3	M. 1
Rural Districts:—						
Burnley ...	–	1	–	–	–	–
Chorley... ...	–	–		–	1	–

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Rural Districts— *cont.*						
LANCASTER ...	–	2	–	–	–	–
LEIGH	–	–	1	–	–	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	–	–	–	1	–
WARRINGTON ...	–	1	–	–	1	–
WEST LANCASHIRE	–	–	3	–	–	–
WHISTON	–	1	1	–	–	–
WIGAN	–	–	–		2	–
LEICESTER ...	–	23	6	1	8	L. 2 N. 1
LEICESTER C.B....	–	10	3	1	1	L. 2 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
COALVILLE ...	–	2	–	–	–	–
HINCKLEY ...	–	1	–	–	2	–
MELTON MOWBRAY	–	–	–	–	1	–
QUORNDON ...	–	3	–	–	–	–
THURMASTON ...	–	1	–	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	1	–	–	1	–
CASTLE DONINGTON	–	–	1	–	1	–
HINCKLEY ...	–	1	1	–	2	–
LOUGHBOROUGH	–	1				–
MARKET BOSWORTH	–	3	–	–	–	–
MELTON MOWBRAY	–	–	1	–		–
LINCOLN (parts of Holland).	–	3	2	–		–
Boroughs and Urban Districts:—						
BOSTON	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)— *cont.*						
Rural Districts:—						
BOSTON	–	3	1	–	–	–
LINCOLN (parts of Kesteven).	–	7	–		1	–
Boroughs and Urban Districts:—						
GRANTHAM ...	–	1	–	–	1	–
Rural Districts:—						
NORTH KESTEVEN	–	3			–	–
SOUTH KESTEVEN	–	3	–		–	–
LINCOLN (parts of Lindsey).		16	5	–	8	M. 1
GRIMSBY C.B. ...	–	5	1	–	3	–
LINCOLN C.B. ...	–	–	3	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	–	–		–
CLEETHORPES ...	–	2	–	–	1	–
GAINSBOROUGH ...	–	–	–	–	1	M. 1
HORNCASTLE ...	–	1		–	1	–
SCUNTHORPE AND FRODINGHAM	–	2	–		–	–
Rural Districts:—						
GLANFORD BRIGG	–	1	1	–	1	–
HORNCASTLE ...		1	–	–	–	–
LOUTH		2			–	–
SPILSBY		1	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; Continued Fever; L, Dysentery; M, Ophth mia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	77	42	–	54	C. 2 M. 6
Boroughs and Urban Districts:—						
Acton	–	–	–	–	–	C. 1
Brentford and Chiswick	–	1	–	–	1	–
Ealing	–	5	2	–	2	–
Edmonton ...	–	11	2	–	1	–
Enfield		8	8	–	2	M. 1
Feltham... ...	–	1	–	–	–	M. 1
Finchley ...		1	–	–	–	–
Friern Barnet...	–	–	–		1	–
Hampton Wick...		1	–	–	–	–
Harrow on the Hill	–	1	–	–	–	–
Hayes and Harlington	–	5		–	–	–
Hendon	–	4	3	–	1	M. 1
Heston and Isleworth	–	2	4	–	4	–
Hornsey	–	1	2	–	5	–
Kingsbury ...			–	–	–	M. 1
Southall Norwood	–	1	–	–	3	–
Southgate ...	–	4		–	2	–
Staines	–	–	2	–	–	–
Sunbury on Thames	–	1	–	–	–	–
Teddington ...	–	–	–		1	
Tottenham ...	–	13	3		10	–
Twickenham ...	–	1	–	–	–	–
Uxbridge ...	–	1	1	–	1	–
Wealdstone ...	–	1	–	–	–	C. 1
Wembley ...	–	3	1	–		–
Willesden ...	–	8	7	–	17	M. 1
Wood Green ...	–	1	1	–	3	M. 1
Yiewsley and West Drayton	–	1	–	–	–	–
Rural Districts:—						
Hendon	–	–	5	–		–
South Mimms ...	–	1	1	–	–	–
NORFOLK ...	2	19	9	–	11	E. 1
Great Yarmouth C.B.	–	2	1	–	–	–
Norwich C.B. ...	2	6	5	–	5	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
East Dereham...	–	–	1	–	–	–
King's Lynn ...	–	1	–	–	4	–
Thetford ...	*	*	*	*	*	*
Walsoken ...	–	–	1	–	–	–
Rural Districts:—						
Blofield ...	–	3	–	–	–	–
East and West Flegg	–	1	–	–	–	–
Forehoe	–	–	1	–	1	–
Freebridge Lynn	–	1	–	–	–	–
Henstead ...	*	*	*	*	*	*
Mitford and Launditch	–	2		–	–	–
St. Faith's ...	–	2	–	–	1	–
Swaffham ...	–	1	–	–	–	–
NORTHAMPTON	–	24	5	–	5	–
Northampton C.B	–	4	4	–	2	–
Boroughs and Urban Districts:—						
Burton Latimer	–	2	–	–	–	–
Desborough ...	–	4	–	–	–	–
Higham Ferrers	–	1	–	–	–	–
Kettering ...	–	3	–	–	–	–
Rothwell ...	–	–	–	–	1	–
Rushden... ...	–	1	–	–	1	–
Wellingborough	–	2	–	–	–	–
Rural Districts:—						
Brixworth ...	–	1	–	–	–	–
Daventry ...	–	2	–	–	–	–
Hardingstone ...	–	3	–	–	–	–
Kettering ...	–	1		–	–	–
Thrapston (part)	–	–	–	–	1	–
Wellingborough	–	–	1	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	61	5	3	48	C. 1 D. 3 L. 1 M. 2 N. 5
Newcastle upon Tyne C.B.	–	29	2	1	21	C. 1 D. 2 L. 1 M. 2 N. 5
Tynemouth C.B.	–	1	1	1	3	–
Boroughs and Urban Districts:—						
Alnwick	–	1	–	–	1	–
Ashington ...	–	1	1	–	–	D. 1
Bedlington-shire	–	2	–	–	6	–
Blyth	–	1	–	–	4	–
Cramlington ...	–	4	–	–	–	–
Earsdon	–	3	–	–	–	–
Gosforth ...	–	1	–	–	2	–
Longbenton ...	–	1	–	–	1	–
Morpeth	–	–	–	–	1	–
Newburn ...	–	1	–	–	–	–
Prudhoe	*	*	*	*	*	*
Seaton Delaval	–	1	–	–	2	–
Seghill	–	–	–	–	1	–
Wallsend ...	–	–	1	–	2	–
Whitley and Monkseaton	–	11	–	–	2	–
Rural Districts:—						
Belford	–	1	–	1	–	–
Hexham	–	2	–	–	2	–
Norham and Islandshires	–	1	–	–	–	–
NOTTINGHAM ...	1	27	10	–	13	C. 1 D. 4 M. 2 N. 1
Nottingham C.B.	–	11	3	–	11	C. 1 M. 1 N. 1
NOTTINGHAM—cont.						
Boroughs and Urban Districts:—						
Beeston	–	7	–	–	–	–
East Retford ...	–	1	–	–	–	–
Hucknall ...	–	–	1	–	–	–
Kirkby in Ashfield	–	–	2	–	1	–
Mansfield ...	–	1	–	–	–	D. 1
Sutton in Ashfield	–	1	–	–	–	M. 1
Worksop ...	–	1	–	–	–	D. 1
Rural Districts:—						
Basford	–	–	1	–	–	–
Bingham	*	*	*	*	*	*
East Retford ...	–	–	3	–	–	–
Skegby	1	2	–	–	–	–
Southwell ...	–	3	–	–	–	D. 2
Stapleford ...	–	–	–	–	1	–
OXFORD	–	6	–	–	3	M. 1
Oxford C.B. ...	–	–	–	–	–	M. 1
Rural Districts:—						
Chipping Norton	–	–	–	–	1	–
Crowmarsh ...	–	–	–	–	1	–
Culham	–	2	–	–	–	–
Henley	–	2	–	–	1	–
Thame	–	2	–	–	–	–
PETERBOROUGH (Soke of).	–	1	–	–	3	–
Borough:—						
Peterborough...	–	1	–	–	2	–
Rural Districts:—						
Peterborough...	–	–	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND ...	–	2	–	1	1	–
Rural Districts:—						
Oakham		2	–	1	–	–
Uppingham ...	–	–	–	–	1	–
SALOP	–	12	8	–	3	C. 1 M. 2 N 2
Boroughs and Urban Districts:—						
Bishop's Castle	–	1	–	–	–	–
Ludlow	–	1	–	–	–	–
Oakengates ...	–	–	3	–	–	–
Oswestry ...	–		1	–	–	–
Shrewsbury ...	–	4	–	–		–
Rural Districts:—						
Atcham	–	5	–	–	–	–
Cleobury Mortimer	–	–	–	–	1	–
Ellesmere ...		1	–	–	–	–
Newport... ...	–	–	–	–	1	–
Oswestry ...		–	–	–		M. 2 N. 1
Shifnal		–	4	–	–	–
Teme	–		–	–	–	C. 1
Whitchurch ...		–	–	–	1	N. 1
SOMERSET ...	–	10	10	–	11	G. 1 L. 21 M. 1 N. 3
Bath C.B. ...	–	3	–	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
Bridgwater ...	–	–	–	–	3	–
Chard	–	–	–	–	1	–
Frome			3	–	–	–
Ilminster ...	–		–	–	–	G. 1
Street	–		1	–	–	
Taunton... ...	–	1	1	–	–	–
Wellington ...	–	1	–	–	–	–
Wells	–	–	–	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:— *cont.*						
Weston super Mare	–	2	1	–	–	–
Yeovil	–	–	–	–	1	–
Rural Districts:—						
Axbridge ...	–	–	1	–	1	–
Bridgwater ...	–	1	–	–	1	–
Clutton	–	–	–	–	1	–
Frome	–	–	1	–		–
Shepton Mallet	–	–	–	–	–	N. 1
Wincanton ...	–	2	–	–		L. 21
Yeovil	–	–	2		–	–
SOUTHAMPTON	–	17	22	–	13	D. 1 G. 1 N. 1
Bournemouth C.B.	–	1	2	–	–	G. 1 N. 1
Portsmouth C.B.	–	13	6	–	–	D. 1
Southampton C.B.	–		7		4	–
Boroughs and Urban Districts:—						
Andover... ...	–	–	2	–	–	–
Fareham ...	–	–	2	–	–	–
Gosport	–	1	–	–	1	–
Warblington ...	–	1	–		–	–
Winchester ...	–	–	–	–	1	–
Rural Districts:—						
Andover... ...	–	–	1	–	–	–
Basingstoke ...	–	1	–		–	–
Fareham ...		–	2	–	1	–
Fordingbridge	–	–		–	1	–
New Forest ...	–	–	–		2	–
Petersfield ...	–	–	–	–	2	–
Romsey	–	–	–	–	1	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD ...	–	58	23	–	56	C. 2 M. 7 N. 3
Burton upon Trent C.B.	–	1	3	–	–	M. 1
Smethwick C.B.	–	6	1	–	4	N. 1
Stoke on Trent C.B.	–	8	5	–	22	M. 2 N. 1
Walsall C.B. ...	–	9	2	–	3	–
West Bromwich C.B.	–	2	–	–	3	C. 1
Wolverhampton C.B.	–	9	2	–	3	M. 2 N. 1
Boroughs and Urban Districts:—						
Audley	–	–	1	–	1	–
Bilston	–	2	1	–	3	M. 1
Brownhills ...	–	1	–	–	2	–
Cannock	–	2	–	–	1	–
Coseley	–	1	1	–		–
Darlaston ...	–		1	–	–	–
Leek	–	1	1	–	1	–
Lichfield ...	–	1	–	–	–	–
Newcastle under Lyme	–	–	1	–	–	–
Rowley Regis ...	–	1	–	–	–	–
Sedgley	–	–	1	–	1	–
Short Heath ...	–	1	–	–	–	–
Stafford ...	–	–		–	–	M. 1
Tettenhall ...	–	–	1	–		–
Tipton	–	1	–	–	5	–
Wednesbury ...	–	1	–	–	2	–
Willenhall ...	–	–	2	–	–	–
Wolstanton United	–	1	–	–	–	–
Rural Districts:—						
Cheadle... ...	–	4	–	–	3	–
Kingswinford ...	–	1	–	–	–	–
Leek	–	2	–	–	–	–
Lichfield ...	–	–	–	–	1	–
Seisdon		2	–	–	–	–
Stone	–	1	–	–	1	–
Walsall... ...	–	–	–	–	–	C. 1
SUFFOLK, EAST	–	20	9	–	3	C. 2 N. 4
Ipswich C.B. ...	–	13	7		–	C. 1 N. 3
Boroughs and Urban Districts:—						
Bungay	–	–	–		2	–
Felixstowe ...	–	–	1		–	–
Leiston cum Sizewell	–	–	–	–	–	N. 1
Rural Districts:—						
Blything ...	–	1		–	–	–
Hartismere ...		2	–		–	
Hoxne	–	2	–	–	–	–
Plomesgate ...	–	–		–	1	C. 1
Woodbridge ...	–	2	1	–	–	–
SUFFOLK, WEST		3	1		–	–
Boroughs and Urban Districts:—						
Bury St. Edmunds	–	1	–	–	–	–
Newmarket ...	–	–	1	–	–	–
Rural Districts:—						
Thedwastre ...	–	1	–		–	–
Thingoe	–	1	–	–	–	–
SURREY	–	38	11	1	17	C. 2 N. 4
Croydon C.B. ...	–	10	5	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
Barnes	–	3	3	–	1	N. 1
Beddington and Wallington	–	1	–	–	–	–
Carshalton ...	–	3	–		2	–
Caterham and Warlingham	–	2	–	–	–	–
Chertsey ...	–	–	–	1	–	–
East and West Molesey		–	–	–	1	N. 1

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio[illegible]
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—*cont.*						
Egham	–	1	–	–	1	–
Esher and the Dittons	–	1	–	–	–	C. 1
Farnham ...	–	1	–	–	–	–
Guildford ...	–	–	–	–	1	–
Ham	–	1	–	–	–	–
Kingston on Thames	–	2	–	–	–	–
Merton and Morden	–	–	–	–	5	–
Mitcham	–	–	–	–	2	–
Richmond ...	–	3	–	–	–	N. 1
The Maldens and Coombe	–	–	–	–	1	–
Walton upon Thames	–	1	2	–	–	–
Wimbledon ...	–	2	–	–	–	–
Rural Districts:—						
Epsom	–	2	1	–	1	–
Godstone ...	–	3	–	–	–	–
Hambledon ...	–	2	–	–	–	–
SUSSEX, EAST...	–	13	12	–	9	M. 5
Brighton C.B. ...	–	5	5	–	1	M. 5
Eastbourne C.B.	–	–	3	–	–	–
Hastings C.B. ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
Bexhill ...	–	–	–	–	2	–
Burgess Hill ...	–	2	–	–	–	–
Hove	–	1	1	–	1	–
Newhaven ...	–	2		–	1	–
Rye	*	*	*	*	*	*
Rural Districts:—						
Cuckfield ...	–	1	–	–	–	–
Hailsham ...	–	1	2	–	2	–
SUSSEX, WEST...	–	8	4	–	3	C. 1 D. 2 N. 1
Boroughs and Urban Districts:—						
Bognor Regis ...	–	1	–	–	–	–
Chichester ...	–	1	–	–	–	D. 1
Horsham ...	–	–	–	–	1	–
Littlehampton	–	–	1	–	–	–
Southwick ...	–	–	–	–	–	C. 1
Worthing ...	–	1	–	–	1	–
Rural Districts:—						
East Preston ...	–	2	–	–	–	–
Horsham ...	–	2	–	–	1	–
Midhurst ...	–	1	–	–	–	
Petworth ...	–	–	–	–	–	D. 1
Steyning West...	–	–	2	–	–	N. 1
Westbourne ...	–	–	1	–	–	–
WARWICK ...	1	72	37	7	55	C. 4 D. 2 L. 2 M. 3 N. 3
Birmingham C.B.	–	52	26	4	48	C. 4 D. 2 L. 1 M. 2 N. 2
Coventry C.B. ...	–	7	1	–	–	L. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
Bedworth ...	–	–	–	–	1	–
Nuneaton ...	1	–	1	1	–	–
Royal Leamington Spa	–	5	–	–	–	–
Rugby	–	1	–	–	–	–
Stratford on Avon	–	–	–	–	1	–
Sutton Coldfield	–	–	3	–	–	–
Rural Districts:—						
Alcester ...	–	–	–	–	1	–
Atherstone ...	–	2	1	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WARWICK—*cont.*						
Rural Districts—*cont.*						
Foleshill ...	–	–	–	–	1	–
Meriden	–	1	4	–	–	–
Solihull ...	–	1	–	2	–	–
Southam	–	–	–	–	1	–
Stratford on Avon	–	–	–	–	1	–
Tamworth (part)	–	1	1	–	–	–
Warwick ...	–	2	–	–	–	–
WESTMORLAND	–	1	–	–	1	G. 1
Boroughs and Urban Districts:—						
Kendal	–	1	–	–	–	–
Rural Districts:—						
East Westmorland	–	–	–	–	1	G. 1
WIGHT, ISLE OF	–	3	–	–	–	C. 1
Boroughs and Urban Districts:—						
Ryde	–	–	–	–	–	C. 1
Rural Districts:—						
Isle of Wight ...	–	3	–	–	–	–
WILTS	–	2	8	–	7	G. 1 N. 3
Boroughs and Urban Districts:—						
Chippenham ...	–	–	–	–	1	–
Salisbury ...	–	1	–	–	–	N. 1
Swindon	–	–	–	–	5	N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WILTS—*cont.*						
Rural Districts:—						
Chippenham ...	–	–	–	–	–	G. 1
Cricklade and Wootton Bassett	–	–	8	–	–	–
Highworth ...	–	–	–	–	1	–
Pewsey	–	1	–	–	–	–
WORCESTER ...	–	14	4	–	9	C. 1 G. 1 N. 1
Dudley C.B. ...	–	1	–	–	3	–
Worcester C.B.	–	5	–	–	–	–
Boroughs and Urban Districts:—						
Bromsgrove ...	–	1	–	–	–	–
Kidderminster	–	1	–	–	–	–
Lye and Wollescote	–	–	–	–	3	–
North Bromsgrove	–	–	2	–	–	–
Oldbury	–	–	1	–	1	G. 1
Redditch ...	–	1	–	–	–	–
Stourbridge ...	–	4	–	–	–	–
Rural Districts:—						
Droitwich ...	–	–	1	–	–	–
Martley	–	–	–	–	2	–
Pershore ...	–	–	–	–	–	N. 1
Tenbury	–	1	–	–	–	–
Upton on Severn	–	–	–	–	–	C. 1
YORKS ... ... **(East Riding).**	–	18	30	1	17	N. 2
Kingston upon Hull C.B.	–	11	27	1	9	N. 1
Boroughs and Urban Districts:—						
Beverley ...	–	1	1	–	1	–
Bridlington ...	–	–	–	–	1	–

C Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
COTTINGHAM ...	-	-		-	3	-
FILEY	-	-		-	1	-
GREAT DRIFFIELD	-		-	-	-	N. 1
NORTON	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	-	-	-	-	1	-
DRIFFIELD ...	-	1	1	-	1	-
HOWDEN	-	3		-	-	-
SCULCOATES ...	-	1	-			-
SKIRLAUGH ...	-	1	1	-	-	-
YORKS ... ... (North Riding).	-	21	6	-	30	G. 1
MIDDLESBROUGH C.B.	-	5	-	-	15	G. 1
Boroughs and Urban Districts:—						
ESTON	-	9	-	-	4	-
REDCAR	-	-	-	-	3	-
SCALBY	-	1	1	-	-	-
SCARBOROUGH ...	-	1	4	-	1	-
THORNABY ON TEES	-	-	-	-	6	-
Rural Districts:—						
FLAXTON	-	2	-	-	-	-
KIRKBY MOORSIDE	*	*	*	*	*	*
LEYBURN	-	-	1	-	-	-
NORTHALLERTON	-	-	-	-	1	-
WHITBY	-	3	-	-	-	-
YORKS ... ... (West Riding).	-	159	93	4	130	C. 3 D. 8 G. 1 L. 2 M. 7 N. 7

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
BARNSLEY C.B. ...	-	5	1	1	2	M. 1
BRADFORD C.B. ...	-	10	10	-	16	G. 1 L. 1 N. 2
DEWSBURY C.B....	-	3	1	-	-	-
DONCASTER C.B....	-	2	-	-	-	N. 1
HALIFAX C.B. ...	-	8	5	-	4	-
HUDDERSFIELD C.B.	-	1	2	1	5	-
LEEDS C.B. ...	-	45	28	-	32	C. 1 L. 1 M. 2 N. 2
ROTHERHAM C.B.	-	4	4	1	3	D. 1 M. 1
SHEFFIELD C.B....	-	18	12	-	31	-
WAKEFIELD C.B.	-	12	4	-	1	-
Boroughs and Urban Districts:—						
ADWICK LE STREET	-	4	2	-	1	-
ALTOFTS	-	-	1	-	1	-
ARDSLEY, EAST AND WEST	-	-	2	-	-	-
BARNOLDSWICK ...	-	1	-	-	-	-
BATLEY	-	-	2	-	-	M. 1
BENTLEY WITH ARKSEY	-	-	-	-	-	M. 1 N. 1
BINGLEY	-	1	-	-	1	-
BRIGHOUSE ...	-	-	1	-	-	-
CALVERLEY ...	-	1	-		-	-
CASTLEFORD ...	-	3	-	-	-	-
CONISBROUGH ...	-	-	-	-	-	M. 1
CUDWORTH ...	-	-	-	-	1	-
DARTON	*	*	*	*	*	*
EARBY	-	1	-	-	-	-
ELLAND	-	-	-	-	2	-
GARFORTH ...	-	2	-	-	-	-
GREASBROUGH ...	-	-	-	-	1	-
HARROGATE ...	-	2	-	-		-
HEMSWORTH ...	-	1	1	-	3	-
HOLMFIRTH ...	-	2	-	-	-	-
HORBURY... ...	-		1	-	-	-
HORSFORTH ...	*	*	*	*	*	*
HOYLAND NETHER	-	1	-	-	1	D. 1
KEIGHLEY ...	-	4	-	-	-	-

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
KIRKBURTON ...	–	–	–	–	2	–
KNARESBOROUGH	–	–	1	–	–	–
LINTHWAITE	–	–	–	–	1	–
LUDDENDEN FOOT	–	–	1	–	–	–
MALTBY	–	–	1	–	–	–
MIRFIELD ...	–	1	–	–	–	–
MORLEY	–	1	1	–	–	–
NORMANTON ...	–	1	–	–	–	–
OTLEY	–	–	1	–	2	–
PONTEFRACT ...	–	–	–	–	2	–
PUDSEY		–	–	–	2	–
QUEENSBURY ...	–	–	–	–	1	–
RAWMARSH ...	–	1	1	–	1	–
ROTHWELL ...	–	5	–	–	1	C. 1
SHIPLEY	–	1	2	1	–	–
SKIPTON	–	1	–	–	–	–
SLAITHWAITE ...	–	1	–	–	–	–
SOWERBY... ...	–	1	–	–	–	–
SPENBOROUGH ...	–	1	–	–	3	–
SPRINGHEAD ...	–	–	–	–	1	–
STANLEY	–	–	2	–	3	–
THURNSCOE ...	–	1	–	–	–	–
WHITLEY UPPER	–	–	–	–	1	–
WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	1	–	–	–	–
DONCASTER ...	–	1	1	–	1	C. 1 D. 1 N. 1
GOOLE	–	–	–	–	1	–
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	–	3	–	–	–
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	5	–	–	–	–
PATELEY BRIDGE	–	–	–	–	1	–
ROTHERHAM ...	–	–	–	–	–	D. 1
SETTLE	–	–	1	–	–	–
SKIPTON	–		1	–	–	–
TADCASTER ...	–	1	–	–	1	–
THORNE	–	1	–		–	D. 4
WAKEFIELD ...	–	–	–	–	1	–
WETHERBY ...	–	3	–	–	–	–
WHARFEDALE (NORTH)	–	1	–	–	–	–
WORTLEY... ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK, CITY OF ..	–	4	7	–	1	–
YORK C.B. ...	–	4	7	–	1	–
WALES.						
ANGLESEY ...	–	2	1	–	3	–
Boroughs and Urban Districts:—						
AMLWCH	–	1	–	–	–	–
MENAI BRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
AETHWY... ...	–	–	1	–	–	–
TWRCELYN ...	–	–	–	–	3	–
BRECKNOCK ...	–	–	–	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON...	–	5	1	–	–	–
Boroughs and Urban Districts:—						
BANGOR	–	3	1	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	2	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	2	3	–	–	–
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–	1	1	–	–	–
Rural Districts:—						
ABERAYRON ...		1	–	–	–	–
ABERYSTWYTH (NORTH)		–	2	–	–	–
CARMARTHEN ...	–	4	3	1	3	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
CARMARTHEN ...		–	–	1	–	–
CWMAMMAN ...	–	1	–	–	–	–
LLANELLY ...	–	–	–	–	3	–
Rural Districts:—						
CARMARTHEN ...	–	1	1	–	–	–
LLANDILO FAWR	–	1	1	–	–	–
LLANELLY ...	–	1	–	–	–	–
DENBIGH ...	–	13	33	–	1	–
Boroughs and Urban Districts:—						
WREXHAM ...	–	1	10	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	–	1	–	–	–
LLANRWST ...	–	3		–	–	–
ST. ASAPH (DENBIGH)	–	4	2	–	–	–
WREXHAM ...	–	5	20	–	1	–
FLINT	–	7	1	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	1	
HOLYWELL ...	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	N. 1
HOLYWELL ...	–	3	–	–	1	M. 1
OVERTON	–	3	–	–	–	–
GLAMORGAN ...	–	54	48		26	C. 2 M. 5 N. 3
CARDIFF C.B. ...	–	13	7	–	2	M. 2 N. 1
MERTHYR TYDFIL C.B.	–	2	2	–	1	–
SWANSEA C.B. ...	–	3	14	–	–	N. 1
Boroughs and Urban Districts:—						
ABERDARE ...	–	4	4	–	1	M. 1
BARRY	–	–	–	–	1	–
CAERPHILLY ...	–	2	–	–	2	–
GELLIGAER ...	–	3	–	–	–	–
GLYNCORWG ...	–	–	1	–	–	–
LLWCHWR ...	–	–	1		2	
MAESTEG	–	1	1	–		–
MOUNTAIN ASH ...	–	11	–	–	4	–
NEATH	–	–	3		–	–
OGMORE AND GARW	–	1	1	–	–	
PENARTH	–	1	1	–	–	–
PONTYPRIDD ...	–	–	–	–	2	–
PORTHCAWL ...	–	2	–	–	–	–
PORT TALBOT ...	–	–	1	–	–	–
RHONDDA ...	–	8	9	–	8	C. 2 M. 2
Rural Districts:—						
GOWER	–	–	–	–	1	–
NEATH	–	1	3	–	2	N. 1
PONTARDAWE ...	–	2	–	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
MERIONETH ...	–	–	1	–	1	–
Urban Districts:—						
FFESTINIOG ...	–	–	1	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	1	–
MONMOUTH ...	–	79	13	–	2	E. 1
NEWPORT C.B. ...	–	35	4	–	–	–
Boroughs and Urban Districts:—						
ABERCARN ...	–	2	–	–	–	–
ABERGAVENNY ...		–	4	–	–	–
ABERSYCHAN ...	–	2	–	–	–	–
ABERTILLERY ...	–	3	–	–	–	–
BEDWAS AND MACHEN	–	2	–	–	–	–
BEDWELLTY ...	–	6	2	–	–	–
EBBW VALE ...	–	1	–	–	–	E. 1
LLANTARNAM ...	–	1	–	–	–	–
MYNYDDISLWYN	–	9	–	–	–	–
PANTEG	–	–	1	–	–	–
PONTYPOOL ...	–	1	–	–	–	–
RHYMNEY ...	–	6	1	–	–	–
RISCA	–	1		–	–	–
TREDEGAR ...	–	1	–	–	1	–
Rural Districts:—						
ABERGAVENNY ...	–	–	1	–	–	–
CHEPSTOW ...	–	1	–	–	–	–
MAGOR	–	3	–	–	1	–
ST. MELLONS ...	–	5	–	–	–	–
MONTGOMERY...	–	1	–	–	–	M. 1
Rural Districts:—						
FORDEN	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	–	–	–	–	–	M. 1
PEMBROKE ...	–	1	–	–	–	–
Rural Districts:—						
ST. DOGMELLS ...	–	1	–	–	–	–
RADNOR	–	2	–	1	–	–
Urban Districts:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
PRESTEIGNE ...	–	1	–	1	–	–
Rural Districts:—						
KNIGHTON ...	–	1	–	–	–	–
Total of Part II....	17	1498	829	37	1136	C. 41 D. 26 E. 3 G. 12 L. 36 M. 81 N. 79

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
BARNSTAPLE	*	*	*	*	*	*	SOUTHAMPTON ...	–	–	–	–	1	
							Total of Part III. ...	–	–	–	–	1	

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu
encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* † note below).
Total of Part I.—London	31	278	173	3	172	C. 5 D. 3 E. 3 G. 1 L. 3 M. 8 N. 20
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	17	1498	829	37	1136	C. 41 D. 26 E. 3 G. 12 L. 36 M. 81 N. 79
Total of Part III.—Port Sanitary Districts	-	-	-	-	1	-
Total (i.e., of returns received), England and Wales...	48	1776	1002	40	1309	C. 46 D. 29 E. 6 G. 13 L. 39 M. 89 N. 99

†uerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
ır ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

{ Births, Deaths (distinguishing certain and Deaths of Infants under 1 Y Age) and Notified Cases of cert fectious Diseases in the last Th Weeks and in the Current Year with corresponding figures for previou

Week ended :—	Sept. 19	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24	Oct. 31	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Totals f Week e 1930.
LONDON :—														
Live Births	1,270	1,322	1,412	1,311	1,334	1,305	1,299	1,334	1,291	1,334	1,293	1,180	1,272	69,966
Stillbirths	53	34	51	53	44	35	36	39	33	46	47	58	51	2,559
Deaths (excluding Still-births)—all ages.	819	809	880	831	853	817	970	1,036	1,612	1,034	1,002	1,039	1,067	46,278
Deaths—0 to 1 year ..	51	68	61	64	63	73	71	109	111	74	106	117	104	3,811
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,134	6,246	6,337	6,279	6,053	6,065	6,010	6,203	5,874	5,909	5,688	5,714	6,045	320,626
Stillbirths	277	252	270	252	262	254	253	238	260	309	237	268	275	13,995
Deaths (excluding Still-births)—all ages.	3,761	3,655	3,819	3,686	3,710	3,791	4,533	4 723	4,451	4,484	4,527	4,575	4,703	208,953
Deaths—0 to 1 year ..	296	317	328	316	324	338	382	436	441	407	421	457	483	19,320
Enteric Fever—Cases	16	18	13	16	24	17	16	14	19	20	18	23	18	1,287
„ Deaths	2	2	1	—	—	1	1	1	2	1	—	5	2	111
Small Pox—Cases ..	34	35	31	25	37	31	37	66	45	48	48	53	42	8,530
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	20
Scarlet Fever—Cases	1,027	997	1,134	1,102	1,089	1,088	1,117	1,082	1,111	1,064	1,170	1,002	1,039	58,642
„ Deaths	3	5	2	3	5	6	5	1	5	4	4	3	8	380
Diphtheria—Cases ..	580	534	600	570	606	723	625	644	664	668	708	675	632	43,518
„ Deaths ..	25	19	24	32	34	25	23	33	29	24	31	39	32	1,827
Measles—Deaths ..	10	5	6	7	11	21	21	22	24	15	35	39	29	2,700
Influenza—Deaths ..	27	28	35	33	31	37	48	66	71	82	91	90	115	2,053

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corre having been made for changes in boundary. The live births are derived from the weekly returns furnished b Registrars and differ from those published for the towns in the Quarterly Return which are corrected for l occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 12th December, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.*				Rainfall in Millimetres.‡	Towns.	Temperature of Air.*				Rain in Mil metr
	Highest.	Lowest.	Mean Maximum.	Mean Minimum.			Highest.	Lowest.	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
London (Greenwich).	55	33	49·0	40·3	1	Huddersfield	52	35	48·3	40·9	1
Brighton ..	55	35	50·4	41·3	28	Bradford ..	53	34	48·6	41·0	1
Portsmouth ..	55	36	50·2	41·8	7	Sheffield ..	52	36	49·6	41·9	0·3
Norwich(South-well Lodge)	52	30	47·7	39·6	4	York (Museum)	56	32	50·4	39·9	1
Plymouth ..	54	34	51·0	41·6	17	Hull (Pearson Park).	54	33	49·9	40·2	1
Bristol (Horfield)	51	33	50·7	41·3	11	Tynemouth ..	55	36	49·7	41·6	1
Birmingham (Edgbaston).	52	35	47·9	41·3	0·2	Cardiff	57	36	51·9	41·9	12
Nottingham ..	54	31	50·1	38·9	1	Edinburgh ..	52·0	37·0	47·4	42·3	1
Birkenhead (Bidston).	51	37	47·9	43·7	1	Glasgow ..	52·7	38·1	49·3	43·1	8
Manchester (Whitworth Park).	52	29	49·4	40·9	3	Dublin (Phœnix Park)	51·3	30·0	48·1	35·3	1
Burnley	50	28	47·7	39·9	5	(Fitzwilliam Square†).	52·3	34·3	49·2	41·3	1
						Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Return not received

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 12th December, 1931.

[Under the Superintendence of the Astronomer Royal.]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	6	Perigee	29·636	54·2	42·0	12·2	45·1	+ 3·6	37·7	7·4	13·2	4·3	75	54·6	31·1	48·3	WSW: SW.	SW: Calm.	9·5	0·0	0·8	361	+ 21	0·00
MONDAY -	7	..	30·099	44·7	33·1	11·6	38·9	- 2·4	31·3	7·6	12·8	5·6	74	45·8	23·4	48·2	NNE: N: NW	NW: WSW.	1·8	0·0	0·1	225	- 113	0·00
TUESDAY -	8	..	30·077	47·9	36·3	11·6	44·1	+ 3·1	41·9	2·2	9·6	1·4	92	52·0	25·8	48·2	SW	WSW	1·4	0·0	0·2	307	- 26	0·02
WEDNESDAY	9	New	30·139	48·8	37·0	11·8	44·1	+ 3·5	39·5	4·6	9·3	1·4	84	53·9	28·1	48·1	WSW	W: WNW.	1·5	0·0	0·2	353	+ 27	0·00
THURSDAY -	10	Greatest Declination S.	30·142	54·6	42·1	12·5	49·1	+ 8·7	45·9	3·2	7·8	2·0	89	59·0	32·1	48·1	WSW	NNW	3·4	0·0	0·2	334	+ 12	0·01
FRIDAY -	11	..	30·331	50·7	47·6	3·1	49·1	+ 8·9	45·7	3·4	5·4	2·4	88	55·0	41·0	48·0	NNW: N.	NNE: Calm.	0·7	0·0	0·0	148	- 170	0·00
SATURDAY -	12	..	30·409	48·0	45·0	3·0	46·3	+ 6·0	40·7	5·6	8·3	2·4	81	50·0	42·0	48·0	Calm: NE.	WSW	0·6	0·0	0·0	186	- 132	0·00
MEANS -		..	30·119	49·8	40·4	9·4	45·2	+ 4·5	40·4	4·9	9·5	2·8	83	53·3	31·9	48·1	WSW		...	...	...	Sum 1914	Sum - 381	Sum 0·03
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	6		1·4	8·1	Nearly overcast till 1h.; cloudless till 7½h.; nearly overcast till 12h.; variably cloudy till 16h.; then overcast. High wind till 3h.; then brisk wind till 7h. Solar halo 9¾h. till 11¾h.; and 12¼h. till 12½h. Mist 16½h. till 19h., then fog till 23h.
MONDAY ...	7		1·4	8·0	Partially cloudy till 3h.; cloudless till 13h.; then variably cloudy. Fog 7h. till 13h.; then mist till 21h. Hoar frost at night.
TUESDAY ..	8	No record taken.	0·0	8·0	Partially cloudy till 5h.; overcast till 21½h.; then cloudless. Rain 6h. till 7h. Occasional damping between 9h. and 13½h. Mist 14h. till 15h.; then fog till 22h. Hoar frost in morning.
WEDNESDAY	9		1·4	8·0	Variably cloudy till 13½h.; then overcast. Shower at 20¾h Damping 21½h. till 22½h. Mist 7h. till 17h. Hoar frost in morning.
THURSDAY	10		0·1	8·0	Cloudy till 1½h.; cloudless till 5h.; then overcast generally. Occasional damping between 6h. and 10h. Fog till 11h. Slight dew at night.
FRIDAY ..	11		0·0	7·9	Overcast. Damping 2h. till 7h. Mist till 22h.; then fog.
SATURDAY	12		0·0	7·9	Overcast throughout. Mist till 17h.; then fog.
			Sum 4·3	Sum 55 9	
No of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N, negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·43 ins. at the beginning of the week to 30·19 ins. by 0h. on 8th; decreased to 30·03 ins. by 17h. on 8th; increased generally and was 30·44 ins. by midnight on the 12th.

FOR OFFICIAL USE

1931. No. 50.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES. DURING THE WEEK ENDED

SATURDAY, 19TH DECEMBER, 1931

Crown Copyright Reserved

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 19TH DECEMBER, 1931.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the fiftieth week of the year numbered 5,608 corresponding to an annual rate of 14·7 per 1,000 living: stillbirths numbered 244 corresponding to a rate of 42 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,811 (108 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.
107 Great Towns	11·9	12·1	12·4	12·7
London	11·9	12·4	12·7	12·5
Birmingham	11·4	10·9	10·3	11·7
Liverpool	15·1	16·1	16·2	17·4
Manchester	12·9	13·1	13·6	14·0
Sheffield	11·3	8·1	9·0	9·1
Leeds	12·3	10·9	14·6	13·6
Bristol	10·4	11·0	11·2	9·4
West Ham	11·1	11·6	12·5	13·9

During the last four weeks deaths from influenza numbered 91, 90, 115, and 132 respectively.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 71, against 65, 70, and 74 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,176 live births registered corresponding to an annual rate of 14·0 per 1,000 living: stillbirths numbered 38 corresponding to a rate of 31 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,053 (14 less than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 80, against 76, 85, and 75 in the preceding three weeks.

MONTHLY STATEMENT OF DEATHS FROM SMALL-POX IN ENGLAND AND WALES.

There was no death from small-pox in the returns received from areas outside Greater London, the County Boroughs and Great Towns, for the month of November last.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS* registered in th week ended 19th December, 1931.

TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from					
						Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
107 GREAT TOWNS ..	19,836,440*	5,608	244	4,811	463	-	44	6	37	24	44
LONDON	4,377,000*	1,176	38	1,053	112	-	10	1	6	3	13
TOWNS IN OUTER RING. CROYDON C.B. ..	233,000	65	1	72	7	-	-	-	-	-	1
WIMBLEDON ..	58,830	7	-	23	1	-	-	-	-	-	-
EALING	117,400	25	2	20	1	-	-	-	-	-	-
ACTON	70,400	15	1	16	-	-	-	-	-	-	-
BRENTFORD AND CHISWICK ..	62,620	7	-	23	1	-	-	-	-	-	-
WILLESDEN ..	185,300	42	3	35	9	-	-	-	-	-	-
HENDON	114,600*	26	1	15	-	-	-	-	-	-	-
HORNSEY	95,440	7	-	21	1	-	-	-	-	-	-
WOOD GREEN ..	54,460	10	-	9	-	-	-	-	-	-	-
TOTTENHAM ..	159,100	21	2	22	4	-	-	-	-	1	1
EDMONTON	77,530	41	2	14	-	-	-	-	-	-	-
ENFIELD	68,090	13	-	13	-	-	-	-	1	-	-
WEST HAM C.B. ..	296,900	111	4	79	6	-	1	-	-	-	-
EAST HAM C.B. ..	142,900	24	-	30	2	-	-	-	1	-	-
LEYTON	128,600	14	1	31	2	-	-	-	-	-	1
WALTHAMSTOW ..	134,300	26	1	21	1	-	-	-	-	-	-
ILFORD	131,300	24	-	28	-	-	-	-	-	-	-
GILLINGHAM	60,600*	20	2	18	1	-	-	-	-	-	-
CANTERBURY C.B. ..	24,440*	4	-	3	-	-	-	-	-	-	-
HASTINGS C.B.	61,870	7	1	15	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	55,670	12	1	15	-	-	-	-	-	-	-
BRIGHTON C.B. ..	144,900*	41	3	35	2	-	-	-	-	-	-
PORTSMOUTH C.B. ..	248,800*	84	5	47	4	-	-	-	-	-	-
BOURNEMOUTH C.B. ..	108,600	23	-	29	2	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	175,300	53	1	39	4	-	-	-	1	-	-
READING C.B.	97,450*	21	-	27	2	-	-	-	-	-	-
OXFORD C.B	80,530*	17	2	13	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	92,940*	23	1	22	1	-	-	-	-	-	-
LUTON	69,030	10	-	13	1	-	-	-	-	-	-
CAMBRIDGE	66,850	13	1	11	-	-	1	-	-	-	-
SOUTHEND-ON-SEA C.B.	117,900	14	1	15	-	-	-	-	-	-	-
IPSWICH C.B.	87,630	18	1	17	3	-	-	-	1	-	-
GREAT YARMOUTH C.B	56,690	11	-	8	-	-	-	-	-	-	-
NORWICH C.B.	126,800*	54	2	28	3	-	-	-	-	-	-
SWINDON	62,600	15	1	14	-	-	1	-	-	-	-
EXETER C.B.	65,290*	13	1	16	1	-	-	-	-	-	-
PLYMOUTH C.B. ..	207,600*	57	6	58	12	-	2	-	1	-	4
BATH C.B.	68,120	15	2	13	2	-	-	-	-	-	-
BRISTOL C.B.	399,500*	116	2	72	5	-	-	-	-	-	1
GLOUCESTER C.B. ..	52,890	13	-	16	2	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	279,800	87	3	71	9	-	9	-	-	1	2
BURTON-UPON-TRENT C.B.	49,920	15	-	10	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	134,200	48	3	30	1	-	-	-	1	-	-
WALSALL C.B.	104,200	28	1	23	7	-	-	-	-	-	-
WEST BROMWICH C.B.	82,090	35	-	22	1	-	-	-	-	-	-
DUDLEY C.B.	60,010	25	-	12	1	-	1	-	-	-	-
WORCESTER C.B. ..	50,540	18	-	13	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	1,011,300	283	13	227	26	-	1	1	6	1	4
SMETHWICK C.B. ..	85,370	22	-	11	-	-	-	-	-	-	-
COVENTRY C.B ..	168,500	49	3	33	2	-	-	-	-	-	1
LEICESTER C.B. ..	241,200	63	2	52	-	-	-	-	-	-	-
LINCOLN C.B.	66,110*	21	1	13	-	-	-	-	-	-	-
GRIMSBY C.B.	92,180	25	2	21	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	270,900	83	2	64	7	-	-	-	-	1	-
DERBY C.B.	143,400*	50	1	35	2	-	-	-	1	-	-
CHESTERFIELD	64,450	28	1	13	3	-	2	-	-	-	-
STOCKPORT C.B ..	126,600	35	2	29	3	-	-	-	-	1	-
CHESTER C.B.	41,370	12	1	7	1	-	-	-	1	-	-
BIRKENHEAD C.B. ..	148,600	54	1	40	6	-	-	-	-	1	-
WALLASEY C.B. ..	97,240	27	1	20	1	-	-	-	-	-	-
LIVERPOOL C.B. ..	862,100	362	13	287	55	-	1	1	6	3	2
BOOTLE C.B.	77,170	20	1	18	3	-	-	-	1	-	-
ST. HELENS C.B.	108,200	30	2	42	5	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where diffe from those of Col. (1) are as follows :—107 Great Towns, 19,775,130 ; London 4,366,000 ; Hendon, 114,290 ; Gillingh 51,300 ; Canterbury C.B., 23,780 ; Brighton C.B., 144,400 ; Portsmouth C.B., 229,000 ; Reading C.B. 97,250 ; Ox C.B., 80,230 ; Northampton C.B., 92,780 ; Norwich C.B., 126,200 ; Exeter C.B., 64,800 ; Plymouth C.B., 193, Bristol C B., 399,200 ; Lincoln C.B., 65,940 ; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
ITHPORT C.B. ..	77,180	21	2	19	1	-	-	-	-	-	-	-
GAN C.B.	86 250	30	1	25	6	-	-	-	1	-	-	-
RRINGTON C.B. ..	80 280*	21	4	18	2	-	-	-	-	-	-	-
TON C.B.	179,300	40	1	55	9	-	5	1	-	-	2	3
RY C.B.	56,580*	20	-	32	1	-	-	-	-	-	-	3
NCHESTER C.B. ..	773,300	231	16	208	12	-	3	1	3	1	-	8
FORD C.B.	226,100	63	4	60	9	-	-	-	-	2	3	1
ITON-UNDER-LYNE,	51,850	20	-	21	1	-	-	-	-	-	-	2
DHAM C.B	142,000	33	-	40	3	-	-	-	1	-	-	3
DHDALE C.B. ..	91,190	16		28	2	-	-	-	-	1	-	-
RNLEY C.B	99,300	25	1	23	1	-	-	-	-	-	-	2
CKBURN C.B. ..	124,000	20	3	43	1	-	-	-	-	-	1	4
STON C.B.	120,100	31	1	35	-	-	1	-	1	-	-	5
CKPOOL C.B. ..	97,880	16	-	33	-	-	-	-	-	-	-	5
RROW-IN-FURNESS C.B.	66,700	10	-	17	-	-	-	-	-	-	-	-
DDERSFIELD C.B ..	114,300	24	1	25	-	-	-	-	-	1	-	1
LIFAX C.B.	98,770*	22	-	31	-	-	-	-	-	1	-	1
DFORD C.B. ..	300,800	67	4	76	3	-	-	-	1	-	-	-
DS C.B	486,100	129	8	127	11	-	1	-	-	2	1	3
WSBURY C.B. ..	54,430	10	-	14	1	-	-	-	-	-	-	-
KEFIELD C.B ..	59,280	16	2	12	3	-	-	-	-	-	1	3
RNSLEY C.B. ..	72,090	19	1	11	1	-	-	-	-	-	-	-
FFIELD C.B. ..	517,300	163	5	90	9	-	-	-	-	-	1	-
THERHAM C.B. ..	70,100	23	1	12	2	-	-	-	-	1	-	-
NCASTER C.B. ..	63,260	25	1	16	-	-	-	-	-	-	-	-
E C.B.	85,910*	22	-	20	1	-	-	-	-	1	-	-
GSTON-UPON-HULL B.	314,800	107	6	98	15	-	-	-	-	2	-	4
DLESBROUGH C.B.	138,800	41	5	34	8	-	2	-	-	-	1	-
RLINGTON C.B. ..	72,620	18	1	15	1	-	1	-	-	-	-	-
CKTON-ON-TEES ..	68,350	22	1	16	1	-	-	-	-	-	-	1
ST HARTLEPOOL C.B.	68,740	23	-	11	-	-	-	-	-	-	-	-
DERLAND C.B ..	187,500	66	1	44	5	-	-	-	2	-	1	1
TH SHIELDS C.B ..	114,400	36	1	37	9	-	-	-	-	-	-	1
ESHEAD C.B. ..	123,700	35	2	34	3	-	-	-	-	-	-	2
WCASTLE-ON-TYNE B.	284,300*	117	6	63	1	-	-	1	1	-	1	2
KMOUTH C.B. ..	64,750	19	1	17	1	-	-	-	-	-	-	1
RLISLE C.B.	57,430*	24	2	9	1	-	-	-	-	-	-	-
VPORT (MON.) C.B.	89,500*	22	-	19	-	-	-	-	1	-	-	-
DIFF C.B.	223,700*	89	9	56	8	-	-	-	-	-	1	2
ONDDA	142,700	55	6	41	3	-	2	-	-	-	-	-
THYR TYDFIL C.B.	71,670	17	2	21	-	-	-	-	-	-	-	-
RDARE	49,010	10	-	6	-	-	-	-	-	-	-	-
NSEA C.B.	165,400	62	3	37	3	-	-	-	-	-	-	-
EATER LONDON ..	8,179,740*	2,083	69	1,860	190	-	11	2	10	4	19	47
ER RING	3,802,740*	907	31	807	78	-	1	1	4	1	6	20
GREAT TOWNS IN UTER RING	2,130,770*	478	18	472	35	-	1	-	2	1	4	9
AINDER OF OUTER NG	1,671,970*	429	13	335	43	-	-	1	2	-	2	11
NBURGH†	438,998	125	?	107	20	-	-	-	1	-	-	-
SGOW†	1,088,417	448	?	298	48	-	18	-	1	4	5	4
LIN†	412,400	§	?	§	§	§	§	§	§	§	§	§
FAST†	415,151	179	?	105	13	-	-	-	1	-	4	1

* Non civilian deaths are excluded from this table and the comparable civilian populations where ferent from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 60; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 70; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; mainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of ths of persons admitted into public institutions from without the respective areas.

§ Return not received.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available p

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
London‡	4,377,000	1931. Dec. 19	1176	38	1053	12·5	–	–	10	1	6	3	
Calcutta and Suburbs	1,077,264	Nov. 7	?	?	574‖	27·7	?	–	?	–	?	?	
Bombay§	1,298,708	Nov. 21	680	42	474	21·2	1	1	–	–	–	1	
Madras	647,533	Nov. 7	527	26	385	30·9	–	–	–	–	2	–	
Sydney and Suburbs	1,257,860	Nov. 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Sept. 30 (30 days)											
Perth (Metropolitan Area).	204,780	Oct. 17	82	?	48	12·2	–	–	–	–	–	–	
Auckland (Urban Area).	215,730	Oct. 31 (31 days)											
Wellington (Urban Area).	142,540	Oct. 31 (31 days)											
Christchurch (Urban Area).	127,070	Oct. 31 (31 days)											
Cape Town	136,748	Nov. 14	55	1	33	12·6	–	–	1	–	1	–	
Johannesburg	187,326	Nov. 7	84	3	48	13·3	–	–	–	–	1	–	
Durban	61,667	„ 7	35	–	9	7·6	–	–	–	–	–	–	
Paris	2,871,429	Nov. 20 (10 days)	1099	69	931	11·8	3	–	2	–	–	9	
Antwerp	295,146	Nov. 15 (15 days)	188	14	96	7·8	–	–	–	–	–	–	
Amsterdam	763,119	Nov. 28	198	9	116	7·9	–	–	–	–	–	1	
Copenhagen	615,700	Dec. 5	171	5	140	11·9	1	–	1	–	2	1	
Stockholm	502,203	Nov. 28	83	2	91	9·4	–	–	–	–	–	–	
Gothenberg	245,600	„ 21	?	?	51	10·7	–	–	–	–	–	–	
Oslo	256,353	Dec. 5	50	–	51	10·3	–	–	–	–	–	–	
Berlin	4,289,000	Nov. 21	869	26	869	10·5	1	?	–	1	1	7	
Breslau	614,000	„ 21	135	5	124	10·5	–	?	–	–	–	2	
Cologne	738,000	„ 21	170	5	113	8·0	–	?	–	1	–	1	
Dresden	630,000	„ 21	113	3	119	9·8	–	?	–	–	–	–	
Frankfort-on-Main	537,000	„ 21	100	3	94	9·1	–	?	1	–	–	–	
Hamburg	1,138,000	„ 21	214	6	196	9·0	–	?	–	–	2	1	
Leipzig	715,000	„ 21	136	7	137	10·0	–	?	–	–	–	1	
Munich	730,000	„ 21	143	3	142	10·1	1	?	–	–	–	1	
Budapest	1,009,069	„ 21	277	7	203	10·5	–	–	–	1	–	1	
Warsaw	1,115,651	„ 21	?	11	211	9·9	3	–	–	1	–	1	
Madrid	834,103	Nov 14	?	34	282	17·6	2	–	1	–	–	–	
Cairo	1,160,700	Sept 30	1037	14	487	21·9	9	–	–	–	?	3	1
		Oct. 7	1005	33	437	19·6	10	–	–	–	?	7	1
Alexandria	629,900	Sept. 30	491	9	311	25·7	2	–	3	–	?	5	
		Oct. 7	545	10	297	24·6	3	–	2	–	?	3	
New York	7,090,089	Nov. 14	2006	99	1441	10·6	1	–	–	–	3	2	1
Chicago	3,457,375	Nov. 27	772	19	582	8·8	–	–	–	6	1	6	
New Orleans	466,000	Nov. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Oct. 31	547	57	543	16·4	1	–	12	–	15	2	

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under 1 year* or Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,366,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 10 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 19th December, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years	55–65 years.	65–75 years.	75 years and upwards
ALL CAUSES	47,453	50,658	1053	112	28	16	16	32	40	54	99	186	227	243
Enteric fever	23	21	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1011	93	10	2	3	5	-	-	-	-	-	-	-	-
Scarlet fever	101	60	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	121	292	6	-	5	1	-	-	-	-	-	-	-	-
Diphtheria	429	246	3	-	-	3	-	-	-	-	-	-	-	-
Influenza	333	1042	27	-	-	1	-	2	1	4	5	7	3	4
Erysipelas	149	161	1	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	11	5	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	60	43	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	81	127	3	3	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	3507	3585	55	1	-	-	-	14	12	11	7	7	3	-
Nervous system	222	214	7	3	-	-	2	2	-	-	-	-	-	-
Intestines and peritoneum	53	56	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	215	240	3	-	-	-	1	-	-	2	-	-	-	-
Venereal diseases	181	186	8	2	-	-	-	-	1	-	1	2	2	-
Cancer	6444	6697	135	-	-	-	-	-	3	8	25	37	44	18
Rheumatic fever	165	133	4	-	-	-	3	1	-	-	-	-	-	-
Diabetes	488	527	9	-	-	-	-	-	-	-	2	3	3	1
Alcoholism	21	18	1	-	-	-	-	-	1	-	-	-	-	-
Simple meningitis	75	83	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	1952	1885	53	-	-	-	-	-	-	1	6	10	16	20
Epilepsy	189	168	5	-	-	-	-	1	2	-	-	-	2	-
"Convulsions" (not puerperal) ..	56	54	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	1182	1072	24	1	-	1	-	-	1	3	7	7	2	2
Pericarditis	17	19	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	229	182	1	-	-	-	-	-	-	-	1	-	-	-
Other diseases of heart	10048	11565	229	-	-	-	1	1	4	7	15	42	64	95
Other diseases of circulatory system	2017	2154	51	-	-	-	-	-	-	2	11	18	18	20
Bronchitis	1754	2419	44	5	-	-	-	-	-	3	7	12	17	
Broncho-pneumonia	1757	2562	63	24	15	1	-	1	1	-	1	5	5	10
Lobar pneumonia	1027	1168	23	2	2	-	-	2	1	1	2	5	6	2
Pneumonia (type not distinguished)	380	397	8	3	-	-	-	-	1	-	-	-	2	2
Other diseases of respiratory system	483	534	10	1	-	-	-	-	-	1	2	-	2	4
Diarrhœa and enteritis	763	682	14	12	1	-	-	-	-	-	-	-	1	-
Appendicitis, Typhlitis	333	293	5	-	-	-	2	-	1	-	-	1	1	-
Hernia, Intestinal obstruction	479	524	16	1	-	-	-	-	-	2	-	5	5	3
Cirrhosis of liver	212	214	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of digestive system ..	1191	1143	20	-	-	-	-	-	1	3	3	4	7	2
Acute nephritis	92	81	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	1692	1611	43	-	-	-	-	1	1	3	3	13	15	7
Other diseases of genito-urinary system	787	855	10	-	-	-	-	-	-	-	-	2	4	4
Puerperal sepsis	112	116	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	90	122	2	-	-	-	-	1	1	-	-	-	-	
Congenital malformations	316	310	9	9	-	-	-	-	-	-	-	-		
Premature birth	912	942	24	24	-	-	-	-	-	-	-	-		
Debility, atrophy (congenital)	165	149	2	2	-	-	-	-	-	-	-	-	-	
Old age	1130	1167	27	-	-	-	-	-				-	1	26
Suicide	560	565	13	-	-	-	-	1	1	2	2	7	-	-
Burns and Scalds	94	134	2	2	-	-	-	-	-	-	-	-	-	-
Drowning	111	90	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	27	30	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	778	698	15	-	-	1	3	3	1	2	3	2	-	-
Other deaths by violence	766	746	19	2	1	1	-	-	2	1	3	1	4	4
Other specified causes	2034	2167	41	9	1	2	3	1	2	3	6	7	5	2
Ill-defined causes	6	9	2	2	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 19th December, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	18	221	167	5	191	C. 3 D. 1 E. 2 M. 9 N. 13
CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
BATTERSEA ...	2	14	14	–	4	–
BERMONDSEY ...	–	7	5	–	5	N. 3
BETHNAL GREEN	–	10	4	–	4	–
CAMBERWELL ...	1	13	7	–	17	N. 1
CHELSEA	–	–	–	–	1	–
DEPTFORD ...	–	9	1	–	7	M. 1
FINSBURY ...	1	3	4	–	3	D. 1
FULHAM	–	7	6	–	4	–
GREENWICH ...	–	8	2	–	7	–
HACKNEY... ...	–	11	10	1	5	E. 1
HAMMERSMITH ...	–	5	5	–	–	–
HAMPSTEAD ...	–	3	–	–	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
HOLBORN... ...	–	1	4	–	1	–
ISLINGTON ...	–	15	23	–	11	N. 1
KENSINGTON ...	–	10	7	–	2	N. 1
LAMBETH ...	10	3	8	–	18	C. 1 M. 1 N. 1
LEWISHAM ...	–	6	5	2	7	M. 1
PADDINGTON ...	–	4	5	–	7	M. 2
POPLAR	1	14	13	–	24	–
ST. MARYLEBONE	–	4	1	–	7	–
ST. PANCRAS ...	–	8	6	–	8	C. 1 N. 2
SHOREDITCH ...	–	5	5	1	2	M. 2
SOUTHWARK ...	3	14	9	–	6	C. 1 M. 1
STEPNEY	–	25	10	1	8	E. 1 N. 1
STOKE NEWINGTON	–	7	3	–	–	N. 1
WANDSWORTH ...	–	6	6	–	10	–
WESTMINSTER, CITY OF	–	5	–	–	1	M. 1
WOOLWICH ...	–	4	3	–	21	N. 2

‡ The letters in this column denote the following diseases.—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	2	–	7	M. 1
Boroughs and Urban Districts:—						
BEDFORD	–	–	–	–	5	–
DUNSTABLE ...	–	2	1	–	–	–
LUTON	–	2	1	–	1	M. 1
Rural Districts:—						
BEDFORD	–	1	–	–	1	–
BIGGLESWADE ...	–	1	–	–	–	–
BERKS	–	4	5	–	2	C. 2
						E. 1
READING C.B. ...	–	1	1	–	2	E. 1
Boroughs and Urban Districts:—						
MAIDENHEAD ...	–	–	4	–	–	–
NEW WINDSOR ...	–	2	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	–	–	–	–	C. 1
HUNGERFORD ...	–	–	–	–	–	C. 1
BUCKINGHAM ...	–	7	9	1	–	N. 1
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	–	–	1	–	–
CHEPPING WYCOMBE	–	1	1	–	–	–
MARLOW	–	–	4	–	–	–
SLOUGH	–	–	1	–	–	–
WOLVERTON ...	–	–	1	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	1	–	–	N. 1
AYLESBURY ...	–	1	–	–	–	–
ETON	–	4	–	–	–	–
WYCOMBE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	1	1	–	–	N. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	–	N. 1
CHESTERTON ...	–	–	1	–	–	–
MELBOURN ...	–	1	–	–	–	–
CHESTER ...	–	26	39	–	39	C. 1
						N. 5
BIRKENHEAD C.B.	–	2	9	–	20	–
CHESTER C.B. ...	–	1	–	–	1	–
STOCKPORT C.B. ...	–	3	7	–	3	N. 2
WALLASEY C.B. ...	–	5	6	–	3	N. 1
Boroughs and Urban Districts:—						
BEBINGTON AND BROMBOROUGH	–	3	–	–	1	N. 1
CHEADLE AND GATLEY	–	–	1	–	1	–
CONGLETON ...	–	–	–	–	1	–
CREWE	–	2	–	–	1	–
DUKINFIELD ...	–	–	–	–	1	–
HALE	–	1	–	–	–	–
HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	–	–	–	1	–
HYDE	–	4	–	–	1	C. 1
MACCLESFIELD ...	–	1	–	–	2	–
NANTWICH ...	–	–	4	–	–	–
SALE	–	–	5	–	–	–
WILMSLOW ...	–	–	–	–	–	N. 1
Rural Districts:—						
BUCKLOW... ...	–	–	–	–	1	–
CHESTER	–	–	3	–	–	–
NANTWICH ...	–	–	–	–	1	–
RUNCORN... ...	–	2	2	–	–	–
TARVIN	–	–	1	–	–	–
WIRRAL	–	1	1	–	1	–

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	5	8	–	5	–
Boroughs and Urban Districts:—						
CAMBORNE ...	–	–	7	–	–	–
FALMOUTH ...	–	2	–	–	–	–
HELSTON	*	*	*	*	*	*
LISKEARD ...	–	–	–	–	1	–
LOOE	*	*	*	*	*	*
LOSTWITHIEL ...	–	–	–	–	1	–
REDRUTH ...	*	*	*	*	*	*
TORPOINT ...	–	–	–	–	3	–
TRURO	–	2	1	–	–	–
Rural Districts:—						
ST. AUSTELL ...	*	*	*	*	*	*
TRURO	–	1	–	–	–	–
CUMBERLAND ...	–	7	4	1	16	N. 1
CARLISLE C.B. ...	–	3	–	1	4	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
CLEATOR MOOR...	–	–	1	–	–	–
EGREMONT ...	–	–	–	–	1	–
KESWICK	–	–	–	–	1	–
PENRITH	–	1	–	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
WORKINGTON ...	–	–	1	–	2	–
Rural Districts:—						
ALSTON WITH GARIGILL...	–	–	–	–	1	–
BOOTLE	–	–	1	–	–	–
CARLISLE ...	–	–	–	–	1	–
COCKERMOUTH ...	–	1	–	–	1	–
LONGTOWN ...	–	–	–	–	2	–
PENRITH	–	1	–	–	2	–
WHITEHAVEN ...	–	–	–	–	1	N. 1
DERBY	–	22	15	1	26	D. 1 N. 2
DERBY C.B. ...	–	3	5	–	6	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	1	–	–	–	–
BOLSOVER ...	–	–	1	–	–	–
CHESTERFIELD ...	–	3	–	–	2	–
GLOSSOP	–	–	–	–	5	–
HEANOR	–	1	–	–	2	N. 1
LONG EATON ...	–	2	–	–	–	–
NORTH DARLEY...	–	–	–	–	–	N. 1
RIPLEY	–	1	–	–	–	–
SOUTH DARLEY ...	*	*	*	*	*	*
SWADLINCOTE DISTRICT	–	1	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	–	1	–	–	–
BELPER	–	–	–	–	2	–
BLACKWELL ...	–	3	–	–	1	–
CHESTERFIELD ...	–	6	3	1	3	–
CLOWNE	–	–	3	–	1	D. 1
HARTSHORN AND SEALS	–	–	–	–	2	–
HAYFIELD ...	–	1	–	–	–	–
REPTON	–	–	2	–	–	–
DEVON	–	31	14	–	17	C. 1 N. 1
EXETER C.B ...	–	1	–	–	1	N. 1
PLYMOUTH C.B.	–	22	6	–	3	C. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	–	4	–	–	2	–
BARNSTAPLE ...	–	–	5	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
SEATON	*	*	*	*	*	*
TORQUAY	–	1	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	–	2	–	2	–
CULMSTOCK ...	–	–	–	–	4	–
PLYMPTON ST. MARY	–	2	1	–	2	–
ST. THOMAS ...	–	1	–	–	2	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I. Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	–	2	1	1	–
Boroughs and Urban Districts:—						
POOLE	–	–	1	–	1	–
Rural Districts:—						
BRIDPORT ...	*	*	*	*	*	*
POOLE	–	–	–	1	–	–
WIMBORNE AND CRANBORNE	–	–	1	–	–	–
DURHAM ...	–	81	15	–	66	C. 1 D. 8 M. 4 N. 2
DARLINGTON C.B.	–	5	–	–	–	–
GATESHEAD C.B.	–	10	2	–	–	D. 1
SOUTH SHIELDS C.B.	–	2	–	–	17	–
SUNDERLAND C.B.	–	11	–	–	14	C. 1 D. 2 M. 1
WEST HARTLEPOOL C.B.	–	4	1	–	2	–
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	1	1	–	–	D. 2
BENFIELDSIDE ...	–	–	–	–	1	–
BILLINGHAM ...	–	–	–	–	2	–
BLAYDON	–	1	–	–	–	D. 1
BRANDON AND BYSHOTTLES	–	–	1	–	–	–
CHESTER LE STREET	–	–	–	–	2	–
CONSETT	–	–	–	–	2	–
CROOK	–	1	–	–	–	–
DURHAM	–	1	–	–	–	–
FELLING	–	1	–	–	–	N. 1
HEBBURN ...	–	–	–	–	1	M. 1
HETTON	–	1	1	–	3	D. 1 M. 1
JARROW	–	–	–	–	1	–
RYTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
STANLEY	–	–	2	–	1	–
STOCKTON ON TEES	–	3	2	–	2	–
TANFIELD ...	–	1	3	–	–	–
WASHINGTON ...	–	2	–	–	–	–
WHICKHAM ...	–	5	–	–	4	–
WILLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	1	–	–	–	–
CHESTER LE STREET	–	8	–	–	2	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	1	2	–	10	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	6	–	–	–	–
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	2	–	–	–	D. 1 N. 1
SOUTH SHIELDS	–	2	–	–	–	–
SUNDERLAND ...	–	8	–	–	–	M. 1
WEARDALE ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	1	–	–	–
ESSEX	3	72	33	–	58	M. 2 N. 2
EAST HAM C.B....	–	1	3	–	3	–
SOUTHEND ON SEA C.B.	–	3	1	–	4	–
WEST HAM C.B.	3	20	4	–	24	M. 2
Boroughs and Urban Districts:—						
BARKING TOWN...	–	4	5	–	5	–
BRENTWOOD ...	–	–	–	–	1	–

* Returns not received.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; , Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
Canvey Island	–	–	–	–	1	–
Chelmsford ...	–	–	–	–	–	N. 1
Chingford ...	–	1	1	–	–	–
Colchester ...	–	1	–	–	–	–
Dagenham ...	–	8	1	–	2	–
Grays Thurrock	–	–	–	–	4	–
Hornchurch ...	–	1	–	–	1	–
Ilford	–	5	2	–	1	–
Leyton	–	3	3	–	5	–
Loughton ...	–	2	–	–	–	–
Rayleigh ...	–	–	2	–	–	–
Romford... ...	–	1	–	–	1	–
Tilbury	–	–	3	–	–	–
Waltham Holy Cross	–	3	–	–	–	–
Walthamstow ...	–	9	2	–	3	–
Wanstead ...	–	–	–	–	1	–
Woodford ...	–	1	1	–	1	N. 1
Rural Districts:—						
Billericay ...	–	3	2	–	–	–
Chelmsford ...	–	3	1	–	–	–
Dunmow ...	–	2	–	–	–	–
Lexden and Winstree	–	–	1	–	–	–
Orsett	–	–	–	–	1	–
Rochford ...	–	1	1	–	–	–
GLOUCESTER ...	–	10	26	1	14	L. 1
Bristol C.B. ...	–	6	20	–	7	L. 1
Gloucester C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
Charlton Kings	–	–	1	–	–	–
Cheltenham ...	–	–	–	–	1	–
Cirencester ...	–	1	–	–	–	–
Mangotsfield ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Nailsworth ...	–	1	–	–	–	–
Stroud	–	–	2	–	–	–
Tetbury... ...	–	–	–	–	1	–
Rural Districts:—						
Chipping Sodbury	–	2	–	–	1	–
East Dean and United Parishes	–	–	–	–	1	–
Stow on the Wold	*	*	*	*	*	*
Stroud	–	–	1	–	–	–
Tetbury	–	–	1	–	–	–
Thornbury ...	–	–	–	–	1	–
Warmley ...	–	–	1	–	–	–
HEREFORD ...	–	5	4	–	2	–
Boroughs and Urban Districts:—						
Hereford ...	–	1	1	–	–	–
Leominster ...	–	3	–	–	–	–
Rural Districts:—						
Bredwardine ...	*	*	*	*	*	*
Dore	–	–	1	–	–	–
Hereford ...	–	–	2	–	–	–
Ledbury... ...	–	–	–	–	1	–
Leominster and Wigmore	–	1	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD ...	–	11	7	2	7	N. 3
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	–	–	–	N. 1
BUSHEY	–	–	1	–	–	–
CHESHUNT ...	–	2	1	–	1	–
EAST BARNET VALLEY	–	–	–	–	1	–
ST. ALBANS ...	–	–	–	2	–	–
STEVENAGE ...	–	–	–	–	–	N. 1
WATFORD... ...	–	2	4	–	3	–
WELWYN GARDEN CITY	–	2	–	–	–	N. 1
Rural Districts:—						
HADHAM	–	–	–	–	1	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	1	–	–	1	–
WARE	–	1	–	–	–	–
WATFORD ...	–	1	1	–	–	–
HUNTINGDON ...	–	3	–	–	–	–
Boroughs and Urban Districts—						
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
ST. IVES	–	1	–	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
KENT	–	33	13	–	14	C. 1 G. 1 N. 3
CANTERBURY C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
ASHFORD	–	1	–	–	–	–
BECKENHAM ...	–	–	1	–	–	N. 1
BEXLEY	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
BROADSTAIRS AND ST. PETER'S	–	–	–	–	–	N. 1
BROMLEY... ...	–	6	1	–	1	–
CHATHAM ...	–	2	–	–	1	–
CRAYFORD ...	–	1	1	–	–	–
DEAL	–	3	1	–	–	–
DOVER	–	–	2	–	–	–
ERITH	–	1	–	–	4	–
GILLINGHAM ...	–	1	1	–	1	–
GRAVESEND ...	–	–	1	–	–	–
HERNE BAY ...	–	–	–	–	1	–
MARGATE ...	–	2	1	–	–	–
NORTHFLEET ...	–	2	–	–	–	–
RAMSGATE ...	–	2	–	–	–	G. 1
ROCHESTER ...	–	1	–	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
SHEERNESS ...	–	2	–	–	–	–
SITTINGBOURNE AND MILTON	–	1	–	–	–	–
SWANSCOMBE ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY... ...	–	–	–	–	2	–
DARTFORD ...	–	–	–	–	–	N. 1
DOVER	–	–	1	–	–	–
EASTRY	–	–	2	–	–	–
FAVERSHAM ...	–	1	–	–	–	–
ISLE OF THANET	–	–	–	–	2	–
MALLING	–	–	–	–	1	–
MILTON	–	1	–	–	–	–
STROOD	–	1	1	–	–	C. 1
LANCASTER ...	–	179	134	3	290	C. 6 D. 3 G. 4 L. 2 M. 22 N. 19
BLACKBURN C.B.	–	2	3	–	1	–
BLACKPOOL C.B.	–	4	1	–	–	N. 1
BOLTON C.B. ...	–	8	–	–	2	G. 1
BOOTLE C.B. ...	–	6	2	–	4	N. 1

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Burnley C.B. ...	–	3	1	–	6	C. 1 D. 1 M. 2 N. 2
Bury C.B. ...	–	–	–	–	6	–
Liverpool C.B....	–	25	50	–	107	C. 3 D. 1 G. 1 M. 12 N. 3
Manchester C.B.	–	42	17	3	66	C. 1 M. 3 N. 3
Oldham C.B. ...	–	2	1	–	3	G. 1
Preston C.B. ...	–	8	1	–	5	N. 4
Rochdale C.B....	–	3	4	–	–	N. 1
St. Helens C.B.	–	3	–	–	4	–
Salford C.B. ...	–	8	19	–	12	N. 1
Southport C.B.	–	3	1	–	6	M. 1
Warrington C.B.	–	8	1	–	4	–
Wigan C.B. ...	–	1	1	–	3	–
Boroughs and Urban Districts:—						
Accrington ...	–	–	–	–	2	–
Ashton-under-Lyne	–	2	–	–	2	–
Aspull	–	3	–	–	–	–
Barrowford ...	–	–	–	–	1	–
Blackrod ...	–	–	–	–	1	–
Brierfield ...	–	–	–	–	2	–
Chadderton ...	–	–	–	–	–	M. 1
Colne	–	1	–	–	–	–
Crompton ...	–	–	–	–	2	–
Darwen	–	–	–	–	2	–
Denton	–	–	–	–	–	L. 2
Droylsden ...	–	3	–	–	–	–
Eccles	–	–	1	–	1	N. 1
Farnworth ...	–	3		–	3	N. 1
Fleetwood ...	–	–	1	–	1	–
Great Crosby ...	–	–	1	–	–	–
Haydock... ...	–	–	1	–	–	–
Heywood ...	–	–	–	–	3	–
Hindley	–	–	–	–	2	–
Horwich... ...	–	1	–	–	–	–
Huyton with Roby	*	*	*	*	*	*
Kirkham ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Borough and Urban Districts— *cont.*						
Lancaster ...	–	–	–	–	5	D. 1
Lees	–	–	–	–	1	–
Leigh	–	–	4	–	–	–
Leyland... ...	–	1	–	–	–	–
Litherland ...	–	1	–	–	2	–
Little Crosby...	–	–	1	–	–	–
Lytham St. Anne's	–	–	2	–	–	–
Middleton ...	–	–	1	–	1	–
Morecambe and Heysham	–	1	1	–		–
Mossley	–	1	–	–	2	–
Nelson	–	3	–	–	2	–
Newton in Makerfield	–	7	–	–	3	–
Ormskirk ...	–	1	–	–	1	–
Poulton le Fylde	*	*	*	*	*	*
Ramsbottom ...	–	–	1	–	2	–
Rawtenstall ...	–	3	1	–	–	M. 1
Royton	–	1	–	–	–	–
Standish with Langtree	–	–	1	–	–	–
Stretford ...	–	3	4	–	1	M. 1
Swinton and Pendlebury	–	4	–	–	5	–
Tottington ...	–	1	1	–	–	–
Trawden ...	–	–	–	–	1	–
Turton	–	1	–	–	–	–
Tyldesley with Shakerley	–	–	–	–	2	–
Ulverston ...	–	3	–	–	–	–
Upholland ...	–	–	–	–	–	G. 1
Wardle	–	–	–	–	–	C. 1
Waterloo with Seaforth	–	3	2	–	1	–
Widnes	–	–	2	–	–	–
Rural Districts:—						
Barton upon Irwell	–	–	3	–	2	M. 1
Blackburn ...	–	–	–	–	1	–
Burnley ...	–	–	–	–	2	–
Bury	*	*	*	*	*	*
Chorley	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Rural Districts— *cont.*						
Clitheroe ...	–	1	–	–	2	N. 1
Garstang ...	–	1	–	–	–	–
Limehurst ...	–	–	1	–	–	–
Preston	–	–	–	–	2	–
Ulverston ...	–	1	–	–	–	–
Warrington ...	–	–	1	–	–	–
Whiston	–	2	2	–	–	–
LEICESTER ...	15	25	5	–	11	–
Leicester C.B....	3	15	4	–	5	–
Boroughs and Urban Districts:—						
Ashby Woulds...	–	–	1	–	1	–
Hinckley ...	–	1	–	–	1	–
Melton Mowbray	–	–	–	–	1	–
Quorndon ...	–	1	–	–	–	–
Wigston Magna	11	–	–	–	–	–
Rural Districts:—						
Barrow upon Soar	–	–	–	–	2	–
Billesdon ...	–	2	–	–	–	–
Blaby	1	5	–	–	–	–
Hinckley ...	–	–	–	–	1	–
Lutterworth ...	–	1	–	–	–	–
Market Bosworth	*	*	*	*	*	*
LINCOLN (parts of Holland).	–	5	1	–	–	N. 1
Boroughs and Urban Districts:—						
Spalding ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)— *cont.*						
Rural Districts:—						
Boston	–	4	–	–	–	
Spalding ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	4	–	–	1	–
Boroughs and Urban Districts:—						
Grantham ...	–	1	–	–	1	–
Rural Districts:—						
South Kesteven	–	3	–	–	–	–
LINCOLN (parts of Lindsey).	–	14	5	1	13	D. 1 M. 1
Grimsby C.B. ...	–	6	–	–	5	D. 1
Lincoln C.B. ...	–	–	5	–	–	–
Boroughs and Urban Districts:—						
Barton upon Humber	–	–	–	–	2	–
Cleethorpes ...	–	–	–	–	2	–
Gainsborough ...	–	–	–	–	1	–
Louth	–	1	–	–	–	–
Scunthorpe and Frodingham	–	1	–	–	1	M. 1
Rural Districts:—						
Gainsborough ...	–	1	–	–	1	–
Glanford Brigg	–	–	–	–	1	–
Horncastle ...	–	2	–	–	–	–
Louth	–	1	–	1	–	–
Spilsby	–	2	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, AND RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	91	42		70	D. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
ACTON	–	4	4	–	2	–
BRENTFORD AND CHISWICK	–	2	3	–	3	–
EALING	–	12		–	6	–
EDMONTON ...	–	12	1	–	2	–
ENFIELD	–	7	10	–	3	–
FINCHLEY ...	–	5	–	–	1	M. 1
FRIERN BARNET...	–	1	–	–	–	–
HARROW ON THE HILL	–	1	–	–	2	–
HAYES AND HARLINGTON	–	5	1	–	–	–
HENDON	–	3	7	–	2	–
HESTON AND ISLEWORTH	–	–	–	–	7	
HORNSEY	–	4	–	–	3	–
RUISLIP NORTHWOOD	–	2	1	–	–	–
SOUTHALL NORWOOD	–	1	–	–	–	–
SOUTHGATE ...	–	2	–		1	–
SUNBURY ON THAMES	–	1	–	–	1	–
TEDDINGTON ...	–	2		–	1	–
TOTTENHAM ...	–	10	3	–	13	–
TWICKENHAM ...	–	–	–	–	2	M. 1 N. 1
UXBRIDGE ...	–	1	–	–	2	–
WEALDSTONE ...	–	1	–	–	–	N. 1
WEMBLEY ...	–	3	1	–	2	–
WILLESDEN ...	–	8	8	–	16	D. 1
WOOD GREEN ...	–	1	–	–	–	–
YIEWSLEY AND WEST DRAYTON	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	2	3	–	1	N. 1
NORFOLK ...	7	11	7		10	D. 1 G. 1 N. 5
GREAT YARMOUTH C.B.	–	1	2		5	–
NORWICH C.B. ...	7	5	3	–	4	D. 1 N. 2
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
CROMER	–	1	–	–	–	–
EAST DEREHAM...	–	1	–	–	–	–
KING'S LYNN ...	–	1	–	–	–	–
SHERINGHAM ...	–	–	–	–	1	–
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	–
DEPWADE ...	–	1	–	–	–	–
FOREHOE	–	–	2	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	–	N. 1
ST. FAITH'S ...	–	–	–	–	–	N. 1
SMALLBURGH ...	–	–	–		–	G. 1
SWAFFHAM ...	*	*	*	*	*	*
WALSINGHAM ...	–		–	–	–	N. 1
WAYLAND ...	*	*	*	*	*	*
NORTHAMPTON	–	14	2	–	9	C. 1 M. 1
NORTHAMPTON C.B.	–	1	1	–	7	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	1	–	–	–	–
FINEDON	–	–	–	–	–	M. 1
HIGHAM FERRERS	–	–	1	–	–	–
KETTERING ...		4	–	–	–	C. 1
ROTHWELL ...	–	2	–	–	–	–
RUSHDEN... ...	–	1	–	–	1	–
WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	3	–	–	–	–
POTTERSPURY ...	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND.	–	45	5	1	23	G. 1 L. 3 M. 4 N. 2
Newcastle upon Tyne C.B.	–	20	3	1	11	L. 3 M. 3
Tynemouth C.B.	–	1	–	–	3	G. 1
Boroughs and Urban Districts:—						
Ashington ...	–	3	–	–	2	–
Bedlingtonshire	–	1	–	–	–	–
Blyth	–	2	–	–	1	–
Cramlington ...	–	2	–	–	–	–
Earsdon	–	1	1	–	–	–
Hexham	–	–	–	–	1	–
Morpeth ..	–	–	–	–	–	M. 1
Newburn ...	–	2	–	–	–	–
Rothbury ...	–	1	–	–	–	–
Wallsend ...	–	1	–	–	2	–
Weetslade ...	–	1	–	–	–	–
Whitley and Monkseaton	–	6	–	–	–	–
Rural Districts:—						
Alnwick... ...	–	–	–	–	–	N. 1
Belford	–	–	–	–	1	–
Bellingham ...	–	–	–	–	1	N. 1
Castle Ward ...	–	1	–	–	1	–
Hexham	–	1	1	–		–
Morpeth... ...	–	1	–	–	–	–
Rothbury ...	–	1	–	–	–	–
NOTTINGHAM ...		23	5	1	29	D. 1 M. 2 N. 3
Nottingham C.B.		9	1	–	13	M. 1 N. 2
Boroughs and Urban Districts:—						
Beeston	–	2	–	–	2	–
Carlton	–	1	–	–	1	–
East Retford ...	–	1	–	–	2	–
Eastwood ...	–	–	–	–	1	–
NOTTINGHAM—cont.						
Boroughs and Urban Districts—cont.						
Hucknall ...	–	1	–	–	–	–
Huthwaite ...	–	–	–	–	–	D. 1
Mansfield ...	–	1	–	–	1	N. 1
Mansfield Woodhouse	–	1	–	–	–	–
Sutton in Ashfield	–	–	2	1	–	–
West Bridgford	–	1	1	–	2	–
Worksop ...	–	1	–	–	5	–
Rural Districts:—						
Basford	–	1	1	–	1	–
Bingham... ...	–	2	–	–	–	–
Skegby	–	1	–	–	–	–
Southwell ...	–	1	–	–	–	–
Stapleford ...	–	–	–	–	–	M. 1
Worksop... ...	–	–	–	–	1	–
OXFORD	–	4	–	–	–	N. 1
Oxford C.B. ...	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
Wheatley ...	–	1	–	–	–	–
Rural Districts:—						
Thame	–	2	–	–	–	–
Witney	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	1	1	–	–	–
Borough:—						
Peterborough...	–	1	1	–	–	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	6	5	–	4	D. 1 N. 1
Boroughs and Urban Districts:—						
ELLESMERE ...	–	–	1	–	–	–
LUDLOW	–	1		–	–	–
MARKET DRAYTON	–	1	–	–		–
OSWESTRY ...	–	–	–	–	1	–
SHREWSBURY ...	–	–	–	–	1	–
WELLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
CHURCH STRETTON	–	1	2	–	–	–
ELLESMERE ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
SHIFNAL		–	1	–	–	D. 1
WELLINGTON ...		1	–	–	1	N. 1
WEM	–	–	–	–	1	–
SOMERSET ...	–	4	8	–	6	M. 1 N. 1
BATH C.B. ...	–	–	2	–	–	N. 1
Boroughs and Urban Districts:—						
BRIDGWATER ...	–	1	–	–	–	M. 1
FROME	–	2	3	–	–	–
STREET		–	–	–	1	–
WESTON SUPER MARE	–		1	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	1	–	–	–	–
WINCANTON ...	–	–	1	–	2	–
YEOVIL	–	–	1	–	1	–
SOUTHAMPTON	–	26	25	1	13	E. 1 M. 2 N. 2
BOURNEMOUTH C.B.	–	1	–	–	3	–
PORTSMOUTH C.B	–	12	4	–	–	M. 2
SOUTHAMPTON —*cont.*						
SOUTHAMPTON C.B.	–	2	4	–	1	E. 1 N. 1
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	4	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–		–	2	–
FAREHAM ...	–		10	–	–	–
GOSPORT	–	3	1	–	1	–
HAVANT	–	1	–	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	–	–	–	–	N. 1
CATHERINGTON ...	–		1	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	1	–	–	3	–
HARTLEY WINTNEY	–	1	–		–	–
HAVANT	–	3	–	1	–	–
HURSLEY	–	–	–	–	1	–
PETERSFIELD ...	–	–	–	–	1	–
SOUTH STONEHAM	–	–	1	–	–	–
WHITCHURCH ...	–	–		–	1	–
STAFFORD ...	–	43	30	–	50	C. 1 M. 7 N. 4
BURTON UPON TRENT C.B.	–	–	2	–	1	–
SMETHWICK C.B.	–	4	3	–	3	–
STOKE ON TRENT C.B.	–	4	6	–	20	C. 1 M. 1
WALSALL C.B. ...	–	4	3	–	2	N. 1
WEST BROMWICH C.B.	–	4		–	1	–
WOLVERHAMPTON C.B.	–	4	2	–	1	M. 2 N. 2
Boroughs and Urban Districts:—						
AUDLEY	–	–	1	–	–	–
BIDDULPH ...	–	3	–	–	1	M. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
BILSTON	–	–	–	–	1	–
BROWNHILLS ...	–	–	–	–	2	–
CANNOCK	–	–	–	–	1	–
COSELEY	–	–	–	–	1	–
DARLASTON ...	–	–	–	–		M. 1
LEEK	–	–	6	–	–	–
LICHFIELD ...	–	1	–	–	1	–
NEWCASTLE UNDER LYME	–	–	2	–	1	–
ROWLEY REGIS ...	–	3	–	–	4	–
SHORT HEATH ...	–	–	–	–	1	–
TIPTON	–	4	–	–	3	M. 1
WEDNESBURY ...	–	–	1	–	–	N. 1
WILLENHALL ...	–	3	1	–	3	–
Rural Districts:—						
CANNOCK	–		2	–	1	–
CHEADLE	–	5		–	–	M. 1
KINGSWINFORD ...	–	2				–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	1	–	2	–
TAMWORTH (part)		1	–	–	–	–
TUTBURY	*	*	*	*	*	*
SUFFOLK, EAST		13	13	–	3	C. 1 N. 2
IPSWICH C.B. ...	–	10	13	–	1	–
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	–	–	–	N. 1
LOWESTOFT ...	–	1	–		1	C. 1 N. 1
Rural Districts:—						
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST	–	2	1	–	–	–
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	2	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
SURREY	–	36	19	–	19	C. 1 E. 1 N. 5
CROYDON C.B. ...	–	9	6	–	3	C. 1 N. 3
Boroughs and Urban Districts:—						
BARNES	–	1	–	–	2	–
BEDDINGTON AND WALLINGTON	–	1	1	–	–	–
CARSHALTON ...	–	2		–	2	–
EAST AND WEST MOLESEY	–	–	1	–	1	–
EGHAM	–	3	2		–	–
ESHER AND THE DITTONS	–	–	–	–	2	–
GODALMING ...	–	1	–	–	–	–
HASLEMERE ...	–	4			–	–
KINGSTON ON THAMES		2	1	–	2	–
MERTON AND MORDEN	–	3	–	–	1	E. 1
MITCHAM	–	–	1	–	–	–
REIGATE		1	–	–	–	–
RICHMOND ...		–	–	–		N. 1
SURBITON ...	–	2	–	–	3	–
SUTTON AND CHEAM	–	1	1		–	–
THE MALDENS AND COOMBE	–	–	–	–	–	N. 1
WIMBLEDON ...	–	2	2	–	–	–
WOKING	–	–	1	–	1	–
Rural Districts:—						
DORKING	–	–	–	–	2	–
EPSOM	–	1	1	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts—*cont.*						
FARNHAM ...	-	1	1	-	-	-
HAMBLEDON ...	-	2	-	-	-	-
REIGATE	-	-	1	-	-	-
SUSSEX, EAST ...	-	10	7	-	4	C. 1 M. 4 N. 1
BRIGHTON C.B. ...	-	5	2	-	1	M. 4 N. 1
EASTBOURNE C.B.	-	1	1	-	1	-
HASTINGS C.B. ...	-	1	2	-	1	-
Boroughs and Urban Districts:—						
BURGESS HILL ...	-	1	-	-	-	-
HOVE	-	-		-	1	-
LEWES	-	-	1	-	-	-
Rural Districts:—						
CHAILEY	-	1	-	-	-	-
CUCKFIELD ...	-	-	1	-	-	-
TICEHURST ...	-	-		-	-	C. 1
UCKFIELD ...	-	1	-	-	-	-
SUSSEX, WEST ...	-	3	1	-	-	N. 1
Boroughs and Urban Districts:—						
BOGNOR REGIS ...	-	-	1	-	-	-
SHOREHAM BY SEA	-	1	-	-	-	-
SOUTHWICK ...	-	-	-	-	-	N. 1
WORTHING ...	-	1	-	-	-	
Rural Districts:—						
EAST PRESTON ...	-	1	-	-	-	-
WARWICK ...	1	79	40	7	89	C. 1 L. 3 M. 14 N. 5
BIRMINGHAM C.B.	-	59	37	4	68	C. 1 L. 3 M. 13 N. 3
COVENTRY C.B. ...	-	4	1	-	3	N. 1
Boroughs and Urban Districts:—						
BEDWORTH ...	-		-	-	1	-
NUNEATON ...	1	3	-	-	3	-
ROYAL LEAMINGTON SPA	-	-	-	-	3	-
RUGBY	-	-	1	-	-	-
SUTTON COLDFIELD	-	1	1	1	-	N. 1
Rural Districts:—						
ALCESTER ...	-	-	-	-	1	-
FOLESHILL ...	-	-	-	-	1	-
MERIDEN	-	3	-	-	2	-
NUNEATON ...	-	-	-	-	3	-
RUGBY	-	-	-	-	1	-
SHIPSTON ON STOUR	-	-	-	-	2	-
SOLIHULL ...	-	4	-	2	-	-
SOUTHAM	-	3	-	-	-	-
STRATFORD ON AVON	-	-	-	-	-	M. 1
TAMWORTH (part)	-	1	-	-	1	-
WARWICK ...	-	1	-	-	-	-
WESTMORLAND	-	3	-	-	3	-
Boroughs and Urban Districts:—						
SHAP	-	2	-	-	-	-
Rural Districts:—						
EAST WESTMORLAND	-	-	-	-	2	-
SOUTH WESTMORLAND	-	1	-	-	1	-

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF	–	7	5	–	1	N. 1
Boroughs and Urban Districts:—						
NEWPORT ...	–	–	–	–	1	N. 1
VENTNOR... ...	–	–	5	–	–	
Rural Districts:—						
ISLE OF WIGHT ...	–	7	–	–	–	–
WILTS		4	5	–	7	–
Boroughs and Urban Districts:—						
BRADFORD ON AVON	*	*	*	*	*	*
MELKSHAM ...	–	–	–	–	1	–
SWINDON... ...	–	1	3	–	5	–
TROWBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
BRADFORD ON AVON	*	*	*	*	*	*
CRICKLADE AND WOOTTON BASSETT	–	–	2	–	–	–
HIGHWORTH ...	–	–	–	–	1	–
MERE	–	1	–	–	–	–
PEWSEY	–	1	–	–	–	–
TISBURY	–	1	–	–	–	–
WORCESTER ...	–	10	3	–	10	C. 1 D. 1 G. 1 M. 2
DUDLEY C.B. ...	–	–	–	–	3	G. 1 M. 1
WORCESTER C.B.	–	1	1	–	3	–
WORCESTER— *cont.*						
Boroughs and Urban Districts:—						
HALESOWEN ...	–	–	–	–	–	C. 1
KIDDERMINSTER	–	2	1	–	–	M. 1
MALVERN ...	–	–	–	–	1	
NORTH BROMSGROVE	–	1	–	–	–	–
OLDBURY... ...		4	1	–	–	–
STOURBRIDGE ...	–	–	–	–	1	–
STOURPORT ...	–	1	–	–	–	
Rural Districts:—						
MARTLEY... ...	–	1	–	–	–	–
PERSHORE ...	–	–	–	–	1	D. 1
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	16	38	–	18	M. 1 N. 3
KINGSTON UPON HULL C.B.	–	13	33	–	14	M. 1 N. 3
Boroughs and Urban Districts:—						
BRIDLINGTON ...	–	–	1	–	–	
COTTINGHAM ...	–	–	–	–	1	–
HESSLE	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
BRIDLINGTON ...	–	–	–	–	1	–
DRIFFIELD ...	–	2	–	–	–	–
HOWDEN	–	–	1	–	–	–
PATRINGTON ...	–	–	1	–	–	–
POCKLINGTON ...	–	–	–	–	1	–
RICCALL	–	–	1	–	–	–
SKIRLAUGH ...	–	1	–	–	–	–

* Returns not received.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	–	24	2	–	35	G. 1 M. 1
MIDDLESBROUGH C.B.		3	1	–	14	–
Boroughs and Urban Districts:—						
ESTON		18	1	–	6	–
GUISBOROUGH ...	–	2	–	–	2	–
REDCAR		–		–	4	–
SCARBOROUGH ...	–	1	–	–	3	–
SKELTON AND BROTTON	–	–	–	–	1	–
THORNABY ON TEES	–	–	–	–	1	–
Rural Districts:—						
BEDALE	–	–	–		1	–
EASINGWOLD ...	–	–	–	–	1	G. 1
GUISBOROUGH ...	–	–	–	–	1	–
LEYBURN	–	–	–	–	1	M. 1
YORKS ... ... (West Riding).	–	131	100	2	118	C. 2 D. 6 L. 4 M. 3 N. 6
BARNSLEY C.B. ...	–	2	1		4	D. 1
BRADFORD C.B. ...	–	10	5	–	10	C. 1 L. 4 M. 1
DEWSBURY C.B....	–	2	7	–	–	–
DONCASTER C.B....	–	3	1	–	–	–
HALIFAX C.B. ...	–	7	12	–	2	N. 1
HUDDERSFIELD C.B.	–	4	6		5	N. 1
LEEDS C.B. ...	–	23	29	–	20	M. 1 N. 1
ROTHERHAM C.B.	–	–	4		6	M. 1
SHEFFIELD C.B....	–	15	8	–	25	D. 1 N. 2
WAKEFIELD C.B.	–	12	3	–	5	–
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	–	4	–	1	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
ARDSLEY, EAST AND WEST	–	1	–	–	–	–
BINGLEY	–	–	–	–	1	–
BIRSTAL		–	–	–	1	–
BOLTON UPON DEARNE	*	*	*	*	*	*
BRIGHOUSE ...	–	2	–	–	1	–
CASTLEFORD ...	–	2	–	–		–
CLAYTON WEST ...	–	1	–	–		–
GARFORTH ...	–	1	–		–	–
GOOLE	–	4	–	–	–	–
HARROGATE ...	–	1	–	–	2	–
HAWORTH ...	–	3	–	–	–	–
HECKMONDWIKE	–	1	–	–		–
HEMSWORTH ...	–	1	1	–	1	–
HOLMFIRTH ...	–	1	–	–	–	–
HORBURY... ...	–	–	3	–	1	–
HORSFORTH ...	*	*	*	*	*	*
HOYLAND NETHER	–	–	–		1	D. 1
HOYLAND SWAINE	*	*	*	*	*	*
KEIGHLEY ...	–	2	–	–	–	–
KIRKBURTON ...	–	–	–	–	1	–
KNARESBOROUGH	–		1	–	–	–
KNOTTINGLEY ...	–	–	–	–	1	–
LUDDENDEN FOOT	–	–	4	–	–	–
MARSDEN... ...	–	–	–	–	1	–
MEXBOROUGH ...	–	–	–	–	1	–
MIDGLEY... ...	–	–	–	–	1	–
MORLEY	–	1	–	–	6	–
NORMANTON ...		4	–	–	2	–
OSSETT	–	1	–	–	1	–
OTLEY	–	–	–	–	1	–
PONTEFRACT ...	–	2	–	–	1	–
PUDSEY	–	1	1	–	2	–
RAWMARSH ...	–	–	–	–	1	–
ROTHWELL ...	–	4	–	–	–	–
SHELLEY	–	1	–	–	1	–
SILSDEN	–	2	–	–	–	–
SOUTHOWRAM ...	–	1	–	–	–	–
SOWERBY... ...	–	2	1	–	–	–
SOYLAND	–	–	–	–	1	–
STAINLAND ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	1	–	–	–	D. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—*cont.*						
SWINTON	–	–	–	–	1	C. 1
THURNSCOE ...	–	1	1	–	–	–
TODMORDEN ...	–	–	–	–	1	–
WATH UPON DEARNE	–	1	1	–	–	–
WHITWOOD ...	–	–	–	–	1	–
WOMBWELL ...	–	–	–	–	2	–
WORSBOROUGH ...	–	–	–	–	1	–
Rural Districts:—						
BOWLAND ...	–	1	–	–	–	–
HEMSWORTH ...	–	4	1	1	2	N. 1
KIVETON PARK ...		1	–	–	–	–
PENISTONE ...	*	*	*	*	*	*
PONTEFRACT ...	–	1	–	–	1	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	–	–		1	–
SELBY	–	1	–	–	–	–
SETTLE	–	–	3	–	–	–
TADCASTER ...	–	1	–	–		
THORNE	–	1	2	–	–	D. 1
WAKEFIELD ...	–	–	–	1	1	–
WETHERBY ...	–	–	1	–	–	–
YORK, CITY OF ..	–	3	6	–	–	–
YORK C.B. ...	–	3	6	–	–	–
–						

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WALES.						
ANGLESEY ...	–	3	–	–	2	N. 1
Boroughs and Urban Districts:—						
HOLYHEAD ...	–	–	–	–	–	N. 1
Rural Districts:—						
TWRCELYN ...	–	–	–	–	2	–
VALLEY	–	3		–	–	–
BRECKNOCK ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*
BRYNMAWR ...	–	–	–	–	1	–
HAY	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
YSTRADGYNLAIS	–		1	–	1	–
CAERNARVON...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	–	1		–	–
Rural Districts:—						
GWYRFAI... ...	–	1	–		–	–

* Returns not received.

, Puerperal Fever"; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–	1	–	–	–	–
CARDIGAN ...	–		–	–	1	–
Rural Districts:—						
ABERAYRON ...	–	2	–	–	–	–
CARDIGAN ...	–	2	–	–	–	–
CARMARTHEN ...	–	2	3	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	–	3	–	4	C. 1
Rural Districts:—						
CARMARTHEN ...	–	–	–	–	–	M. 1
LLANDILO FAWR ...	–	1	–	–	–	–
WHITLAND ...	–	1	–	–	–	–
DENBIGH ...	–	4	40	–	1	N. 1
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	1	5	–	–	–
WREXHAM ...	–	–	10	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	–	–	–	1	–
LLANRWST ...	–	1	–	–		–
LLANSILIN ...	–	–	4	–	–	–
ST. ASAPH (DENBIGH)	–	–	–	–	–	N. 1
WREXHAM ...	–	2	21	–	–	–
FLINT	–	1	8	–	3	N. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	–	4	–	–	
MOLD	*	*	*	*	*	*
RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	2	–
HOLYWELL ...	–	–	2	–	1	N. 1
ST. ASAPH (FLINT)	–	–	1	–	–	–
GLAMORGAN ..	–	33	47	–	34	C. 2 D. 1 M. 3 N. 4
CARDIFF C.B. ...	–	10	6	–	2	C. 1 M. 3
MERTHYR TYDFIL C.B.	–	1	–	–	–	–
SWANSEA C.B. ...	–	2	10	–	2	N. 1
Boroughs and Urban Districts:—						
ABERDARE ...	–	3	2	–	1	–
BARRY	–	1	–	–	4	–
CAERPHILLY ...	–	2	–	–	1	–
GELLIGAER ...	–	1	1	–	–	–
LLWCHWR ...	–	–	3	–	1	–
MAESTEG	–	–	2	–	1	–
MOUNTAIN ASH ...	–	5	1	–	–	–
NEATH	–	1	2	–	1	–
OGMORE AND GARW	–	–	1	–	4	–
PENARTH	–	1	2	–	–	–
PONTYPRIDD ...	–	1	–	–	3	–
PORTHCAWL ...	–	1	1	–	–	–
RHONDDA ...	–	3	9	–	13	C. 1 N. 2
Rural Districts:—						
CARDIFF	–	1	–	–	–	D. 1
GOWER	–	–	–	–	1	–
LLANTRISANT AND LLANTWIT-FARDRE	–	–	1	–	–	N. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN— *cont.*						
Rural Districts— *cont.*						
Neath	–	–	4	–	–	–
Penybont ...	–	–	1	–	–	–
Pontardawe ...	–	–	1	–	–	–
MERIONETH ...	–	1		–	–	N. 1
Rural Districts:—						
Deudraeth ...	–	1	–	–	–	–
Edeirnion ...	–	–	–	–	–	N. 1
MONMOUTH ...	–	59	11	–	8	N. 1
Newport C.B. ...	–	27	1	–	5	–
Boroughs and Urban Districts:—						
Abercarn ...	*	*	*	*	*	*
Abergavenny ...	–		3	–	–	–
Abersychan ...	–	1	–	–	–	–
Abertillery ...	–	2	1	–	–	–
Bedwellty ...	–	5	2	–	–	–
Blaenavon ...	–	–	1	–	–	–
Caerleon ...	–				1	–
Ebbw Vale ...	–	2	–	–	1	–
Mynyddislwyn	–	4	–	–	–	–
Rhymney ...	–	8	1	–	–	–
Tredegar ...	–	1	–	–	1	–
Rural Districts:—						
Abergavenny ...	–	4	2	–	–	N. 1
Chepstow ...	–	2	–	–	–	–
St. Mellons ...	–	3	–	–	–	–
PEMBROKE ...	–	–	2	–	1	G. 1
Borough and Urban Districts:—						
Milford Haven	–	–	–	–	1	–
Rural Districts:—						
Pembroke ...	–	–	1	–	–	–
St. Dogmells ...	–	–	1	–	–	G. 1
RADNOR	–	8	–	–	–	–
Urban Districts:—						
Presteigne ...	–	3	–	–	–	–
Rural Districts:—						
Knighton ...	–	1	–	–	–	–
Painscastle ...	*	*	*	*	*	*
Rhayader ...	–	4	–	–	–	–
Total of Part II....	26	1277	826	23	1166	C. 24 D. 25 E. 3 G. 10 L. 13 M. 78 N. 96

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIFF	–	–	–	1	–	–	NEWPORT (MON.) ...	–	–	–	–	1	–
MANCHESTER	*	*	*	*	*	*	**Total of Part III.** ..	–	–	–	1	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	18	221	167	5	191	C. 3 D. 1 E. 2 M. 9 N. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	26	1277	826	23	1166	C. 24 D. 25 E. 3 G. 10 L. 13 M. 78 N. 96
Total of Part III.—Port Sanitary Districts	–	–	–	1	1	–
Total (i.e., of returns received), England and Wales ...	44	1498	993	29	1358	C. 27 D. 26 E. 5 G. 10 L. 13 M. 87 N. 109

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
er ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain Ca and Deaths of Infants under 1 Yea Age) and Notified Cases of certain fectious Diseases in the last Thirt Weeks and in the Current Year to with corresponding figures for previous ye

Week ended:—	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19	Totals from Week of ye 1930.	1
LONDON:—															
Live Births	1,322	1,412	1,311	1,334	1,305	1,299	1,334	1,291	1,334	1,293	1,180	1,272	1,176	71,307	6
Stillbirths	34	51	53	44	35	36	39	33	46	47	58	51	38	2,598	
Deaths (excluding Still-births)—all ages.	809	880	831	853	817	970	1,036	1,012	1,034	1,002	1,039	1,067	1,053	47,453	5
Deaths—0 to 1 year ..	68	61	64	63	73	71	109	111	74	106	117	104	112	3,885	
GREAT TOWNS, aggregate (including London):—															
Live Births	6,246	6,337	6,279	6,053	6,065	6,010	6,203	5,874	5,909	5,688	5,714	6,045	5,608	326,828	31
Stillbirths	252	270	252	262	254	253	238	260	309	237	268	275	244	14,262	1
Deaths (excluding Still-births)—all ages.	3,655	3,819	3,686	3,710	3,791	4,533	4723	4,451	4,484	4,527	4,575	4,703	4,81[illegible]	214,118	23
Deaths—0 to 1 year ..	317	328	316	324	338	382	436	441	407	421	457	483	463	19,796	2
Enteric Fever—Cases	18	13	16	24	17	16	14	19	20	18	23	18	14	1,300	
" Deaths	2	1	—	—	1	1	1	2	1	—	5	2	—	112	
Small Pox—Cases ..	35	31	25	37	31	37	66	45	48	48	53	42	31	8,641	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	20	
Scarlet Fever—Cases	997	1,134	1,102	1,089	1,068	1,117	1,082	1,111	1,064	1,170	1,002	1,039	870	59,782	4
" Deaths	5	2	3	5	6	5	1	5	4	4	3	8	6	388	
Diphtheria—Cases ..	534	600	570	606	723	625	644	664	668	708	675	632	638	43,378	3
" Deaths ..	19	24	32	34	25	23	33	29	24	31	39	32	24	1,870	
Measles—Deaths ..	5	6	7	11	21	21	22	24	15	35	39	29	44	2,771	
Influenza—Deaths ..	28	35	33	31	37	48	66	71	82	91	90	115	132	2,111	

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no correc having been made for changes in boundary. The live births are derived from the weekly returns furnished by Registrars and differ from those published for the towns in the Quarterly Return which are corrected for bi occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 19th December, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainf in Mill metr
	°	°	°	°			°	°	°	°	
London (Greenwich).	49	26	42·4	37·6	2	Huddersfield	49	25	42·9	33·6	3
Brighton ..	50	29	46·1	38·9	0·3	Bradford ..	49	25	41·3	34·9	1
Portsmouth ..	50	31	45·8	39·8	0	Sheffield ..	50	27	41·1	38·1	2
Norwich(South-well Lodge)	47	26	43·1	35·7	2	York (Museum)	51	26	43·4	35·6	0
Plymouth ..	49	32	47·1	40·7	0	Hull (Pearson Park).	50	30	44·0	37·7	0
Bristol (Horfield)	51	24	43·6	36·7	1	Tynemouth ..	50	31	43·9	37·7	1
Birmingham (Edgbaston).	48	29	42·0	37·1	1	Cardiff	52	25	44·9	36·3	1
Nottingham ..	49	23	41·4	35·3	1	Edinburgh ..	50·0	34·0	45·4	38·3	5
Birkenhead (Bidston).	49	30	43·4	39·6	5	Glasgow ..	50·7	36·9	45·3	40·3	4
Manchester (Whitworth Park).	50	28	43·9	36·4	3	Dublin (Phœnix Park)	§	§	§	§	§
						(Fitzwilliam Square†).	§	§	§	§	§
Burnley	49	24	43·3	35·9	2	Belfast	§	§	§	§	§

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly: 1 inch = 25·4 millimetres.
§ Returns not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 19th December, 1931.

[*Under the Superintendence of the Astronomer Royal.*]

1931 MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	13	..	30·389	47·2	44·4	2·8	45·6	+ 5·1	42·4	3·2	7·2	1·0	82	46·0	42·0	48·0	Calm: SW.	WSW	1·1	0·0	0·1	215	- 103	0·01
MONDAY -	14	..	30·163	46·2	43·9	2·3	45·4	+ 4·7	38·8	6·6	7·8	5·4	78	46·0	40·7	48·0	WSW: W.	W: WSW.	0·7	0·0	0·1	269	- 49	0·00
TUESDAY -	15	..	30·048	49·0	43·8	5·2	46·5	+ 5·7	43·0	3·5	7·2	0·0	87	52·1	41·9	48·0	WSW	W: NNW: NE.	0·6	0·0	0·1	235	- 81	0·08
WEDNESDAY	16	First Quarter	30·290	44·4	38·6	5·8	41·8	+ 1·1	30·9	10·9	18·0	2·0	65	51·9	31·1	48·0	ENE: NE.	NE	0·8	0·0	0·0	187	- 127	0·00
THURSDAY -	17	In Equator	30·407	42·0	32·8	9·2	37·9	- 2·5	34·4	3·5	7·5	1·6	87	49·2	24·7	47·9	Calm	NNE	0·3	0·0	0·0	145	- 164	0·00
FRIDAY -	18	Apogee.	30·493	33·7	28·9	4·8	31·5	- 8·5	30·9	0·6	2·2	0·0	99	32·3	21·5	47·8	Calm	Calm	0·0	0·0	0·0	85	- 217	0·00
SATURDAY -	19	..	30·493	36·0	26·1	9·9	31·4	- 8·1	29·3	2·1	5·5	0·0	92	38·7	20·4	47·7	Calm	Calm	0·1	0·0	0·0	69	- 226	0·00
MEANS -		..	30·326	42·6	36·9	5·7	40·0	- 0·4	35·7	4·3	7·9	1·4	85	45·2	31·8	47·9	WSW		...	...	...	Sum 1205	Sum - 967	Sum 0·09
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	13	No record taken.	0·0	7·9	Overcast throughout. Damping 1h. till 3h.; and then occasionally till 12h. Fog till 11h.: then mist.
MONDAY ...	14		0·0	7·9	Overcast throughout; and mist.
TUESDAY ..	15		0·0	7·9	Overcast throughout. Mist till 12h.; then fog till 18h. Damping 14¾h. till 22¾h.
WEDNESDAY	16		0·0	7·8	Overcast; with nearly cloudless period about 18½h. Damping 2h. till 3h. Mist in morning.
THURSDAY	17		0·0	7·8	Cloudy till 4h.; nearly overcast till 17½h.; then cloudless. Fog 6h. till 13h.; and 18½h. till 22h. Hoar frost in morning and at night.
FRIDAY ..	18		0·0	7·8	Overcast. Mist 1h. till 6h.; thick fog till 23h.; then fog. Hoar frost in morning.
SATURDAY	19		0·0	7·8	Overcast till 14½h.; cloudy till 17h.; cloudless till 22½h.; then overcast. Fog throughout. Hoar frost at night.
			Sum 0·0	Sum 54·9	
No. of Column ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·44 ins. at the beginning of the week to 30·02 ins. by 7h. on 15th; increased generally to 30·54 ins. by 3h. on 19th; decreased generally and was 30·50 ins. by midnight on the same day

FOR OFFICIAL USE

1931. No. 51.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 26TH DECEMBER, 1931

Crown Copyright Reserved

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1931.
Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. TABLE 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 26TH DECEMBER, 1931.

BIRTHS AND DEATHS.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the fifty first week of the year numbered 3,848 corresponding to an annual rate of 10·1 per 1,000 living: stillbirths numbered 197 corresponding to a rate of 47 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 4,859 (48 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.
107 Great Towns	12·1	12·4	12·7	12·8
London	12·4	12·7	12·5	12·0
Birmingham	10·9	10·3	11·7	11·9
Liverpool	16·1	16·2	17·4	14·5
Manchester	13·1	13·6	14·0	14·1
Sheffield	8·1	9·0	9·1	11·2
Leeds	10·9	14·6	13·6	15·0
Bristol	11·0	11·2	9·4	12·4
West Ham	11·6	12·5	13·9	13·0

During the last four weeks deaths from influenza numbered 90, 115, 132 and 140 respectively.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 74, against 70, 74, and 71 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 826 live births registered corresponding to an annual rate of 9·8 per 1,000 living: stillbirths numbered 27 corresponding to a rate of 27 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,011 (42 less than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 64, against 85, 75, and 80 in the preceding three weeks.

Note.—The abnormally low number of live births registered during the week is mainly due to delay in registration owing to the Christmas Holiday.

Table 1.—107 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS* registered in the week ended 26th December, 1931.

	TOWNS.	PROVISIONAL RESIDENT POPULATION, 1931.	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
	107 GREAT TOWNS ..	19,836,440*	3,848	197	4,259	479	3	39	3	46	26	43
	LONDON	4,377,000*	826	27	1,011	88	-	8	2	5	2	11
TOWNS IN OUTER RING.	CROYDON C.B. ..	233,000	32	1	58	3	-	-	-	1	-	-
	WIMBLEDON ..	58,830	8	-	7	-	-	-	-	-	-	-
	EALING	117,400	13	-	23	1	-	-	-	-	-	-
	ACTON	70,400	5	-	18	1	-	-	-	-	-	-
	BRENTFORD AND CHISWICK ..	62,620	6	-	14	-	-	-	-	-	-	-
	WILLESDEN ..	185,300	20	1	41	3	-	-	-	-	-	1
	HENDON	114,600*	20	2	21	1	-	-	-	-	1	-
	HORNSEY	95,440	5	-	13	2	-	-	-	-	-	-
	WOOD GREEN ..	54,460	8	-	11	-	-	-	-	-	-	-
	TOTTENHAM ..	159,100	30	2	38	2	-	-	-	-	-	-
	EDMONTON	77,530	39	1	12	-	-	-	-	-	-	-
	ENFIELD	68,090	7	-	11	1	-	-	-	-	-	-
	WEST HAM C.B. ..	296,900	70	2	74	10	-	-	-	1	-	-
	EAST HAM C.B. ..	142,900	17	-	35	4	-	-	-	-	-	-
	LEYTON	128,600	15	-	21	1	-	-	-	-	-	-
	WALTHAMSTOW ..	134,300	14	-	23	3	-	-	-	1	-	-
	ILFORD	131,300	16	1	23	2	-	-	-	-	1	-
	GILLINGHAM	60,600*	15	-	7	1	-	-	-	-	-	-
	CANTERBURY C.B. ..	24,440*	4	-	8	-	-	-	-	-	-	-
	HASTINGS C.B. ..	61,870	6	-	18	-	-	-	-	-	-	-
	EASTBOURNE C.B. ..	55,670	16	-	9	-	-	-	-	-	-	-
	BRIGHTON C.B. ..	144,900*	25	-	30	3	-	-	-	-	-	1
	PORTSMOUTH C.B. ..	248,300*	54	2	59	9	-	-	-	1	1	-
	BOURNEMOUTH C.B. ..	108,600	10	1	25	4	-	-	-	-	-	1
	SOUTHAMPTON C.B. ..	175,300	25	2	39	2	-	-	-	1	-	-
	READING C.B.	97,450*	16	3	32	2	-	-	-	-	-	-
	OXFORD C.B.	80,530*	20	1	16	2	-	-	-	-	-	-
	NORTHAMPTON C.B. ..	92,940*	19	2	22	3	-	-	-	1	-	-
	LUTON	69,030	8	-	16	-	-	-	-	-	-	-
	CAMBRIDGE	66,850	7	-	12	-	-	-	-	-	-	-
	SOUTHEND-ON-SEA C.B.	117,900	14	-	33	2	-	-	-	-	1	-
	IPSWICH C.B.	87,630	21	2	16	2	-	-	-	-	1	-
	GREAT YARMOUTH C.B	56,690	6	-	11	1	-	-	-	-	-	-
	NORWICH C.B.	126,800*	28	3	26	1	-	-	-	-	1	-
	SWINDON	62,600	12	-	12	3	-	-	-	-	-	-
	EXETER C.B.	65,290*	10	2	17	2	-	-	-	-	-	-
	PLYMOUTH C.B. ..	207,600*	46	1	38	5	-	-	1	1	-	-
	BATH C.B.	68,120	8	-	15	2	-	-	-	1	-	-
	BRISTOL C.B.	399,500*	84	4	95	11	-	-	-	-	-	2
	GLOUCESTER C.B. ..	52,890	16	2	15	-	-	-	-	-	-	-
	STOKE-ON-TRENT C.B.	279,800	53	3	78	12	-	8	-	3	-	1
	BURTON-UPON-TRENT C.B.	49,920	6	1	12	1	-	-	-	1	-	-
	WOLVERHAMPTON C.B.	134,200	18	-	35	4	-	-	-	-	-	-
	WALSALL C.B.	104,200	29	2	27	1	-	-	-	1	-	-
	WEST BROMWICH C.B.	82,090	24	3	18	2	-	-	-	-	-	-
	DUDLEY C.B.	60,010	11	1	13	2	-	-	-	-	-	-
	WORCESTER C.B. ..	50,540	13	-	14	1	1	-	-	-	1	-
	BIRMINGHAM C.B. ..	1,011,300	183	10	230	25	-	-	-	5	-	3
	SMETHWICK C.B. ..	85,370	20	-	9	2	-	-	-	-	-	-
	COVENTRY C.B ..	168,500	30	1	34	2	-	-	-	-	-	-
	LEICESTER C.B. ..	241,200	49	1	54	4	-	-	-	-	-	1
	LINCOLN C.B.	66,110*	7	1	16	2	-	-	-	-	-	-
	GRIMSBY C.B.	92,180	15	1	23	1	-	-	-	-	1	-
	NOTTINGHAM C.B. ..	270,900	62	2	69	6	-	-	-	-	-	1
	DERBY C.B.	143,400*	20	2	47	3	-	-	-	-	1	-
	CHESTERFIELD	64,450	14	-	11	1	-	-	-	-	-	-
	STOCKPORT C.B ..	126,600	24	1	31	1	-	-	-	-	1	-
	CHESTER C.B.	41,370	7	2	8	1	-	-	-	-	-	-
	BIRKENHEAD C.B. ..	148,600	34	-	32	10	-	-	-	-	-	2
	WALLASEY C.B. ..	97,240	13	2	25	3	-	-	-	-	1	-
	LIVERPOOL C.B. ..	862,100	234	13	239	37	-	1	-	10	3	5
	BOOTLE C.B.	77,170	23	-	24	4	-	-	-	-	-	-
	ST. HELENS C.B.	108,200	27	-	34	5	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where diff from those of Col. (1) are as follows:—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290; Gilling 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B. 97,250; O C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 19 Bristol C.B., 399,200; Lincoln C.B., 66,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
SOUTHPORT C.B. ..	77,180	14	-	28	1	-	-	-	-	-	-	2
WIGAN C.B.	86,250	19	1	23	5	-	-	-	1	-	-	-
WARRINGTON C.B. ..	80,280*	26	2	26	5	-	-	-	-	-	-	1
BOLTON C.B	179,300	25	3	58	4	-	1	-	-	-	-	2
BURY C.B.	56,580*	13	1	23	2	-	-	-	-	-	1	5
MANCHESTER C.B. ..	773,300	176	12	209	11	1	11	-	3	-	1	14
SALFORD C.B.	226,100	35	3	70	4	-	1	-	-	2	-	5
ASHTON-UNDER-LYNE	51,850	11	2	15	4	-	1	-	-	-	-	-
OLDHAM C.B	142,000	23	1	41	2	-	1	-	-	-	-	-
ROCHDALE C.B. ..	91,190	13	-	32	-	-	-	-	-	-	-	2
BURNLEY C.B	99,300	13	2	27	2	-	-	-	1	-	-	2
BLACKBURN C.B ..	124,000	18	-	39	3	-	-	-	1	1	1	2
PRESTON C.B.	120,100	23	1	40	4	-	1	-	-	-	1	3
BLACKPOOL C.B. ..	97,880	13	2	37	1	-	-	-	-	1	-	2
BARROW-IN-FURNESS C.B.	86,700	16	1	13	-	-	-	-	-	1	-	1
HUDDERSFIELD C.B. ..	114,300	15	-	24	-	-	-	-	-	-	-	-
HALIFAX C.B.	98,770*	12	2	28	-	-	-	-	-	1	-	-
BRADFORD C.B. ..	300,800	51	2	85	4	-	-	-	-	-	1	2
LEEDS C.B	486,100	85	3	140	11	-	-	-	-	1	2	-
DEWSBURY C.B. ..	54,430	10	1	15	1	-	-	-	-	1	-	-
WAKEFIELD C.B ..	59,280	13	2	16	2	-	-	-	-	-	-	-
BARNSLEY C.B. ..	72,090	14	3	14	1	-	1	-	-	-	-	-
SHEFFIELD C.B. ..	517,300	91	8	111	14	-	-	-	1	-	1	2
ROTHERHAM C.B. ..	70,100	13	-	20	-	-	1	-	-	-	-	-
DONCASTER C.B. ..	63,260	19	1	12	2	-	-	-	-	-	-	-
YORK C.B.	85,910*	6	-	14	1	-	-	-	-	-	-	-
KINGSTON-UPON-HULL C.B.	314,800	72	4	91	15	-	-	-	3	2	-	3
MIDDLESBROUGH C.B.	138,800	32	1	32	7	-	1	-	-	-	-	-
DARLINGTON C.B. ..	72,620	15	2	18	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,350	16	-	21	5	-	1	-	-	-	-	-
WEST HARTLEPOOL C.B.	68,740	20	1	26	3	-	-	-	-	-	-	-
SUNDERLAND C.B ..	187,500	53	4	44	9	-	1	-	1	-	1	1
SOUTH SHIELDS C.B ..	114,400	26	3	29	4	-	-	-	-	-	2	-
GATESHEAD C.B. ..	123,700	30	-	43	7	-	-	-	1	-	-	1
NEWCASTLE-ON-TYNE C.B.	284,300*	98	6	79	9	-	-	-	1	-	2	3
TYNEMOUTH C.B. ..	64,750	27	2	19	4	1	-	-	-	-	1	-
CARLISLE C.B.	57,430*	9	1	20	4	-	-	-	-	-	-	1
NEWPORT (MON.) C.B.	89,500*	21	-	22	1	-	-	-	-	-	-	1
CARDIFF C.B.	223,700*	48	3	50	5	-	-	-	-	-	-	1
RHONDDA	142,700	26	4	34	4	-	1	-	-	-	-	-
MERTHYR TYDFIL C.B.	71,670	15	-	28	3	-	-	-	-	-	-	-
ABERDARE	49,010	12	-	7	3	-	-	-	1	-	-	-
SWANSEA C.B.	165,400	30	6	23	4	-	-	-	-	-	-	1
GREATER LONDON ..	8,179,740*	1,427	51	1,763	148	-	8	3	8	5	13	48
OUTER RING	3,802,740*	601	24	751	60	-	-	1	3	3	2	29
17 GREAT TOWNS IN OUTER RING	2,130,770*	325	10	448	34	-	-	-	3	2	1	18
REMAINDER OF OUTER RING	1,671,970*	276	14	303	26	-	-	1	-	1	1	11
EDINBURGH†	438,998	109	?	115	17	-	-	-	-	-	2	2
GLASGOW†	1,088,417	368	?	292	48	-	33	-	4	2	10	3
DUBLIN†	412,400	§	?	§	§	§	§	§	§	§	§	§
BELFAST†	415,151	106	?	109	19	-	-	1	-	-	4	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Return not received.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available perio**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœal Diseases† (under 2 years).
London‡	4,377,000	1931. Dec. 26	826	27	1011	12·0	–	–	8	2	5	2	11
Calcutta and Suburbs	1,077,264	Nov. 14	?	?	630‖	30·4	?	–	?	–	?	?	?
Bombay§	1,298,708	„ 28	650	49	459‖	20·5	4	–	–	–	1	2	13
Madras	647,533	„ 14	526	32	367	29·5	1	–	–	–	1	–	16
Sydney and Suburbs	1,257,860	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Sept. 30 (30 days)											
Perth (Metropolitan Area).	204,780	Oct. 24	71	?	42	10·7	–	–	–	–	–	–	–
Auckland (Urban Area).	215,730	Oct. 31 (31 days)											
Wellington (Urban Area).	142,540	Oct. 31 (31 days)											
Christchurch (Urban Area).	127,070	Oct. 31 (31 days)											
Cape Town	136,748	Nov. 21	51	5	40	15·2	–	–	1	–	–	–	–
Johannesburg	187,326	„ 14	86	8	48	13·3	–	–	1	–	–	–	4
Durban	61,667	„ 14	17	2	12	10·1	–	–	–	–	–	–	–
Paris	2,871,429	„ 30 (10 days)	1072	68	1012	12·9	2	–	1	–	6	9	19
Antwerp	295,146	Nov. 30 (15 days)	167	10	115	9·2	–	–	–	–	–	–	2
Amsterdam	764,438	Dec. 5	212	10	131	8·9	–	–	–	–	–	–	–
Copenhagen	615,700	„ 12	176	5	148	12·5	2	–	–	–	1	1	–
Stockholm	502,203	„ 5	120	–	102	10·6	–	–	–	–	–	–	1
Gothenberg	245,600	Nov. 28	?	?	40	8·5	–	–	–	–	1	–	–
Oslo	256,353	Dec. 12	45	–	42	8·5	–	–	–	–	–	–	–
Berlin	4,289,000	Nov. 28	847	18	874	10·6	2	?	–	–	2	7	3
Breslau	614,000	„ 28	102	7	136	11·5	–	?	–	–	1	2	1
Cologne	738,000	„ 28	168	6	142	10·0	–	?	–	–	2	1	4
Dresden	630,000	„ 28	119	1	120	9·9	–	?	–	1	–	–	–
Frankfort-on-Main	537,000	„ 28	93	3	102	9·9	–	?	–	–	–	–	1
Hamburg	1,138,000	„ 28	251	6	204	9·3	–	?	1	–	–	–	2
Leipzig	715,000	„ 28	131	5	123	8·9	–		–	–	–	–	2
Munich	730,000	„ 28	137	2	150	10·7	–	?	–	–	–	1	–
Budapest	1,009,089	„ 28	310	11	222	11·4	–	–	1	2	2	3	–
Warsaw	1,115,651	„ 28	?	12	220	10·3	1	–	–	1	1	2	3
Madrid	834,103	Nov 21	431	25	298	18·6	3	–	–	–	–	–	9
Cairo	1,160,700	Oct. 14	994	21	439	19·7	6	–	–	–	?	8	111
		„ 21	936	26	478	21·5	6	–	–	–	?	7	92
Alexandria	629,900	„ 14	459	6	283	23·4	1	–	–	–	?	1	56
		„ 21	496	7	286	23·7	1	–	1	–	?	1	57
New York	7,090,089	Nov. 21	2069	122	1406	10·3	–	–	–	2	3	5	8
Chicago	3,457,375	Dec. 4	1251	27	590	8·9	–	–	1	1	3	5	3
New Orleans	466,000	Nov. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Nov. 7	667	33	478	14·4	1	–	9	–	13	2	71

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of a*
or Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 14 deaths from Cholera in Calcutta, 4 in Bombay and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 26th December, 1931, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	48,638	51,669	1011	88	23	9	16	33	31	55	106	163	233	254
Enteric fever	23	21	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1012	101	8	2	5	-	1	-	-	-	-	-	-	-
Scarlet fever	103	62	2	-	1	1	-	-	-	-	-	-	-	-
Whooping cough	123	297	5	1	3	-	1	-	-	-	-	-	-	-
Diphtheria	437	243	2	-	-	-	1	-	-	1	-	-	-	-
Influenza	348	1061	19	-	-	-	-	2	-	4	3	3	4	3
Erysipelas	154	167	6	1	-	-	-	-	-	1	1	2	1	-
Acute Poliomyelitis, Polioencephalitis	11	6	1	-	-	-	-	-	-	1	-	-	-	-
Encephalitis lethargica	60	43	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	82	127	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—														
Respiratory system	3587	3652	67	-	-	1	-	11	13	9	18	10	2	3
Nervous system	223	219	5	1	-	1	1	1	-	-	1	-	-	-
Intestines and peritoneum	54	56	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	231	242	2	-	-	-	-	-	-	-	1	1	-	-
Cancer, cancerous diseases	187	190	4	1	-	-	-	1	-	-	-	-	1	1
Cancer	6582	6833	136	-	-	-	-	1	1	4	24	29	52	25
Rheumatic fever	167	136	3	-	-	-	2	-	1	-	-	-	-	-
Diabetes	515	539	12	-	-	-	-	-	-	-	2	4	2	4
Alcoholism	21	18	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	75	86	3	1	1	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	2003	1921	36	-	-	-	-	-	1	-	4	9	15	7
Epilepsy	192	168	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions" (not puerperal) ..	56	55	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	1208	1099	27	1	2	2	-	2	-	1	4	8	4	3
Pericarditis	17	19	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	234	187	5	-	-	-	1	1	2	1	-	-	-	-
Other diseases of heart	10341	11789	224	-	-	-	-	1	3	8	11	41	73	87
Other diseases of circulatory system	2065	2183	29	-	-	-	-	-	-	1	1	5	8	14
Bronchitis	1833	2493	74	11	2	-	1	-	-	1	5	8	17	29
Bronchо-pneumonia	1844	2633	71	28	4	1	-	4	1	-	5	6	11	11
Lobar pneumonia	1057	1204	36	1	2	1	-	5	1	5	5	5	7	4
Pneumonia (type not distinguished)	390	405	8	2	1	-	-	-	-	1	2	-	-	2
Other diseases of respiratory system	497	546	12	-	1	-	-	-	-	2	2	3	3	1
Diarrhœa and enteritis	774	693	11	11	-	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	337	297	4	-	-	-	1	-	1	-	1	-	-	1
Hernia, Intestinal obstruction	488	530	6	-	-	-	1	-	-	-	1	3	-	1
Cirrhosis of liver	216	219	5	-	-	-	-	-	-	1	-	2	1	1
Other diseases of digestive system ..	1218	1163	20	1	-	-	1	-	-	1	4	5	5	3
Acute nephritis	94	81	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	1731	1636	25	-	-	-	-	-	1	1	3	3	11	6
Other diseases of genito-urinary system,	808	868	13	-	-	-	-	-	1	1	-	2	5	4
Puerperal sepsis	116	117	1	-	-	-	-	-	-	1	-	-	-	-
Other causes incident to childbirth ..	92	124	2	-	-	-	-	1	1	-	-	-	-	-
Congenital malformations	325	312	2	2	-	-	-	-	-	-	-	-	-	-
Immature birth	925	957	15	15	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	170	150	1	1	-	-	-	-	-	-	-	-	-	-
Old age	1155	1203	36	-	-	-	-	-	-	-	-	2	34	
Suicide	570	578	13	-	-	-	-	-	5	4	3	1	-	
Burns and Scalds	95	140	6	-	1	-	1	1	-	-	-	-	1	2
Drowning	113	90	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	27	30	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	785	709	11	-	-	2	1	2	2	1	2	-	-	1
Other deaths by violence	786	757	11	-	-	1	-	-	1	2	-	2	2	3
Other specified causes	2073	2197	30	6	-	1	2	1	1	1	2	7	5	4
Undefined causes	6	10	1	1	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 26th December, 1931. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	14	172	108	2	153	C. 2 D. 1 E. 2 M. 5 N. 9
Metropolitan Boroughs:—						
BATTERSEA ...	–	10	8	–	5	M. 2
BERMONDSEY ...	–	5	2	–	9	–
BETHNAL GREEN	1	10	3	–	4	–
CAMBERWELL ...	2	14	7	–	11	–
CHELSEA	–	2	1	–	3	–
DEPTFORD ...	–	6	2	–	3	–
FINSBURY ...	–	1	5	–	–	–
FULHAM	–	5	2	1	1	N. 2
GREENWICH ...	–	2	5	1	4	–
HACKNEY... ...	1	10	3	–	4	M. 1 N. 1
HAMMERSMITH ...	–	5	1	–	3	–
HAMPSTEAD ...	–	7	2	–	2	–
HOLBORN... ...	–	–	1	–	5	–
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	1	14	12	–	17	C. 1 E. 1 M. 1 N. 1
KENSINGTON ...	–	5	4	–	1	–
LAMBETH ...	6	3	2	–	5	–
LEWISHAM ...	–	5	2	–	6	–
PADDINGTON ...	–	2	5	–	6	–
POPLAR	–	5	8	–	17	D. 1 N. 1
ST. MARYLEBONE	–	2	2	–	2	C. 1
ST. PANCRAS ...	1	9	3	–	7	M. 1 N. 2
SHOREDITCH ...	–	9	7	–	2	–
SOUTHWARK ...	–	5	4	–	6	N. 1
STEPNEY	1	16	6	–	2	–
STOKE NEWINGTON	–	1	–	–	1	–
WANDSWORTH ...	1	11	7	–	18	E. 1
WESTMINSTER, CITY OF	–	3	1	–	–	–
WOOLWICH ...	–	5	3	–	9	N. 1

‡ The letters in this column denote the following diseases.—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	8	–	–	8	M. 1
Boroughs and Urban Districts:—						
BEDFORD	–	2	–	–	4	–
DUNSTABLE ...	–	1	–	–	1	–
SANDY	–	2	–	–	–	–
Rural Districts:—						
BEDFORD	–	1	–	–	2	–
BIGGLESWADE ...	–	–	–	–	–	M. 1
EATON SOCON ...	–	2	–	–	1	–
BERKS	–	7	5	–	3	–
READING C.B. ...	–	4	2	–	1	–
Boroughs and Urban Districts:—						
MAIDENHEAD ...	–	2	3	–	–	–
Rural Districts:—						
BRADFIELD ...	–	–	–	–	1	–
EASTHAMPSTEAD	–	1	–	–	–	–
FARINGDON (part)	–	–	–	–	1	–
BUCKINGHAM ...	–	6	1	–	4	–
Boroughs and Urban Districts:—						
WOLVERTON ...	–	1	1	–	2	–
Rural Districts:—						
AMERSHAM ...	–	2	–	–	–	–
AYLESBURY ...	–	1	–	–	1	–
BUCKINGHAM ...	–	1	–	–	–	–
ETON		1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	8	–	–	4	–
Borough:—						
CAMBRIDGE ...	–	2	–	–	2	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	4	–	–	–	–
MELBOURN ...	–	1	–	–	1	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER ...	–	22	25	–	23	D. 1
BIRKENHEAD C.B.	–	7	4	–	16	–
STOCKPORT C.B. ...	–	5	3	–	1	–
WALLASEY C.B. ...	–	–	5	–	1	–
Boroughs and Urban Districts:—						
ALTRINCHAM ...	–	–	–	–	1	–
BEBINGTON AND BROMBOROUGH	–	2	1	–	–	–
BOWDON	–	–	–	–	1	–
BUGLAWTON ...	–	–	–	–	1	–
CHEADLE AND GATLEY	–	1	–	–	–	–
CREWE	–	3		–	–	–
HAZEL GROVE AND BRAMHALL	–	1	–	–	1	–
MACCLESFIELD ...	*	*	*	*	*	*
MARPLE	–	–	–	–	–	D. 1
MIDDLEWICH ...	–	–	–	–	1	–
NANTWICH ...	–	–	2	–	–	–
NORTHWICH ...	–	2	–	–		–
SALE	–	–	7	–	–	–
WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
CHESTER	–	–	1	–	–	–
CONGLETON ...	–	–	1	–	–	–
RUNCORN	–	–	1	–	–	–
TARVIN	–	1	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	4	6	–	6	C. 1 N. 1
Boroughs and Urban Districts:—						
CAMBORNE ...	–	–	4	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
PENZANCE ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. IVES	–	2	–	–	–	–
SALTASH	–	–	1	–	–	–
TORPOINT ...	–	–	–	–	3	–
TRURO	–	–	1	–	–	–
Rural Districts:—						
HELSTON	–	–	–	–	–	C. 1
LAUNCESTON ...	–	1	–	–	–	–
ST. AUSTELL ...	–	–	–	–	1	N. 1
CUMBERLAND ...	–	4	1	1	1	–
CARLISLE C.B. ...	–	2	1	1	–	–
Boroughs and Urban Districts:—						
MARYPORT ...	–	1	–	–	–	–
MILLOM	*	*	*	*	*	*
Rural Districts:—						
ALSTON WITH GARIGILL...	–	–	–	–	1	–
COCKERMOUTH ...	–	1	–	–	–	–
LONGTOWN ...	*	*	*	*	*	*
DERBY	4	18	7	3	23	C. 1 D. 2 L. 1 M. 1 N. 1
DERBY C.B. ...	–	4	1	–	8	–
Boroughs and Urban Districts:—						
ALFRETON ...	4	–	–	–	1	–
ASHBOURNE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:— *cont.*						
BAKEWELL ...	–	–	–	–	1	–
BOLSOVER ...	–	2	–	–	1	–
BONSALL	*	*	*	*	*	*
CHESTERFIELD ..	–	3	1	–	–	C. 1
DRONFIELD ...	*	*	*	*	*	*
HEANOR	–	–	–	–	2	L. 1
LONG EATON ...	–	1	–	–	1	N. 1
SOUTH DARLEY...	*	*	*	*	*	*
SWADLINCOTE DISTRICT	–	1	–	–	–	–
THE MATLOCKS...	–	–	2	2	–	–
Rural Districts:—						
BAKEWELL ...	–	4	–	–	–	–
BLACKWELL ..	–	–	1	–	1	D. 2 M. 1
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	1	2	–	4	–
CLOWNE	–	–	–	–	1	–
HARTSHORN AND SEALS	–	–		–	1	–
NORTON	–	–	–	1	1	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	16	15	1	10	C. 1 D. 1
EXETER C.B ...	–	–	–	1	1	C. 1
PLYMOUTH C.B.	–	12	10	–	4	D. 1
Boroughs and Urban Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
CREDITON ...	*	*	*	*	*	*
KINGSBRIDGH ...	–	1	–	–	–	–
SIDMOUTH ..	–	–	–	–	1	–
TEIGNMOUTH ...	–	1	–	–	–	–
TORQUAY	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I. Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	3	–	–	–
NEWTON ABBOT...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	–	–	–	2	–
SOUTH MOLTON...	–	–	1	–	–	–
TIVERTON ...	–	1	–	–	–	–
DORSET	–	1	2	–	2	–
Boroughs and Urban Districts:—						
POOLE	–	–	1	–	1	–
SWANAGE ...	–	–	1	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	1	–
WEYMOUTH ...	–	1	–	–	–	–
DURHAM ...	–	81	15	2	64	C. 1 D. 1 G. 1 N. 4
DARLINGTON C.B	–	7	–	1	3	C. 1
GATESHEAD C.B.	–	13	–	–	7	–
SOUTH SHIELDS C.B	–	2	1	–	11	–
SUNDERLAND C.B.	–	7	1	–	15	N. 1
WEST HARTLEPOOL C.B	–	–	–	–	2	G 1 N. 1
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	3	–	1	–	–
BILLINGHAM ...	–	–	1	–	1	–
BLAYDON... ...	–	3	–	–	–	–
CHESTER LE STREET	–	4	–	–	1	–
CROOK	–	–	–	–	1	–
FELLING	–	10	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
HEBBURN ...	–	2	–	–	–	–
HETTON	–	–	1	–	–	–
HOUGHTON LE SPRING	–	1	–	–	–	–
JARROW	–	–	–	–	6	–
RYTON	–	2	–	–	–	D. 1
SEAHAM HARBOUR	–	–	1	–	–	–
SHILDON	–	2	–	–	–	–
STANLEY	–	1	1	–	–	–
STOCKTON ON TEES	–	3	–	–	2	–
TANFIELD ...	–	1	3	–	–	–
WHICKHAM ...	–	2	–	–	2	–
WILLINGTON ...	–	–	–	–	–	N. 1
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	–
BARNARD CASTLE	–	–	–	–	1	–
CHESTER LE STREET	–	3	1	–	2	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	4	5	–	3	N. 1
HOUGHTON LE SPRING	–	2	–	–	2	–
LANCHESTER ...	–	4	–	–	1	–
SEDGEFIELD ...	–	1	–	–	1	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	1	–	–	1	–
WEARDALE ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	–	1	1	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	1	–	–	–
Rural Districts:—						
ELY	–	–	–	1	–	–
WISBECH... ...	–	–	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	6	67	44	–	63	C. 1 E. 2 G. 1 M. 1 N. 1
EAST HAM C.B....	–	7	–	–	1	–
SOUTHEND ON SEA C.B.	–	6	7	–	1	C. 1 E. 1
WEST HAM C.B.	5	7	2	–	24	E. 1
Boroughs and Urban Districts:—						
BARKING TOWN...	–	8	9	–	7	–
BRENTWOOD ...	–	–	–	–	1	–
BRIGHTLINGSEA...	–	–	–	–	1	–
BURNHAM ON CROUCH	*	*	*	*	*	*
CANVEY ISLAND	–	–	–	–	4	–
CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	2	1	–	–	–
COLCHESTER ...	–	1	1	–	3	–
DAGENHAM ...	–	6	5	–	3	–
EPPING	–	1	–	–	–	–
HARWICH ...	–	1	–	–	–	–
HORNCHURCH ...	–	1	–	–	–	–
ILFORD	–	4	2	–	4	N. 1
LEYTON	–	3	2	–	3	–
MALDON	–	–	–	–	1	–
RAYLEIGH ...	–	–	2	–	–	–
TILBURY	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
WALTHAMSTOW ...	1	8	10	–	9	G. 1
WOODFORD ...	–	1	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
BRAINTREE ...	–	2	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW	–	2	–	–	–	M. 1
EPPING	–	–	1	–	–	–
ONGAR	–	1	–	–	–	–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	12	20	–	5	M. 2 N. 1
BRISTOL C.B. ...	–	8	15	–	–	–
GLOUCESTER C.B.	–	–	1	–	2	N. 1
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
CHELTENHAM ...	*	*	*	*	*	*
MANGOTSFIELD ...	–	1	–	–	–	–
NAILSWORTH ...	–	2	–	–	–	–
STROUD	–	–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	–	–	1	–
CIRENCESTER ...	–	1	–	–	–	–
GLOUCESTER ...	–	–	–	–	–	M. 1
STOW ON THE WOLD	–	–	–	–	–	M. 1
STROUD	–	–	2	–	–	–
WEST DEAN ...	–	–	–	–	2	–
HEREFORD ...	–	1	3	–	4	–
Boroughs and Urban Districts:—						
HEREFORD ...	–	1	2	–	–	–
LEOMINSTER ...	–	–	1	–	–	–
ROSS ON WYE ...	–	–	–	–	1	–
Rural Districts:—						
BREDWARDINE ...	*	*	*	*	*	*
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	–	–	–	2	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HERTFORD ...	–	11	3	–	4	D. 1 M. 1
Boroughs and Urban Districts:—						
Bushey	–	–	–	–	–	M. 1
Hertford ...	–	1	–	–	–	–
Hitchin	–	1	–	–	–	–
Hoddesdon ...	–	–	–	–	1	–
Letchworth ...	–	–	–	–	–	D. 1
St. Albans ...	–	–	1	–	1	–
Ware	–	1	–	–	–	–
Watford... ...	–	3	2	–	2	–
Rural Districts:—						
Ashwell ...	–	1	–	–	–	–
Hitchin	–	2	–	–	–	–
Watford ...	–	2	–	–	–	–
HUNTINGDON ...	–	3	–	–	3	–
Boroughs and Urban Districts—						
Old Fletton ...	*	*	*	*	*	*
St. Neots ...	–	2	–	–	–	–
Rural Districts:—						
Huntingdon ...	–	–	–	–	1	–
Norman Cross ...	–	–	–	–	1	–
St. Neots ...	–	1	–	–	1	–
KENT	–	29	11	2	28	C. 1 G. 1 M. 1 N. 3
Canterbury C.B.	–	–	–	–	1	G. 1
Boroughs and Urban Districts:—						
Beckenham ...	–	–	1	–	–	–
Bexley	–	3	2	1	–	–
Broadstairs and St. Peter's	–	–	–	–	2	–
Bromley... ...	–	3	–	–	3	–
Chatham ...	–	–	1	–	–	–
Cheriton ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
Crayford ...	–	–	–	–	–	M. 1
Dartford ...	–	–	1	–	–	–
Deal	–	–	1	–	–	–
Dover	–	–	1	–	–	–
Erith	–	1	–	–	2	–
Folkestone ...	–	1	–	–	–	–
Gillingham ...	–	3	1	–	2	–
Maidstone ...	–	–	–	–	1	N. 1
Margate ...	–	2	–	–	–	–
New Romney ...	–	1	–	–	–	–
Penge	–	1	–	1	–	–
Ramsgate ...	–	2	–	–	1	–
Rochester ...	–	1	–	–	1	–
Royal Tunbridge Wells	–	–	–	–	–	N. 1
Sevenoaks ...	–	3	–	–	1	–
Sheerness ...	–	1	–	–	1	–
Sittingbourne and Milton	–	1	1	–	–	–
Southborough	*	*	*	*	*	*
Swanscombe ...	*	*	*	*	*	*
Tonbridge ...	–	–	–	–	1	–
Rural Districts:—						
Bromley... ...	–	1	–			–
Cranbrook ...	–	–	–	–	1	–
Dartford ...	–	2	–	–	1	–
Eastry	–	1	–			–
Hollingbourne	–	1		–		–
Isle of Thanet		–	–		3	C. 1
Milton	–	–	1	–	1	–
Sevenoaks ...	–	–	1	–	5	–
Tonbridge ...	–	–	–	–	–	N. 1
LANCASTER ...	–	175	125	6	243	C. 7 D. 3 G. 1 L. 14 M. 21 N. 8
Barrow in Furness C.B.	–	–	2	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
BLACKBURN C.B.	–	2	1	–	9	–
BLACKPOOL C.B.	–	1	3	–	–	–
BOLTON C.B. ...	–	6	–	–	2	M. 1
BOOTLE C.B. ...	–	8	5	–	7	N. 1
BURNLEY C.B. ...	–	1	2	–	1	G. 1
						N. 1
BURY C.B. ...	–	1	1	–	2	–
LIVERPOOL C.B....	–	34	49	–	53	C. 1
						M. 13
MANCHESTER C.B.	–	40	17	2	51	C. 2
						D. 1
						L. 4
						M. 3
						N. 1
OLDHAM C.B. ...	–	1	–	–	1	M. 1
						N. 3
PRESTON C.B. ...	–	3	–	–	5	C. 1
ROCHDALE C.B....	–	6	–	–	3	–
ST. HELENS C.B.	–	2	3	–	3	–
SALFORD C.B. ...	–	6	9	–	16	D. 1
SOUTHPORT C.B.	–	4	1	–	2	M. 1
WARRINGTON C.B.	–	11	–	–	7	–
WIGAN C.B. ...	–	1	1	1	4	–
Boroughs and Urban Districts:—						
ASHTON IN MAKERFIELD	–	–	–	–	1	C. 1
ASHTON-UNDER-LYNE	–	5	1	–	3	D. 1
ASPULL	–	–	–	–	1	–
ATHERTON ...	–	–	–	–	1	–
AUDENSHAW ...	–	1	–	–	1	–
BARROWFORD ...	–	–	–	–	1	–
BRIERFIELD ...	–	–	1	–	–	–
CHORLEY	–	3	–	–	–	–
COLNE	–	–	–	–	2	–
CROMPTON ...	–	1	–	–	–	–
DARWEN	–	–	–	1	4	–
DENTON	–	–	1	–	1	L. 8
DROYLSDEN ...	–	1	–	–	–	–
ECCLES	–	2	4	–	1	–
FAILSWORTH ...			1	–	2	–
FARNWORTH ...	–	–	–	–	2	N. 2
FORMBY	–	–	–	1	–	–
FULWOOD ...	–	–	–	1	–	–
GREAT CROSBY ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Borough and Urban Districts— *cont.*						
HASLINGDEN ...	–	1	1	–	6	–
HEYWOOD ...	–	1	–	–	2	–
HINDLEY	–	–	–	–	2	–
HORWICH... ...	–	–	1	–	1	–
HUYTON WITH ROBY	*	*	*	*	*	*
INCE IN MAKERFIELD	–	–	–	–	2	–
LANCASTER ...	–	1	–	–	1	–
LEES	–	–	–	–	1	–
LEIGH	–	1	–	–	2	–
LEYLAND... ...	–	–	–	–	1	–
LITHERLAND ...	–	–		–	2	–
LYTHAM ST. ANNE'S	–	–	3	–	–	–
MIDDLETON ...		–	1	–	2	–
MORECAMBE AND HEYSHAM	–	1	–	–	1	–
MOSSLEY	–	–	–	–	1	–
NELSON	–	2		–	3	–
NEWTON IN MAKERFIELD	–	2	–	–	1	M. 1
ORMSKIRK ...	–	–	4	–	–	–
OSWALDTWISTLE	–	–	–	–	1	–
PRESTWICH ...	–	–	1	–		–
RADCLIFFE ...	*	*	*	*	*	*
RAMSBOTTOM ...	–	–	–	–	3	–
RAWTENSTALL ...	–	1	–	–	–	–
ROYTON	–	1		–	–	–
STRETFORD ...	–	1	8	–	–	–
SWINTON AND PENDLEBURY	–	–	–	–	1	–
TOTTINGTON ...	–	–	1	–	1	–
TRAWDEN ...	–	–	–	–	1	–
TURTON	–	1	–	–	1	–
UPHOLLAND ...	–	–	–	–	–	M. 1
WATERLOO WITH SEAFORTH	–	5	–	–	1	L. 1
WHITEFIELD ...	–	–	–	–	2	–
WIDNES	–	2	1	–	12	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
BLACKBURN ...	–	–	–	–	–	C. 1
BURNLEY ...	–	1	–	–	2	–
CHORLEY	–	1	–			–
LEIGH	–	3	–	–	–	–
ULVERSTON ...	–	2	–	–	–	–
WARRINGTON ...	–	3	–	–	–	–
WEST LANCASHIRE	–	4	–	–	1	C. 1
WHISTON	–	–	–	–	–	L. 1
LEICESTER ..	5	13	1	1	5	G. 1 L. 2 M 1
LEICESTER C.B...	–	6	–	1	3	L. 2
Boroughs and Urban Districts:—						
COALVILLE ...	–	2	–	–	–	–
WIGSTON MAGNA	4	–	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	–	–	–	1	–
BILLESDON ...	–	1	–	–	–	–
BLABY	1	1	–	–	–	G. 1
CASTLE DONINGTON	–	–	–	–	1	M. 1
MARKET BOSWORTH	–	2	1	–	–	–
LINCOLN (parts of Holland).	–	4	2	–	1	D. 1 N. 1
Boroughs and Urban Districts:—						
BOSTON	–	2	–	–		N. 1
SPALDING ...	–	–	1	–	–	D. 1
SUTTON BRIDGE	*	*	*	*	*	*
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON		–	1	–	1	–
EAST ELLOE ...	–	1	–	–	–	–
SPALDING ...	–	1		–	–	–
LINCOLN (parts of Kesteven).		2	–		1	N. 1
Boroughs and Urban Districts:—						
GRANTHAM ...		2	–		1	N. 1
STAMFORD ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey).		13	5	–	6	F. 1
GRIMSBY C.B. ...		4	3		2	F. 1
LINCOLN C.B. ...	–	2		–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–		–	1	–
CLEETHORPES ...		1		–	–	–
GAINSBOROUGH ...	–	1	–	–	2	–
HORNCASTLE ...	–	–	–	–	1	–
LOUTH		2	–		–	–
MARKET RASEN ...	–	1	–	–	–	–
SCUNTHORPE AND FRODINGHAM	*	*	*	*	*	*
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	–	–	2	–	–	–
LOUTH	–	1	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, AND RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	80	27	2	44	E. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
ACTON	–	–	2	–	–	–
BRENTFORD AND CHISWICK	–	1	1	–	5	N. 1
EALING	–	9	2	–	5	–
EDMONTON ...	–	9	3	–	8	–
ENFIELD	–	4	3		1	N. 1
FINCHLEY ...	–	1	1		1	–
FRIERN BARNET...	–	–	–		1	–
HAYES AND HARLINGTON	–	3	2	–	–	–
HENDON	–	4	4	–	2	–
HESTON AND ISLEWORTH	–	4		1	4	M. 1
HORNSEY	–	1	2	–	–	–
KINGSBURY ...	–	1	–	–	–	–
RUISLIP NORTHWOOD	–	5	1	–	–	–
SOUTHALL NORWOOD		3		–	–	–
SOUTHGATE ...	–	6	–	–	2	–
TEDDINGTON ...	–	2	–		1	–
TOTTENHAM ...		4	2	–	2	–
TWICKENHAM ...		1	–	–		–
UXBRIDGE ...		4	–	–	–	–
WEMBLEY ...	–	1		–	1	–
WILLESDEN ...	–	11	3	1	8	E. 1 N. 1
WOOD GREEN ...		5			3	
Rural Districts:—						
HENDON	–	1	1		–	–
NORFOLK ...	–	10	4		2	D. 1 N. 2
NORWICH C.B. ...	–	4	3	–	2	D. 1
Boroughs and Urban Districts:—						
CROMER	–	–		–	–	N. 1
KING'S LYNN ...	–	1	–	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	–	1	–	–	–
BLOFIELD ...	–	3	–	–	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DOCKING	–	1	–		–	–
FOREHOE			–			N. 1
SMALLBURGH ...	*	*	*	*	*	*
SWAFFHAM ...	–	1	–	–	–	–
NORTHAMPTON	–	8	2	–	1	M. 1
NORTHAMPTON C.B		2	–		1	–
Boroughs and Urban Districts:—						
FINEDON	–	–		–	–	M. 1
ROTHWELL ...		1	–	–	–	–
RUSHDEN... ...	–	1			–	–
WELLINGBOROUGH	–	1	2	–	–	–
Rural Districts:—						
KETTERING ...	–	2			–	–
WELLINGBOROUGH		1	–	–	–	–
NORTHUMBERLAND.	1	34	1	1	39	C. 1 L. 3 M. 2 N. 9
NEWCASTLE UPON TYNE C.B.	–	19	–	–	21	L. 3 M 1 N. 9
TYNEMOUTH C.B.	1	1	–	1	2	C. 1 M. 1
Boroughs and Urban Districts:—						
ASHINGTON ...		–	–		3	–
BEDLINGTONSHIRE		1	–	–	3	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
Berwick upon Tweed	–		1	–	1	–
Blyth	–	1		–	1	–
Cramlington ...		2	–	–	–	–
Earsdon		2	–	–	–	–
Hexham	–	1	–	–	–	–
Newbiggin by the Sea	–	–	–	–	2	–
Newburn ...	–	1	–	–	–	–
Wallsend ...	–	2		–	2	–
Weetslade ...		1	–	–	–	–
Whitley and Monkseaton	–	2		–	1	–
Rural Districts:—						
Bellingham ...	–	–	–	–	1	–
Castle Ward ...	–	–	–	–	1	–
Hexham	–	–	–	–	1	–
Morpeth... ...	–	1		–	–	–
NOTTINGHAM ...		26	3	–	13	D. 1 N. 1
Nottingham C.B.	–	5	2	–	9	N. 1
Boroughs and Urban Districts:—						
Beeston	*	*	*	*	*	*
Carlton		2		–	3	–
Hucknall ...	–	3	1	–	–	–
Kirkby in Ashfield	–	4			–	–
Mansfield ...		2	–		–	–
Newark	–	1	–	–	–	–
Sutton in Ashfield	–	2	–	–		–
Worksop ...				–	1	–
Rural Districts:—						
Basford	–	1	–		–	–
Bingham... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
Skegby		3		–	–	–
Southwell ..		2			–	–
Worksop... ...	–	–	–		–	D. 1
OXFORD		5		–	1	–
Oxford C.B. ..		3	–	–	1	–
Boroughs and Urban Districts:—						
Banbury... ...	–	1		–	–	–
Rural Districts:—						
Banbury... ...		1			–	–
PETERBOROUGH (Soke of).	–	2	–	1	2	–
Borough:—						
Peterborough..		2	–	1	2	–
SALOP	–	4	3	1	3	–
Boroughs and Urban Districts:—						
Ludlow	–	1	–		–	–
Shrewsbury ...		1		–	2	–
Wellington ..	–		2	–	–	–
Rural Districts:—						
Atcham	–	1	–	–	–	–
Church Stretton			1	–	–	–
Drayton	–	1			–	–
Shifnal	–	–	–	1		–
Wellington ...	–	–	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	1	3	2	–	7	G. 1 N. 1
Bath C.B. ..	–	–	–	–	1	N. 1
Boroughs and Urban Districts:—						
Bridgwater ...	1	–	–	–	1	–
Clevedon ..		–	–	–	1	–
Midsomer Norton		1	–	–		–
Weston super Mare			1	–	–	–
Yeovil			–	–	1	–
Rural Districts:—						
Bath			–		–	G. 1
Keynsham ...	–		–	–	1	–
Langport ...				–	1	–
Long Ashton ...		1	1		–	–
Taunton ...	–	–		–	1	–
Wincanton ...		1	–		–	–
SOUTHAMPTON	–	25	12	–	12	C. 1 G. 2 N. 1
Bournemouth C.B.	–	–	–	–	–	C. 1 G. 1
Portsmouth C.B	–	11	6	–	–	G 1
Southampton C.B.	–	–	1	–	3	–
Boroughs and Urban Districts:—						
Aldershot ...	–		1	–	–	–
Andover... ...	–	–	1	–	2	–
Fareham ...			1	–	–	–
Gosport	–	1		–	1	–
Havant	–	1	–	–		–
Winchester ...		1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Rural Districts:—						
Andover... ...	–		1	–	–	–
Basingstoke ...	–	4	–	–		–
Droxford ...	–	–	–	–	1	–
Fareham ...	–	2	–	–	2	–
Fordingbridge	–	–	–	–	1	–
Havant	–	3	–	–	–	–
Ringwood ...		–	1	–		–
Romsey	–	1	–	–	–	N. 1
South Stoneham		1		–	1	–
STAFFORD ...		23	13	–	54	F. 1 L. 2 M. 3 N. 2
Burton upon Trent C.B.	–	1				M. 1
Smethwick C.B.	–	1	2	–	2	–
Stoke on Trent C.B.	–		3		1	M. 2
Walsall C.B. ...	–	3	1	–	1	F. 1 N. 1
West Bromwich C.B.	–	1			4	–
Wolverhampton C.B.		5	–	–		–
Boroughs and Urban Districts:—						
Audley	–	2	–	–	1	–
Biddulph ...	–	–	1		–	–
Bilston	–		–		1	N. 1
Brownhills ...	–	–	–	–	2	–
Cannock		1	–	–	1	–
Coseley	–	2		–	1	–
Kidsgrove ...	–		–	–	2	–
Leek	–	–	2		–	–
Quarry Bank ...	–	1		–	1	–
Rowley Regis ...	–	–	–		1	–
Sedgley	–	–	–	–	5	–
Stafford ...			2	–	1	–
Tipton	–	1	–	–	1	–
Uttoxeter ...	–	–		–	1	–
Wednesbury ...	–	1	1	–	2	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—*cont.*						
WILLENHALL ...	–	–	–	–	4	–
WOLSTANTON UNITED		1	–	–	–	–
Rural Districts:—						
CHEADLE	–		–	–	–	L. 2
KINGSWINFORD ...	–	1		–	–	
LICHFIELD ...		–			5	–
SEISDON	–	–	1	–	–	–
STAFFORD ...	–	1	–			
WALSALL		1	–		1	–
SUFFOLK, EAST		8	15		–	C. 1 N. 2
IPSWICH C.B. ...	–	2	11	–	–	C. 1
Boroughs and Urban Districts:—						
FELIXSTOWE ...			1	–		–
LEISTON CUM SIZEWELL	*	*	*	*	*	*
LOWESTOFT ...		–	–	–	–	N. 1
SOUTHWOLD ...	–	1				–
WOODBRIDGE ...		1	–	–	–	–
Rural Districts:—						
BLYTHING ...		3				–
HARTISMERE ...	–	1	1	–	–	N. 1
WOODBRIDGE ...			2		–	–
SUFFOLK, WEST	–	–	–	–	–	–
Rural Districts:—						
MILDENHALL ..	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY	1	29	11	–	7	D. 1 E. 1
CROYDON C.B. ...	–	6	2	–	1	–
Boroughs and Urban Districts:—						
BARNES		1	–		–	–
BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
CARSHALTON ...	–	–	–	–	2	–
CATERHAM AND WARLINGHAM		1			–	–
CHERTSEY ...	–	–	1	–		–
EAST AND WEST MOLESEY	–				1	–
EPSOM		–	3	–	–	–
GODALMING ...	–	3			–	–
GUILDFORD ...	–	2	–			–
HAM	–	1	–	–		–
HASLEMERE ...	–	1	–	1		–
KINGSTON ON THAMES		3	2	–	–	–
MERTON AND MORDEN	–	1	–	–	–	E. 1
MITCHAM	–	–	3	–	1	–
REIGATE		1	–	–		–
RICHMOND ...	–	3	–	–	–	–
WIMBLEDON ...	1	1		–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–		–	–
EPSOM			–	–	1	–
GODSTONE ...	–	2	–	–		–
HAMBLEDON ...	–	–	–		1	–
REIGATE	–	1	–	–	–	D. 1
SUSSEX, EAST...		9	7	–	2	M. 1 N. 1
BRIGHTON C.B. ...	–	1	2		–	M. 1 N. 1
EASTBOURNE C.B.	–	1	–	–	1	–
HASTINGS C.B. ...	–	–	–		1	–
Boroughs and Urban Districts:—						
BEXHILL ...		2	–		–	–
BURGESS HILL ...	–	1	–	–	–	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
CUCKFIELD ...	–	–	1	–	–	–
LEWES	–	–	1	–	–	–
NEWHAVEN ...	–	4	–	–		–
Rural Districts:—						
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	–	2	–	–	–
SUSSEX, WEST...	–	2	2		1	N. 1
Boroughs and Urban Districts:—						
SHOREHAM BY SEA		1	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–				N. 1
STEYNING WEST...		1	1			–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK ...	–	67	28	11	80	C. 2 D. 2 G. 1 L. 3 M. 8 N. 3
BIRMINGHAM C.B.	–	51	23	5	77	C. 2 D. 2 G. 1 L. 3 M. 7 N. 1
COVENTRY C.B. ...	–	3	1	–	–	N. 1
Boroughs and Urban Districts:—						
BEDWORTH ...	–	–	1	–	–	–
ROYAL LEAMINGTON SPA	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—*cont.*						
RUGBY		1	–	–	–	M. 1
STRATFORD ON AVON	–		–	–	1	–
SUTTON COLDFIELD	–	–	–	2	–	–
WARWICK ...		1	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	1	–	–	–	–
MERIDEN... ...	–	2	2	–	–	–
MONK'S KIRBY	–	1	–	–	–	
SOLIHULL ...	–	1	–	4	–	N. 1
TAMWORTH (part)	–	5	1	–	–	–
WESTMORLAND		–	–	–	2	–
Boroughs and Urban Districts:—						
WINDERMERE ...			–		1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
WIGHT, ISLE OF	–	3	2	–	–	–
Boroughs and Urban Districts:—						
SHANKLIN ...	*	*	*	*	*	*
VENTNOR... ...	–	–	2	–	–	–

* Returns not received

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF —*cont.*						
Rural Districts:—						
ISLE OF WIGHT ...	–	3	–	–	–	–
WILTS	–	2	4	–	9	C. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	–	–	1	–
DEVIZES	–	–	–	–	–	N. 1
MALMESBURY ...	–	1	–		–	–
MARLBOROUGH ...	–	–	–		1	–
MELKSHAM ...	–	1	–	–		–
SWINDON	–	–	3	–	5	M. 1
Rural Districts:—						
HIGHWORTH ...	–	–	–	–	2	–
MELKSHAM ...	–	–	–	–	–	N. 1
PEWSEY		–	1	–	–	M. 1
SALISBURY ...	–	–		–	–	C.
WORCESTER ...	–	10	5	–	3	N. 1
DUDLEY C.B. ...	–	–	1	–	–	–
WORCESTER C.B.	–	4		–		N. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
HALESOWEN ...	–	–	–	–	1	–
KIDDERMINSTER	–	2	–	–	–	
NORTH BROMSGROVE	*	*	*	*	*	*
OLDBURY	–	4	2	–	–	–
REDDITCH ...	–	–	1	–	–	–
STOURBRIDGE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
EVESHAM	–		1		–	–
MARTLEY	–	–	–	–	1	–
YORKS ... ... (East Riding).	–	3	19		15	M. 1
KINGSTON UPON HULL C.B	–	2	16	–	9	M. 1
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	2	–	2	–
BRIDLINGTON ...	–	–	–	–	1	–
FILEY			–		1	–
HEDON	*	*	*	*	*	*
HESSLE	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–		2	–
POCKLINGTON ...	–	1	–	–	–	–
YORKS ... ... (North Riding).	–	16	2		23	C. 1 E. 1 M. 1 N. 1
MIDDLESBROUGH C.B.	–	2	1	–	16	–
Boroughs and Urban Districts:—						
ESTON	–	12	–		1	E. 1
LOFTUS	–	–	–		2	–
MASHAM	–	1	–	–	–	–
REDCAR	–	–		–	1	–
RICHMOND ...		–			1	–
SCARBOROUGH ...	–	–	1	–	–	C. 1 M. 1
SKELTON AND BROTTON	–		–	–	1	–
THORNABY ON TEES	–		–	–	–	N. 1

* Returns not received.

C Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
GUISBOROUGH ...		-		-	1	-
KIRKBY MOORSIDE	-	1	-	-	-	-
YORKS ... ... (West Riding).	-	144	83	1	125	C. 10 D. 13 L. 1 M. 4 N. 9
BARNSLEY C.B. ...		4	1	-	1	C. 1 D. 2 M. 1
BRADFORD C.B. ...		13	7		10	C. 1 N. 2
DEWSBURY C.B....		4	7			
DONCASTER C.B....	-	2	1	-	2	D. 1
HALIFAX C.B. ...	-	7	7		2	-
HUDDERSFIELD C.B.	-	3	4		2	-
LEEDS C.B. ...		32	14		30	C. 1 L. 1
ROTHERHAM C.B.	-	5	2		3	C. 1 D. 1 M. 1
SHEFFIELD C.B....	-	19	4	-	51	C. 4 D. 1 N. 3
WAKEFIELD C.B.	-	7	8	-	2	-
Boroughs and Urban Districts:—						
ADWICK LE STREET	-		4	1		-
ALTOFTS	-		-		1	-
ARDSLEY, EAST AND WEST		1				-
BATLEY	-		3	-	-	-
BENTLEY WITH ARKSEY	-	1	1	-	-	-
BURLEY IN WHARFEDALE	-	-	1	-	1	-
CALVERLEY ...	-	1	-		-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
CASTLEFORD ...	-	2		-	-	-
DARFIELD ...		-	1	-	-	-
DODWORTH ...			-	-	-	D. 2
EARBY	-	2				-
ELLAND		1				-
FARSLEY	*	*	*	*	*	*
FEATHERSTONE ...		-	-	-		C. 1
GOOLE	-	-	-	-	1	-
GREASBROUGH ...	-	1	-	-	1	-
HARROGATE ...	-	1	-	-	-	-
HEMSWORTH ...	-	1	-	-	1	D. 1
HOLMFIRTH ...		1			2	-
HORBURY... ...		1	2	-		-
HOYLAND NETHER		-	-		-	N. 2
HOYLAND SWAINE	*	*	*	*	*	*
KEIGHLEY ...	-	2	-	-	-	-
LEPTON	-	1	-	-	-	-
MALTBY	-		-		-	D. 1
MIDGLEY... ...	-	-	-	-	1	-
MIRFIELD ...		7	-	-		-
MORLEY	-	-	-	-	-	M. 1
OSSETT	-	2	1	-	-	
PONTEFRACT ...	-	1		-	1	-
PUDSEY	-	2	-	-	-	-
QUEENSBURY ...	-	-	-	-	1	-
RAWMARSH ...	-	-	1	-	3	N. 1
ROTHWELL ...		1		-	-	-
ROYSTON		-	-	-	-	D. 1
SHIPLEY	-	-	1	-	-	-
SOUTHOWRAM ...	-	1	-	-	-	-
SOWERBY... ...	-	1	1	-	-	-
SPENBOROUGH ...		1		-	1	-
STAINLAND ...	-		-	-	1	-
STOCKSBRIDGE ...	-	-	-	-	1	-
SWINTON	-	-	2	-	1	-
WHITWOOD ...	-	1	-	-	-	-
WOMBWELL ...	-	1	-		-	-
WORSBOROUGH ...	-	-	-		-	D. 1
Rural Districts:—						
BOWLAND ...	-	2	-	-		-
DONCASTER ...	-	2	2	-	-	D. 1 M. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
HALIFAX	–	1		–	–	–
HEMSWORTH ...	–	2	4	–	2	C. 1
KIVETON PARK ...	–	–	1	–	–	–
PENISTONE ...	*	*	*	*	*	*
ROTHERHAM ...	–	2			–	–
SETTLE	–		1	–	–	–
SKIPTON	–	1		–		
TADCASTER ...	–	2		–		–
THORNE	–	2	1	–	1	D. 1
						N. 1
WAKEFIELD ...	–	–	–		1	–
WHARFEDALE (SOUTH)	–	–	1	–	–	–
WORTLEY... ...	–	–	–	–	1	–
YORK, CITY OF ..		8	4	–	8	–
YORK C.B. ...	–	8	4	–	8	–
WALES.						
ANGLESEY ...	–	1	–		1	–
Boroughs and Urban Districts:—						
MENAI BRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	–		–		1	–
VALLEY		1	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	*	*	*	*	*	*
BRYNMAWR ...	*	*	*	*	*	*
HAY	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
BUILTH	–	1	–		–	–
YSTRADGYNLAIS	–	–	–	–	2	–
CAERNARVON...	–	4	1	–	1	–
Boroughs and Urban Districts:—						
BANGOR	–	4	–	–		–
LLANDUDNO ...	–	–	1		–	–
PENMAENMAWR ...	–	–	–	–	1	–
CARDIGAN ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
ABERYSTWYTH ...	–		–	–	1	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	1	–	–	–
CARMARTHEN...	–	4	3	–	3	–
Boroughs and Urban Districts:—						
KIDWELLY ...		–	1	–	–	–
LLANDILO ...	*	*	*	*	*	*

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Boroughs and Urban Districts—*cont.*						
Llanelly ...	–	–	–	–	2	–
Newcastle in Emlyn	–				1	–
Rural Districts:—						
Carmarthen ...	–	–	1	–		–
Llandilo Fawr	–	2	1	–	–	–
Llanelly ...	–	2		–	–	–
DENBIGH ...	–	2	30	–	1	L. 2
Boroughs and Urban Districts:—						
Colwyn Bay ...	–	1	10	–	–	–
Denbigh ...			–	–	–	L. 2
Wrexham ...	–	1	6	–	–	–
Rural Districts:—						
Llansilin ...	*	*	*	*	*	*
Uwchaled ...		–	1	–		–
Wrexham ...	–	–	13	–	1	–
FLINT	–	–	8	–	2	–
Boroughs and Urban Districts:—						
Connah's Quay	–	–	1	–	1	–
Holywell ...	–			–	1	–
Rural Districts:—						
Hawarden ...	–	–	2	–	–	–
Holywell ...	–	–	5			–
GLAMORGAN ..	–	47	40		43	C. 1 G. 1 M. 3
Cardiff C.B. ...	–	11	3	–	5	C. 1 M. 1
Merthyr Tydfil C.B.		1	2	–	2	G. 1
Swansea C.B. ...	–	2	8		2	–
Boroughs and Urban Districts:—						
Aberdare ...		4	1		5	–
Barry	–	1	–	–	–	–
Caerphilly ...		1			–	–
Cowbridge ...	–			–	1	–
Gelligaer ...	–	3	1	–	2	M. 1
Llwchwr ..		2	3	–	5	
Maesteg	–	1	–	–	–	–
Mountain Ash ...	–	4	–	–	2	–
Neath	–		3		1	–
Ogmore and Garw	–	3	–	–	2	–
Penarth	–	1	–	–	1	–
Pontypridd ...	–	1		–	1	M. 1
Porthcawl ...	–	3	1		–	–
Port Talbot ...	–	1	–	–		–
Rhondda ..		6	8	–	12	–
Rural Districts:—						
Cardiff	–	1	–		–	–
Llantrisant and Llantwit-fardre	–	1	3	–	2	–
Neath		–	4	–	–	–
Penybont ...	–	–	1	–	–	–
Pontardawe ...	–	–	2		–	–
MERIONETH ..	–	–		–	–	–
Urban Districts:—						
Mallwyd ...	*	*	*	*	*	*

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH ...	–	44	10	–	7	–
NEWPORT C.B. ...	–	26	–	·	4	–
Boroughs and Urban Districts:—						
ABERCARN ...	–	1	–	–	–	–
ABERGAVENNY ...	–	–	4	–	–	–
ABERTILLERY ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	1	–	–	–
BEDWELLTY ...	–	4	1	–	–	–
BLAENAVON ...	–	1	–	–	2	–
EBBW VALE ...	–	1	1	–	–	–
MYNYDDISLWYN	–	4		–	–	–
RHYMNEY ...	–	5	2	–	–	–
RISCA	*	*	*	*	*	*
Rural Districts:—						
MAGOR	–	1	–	–	1	–
MONMOUTH ...	–	–	1	–	–	–
ST. MELLONS ...	*	*	*	*	*	*
MONTGOMERY...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
MONTGOMERY ...	–	1	–	–	–	–
PEMBROKE ...	–	–	2	–	1	–
Borough and Urban Districts:—						
NEYLAND... ...	–	–	1	–	–	–
Rural Districts:—						
LLANFYRNACH ...	–	–	–	–	1	–
NARBERTH ...	*	*	*	*	*	*
ST. DOGMELLS ...	–	–	1	–	–	–
RADNOR	–	1	–	–	–	–
Urban Districts:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
PRESTEIGNE ...	–	1	–	–	–	–
Rural Districts:—						
PAINSCASTLE ...	*	*	*	*	*	*
Total of Part II....	18	1131	636	34	1027	C. 31 D. 28 E. 5 F. 2 G. 10 L. 28 M. 56 N. 60

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*)—PART III.—PORT SANITARY DISTRICTS.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
BARNSTAPLE	*	*	*	*	*	*	PORT OF LONDON ...	*	*	*	*	*	*
WISBECH	*	*	*	*	*	*							
							Total of Part III. ...	–	–	–	–	–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	14	172	108	2	153	C. 2 D. 1 E. 2 M. 5 N. 9
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	18	1131	636	34	1027	C. 31 D. 28 E. 5 F. 2 G. 10 L. 28 M. 56 N. 60
Total of Part III.—Port Sanitary Districts	-	-	-	-	-	-
Total (i.e., of returns received), England and Wales...	32	1303	744	36	1180	C. 33 D. 29 E. 7 F. 2 G. 10 L. 28 M. 61 N. 69

uerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

Births, Deaths (distinguishing certain C and Deaths of Infants under 1 Ye Age) and Notified Cases of certai fectious Diseases in the last Thi Weeks and in the Current Year t with corresponding figures for previous

Week ended :—	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Totals fr Week o 1930.
LONDON :—														
Live Births	1,412	1,311	1,334	1,305	1,299	1,334	1,291	1,334	1,293	1,180	1,272	1,176	826	72,128
Stillbirths	51	53	44	35	36	39	33	46	47	58	51	38	27	2,619
Deaths (excluding Still-births)—all ages.	880	831	853	817	970	1,036	1,012	1,034	1,002	1,039	1,067	1,053	1,011	48,638
Deaths—0 to 1 year ..	61	64	63	73	71	109	111	74	106	117	104	112	88	3,974
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,337	6,279	6,053	6,065	6,010	6,203	5,874	5,909	5,688	5,714	6,045	5,608	3,848	330,825
Stillbirths	270	252	262	254	253	238	260	309	237	268	275	244	197	14,478
Deaths (excluding Still-births)—all ages.	3,819	3,686	3,710	3,791	4,533	4,723	4,451	4,484	4,527	4,575	4,703	4,811	4,859	218,961
Deaths—0 to 1 year ..	328	316	334	338	382	436	441	407	421	457	483	463	479	20,270
Enteric Fever—Cases	13	16	24	17	16	14	19	20	18	23	18	14	15	1,307
„ Deaths	1	—	—	1	1	1	2	1	—	5	2	—	3	112
Small Pox—Cases ..	31	25	37	31	37	66	45	48	48	53	42	31	22	8,746
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	20
Scarlet Fever—Cases	1,134	1,102	1,089	1,068	1,117	1,082	1,111	1,064	1,170	1,002	1,039	870	764	60,683
„ Deaths	2	3	5	6	5	1	5	4	4	3	8	6	3	399
Diphtheria—Cases ..	600	570	606	723	625	644	664	668	708	675	632	638	455	43,995
„ Deaths ..	24	32	34	25	23	33	29	24	31	39	32	24	26	1,903
Measles—Deaths ..	6	7	11	21	21	22	24	15	35	39	29	44	39	2,830
Influenza—Deaths ..	35	33	31	37	48	66	71	82	91	90	115	132	140	2,170

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corr having been made for changes in boundary. The live births are derived from the weekly returns furnished Registrars and differ from those published for the towns in the Quarterly Return which are corrected for occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 26th December, 1931. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Ra M ms
	°	°	°	°			°	°	°	°	
London (Greenwich).	58	28	46·0	38·0	0	Huddersfield	52	27	44·7	35·4	
Brighton ..	49	32	45·3	37·3	0	Bradford ..	52	29	46·0	35·1	
Portsmouth ..	52	32	46·4	38·9	0·2	Sheffield ..	53	31	47·1	37·4	
Norwich(South-well Lodge)	53	27	43·3	35·7	5	York (Museum)	54	30	45·9	34·9	
Plymouth ..	56	36	49·1	41·6	0·3	Hull (Pearson Park).	54	32	45·9	36·1	
Bristol (Horfield)	54	27	45·0	37·0	3	Tynemouth ..	57	31	47·6	39·4	
Birmingham (Edgbaston).	53	31	44·1	37·1	7	Cardiff	52	33	45·0	39·4	
Nottingham ..	54	26	45·4	35·0	1	Edinburgh ..	57·0	36·0	47·4	39·9	
Birkenhead (Bidston).	53	30	44·9	38·7	7	Glasgow ..	59·4	39·2	50·9	41·9	
Manchester (Whitworth Park).	52	31	45·0	37·0	7	Dublin (Phœnix Park) (Fitzwilliam Square†).	§	§	§	§	
Burnley	52	30	45·4	35·3	12	Belfast	52·0	35·5	48·1	40·8	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.
§ Returns not received.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 26th December, 1931.

[Under the Superintendence of the Astronomer Royal.]

1931. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	20	..	30·421	42·1	29·3	12·8	37·5	- 1·5	34·6	2·9	4·9	1·2	90	45·0	20·7	47·3	Calm	N: NNE.	0·3	0·0	0·0	150	- 139	0·00
MONDAY -	21	..	30·445	40·7	36·5	4·2	38·4	- 0·3	33·5	4·9	8·7	1·2	82	42·0	31·6	47·1	NE: ENE.	NE: ENE.	0·4	0·0	0·0	214	- 70	0·00
TUESDAY -	22	..	30·544	38·7	33·4	5·3	35·9	- 2·5	31·2	4·7	8·0	4·2	83	43·2	32·9	47·0	ENE: Calm.	SE: Calm: SW.	0·2	0·0	0·0	147	- 133	0 00
WEDNESDAY	23	..	30·575	39·6	32·9	6·7	36·9	- 1·3	30·7	6·2	7·3	4·8	78	42·5	31·9	46·9	SW	SW	3·0	0·0	0·2	297	+ 16	0·00
THURSDAY -	24	Greatest Declination N, Full.	30·421	50·2	39·6	10·6	46·1	+ 7·9	40·9	5·2	7·8	3·9	82	58·8	32·8	46·9	SW	WSW: SW.	2·2	0·0	0·5	429	+ 142	0·00
FRIDAY -	25	..	30·323	51·1	46·7	4·4	49·2	+10·8	48·2	1·0	4·2	0·6	96	54·0	40·6	46·8	WSW: SW.	WSW	1·0	0·0	0·1	299	+ 3	0·00
SATURDAY -	26	..	30·143	54·8	47·8	7·0	51·0	+12·4	48·0	3·0	5·6	1·4	89	62·9	39·1	46·8	WSW	WSW	0·8	0·0	0·1	274	- 34	0·00
MEANS -		..	30·410	45·3	38·0	7·3	42·1	+ 3·6	38·2	4·0	6·6	2·5	86	49·8	32·8	47·0	WSW		...	...	...	Sum 1810	Sum - 215	Sum 0·00
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	20	No record taken.	0·0	7·8	Overcast. Fog till 13½h.; then mist till 18h. Damping 18h. till 19h; and from 23h. Hoar frost in morning.
MONDAY ..	21		0·0	7·8	Overcast. Mist till 17h.
TUESDAY ..	22		0·0	7·8	Overcast throughout
WEDNESDAY	23		0·0	7·8	Overcast.
THURSDAY	24		0·0	7·8	Overcast till 12½h.; then nearly overcast. Slight rain 7h. till 7¾h. Lunar halo at 2h.; and 3½h.
FRIDAY ..	25		0·0	7·8	Overcast generally. Damping 4h. till 7½h.; occasionally between 9½h. and 13h.; between 17h. and 20h.; and from 22h. Fog 8h. till 20h.; then mist.
SATURDAY	26		0·0	7·8	Overcast generally. Occasional damping till 7h. Mist throughout.
			Sum 0·0	Sum 54·6	
No of Column ..		26	27	28	

The results apply to the Civil Day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·50 ins. at the beginning of the week to 30·39 ins. by 1h. on 21st; increased to 30·60 ins. by 11h. on 23rd; decreased and was 30·07 ins. by midnight on the 26th

FOR OFFICIAL USE

1932. No. 52.

THE

REGISTRAR-GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 2ND JANUARY, 1932

Crown Copyright Reserved

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.

1932.

Price 6d. net.

70-9999

EXPLANATORY STATEMENT.

Table 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

Table 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

Table 3 shows the deaths in London at ages and by causes of death and by cause in the current year to date with corresponding figures for previous year.

Table 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

Table 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks and in the current year to date with corresponding figures for previous year.

Table 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

Table 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

Weekly Summary of Infectious Diseases (Table 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns; the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; L, Dysentery: M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 2ND JANUARY, 1932.

Births and Deaths.

In the **107 County Boroughs and Great Towns** of England and Wales the live births registered in the fifty second week of the year numbered 6,298 corresponding to an annual rate of 16·6 per 1,000 living: stillbirths numbered 289 corresponding to a rate of 44 per 1,000 total births registered (including stillborn): the civilian deaths (excluding stillbirths) corrected as far as possible for non-residents numbered 6,637 (1,778 more than the number in the preceding week).

The annual death-rate based on the provisional resident population, 1931, published in Table 1, in the Aggregate and in certain of the County Boroughs and Great Towns in each of the last four weeks was as follows:—

——	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.
107 Great Towns	12·4	12·7	12·8	17·5
London	12·7	12·5	12·0	18·6
Birmingham	10·3	11·7	11·9	16·1
Liverpool	16·2	17·4	14·5	20·6
Manchester	13·6	14·0	14·1	20·7
Sheffield	9·0	9·1	11·2	12·8
Leeds	14·6	13·6	15·0	14·4
Bristol	11·2	9·4	12·4	17·1
West Ham	12·5	13·9	13·0	22·1

During the last four weeks deaths from influenza numbered 115, 132, 140 and 240 respectively.

Infant mortality, based on the average weekly number of live births during the last 52 weeks, was 101, against 74, 71, and 74 in the preceding three weeks.

In **London** (Administrative County including the City of London) there were 1,475 live births registered corresponding to an annual rate of 17·5 per 1,000 living: stillbirths numbered 46 corresponding to a rate of 30 per 1,000 total births (including stillborn): the civilian deaths (excluding stillbirths) numbered 1,560 (549 more than the number in the preceding week): infant mortality, based on the average weekly number of live births during the last 52 weeks, was 95, against 75, 80, and 64 in the preceding three weeks.

Note.—The increase in the numbers of registered births and deaths is partly due to delayed registrations from the previous (Christmas) week.

Table 1.—107 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths* registered in the week ended 2nd January, 1932.

	TOWNS.	Provisional Resident Population, 1931.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
	107 Great Towns ..	19,836,440*	6,298	289	6,637	656	1	47	1	48	42	81
	London	4,377,000*	1,475	46	1,560	131	-	14	1	11	3	22
Towns in Outer Ring.	Croydon C.B. ..	233,000	80	2	89	7	-	-	-	-	-	-
	Wimbledon ..	53,830	16	-	11	-	-	-	-	-	-	-
	Ealing	117,400	39	-	21	2	-	-	-	-	-	-
	Acton	70,400	15	1	11	1	-	-	-	-	-	-
	Brentford and Chiswick ..	62,620	12	-	16	1	-	-	-	-	-	-
	Willesden ..	185,300	36	1	56	5	-	-	-	-	-	2
	Hendon	114,600*	28	-	26	2	-	-	-	-	-	-
	Hornsey	95,440	18	1	34	-	-	-	-	-	-	-
	Wood Green ..	54,460	11	-	16	3	-	-	-	-	-	-
	Tottenham ..	159,100	32	2	58	4	-	-	-	1	-	-
	Edmonton	77,530	28	2	33	3	-	-	-	-	-	-
	Enfield	68,090	16	3	19	1	-	-	-	-	-	-
	West Ham C.B. ..	296,900	123	7	126	15	-	1	-	-	1	2
	East Ham C.B. ..	142,900	27	1	44	3	-	1	-	-	-	1
	Leyton	128,600	19	-	50	3	-	-	-	-	-	-
	Walthamstow ..	134,300	29	-	32	-	-	-	-	-	2	-
	Ilford	131,300	42	1	40	2	-	-	-	-	-	-
	Gillingham	60,600*	32	1	22	2	-	-	-	-	-	-
	Canterbury C.B. ..	24,440*	7	2	5	-	-	-	-	-	-	-
	Hastings C.B.	61,870	20	-	24	1	-	-	-	-	2	-
	Eastbourne C.B. ..	55,670	17	1	22	-	-	-	-	-	-	-
	Brighton C.B. ..	144,900*	49	4	49	3	-	-	-	-	-	-
	Portsmouth C.B. ..	248,300*	83	4	66	7	-	1	-	-	-	-
	Bournemouth C.B. ..	108,600	20	-	20	1	-	-	-	-	-	-
	Southampton C.B. ..	175,300	64	-	66	7	-	-	-	-	-	1
	Reading C.B.	97,450*	40	-	35	4	-	-	-	-	-	-
	Oxford C.B.	80,530*	41	-	23	1	-	1	-	-	-	-
	Northampton C.B. ..	92,940*	24	-	30	1	-	-	-	-	-	1
	Luton	69,030	15	-	16	4	-	-	-	-	-	-
	Cambridge	66,850	20	2	23	2	-	-	-	-	-	-
	Southend-on-Sea C.B.	117,900	28	2	34	2	-	-	-	-	1	-
	Ipswich C.B.	87,630	20	4	29	1	-	-	-	-	2	-
	Great Yarmouth C.B	56,690	13	1	13	-	-	-	-	-	-	-
	Norwich C.B. ..	126,800*	35	2	50	4	-	-	-	-	-	1
	Swindon	62,600	25	2	18	2	-	-	-	-	-	-
	Exeter C.B.	65,290*	28	-	19	1	-	-	-	-	-	-
	Plymouth C.B. ..	207,600*	61	1	72	6	-	-	-	-	-	-
	Bath C.B.	68,120	21	-	26	2	-	-	-	-	-	-
	Bristol C.B.	399,500*	116	1	131	16	-	-	-	-	1	1
	Gloucester C.B. ..	52,890	19	1	33	3	-	-	-	-	-	2
	Stoke-on-Trent C.B.	279,800	97	5	94	14	-	6	-	2	-	3
	Burton-upon-Trent C.B.	49,920	9	1	14	1	-	-	-	-	-	-
	Wolverhampton C.B.	134,200	65	1	44	3	-	-	-	-	1	-
	Walsall C.B.	104,200	41	2	29	7	-	-	-	1	-	1
	West Bromwich C.B.	82,090	40	1	27	5	-	-	-	-	-	1
	Dudley C.B.	60,010	19	2	14	-	-	-	-	-	-	-
	Worcester C.B. ..	50,540	22	1	19	1	-	-	-	-	-	-
	Birmingham C.B. ..	1,011,300	301	15	313	36	-	-	-	8	1	1
	Smethwick C.B. ..	85,370	28	-	14	3	-	-	-	-	-	-
	Coventry C.B. ..	168,500	50	1	49	7	-	-	-	-	-	1
	Leicester C.B. ..	241,200	74	5	70	8	-	-	-	-	-	-
	Lincoln C.B.	66,110*	26	2	16	1	-	-	-	-	-	-
	Grimsby C.B.	92,180	35	6	37	2	-	-	-	1	1	-
	Nottingham C.B. ..	270,900	96	2	101	18	-	-	-	-	-	2
	Derby C.B.	143,400*	58	3	39	4	-	-	-	1	-	-
	Chesterfield	64,450	24	2	23	3	-	-	-	-	-	-
	Stockport C.B. ..	126,600	37	-	38	5	-	-	-	-	-	-
	Chester C.B.	41,370	23	-	9	1	-	-	-	-	1	-
	Birkenhead C.B. ..	148,600	49	-	73	14	-	-	-	1	-	3
	Wallasey C.B. ..	97,240	30	2	31	3	-	-	-	-	-	-
	Liverpool C.B. ..	862,100	389	19	341	62	-	-	-	6	5	7
	Bootle C.B.	77,170	29	-	26	5	-	-	-	1	-	-
	St. Helens C.B. ..	108,200	41	2	30	2	-	-	-	-	-	-

* Non-civilian deaths are excluded from this table and the comparable civilian populations where diffe from those of Col. (1) are as follows;—107 Great Towns, 19,775,130; London 4,366,000; Hendon, 114,290: Gillingh 51,300; Canterbury C.B., 23,780; Brighton C.B., 144,400; Portsmouth C.B., 229,000; Reading C.B., 97,250; Oxf C.B., 80,230; Northampton C.B., 92,780; Norwich C.B., 126,200; Exeter C.B., 64,800; Plymouth C.B., 193, Bristol C.B., 399,200: Lincoln C.B., 65,940; Derby C.B., 143,230.

TOWNS.	Provisional Resident Population, 1931.	Live Births	Stillbirths	Deaths (excluding Stillbirths).	Deaths of Infants under 1 Year of Age.	Including Deaths from						
						Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.	12.
SOUTHPORT C.B. ..	77,180	23	-	34	3	-	-	-	-	1	-	4
WIGAN C.B.	86,250	32	1	40	1	-	-	-	1	-	-	-
WARRINGTON C.B. ..	80,280*	35	2	22	5	-	-	-	1	-	-	1
BOLTON C.B	179,300	42	2	62	2	-	3	-	1	-	-	3
BURY C.B.	56,580*	11	2	17	2	-	-	-	-	-	1	1
MANCHESTER C.B. ..	773,300	174	20	307	19	-	8	-	3	1	6	17
SALFORD C.B.	226,100	51	6	81	8	-	1	-	-	2	2	6
ASHTON-UNDER-LYNE	51,850	14	1	19	4	-	-	-	-	-	1	-
OLDHAM C.B	142,000	42	-	47	3	-	2	-	-	-	-	5
ROCHDALE C.B. ..	91,190	23	1	28	1	-	-	-	-	-	-	3
BURNLEY C.B	99,300	28	1	26	1	-	-	-	-	-	-	2
BLACKBURN C.B ..	124,000	34	3	47	1	-	-	-	-	-	-	1
PRESTON C.B.	120,100	25	2	42	-	-	2	-	-	-	-	2
BLACKPOOL C.B. ..	97,880	20	1	43	2	-	-	-	-	-	-	3
BARROW-IN-FURNESS C.B.	66,700	15	2	22	-	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	114,300	34	1	30	1	-	-	-	-	-	1	-
HALIFAX C.B.	98,770*	40	2	47	4	-	1	-	-	1	-	1
BRADFORD C.B. ..	300,800	56	6	110	8	1	-	-	-	-	-	3
LEEDS C.B	486,100	166	14	134	14	-	-	-	-	1	3	1
DEWSBURY C.B. ..	54,430	16	-	20	1	-	-	-	1	-	-	1
WAKEFIELD C.B. ..	59,280	19	-	14	1	-	-	-	-	1	-	-
BARNSLEY C.B. ..	72,090	25	3	14	2	-	-	-	-	-	-	-
SHEFFIELD C.B. ..	517,300	121	10	127	9	-	-	-	2	-	-	-
ROTHERHAM C.B. ..	70,100	23	1	27	3	-	1	-	1	3	-	-
DONCASTER C.B. ..	63,260	29	-	17	3	-	-	-	-	-	-	1
YORK C.B.	85,910*	26	-	30	6	-	-	-	-	-	-	1
KINGSTON-UPON-HULL C.B.	314,800	122	4	124	20	-	-	-	1	11	3	1
MIDDLESBROUGH C.B.	138,800	36	2	54	7	-	-	-	-	-	1	4
DARLINGTON C.B. ..	72,620	16	1	15	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,350	18	2	24	1	-	1	-	-	-	-	1
WEST HARTLEPOOL C.B.	68,740	22	2	16	3	-	-	-	-	-	-	1
SUNDERLAND C.B. ..	187,500	70	-	54	12	-	1	-	2	-	2	1
SOUTH SHIELDS C.B ..	114,400	43	1	34	3	-	-	-	-	-	-	2
GATESHEAD C.B. ..	123,700	33	4	41	2	-	-	-	-	-	2	1
NEWCASTLE-ON-TYNE C.B.	284,300*	87	5	81	13	-	-	-	2	-	3	1
TYNEMOUTH C.B. ..	64,750	22	-	15	3	-	-	-	-	-	-	1
CARLISLE C.B.	57,430*	20	-	15	2	-	3	-	-	-	-	1
NEWPORT (MON.) C.B.	89,500*	43	3	46	6	-	-	-	-	-	1	1
CARDIFF C.B.	223,700*	77	7	71	8	-	-	-	-	-	4	-
RHONDDA	142,700	40	5	35	3	-	-	-	-	-	-	3
MERTHYR TYDFIL C.B.	71,670	30	3	19	1	-	-	-	-	-	-	1
ABERDARE	49,010	13	1	15	4	-	-	-	-	-	-	-
SWANSEA C.B.	165,400	55	1	52	5	-	-	-	-	-	-	2
GREATER LONDON ..	8,179,740*	2,582	94	2,685	228	-	17	1	13	9	28	114
OUTER RING	3,802,740*	1,107	58	1,125	97	-	3	-	2	6	6	61
7 GREAT TOWNS IN OUTER RING	2,130,770*	571	21	682	52	-	2	-	1	3	5	40
REMAINDER OF OUTER RING	1,671,970*	536	17	443	45	-	1	-	1	3	1	21
EDINBURGH†	438,998	129	?	116	12	-	-	-	-	1	1	-
GLASGOW†	1,088,417	380	?	335	56	-	38	1	4	3	7	1
DUBLIN†	412,400	194	?	177	35	-	2	-	2	3	1	4
BELFAST†	415,151	191	?	120	15	-	-	-	-	1	2	-

* Non civilian deaths are excluded from this table and the comparable civilian populations where different from those of Col. (1) are as follows:—Warrington C.B., 80,020; Bury C.B., 56,370; Halifax C.B., 98,560; York C.B., 84,450; Newcastle-on-Tyne C.B., 283,700; Carlisle C.B., 57,250; Newport (Mon.) C.B., 89,270; Cardiff C.B., 223,500; Greater London, 8,164,610; Outer Ring, 3,798,610; 17 Great Towns, 2,130,460; Remainder of Outer Ring, 1,668,150.

† The populations of Edinburgh and Glasgow are the 1931 Census figures. That of Dublin is estimated to the middle of 1931 and that of Belfast is the 1926 Census figure, yearly estimates having been discontinued. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of Deaths of residents reported from elsewhere in Scotland during the week; those in Dublin and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available per**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended.	Live Births.	Stillbirths.	Deaths (excluding Stillbirths).	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
London‡	4,377,000	1932. Jan. 2	1475	46	1560	18·6	–	–	14	1	11	3	22
Calcutta and Suburbs	1,077,264	Nov. 21	?	?	676‖	32·1	?	–	?	–	?	?	?
Bombay§	1,298,708	Dec. 5	687	42	463‖	20·7	3	–	–	–	–	–	8
Madras	647,533	Nov. 21	484	28	365	29·3	1	–	–	–	1	–	13
Sydney and Suburbs	1,257,880	„ 31 (31 days)											
Brisbane (Metropolitan Area).	313,251	Sept. 30 (30 days)											
Perth (Metropolitan Area).	204,780	Oct. 31	83	?	32	8·1	–	–	–	–	–	–	–
Auckland (Urban Area).	215,730	Oct. 31 (31 days)	271	11	189	10·6	–	–	–	–	–	3	–
Wellington (Urban Area).	142,540	Oct. 31 (31 days)	216	10	120	10·1	–	–	–	–	–	1	1
Christchurch (Urban Area).	127,070	Oct. 31 (31 days)	156	2	110	10·4	–	–	–	–	–	1	–
Cape Town	136,748	Nov. 28	60	1	24	9·1	–	–	–	–	–	–	1
Johannesburg	187,326	„ 21	75	3	40	11·1	–	–	1	1	1	–	–
Durban	61,667	„ 21	15	–	19	16·0	–	–	–	–	–	–	–
Paris	2,871,429	Dec. 10 (10 days)	1056	67	952	12·1	7	–	3	1	2	12	15
Antwerp	295,146	Dec. 15 (15 days)											
Amsterdam	764,438	Dec. 12	233	11	112	7·6	–	–	–	–	2	–	–
Copenhagen	615,700	„ 19	177	7	136	11·5	1	–	1	–	1	2	–
Stockholm	502,203	„ 12	108	–	87	9·0	–	–	–	–	1	–	–
Gothenberg	245,600	Dec. 5	?	?	52	10·9	–	–	–	–	–	–	–
Oslo	256,353	Dec. 19	36	1	65	13·2	–	–	–	–	–	–	–
Berlin	4,289,000		644	25	948	11·5	2	?	–	–	4	1	7
Breslau	616,000	„ 5	144	8	127	10·7	–	?	–	–	1	1	–
Cologne	738,000	„ 5	175	4	126	8·9	–	?	–	–	–	1	1
Dresden	630,000	„ 5	100	6	120	9·9	–	?	–	–	–	1	–
Frankfort-on-Main	537,000	„ 5	91	3	81	7·8	–	?	–	–	–	–	–
Hamburg	1,137,000	„ 5	227	8	226	10·3	–	?	–	–	–	–	6
Leipzig	715,000	„ 5	142	6	157	11·4	–	?	–	–	–	–	1
Munich	730,000	„ 5	136	5	170	12·1	–	?	1	1	–	3	1
Budapest	1,009,069	„ 5	225	6	220	11·3	–	–	1	1	1	–	2
Warsaw	1,115,651	„ 5	?	4	243	11·4	5	–	–	–	3	–	3
Madrid	834,103	Nov. 28	394	34	288	18·0	–	–	1	1	–	1	3
Cairo	1,160,700	Oct. 28	966	29	453	20·4	8	–	–	–	?	11	89
		Nov. 4	986	27	399	17·9	9	–	1	–	?	8	83
Alexandria	629,900	Oct. 28	510	15	267	22·1	1	–	–	–	?	3	52
		Nov. 4	528	15	238	19·7	–	–	1	–	?	5	49
New York	7,090,089	„ 28	1851	110	1257	9·2	1	–	–	–	2	6	9
Chicago	3,457,375	Dec. 11	756	45	688	10·4	–	–	–	4	1	2	2
New Orleans	466,000	Nov. 30 (30 days)											
Rio de Janeiro ..	1,729,799	Nov. 14	737	42	489	14·7	–	–	15	–	11	1	62

* Including deaths from croup in Bombay, Paris, Antwerp, Budapest, Warsaw and Rio de Janeiro.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo and to *children under* 1 *year of* or Amsterdam, Copenhagen, Stockholm, Gothenberg, and the German Cities
‡ Civilian deaths only. Death rate based upon estimated civilian population of 4,386,000.
§ The registration of Births in Bombay is incomplete.
‖ Including 0 deaths from Cholera in Calcutta, and 1 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the week ended 2nd January, 1932, by ages and causes and by cause in the current year to date with corresponding figures for the previous year.

CAUSES OF DEATH.	Deaths registered from 1st week of the year.		DEATHS REGISTERED during current week.											
	1930.	1931.	ALL AGES.	Under 1 year	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years	55-65 years.	65-75 years.	75 years and upwards
LL CAUSES	49,994	53,229	1560	131	33	23	26	61	62	89	140	259	330	406
nteric fever	24	21	-	-	-	-	-	-	-	-	-	-	-	-
all-pox	12	2	-	-	-	-	-	-	-	-	-	-	-	-
easles	1013	115	14	3	6	4	1	-	-	-	-	-	-	-
arlet fever	111	63	1	-	-	-	1	-	-	-	-	-	-	-
hooping cough	126	308	11	3	4	3	1	-	-	-	-	-	-	-
phtheria	442	251	3	1	-	1	-	1	-	-	-	-	-	-
luenza	359	1114	53	2	-	-	2	4	1	4	5	11	11	13
ysipelas	162	171	4	2	-	-	1	-	-	-	-	-	1	-
ute Poliomyelitis, Polioencephalitis	11	6	-	-	-	-	-	-	-	-	-	-	-	-
cephalitis lethargica	60	44	1	-	-	1	-	-	-	-	-	-	-	-
ningococcal meningitis	82	132	5	3	-	-	1	-	-	-	1	-	-	-
berculosis :—														
Respiratory system	3675	3748	96	1	-	-	2	18	21	17	16	17	3	1
Nervous system	230	221	2	1	-	-	1	-	-	-	-	-	-	-
Intestines and peritoneum	54	57	1	-	-	-	-	-	1	-	-	-	-	-
Other forms	225	249	7	-	1	-	-	1	1	2	1	-	-	1
neoplasms	190	196	6	-	-	-	-	-	1	1	-	3	-	1
ncer	6730	6984	151	-	-	-	1	2	3	10	23	39	34	39
eumatic fever	173	139	3	-	-	1	1	1	-	-	-	-	-	-
abetes	522	563	24	-	-	-	-	-	1	1	2	1	15	4
coholism	21	18	-	-	-	-	-	-	-	-	-	-	-	-
ople meningitis	78	89	3	-	2	-	-	-	-	1	-	-	-	-
ebral hæmorrhage, &c., Apoplexy	2047	1969	48	-	-	-	-	-	-	1	-	10	16	21
lepsy	194	172	4	-	-	-	-	1	1	1	-	1	-	-
onvulsions" (not puerperal) ..	58	57	2	2	-	-	-	-	-	-	-	-	-	-
er diseases of nervous system ..	1230	1135	36	1	-	1	-	2	1	6	4	6	12	3
icarditis	19	19	-	-	-	-	-	-	-	-	-	-	-	-
te endocarditis	238	194	7	-	-	-	-	2	3	-	-	1	1	-
er diseases of heart	10688	12116	327	1	-	-	-	4	6	8	22	53	105	128
er diseases of circulatory system	2123	2248	65	-	-	-	-	-	1	1	4	10	22	27
nchitis	1942	2595	102	9	-	-	-	1	1	1	13	15	26	36
ncho-pneumonia	1933	2765	132	34	13	6	2	3	2	2	7	14	26	23
ar pneumonia	1094	1257	53	1	1	1	-	6	1	9	7	16	4	7
umonia (type not distinguished)	402	426	21	2	1	-	1	1	-	1	4	3	3	5
er diseases of respiratory system	513	565	19	-	-	-	-	1	2	2	1	6	3	4
rrhœa and enteritis	786	716	23	20	2	-	-	-	-	1	-	-	-	-
pendicitis, Typhlitis	345	305	8	-	-	1	3	-	1	1	1	-	-	1
nia, Intestinal obstruction	502	541	11	2	1	-	-	-	-	-	1	3	3	1
hosis of liver	219	225	6	-	-	-	-	-	-	1	1	2	2	-
er diseases of digestive system ..	1244	1190	27	-	-	-	-	1	1	4	5	7	3	6
te nephritis	95	82	1	-	-	-	-	-	-	1	-	-	-	-
onic Bright's disease	1781	1685	49	-	-	-	-	-	1	2	4	12	17	13
er diseases of genito-urinary stem.	835	890	22	-	-	-	-	1	1	1	1	4	7	7
rperal sepsis	118	120	3	-	-	-	-	-	3	-	-	-	-	-
er causes incident to childbirth ..	97	126	2	-	-	-	-	1	-	1	-	-	-	-
genital malformations	330	318	6	6	-	-	-	-	-	-	-	-	-	-
nature birth	946	981	24	24	-	-	-	-	-	-	-	-	-	-
lity, atrophy (congenital)	173	164	4	4	-	-	-	-	-	-	-	-	-	-
age	1183	1245	42	-	-	-	-	-	-	-	-	-	2	40
de	584	599	21	-	-	-	-	-	3	5	4	6	3	-
s and Scalds	96	147	7	-	2	1	-	1	-	-	-	1	-	2
vning	115	92	2	-	-	-	-	-	-	-	-	2	-	-
cation in bed	28	32	2	2	-	-	-	-	-	-	-	-	-	-
cles and horses	805	731	22	-	-	2	3	2	-	2	6	2	5	
r deaths by violence	804	776	19	2	-	-	-	3	1	1	-	2	2	8
r specified causes	2121	2255	58	15	-	3	6	3	2	3	11	8	7	10
efined causes	6	10	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

} Cases of certain Infectious Diseases notified in the week ended 2nd January 1932. (Civilians only.)

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	28	249	163	2	296	C. 2 D. 3 E. 1 L. 1 M. 7 N. 11
CITY OF LONDON	–	1	–	–	1	–
Metropolitan Boroughs:—						
BATTERSEA ...	–	14	10	–	15	–
BERMONDSEY ...	–	9	3	–	7	–
BETHNAL GREEN	2	9	6	–	7	–
CAMBERWELL ...	–	18	12	–	6	–
CHELSEA	–	2	2	–	7	E. 1 M. 1
DEPTFORD ...	–	11	2	–	8	M. 1
FINSBURY ...	2	1	3	–	7	–
FULHAM	–	11	5	–	11	D. 1
GREENWICH ...	–	4	2	1	12	–
HACKNEY... ...	–	8	6	–	7	N. 1
HAMMERSMITH ...	–	10	5	–	7	D. 1 N. 1
HAMPSTEAD ...	–	4	2	–	6	D. 1
HOLBORN... ...	–	2	5	–	4	C. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
ISLINGTON ...	7	13	10	–	26	M. 2 N. 1
KENSINGTON ...	–	7	3	–	7	L. 1
LAMBETH ...	11	8	5	–	17	–
LEWISHAM ...	–	6	6	–	14	M. 1
PADDINGTON ...	–	7	9	–	16	–
POPLAR	1	17	14	–	26	M. 1 N. 2
ST. MARYLEBONE	1	4	3	1	2	–
ST. PANCRAS ...	–	10	4	–	10	N. 1
SHOREDITCH ...	–	9	7	–	4	–
SOUTHWARK ...	4	15	8	–	9	C. 1
STEPNEY	–	22	19	–	21	N. 2
STOKE NEWINGTON	–	–	1	–	–	–
WANDSWORTH ...	–	17	9	–	26	–
WESTMINSTER, CITY OF	–	6	1	–	1	M. 1 N. 1
WOOLWICH ...	–	4	1	–	12	N. 2

‡ The letters in this column denote the following diseases.—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	2	5	–	8	N. 1
Boroughs and Urban Districts:—						
Ampthill ...	–	–	2	–	–	–
Bedford	–	–	–	–	4	–
Luton	–	1	2	–	1	N. 1
Sandy	–	1	–	–	–	–
Rural Districts:—						
Ampthill ...	–	–	1	–	–	–
Eaton Bray ...	–	–	–	–	1	–
Eaton Socon ...	–	–	–	–	1	–
Luton	–	–	–	–	1	–
BERKS	–	9	–	–	1	C. 1
Reading C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
Newbury ...	–	1	–	–	–	–
New Windsor ...	–	1	–	–	–	–
Wokingham ...	–	–	–	–	–	C. 1
Rural Districts:—						
Bradfield ...	–	4	–	–	–	–
Easthampstead	–	1	–	–	–	–
Hungerford ...	–	1	–	–	–	–
BUCKINGHAM ...	–	7	1	–	5	N. 1
Boroughs and Urban Districts:—						
Chesham	–	–	–	–	1	–
Slough	–	2	–	–	1	–
Wolverton ...	–	–	–	–	1	–
Rural Districts:—						
Amersham ...	–	1	–	–	1	–
Aylesbury ...	–	1	–	–	1	–
Buckingham ...	–	–	–	–	–	N. 1
Eton	–	2	–	–	–	–
Wycombe ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	15	1	–	4	–
Borough:—						
Cambridge ...	–	4	1	–	1	–
Rural Districts:—						
Caxton and Arrington	–	–	–	–	3	–
Chesterton ...	–	7	–	–	–	–
Linton	*	*	*	*	*	*
Melbourn ...	–	4	–	–	–	–
CHESTER ...	–	29	35	–	53	C. 1 D. 2 G. 1 M. 4 N. 3
Birkenhead C.B.	–	4	9	–	25	C. 1
Chester C.B. ...	–	–	2	–	4	–
Stockport C.B. ...	–	1	3	–	–	D. 1 N. 2
Wallasey C.B. ...	–	3	7	–	2	–
Boroughs and Urban Districts:—						
Altrincham ...	–	–	–	–	1	⅚ M. 1
Bebington and Bromborough	–	4	–	–	1	–
Bowdon	–	–	–	–	1	–
Crewe	–	–	3	–	–	–
Dukinfield ...	–	–	1	–	–	–
Hazel Grove and Bramhall	–	1	1	–	2	–
Hoylake and West Kirby	–	–	–	–	1	–
Hyde	–	–	–	–	1	–
Knutsford ...	–	1	–	–	–	–
Macclesfield ...	–	1	–	–	5	–
Sale	–	1	3	–	–	–
Stalybridge ...	–	2	–	–	2	M. 1
Wilmslow ...	–	1	–	–	1	M. 1
Yeardsley cum Whaley	–	–	1	–	–	–
Rural Districts:—						
Bucklow	–	1	–	–	–	D. 1
Chester	–	2	–	–	–	–
Congleton ...	–	–	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—* *cont.*						
Macclesfield ...	–	–	–	–	1	–
Malpas	–	1	–	–	–	–
Nantwich ...	–	1	–	–	–	–
Northwich ...		2	–	–	1	G. 1
Runcorn	–	–	3		2	–
Tarvin	–	–	2	–	–	M. 1
						N. 1
Wirral	–	3	–	–	2	–
CORNWALL ...	–	7	3	–	5	M. 2
Boroughs and Urban Districts:—						
Camborne ...	–	–	3	–	–	–
Looe	*	*	*	*	*	*
Redruth ...	–	–	–	–	–	M. 1
St. Ives	–	1	–	–	–	–
Torpoint ...	–	–	–	–	1	–
Truro	–	2	–	–	–	–
Rural Districts:—						
Helston	–	–	–	–	1	–
Launceston ...	–	1	–	–	–	–
Liskeard ...	–	1	–	–	2	–
Redruth ...	–	–	–	–	–	M. 1
St. Austell ...	–	2	–	–	–	–
Truro	–	–	–	–	1	–
CUMBERLAND...	–	3	1	1	6	D. 1
						N. 1
Carlisle C.B. ...	–	2	1	1	1	D. 1
Boroughs and Urban Districts:—						
Maryport ...	–	1	–	–	–	–
Penrith	–	–	–	–	1	N. 1
Rural Districts:—						
Carlisle ...	–	–	–	–	1	–
Whitehaven ...	–	–	–	–	2	–
Wigton	–	–	–	–	1	–
DERBY	3	34	11	1	27	D. 1
						M. 3
						N. 3
Derby C.B. ...	–	6	8	–	3	M. 2
Boroughs and Urban Districts:—						
Alfreton ...	3	1	–	–	–	–
Ashbourne ...	–	–	–	–	4	–
Bolsover ...	–	2	–	–	2	–
Brampton and Walton	–	1	–	–	–	–
Buxton	–	–	–	–	–	N. 1
Chesterfield ...	–	3	–	–	2	–
Clay Cross ...	–	1	–	–	–	–
Dronfield ...		2	–		–	–
Glossop	–	–	–	–	2	–
Heanor	–	1	–	–	2	–
Long Eaton ...	–	–	–	–	1	–
New Mills ...	–	–	–	–	–	N. 1
North Darley...	–	–	–	–	–	N. 1
Ripley	–	2	–	–	–	–
Swadlincote District	–	1	–	–	2	M. 1
The Matlocks...	–	–	–	1	–	–
Rural Districts:—						
Ashbourne ...	–	–	–	–	2	–
Blackwell ...	–	3	1	–	–	D. 1
Chesterfield ...	–	7	1	–	3	–
Clowne	–	1	–	–	1	–
Repton	–	1	1	–	1	–
Shardlow ...	–	2	–	–	1	–
Codnor Park and Shipley(parishes)	–	–	–	–	1	–
DEVON	–	36	12	1	32	C. 1
						M. 2
						N. 2
Exeter C.B ...	–	1	1	–	2	–
Plymouth C.B.	–	26	6	–	14	C. 1
						M. 1
Boroughs and Urban Districts:—						
Barnstaple ...	–	–	2	–	–	–
Bideford ...	–	–	–	–	5	N. 1
Ilfracombe ...	–	–	–	–	1	–
Lynton	–	–	–	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I. Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts:—*cont.*						
NORTHAM ...	–	–	–	–	2	–
SOUTH MOLTON...	–	–	3	–	–	–
TEIGNMOUTH ...	–	–	–	1	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	1	–
BARNSTAPLE ...	–	–	–	–	1	M. 1
CREDITON ...	–	–	–	–	1	–
CULMSTOCK ...	*	*	*	*	*	*
KINGSBRIDGE ...	–	1	–	–	–	–
NEWTON ABBOT...	–	–	–	–	2	N. 1
PLYMPTON ST. MARY	–	2	–	–	1	–
ST. THOMAS ...	–	2	–	–	–	–
TAVISTOCK ...	–	–	–	–	1	–
TIVERTON ...	–	1	–	–	–	–
TOTNES	–	3	–	–	–	–
DORSET	–	5	9	–	5	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	1	–
POOLE	–	–	4	–	1	–
SHERBORNE ...	–	2	–	–	–	
WAREHAM ...	–	1	–	–	–	–
Rural Districts:—						
POOLE	–	–	1	–	–	–
WAREHAM AND PURBECK	–	–	3		–	–
WEYMOUTH ...	–	–	–	–	1	–
WIMBORNE AND CRANBORNE	–	1	1	–	2	–
DURHAM ...	–	97	4	3	87	D. 4 M. 1 N. 3
DARLINGTON C.B.	–	1	–	–	2	–
GATESHEAD C.B.	–	19	–	–	5	D. 1
SOUTH SHIELDS C.B.	–	7	–	–	7	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
SUNDERLAND C.B.	–	12	1	1	23	D. 2 N. 1
WEST HARTLEPOOL C.B.	–	2	–	–	3	–
Boroughs and Urban Districts:—						
ANNFIELD PLAIN	–	2	–	–	4	–
BENFIELDSIDE ...	–	–	–	1	–	–
BILLINGHAM ...	–	–	–	–	3	–
BLAYDON... ...	–	5	1	–	2	–
CHESTER LE STREET	–	1	–	–	4	–
FELLING	–	3	–	–	–	–
HEBBURN ...	–	3	–	–	2	
HETTON	–	–	–	–	1	–
HOUGHTON LE SPRING	–	1	–	–	–	–
JARROW	–	1	1	–	5	–
LEADGATE ...	–	–	–	–	–	D. 1
RYTON	–	3	–	–	–	–
SEAHAM HARBOUR	–	–	–	–	1	–
SHILDON	–	–	–	1	–	
STANHOPE ...	–	–	–	–	–	N. 1
STANLEY	–	3	–	–	1	–
STOCKTON ON TEES	–	3	–	–	3	–
TANFIELD ...	–	2	–	–	–	–
WASHINGTON ...	–	1	–	–	1	–
WHICKHAM ...	–	3	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	6	1	–	–	–
BARNARD CASTLE	–	–	–	–	2	–
CHESTER LE STREET	–	4	–	–	4	M. 1
DARLINGTON ...		–	–	–	1	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	3	–	–	4	N. 1
HOUGHTON LE SPRING	–	4	–	–	2	–
LANCHESTER ...	–	2	–	–	2	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS	–	1	–	–	2	–
SUNDERLAND ...	–	2	–	–	3	–

* Returns not received.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	4	3	2	2	C. 1
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	1	3	–	–	–
WISBECH	–	1	–	–	1	C. 1
Rural Districts:—						
ELY	–	1	–	2	–	–
NORTH WITCHFORD	–	–	–	–	1	–
WISBECH	–	1	–	–	–	–
ESSEX	8	75	32	2	115	M. 1 N. 5
EAST HAM C.B....	–	7	3	–	3	–
SOUTHEND ON SEA C.B.	–	7	3	1	11	N. 1
WEST HAM C.B.	8	14	4	–	47	N. 2
Boroughs and Urban Districts:—						
BARKING TOWN...	–	–	1	–	4	N. 1
BENFLEET	–	1	–	–	–	–
BUCKHURST HILL	–	1	–	–	–	–
CANVEY ISLAND	–	–	–	–	1	–
CHELMSFORD ...	–	1	–	–	–	–
COLCHESTER ...	–	–	1	–	3	–
DAGENHAM ...	–	4	–	–	6	–
GRAYS THURROCK	–	1	–	–	2	–
HARWICH ...	–	–	–	–	1	–
HORNCHURCH ...	–	1	–	–	–	–
ILFORD	–	1	3	–	3	M. 1
LEYTON	–	2	5	–	12	–
MALDON	–	–	–	–	1	–
PURFLEET ...	–	1	1	–	–	–
ROMFORD... ...	–	3	1	–		
SHOEBURYNESS ...	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
WALTHAMSTOW ...	–	8	6	–	8	N. 1
WANSTEAD ...	–	1	–	–	–	–
WOODFORD ...	–	3	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	–	4	1	–	5	–
BRAINTREE ...	–	1	1	–	–	–
CHELMSFORD ...	–	5	–	–	–	–
DUNMOW ...	–	3	–	–	–	–
EPPING	–	2	–	–	–	–
MALDON	–	–	–	–	1	–
ORSETT	–	1	1	–	2	–
ROCHFORD ...	–	–	1	–	2	–
TENDRING ...	–	1	–	1	1	–
GLOUCESTER ...	–	16	19	–	26	M. 1 N. 6
BRISTOL C.B. ...	–	12	15	–	15	M. 1 N. 2
GLOUCESTER C.B.	–	2	–	–	4	N. 1
Boroughs and Urban Districts:—						
CHELTENHAM ...	–	1	–	–	–	N. 1
Rural Districts:—						
CIRENCESTER ...	–	–	2	–	–	–
DURSLEY	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	2	–
GLOUCESTER ...	–	–	2	–	1	–
NEWENT	–	–	–	–	–	N. 1
STROUD	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	N. 1
WARMLEY ...	–	–	–	–	1	–
WEST DEAN ...	–	–	–	–	1	–
HEREFORD ...	–	5	–	–	6	–
Boroughs and Urban Districts:—						
HEREFORD ...	–	1	–	–	2	–
Rural Districts:—						
DORE	–	–	–	–	1	–
HEREFORD ...	–	1	–	–	2	–
KINGTON	–	2	–	–	–	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HEREFORD—*cont.*						
Rural Districts—*cont.*						
LEOMINSTER AND WIGMORE	–	1	–	–	–	–
WEOBLEY	–	–	–	–	1	–
HERTFORD ...	–	5	7	–	23	N. 2
Boroughs and Urban Districts:—						
BARNET	–	–	1	–	4	N. 2
CHESHUNT ...	–	–	–	–	3	–
EAST BARNET VALLEY	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	1	–	–	–	–
LETCHWORTH ...	–	–	–	–	3	–
ROYSTON	–	–	–	–	1	–
ST. ALBANS ...	–	–	–	–	5	–
SAWBRIDGEWORTH	–	–	–	–	1	–
STEVENAGE ...	–	–	1	–	–	–
WATFORD	–	–	2	–	5	–
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
BUNTINGFORD ...	–	–	3	–	–	–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	–	1	–
HUNTINGDON ...	–	5	1	–	2	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	1	–	–	–
ST. NEOTS ...	–	4	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
ST. IVES	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT	–	38	19	1	37	D. 1 E. 1 F. 1 N. 3
Boroughs and Urban Districts:—						
ASHFORD	–	2	–	–	–	–
BECKENHAM ...	–	1	–	–	1	–
BEXLEY	–	2	1	–	–	–
BROADSTAIRS AND ST. PETER'S	–	4	1	–	2	F. 1
BROMLEY	–	1	–	–	1	–
CHATHAM ...	–	2	1	–	1	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	2	2	–	–	–
CRAYFORD ...	–	1	–	–	–	–
DARTFORD ...	–	–	–	–	1	–
DOVER	–	1	–	–	1	–
ERITH	–	1	–	–	5	N. 1
FOLKESTONE ...	–	1	–	1	3	–
GILLINGHAM ...	–	1	–	–	3	–
GRAVESEND ...	–	1	1	–	–	–
MAIDSTONE ...	–	–	1	–	5	N. 1
MARGATE ...	–	3	1	–	–	–
PENGE	–	1	–	–	–	–
SHEERNESS ...	–	1	–	–	–	–
SITTINGBOURNE AND MILTON	–	1	–	–	–	–
TONBRIDGE ...	–	2	1	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BROMLEY	–	4	2	–	3	E. 1
DARTFORD ...	–	1	–	–	2	–
DOVER	–	–	2	–	–	D. 1
EAST ASHFORD ...	–	–	1	–	–	–
EASTRY	–	–	4	–	–	–
ELHAM	–	–	–	–	–	N. 1
FAVERSHAM ...	–	2	–	–	3	–
MALLING	–	–	–	–	1	–
MILTON	–	2	–	–	–	–
SEVENOAKS ...	–	–	1	–	2	–
TONBRIDGE ...	–	–	–	–	1	–

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	168	138	3	419	C. 2 D. 1 G. 2 L. 5 M. 23 N. 16
BARROW IN FURNESS C.B.	–	–	1	–	2	M. 1
BLACKBURN C.B.	–	2	1	–	13	–
BLACKPOOL C.B.	–	4	1	–	–	N. 2
BOLTON C.B. ...	–	8	1	–	4	M. 1
BOOTLE C.B. ...	–	7	2	–	15	M. 1
BURNLEY C.B. ...	–	1	5	–	6	G. 1 N. 1
BURY C.B. ...	–	–	–	–	1	–
LIVERPOOL C.B....	–	21	54	–	129	C. 2 M. 14 N. 5
MANCHESTER C.B.	–	46	11	–	115	D. 1 M. 1
OLDHAM C.B. ...	–	5	–	–	2	M. 1
PRESTON C.B. ...	–	4	1	–	5	N. 1
ROCHDALE C.B....	–	1	5	1	1	–
ST. HELENS C.B.	–	2	–	–	3	–
SALFORD C.B. ...	–	5	11	1	19	M. 1 N. 1
SOUTHPORT C.B.	–	2	2	–	4	N. 1
WARRINGTON C.B.	–	5	–	–	20	–
WIGAN C.B. ...	–	1	–	–	6	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	2	–
ASHTON IN MAKERFIELD	–	–	–	–	1	–
ASHTON-UNDER-LYNE	–	1	1	–	4	–
ASPULL	–	–	–	–	2	–
BACUP	–	–	1	–	–	–
BARROWFORD ...	–	2	–	–	–	–
BRIERFIELD ...	–	1	–	–	1	–
CHADDERTON ...	–	1	–	–	1	–
CHURCH	–	–	–	–	1	
CLITHEROE ...	–	2		–	2	
COLNE	–	–	–	–	3	–
DARWEN	–	–	5	–	–	–
DENTON	–	1	–	1	1	L. 3
DROYLSDEN ...	–	1	–	–	–	–
ECCLES	–	2	2	–	–	–
FAILSWORTH ...	–	–	–	–	1	–
FARNWORTH ...	–	–	–	–	2	M. 1 N. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Boroughs and Urban Districts— *cont.*						
FULWOOD ...	–	–	–	–	1	–
GOLBORNE ...	–	–		–	2	–
GREAT CROSBY ...	–	–	2	–	1	–
GREAT HARWOOD	*	*	*	*	*	*
HASLINGDEN ...	–	1	–	–	–	–
HAYDOCK... ...	–	–	–	–	2	–
HINDLEY	–	–	–	–	2	–
INCE IN MAKERFIELD	–	–	–	–	2	–
LANCASTER ...	–	–	–	–	2	–
LEIGH	–	–	10	–	1	L. 1 M. 1
LITHERLAND ...	–	–	2	–	2	N. 1
LITTLEBOROUGH	–	2		–	–	–
LYTHAM ST. ANNE'S	–	1	2	–	1	–
MIDDLETON ...		4	2	–	3	–
MILNROW... ...	–	1	–	–	–	–
MORECAMBE AND HEYSHAM	–	–	–	–	1	–
NELSON	–	3	–	–	–	–
NEWTON IN MAKERFIELD	–	3	–	–	1	–
NORDEN	–	1	–	–	–	–
ORMSKIRK ...	–	–	–	–	2	N. 1
ORRELL	–	–	1	–		–
OSWALDTWISTLE	–	–	–	–	2	–
PADIHAM... ...	–	2	–	–		–
POULTON LE FYLDE	–	1	–	–	–	–
PRESTWICH ...	–	–	–	–	–	L. 1
RADCLIFFE ...	–	1	–	–	1	
RAWTENSTALL ...	–	1	–	–	1	–
ROYTON	–	1	–	–	–	–
STRETFORD ...	–	4	3	–	6	–
SWINTON AND PENDLEBURY	–	–	–	–	3	–
TOTTINGTON ...	–	–	1	–	–	–
TRAWDEN ...	–	2	–	–	–	–
TURTON	–	1	–		–	–
TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	–
ULVERSTON ...	–	2	–	–	–	–
URMSTON... ...	–	–	–	–	1	–
WARDLE	–	3	–	–	–	–
WATERLOO WITH SEAFORTH	–	1	2	–	1	–

* Returns not received.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER— *cont.*						
Borough and Urban Districts— *cont.*						
WHITEFIELD ...	–	1	–	–	–	–
WIDNES	–	–	6	–	3	–
WORSLEY... ...	–	–	–	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BLACKBURN ...	–	–	–	–	1	–
BURNLEY ...	–	2	–	–	1	–
BURY	–	–	–	–	1	–
CHORLEY... ...	–	1	–	–	–	G. 1
FYLDE	–	–	2	–	–	–
LEIGH	–	–	1	–	–	–
PRESTON	–	–	–	–	3	–
ULVERSTON ...	–	3	–	–	1	M. 1
WEST LANCASHIRE	–	–	–	–	2	–
LEICESTER ...	4	26	2	–	15	L. 2 M. 1 N. 2
LEICESTER C.B....	1	15	1	–	10	L 2 M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
COALVILLE ...	–	3	–	–	2	N. 1
HINCKLEY ...	–	1	–	–	1	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
WIGSTON MAGNA	1	–	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER— *cont.*						
Rural Districts— *cont.*						
BILLESDON ...	–	1	–	–	–	–
BLABY	2	2	–	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
HINCKLEY ...	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	2	1	–	–	M. 1
Boroughs and Urban Districts:—						
SPALDING ...	–	–	–	–	–	M. 1
Rural Districts:—						
BOSTON	–	2	1	–	–	–
LINCOLN (parts of Kesteven).	–	4	–	–	–	–
Boroughs and Urban Districts:—						
STAMFORD ...	–	1	–	–	–	–
Rural Districts:—						
EAST KESTEVEN	–	1	–	–	–	–
SOUTH KESTEVEN	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	–	13	11	–	20	E. 1 N. 3
GRIMSBY C.B. ...	–	3	4	–	4	N. 3
LINCOLN C.B. ...	–	–	–	–	5	–
Boroughs and Urban Districts:—						
CLEETHORPES ...	–	1	–	–	2	–
GAINSBOROUGH ...	–	1	–	–	2	–

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, AND RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
HORNCASTLE ...	–	–	–	–	2	–
SCUNTHORPE AND FRODINGHAM	–	1	–	–	4	–
WINTERTON ...	–	–	–	–	–	E. 1
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	6	5	–	–	–
ISLE OF AXHOLME	–	–	1	–	–	–
LOUTH	–	–	1	–	1	–
MIDDLESEX ...	1	97	44	1	89	C. 3 E. 2 M. 3 N. 3
Boroughs and Urban Districts:—						
ACTON	–	3	–	–	–	–
BRENTFORD AND CHISWICK	–	–	1	–	1	–
EALING	–	2	6	–	4	N. 1
EDMONTON ...	–	13	3	–	11	N. 1
ENFIELD	–	4	1	–	5	–
FELTHAM... ...	–	1	–	–	–	–
FINCHLEY ...	–	4	1	–	4	–
FRIERN BARNET...	–	3	–	–	1	–
HAMPTON WICK...	–	–	–	–	1	–
HARROW ON THE HILL	–	1	–	–	3	–
HAYES AND HARLINGTON	–	3	–	–	2	–
HENDON	–	7	6	–	3	–
HESTON AND ISLEWORTH	–	–	1	1	5	–
HORNSEY	–	4	1	–	3	C 2 M. 1
KINGSBURY ...	–	2	1	–	1	M. 1 N. 1
RUISLIP NORTHWOOD	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
SOUTHALL NORWOOD	–	3	1	–	–	–
SOUTHGATE ...	–	1	–	–	6	–
STAINES	–	1	3	–	–	–
SUNBURY ON THAMES	–	–	2	–	1	–
TEDDINGTON ...	–	1		–	–	
TOTTENHAM ...	1	12	5	–	16	–
UXBRIDGE ...	–	3	2		1	
WEALDSTONE ...	–	1	–	–	–	–
WEMBLEY ...	–	3	1	–	3	–
WILLESDEN ...	–	16	3	–	17	E. 1 M. 1
WOOD GREEN ...	–	1	1	–	1	–
YIEWSLEY AND WEST DRAYTON	–	3	–	–	–	–
Rural Districts:—						
HENDON	–	3	5	–	–	E. 1
SOUTH MIMMS ...	–	–	–	–	–	C. 1
NORFOLK ...	5	9	17	–	17	E. 1 N. 4
GREAT YARMOUTH C.B.	–	2	4	–	3	N. 1
NORWICH C.B. ...	5	3	5	–	5	N. 1
Boroughs and Urban Districts:—						
DISS	–	–	–	–	–	N. 1
Rural Districts:—						
BLOFIELD ...	–	2	–	–	–	–
DEPWADE ...	–	1	–	–	–	–
DOCKING	–	1	–	–	2	–
DOWNHAM ...		–	–	–	2	–
FREEBRIDGE LYNN	–	–	1	–	–	E. 1
HENSTEAD ...	–		1	–	–	–
KING'S LYNN ...	–	–	–	–	1	–
LODDON AND CLAVERING	–	–	–	–	4	–

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
St. Faith's ...	–	–	1	–	–	N. 1
Thetford ...	*	*	*	*	*	*
Walsingham ...	–	–	3	–	–	–
Wayland ...	–	–	2	–	–	–
NORTHAMPTON	–	10	3	–	8	G. 2 N. 1
Northampton C.B.	–	2	–	–	3	–
Boroughs and Urban Districts:—						
Burton Latimer	–	–	–	–	–	N. 1
Daventry ...	–	–	–	–	–	G. 1
Finedon	–	–	–	–	1	–
Irthlingborough	–	–	1	–	–	–
Kettering ...	–	2	–	–	–	G. 1
Rothwell ...	–	1	–	–	–	–
Rushden... ...	–	–	–	–	1	–
Wellingborough	–	2	–	–	–	–
Rural Districts:—						
Daventry ...	–	1	–	–	1	–
Hardingstone ...	–	1	–	–	–	–
Kettering ...	–	1	–	–	–	–
Northampton ...	–	–	–	–	1	–
Potterspury ...	–	–	–	–	1	–
Wellingborough	–	–	2	–	–	–
NORTHUMBERLAND.	–	41	6	3	61	C. 1 D. 2 L. 5 M. 2 N. 3
Newcastle upon Tyne C.B.	–	18	4	1	29	D. 1 L. 5 M. 1 N. 3
Tynemouth C.B.	–	–	–	–	3	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
Ashington ...	–	1	–	1	1	–
Bedlingtonshire	–	6	–		3	–
Berwick upon Tweed	–	1	–	–	–	–
Blyth	–	4	–	–	4	–
Cramlington ...	–	2	–	–	–	–
Earsdon	–	2	–	–	–	–
Gosforth ...	–	1	–	–	2	C. 1
Hexham	–	–	–	–	1	–
Longbenton ...	–	–	–	–	–	D. 1
Newburn ...	–	–	–	–	8	–
Prudhoe... ...	–	–	–	–	2	–
Seaton Delaval	–	1	–	–	2	–
Seghill	–	–	1	–	–	–
Wallsend ...	–	1	–	–	2	–
Weetslade ...	–	–	–	–	–	M. 1
Whitley and Monkseaton	–	3	–	–	–	–
Rural Districts:—						
Alnwick... ...	–	1	–	–	–	–
Belford	–	–	–	–	1	–
Hexham	–	–	1	1	3	–
NOTTINGHAM ...	–	17	7	–	43	D. 2
Nottingham C.B.	–	10	3	–	24	–
Boroughs and Urban Districts:—						
Beeston	–	2	–	–	–	–
Carlton	–	–	–	–	5	–
East Retford ...	–	–	–	–	1	–
Hucknall ...	–	–	2	–	1	–
Kirkby in Ashfield	–	1	1	–	1	–
Mansfield ...	–	–		–	2	–
Sutton in Ashfield	–	–	–	–	2	D. 1
West Bridgford	*	*	*	*	*	*
Worksop ...	–	–	1	–	–	–

* Returns not received.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	–	–	–	4	–
EAST RETFORD ...	–	1	–	–	1	–
LEAKE	–	1	–	–	1	–
SKEGBY	–	–	–	–		D. 1
SOUTHWELL ...	–	2	–	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	5	–	–	6	M. 2 N. 1
OXFORD C.B. ...	–	–	–	–	1	M. 2 N. 1
Boroughs and Urban Districts:—						
BANBURY... ...	–	1	–	–	–	–
WOODSTOCK ...	–	2	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	–	–	–	1	–
CROWMARSH ...	–	–	–	–	3	–
HEADINGTON ...	–	–	–	–	1	–
HENLEY	–	1	–	–	–	–
THAME	–	1	–	–	–	–
PETERBOROUGH (Soke of).	–	–	–	–	3	–
Borough:—						
PETERBOROUGH...	–	–	–	–	3	–
RUTLAND ...	–	–	–	–	1	G. 1
Urban District:—						
OAKHAM	–	–	–	–	1	G. 1
SALOP	–	8	5	–	2	D. 1 N. 3
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
OAKENGATES ...	–	–	1	–	–	–
OSWESTRY ...	–	–	1	–	–	–
SHREWSBURY ...	–	1	–	–	–	D. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	1	–	–	–	N. 1
BRIDGNORTH	–	1	–	–	–	–
BURFORD... ...	–	–	–	–	–	N. 1
CHURCH STRETTON	–	–	1	–	–	–
ELLESMERE ...	–	3	–	–	–	–
LUDLOW	–	–	1	–	–	–
WELLINGTON ...	–	–	–	–	2	–
WEM	–	2	–	–	–	–
SOMERSET ...	–	10	5	1	20	L. 1 M. 1
BATH C.B. ...	–	3		–	1	M. 1
Boroughs and Urban Districts:—						
BRIDGWATER ...	–	–	–	–	2	–
FROME	–	–	1	–	–	–
STREET	–	–	–	–	1	–
TAUNTON ...	–	–	–	–	4	–
WESTON SUPER MARE	–	1	1	–	1	–
WIVELISCOMBE ...	–	1	1	–	–	–
YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	1	–	–
CHARD	–	–	–	–	2	–
CLUTTON	–	2	–	–	–	–
DULVERTON ...	–		–	–	1	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	–	–	–	2	–
LONG ASHTON ...	–	–	–	–	1	–
TAUNTON... ...	–	2	–	–	2	–
WILLITON ...	–	–	–	–	1	–
WINCANTON ...	–	1	2	–	–	L. 1
SOUTHAMPTON	–	30	11	1	16	M. 1 N. 1
BOURNEMOUTH C.B.	–	–	–	–	2	–
PORTSMOUTH C.B.	–	16	4	–	1	M. 1 N. 1
SOUTHAMPTON C.B.	–	1	5	–	3	–

† The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
ALTON	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
FAREHAM ...	–	–	–	–	1	–
GOSPORT	–	1	–	–	2	–
HAVANT	–	1	–	–	–	–
WINCHESTER ...	–	–	–	–	2	–
Rural Districts:—						
ALTON	–	–	1	–	2	–
BASINGSTOKE ...	–	2	1	–	–	–
CATHERINGTON ...		1	–	–	–	–
FAREHAM ...	–	2	–	–	1	–
FORDINGBRIDGE	–	–	–	–	1	–
HARTLEY WINTNEY	–	2	–	1	–	–
NEW FOREST ...	–	–		–	1	–
ROMSEY	–	1	–	–	–	–
STAFFORD ...		36	36	–	75	C. 1 M. 9 N. 3
BURTON UPON TRENT C.B.	–	1	–	–	–	M. 1
SMETHWICK C.B.	–	4	4	–	3	–
STOKE ON TRENT C.B.	–	3	1	–	28	C. 1 M. 2
WALSALL C.B. ...	–	4	–	–	2	–
WEST BROMWICH C.B.	–	5	–	–	6	M. 1
WOLVERHAMPTON C.B.	–	8	12	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
AUDLEY	–	–	2	–	1	–
BIDDULPH ...	–	–	2	–	–	–
BILSTON	–	–	3	–	2	M. 1
BRIERLEY HILL...	–	–	–	–	2	–
BROWNHILLS ...	–	1	–	–	3	M. 1
CANNOCK	–	–	1	–	–	–
COSELEY	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:— *cont.*						
DARLASTON ...	–	1	–		–	N. 1
KIDSGROVE ...		–	–	–	2	–
LEEK	–	–	2	–	–	–
LICHFIELD ...	–	–	–		2	–
NEWCASTLE UNDER LYME	–	–	1	–	2	M. 1
ROWLEY REGIS ...	–	–	–	–	5	–
RUGELEY... ...	–	–	1	–	–	–
SEDGLEY	–	–	1	–	1	M. 1
STONE	–	1	–	–		–
TAMWORTH ...	*	*	*	*	*	*
TETTENHALL ...	–		3	–	–	–
TIPTON	–	–	–	–	4	–
WEDNESBURY ...	–	1	–	–	–	–
WILLENHALL ...	–	2	–	–	3	–
WOLSTANTON UNITED	–	1	–	–	–	–
Rural Districts:—						
CHEADLE... ...	–	–	–	–	3	–
GNOSALL	–	1	–	–	–	–
LEEK	–	–	–	–	–	N. 1
LICHFIELD ...	–		2		2	–
STAFFORD ...	–	1	–	–	–	–
TAMWORTH (part)	–	–	–	–	1	–
TUTBURY... ...		–	–	–	1	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST	–	21	14	–	5	C. 1 N. 1
IPSWICH C.B. ...	–	17	10	–	2	
Boroughs and Urban Districts:—						
LOWESTOFT ...	–	1	–	–	1	C. 1
STOWMARKET ...	–	1				–
Rural Districts:—						
HOXNE	–	–	–	–	–	N. 1

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST —*cont.*						
Rural Districts— *cont.*						
MUTFORD AND LOTHINGLAND	–	–	–	–	2	–
PLOMESGATE ...	–	–	3	–	–	–
SAMFORD... ...	–	1	–	–	–	–
WANGFORD ...	–	–	1	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST	–	–	–	–	1	D. 1
Boroughs and Urban Districts:—						
BURY ST. EDMUNDS	–	–	–	–	1	–
SUDBURY... ...	–	–	–	–	–	D. 1
Rural Districts:—						
BRANDON... ...	*	*	*	*	*	*
SURREY	2	44	10	–	42	N. 2
CROYDON C.B. ...	–	9	2	–	7	–
Boroughs and Urban Districts:—						
BARNES	–	1	–	–	1	–
CARSHALTON ...	–	1	–	–	3	–
CHERTSEY ...	–	–	–	–	1	–
COULSDON AND PURLEY	–	1	–	–	1	–
DORKING	–	1	–	–	–	–
EGHAM	–	5	–	–	1	–
EPSOM	–	1	1	–	–	–
FARNHAM ...	–	2	–	–	–	–
GODALMING ...	–	–	1	–	–	–
GUILDFORD ...	–	1	–	–	–	–
KINGSTON ON THAMES	–	1	–	–	3	–
MERTON AND MORDEN	1	1	–	–	3	–
MITCHAM... ...	1	2	–	–	3	N. 2
RICHMOND ...	–	5	1	–	2	–
SURBITON ...	–	2	–	–	6	–
SURREY—*cont.*						
Boroughs and Urban Districts— *cont.*						
SUTTON AND CHEAM	–	3	1	–	1	–
THE MALDENS AND COOMBE	–	1	–	–	2	–
WALTON UPON THAMES	–	1	–	–	–	–
WIMBLEDON ...	–	1	2	–	1	–
WINDLESHAM ...		1	–	–		–
WOKING	–	1	–	–	1	–
Rural Districts:—						
EPSOM	–	–	2	–	4	–
GODSTONE ...	–	–	–	–	1	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	1	–	–	1	–
REIGATE	–	1	–	–	–	–
SUSSEX, EAST...	–	8	10	–	11	D. 1 M. 1 N. 1
BRIGHTON C.B. ...	–	3	4	–	3	D. 1 M. 1
HASTINGS C.B. ...	–	3	4	–	3	N. 1
Boroughs and Urban Districts:—						
HOVE	–	1	–	–	1	–
PORTSLADE BY SEA	–	–	–	–	2	–
Rural Districts:—						
CUCKFIELD ...	–	–	1	–	2	–
EAST GRINSTEAD	–	1	–	–	–	–
UCKFIELD ...	–	–	1	–	–	–
SUSSEX, WEST...	1	12	3	1	7	–
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	2	–	–	3	–
BOGNOR REGIS ...	–	2	1		–	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHICHESTER ...	–	2	–	–	–	–
SHOREHAM BY SEA	–	3	–	–	3	–
SOUTHWICK ...	–	1	–	1	–	–
WORTHING ...	–	1	2	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
HORSHAM ...	–	1	–	–	–	
MIDHURST ...	1	–	–	–	–	–
WARWICK ...	2	60	29	8	176	D. 1 M. 16 N. 5
BIRMINGHAM C.B.	–	47	22	7	152	D. 1 M. 15 N. 4
COVENTRY C.B. ...	–	1	4	–	5	N. 1
Boroughs and Urban Districts:—						
BEDWORTH ...	–	–	–	–	1	–
NUNEATON ...	2	2	–	–	2	–
ROYAL LEAMINGTON SPA	–	2	–	–	3	–
RUGBY	–	–	1	–	–	–
STRATFORD ON AVON	–	–	–	–	4	–
SUTTON COLDFIELD	–	2	–	–	–	–
WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	M. 1
ATHERSTONE ...	–	–	1	–	1	–
FOLESHILL ...	–	–	–	–	1	–
MERIDEN	–	1	–	1	3	–
NUNEATON ...	–	–	1	–	–	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM	–	2	–	–	–	–
TAMWORTH (part)	–	–	–	–	1	–
WARWICK ...	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND	–	–	–	–	4	–
Boroughs and Urban Districts:—						
WINDERMERE ...	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	–	–	–	2	–
WIGHT, ISLE OF	–	5	–	–	1	N. 1
Boroughs and Urban Districts:—						
COWES	–	1	–	–	–	–
RYDE	–	–	–	–	1	–
ST. HELENS ...	–	–	–	–	–	N. 1
Rural Districts:—						
ISLE OF WIGHT ...	–	4	–	–	–	–
WILTS	–	–	6	–	13	N. 1
Boroughs and Urban Districts:—						
CALNE	–	–	–	–	–	N. 1
SALISBURY ...	–	–	1	–	–	–
SWINDON	–	–	3	–	9	–
TROWBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
HIGHWORTH ...	–	–	1	–	1	–
MARLBOROUGH ...	–	–	–	–	1	–
PEWSEY	–	–	–	–	1	–

* Returns not received.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	22	6	–	18	D. 1 N. 1
DUDLEY C.B. ...	–	–		–	3	
WORCESTER C.B.	–	3	2	–	7	D. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	–	–	–	2	–
EVESHAM	–	1	–	–	–	–
HALESOWEN ...	–	1	–	–	–	–
KIDDERMINSTER	–	10	–	–	1	–
LYE AND WOLLESCOTE	–	–	–	–	2	–
NORTH BROMSGROVE	–	1	–	–	–	–
OLDBURY	–	2	1	–	1	–
REDDITCH ...	–		1	–	–	–
STOURBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
EVESHAM	–	2	–	–	–	–
KIDDERMINSTER	–	–	1	–	–	–
MARTLEY	–	1	–	–	–	–
PERSHORE ...	–	1	–	–	2	–
UPTON ON SEVERN	–	–	–	–	–	N. 1
YORKS ... ... **(East Riding).**	–	15	32	–	19	M. 1 N. 1
KINGSTON UPON HULL C.B.	–	11	30	–	7	M. 1 N. 1
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	–		6	–
BRIDLINGTON ...	–	1	1	–	1	–
FILEY	*	*	*	*	*	*
GREAT DRIFFIELD	–		–		2	
HESSLE	*	*	*	*	*	*
NORTON	–	1	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	–	–	–	2	–
HOWDEN	–	1	1	–	–	–
PATRINGTON ...		–		–	1	
SCULCOATES ...	*	*	*	*	*	*
SKIRLAUGH ...	–	1	–	–	–	–
YORKS ... ... **(North Riding).**	–	21	3	–	49	–
MIDDLESBROUGH C.B.	–	7	–	–	28	–
Boroughs and Urban Districts:—						
ESTON	–	7	1	–	4	–
GUISBOROUGH ...	–	2	–	–	4	–
REDCAR	–	–	–	–	3	–
RICHMOND ...	–	–	–	–	1	–
SALTBURN BY THE SEA	–	–	–	–	5	–
SCARBOROUGH ...	–	1	1	–	–	
SKELTON AND BROTTON	–	–	–	–	1	–
THORNABY ON TEES	–	–	–	–	2	–
Rural Districts:—						
GUISBOROUGH ...	–	–	–	–	1	–
HELMSLEY ...	–	–	1	–	–	–
STARTFORTH ...	–	3	–	–	–	–
WHITBY	–	1	–	–	–	–
YORKS ... ... **(West Riding).**	–	118	98	7	165	C. 4 D. 9 M. 5 N. 5
BARNSLEY C.B. ...	–		–	–	3	D. 1
BRADFORD C.B. ...	–	6	10	1	19	C. 1
DEWSBURY C.B....	–	2	5	–	–	
DONCASTER C.B....		1	1	–	–	
HALIFAX C.B. ...	–	10	5	–	2	M. 1
HUDDERSFIELD C.B.	–	4	8	–	2	–
LEEDS C.B. ...	–	19	17	–	36	N. 2
ROTHERHAM C.B.	–	–	3	3	5	C. 2
SHEFFIELD C.B....	–	14	11	1	57	C. 1 M. 1 N. 1
WAKEFIELD C.B.	–	13	8	–	4	–
Boroughs and Urban Districts:—						
ADWICK LE STREET	–	1	4	–	4	–

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
Altofts	–	–	–	–	2	–
Barnoldswick ...	–	2			–	
Batley	–	1	3	–	–	–
Bentley with Arksey	–	2	–	–	–	–
Bingley	–	–	–	–	2	–
Birstal	–	1	–	–	–	–
Bolton upon Dearne	–	1	–	–	–	–
Castleford ...	–	–	–	–	1	–
Conisbrough ...	–	–	–	1	–	–
Darton	–	–	2	–	–	D. 1
Goole	–	–	–	–	–	N. 1
Harrogate ...	–	1	–	–	–	–
Hemsworth ...	–	–	–	–	1	D. 1
Hipperholme ...	–	–	1	–		–
Horbury... ...	–	–	–	–	1	–
Hoyland Nether	–	–	1	–	–	–
Keighley ...	–	5	–	–	1	–
Knaresborough	–	–	–	1	–	–
Maltby	–	–	–		1	D. 2
Marsden... ...	–	–	–	–	1	–
Mirfield ...	–	1		–	1	–
Morley	–	4	–	–	2	–
Normanton ...	–	2	–	–	1	–
Ossett	–	2	–	–	–	–
Otley	–	2	–	–	1	–
Pontefract ...	–	1	–	–	–	–
Pudsey	–	5	–		–	–
Queensbury ...	–	1	–	–	–	–
Rawmarsh ...	–	1	–	–	2	M. 1
Rothwell ...	–	1	–	–	–	
Saddleworth ...	–	–	2	–	–	–
Shipley	–	–	2	–		–
Skipton	–	1	–	–	–	
Spenborough ...	–	1	–	–	2	–
Springhead ...	–	–	–	–	2	–
Stainland ...	–	–	–	–	–	M. 1
Stocksbridge ...	–	2	–	–	–	
Thurnscoe ...	–	–	2	–	–	–
Tickhill... ...	–	–	–		–	D. 1
Wombwell ...	–	1	–	–	1	–
Worsborough ...	–	1	–	–	–	–
Yeadon	–	–	–	–	1	–
YORKS (West Riding)—*cont.*						
Rural Districts:—						
Barnsley ...	–	–	1	–	–	–
Doncaster ...	–	1	–	–	–	–
Goole	–	–	–	–	1	–
Hemsworth ...	–	2	3	–	4	D. 1
Kiveton Park ...	–	1	1	–	–	–
Knaresborough	–	–	1	–	–	–
Penistone ...	*	*	*	*	*	*
Pontefract ...	–	–	–	–	1	M. 1
Rotherham ...	–	–	2	–	–	D. 1
Sedbergh ...	–	–	–	–	1	–
Skipton	–	–	2	–	–	–
Tadcaster ...		2	2	–	1	–
Thorne	–	–	–	–	2	D. 1
Wetherby ...	–	3	–	–	–	–
Wortley... ...	–		1	–	–	N. 1
YORK, CITY OF ..	–	6	6	–	1	–
York C.B. ..	–	6	6	–	1	–
WALES.						
ANGLESEY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Llangefni ...	–	1	–	–	–	–
BRECKNOCK ...	–	–	1	–	1	–
Rural Districts:—						
Ystradgynlais	–	–	1	–	1	–

* Returns not received.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON...	–	1	3	–	1	C. 1 D. 1
Boroughs and Urban Districts:—						
Caernarvon	–	1	–	–	–	–
Conway	–	–	1	–	–	D. 1
Llandudno ...	–	–	–	–	1	–
Llanfairfechan	–	–	–	–	–	C. 1
Penmaenmawr ...	–	–	2	–	–	–
CARDIGAN ...	–	2	–	–	1	–
Rural Districts:—						
Aberystwyth (North)	–	2	–	–	–	–
Tregaron ...	–	–	–	–	1	–
CARMARTHEN...	–	5	5	–	4	G. 1 M. 2
Boroughs and Urban Districts:—						
Carmarthen ...	–	–	2	–	3	–
Llandilo ...	*	*	*	*	*	*
Llanelly ...	–	1	2	–	–	G. 1
Rural Districts:—						
Carmarthen ...	–	2	–	–	–	–
Llandilo Fawr	–	–	1	–	–	–
Llanelly ...	–	1	–	–	1	M. 2
Newcastle in Emlyn	–	1	–	–	–	–
DENBIGH ...	–	6	20	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
Colwyn Bay ...	–	2	2	–	–	M. 1
Denbigh ...	–	–	2	–	1	–
Wrexham ...	–	1	2	–	–	C. 1
Rural Districts:—						
Ruthin	–	1		–		–
St. Asaph (Denbigh)	–	–	1	–	–	–
Wrexham ...	–	2	13	–	1	–
FLINT	–	6	3	–	4	N. 1
Boroughs and Urban Districts:—						
Buckley	–	–	2	–	–	–
Flint	–	–	–	–	–	N. 1
Rural Districts:—						
Hawarden ...	–	–	1	–	–	–
Holywell ...	–	–	–	–	4	–
Overton	–	6	–	–	–	–
GLAMORGAN ...	–	48	39	–	62	M. 1 N. 5
Cardiff C.B. ...	–	8	9	–	4	N. 1
Merthyr Tydfil C.B.	–	2	–	–	3	–
Swansea C.B. ...	–	2	6	–	8	–
Boroughs and Urban Districts:—						
Aberdare ...	–	1	2	–	2	N. 1
Barry	–	2	–	–	2	–
Caerphilly ...	–	3	–	–	1	–
Gelligaer ...	–	4	2	–	2	M. 1
Glyncorwg ...	–	–	1	–	–	–
Llwchwr ...	–	–	2	–	1	–
Maesteg	–	–	2	–	1	–
Mountain Ash...	–	14	–	–	2	N. 1
Neath	–	–	1	–	–	–
Ogmore and Garw	–	2	–	–	2	N. 1
Penarth	–	1	1	–	4	–
Pontypridd ...	–	–	–		3	–
Port Talbot ...	–	–	2	–	–	–
Rhondda ...	–	6	4	–	24	N. 1

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
Cardiff	–	1	–	–	1	–
Llantrisant and Llantwit-Fardre	–	2	–	–	–	–
Neath	–	–	7	–	1	–
Pontardawe ...	–	–	–	–	1	–
MERIONETH ...	–	–	–	–	1	–
Urban Districts:—						
Ffestiniog ...	–	–	–	–	1	–
Rural Districts:—						
Pennal (Parish)	*	*	*	*	*	*
MONMOUTH ...	–	59	10	1	15	M. 1
Newport C.B. ...	–	29	–	–	6	–
Boroughs and Urban Districts:—						
Abercarn ...	–	1	–	–	–	–
Abergavenny ...	–	–	3	–	1	–
Abertillery ...	–	7	1	–	–	–
Bedwas and Machen	–	–	2	–	2	M. 1
Bedwellty ...	–	5	2	–	–	–
Caerleon ...	–	1	–	–	–	–
Ebbw Vale ...	–	–	–	–	1	–
Llantarnam ...	–	1	–	–	–	–
Mynyddislwyn	–	5	–	–	–	–
Rhymney ...	–	2	–	1	–	–
Risca	–	1	–	–	5	–
Tredegar ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below)
MONMOUTH—*cont.*						
Rural Districts:—						
Abergavenny ...	–	–	2	–	–	–
St. Mellons ...	–	4	–	–	–	–
MONTGOMERY...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
Llanidloes ...	*	*	*	*	*	*
Rural Districts:—						
Newtown and Llanidloes	–	–	–	–	1	–
PEMBROKE ...	–	–	–	–	–	–
Borough and Urban Districts:—						
Pembroke ...	*	*	*	*	*	*
RADNOR	–	2	–	–	–	–
Urban Districts:—						
Llandrindod Wells	–	2	–	–	–	–
Total of Part II....	26	1330	747	37	1843	C. 18 D. 29 E. 5 F. 1 G. 7 L. 13 M. 85 N. 94

* Returns not received.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*)—Part III.—Port Sanitary Districts.

Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Liverpool	–	–	–	–	–	D. 1 L. 1
Plymouth	–	–	–	1	–	–
Sandwich	*	*	*	*	*	
Total of Part III.	–	–	–	1	–	D. L.

* Returns not received.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever I, Relapsing Fever;

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* †† note below).
Total of Part I.—London	28	249	163	2	296	C. 2 D. 3 E. 1 L. 1 M. 7 N. 11
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	26	1330	747	37	1843	C. 18 D. 29 E. 5 F. 1 G. 7 L. 13 M. 85 N. 94
Total of Part III.—Port Sanitary Districts	-	-	-	1	-	D. 1 L. 1
Total (i.e., of returns received), England and Wales ...	54	1579	910	40	2139	C. 20 D. 33 E. 6 F. 1 G. 7 L. 15 M. 92 N. 105

rperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.
There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate.

{ Births, Deaths (distinguishing certain and Deaths of Infants under 1 Y Age) and Notified Cases of cert fectious Diseases in the last Th Weeks and in the Current Year with corresponding figures for previou

Week ended :—	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Totals Week 1930.
LONDON :—														
Live Births	1,311	1,334	1,305	1,299	1,334	1,291	1,334	1,293	1,180	1,272	1,176	826	1,475	73,717
Stillbirths	53	44	35	36	39	33	46	47	58	51	38	27	46	2,669
Deaths (excluding Still-births)—all ages.	831	853	817	970	1,036	1,012	1,034	1,002	1,039	1,067	1,053	1,011	1,560	49,994
Deaths—0 to 1 year ..	64	63	73	71	109	111	74	106	117	104	112	88	131	4,081
GREAT TOWNS, aggregate (including London) :—														
Live Births	6,279	6,053	6,065	6,010	6,203	5,874	5,909	5,688	5,714	6,045	5,608	3,848	6,298	337,936
Stillbirths	252	262	254	253	238	260	309	237	268	275	244	197	289	14,789
Deaths (excluding Still-births)—all ages.	3,686	3,710	3,791	4,533	4,723	4,451	4,484	4,527	4,575	4,703	4,811	4,859	6,637	224,554
Deaths—0 to 1 year ..	316	334	338	382	436	441	407	421	457	483	463	479	656	20,830
Enteric Fever—Cases	16	24	17	16	14	19	20	18	23	18	14	15	20	1322
„ Deaths	—	—	1	1	1	2	1	—	5	2	—	3	1	115
Small Pox—Cases ..	25	37	31	37	66	45	48	48	53	42	31	22	43	8877
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—	20
Scarlet Fever—Cases	1,102	1,089	1,068	1,117	1,082	1,111	1,064	1,170	1,002	1,039	870	764	899	61,747
„ Deaths	3	5	6	5	1	5	4	4	3	8	6	3	1	415
Diphtheria—Cases ..	570	606	723	625	644	664	668	708	675	632	638	455	591	44,826
„ Deaths ..	32	34	25	23	33	29	24	31	39	32	24	26	42	1,947
Measles—Deaths ..	7	11	21	21	22	24	15	35	39	29	44	39	47	2,892
Influenza—Deaths ..	33	31	37	48	66	71	82	91	90	115	132	140	240	2,230

* The figures in these columns relate to the areas as constituted at the date of the weekly returns no corr having been made for changes in boundary. The live births are derived from the weekly returns furnished Registrars and differ from those published for the towns in the Quarterly Return which are corrected for occurring away from the usual residence of the parents.

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 2nd January, 1932. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.*				Rainfall in Millimetres.†	Towns.	Temperature of Air.*				Rai Mi me
	Highest.	Lowest.	Mean Maximum.	Mean Minimum			Highest.	Lowest.	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
London (Greenwich).	54	21	45·6	33·9	5	Huddersfield ..	54	22	44·1	33·6	2
Brighton ..	50	24	45·7	36·3	2	Bradford ..	56	22	44·4	32·7	2
Portsmouth ..	52	26	46·8	36·5	4	Sheffield ..	56	28	43·6	34·9	2
Norwich(South-well Lodge)	54	20	44·4	31·7	25	York (Museum)	55	23	45·6	34·1	
Plymouth ..	53	28	47·7	38·3	22	Hull (Pearson Park).	54	27	44·6	34·3	1
Bristol (Horfield)	53	27	46·2	36·3	10	Tynemouth ..	56	25	44·6	36·4	1
Birmingham (Edgbaston).	53	28	44·0	36·7	6	Cardiff	51	28	46·3	36·3	3
Nottingham ..	55	22	45·1	33·0	10	Edinburgh ..	53·0	27·0	44·6	35·1	1
Birkenhead (Bidston).	55	30	45·1	39·3	20	Glasgow ..	54·3	28·3	45·5	36·1	6
Manchester (Whitworth Park).	54	26	44·9	35·4	22	Dublin (Phœnix Park)	55·2	26·3	46·7	35·9	1
						(Fitzwilliam Square†).	57·2	31·4	47·7	39·3	1
Burnley	53	20	43·7	32·1	38	Belfast	54·5	29·0	47·9	37·0	1

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc. Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 2nd January, 1932

[Under the Superintendence of the Astronomer Royal.]

1931 MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	27	..	29·922	48·9	43·9	5·0	46·4	+ 7·6	38·6	7·8	11·6	2·9	74	54·1	33·7	46·8	WSW	WSW	1·8	0·0	0·2	365	+ 44	0·00
MONDAY	28	..	29·432	51·6	35·6	16·0	44·9	+ 6·0	39·3	5·6	11·4	3·2	80	52·2	30·0	46·9	WSW	WNW: WSW.	5·8	0·0	1·2	593	+ 263	0·07
TUESDAY	29	..	29·223	36·7	32·3	4·4	34·4	- 4·6	29·4	5·0	9·5	0·3	82	44·0	26·9	46·8	WSW: NW.	NW: W: NNW.	3·4	0·0	0·6	465	+ 130	0·08
WEDNESDAY	30	..	29·650	36·4	29·2	7·2	33·2	- 5·7	27·3	5·9	11·0	1·2	81	45·9	22·2	46·8	NNW	NW: NNW.	2·2	0·0	0·3	350	+ 15	0·00
THURSDAY	31	In Equator	29·949	34·4	20·6	13·8	27·2	-11·5	20·9	6·3	13·6	2·9	78	39·7	11·6	46·6	NW: SW.	NNW: Calm: SW.	0·8	0·0	0·0	189	- 142	0·00
JANUARY. FRIDAY	1	Last Quarter	29·862	50·2	20·7	29·5	40·1	+ 1·5	38·4	1·7	6·3	1·4	93	50·0	11·8	46·5	S: SSW	SSW: SW.	2·8	0·0	0·4	400	+ 75	0·03
SATURDAY	2	..	29·813	54·4	50·2	4·2	52·6	+14·2	48·7	3·9	6·2	2·0	86	57·1	44·7	46·4	WSW	WSW	4·2	0·0	1·1	579	+ 257	0·03
MEANS		..	29·693	44·7	33·2	11·4	39·8	+ 1·1	34·7	5·2	9·9	2·0	82	49·0	25·8	46·7	Westerly		...	...	...	Sum 2941	Sum + 642	Sum 0·21
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	27	No record taken.	1·0	7·9	Overcast till 3h.; nearly cloudless till 10h.; then nearly overcast. Mist till 18h. Dew in morning.
MONDAY ..	28		0·0	7·9	Partially cloudy till 3⅝h.; overcast till 22h.; then partially cloudy. Rain 13h. till 15½h. Mist 13h. till 17½h. Brisk wind throughout. Hoar frost at night.
TUESDAY ..	29		1·2	7·9	Variably cloudy till 12h.; then partially cloudy generally. Snow 8h. till 9½h. Damping 18½h. till 19h. Brisk wind till 6h. Mist 9h. till 19h. Hoar frost in morning.
WEDNESDAY	30		2·1	7·9	Partially cloudy till 3h.; overcast till 10h.; partially cloudy generally till 13½h.; then cloudless. Slight snow 8½h. till 9h. Mist 9h. till 15h. Hoar frost at night.
THURSDAY	31		0·3	7·9	Cloudless. Fog 7h. till 11½h.; mist till 17h.; fog till 23h.; then mist. Hoar frost in morning and at night.
JANUARY. FRIDAY ..	1		0·0	7·9	Partially cloudy till 7h.; then overcast. Damping 8½h. till 12h.; 19h. till 20½h.; and from 21h. Parhelion 10h. Hoar frost in morning. Brisk wind generally from 18h.
SATURDAY	2		0·0	7·9	Overcast throughout. Damping till 6h.; and from 15h. till 18½h. Slight rain 14⅔h. till 15h. Brisk wind throughout.
			Sum 5·1	Sum 55·3	
No of Column ..		26	27	28	

The results apply to the Civil Day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer, is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, supplied by the Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The Record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·07 ins. at the beginning of the week to 29·16 ins. by 7h. on Dec. 29th; increased to 30·03 ins. by 23h. on Dec. 31st; decreased to 29·79 ins. by 22h. on Jan. 1st; increased and was 29·83 ins. by midnight on the 2nd.